

The **xfp** package

Floating Point Unit

The L^AT_EX Project*

Released 2023-10-10

The two functions provided by this package are part of the L^AT_EX format starting with 2022-06-01 release. This package is therefore no longer needed and only provided to be able to process older documents loading.

This package provides a L^AT_EX 2 _{ε} document-level interface to the L^AT_EX3 floating point unit (part of `expl3`). It also provides a parallel integer expression interface for convenience.

-
- \fpeval** ★ The expandable command `\fpeval` takes as its argument a floating point expression and produces a result using the normal rules of mathematics. As this command is expandable it can be used where TeX requires a number and for example within a low-level `\edef` operation to give a purely numerical result.

Briefly, the floating point expressions may comprise:

- Basic arithmetic: addition $x + y$, subtraction $x - y$, multiplication $x * y$, division x / y , square root \sqrt{x} , and parentheses.
- Comparison operators: $x < y$, $x \leq y$, $x > ? y$, $x != y$ etc.
- Boolean logic: sign $\text{sign } x$, negation $\text{! } x$, conjunction $x \&& y$, disjunction $x || y$, ternary operator $x ? y : z$.
- Exponentials: $\exp x$, $\ln x$, x^y .
- Integer factorial: $\text{fact } x$.
- Trigonometry: $\sin x$, $\cos x$, $\tan x$, $\cot x$, $\sec x$, $\csc x$ expecting their arguments in radians, and $\text{sind } x$, $\text{cosd } x$, $\text{tand } x$, $\text{cotd } x$, $\text{seed } x$, $\text{csed } x$ expecting their arguments in degrees.
- Inverse trigonometric functions: $\text{asin } x$, $\text{acos } x$, $\text{atan } x$, $\text{acot } x$, $\text{asec } x$, $\text{acsc } x$ giving a result in radians, and $\text{asind } x$, $\text{acosd } x$, $\text{atand } x$, $\text{cotd } x$, $\text{asecd } x$, $\text{acsed } x$ giving a result in degrees.
- Extrema: $\max(x_1, x_2, \dots)$, $\min(x_1, x_2, \dots)$, $\text{abs}(x)$.
- Rounding functions, controlled by two optional values, n (number of places, 0 by default) and t (behavior on a tie, `NaN` by default):

*E-mail: latex-team@latex-project.org

- $\text{trunc}(x, n)$ rounds towards zero,
- $\text{floor}(x, n)$ rounds towards $-\infty$,
- $\text{ceil}(x, n)$ rounds towards $+\infty$,
- $\text{round}(x, n, t)$ rounds to the closest value, with ties rounded to an even value by default, towards zero if $t = 0$, towards $+\infty$ if $t > 0$ and towards $-\infty$ if $t < 0$.
- Random numbers: $\text{rand}()$, $\text{randint}(m, n)$.
- Constants: pi , deg (one degree in radians).
- Dimensions, automatically expressed in points, *e.g.*, pc is 12.
- Automatic conversion (no need for \number) of integer, dimension, and skip variables to floating points numbers, expressing dimensions in points and ignoring the stretch and shrink components of skips.
- Tuples: (x_1, \dots, x_n) that can be added together, multiplied or divided by a floating point number, and nested.

An example of use could be the following.

```
\LaTeX{} can now compute: $ \frac{\sin(3.5)}{2} + 2\cdot 10^{-3} $
= \fpeval{\sin(3.5)/2 + 2e-3} $.
```

\inteval ★ The expandable command `\inteval` takes as its argument an integer expression and produces a result using the normal rules of mathematics. The operations recognised are `+`, `-`, `*` and `/` plus parentheses. Division occurs with *rounding*, and ties are rounded away from zero. As this command is expandable it can be used where TeX requires a number and for example within a low-level `\edef` operation to give a purely numerical result.

An example of use could be the following.

```
\LaTeX{} can now compute: The sum of the numbers is $ \inteval{1 + 2 + 3} $.
```

Index

The italic numbers denote the pages where the corresponding entry is described, numbers underlined point to the definition, all others indicate the places where it is used.

	E		I
<code>\edef</code>	<i>1, 2</i>	<code>\inteval</code>	<i>2</i>
	F		N
<code>\fpeval</code>	<i>1</i>	<code>\number</code>	<i>2</i>