

The `latex-lab-footnotes` code*

Frank Mittelbach, L^AT_EX Project

November 1, 2023

Abstract

to be written

Contents

1	Introduction	2
1.1	Configuration methods	3
2	Sockets and hooks	3
2.1	Formatting the mark in the main text	3
2.1.1	Sockets	3
2.1.2	Hooks for formatting the footnote mark in text	3
2.1.3	Additional configuration possibilities	4
2.2	Formatting the footnote text	4
2.2.1	Sockets	4
2.2.2	Hooks for formatting the footnote text	6
2.2.3	Additional configuration possibilities	7
3	Tagging and hyperlinking support	7
3.1	Technical details for the tagging	7
3.2	Requirements for links	8
3.3	The algorithmus to connect marks and notes	8
3.3.1	\footref	9
3.3.2	\footnotemark after \footnotetext	9
3.4	Links	10
3.5	Implementation details regarding tagging	10
3.6	Handling the mark	10
3.7	Handling the footnotetext	10
3.8	Footnotes in minipages	10
4	TODOs	10

*

5	The Implementation	11
5.1	File declaration	11
5.2	code not fully handled yet	11
5.3	Temporary variables	12
5.4	Public variables	12
5.5	Internal variables	13
5.6	Variants	13
5.7	Updating \thefnmark	13
5.8	Hooks	14
5.9	Debugging code	14
5.10	The new \footnotemark command	15
5.11	The new \footnotetext command	17
5.12	The new \makefntext command	20
5.12.1	Making documents use the new \makefntext	21
5.13	Document-level commands	22
5.14	Firstaid for packages and classes	23
5.15	Kernel patches	23
5.15.1	memoir	24
5.15.2	setspace	24
5.15.3	hyperref	24
5.16	Tagging and hyperlink code	25
5.16.1	Rolemap for structure tags	25
5.16.2	Extending the label system	25
5.16.3	Storing and retrieving reference data	25
5.16.4	Enabling tagging and links for the mark command	26
5.16.5	The footnote text	27
6	Reimplementing the <code>footmisc</code> package	30
Index		42

1 Introduction

This code reimplements the footnote interfaces for L^AT_EX offering configurable methods for layout and functionality adjustments that avoid overwriting each other when used in classes as well as in packages (as far as possible — obviously some adjustments are mutually exclusive). This is achieved by providing a larger number of hooks (for areas where different packages/classes can easily coexist with their adjustments) and a number of sockets to which only one class or package can write to successfully (in case of multiple changes the last one wins). The latter are for special functionality, e.g., if footnote text is typeset as a single paragraph, it can't be configured the same time to be typeset vertically with one footnote below each other.

The interfaces are set up to support tagged PDF, but in order for this to work, all packages altering the footnote setup should use the interfaces provided here and not do it through the legacy methods (though there is some support for the latter as well, but it will not work in all cases).

1.1 Configuration methods

Historically, the footnote setup in L^AT_EX was done by providing definitions for `\@makefnmark` (format the footnote mark in running text and in front of the footnote text) and `\@makefntext` (formatting the footnote text and placing a mark in front of it).

There was a default definition for `\@makefnmark` in the format that was used by most document classes, but `\@makefntext` had to be defined in the class itself because the format didn't provide a default. As a result you will find definitions for the latter in all document classes and definitions for `\@makefnmark` only in very few.

Furthermore, to enable special footnote layouts or provide additional functionality a few packages (and a few classes) overwrote other internal commands of L^AT_EX's footnote mechanism. The commands affected in this way are mainly `\@footnotemark` and `\@footnotetext`. These overwrites could not be used in combination, so either the packages/classes had to be aware of being loaded together (which they sometimes did or tried to) or they would fail by overwriting each other unconditionally.

The present rewrite is an attempt to improve this situation, but of course, it will only work if all packages/classes make use of the new interfaces. Fortunately, the number of problematical packages altering these internal commands are fairly small so arranging for updates is a realistic goal — to achieve properly tagged PDF it is a requirement.

2 Sockets and hooks

We use sockets for those parts that can be controlled only by one package or by the kernel and hooks for places where it may be possible that several packages or the document class adds code (typically declarations such as font changes, etc.).

Note that sockets are of interest only to very few specialized packages, mainly `footmisc`, and packages providing similar functionality—the current documentation is therefore fairly sketchy.

In contrast the hooks are of interest to many classes to provide their layout alterations in a way that it works smoothly with other packages handling aspects of footnote formatting.

2.1 Formatting the mark in the main text

This implements formatting the mark¹ and its relation to surrounding text, e.g., if several marks appear in the same place, etc.

2.1.1 Sockets

None: everything is implemented through a single definition for `\@footnotemark` that offers a number of hooks that can be used by packages to implement handling of multiple marks and the formatting of marks.

2.1.2 Hooks for formatting the footnote mark in text

The hooks to customize the marks in the text are the following:

¹Like this one.

fnmark/before

Executed at the very beginning of `\footnotemark`. Currently there are two packages (`bibarts` and `chextras`) that prepend material at this point (not necessarily correctly, e.g., they do not all check that they are in horizontal mode).

This hook is paired with hook **fnmark/after**.

fnmark

Executed in horizontal mode and after the current space factor has been saved away for reuse. This is where currently code for multiple marks does its preparation (as done by `footmisc` and others).

The hook is only executed in hmode, i.e., not if the mark is generated in math — maybe that means the multiple handling should happen later?

After the hook a `\nobreak` is executed, so any “material” added in the hook is tied to the following mark unless it contains its own permissible penalty.

fnmark/begin

This hook is executed directly in front of the typeset mark. This is the place where `hyperref` would have added part of its code, i.e., after the `\nobreak` mentioned above. With the integration of hyperlinks in the tagging code this hook may not be necessary at all.

fnmark/end

This hook is executed directly after the typeset mark. It is used by `memhfixc`, `scrlttr2`, and `footmisc`. Used, for example, to implement support for multiple marks in succession.

It is *not* a reversed hook.

fnmark/after

This hook is executed at the very end of the `\footnotemark` command.

It is a reversed hook to pair with **fnmark/before**

2.1.3 Additional configuration possibilities

The actual formatting is done through `\@makefnmark` — no special customization support for now.

2.2 Formatting the footnote text

This implements the formatting of the footnote text the way it appears at the bottom of the page (default case), or possibly elsewhere, e.g. in the margin.

2.2.1 Sockets

To cater for different layout configurations there are four sockets that can be set by a package or class but there should be only one per document setting them, i.e., if two packages/classes set them they are mutually incompatible (or rather the last one wins most likely). These are:

fntext/process (1 argument)

This socket receives all material that is to be processed (or stored) including color protection code and what have you. The **default** executes `\insert\footins`.

Available plugs are **default**, **side** (side notes), and **mp** (minipage).

fntext/make (1 argument)

This socket receives the *<text>* as given in `\footnote` or `\footnotetext` in the document and adds formatting instructions to it.

The **default** plug runs `\@makefntext` which contains various hooks for customization. For most scenarios this is sufficient. However, when running all footnotes as a single paragraph at the bottom, then each footnote needs to be prepared prior to storing it with `\insert` and this socket allows running extra code to do that.

Available plugs are **default** and **para**.

fntext/begin (no argument)

The socket is executed near the start of the argument for the **fntext/make** socket. By **default** it adds a strut to the footnote material so that consecutive footnotes are properly spaced vertically. In some use cases this is not appropriate (e.g., when running all footnotes as a single paragraph) and so with this socket one can cancel the action or do something else instead.

Available plugs are **default** and **noop**.

fntext/end (no argument)

This socket is executed at the very end of the argument passed to socket **fntext/make**. By **default** it adds a final strut as long as we are still in horizontal mode (i.e., processing the footnote text paragraph). When running several footnotes in one paragraph some additional material (some horizontal glue) needs adding at this point which is done with the plug **para**.

Available plugs are **default**, **para**, and **noop**.

All standard plugs for the socket **fntext/make** run `\@makefntext` and this command contains two further sockets (unless it is overwritten by a legacy class):

fntext/mark (0 arguments)

This socket has no input arguments but uses `\@makefnmark` to typeset the mark in front of the footnote text. Its **default** uses code that examines the value of `\footnotemargin` and based on its setting typeset the mark in different ways:

- positive: typeset the mark in a box of that size
- zero: use `\llap` around the mark
- negative: use `\llap` but with a box of the given size negated inside
- `-\maxdimen`: just use `\@makefnmark`

For most cases this would be flexible enough, but if not then a class can define its own plug to specify the placement of the mark.

Available plugs are **default** and **noop** (no mark is produced).

fntext/text (1 argument)

This socket manages the formatting of the footnote text (presented as an argument) once the mark has been typeset. In all cases we can think of this formatting is better configured via the available hooks described below, so the `default` just grabs the argument and processes it without any other action. It is really only there to allow for some fancy stuff that some design comes up with.

Available plugs are `identity` (default) and `noop`.

The above configuration points are sufficient to implement all commonly used footnote layouts assuming L-R typesetting. For R-L typesetting they or may or may not need some extension (though that is not clear right now).

2.2.2 Hooks for formatting the footnote text

fntext/before

Executed at the very beginning of `\footnotetext`. Currently there is one package (`linguex`) that prepends material at this point.

This hook is paired with hook `fnmark/after`.

fntext

Executed at the beginning of the material passed to the first configuration point. Typically used to set any baseline stretch for the footnote text, e.g., by `setspace`, `footmisc`, `uathesis.cls` and others. Could be done in a later hook but is a bit more efficient here.

After the hook has run, the font is established, i.e., it can't be used to set a different font size.

fntext/para

After the font is set (after the previous hook), some default paragraph parameters are set up including `\interlinepenalty`, `\hsize`, `\parindent` and a number of others, as some of them depend on the font size. Then the `fntext/para` is run which can overwrite the default. If one wants to change the font size, it is probably necessary to reset these other parameters too, e.g., `\parindent`, which can be done here.

Note: the socket `fntext/make` normally runs the command `\@makefntext` or some code that eventually runs this command, and this then produces the footnote mark in front of the formatted footnote text. In front of both the mark and the footnote text some classes have placed paragraph parameter adjustments in their redefinition of `\@makefntext`. However, there is no need to place it there it could equally well go into the `fntext/para` hook. We therefore do not provide another hook at this other point.

fntext/begin & fntext/end

The footnote text itself is surrounded by the hooks `fntext/begin` and `fntext/end`. The two hooks are not paired as they are typically used independently.

fntext/after

At the very end of `\footnotetext` we execute the hook `fntext/after` which is a reversed hook paired with `fntext/before`. Some packages, e.g., `linguex`, have code in that position.

2.2.3 Additional configuration possibilities

The formatting of the footnote mark in front of the footnote text is influenced by the setting of the dimen parameter `\footnotemargin`. By default its value is 1.8em in the current text font (or `-\maxdimen` when the `para` option is chosen). The following rules apply:

- If it has the value `-\maxdimen` then the mark is generated by `\@makefnmark`.
- Otherwise, if the value is negative then the mark is placed into an `\llap` left aligned in a box of size `-\footnotemargin`.
- If the value is zero an `\llap` is used without an inner box.
- If the value is greater zero (but less than `\maxdimen`) the mark is placed right aligned into a box of size `\footnotemargin`.
- The value `\maxdimen` is used as a marker to indicate that no value was given and that the default should be used, i.e. 1.8em or `-\maxdimen` depending on the chosen option.

3 Tagging and hyperlinking support

TODO: *this section needs work (and probably csname changes)*

Footnotes consist of a *footnotemark* (short: mark) that is typically placed in the text as a superscript number like this¹, and a *footnotetext* (short: note) that is placed at the bottom of the page. The *footnotetext* normally repeats at the begin the mark as a visual clue.

Tagging (and hyperlinking) has to connect the mark with the note. For the tagging code, we assume that every mark has exactly one associated note, and that every note is associated to at least one mark and can have more associated marks.

The mark doesn't need to be visible, e.g. the typesetted mark¹⁻³ denotes three marks, where the second is invisible. Tagging should produce here probably three `Lbl` structures (one without content), and an artifact for the range marker. If such a range is used, links can only point to the notes 1 and 3 and one has to suppress the linking for the second mark. This means that links and tagging are also related to the actual formatting of the footnote mark. In the following this problem is mostly ignored for now, but should not be forgotten and handled later.

3.1 Technical details for the tagging

The following sockets are set up for kernel use, when doing tagging:

tagsupport/fnmark (1 argument)

TODO: *describe and decide on names*

tagsupport/fntext/begin (no argument)

tagsupport/fntext/end (no argument)

tagsupport/fntext/mark (1 argument)

tagsupport/fntext/text (1 argument)

The *footnotemark* should create a */Lbl* structure² that should contain a */Ref* entry pointing to the structure of the *footnotetext*.

The *footnotetext* should create a */FENote*³ structure with a */Ref* entry pointing to the structures of *all* marks related to the note. The mark at the begin of the note is in a */Lbl*⁴ structure but has to fulfil no special requirements.

Structure objects and the underlying properties used by the tagging code are initialized when the structure is opened. This means that one can not directly add data to a future structure but as structure objects are written at the end of the document it is possible to update */Ref* entries in an end document hook.

So tagging has to solve two problems:

- the mark and the footnote text must be surrounded by the correct structure and marked content commands. This is not trivial as there are various layouts (bottom, marginpar, minipage) and the tagging from the automatic paratagging must be taken into account if one want to avoid faulty nesting.
- It must detect which marks are related to which notes so that it can setup the */Ref* cross-references.

3.2 Requirements for links

Links should go from the mark to the note. Sometimes it has been requested that links go back too, but as there can be more than one mark connected to a note it is not clear how to decide to which mark it should go. Using the keys from the PDF viewer to go back is normally better.

Links are closely related to the references stored in the */Ref* entry of a mark and so are handled in the code together with them. But there are subtle technical differences to take care of as links and destinations are whatsits and so must be created at the correct time.

It should be possible to suppress the links both globally and locally.⁵

3.3 The algorithmus to connect marks and notes

The connection is made by comparing the value of *\@thefnmark*.

The standard mark commands (*\footnotemark* and *\footnote*) store the current value of *\@thefnmark* with their own structure number as a key in a property.

A following *\footnotetext* compares its own *\@thefnmark* with the values in the prop. If there is a match it stores the structure numbers and removes the entries from the properties (so in a normal document the property will never contain more than a few entries).

This works well as long as the *\footnotemark* commands are issued before the *\footnotetext* and as long as nothing unusual is done to *\@thefnmark*. It also works if a document uses more than one footnote series as long as they have distinct numbering systems, but in case a distinction is needed it is possible to define a new class with its

²to make it easier to identify the role we use */footnotemark* which we rolemap to */Lbl*

³We tag it as */footnote* and role map it.

⁴We tag it as */footnotelabel*.

⁵Currently hyperref only offers the option to suppress the footnote links globally with the option *hyperfootnotes=false*. To suppress them locally only the *NoHyper* environment is provided.

own data structure and to switch locally to use this class. The following three commands are used for this.

The default class uses the name `default`

`\fnote_class_new:nn \fnote_class_new:nn{\<name>}{\<key/value option>}`

This declaration sets up the needed data structure. Currently this only consists of a property list which is used to store and manage the mark values. There are no options yet.

`\fnote_mark_gput:nn \fnote_mark_gput:nn{\<mark>}{\<class name>}`

`\fnote_mark_gput:(no|oo)` This command stores the current structure number as key and the `<mark>` as value in the property list associated with the `<class name>`.

`\fnote_mark_gpop_all:nnN \fnote_mark_gpop_all:nnN{\<mark>}{\<class name>}{\<sequence>}`

This command stores all the keys/structure numbers whose value in the property list for `<class name>` are equal to `<mark>` into the sequence `<sequence>` and then removes them from the property list. The content of the sequence can then be used to create link targets and references.

3.3.1 `\footref`

`\footref` use internally the same command to set the mark as `\footnotemark`, it only defines `\@thefnmark` differently. This `\@thefnmark` is not suitable for the method described above, as it contains a reference command it can't be used to match a note, also `\footref` can be used after the note has already been set. `\footref` disables therefore the automatic detection.

Instead the `\label` command is extended in the `\footnotetext` command to also store the structure number and `\footref` retrieves this number to setup the reference and the link.

The structure related to the `\footref` is added to the end of the `/Ref` array of the note and so the `/Ref` array doesn't necessarily reflect the order of the marks in the document. It would probably be possible to change this, but it is not clear if it actually matters and so it worth the additional coding and processing.

3.3.2 `\footnotemark` after `\footnotetext`

The automatic detection doesn't work if a `\footnotemark` is issued after the `\footnotetext` it refers to. There will be no error, but neither the link nor the `/Ref` will connect both.

The simple way to handle this is to use a label and `\footref`:

```
\footnotetext{\label{fn:a}text} ... \footref{fn:a}
```

An alternative would be to extend the syntax of `\footnotemark` and `\footnotetext` to allow to add a label which can then be used. For example

```
\footnotetext[label=fn:a]{text} ... \footnotemark[label=fn:a]
```

As both have already an optional argument, that requires the optional argument extension.

3.4 Links

The structure numbers detected for the `/Ref` are also used for links: even if tagging is not activated the tagging commands are defined through the `tagpdf-base` package and the structure commands increase the structure counter and this info can be used.

A `\footnotetext` creates a bunch of destinations (in most cases this sums up to two destinations): one for every structure number in the `/Ref` (used as target by the mark commands) and one for the structure number of the `footnotetext` itself (used as target by `\footref` commands).

3.5 Implementation details regarding tagging

3.6 Handling the mark

The mark in the text is handled by assigning an appropriate plug to the socket `tagsupport/fnmark`. It takes one argument, `\@makefnmark`, the command which formats the mark, and surrounds it by link and tagging commands. At the point where the socket is executed, `\@thefnmark` has already been defined and can be used to setup the reference detections.

3.7 Handling the footnotetext

The main part is done by assigning a different plug to socket `tagsupport/fntext/begin` and `tagsupport/fntext/end` surrounding the footnote text. These sockets are used to start and end the structure and attempt to detect to which mark the note is related.

The actual typesetting of the note text is done by `\fnote_makefntext:n` (or its L^AT_EX 2_E name `\@makefntext`). In the new implementation this contains two further kernel sockets for tagging: `tagsupport/fntext/mark` and `tagsupport/fntext/text`. They get plugs assigned that add the tagging commands around note mark and note text.

3.8 Footnotes in minipages

In minipages the `\footnote` command uses a special marker (small italic letters by default) and puts the footnote text at the bottom of the box. The `\footnotemark` command uses the standard footnote counter and marker (and so typically creates a superscript number). It is meant to be used with a `\footnotetext` *outside* the minipage to create a footnote mark which refers to a footnote text at the bottom of the page. This means to repeat a footnote marker in a minipage you should use the `\footref` command.

Tagging works quite similar to normal footnotes if the new definition is used and if the minipage code is changed to use the new configuration point. The main problem here is currently the tagging of the minipage itself.

4 TODOs

- Special formatting of footnote marks in the text, e.g. if ranges or commas are used require special care as they should normally mark up such text as artifacts and perhaps have to insert empty structures to represent an invisible mark. This must be coordinated with the relevant packages and classes.
- manyfoot doesn't work correctly and must be analyzed.

- memoir is not supported at all and errors when the code tries to patch \makefntext.

To be documented

5 The Implementation

All this is very rough and misses a lot of documentation.

```
1  <*kernel>
2  <@@=fnote>
```

5.1 File declaration

```
3  \ProvidesFile{latex-lab-footnotes.ltx}
4      [ \ltlabfootnotedate\space v \ltlabfootnoteversion\space
5        changes to the footnote interfaces]
```

5.2 code not fully handled yet

```
6 %
7 % latex.ltx
8 % not looked at yet
9 % \@mpfootnotetext is probably no longer needed, or only to support other
10 % classes and package. See below about the minipage code.
11 %
12 % \long\def\@mpfootnotetext#1{%
13 %   \global\setbox\@mpfootins\vbox{%
14 %     \unvbox\@mpfootins
15 %     \reset@font\footnotesize
16 %     \hsize\columnwidth
17 %     \parboxrestore
18 %     \def\@currentcounter{\mpfootnote}%
19 %     \protected@edef\@currentlabel
20 %       {\csname p@\mpfootnote\endcsname\@thefnmark}%
21 %     \color@begingroup
22 %       \makefntext{%
23 %         \rule{z}{\footnotesep}\ignorespaces#1\finalstrut\strutbox}%
24 %       \par
25 %       \color@endgroup}%
26 % =====
27 % used by the minipage footnote code.
28 %
29 % \def\@mpfn{footnote}
30 % \def\thempfn{\thefootnote}
31 % =====
32 % this perhaps need some configuration options.
33 %
34 % \def\@makefnmark{\hbox{\textsuperscript{\normalfont\@thefnmark}}}
35 %
36 % =====
37 %%% alterations not covered:
38 %
39 % ./arabtex/afoot.sty --- too different (and probably too old)
40 %
```

```

41 % =====
42 % alterations of footnotetext not covered:
43 %
44 % ./revtex4-1/revtex4-1.cls ./revtex/ltxutil.sty ./revtex/revtex4-2.cls ... (need analysis)
45 % ./bigfoot/bigfoot.sty
46 %
47 % memoir needs checking too
48 %
49 % =====
50 %
51 % use of kerns to mark h-mode positions (unit sp)
52 %
53 % 1 = CJK
54 % 2 = CJK
55 % 3 = multiple footnotes (footmisc, koma, elemac, tufte, memoir,
56 %      parnotes, sidenotes)
57 % 3 = outer kern in letter spacing (letterspace)
58 % 3 = beginning of list (examdesign.cls)
59 % 4 = CJK pigin
60 % 5 = CJK ruby
61
62 % 1-4 = polyglossia for korean
63 %

```

64 \ExplSyntaxOn

5.3 Temporary variables

```

65 \prop_new:N \l__fnote_tmpa_prop
66 \tl_new:N \l__fnote_tmpa_tl

```

5.4 Public variables

A footnote mark will store its structure number (key) and the expanded `\@thefnmark` in this prop so that a following note can retrieve this info if needed. It is possible to use more than one footnote series (type) if needed (if different footnotes/note use the same numbering system). If this command is changed an accompanying property must be created

```
\l_fnote_type_tl
67 \tl_new:N \l_fnote_type_tl
68 \tl_set:Nn \l_fnote_type_tl {default}
```

(End of definition for `\l_fnote_type_tl`. This function is documented on page ??.)

It must be possible to suppress the hyperlinking, both locally and globally. hyperref's hyperfootnotes option should set the boolean.

```
\l_fnote_link_bool
69 \bool_new:N \l_fnote_link_bool
70 \bool_set_true:N \l_fnote_link_bool
```

(End of definition for `\l_fnote_link_bool`. This function is documented on page ??.)

A hyperlink should have an changeable link type. This can be e.g. used to change the color or the border.

```
\l_fnote_link_type_tl
 71 \tl_new:N \l_fnote_link_type_tl
 72 \tl_set:Nn \l_fnote_link_type_tl {link}
(End of definition for \l_fnote_link_type_tl. This function is documented on page ??.)
```

5.5 Internal variables

\l__fnote_linktarget_tl This command stores the name of a linktarget/destination when needed

```
 73 \tl_new:N \l__fnote_linktarget_tl
```

(End of definition for \l__fnote_linktarget_tl.)

\l__fnote_currentlabel_tl This command is used to pass a label name around.

```
 74 \tl_new:N \l__fnote_currentlabel_tl
```

(End of definition for \l__fnote_currentlabel_tl.)

\l__fnote_currentrefs_seq This sequence stores the list of reference of a note

```
 75 \seq_new:N \l__fnote_currentrefs_seq
```

(End of definition for \l__fnote_currentrefs_seq.)

The connection between the mark(s) in the text and the note is either deduced automatically or done through an label. The default is automatic, but we must be able to suppress it. For this we use a boolean.

\l__fnote_autodetect_bool

```
 76 \bool_new:N \l__fnote_autodetect_bool
```

```
 77 \bool_set_true:N \l__fnote_autodetect_bool
```

(End of definition for \l__fnote_autodetect_bool.)

This is used to pass the structure number of the note around, e.g. to a label inside the note.

```
 78 \tl_new:N \l__fnote_currentstruct_tl
```

```
 79 \tl_set:Nn \l__fnote_currentstruct_tl {1}
```

5.6 Variants

```
 80 \cs_generate_variant:Nn \hook_gput_code:nnn{nnne}
 81 \cs_generate_variant:Nn \tag_struct_use:n {e}
```

5.7 Updating \thefnmark

\fnote_step_fnmark:nn This command updates \thefnmark. The first argument is an optional integer expression, the second a counter name. If the optional argument is not given it steps the counter.

```
 82 \cs_new_protected:Npn \fnote_step_fnmark:nn #1#2 {
 83   \tl_if_novalue:nTF {#1}
 84   {
 85     \stepcounter {#2}
 86     \protected@xdef \thefnmark { \use:c { the#2 } }
 87   }
 88   {
 89     \group_begin:
```

Note that this is a local assignment even though L^AT_EX counters are normally globally changed. This is the way it was in 2e and so far we haven't changed it. The alternative would be to store the current value and restore it after `\@thefnmark` is altered.

```

90         \int_set:cn { c@#2 }{ #1 }
91         \unrestored@protected@xdef \@thefnmark { \use:c { the#2 } }
92         \group_end:
93     }
94 }
```

(End of definition for `\fnote_step_fnmark:nn`. This function is documented on page ??.)

`\fnote_set_fnmark:nn` This is similar to the previous command, but it doesn't step the counter but use the current value.

```

95 \cs_new_protected:Npn \fnote_set_fnmark:nn #1#2 {
96   \tl_if_novalue:nTF {#1}
97   {
98     \protected@xdef \@thefnmark { \use:c { the#2 } }
99   }
100  {
101    \group_begin:
102      \int_set:cn { c@#2 }{ #1 }
103      \unrestored@protected@xdef \@thefnmark { \use:c { the#2 } }
104    \group_end:
105  }
106 }
```

(End of definition for `\fnote_set_fnmark:nn`. This function is documented on page ??.)

5.8 Hooks

`fnmark/before (hook)` Hooks in the footnotemark command.

```

fnmark/after (hook) 107 \NewMirroredHookPair{fnmark/before}{fnmark/after}
fnmark (hook) 108 \NewHook{fnmark}
fnmark/begin (hook) 109 \NewHook{fnmark/begin}
fnmark/end (hook) 110 \NewHook{fnmark/end}
```

`fntext/before (hook)` Hooks in the footnotetext command:

```

fntext/after (hook) 111 \NewMirroredHookPair{fntext/before}{fntext/after}
fntext (hook) 112 \NewHook{fntext}
fntext/begin (hook) 113 \NewHook{fntext/para}
fntext/end (hook) 114 \NewHook{fntext/begin}
fntext/para (hook) 115 \NewHook{fntext/end}
```

5.9 Debugging code

the debugging code is just temporary

For now we have debugging turned on by default

```

116 \bool_new:N      \g_fnote_debug_bool
117 \bool_gset_true:N \g_fnote_debug_bool
```

We log the hooks in the footnote mark command, but only once

```

118 \cs_new_protected:Npn \__fnote_debug_footnotemark:
119   {
120     \bool_if:NT \g_fnote_debug_bool
121       {
122         \hook_log:n {fnmark/before}
123         \hook_log:n {fnmark}
124         \hook_log:n {fnmark/begin}
125         \hook_log:n {fnmark/end}
126         \hook_log:n {fnmark/after}
127         \cs_gset_eq:NN \__fnote_debug_footnotemark: \prg_do_nothing:
128       }
129   }

```

Similar for the footnotetext

```

130 \cs_new_protected:Npn \__fnote_debug_footnotetext:
131   {
132     \bool_if:NT \g_fnote_debug_bool
133       {
134         \socket_log:n {fntext/process}
135         \socket_log:n {fntext/make}
136         \socket_log:n {fntext/begin}
137         \socket_log:n {fntext/end}
138         \socket_log:n {fntext/mark}
139         \socket_log:n {fntext/text}
140         \socket_log:n {tagsupport/fnmark}
141         \socket_log:n {tagsupport/fntext/begin}
142         \socket_log:n {tagsupport/fntext/end}
143         \socket_log:n {tagsupport/fntext/mark}
144         \socket_log:n {tagsupport/fntext/text}
145         \hook_log:n {fntext/before}
146         \hook_log:n {fntext}
147         \hook_log:n {fntext/para}
148         \hook_log:n {fntext/begin}
149         \hook_log:n {fntext/end}
150         \hook_log:n {fntext/after}

```

Show the info only once (if at all).

```

151           \cs_gset_eq:NN \__fnote_debug_footnotetext: \prg_do_nothing:
152         }
153     }

```

5.10 The new \@footnotemark command

\fnote_footnotemark: This is the main command which will replace \@footnotemark.

```

154 \cs_new_protected:Npn \fnote_footnotemark: {
155   \__fnote_debug_footnotemark:
156 %-----
157 % bibarts
158 % chextras --- actually in the wrong place does an \unskip
159   \hook_use:n {fnmark/before}
160 %-----
161   \leavevmode

```

```

162     \ifhmode
163         \edef\@x@sf{\the\spacefactor}
164 %-----
165 % bxjsja-minimal.def --- what they do could be done at ``bibarts''
166 %                               (a bit less efficient)
167 % memhfixc.sty
168 % footmisc.sty
169     \hook_use:n {fnmark}
170 %-----
171     \nobreak
172     \fi
173 %-----
174 % hyperref.sty
175     \hook_use:n {fnmark/begin}
176 %-----

```

The kernel socket for tagging. It picks up `\@makefnmark` as its argument and if tagging is not active it contains the identity plug.

```

177     \socket_use:nn {tagsupport/fnmark} \@makefnmark
178 %-----

```

If a footnote mark is placed by its own then it should finish by executing the hook `fnmark/end`, resetting the space factor, and finishing with the hook `fnmark/after`. However, in a complete footnote these actions have to happen only after we have handled the footnote text (e.g., by placing it into an `\insert`). In such a situation `__fnote_footmark_finish:` below does nothing and the action is carried out later.

```

179     \_\_fnote_footnotemark_finish:
180 }

```

(End of definition for `\fnote_footnotemark::`. This function is documented on page ??.)

`__fnote_footnotemark_default_finish:`
`__fnote_footnotemark_finish:`

```

181 \cs_new_protected:Npn \_\_fnote_footnotemark_default_finish: {
182 % hyperref.sty
183 % memhfixc.sty --- could move fnmark/after
184 % scrlltr2.cls --- could vanish if footmisc uses a hook
185 % footmisc.sty
186     \UseHook{fnmark/end}
187 %-----
188     \ifhmode
189         \spacefactor\@x@sf \relax
190     \fi
191 %
192 %-----
193     \UseHook{fnmark/after}
194 %-----
195 }

196 \cs_new_eq:NN \_\_fnote_footnotemark_finish: \_\_fnote_footnotemark_default_finish:

```

(End of definition for `__fnote_footnotemark_default_finish:` and `__fnote_footnotemark_finish::`)

`tagsupport/fnmark (socket)` Not a public socket but reserved for tagging. By default it contains `identity` and is reassigned if tagging is active.

```

197 \NewSocket{tagsupport/fnmark}{1}

```

\@footnotemark Here we provide the traditional L^AT_EX 2 _{ε} name in case it is directly used in some legacy class.

```
198 \cs_set_eq:NN \@footnotemark \fnote_footnotemark:
```

(End of definition for \@footnotemark. This function is documented on page ??.)

5.11 The new \@footnotetext command

\fnote_footnotetext:n

```
199 \cs_new_protected:Npn \fnote_footnotetext:n #1 {
200     \__fnote_debug_footnotetext:
201 %-----
202 % ./linguex/linguex.sty
203     \hook_use:n {fntext/before}
204 %-----
```

Execute a kernel socket for tagging.

```
205 \socket_use:n {tagsupport/fntext/begin}
206 \socket_use:nn {fntext/process}
207 {
208 %-----
209 % resetting baselinestretch ... (could be done further down)
210 % ./uafthesis/uafthesis.cls
211 % ./setspace/setspace.sty
212 % ./footmisc/footmisc.sty (normal)
213     \hook_use:n {fntext}
214 %-----
215     \reset@font
216     \footnotesize
217 %-----
218 % some classes use a different font size, e.g.,
219 % ./nrc/nrc1.cls ./nrc/nrc2.cls
220 % but those could be done in fntext/para instead
221 %-----
```

In case of sidenotes the next settings are pointless, but as they do not hurt (except for the \hsize setting) and are needed for all other cases we make them here and overwrite them for side notes

```
222 \interlinepenalty\interfootnotelinepenalty
223 \splittopskip\footnotesep
224 \splitmaxdepth \dp\strutbox
225 \floatingpenalty \MM
226 \hsize\columnwidth
227 \parboxrestore
228 \parindent 1em    % typical default used in \makefntext moved up here
229 \def\@currentcounter{footnote}
230 \protected@edef \@currentlabel { \p@footnote \thefnmark }
231 %-----
232 % for altering para parameters ...
233 % code for resphilosophica came earlier but it could go here.
234 % Has the advantage that one can also overwrite \cs{@currentcounter}
235 % and \cs{@currentlabel} is that is necessary.
236 %
237 % ./resphilosophica/resphilosophica.cls
```

```

238     \hook_use:n {fntext/para}
239 %-----
240     \color@begingroup
241 %-----
242 % fnpara wants to replace \makefntext{...} and para and side
243 % option of footmisc etc too ...
244 % so we make this a socket, because only one action can be active:
245 %-----
246     \socket_use:nn {fntext/make}
247     {
248 %-----
249 % ./resphilosophica/resphilosophica.cls
250 %-----
251         \socket_use:n {fntext/begin}%
252 %-----
253 % bibarts
254 % fnbreak.sty
255         \hook_use:n {fntext/begin}
256 %-----
257         \ignorespaces
258         #1
259 %-----
260 % bibarts
261 % fnbreak.sty
262         \hook_use:n {fntext/end}
263 %-----

```

The socket code (by default adding a strut) has to come *after* everything added into the hook above.

```

264     \socket_use:n {fntext/end}
265     }
266     \par
267     \color@endgroup
268 }
269 %-----

```

The corresponding kernel hook that ends the tagging structure if tagging is active.

```

270     \socket_use:n{tagsupport/fntext/end}
271 %-----
272 % ./linguex/linguex.sty
273     \hook_use:n {fntext/after}
274 %-----
275 }

```

(End of definition for `\fnote_footnotetext:n`. This function is documented on page ??.)

```

fntext/process (socket)
276 \NewSocket    {fntext/process}{1}
277 \NewSocketPlug{fntext/process}{default}{ \insert\footins {#1} }
278 \NewSocketPlug{fntext/process}{side}   { \marginpar {#1} }
279 \AssignSocketPlug{fntext/process}{default}

```

fntext/make (*socket*) This socket receives the $\langle text \rangle$ from the `\footnote` or `\footnotetext` and formats it.

```

280 \NewSocket    {fntext/make}{1}
281 \NewSocketPlug{fntext/make}{default}{ \makefntext {#1} }

```

When running several footnotes together as a paragraph some additional work is necessary to unbox the individual footnotes recursively (see *TeXbook* algorithm in appendix D).

```

282 \NewSocketPlug{fntext/make}{para}
283 {
284   \setbox\FN@tempboxa\hbox{\@makefntext{\#1}}%
285   \dp\FN@tempboxa\z@
286   \ht\FN@tempboxa
287   \dimexpr\wd\FN@tempboxa *%
288   \footnotebaselineskip / \columnwidth\relax
289   \box\FN@tempboxa
290 }
291 \AssignSocketPlug{fntext/make}{default}
```

fntext/begin (*socket*) By default adds a strut at the start of the footnote text.

```

292 \NewSocket {fntext/begin}{0}
293 \NewSocketPlug{fntext/begin}{default}{ \rule\z@\footnotesep }
294 \AssignSocketPlug{fntext/begin}{default}
```

fntext/end (*socket*) By default adds a strut at the end of the footnote text unless we are no longer in hmode.

```

295 \NewSocket {fntext/end}{0}
296 \NewSocketPlug{fntext/end}{default}{ \finalstrut\strutbox }
```

When running several footnotes together as a paragraph some additional glue has to be added between them.

```

297 \NewSocketPlug{fntext/end}{para}
298 {%
299   \strut
300   \penalty-10\relax
301   \hskip\footglue
302 }
303 \AssignSocketPlug{fntext/end}{default}
```

:agsupport/fntext/begin (*socket*) Kernel sockets for tagging.

```

tagsupport/fntext/end (socket)
304 \NewSocket{tagsupport/fntext/begin}{0}
305 \NewSocket{tagsupport/fntext/end}{0}
```

Provide the name *L^AT_EX 2_E* is used to and do this unconditionally (no patching of class code if any). This means that if a class provides its own definition that gets lost and if necessary needs to be handled with *firstaid* (or updating of the class).

```

306 \AddToHook{begindocument}
307 {
308   \cs_set_eq:NN \footnotetext \fnote_footnotetext:n
309 }
```

5.12 The new `\@makefntext` command

`\footnotemargin` is the logic implemented by `footmisc`. Perhaps we don't want to do this like that in the kernel but for now I have used this interface unchanged.

```

310 \newdimen\footnotemargin
311 \footnotemargin\maxdimen           % no value given
312
313 \AtBeginDocument
314 {
315   \ifdim \footnotemargin=\maxdimen
316     \setlength\footnotemargin{1.8em}
317   \fi
318 }
```

`\fnote_makefntext:n`

```
319 \cs_new_protected:Npn \fnote_makefntext:n #1 {
```

Some classes in their redefinition for `\@makefntext` have placed some paragraph parameters at this point, but those can equally well go into the hook `fntext/para`. We therefore do not provide a further hook at this point.

```

320 \noindent
321 \socket_use:nn {tagsupport/fntext/mark} { \socket_use:n {fntext/mark} }
322 \socket_use:nn {tagsupport/fntext/text} { \socket_use:nn {fntext/text}{#1} }
323 }
```

(End of definition for `\fnote_makefntext:n`. This function is documented on page ??.)

`fntext/mark (socket)` A socket to typeset the mark at the start of a footnote.

```
324 \NewSocket {fntext/mark}{0}
```

The `default` plug implements the logic introduced with the `footmisc` package.

```

325 \NewSocketPlug{fntext/mark}{default}{
326   \ifdim\footnotemargin>\z@
327     \hb@xt@ \footnotemargin{\hss\@makefnmark}
328   \else
329     \ifdim\footnotemargin=\z@
330       \llap{\@makefnmark}
331     \else
332       \ifdim\footnotemargin=-\maxdimen
333         \@makefnmark
334       \else
335         \llap{\hb@xt@ -\footnotemargin{\@makefnmark\hss}}
336       \fi
337     \fi
338   \fi
339 }
340 \AssignSocketPlug{fntext/mark}{default}
```

`fntext/text (socket)` By default this socket does nothing special and simply processes its argument as provided.

```
341 \NewSocket {fntext/text}{1}
```

`tagsupport/fntext/mark (socket)` Not a public socket but reserved for tagging. By default it contains `identity` and is `tagsupport/fntext/text (socket)` reassigned if tagging is active.

```

342 \NewSocket{tagsupport/fntext/mark}{1}
343 \NewSocket{tagsupport/fntext/text}{1}
```

5.12.1 Making documents use the new \makefntext

If the definition for `\makefntext` is that of the standard classes then replace it with `\fnote_makefntext:n`, otherwise try to patch the definition used in the class.

Here is the definition the way it is in `classes.dtx`. Notice that (for saving space) there is no space after `em` to terminate the assignment. We need to mimic that, otherwise a test would return false even if the definition has not been modified.

```
\old@std@class@makefntext
```

```
344 \newcommand\old@std@class@makefntext[1]{%
345   \parindent 1em%
346   \noindent
347   \hbox@0{1.8em{\hss\@makefnmark}#1}
```

(End of definition for `\old@std@class@makefntext`. This function is documented on page ??.)

Here is the messy code for patching. Note that this is only there to help classes along that aren't updated yet so it does some minimal patching to hopefully add kernel configuration hooks in the right place while otherwise leaving the legacy code alone. An updated class would not redefine `\makefntext` but simply add appropriate code to the provided hooks.

What it does is roughly the following: It looks for a definition of `\makefntext` of the form

```
{AAA \hbox BBB { CCC } DDD #1 EEE }
```

where "BBB" is something like `to 1em` or similar. It then replaces that with

```
{AAA \UseSocket{tagsupport/fntext/mark}{\hbox BBB { CCC }} DDD
 \UseSocket{tagsupport/fntext/text}{#1} EEE }
```

The patching is not very careful, i.e., it assumes there is only one `#1` in the replacement text and that the first `\hbox` found is the right one to patch. But that is enough to cater for all definitions of `\makefntext` out there in the TL distribution.

If `\hbox` is not found it tries the same looking for `\hb@xt@` which is what some classes use and if that is not found either it assume that this is a version that uses `\makefnmark` without surrounding it in a box and if that fails it gives up with an `\ERROR` (which needs to get a proper definition).

```
348 \tl_new:N \l__fnote_patch_tl
349 \cs_new_eq:NN \__fnote_tmp:w \ERROR
350
351 \cs_new_protected:Npn \__fnote_patch:
352 {
353   \tl_set:No \l__fnote_patch_tl { \makefntext { \UseSocket{tagsupport/fntext/text}{##1} } }
354   \tl_if_in:NnTF \l__fnote_patch_tl { \hbox }
355   { \cs_set_eq:NN \__fnote_tmp:w \__fnote_patch_hbox:w }
356   {
357     \tl_if_in:NnTF \l__fnote_patch_tl { \hb@xt@ }
358     { \cs_set_eq:NN \__fnote_tmp:w \__fnote_patch_hb@xt@:w }
359     {
360       \tl_if_in:NnTF \l__fnote_patch_tl { \makefnmark }
361       { \cs_set_eq:NN \__fnote_tmp:w \__fnote_patch_makefnmark:w }
362       {
363         \ERROR
364         \cs_set_eq:NN \__fnote_tmp:w \exp_stop_f:
365       }
366     }
367   }
368 }
```

```

365      }
366      \tl_set:Nf \l__fnote_patch_tl
367      { \exp_after:wN \__fnote_tmp:w \l__fnote_patch_tl }
368      \cs_set:Npn \__fnote_tmp:w { \long \def \makefntext #####1 }
369      \exp_after:wN \__fnote_tmp:w \exp_after:wN { \l__fnote_patch_tl }
370  }

```

If `\makefntext` contains `\hbox` then grab “AAA” as #1 and “BBB” (up to the open {}) and return it as

```

AAA \makefntext@processX { \hbox BBB }

371 \cs_new:Npn \__fnote_patch_hbox:w #1 \hbox #2 #
372 { \exp_stop_f: #1 \makefntext@processX { \hbox #2 } }

```

Same for the other cases.

```

373 \cs_new:Npn \__fnote_patch_hb@xt@:w #1 \hb@xt@ #2 #
374 { \exp_stop_f: #1 \makefntext@processX { \hb@xt@ #2 } }
375 \cs_new:Npn \__fnote_patch_makefnmark:w #1 \makefnmark
376 { \exp_stop_f: #1 \makefntext@processX { \use:n } { \makefnmark } }

```

The code provided by Bruno above expects 2 arguments but we need a different structure so this is a simple reshuffling. Would be better if we can patch the right structure in directly, but I’m not a patch person, so this is the simple way out for now:

```
377 \cs_new:Npn \makefntext@processX #1#2{\UseSocket{tagsupport/fntext/mark}{#1{#2}}}
```

At `\begin{document}` check if the current definition is that of the standard classes and if so replace it by `\fnote_makefntext:n` otherwise try and patch the definition made by some class or package using the approach above.

```

378 \AddToHook{begindocument}
379 {
380   \cs_if_eq:NNTF \makefntext \old@std@class@makefntext
381   {
382     \cs_set_eq:NN \makefntext \fnote_makefntext:n
383   }
384   {
385     \__fnote_patch:
386   }
387 }
388 }

389
390
391 % possibly add the following to check for multiple \hbox in
392 % the definition:
393 %
394 % \seq_set_split:NnV \l__fnote_patch_seq { \hbox } \l__fnote_patch_tl
395 % \int_compare:nT { \seq_count:N \l__fnote_patch_seq } > 2 \ERROR
396 %

```

5.13 Document-level commands

```
\footnotetext
397 \DeclareDocumentCommand\footnotetext{o+m}
398 {
399   \fnote_set_fnmark:nn {#1} \ompfn
```

```

400      \@footnotetext {#2}
401  }

```

(End of definition for `\footnotetext`. This function is documented on page ??.)

`\footnote`

```

402 \DeclareDocumentCommand\footnote {o+m}
403 {
404     \fnote_step_fnmark:nn {#1} \ompfn
405     \cs_set_eq:NN \__fnote_footnotemark_finish: \prg_do_nothing:
406     \@footnotemark
407     \cs_set_eq:NN \__fnote_footnotemark_finish: \__fnote_footnotemark_default_finish:
408     \@footnotetext {#2}
409     \__fnote_footnotemark_finish:
410 }

```

(End of definition for `\footnote`. This function is documented on page ??.)

`\footnotemark`

```

411 \DeclareDocumentCommand\footnotemark {o}
412 {
413     \fnote_step_fnmark:nn {#1} { footnote }
414     \@footnotemark
415 }

```

(End of definition for `\footnotemark`. This function is documented on page ??.)

`\footref` `\footref` used the starred `\ref` in `\@thefnmark` as the linking is handled by the tagging code inside the `\@footnotemark`. `\footref` should not try to link to its related note automatically but should instead use the label. This is passed to `\@footnotemark` through `\l__fnote_currentlabel_tl`.

```

416 \DeclareDocumentCommand\footref {m}
417 {
418     \begingroup
419         \unrestored@protected@xdef\@thefnmark{\ref*{#1}}%
420     \endgroup
421     \bool_set_false:N \l__fnote_autodetect_bool
422     \tl_set:Nn \l__fnote_currentlabel_tl {#1}
423     \@footnotemark
424     \bool_set_true:N \l__fnote_autodetect_bool
425 }

```

(End of definition for `\footref`. This function is documented on page ??.)

5.14 Firstaid for packages and classes

5.15 Kernel patches

Tagging of footnotes in minipages require a change in the minipage commands We define at first a local configuration command for minipage footnotes.

```

426 \NewSocketPlug{fntext/process}{mp}
427 {
428     \global\setbox\@mpfootins\vbox{%
429         \unvbox\@mpfootins

```

```

430     #1
431   }
432 }
```

5.15.1 memoir

The `memoir` class redefines various internal commands to inject its hooks and additional code. The following reinstates the kernel command and so probably breaks various options of `memoir`, but without the changes it errors anyway. The `footmisc` package should be used to change for example to para footnotes.

```

433 \AddToHook{class/memoir/before}
434   { \let\new@std@class\makecol\@makecol }
435 \AddToHook{class/memoir/after}
436   {
437     \cs_set_eq:NN \footnotemark \fnote_footnotemark:
438     \cs_set_eq:NN \makefntext\old@std@class\makefntext
439     \cs_set_eq:NN \makecol\new@std@class\makecol
440 }
```

5.15.2 setspace

It should not overwrite it any longer but use a hook, so for now we do just that here.

```

441 \AddToHook{package/setspace/after}
442   {\let \footnotetext \fnote_footnotetext:n
443    \AddToHook{fntext}[setspace]{\let\baselinestretch\setspace@singlespace}}
```

5.15.3 hyperref

`hyperref` has a hook which allows to disable its footnote related patches. As we will handle links directly in the code this is used.

```
444 \def\hyper@nopatch@footnote{}
```

We use the `hyperref` commands for now for links. To avoid to have to test for `hyperref` we provide dummies. TODO consider to use specials to get similar spacing.

```

445 \AtBeginDocument
446   {
447     \providecommand\hyper@linkstart{\gobbletwo}
448     \providecommand\hyper@linkend{\empty}
449 }
```

It must be possible to suppress the hyperlinking, both locally and globally. `hyperref` should set the boolean `\l_fnote_link_bool`. For now we test for the `hyperref` boolean (so it can be suppressed only globally).

```

450 \AtBeginDocument
451   {
452     \@ifpackageloaded{hyperref}
453     {
454       \legacy_if:nF{Hy@hyperfootnotes}{\bool_set_false:N \l_fnote_link_bool}
455     }
456     {
457       \bool_set_false:N \l_fnote_link_bool
458     }
459 }
```

5.16 Tagging and hyperlink code

5.16.1 Rolemap for structure tags

We use role-mapping to get more speaking names in the PDF and so ease debugging. These names are already provided by tagpdf directly.

5.16.2 Extending the label system

For \footref and (perhaps later for labeled footnotes) we must extend the label system. Beside the normal values we also need the structure number of the note. We use the inbuild label hook At first we define a suitable attribute, it uses as value the structure number of the note as stored in \l_fnote_currentstruct_t1

```
460 \property_new:nnn {fnote/struct}{now}{1}{\l_fnote_currentstruct_t1}
```

We add a hook to the label hook. By default it does nothing

```
\__fnote_label_hook:e  
461 \cs_new_protected:Npn \__fnote_label_hook:e #1 {}  
462 \AddToHookWithArguments{label}{\__fnote_label_hook:e{#1}}
```

(End of definition for __fnote_label_hook:e.)

Inside a footnotetext we change the hook to store the structure number too. The name of label is provided as argument in the label hook.

```
463 \AddToHook{fntext/begin}  
464 {  
465   \cs_set_protected:Npn \__fnote_label_hook:e #1  
466   {  
467     \property_record:ee {__fnote/#1} {fnote/struct}  
468   }  
469 }
```

5.16.3 Storing and retrieving reference data

To establish the connection between a mark and a note the mark has to store its representation, and the note has to analyse the stored representations to get the structure numbers of its mark. This is done with the public function to allow similar systems (e.g. tabular notes, other footnote series) to make use of this.

\fnote_class_new:nn

This sets up a new footnote type, the first argument is the name, the second is meant for options. Currently it does nothing at all. It is not necessary to setup every footnote like command as its own type!

```
470 \cs_new_protected:Npn \fnote_class_new:nn #1 #2 % #1 name, #2 options  
471 {  
472   \prop_new:c { g_fnote_currentmarks_ #1 _prop }  
473 }  
474 \fnote_class_new:nn {default}{}
```

(End of definition for \fnote_class_new:nn. This function is documented on page 9.)

\fnote_mark_gput:nn This command takes as argument the representation of the mark, e.g., \@thefnmark and the type (typically default should work).

```

476 \cs_new_protected:Npn \fnote_mark_gput:nn #1 #2 % #1 the representation of the mark, #2 type
477 {
478     \prop_gput:cen { g__fnote_currentmarks_ #2 _prop }
479     { \tag_get:n{struct_num} }
480     { #1 }
481 }
482
483 \cs_generate_variant:Nn \fnote_mark_gput:nn {no,oo}

```

(End of definition for \fnote_mark_gput:nn. This function is documented on page 9.)

\fnote_mark_gpop_all:nnN This command takes as argument the representation of the mark (e.g. the content of \@thefnmark), the class (typically default should work) and a sequence into which every structure number in the property is stored that has the same value as the mark. The sequence is cleared first.

```

484 \cs_new_protected:Npn \fnote_mark_gpop_all:nnN #1 #2 #3
485 {
486     \seq_clear:N #3
487     \prop_set_eq:Nc \l__fnote_tmpa_prop { g__fnote_currentmarks_ #2 _prop }
488     \prop_map_inline:Nn \l__fnote_tmpa_prop
489     {
490         \tl_if_eq:nnT {#1} { ##2 }
491     }

```

store the key (the structure number) in the seq

```
492             \seq_put_right:Nn #3 { ##1 }
```

remove entry as used from the global prop

```

493         \prop_gremove:cn { g__fnote_currentmarks_ #2 _prop } {##1}
494     }
495 }
496 }
497 \cs_generate_variant:Nn\fnote_mark_gpop_all:nnN {ooN}

```

(End of definition for \fnote_mark_gpop_all:nnN. This function is documented on page 9.)

5.16.4 Enabling tagging and links for the mark command

FEMark (plug) To handle the mark in the text, we define a special plug for the socket tagsupport/fnmark that receives \makefntext as its argument. At this time \@thefnmark is already set.

```

498 \NewSocketPlug{tagsupport/fnmark}{FEMark}
499 {

```

End an open mc and start the structure.

```

500     \tag_mc_end_push:
501     \tag_struct_begin:n { tag=footnotemark }
```

The associated note is either auto detected or given by the user.

```

502     \bool_if:NTF \l__fnote_autodetect_bool
503     {
```

For the auto detecting we store the structure number and \@thefnmark inside a prop and set the target name of the link to the current structure number. TODO: this should be usable for other footnote types which means the name of the prop shouldn't be fix.

```
504     \fnote_mark_gput:oo {\@thefnmark}{\l_fnote_type_t1}
505     \tl_set:Ne \l__fnote_linktarget_t1 {footnote*.tag_get:n{struct_num}}
506 }
```

If there is no autodetecting we need some id, currently it is called \l__fnote_currentlabel_t1. the Ref is set by looking at the label value. We must also add the current structure number to the ??f the FNote. Both must be delayed as we don't know if the objects of the FNote and the mark have already been created.

```
507 {
508     \hook_gput_code:nne {tagpdf/finish/before} {tagpdf/footnote}
509     {
510         \exp_not:N\fnote_gput_refs:ee
511         { \tag_get:n{struct_num} }
512         { \property_ref:ee{ __fnote/\l__fnote_currentlabel_t1 } {fnote/struct} }
513     }
514 }
```

in this case we set the name of the linktarget in the note to the structure number of the text mark.

```
514     \tl_set:Ne \l__fnote_linktarget_t1 {footnote*.property_ref:ee {__fnote/\l__fnote_cu
515 }
```

And now the actual content

```
516     \tag_mc_begin:n{tag=Lbl}
517     %
518     \bool_if:NTF \l_fnote_link_bool
519     {
520         \exp_args:No
521         \hyper@linkstart
522         { \l_fnote_link_type_t1 }
523         { \l__fnote_linktarget_t1 }
524         #1
525         \hyper@linkend
526     }
527     { #1 }
528     \tag_mc_end:
529     \tag_struct_end:
530     \tag_mc_begin_pop:n{}
531 }
```

At last assign the plug:

```
532 \AssignSocketPlug{tagsupport/fnmark}{FEMark}
```

5.16.5 The footnote text

We need a public command to append values to the Ref keys

```
\__fnote_gput_ref:nn
\fnote_gput_refs:nn
\fnote_gput_refs:ee
533 \cs_new_protected:Npn \__fnote_gput_ref:nn #1 #2 %#1 the structure number receiving the ref
534 {
535     \tag_if_active:T
536     {
537         \tag_struct_gput:nne {#1}{ref}{\tag_struct_object_ref:e { #2 }}
```

```

538     }
539   }
540 \cs_new_protected:Npn \fnote_gput_refs:nn #1 #2 % pair of numbers
541   {
542     \__fnote_gput_ref:nn {#1}{#2}
543     \__fnote_gput_ref:nn {#2}{#1}
544   }
545 \cs_generate_variant:Nn \fnote_gput_refs:nn {ee}

(End of definition for \__fnote_gput_ref:nn and \fnote_gput_refs:nn. This function is documented
on page ??.)
```

546 \tl_new:N \l__fnote_dfltnumber_tl
 547 \tl_set:Nn \l__fnote_dfltnumber_tl {1}

kernel hooks for taggin this sets the structure around the whole text

FENote (plug)

```

548 \NewSocketPlug{tagsupport/fntext/begin}{FENote}
549   {
550     \tag_mc_end_push:
```

test if a footnote is allowed, if not move up to the document structure.

```

551   \tag_check_child:nnTF {FENote}{pdf2}
552   {
553     \tag_struct_begin:n { tag=footnote }
554   }
555   {
556     \tag_struct_begin:n { tag=footnote,parent=\l__fnote_dfltnumber_tl }
557 }
```

Store the current structure number for labels.

558 \tl_set:Ne \l__fnote_currentstruct_tl { \tag_get:n{struct_num} }

We want to move the label structure here. So we provide a container It number is \l__fnote_currentstruct_tl plus 1.

559 \tag_struct_begin:n { tag=footnotelabel }\tag_struct_end:

after we have opened the structure we can use the structure number to try to detect the connected marks. As with the marks we assume that sometimes no auto detection is done.

```

560   \bool_if:NTF \l__fnote_autodetect_bool
561   {
```

find open marks with identical \@thefnmark

562 \fnote_mark_gpop_all:ooN { \@thefnmark }{ \l_fnote_type_tl } \l__fnote_currentrefs_s

Then we store the object numbers of the marks in the /Ref of the FENote structure: and the number of the FENote into the marks structure:

```

563   \seq_map_inline:Nn \l__fnote_currentrefs_seq
564   {
565     \fnote_gput_refs:ee {##1}{ \l__fnote_currentstruct_tl }
566   }
567 }
```

If no auto detection is done

```
568     { %no auto
569
570         }
571 }
```

This finish the setup of the tagging structure.

Now we process the text. The destinations for the links are set with the label so that we can be sure that we are in hmode.

```
572 \NewSocketPlug{tagsupport/fntext/end}{FENote}
573 {
574     \tag_struct_end:
575     \tag_mc_begin_pop:n{}
576 }
```

At last assign the plugs:

```
577 \AssignSocketPlug{tagsupport/fntext/begin}{FENote}
578 \AssignSocketPlug{tagsupport/fntext/end}{FENote}
```

The kernel socket `tagsupport/fntext/mark` is responsible for tagging the mark in the note. We use it to surround the mark with the needed tagging commands.

TODO check if additional kernel configuration points are needed. If yes, what about the paragraph start and the paratagging??

FENoteLbl (plug) This plug creates the label in the note on the bottom. It also adds link targets for the hyperlinking.

```
579 \NewSocketPlug{tagsupport/fntext/mark}{FENoteLbl}
580 {
581     \tag_mc_end_push:
```

We create a link target for every related mark. The name is `footnote* <structure number of the mark>`. We also add a link target for the current structure (for `\footref`).

```
582     \%seq_show:N\l__fnote_currentrefs_seq
583     \seq_map_inline:Nn\l__fnote_currentrefs_seq {\MakeLinkTarget*{footnote*.##1}}
584     \MakeLinkTarget*{footnote*.l__fnote_currentstruct_tl}
```

Now we add the tagging commands. We move the structure of the label to to the container at the begin of the note.

```
585     \tag_struct_begin:n { tag=NonStruct,parent=\l__fnote_currentstruct_tl +1 }
586     \tag_mc_begin:n { tag=Lbl }
587     #1
588     \tag_mc_end:
589     \tag_struct_end:
590     \tag_mc_begin_pop:n{}
591 }

592 \AssignSocketPlug{tagsupport/fntext/mark}{FENoteLbl}
```

FENotetext (plug) This plug is for the kernel socket `tagsupport/fntext/text` around the actual note text when doing tagging. Currently it only adds an MC chunk.

TODO Should it set a mc or could it rely on the content?

```
593 \NewSocketPlug{tagsupport/fntext/text}{FENotetext}
594 {
595     \tag_mc_end_push:
596     \tag_mc_begin:n{}
```

```

597      #1
598      \tag_mc_end:
599      \tag_mc_begin_pop:n{ }
600  }
601 \AssignSocketPlug{tagsupport/fntext/text}{FENotetext}

```

```

602 \ExplSyntaxOff
603 </kernel>
604 <@@=
```

6 Reimplementing the `footmisc` package

```

605 <*footmisc>
606 %%
607 %% Copyright (c) 1995-2011 Robin Fairbairns
608 %% Copyright (c) 2018-2023 Robin Fairbairns, Frank Mittelbach
609 %%
610 %% This file is part of the 'latex-lab Bundle'.
611 %% -----
612 %%
613 %% It may be distributed and/or modified under the
614 %% conditions of the LaTeX Project Public License, either version 1.3c
615 %% of this license or (at your option) any later version.
616 %% The latest version of this license is in
617 %%     https://www.latex-project.org/lppl.txt
618 %% and version 1.3c or later is part of all distributions of LaTeX
619 %% version 2008 or later.
620 %%
621 %% This work has the LPPL maintenance status 'maintained'.
622 %%
623 \NeedsTeXFormat{LaTeX2e}
624 \providecommand\DeclareRelease[3]{}
625 \providecommand\DeclareCurrentRelease[2]{}
626
627 \DeclareRelease{v5}{2011-06-06}{footmisc-2011-06-06.sty}
628 \DeclareCurrentRelease{}{2022-02-14}
629 \ProvidesPackage{latex-lab-footmisc}%
630   [2022/03/08 v6.0d
631   a miscellany of footnote facilities -- latex-lab version%
632   ]
633
634 \NeedsTeXFormat{LaTeX2e}[2020/10/01]
635 \newtoks\FN@temptoken
636 \providecommand\protected@writeaux{%
637   \protected@write\@auxout
638 }
639 \def\l@advance@macro{\@advancemacro\edef}
640 \def\@advancemacro#1#2#3{\expandafter\@tempcnta#2\relax
641   \advance\@tempcnta#3\relax
642   #1#2{\the\@tempcnta}%
643 }
```

```

644 \let\@advance@macro\l@advance@macro
645 \DeclareOption{symbol}{\renewcommand{\thefootnote}{\fnsymbol{footnote}}}
646 \newif\ifFN@robust \FN@robustfalse
647 \DeclareOption{symbol*}{%
648   \renewcommand{\thefootnote}{\fnsymbol{c@footnote}}%
649   \FN@robusttrue
650   \AtEndOfPackage{\setfnsymbol{lamport*-robust}}%
651 }
652 \newif\ifFN@para \FN@parafalse
653 \DeclareOption{para}{%

```

Options are executed in the order of declaration, thus no point in checking for side option as footmisc did in the past

```

654 %     \PackageError{footmisc}{Option "\CurrentOption" incompatible with
655 %                           option "side"}%
656 %           {I shall ignore "\CurrentOption"}%
657 \FN@paratrue
658 \setlength{\footnotemargin}{-\maxdimen}    % default when para is used
659 }

660 \DeclareOption{side}{\ifFN@para
661   \PackageError{footmisc}{Option "\CurrentOption" incompatible with
662                           option "para"}%
663                           {I shall ignore "\CurrentOption"}%
664 \else
665   \AddToHook{fntext/para}{%
666     \hsize\marginparwidth      % correct the default \hsize
667     \footnotesep\z@            % don't add a default separation
668   }
669   \AssignSocketPlug{fntext/process}{side}
670 % \AssignSocketPlug{fntext/make}{default}
671 \AssignSocketPlug{fntext/begin}{noop}
672 \AssignSocketPlug{fntext/end}{noop}
673 \fi
674 }
675 \let\footnotelayout\empty
676 \DeclareOption{ragged}{%
677   \c@ifundefined{RaggedRight}%
678   {\renewcommand{\footnotelayout}{\linepenalty50 \raggedright}}%
679   {\renewcommand{\footnotelayout}{\linepenalty50 \RaggedRight}}%
680 }
681 \newif\ifFN@perpage
682 \FN@perpagefalse
683 \DeclareOption{perpage}{%
684   \FN@perpagetrue
685 }
686 \newif\ifFN@fixskip      \FN@fixskipfalse
687
688 \let\FN@bottomcases\thr@@
689 \newif\ifFN@abovefloats \FN@abovefloatstrue
690 \DeclareOption{bottom}{%
691   \let\FN@bottomcases\one
692   \FN@abovefloatsfalses
693   \FN@fixskiptrue
694 }

```

```

695 \DeclareOption{bottomfloats}{%
696   \let\FN@bottomcases\tw@
697   \FN@abovefloatstrue \FN@fixskiptrue
698 }
699 \DeclareOption{abovefloats}{\FN@abovefloatstrue \FN@fixskiptrue}
700 \DeclareOption{belowfloats}{\FN@abovefloatsfalse \FN@fixskiptrue}
701 \DeclareOption{marginal}{%
702   \footnotemargin-0.8em\relax
703 }
704 \DeclareOption{flushmargin}{%
705   \footnotemargin0pt\relax
706 }
707 \newif\ifFN@hangfoot \FN@hangfootfalse
708 \DeclareOption{hang}{%
709   \FN@hangfoottrue
710 }
711 \newcommand*\hangfootparskip{0.5\baselineskip}
712 \newcommand*\hangfootparindent{0em}%
713 \DeclareOption{norule}{%
714   \renewcommand\footnoterule{}%
715   \advance\skip\footins 4\p@+\p@+\p@\relax
716 }
717 \DeclareOption{splitrule}{%
718   \gdef\split@prev{0}
719   \let\pagefootnoterule\footnoterule
720   \let\mpfootnoterule\footnoterule
721   \def\splitfootnoterule{\kern-3\p@ \hrule \kern2.6\p@}
722   \def\footnoterule{\relax
723     \ifx \listdepth\mplistdepth
724       \mpfootnoterule
725     \else
726       \ifnum\split@prev=\z@
727         \pagefootnoterule
728       \else
729         \splitfootnoterule
730       \fi
731       \xdef\split@prev{\the\insertpenalties}%
732     \fi
733   }%
734 }
735 \newif\ifFN@stablefootnote \FN@stablefootnotefalse
736 \DeclareOption{stable}{\FN@stablefootnotetrue}
737 \newif\ifFN@multiplefootnote \FN@multiplefootnotefalse
738 \DeclareOption{multiple}{\FN@multiplefootnotetrue}
739 \ProcessOptions

```

Footnote box layout for para footnotes; this would also be the hook to support dblfootnotes (from the dblfnote package if we integrate that).

```

740 \ifFN@para
741   \NewSocketPlug{@makecol/footnotes}{para}{%
742     \global\setbox\footins\vbox{\FN@makefootnoteparagraph}%
743   }
744   \AssignSocketPlug{@makecol/footnotes}{para}
745 \fi

```

```

746 \ifFN@fixskip
747   \def\@outputbox@removebskip{%
748     \ifx\@textbottom\relax \else
749       \@outputbox@append{%
750         \tempskipa\lastskip
751         \ifnum \gluestretchorder\@tempskipa>\z@
752           \vskip-\tempskipa
753           \xdef\@outputbox@reinsertbskip
754             {\noexpand\@outputbox@append{\vskip\the\tempskipa}}%
755         \else
756           \global\let\@outputbox@reinsertbskip\relax
757         \fi
758       }%
759     \fi
760   }
761   \let\@outputbox@reinsertbskip\relax
762 \else
763   \let\@outputbox@removebskip \relax
764   \let\@outputbox@reinsertbskip\relax
765 \fi
766 \ifcase \FN@bottomcases\relax
767   \ERROR
768 \or %1
769   \ifFN@abovefloats
770     \AssignSocketPlug {@makecol/outputbox}{space-footnotes-floats}
771   \else
772     \AssignSocketPlug {@makecol/outputbox}{floats-footnotes-space}
773   \fi
774 \or %2
775   \ifFN@abovefloats
776     \AssignSocketPlug {@makecol/outputbox}{footnotes-space-floats}
777   \else
778     \AssignSocketPlug {@makecol/outputbox}{space-floats-footnotes}
779   \fi
780 \or %3
781   \ifFN@abovefloats
782     \AssignSocketPlug {@makecol/outputbox}{footnotes-floats}
783   \else
784     \AssignSocketPlug {@makecol/outputbox}{floats-footnotes}
785   \fi
786 \else
787   \ERROR
788 \fi
789
790 % next can be dropped when cleaned up
791 \newif\ifFN@setspace
792 \@ifpackageloaded[setspace]%
793 {%
794   \FN@setspacetrue
795   \@ifclassloaded[memoir]%
796   {%
797     \AddToHook{fntext}{\let\baselinestretch\m@m@singlespace}%
798     \let\FN@baselinestretch\m@m@singlespace
799   }%

```

```

800      {%
801    %     \AddToHook{fntext}{\let\baselinestretch\setspace@singlespace}%
802    %     \let\FN@baselinestretch\setspace@singlespace
803  }%
804 }%
805 {%
806   \FN@setspacefalse
807 }
808
809
810
811 \ifFN@para
812
813 % \AssignSocketPlug{fntext/process}{default}
814   \AssignSocketPlug{fntext/make}{para}
815   \AssignSocketPlug{fntext/begin}{noop}
816   \AssignSocketPlug{fntext/end}{para}
817
818 \fi
819
820
821
822 \iffFN@para
823   \let\FN@tempboxa\@tempboxa
824   \newbox\FN@tempboxb
825   \newbox\FN@tempboxc
826   \newskip\footglue \footglue=1em plus .3em minus .3em
827
828 %%%%%%%%%%%%%%
829   \newdimen\footnotebaselineskip
830
831 % establish late:
832
833 \AddToHook{begindocument/before} {%
834   {%
835     \footnotesize
836     \global\footnotebaselineskip=\normalbaselineskip
837   }%
838 }

```

The coding is based on David Kastrup's improvement to Don Knuth's original implementation. You find in the *T_EXbook* if you own the latest edition.

```

839
840 \long\def\FN@makefootnoteparagraph{%
841   \FN@setfootnoteparawidth
842   \C@parboxrestore
843   \baselineskip=\footnotebaselineskip
844   \unvbox\footins \FN@removehboxes
845   \RawParEnd
846 }
847 \def\FN@removehboxes{\setbox\FN@tempboxa\lastbox
848   \ifhbox\FN@tempboxa{\FN@removehboxes}%
849     \unhbox\FN@tempboxa
850   \else
851     \RawNoindent

```

```

852      \rule{z@{\footnotesep}
853      \fi
854  }
855 \fi
856
857
858 \ifpackageloaded{multicol}
859   {\def\FN@setfootnoteparawidth
860    {\hsize\ifnum\doublecol@number>\cne
861     \textwidth
862     \else \columnwidth \fi}}
863   {\def\FN@setfootnoteparawidth{\hsize\columnwidth}}
864
865 \ifFN@perpage
866   \RequirePackage{perpage}
867   \MakePerPage{footnote}

```

Fix a bug in perpage ...

```

868 \def\@stpelt#1{\global\csname c@#1\endcsname \m@ne
869   \stepcounter{#1}%
870   \pp@fix@MakePerPage{#1}%
871 }
872 \def\pp@fix@MakePerPage#1{%
873   \ifnum \value{#1}>z@
874     \addtocounter{#1}\m@ne\fi
875 }

```

The above code may look a bit odd: the `\stepcounter` sets the counter to zero and then we alter it if it is not zero. The reason is that `\stepcounter` resets other counters and when perpage is loaded this results in updating counters on the reset list to 1 (or to a higher starting value if `\MakePerPage` is used with an optional argument, which is precisely the problem here). By subtracting 1 in that case we set it back to 1 lower than the starting value.

But to make this fully work we also need to update a support command in `perpage`:

```

876   \def\pp@cl@end@iii\stepcounter#1\pp@fix@MakePerPage#2{}
877   \fi
878
879
880 \iffFN@para
881 %
882 % This can use the default interface, except that a negative value for
883 % \footnotemargin makes little sense, so we test for this and warn if
884 % necessary. But -\maxdimen is ok again, so would need to be a little bit more elaborate.
885 %
886
887 \%AddToHook{fntext/para}{%
888 %  \ifdim \footnotemargin >z@ \else
889 %    \PackageWarningNoLine{footmisc}{Option 'para' needs positive \noexpand\footnotemargin}%
890 %    \footnotemargin 1.8em\relax
891 %  \fi
892 %}
893
894
895 \AddToHook{fntext/begin}{\nobreak \hspace{.2em}}
896

```

```

897 \else
898
899 \ifFN@changfoot
900   \long\def\@makefntext#1{%
901     \bgroup
902       \setbox\@tempboxa\hbox{%
903         \ifdim\footnotemargin>\z@
904           \hb@xt@\footnotemargin{\@makefnmark\hss}%
905         \else
906           \@makefnmark
907         \fi
908       }%
909       \leftmargin\wd\@tempboxa
910       \rightmargin\z@
911       \linewidth \columnwidth
912       \advance \linewidth -\leftmargin
913       \parshape \one \leftmargin \linewidth
914       \footnotesize
915       \setpar{{\@@par}}%
916       \leavevmode
917       \llap{\box\@tempboxa}%
918       \parskip\hangfootparskip\relax
919       \parindent\hangfootparindent\relax
920       \footnotelayout#1%
921       \par
922     \egroup
923   }
924
925 \else
926
927 % This is now using the default interface:
928 %
929 % \long\def\@makefntext#1{%
930 %   \parindent1em
931 %   \noindent
932 %   \ifdim\footnotemargin>\z@
933 %     \hb@xt@\footnotemargin{\hss\@makefnmark}%
934 %   \else
935 %     \ifdim\footnotemargin=\z@
936 %       \llap{\@makefnmark}%
937 %     \else
938 %       \llap{\hb@xt@\footnotemargin{\@makefnmark\hss}}%
939 %     \fi
940 %   \fi
941 %   \footnotelayout#1%
942 % }
943
944 \fi
945 \fi
946
947
948
949 \ifFN@multiplefootnote

```

```

951 \providecommand*\{\multiplefootnotemarker}{3sp}
We tag the separator as artifact
TODO: why is this done with \providecommand?

952 \ExplSyntaxOn
953 \providecommand*\{\multfootsep}{\tag_mc_end_push:\tag_mc_begin:n{artifact},\tag_mc_end:\tag_
954 \ExplSyntaxOff
955 \AddToHook{fnmark} {\FN@mf@check}
956 \AddToHook{fnmark/end} {\FN@mf@prepare}
957 %
958 \def\FN@mf@prepare{%
959   \kern-\multiplefootnotemarker
960   \kern\multiplefootnotemarker\relax
961 }
962 \def\FN@mf@check{%
963   \ifdim\lastkern=\multiplefootnotemarker\relax
964 %?? is that necessary or even correct ??
965   \edef\x@sff{\the\spacefactor}%
966 %?? shouldn't that be 2 unkerns ?? (none would also be ok)
967   \unkern % new
968   \unkern
969   \textsuperscript{\multfootsep}%
970   \spacefactor\x@sff\relax
971 }
972 }
973 \else
974   \let\FN@mf@prepare\relax
975 \fi
976 \ifFN@stablefootnote
977 \let\FN@sf@@footnote\footnote
978 \def\footnote{\ifx\protect\@typeset@protect
979   \expandafter\FN@sf@@footnote
980 \else
981   \expandafter\FN@sf@gobble@opt
982 \fi
983 }
984 \edef\FN@sf@gobble@opt{\noexpand\protect
985   \expandafter\noexpand\csname FN@sf@gobble@opt \endcsname}
986 \expandafter\def\csname FN@sf@gobble@opt \endcsname{%
987   \ifnextchar[%
988     \FN@sf@gobble@twobracket
989     \gobble
990   }
991 \def\FN@sf@gobble@twobracket[#1]#2{%
992 \let\FN@sf@@footnotemark\footnotemark
993 \def\footnotemark{\ifx\protect\@typeset@protect
994   \expandafter\FN@sf@@footnotemark
995 \else
996   \expandafter\FN@sf@gobble@optionly
997 \fi
998 }
999 \edef\FN@sf@gobble@optionly{\noexpand\protect
1000   \expandafter\noexpand\csname FN@sf@gobble@optionly \endcsname}
1001 \expandafter\def\csname FN@sf@gobble@optionly \endcsname{%

```

```

1002     \@ifnextchar[%]
1003         \FN@sf@gobble@bracket
1004         {}%
1005     }
1006 \def\FN@sf@gobble@bracket[#1]{}
1007 \fi
1008 \newcommand\setfnsymbol[1]{%
1009     \@bsphack
1010     \@ifundefined{FN@fnsymbol@#1}%
1011     {}%
1012     \PackageError{footmisc}{Symbol style "#1" not known}%
1013     \c@ha
1014 }{%
1015     \expandafter\let\expandafter\@fnsymbol\csname
1016             FN@fnsymbol@#1\endcsname
1017 }%
1018 \@esphack
1019 }
1020 \let\FN@fnsymbol@\lamport@fnsymbol
1021 \newif\if@tempswb
1022 \DeclareDocumentCommand\DefineFNsymbols {sm0{text}m}{%
1023     \expandafter\ifx\csname FN@fnsymbol@#2\endcsname\relax
1024         \PackageInfo{footmisc}{Declaring symbol style #2}%
1025     \else
1026         \PackageWarning{footmisc}{Redeclaring symbol style #2}%
1027     \fi
1028     \toks@{}%
1029     \def\@tempb{\end}%
1030     \FN@build@symboldef#4\end
1031     \def\@tempc{math}%
1032     \def\@tempd{\#3}%
1033     \expandafter\xdef\csname FN@fnsymbol@#2\endcsname##1{%
1034         \ifx\@tempc\@tempd
1035             \noexpand\ensuremath
1036         \else
1037             \noexpand\nfss@text
1038         \fi
1039     }%
1040     \noexpand\ifcase##1%
1041         \the\toks@
1042     \noexpand\else
1043         \IfBooleanTF{1}{\noexpand\ctrerr}{%
1044             \noexpand\FN@orange##1}%
1045         \noexpand\fi
1046     }%
1047 }%
1048 }
1049 \def\FN@build@symboldef#1{%
1050     \def\@tempa{\#1}%
1051     \ifx\@tempa\@tempb
1052     \else
1053         \toks@\expandafter{\the\toks@\or\#1}%
1054         \expandafter\FN@build@symboldef
1055     \fi

```

```

1056 }
1057 \DeclareDocumentCommand\DefineFNsymbolsTM {smmm}{%
1058   \expandafter\ifx\csname FN@fnsymbol0#2\endcsname\relax
1059     \PackageInfo{footmisc}{Declaring symbol style #2}%
1060   \else
1061     \PackageWarning{footmisc}{Redeclaring symbol style #2}%
1062   \fi
1063   \toks@{\%}
1064   \def\@tempb{\end}%
1065   \FN@build@symboldefTM#3\end\@null
1066   \expandafter\xdef\csname FN@fnsymbol0#2\endcsname##1{%
1067     \noexpand\ifcase##1%
1068       \the\toks@
1069     \noexpand\else
1070       \IfBooleanTF#1{\noexpand\@ctrerr}%
1071         {\noexpand\FN@orange##1}%
1072     \noexpand\fi
1073   }%
1074 }
1075 \def\FN@build@symboldefTM#1#2{%
1076   \def\@tempa{\#1}%
1077   \ifx\@tempa\@tempb
1078   \else
1079     \toks@\expandafter{\the\toks@\or\TextOrMath{\#1}{\#2}}%
1080     \expandafter\FN@build@symboldefTM
1081   \fi
1082 }
1083 \def\FN@orange#1{%
1084   \ifFN@robust
1085     \c@arabic{\#1}%
1086     \c@bsphack
1087     \PackageInfo{footmisc}{Footnote number \number{\#1} out of range}%
1088     \protect\fnsymbol@orange
1089     \c@esphack
1090   \else \c@ctrerr \fi
1091 }
1092 \global\let\@diagnose\fnsymbol@orange\relax
1093 \AtEndDocument{\@diagnose\fnsymbol@orange}
1094 \def\fnsymbol@orange{%
1095   \gdef\@diagnose\fnsymbol@orange{%
1096     \PackageWarningNoLine{footmisc}{Some footnote number(s)
1097       were out of range
1098       \MessageBreak
1099       see log for details}%
1100   }%
1101 }%
1102 }
1103 \DefineFNsymbolsTM[bringhurst]{%
1104   \textasteriskcentered *%
1105   \textdagger \dagger
1106   \textdaggerdbl \ddagger
1107   \textsection \mathsection
1108   \textbardbl \textbar%
1109   \textparagraph \mathparagraph

```

```

1110 }%
1111 \DefineFNsymbolsTM{chicago}{%
1112   \textasteriskcentered *%
1113   \textdagger   \dagger
1114   \textdaggerdbl \ddagger
1115   \textsection  \mathsection
1116   \textbardbl  \mid%
1117   \#\#%
1118 }%
1119 \DefineFNsymbolsTM{wiley}{%
1120   \textasteriskcentered *%
1121   {\textasteriskcentered\textasteriskcentered}{**}%
1122   \textdagger   \dagger
1123   \textdaggerdbl \ddagger
1124   \textsection  \mathsection
1125   \textparagraph \mathparagraph
1126   \textbardbl  \mid%
1127 }%
1128 \DefineFNsymbolsTM{lamport-robust}{%
1129   \textasteriskcentered *%
1130   \textdagger   \dagger
1131   \textdaggerdbl \ddagger
1132   \textsection  \mathsection
1133   \textparagraph \mathparagraph
1134   \textbardbl  \mid%
1135   {\textasteriskcentered\textasteriskcentered}{**}%
1136   {\textdagger\textdagger}{\dagger\dagger}%
1137   {\textdaggerdbl\textdaggerdbl}{\ddagger\ddagger}%
1138 }%
1139 \DefineFNsymbolsTM{*{lamport*}}{%
1140   \textasteriskcentered *%
1141   \textdagger   \dagger
1142   \textdaggerdbl \ddagger
1143   \textsection  \mathsection
1144   \textparagraph \mathparagraph
1145   \textbardbl  \mid%
1146   {\textasteriskcentered\textasteriskcentered}{**}%
1147   {\textdagger\textdagger}{\dagger\dagger}%
1148   {\textdaggerdbl\textdaggerdbl}{\ddagger\ddagger}%
1149   {\textsection\textsection}{\mathsection\mathsection}%
1150   {\textparagraph\textparagraph}{\mathparagraph\mathparagraph}%
1151   {\textasteriskcentered\textasteriskcentered\textasteriskcentered}{***}%
1152   {\textdagger\textdagger\textdagger}{\dagger\dagger\dagger}%
1153   {\textdaggerdbl\textdaggerdbl\textdaggerdbl}{\ddagger\ddagger\ddagger}%
1154   {\textsection\textsection\textsection}{%
1155     {\mathsection\mathsection\mathsection}%
1156   {\textparagraph\textparagraph\textparagraph}{%
1157     {\mathparagraph\mathparagraph\mathparagraph}%
1158   }%
1159   \setfnsymbol{lamport*}%
1160 \DefineFNsymbolsTM{*{lamport*-robust}}{%
1161   \textasteriskcentered *%
1162   \textdagger   \dagger
1163   \textdaggerdbl \ddagger

```

```

1164 \textsection \mathsection
1165 \textparagraph \mathparagraph
1166 \textbardbl \|%
1167 {\textasteriskcentered\textasteriskcentered}{**}%
1168 {\textdagger\textdagger}{\dagger\dagger}%
1169 {\textdaggerdbl\textdaggerdbl}{\ddagger\ddagger}%
1170 {\textsection\textsection}{\mathsection\mathsection}%
1171 {\textparagraph\textparagraph}{\mathparagraph\mathparagraph}%
1172 {\textasteriskcentered\textasteriskcentered\textasteriskcentered}{***}%
1173 {\textdagger\textdagger\textdagger}{\dagger\dagger\dagger}%
1174 {\textdaggerdbl\textdaggerdbl\textdaggerdbl}{\ddagger\ddagger\ddagger}%
1175 {\textsection\textsection\textsection}{\mathsection\mathsection\mathsection}%
1176 {\textparagraph\textparagraph\textparagraph}{\mathparagraph\mathparagraph\mathparagraph}%
1177 {\mathparagraph\mathparagraph\mathparagraph}%
1178 }
1179 \newcommand\mpfootnotemark{%
1180   \@ifnextchar[%]
1181     \xmpfootnotemark
1182   {%
1183     \stepcounter\mpfn
1184     \protected@xdef\thefnmark{\thempfn}%
1185     \footnotemark
1186   }%
1187 }
1188 \def\xmpfootnotemark[#1]{%
1189   \begingroup
1190     \csname c@\mpfn\endcsname #1\relax
1191     \unrestored@protected@xdef\thefnmark{\thempfn}%
1192   \endgroup
1193   \footnotemark
1194 }
1195 }

```

TEMP PATCHES FOR TESTING

```

1196
1197 \endinput
1198 </footmisc>

```

Index

The italic numbers denote the pages where the corresponding entry is described, numbers underlined point to the definition, all others indicate the places where it is used.

Symbols	
\#	1117
\ 	1108, 1116, 1126, 1134, 1145, 1166
A	
\addtocounter	874
\AddToHook	306, 379, 433, 435, 441, 443, 463, 665, 797, 801, 833, 887, 895, 955, 956
\AddToHookWithArguments	462
\advance	641, 715, 912
\AssignSocketPlug	279, 291, 294, 303, 340, 532, 577, 578, 592, 601, 669, 670, 671, 672, 744, 770, 772, 776, 778, 782, 784, 813, 814, 815, 816
\AtBeginDocument	313, 445, 450
\AtEndDocument	1093
\AtEndOfPackage	650
B	
\baselineskip	711, 843
\baselinestretch	443, 797, 801
\begingroup	418, 1190
\bgroup	901
bool commands:	
\bool_gset_true:N	117
\bool_if:NTF	120, 132, 502, 518, 560
\bool_new:N	69, 76, 116
\bool_set_false:N	421, 454, 457
\bool_set_true:N	70, 77, 424
\box	289, 917
C	
\columnwidth ..	16, 226, 288, 862, 863, 911
\cs	234, 235
cs commands:	
\cs_generate_variant:Nn	80, 81, 483, 497, 545
\cs_gset_eq:NN	127, 151
\cs_if_eq:NNTF	381
\cs_new:Npn	371, 373, 375, 377
\cs_new_eq:NN	196, 349
\cs_new_protected:Npn 82, 95, 118, 130, 154, 181, 199, 319, 351, 461, 470, 476, 484, 533, 540
\cs_set:Npn	368
\cs_set_eq:NN	198, 308, 355, 358, 361, 363, 383, 405, 407, 437, 438, 439
\cs_set_protected:Npn	465
\csname ..	20, 868, 985, 986, 1000, 1001, 1015, 1023, 1033, 1058, 1066, 1191
\CurrentOption	654, 656, 661, 663
D	
\dagger	1105, 1113, 1122, 1130, 1136, 1141, 1147, 1152, 1162, 1168, 1173
\ddagger	1106, 1114, 1123, 1131, 1137, 1142, 1148, 1153, 1163, 1169, 1174
\DeclareCurrentRelease	625, 628
\DeclareDocumentCommand	397, 402, 411, 416, 1022, 1057
\DeclareOption	645, 647, 653, 660, 676, 683, 690, 695, 699, 700, 701, 704, 708, 713, 717, 736, 738
\DeclareRelease	624, 627
\def	12, 18, 29, 30, 34, 229, 368, 444, 639, 640, 721, 722, 747, 840, 847, 859, 863, 868, 872, 876, 900, 929, 958, 962, 978, 986, 991, 993, 1001, 1006, 1029, 1031, 1032, 1049, 1050, 1064, 1075, 1076, 1083, 1094, 1189
default (plug)	5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 6, 20
\DefineFNsymbols	1022
\DefineFNsymbolsTM	1057, 1103, 1111, 1119, 1128, 1139, 1160
\dimexpr	287
\dp	224, 285
E	
\edef	163, 639, 965, 984, 999
\egroup	922
\else	328, 331, 334, 664, 725, 728, 748, 755, 762, 771, 777, 783, 786, 850, 862, 888, 897, 905, 925, 934, 937, 973, 980, 995, 1025, 1036, 1042, 1052, 1060, 1069, 1078, 1090
\end	1029, 1030, 1064, 1065
\endcsname ..	20, 868, 985, 986, 1000, 1001, 1016, 1023, 1033, 1058, 1066, 1191
\endgroup	420, 1193
\endinput	1197
\ensuremath	1035
\ERROR	21, 349, 362, 395, 767, 787
exp commands:	
\exp_after:wN	367, 369
\exp_args:No	520
\exp_not:N	510
\exp_stop_f:	363, 372, 374, 376

```

\expandafter 640, 979, 981, 985, 986, 994,
996, 1000, 1001, 1015, 1023, 1033,
1053, 1054, 1058, 1066, 1079, 1080
\ExplSyntaxOff ..... 602, 954
\ExplSyntaxOn ..... 64, 952

F
FEMark (plug) ..... 498
FENote (plug) ..... 548
FENoteLbl (plug) ..... 579
FENotetext (plug) ..... 593
\fii ..... 172, 190,
317, 336, 337, 338, 673, 730, 732,
745, 757, 759, 765, 773, 779, 785,
788, 818, 853, 855, 862, 874, 877,
891, 907, 939, 940, 944, 945, 971,
975, 982, 997, 1007, 1027, 1038,
1045, 1055, 1062, 1072, 1081, 1090
\floatingpenalty ..... 225
fnmark (hook) ..... 4, 4, 107
fnmark/after (hook) .... 4, 4, 4, 6, 16, 107
fnmark/before (hook) ..... 4, 4, 4, 107
fnmark/begin (hook) ..... 4, 4, 107
fnmark/end (hook) ..... 4, 4, 16, 107
fnote commands:
    \fnote_class_new:nn . 9, 470, 470, 475
    \g_fnote_debug_bool 116, 117, 120, 132
    \fnote_footnotemark: 154, 154, 198, 437
    \fnote_footnotetext:n ..... 199, 199, 308, 442
    \fnote_gput_refs:nn ..... 510, 533, 540, 545, 565
    \l_fnote_link_bool 24, 69, 454, 457, 518
    \l_fnote_link_type_tl ..... 71, 522
    \fnote_makefntext:n ..... 10, 21, 22, 319, 319, 383
    \fnote_mark_gpop_all:nnN ..... 9, 484, 484, 497, 562
    \fnote_mark_gput:nn ..... 9, 476, 476, 483, 504
    \fnote_set_fnmark:nn .... 95, 95, 399
    \fnote_step_fnmark:nn 82, 82, 404, 413
    \l_fnote_type_tl ..... 67, 504, 562
fnote internal commands:
    \l_fnote_autodetect_bool ..... 76, 421, 424, 502, 560
    \l_fnote_currentlabel_tl ..... 23, 27, 74, 422, 512, 514
    \l_fnote_currentrefs_seq ..... 75, 562, 563, 582, 583
    \l_fnote_currentstruct_tl ..... 25, 78, 79, 460, 558, 565, 584, 585
    \l_fnote_debug_footnotemark: ... 118, 127, 155
    \l_fnote_debug_footnotetext: ... 130, 151, 200
    \l_fnote_dflt_struct_tl 546, 547, 556
    \l_fnote_footmark_finish: ..... 16
    \l_fnote_footnotemark_default-
        finish: ..... 16, 181, 181, 196, 407
    \l_fnote_footnotemark_finish: ... 16, 179, 181, 196, 405, 407, 409
    \l_fnote_gput_ref:nn 533, 533, 542, 543
    \l_fnote_label_hook:n ..... 461, 461, 462, 465
    \l_fnote_linktarget_tl ..... 73, 505, 514, 523
    \l_fnote_patch: ..... 351, 386
    \l_fnote_patch_@makefnmark:w 361, 375
    \l_fnote_patch_hb@xt@:w ..... 358, 373
    \l_fnote_patch_hbox:w ..... 355, 371
    \l_fnote_patch_seq ..... 394, 395
    \l_fnote_patch_tl ..... 348,
        353, 354, 357, 360, 366, 367, 369, 394
    \l_fnote_tmp:w ..... 349, 355, 358, 361, 363, 367, 368, 369
    \l_fnote_tmppa_prop ..... 65, 487, 488
    \l_fnote_tmppa_tl ..... 66
\fnsymbol ..... 645
fntext (hook) ..... 6, 6, 111
fntext/after (hook) ..... 6, 6, 6, 111
fntext/before (hook) ..... 6, 6, 6, 111
fntext/begin (hook) ..... 6, 6, 6, 111
fntext/begin (socket) ..... 5, 5, 292
fntext/end (hook) ..... 6, 6, 6, 111
fntext/end (socket) ..... 5, 5, 295
fntext/make (socket) ... 5, 5, 5, 5, 6, 280
fntext/mark (socket) ..... 5, 5, 324
fntext/para (hook) .... 6, 6, 6, 6, 20, 111
fntext/process (socket) ..... 5, 5, 276
fntext/text (socket) ..... 6, 6, 341
\footglue ..... 301, 826
\footins ..... 5, 277, 715, 742, 844
\footnote ..... 5, 8, 10, 18, 402, 977, 978
\footnotebaselineskip .. 288, 829, 836, 843
\footnotelayout .. 675, 678, 679, 920, 941
\footnotemargin ..... 5, 7, 20,
        310, 311, 315, 316, 326, 327, 329,
        332, 335, 658, 702, 705, 883, 888,
        889, 890, 903, 904, 932, 933, 935, 938
\footnotemark ..... 4, 8–10, 411, 992, 993
\footnoterule ..... 714, 719, 720, 722
\footnotesep ..... 23, 223, 293, 667, 852
\footnotesize ..... 15, 216, 835, 914
\footnotetext ..... 5, 6, 8–10, 18, 397
\footref ..... 9, 10, 23, 25, 29, 416

```

	G		
\gdef	718, 1095	\int_set:Nn	90, 102
\global ..	13, 428, 742, 756, 836, 868, 1092	\interfootnotelinepenalty	222
\gluestretchorder	751	\interlinepenalty	6, 222
group commands:			
\group_begin:	89, 101		
\group_end:	92, 104		
	H		K
\hangfootparindent	712, 919	\kern	721, 959, 960
\hangfootparskip	711, 918		
\hbox	21, 22, 34, 284, 354, 371, 372, 391, 394, 902		
hook commands:			
\hook_gput_code:nnn	80, 508	\label	9
\hook_log:n	122, 123, 124, 125, 126, 145, 146, 147, 148, 149, 150	\lastbox	847
\hook_use:n	159, 169, 175, 203, 213, 238, 255, 262, 273	\lastkern	963
Hooks:		\lastskip	750
fnmark	4, 4, 107	\leavevmode	161, 916
fnmark/after	4, 4, 4, 6, 16, 107	\leftmargin	909, 912, 913
fnmark/before	4, 4, 4, 107	legacy commands:	
fnmark/begin	4, 4, 107	\legacy_if:nTF	454
fnmark/end	4, 4, 16, 107	\let	434, 442, 443, 644, 675, 688, 691, 696, 719, 720, 756, 761, 763, 764, 797, 798, 801, 802, 823, 974, 977, 992, 1015, 1020, 1092
fntext	6, 6, 111	\linepenalty	678, 679
fntext/after	6, 6, 6, 111	\linewidth	911, 912, 913
fntext/before	6, 6, 6, 111	\llap	5, 7, 330, 335, 917, 936, 938
fntext/begin	6, 6, 6, 111	\long	12, 368, 840, 900, 929
fntext/end	6, 6, 6, 111	\ltlabfootnotedate	4
fntext/para	6, 6, 6, 6, 20, 111	\ltlabfootnoteversion	4
\hrule	721		
\hsize	6, 17, 16, 226, 666, 860, 863	M	
\hskip	301	\MakeLinkTarget	583, 584
\hspace	895	\MakePerPage	35, 867
\hss	327, 335, 347, 904, 933, 938	\marginpar	278
\ht	286	\marginparwidth	666
	I	\mathparagraph	1109, 1125, 1133, 1144, 1150, 1157, 1165, 1171, 1178
identity (plug)	6, 16, 16, 20	\mathsection	1107, 1115, 1124, 1132, 1143, 1149, 1155, 1164, 1170, 1176
\IfBooleanTF	1043, 1070	\maxdimen	5, 7, 311, 315, 332, 658, 884
\ifcase	766, 1040, 1067	\MessageBreak	1098
\ifdim	315, 326, 329, 332, 888, 903, 932, 935, 963	\mp (plug)	5
\ifhbox	848	\mpfootnotemark	1180
\ifhmode	162, 188	\mpfootnoterule	720, 724
\ifnum	726, 751, 860, 873	\multfootsep	953, 969
\ifx	723, 748, 978, 993, 1023, 1034, 1051, 1058, 1077	\multiplefootnotemarker	951, 959, 960, 963
\ignorespaces	23, 257		
\insert	5, 16, 277	N	
\insertpenalties	731	\NeedsTeXFormat	623, 634
int commands:		\newbox	824, 825
\int_compare:nTF	395	\newcommand	344, 711, 712, 1008, 1180
		\newdimen	310, 829
		\NewHook	108, 109, 110, 112, 113, 114, 115
		\newif	646, 652, 681, 686, 689, 707, 735, 737, 791, 1021
		\NewMirroredHookPair	107, 111
		\newskip	826

\NewSocket	197, 276, 280, 292, 295, 304, 305, 324, 341, 342, 343
\NewSocketPlug 277, 278, 281, 282, 293, 296, 297, 325, 426, 498, 548, 572, 579, 593, 741
\newtoks	635
\nobreak	4, 171, 895
\noexpand	754, 889, 984, 985, 999, 1000, 1035, 1037, 1040, 1042, 1043, 1044, 1045, 1067, 1069, 1070, 1071, 1072
\noindent	320, 346, 931
noop (plug)	5, 5, 5, 6
\normalbaselineskip	836
\normalfont	34
\number	1087
O	
\or	768, 774, 780, 1053, 1079
P	
\PackageError	654, 661, 1012
\PackageInfo	1024, 1059, 1087
\PackageWarning	1026, 1061
\PackageWarningNoLine	1096
\PackageWarningNoline	889
\pagefootnoterule	719, 727
\par	24, 266, 921
para (plug)	5, 5, 5
\parindent	6, 228, 345, 919, 930
\parshape	913
\parskip	918
\penalty	300
Plugs:	
default	5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 6, 20
FEMark	498
FENote	548
FENoteLbl	579
FENotetext	593
identity	6, 16, 16, 20
mp	5
noop	5, 5, 5, 6
para	5, 5, 5
side	5
prg commands:	
\prg_do_nothing:	127, 151, 405
\ProcessOptions	739
prop commands:	
\prop_gput:Nnn	478
\prop_gremove:Nn	493
\prop_map_inline:Nn	488
\prop_new:N	65, 472
\prop_set_eq:NN	487
property commands:	
\property_new:nnnn	460
\property_record:nn	467
\property_ref:nn	512, 514
\protect	978, 984, 993, 999, 1088
\providecommand 37, 447, 448, 624, 625, 636, 951, 953
\ProvidesFile	3
\ProvidesPackage	629
R	
\RaggedRight	679
\raggedright	678
\RawNoindent	851
\RawParEnd	845
\ref	23, 419
\relax	189, 288, 300, 640, 641, 702, 705, 715, 722, 748, 756, 761, 763, 764, 766, 890, 918, 919, 960, 963, 970, 974, 1023, 1058, 1092, 1191
\renewcommand	645, 648, 678, 679, 714
\RequirePackage	866
\rightmargin	910
\rule	23, 293, 852
S	
seq commands:	
\seq_clear:N	486
\seq_count:N	395
\seq_map_inline:Nn	563, 583
\seq_new:N	75
\seq_put_right:Nn	492
\seq_set_split:Nnn	394
\seq_show:N	582
\setbox	13, 284, 428, 742, 847, 902
\setfnsymbol	650, 1008, 1159
\setlength	316, 658
side (plug)	5
\skip	715
socket commands:	
\socket_log:n	134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144
\socket_use:n	205, 251, 264, 270, 321
\socket_use:nn	177, 206, 246, 321, 322
Sockets:	
fntext/begin	5, 5, 292
fntext/end	5, 5, 295
fntext/make	5, 5, 5, 5, 6, 280
fntext/mark	5, 5, 324
fntext/process	5, 5, 276
fntext/text	6, 6, 341
tagsupport/fnmark	7, 7, 10, 26, 197
tagsupport/fntext begin	7, 7, 10, 304
tagsupport/fntext/end	7, 7, 10, 304
tagsupport/fntext/mark	7, 7, 10, 29, 342
tagsupport/fntext/text	8, 8, 10, 29, 342

\space	4
\spacefactor	163, 189, 965, 970
\splitfootnoterule	721, 729
\splitmaxdepth	224
\splittopskip	223
\stepcounter	35, 85, 869, 876, 1184
\strut	299
\strutbox	23, 224, 296
 T	
tag commands:	
\tag_check_child:nTF	551
\tag_get:n	479, 505, 511, 558
\tag_if_active:TF	535
\tag_mc_begin:n	516, 586, 596, 953
\tag_mc_begin_pop:n	530, 575, 590, 599, 953
\tag_mc_end:	528, 588, 598, 953
\tag_mc_end_push:	500, 550, 581, 595, 953
\tag_struct_begin:n	501, 553, 556, 559, 585
\tag_struct_end:	529, 559, 574, 589
\tag_struct_gput:nnn	537
\tag_struct_object_ref:n	537
\tag_struct_use:n	81
tagsupport/fnmark (socket)	7, 7, 10, 26, 197
tagsupport/fntext/begin (socket)	7, 7, 10, 304
tagsupport/fntext/end (socket)	7, 7, 10, 304
tagsupport/fntext/mark (socket)	7, 7, 10, 29, 342
tagsupport/fntext/text (socket)	8, 8, 10, 29, 342
T _E X and L _A T _E X 2 _E commands:	
@@dvance@macro	639, 640
@@par	915
@QMM	225
@advance@macro	644
@arabic	1085
@auxout	637
@bsphack	1009, 1086
@ctrerr	1043, 1070, 1090
@currentcounter	18, 229
@currentlabel	19, 230
@diagnose@fnssymbol@orange	1092, 1093, 1095
@eha	1013
@empty	448, 675
@esphack	1018, 1089
@finalstrut	23, 296
@fnssymbol	648, 1015, 1020
@fnssymbol@orange	1088, 1094
@footnotemark	3, 15, 23, 198, 406, 414, 423, 437, 1186, 1194
@footnotetext	3, 17, 308, 400, 408, 442
@gobble	989
@gobbletwo	447
@ifclassloaded	795
@ifnextchar	987, 1002, 1181
@ifpackageloaded	452, 792, 858
@ifundefined	677, 1010
@listdepth	723
@makecol	434, 439
@makefmark	3–5, 7, 10, 16, 21, 34, 177, 327, 330, 333, 335, 347, 360, 375, 376, 904, 906, 933, 936, 938
@makefntext	3, 5, 6, 10, 11, 20–22, 26, 22, 228, 242, 281, 284, 353, 368, 381, 383, 438, 900, 929
@makefntext@processX	372, 374, 376, 377
@mpfn	29, 399, 404, 1184, 1191
@mpfootins	13, 14, 428, 429
@mpfootnotetext	9, 12
@mplistdepth	723
@ne	691, 860, 913
@null	1065
@outputbox@append	749, 754
@outputbox@reinsertbskip	753, 756, 761, 764
@outputbox@removebskip	747, 763
@parboxrestore	17, 227, 842
@plus	715
@setpar	915
@stpelt	868
@tempa	1050, 1051, 1076, 1077
@tempb	1029, 1051, 1064, 1077
@tempboxa	823, 902, 909, 917
@tempc	1031, 1034
@tempcnta	640, 641, 642
@tempd	1032, 1034
@tempskipa	750, 751, 752, 754
@textbottom	748
@textsuperscript	34
@thefnmark	8–10, 12–14, 23, 26–28, 20, 34, 86, 91, 98, 103, 230, 419, 504, 562, 1185, 1192
@typeset@protect	978, 993
@x@sf	163, 189, 965, 970
@xmpfootnotemark	1182, 1189
@c@footnote	648
@color@begingroup	21, 240
@color@endgroup	25, 267
@doublecol@number	860
@FN@abovefloatsfalse	692, 700
@FN@abovefloatstrue	689, 697, 699

\FN@baselinestretch 798, 802
\FN@bottomcases ... 688, 691, 696, 766
\FN@build@symboldef . 1030, 1049, 1054
\FN@build@symboldefTM 1065, 1075, 1080
\FN@fixskipfalse 686
\FN@fixskiptrue ... 693, 697, 699, 700
\FN@fnssymbol@lamport 1020
\FN@hangfootfalse 707
\FN@hangfoottrue 709
\FN@makefootnoteparagraph .. 742, 840
\FN@mf@check 955, 962
\FN@mf@prepare 956, 958, 974
\FN@multiplefootnotefalse 737
\FN@multiplefootnotetrue 738
\FN@orange 1044, 1071, 1083
\FN@parafalse 652
\FN@paratruue 657
\FN@perpagefalse 682
\FN@perpagetrue 684
\FN@removehboxes 844, 847, 848
\FN@robustfalse 646
\FN@robusttrue 649
\FN@setfootnoteparawidth 841, 859, 863
\FN@setspacefalse 806
\FN@setspacetruue 794
\FN@sf@@footnote 977, 979
\FN@sf@@footnotemark 992, 994
\FN@sf@gobble@bracket ... 1003, 1006
\FN@sf@gobble@opt 981, 984
\FN@sf@gobble@optionly 996, 999
\FN@sf@gobble@twobracket ... 988, 991
\FN@stablefootnotefalse 735
\FN@stablefootnotetrue 736
\FN@tempboxa 284,
 285, 286, 287, 289, 823, 847, 848, 849
\FN@tempboxb 824
\FN@tempboxc 825
\FN@temptoken 635
\hb@xt@ 21, 327,
 335, 347, 357, 373, 374, 904, 933, 938
\hyper@linkend 448, 525
\hyper@linkstart 447, 521
\hyper@nopatch@footnote 444
\if@tempswb 1021
\ifFN@abovefloats .. 689, 769, 775, 781
\ifFN@fixskip 686, 746
\ifFN@hangfoot 707, 899
\ifFN@multiplefootnote 737, 950
\ifFN@para . 652, 660, 740, 811, 822, 880
\ifFN@perpage 681, 865
\ifFN@robust 646, 1084
\ifFN@setspace 791
\ifFN@stablefootnote 735, 976
\l@advance@macro 639, 644
\m@m@singlespace 797, 798
\m@ne 868, 874
\new@std@class@makecol 434, 439
\nfss@text 1037
\old@std@class@makefntext
 344, 381, 438
\p@ 715, 721
\p@footnote 230
\pp@ccl@end@iii 876
\pp@fix@MakePerPage 870, 872, 876
\protected@edef 19, 230
\protected@write 637
\protected@writeaux 636
\protected@xdef 86, 98, 1185
\reset@font 15, 215
\setspace@singlespace .. 443, 801, 802
\split@prev 718, 726, 731
\thr@ 688
\toks@ 1028, 1041, 1053, 1063, 1068, 1079
\tw@ 696
\unrestored@protected@xdef
 91, 103, 419, 1192
\z@ . 23, 285, 293, 326, 329, 667, 726,
 751, 852, 873, 888, 903, 910, 932, 935
\textasteriskcentered
 1104, 1112, 1120, 1121, 1129, 1135,
 1140, 1146, 1151, 1161, 1167, 1172
\textbardbl
 ... 1108, 1116, 1126, 1134, 1145, 1166
\textdagger 1105, 1113, 1122, 1130, 1136,
 1141, 1147, 1152, 1162, 1168, 1173
\textdaggerdbl
 ... 1106, 1114, 1123, 1131, 1137,
 1142, 1148, 1153, 1163, 1169, 1174
\TextOrMath 1079
\textparagraph 1109, 1125, 1133,
 1144, 1150, 1156, 1165, 1171, 1177
\textsection .. 1107, 1115, 1124, 1132,
 1143, 1149, 1154, 1164, 1170, 1175
\textsuperscript 969
\textwidth 861
\the 163, 642,
 731, 754, 965, 1041, 1053, 1068, 1079
\thefootnote 30, 645, 648
\thempfn 30, 1185, 1192
tl commands:
 \tl_if_eq:nnTF 490
 \tl_if_in:NnTF 354, 357, 360
 \tl_if_novalue:nTF 83, 96
 \tl_new:N 66, 67, 71, 73, 74, 78, 348, 546
 \tl_set:Nn 68,
 72, 79, 353, 366, 422, 505, 514, 547, 558

U	V
\unhbox 849	\value 873
\unkern 967, 968	\vbox 13, 428, 742
\unskip 158	\vskip 752, 754
\unvbox 14, 429, 844	
use commands:	
\use:N 86, 91, 98, 103	\wd 287, 909
\use:n 376	
\UseHook 186, 193	
\UseSocket 353, 377	\xdef 731, 753, 1033, 1066