

Package ‘HaploVar’

July 21, 2025

Type Package

Title Defining Local Haplotype Variants for Use in Trait Association
and Trait Prediction Analyses

Version 0.1.1

Description A local haplotyping tool for use in trait association and trait prediction analyses pipelines. 'HaploVar' enables users take single nucleotide polymorphisms (SNPs) (in VCF format) and a linkage disequilibrium (LD) matrix, calculate local haplotypes and format the output to be compatible with a wide range of trait association and trait prediction tools. The local haplotypes are calculated from the LD matrix using a clustering algorithm called density-based spatial clustering of applications with noise ('DBSCAN') (Ester et al., 1996) <ISBN: 1577350049>.

License MIT + file LICENSE

Encoding UTF-8

RoxygenNote 7.3.2

Imports dplyr, tidyr, tibble, magrittr, dbscan

Depends R (>= 4.00)

LazyData true

LazyDataCompression xz

Suggests knitr, rmarkdown

VignetteBuilder knitr

NeedsCompilation no

Author Tessa MacNish [aut, cre] (ORCID:
<<https://orcid.org/0009-0008-8985-7348>>),
Hawladar Al-Mamun [ctb],
Thomas Bergmann [ctb],
Mitchell Bestry [ctb],
Jacob Marsh [ctb],
David Edwards [ctb]

Maintainer Tessa MacNish <tessa.macnish@research.uwa.edu.au>

Repository CRAN

Date/Publication 2025-07-21 08:31:11 UTC

Contents

collate_define_haplotypes	2
collate_haplotype_variants	2
define_haplotypes	3
define_haplotypes_globally	4
haplotype_variants	5
haplotype_variants_global	6
LD	7
vcf	7

Index	35
-------	----

collate_define_haplotypes	
<i>Collate define_haplotypes Lists</i>	

Description

This function collates a list of output files from define_haplotypes.

Usage

```
collate_define_haplotypes(haplotype_list)
```

Arguments

haplotype_list A list of the lists created by the define_haplotypes function.

Value

A collated list of all haplotype tables.

collate_haplotype_variants	
<i>Collate haplotype_variants Tables</i>	

Description

This function collates a list of output files from haplotype_variants.

Usage

```
collate_haplotype_variants(haplotype_variants_list, format = 1)
```

Arguments

haplotype_variants_list	A list of the tables created by the define_haplotypes function.
format	The format you want the output table to be in. This should be the same number you used when running define_haplotypes.

Value

A collated table of haplotype variants.

define_haplotypes	<i>Define Haplotypes</i>
-------------------	--------------------------

Description

This function requires a VCF and an LD matrix. It will then define local haplotypes and return a list of tables. Each table within the list represents one haplotype. These haplotype tables display the SNP genotypes within the haplotype.

Usage

```
define_haplotypes(
  vcf,
  LD,
  epsilon = 0.6,
  MGmin = 30,
  hetmiss_as = "allele",
  keep_outliers = FALSE
)
```

Arguments

vcf	A VCF file.
LD	A LD matrix file.
epsilon	Affects haplotype size. It is a parameter of the DBSCAN clustering tool. The default is 0.6.
MGmin	The minimum number of SNPs within a cluster for it to be defined as a haplotype. The default is 30.
hetmiss_as	Affects how missing data is handled for all instances where one allele in a genotype is missing. If hetmiss_as = "allele" the genotype is assumed to be heterozygous. If hetmiss_as = "miss" the genotype is treated as NA.
keep_outliers	If FALSE, removes SNPs that are determined to be outliers.

Value

A list of haplotype tables.

define_haplotypes_globally

Define Haplotypes Globally

Description

This function requires a list of VCF files and an LD matrices. The list of VCF files and LD matrices must be the same length. It will then define local haplotypes for each pair of files (VCF and LD matrix) and return a list of tables. Each table within the list represents one haplotype. These haplotype tables display the SNP genotypes within the haplotype.

Usage

```
define_haplotypes_globally(
  vcf_list,
  LD_list,
  epsilon = NULL,
  MGmin = 30,
  hetmiss_as = "allele",
  keep_outliers = FALSE
)
```

Arguments

vcf_list	A list of VCF files.
LD_list	A list LD matrix files.
epsilon	A list of epsilon values the same length as the list of VCF files. The epsilon affects haplotype size. It is a parameter of the DBSCAN clustering tool. The default is 0.6.
MGmin	The minimum number of SNPs within a cluster for it to be defined as a haplotype. The default is 30.
hetmiss_as	Affects how missing data is handled for all instances where one allele in a genotype is missing. If hetmiss_as = "allele" the genotype is assumed to be heterozygous. If hetmiss_as = "miss" the genotype is treated as NA.
keep_outliers	If FALSE, removes SNPs that are determined to be outliers.

Value

A collated list of haplotype tables for all VCF files provided.

haplotype_variants	<i>Identify Haplotype Variants</i>
--------------------	------------------------------------

Description

This function requires a VCF and an LD matrix. It will then define local haplotypes and identify the variants for each haplotype. The output can be formatted in six ways, to be compatible with a wide range of GWAS and genomic selection tools.

Usage

```
haplotype_variants(  
  vcf,  
  LD,  
  epsilon = 0.6,  
  MGmin = 30,  
  minFreq = 2,  
  hetmiss_as = "allele",  
  keep_outliers = FALSE,  
  format = 1  
)
```

Arguments

vcf	A VCF file.
LD	A LD matrix file.
epsilon	Affects haplotype size. It is a parameter of the DBSCAN clustering tool. The default is 0.6.
MGmin	The minimum number of SNPs within a cluster for it to be defined as a haplotype. The default is 30.
minFreq	The minimum number of individuals a haplotype variant must be present in to be considered a valid haplotype variant. The default is 2.
hetmiss_as	Affects how missing data is handled for all instances where one allele in a genotype is missing. If hetmiss_as = "allele" the genotype is assumed to be heterozygous. If hetmiss_as = "miss" the genotype is treated as NA.
keep_outliers	If FALSE removes SNPs, that are determined to be outliers.
format	The output format. There are six different output formats (1,2,3,4,5,6).

Value

A table of haplotype genotypes in your chosen format.

haplotype_variants_global

Identify Haplotype Variants Globally

Description

This function requires a list of VCF files and an LD matrices. It will then define local haplotypes and identify the variants for each haplotype. The output can be formatted in six ways, to be compatible with a wide range of GWAS and genomic selection tools.

Usage

```
haplotype_variants_global(
  vcf_list,
  LD_list,
  epsilon = NULL,
  MGmin = 30,
  minFreq = 2,
  hetmiss_as = "allele",
  keep_outliers = FALSE,
  format = 1
)
```

Arguments

vcf_list	A list of VCF files.
LD_list	A list of LD matrix files.
epsilon	A list of epsilon values the same length as the list of VCF files. The epsilon affects haplotype size. It is a parameter of the DBSCAN clustering tool. The default is 0.6.
MGmin	The minimum number of SNPs within a cluster for it to be defined as a haplotype. The default is 30.
minFreq	The minimum number of individuals a haplotype variant must be present in to be considered a valid haplotype variant. The default is 2.
hetmiss_as	Affects how missing data is handled for all instances where one allele in a genotype is missing. If hetmiss_as = "allele" the genotype is assumed to be heterozygous. If hetmiss_as = "miss" the genotype is treated as NA.
keep_outliers	If FALSE removes SNPs, that are determined to be outliers.
format	The output format. There are six different output formats (1,2,3,4,5,6).

Value

A table of haplotype genotypes in your chosen format.

LD	<i>Linkage Disequilibrium Matrix</i>
----	--------------------------------------

Description

Pairwise R^2 values for 490 *Brassica napus* single nucleotide polymorphisms (SNPs).

Usage

LD

Format

An object of class `data.frame` with 490 rows and 490 columns.

Source

Wu, D., Liang, Z., Yan, T., Xu, Y., Xuan, L., Tang, J., Zhou, G., Lohwasser, U., Hua, S., Wang, H., Chen, X., Wang, Q., Zhu, L., Maodzeka, A., Hussain, N., Li, Z., Li, X., Shamsi, I. H., Jilani, G., ... Jiang, L. (2019). Whole-Genome Resequencing of a Worldwide Collection of Rape-seed Accessions Reveals the Genetic Basis of Ecotype Divergence. *Molecular Plant*, 12(1), 30–43. <https://doi.org/10.1016/j.molp.2018.11.007>

vcf	<i>Brassica napus</i> genotype data in VCF format
-----	---

Description

A subset of *Brassica napus* genotype data for chromosome C01. The genotype data reports single nucleotide polymorphism (SNP) data. The variables are as follows:

Usage

vcf

Format

A data frame with 490 rows and 1000 variables:

#CHROM The chromosome where the SNP is located

POS The reference position of the SNP (bp)

ID The name/ID of the SNP

REF Reference base

ALT Alternate base

QUAL Phred-scaled quality score of the alternate base

FILTER PASS if the SNP has passed all filters

INFO Additional information

FORMAT The data type of the genotype

R4155_R4155 Genotypes for sample R4155_R4155

R4156_R4156 Genotypes for sample R4156_R4156

R4157_R4157 Genotypes for sample R4157_R4157

R4158_R4158 Genotypes for sample R4158_R4158

R4159_R4159 Genotypes for sample R4159_R4159

R4160_R4160 Genotypes for sample R4160_R4160

R4161_R4161 Genotypes for sample R4161_R4161

R4162_R4162 Genotypes for sample R4162_R4162

R4163_R4163 Genotypes for sample R4163_R4163

R4164_R4164 Genotypes for sample R4164_R4164

R4165_R4165 Genotypes for sample R4165_R4165

R4166_R4166 Genotypes for sample R4166_R4166

R4167_R4167 Genotypes for sample R4167_R4167

R4168_R4168 Genotypes for sample R4168_R4168

R4169_R4169 Genotypes for sample R4169_R4169

R4170_R4170 Genotypes for sample R4170_R4170

R4171_R4171 Genotypes for sample R4171_R4171

R4172_R4172 Genotypes for sample R4172_R4172

R4173_R4173 Genotypes for sample R4173_R4173

R4174_R4174 Genotypes for sample R4174_R4174

R4176_R4176 Genotypes for sample R4176_R4176

R4177_R4177 Genotypes for sample R4177_R4177

R4178_R4178 Genotypes for sample R4178_R4178

R4179_R4179 Genotypes for sample R4179_R4179

R4180_R4180 Genotypes for sample R4180_R4180

R4181_R4181 Genotypes for sample R4181_R4181

R4182_R4182 Genotypes for sample R4182_R4182

R4183_R4183 Genotypes for sample R4183_R4183

R4184_R4184 Genotypes for sample R4184_R4184

R4185_R4185 Genotypes for sample R4185_R4185

R4186_R4186 Genotypes for sample R4186_R4186

R4187_R4187 Genotypes for sample R4187_R4187

R4188_R4188 Genotypes for sample R4188_R4188

R4189_R4189 Genotypes for sample R4189_R4189

R4190_R4190 Genotypes for sample R4190_R4190
R4191_R4191 Genotypes for sample R4191_R4191
R4192_R4192 Genotypes for sample R4192_R4192
R4193_R4193 Genotypes for sample R4193_R4193
R4194_R4194 Genotypes for sample R4194_R4194
R4195_R4195 Genotypes for sample R4195_R4195
R4196_R4196 Genotypes for sample R4196_R4196
R4197_R4197 Genotypes for sample R4197_R4197
R4198_R4198 Genotypes for sample R4198_R4198
R4199_R4199 Genotypes for sample R4199_R4199
R4200_R4200 Genotypes for sample R4200_R4200
R4201_R4201 Genotypes for sample R4201_R4201
R4202_R4202 Genotypes for sample R4202_R4202
R4203_R4203 Genotypes for sample R4203_R4203
R4204_R4204 Genotypes for sample R4204_R4204
R4205_R4205 Genotypes for sample R4205_R4205
R4206_R4206 Genotypes for sample R4206_R4206
R4207_R4207 Genotypes for sample R4207_R4207
R4208_R4208 Genotypes for sample R4208_R4208
R4209_R4209 Genotypes for sample R4209_R4209
R4210_R4210 Genotypes for sample R4210_R4210
R4211_R4211 Genotypes for sample R4211_R4211
R4212_R4212 Genotypes for sample R4212_R4212
R4213_R4213 Genotypes for sample R4213_R4213
R4214_R4214 Genotypes for sample R4214_R4214
R4215_R4215 Genotypes for sample R4215_R4215
R4216_R4216 Genotypes for sample R4216_R4216
R4217_R4217 Genotypes for sample R4217_R4217
R4218_R4218 Genotypes for sample R4218_R4218
R4219_R4219 Genotypes for sample R4219_R4219
R4220_R4220 Genotypes for sample R4220_R4220
R4221_R4221 Genotypes for sample R4221_R4221
R4222_R4222 Genotypes for sample R4222_R4222
R4223_R4223 Genotypes for sample R4223_R4223
R4224_R4224 Genotypes for sample R4224_R4224
R4225_R4225 Genotypes for sample R4225_R4225
R4226_R4226 Genotypes for sample R4226_R4226

R4227_R4227 Genotypes for sample R4227_R4227
R4228_R4228 Genotypes for sample R4228_R4228
R4229_R4229 Genotypes for sample R4229_R4229
R4230_R4230 Genotypes for sample R4230_R4230
R4231_R4231 Genotypes for sample R4231_R4231
R4232_R4232 Genotypes for sample R4232_R4232
R4233_R4233 Genotypes for sample R4233_R4233
R4234_R4234 Genotypes for sample R4234_R4234
R4235_R4235 Genotypes for sample R4235_R4235
R4236_R4236 Genotypes for sample R4236_R4236
R4237_R4237 Genotypes for sample R4237_R4237
R4238_R4238 Genotypes for sample R4238_R4238
R4239_R4239 Genotypes for sample R4239_R4239
R4240_R4240 Genotypes for sample R4240_R4240
R4241_R4241 Genotypes for sample R4241_R4241
R4242_R4242 Genotypes for sample R4242_R4242
R4243_R4243 Genotypes for sample R4243_R4243
R4244_R4244 Genotypes for sample R4244_R4244
R4245_R4245 Genotypes for sample R4245_R4245
R4246_R4246 Genotypes for sample R4246_R4246
R4247_R4247 Genotypes for sample R4247_R4247
R4248_R4248 Genotypes for sample R4248_R4248
R4249_R4249 Genotypes for sample R4249_R4249
R4250_R4250 Genotypes for sample R4250_R4250
R4251_R4251 Genotypes for sample R4251_R4251
R4252_R4252 Genotypes for sample R4252_R4252
R4253_R4253 Genotypes for sample R4253_R4253
R4254_R4254 Genotypes for sample R4254_R4254
R4255_R4255 Genotypes for sample R4255_R4255
R4256_R4256 Genotypes for sample R4256_R4256
R4257_R4257 Genotypes for sample R4257_R4257
R4258_R4258 Genotypes for sample R4258_R4258
R4259_R4259 Genotypes for sample R4259_R4259
R4260_R4260 Genotypes for sample R4260_R4260
R4261_R4261 Genotypes for sample R4261_R4261
R4262_R4262 Genotypes for sample R4262_R4262
R4263_R4263 Genotypes for sample R4263_R4263

R4264_R4264 Genotypes for sample R4264_R4264
R4265_R4265 Genotypes for sample R4265_R4265
R4266_R4266 Genotypes for sample R4266_R4266
R4267_R4267 Genotypes for sample R4267_R4267
R4268_R4268 Genotypes for sample R4268_R4268
R4269_R4269 Genotypes for sample R4269_R4269
R4270_R4270 Genotypes for sample R4270_R4270
R4271_R4271 Genotypes for sample R4271_R4271
R4272_R4272 Genotypes for sample R4272_R4272
R4273_R4273 Genotypes for sample R4273_R4273
R4274_R4274 Genotypes for sample R4274_R4274
R4275_R4275 Genotypes for sample R4275_R4275
R4276_R4276 Genotypes for sample R4276_R4276
R4277_R4277 Genotypes for sample R4277_R4277
R4278_R4278 Genotypes for sample R4278_R4278
R4279_R4279 Genotypes for sample R4279_R4279
R4280_R4280 Genotypes for sample R4280_R4280
R4281_R4281 Genotypes for sample R4281_R4281
R4282_R4282 Genotypes for sample R4282_R4282
R4283_R4283 Genotypes for sample R4283_R4283
R4284_R4284 Genotypes for sample R4284_R4284
R4285_R4285 Genotypes for sample R4285_R4285
R4286_R4286 Genotypes for sample R4286_R4286
R4287_R4287 Genotypes for sample R4287_R4287
R4288_R4288 Genotypes for sample R4288_R4288
R4289_R4289 Genotypes for sample R4289_R4289
R4290_R4290 Genotypes for sample R4290_R4290
R4291_R4291 Genotypes for sample R4291_R4291
R4292_R4292 Genotypes for sample R4292_R4292
R4293_R4293 Genotypes for sample R4293_R4293
R4294_R4294 Genotypes for sample R4294_R4294
R4295_R4295 Genotypes for sample R4295_R4295
R4296_R4296 Genotypes for sample R4296_R4296
R4297_R4297 Genotypes for sample R4297_R4297
R4298_R4298 Genotypes for sample R4298_R4298
R4299_R4299 Genotypes for sample R4299_R4299
R4300_R4300 Genotypes for sample R4300_R4300

R4301_R4301 Genotypes for sample R4301_R4301
R4302_R4302 Genotypes for sample R4302_R4302
R4303_R4303 Genotypes for sample R4303_R4303
R4304_R4304 Genotypes for sample R4304_R4304
R4305_R4305 Genotypes for sample R4305_R4305
R4306_R4306 Genotypes for sample R4306_R4306
R4307_R4307 Genotypes for sample R4307_R4307
R4308_R4308 Genotypes for sample R4308_R4308
R4309_R4309 Genotypes for sample R4309_R4309
R4310_R4310 Genotypes for sample R4310_R4310
R4311_R4311 Genotypes for sample R4311_R4311
R4313_R4313 Genotypes for sample R4313_R4313
R4314_R4314 Genotypes for sample R4314_R4314
R4315_R4315 Genotypes for sample R4315_R4315
R4316_R4316 Genotypes for sample R4316_R4316
R4317_R4317 Genotypes for sample R4317_R4317
R4318_R4318 Genotypes for sample R4318_R4318
R4319_R4319 Genotypes for sample R4319_R4319
R4320_R4320 Genotypes for sample R4320_R4320
R4321_R4321 Genotypes for sample R4321_R4321
R4322_R4322 Genotypes for sample R4322_R4322
R4323_R4323 Genotypes for sample R4323_R4323
R4324_R4324 Genotypes for sample R4324_R4324
R4325_R4325 Genotypes for sample R4325_R4325
R4326_R4326 Genotypes for sample R4326_R4326
R4327_R4327 Genotypes for sample R4327_R4327
R4328_R4328 Genotypes for sample R4328_R4328
R4329_R4329 Genotypes for sample R4329_R4329
R4330_R4330 Genotypes for sample R4330_R4330
R4331_R4331 Genotypes for sample R4331_R4331
R4332_R4332 Genotypes for sample R4332_R4332
R4333_R4333 Genotypes for sample R4333_R4333
R4334_R4334 Genotypes for sample R4334_R4334
R4335_R4335 Genotypes for sample R4335_R4335
R4336_R4336 Genotypes for sample R4336_R4336
R4337_R4337 Genotypes for sample R4337_R4337
R4338_R4338 Genotypes for sample R4338_R4338

R4339_R4339 Genotypes for sample R4339_R4339
R4340_R4340 Genotypes for sample R4340_R4340
R4341_R4341 Genotypes for sample R4341_R4341
R4342_R4342 Genotypes for sample R4342_R4342
R4343_R4343 Genotypes for sample R4343_R4343
R4344_R4344 Genotypes for sample R4344_R4344
R4345_R4345 Genotypes for sample R4345_R4345
R4346_R4346 Genotypes for sample R4346_R4346
R4347_R4347 Genotypes for sample R4347_R4347
R4348_R4348 Genotypes for sample R4348_R4348
R4349_R4349 Genotypes for sample R4349_R4349
R4350_R4350 Genotypes for sample R4350_R4350
R4351_R4351 Genotypes for sample R4351_R4351
R4352_R4352 Genotypes for sample R4352_R4352
R4353_R4353 Genotypes for sample R4353_R4353
R4354_R4354 Genotypes for sample R4354_R4354
R4355_R4355 Genotypes for sample R4355_R4355
R4356_R4356 Genotypes for sample R4356_R4356
R4357_R4357 Genotypes for sample R4357_R4357
R4358_R4358 Genotypes for sample R4358_R4358
R4359_R4359 Genotypes for sample R4359_R4359
R4360_R4360 Genotypes for sample R4360_R4360
R4361_R4361 Genotypes for sample R4361_R4361
R4363_R4363 Genotypes for sample R4363_R4363
R4364_R4364 Genotypes for sample R4364_R4364
R4365_R4365 Genotypes for sample R4365_R4365
R4366_R4366 Genotypes for sample R4366_R4366
R4367_R4367 Genotypes for sample R4367_R4367
R4368_R4368 Genotypes for sample R4368_R4368
R4369_R4369 Genotypes for sample R4369_R4369
R4370_R4370 Genotypes for sample R4370_R4370
R4371_R4371 Genotypes for sample R4371_R4371
R4372_R4372 Genotypes for sample R4372_R4372
R4373_R4373 Genotypes for sample R4373_R4373
R4374_R4374 Genotypes for sample R4374_R4374
R4375_R4375 Genotypes for sample R4375_R4375
R4376_R4376 Genotypes for sample R4376_R4376

R4377_R4377 Genotypes for sample R4377_R4377
R4378_R4378 Genotypes for sample R4378_R4378
R4379_R4379 Genotypes for sample R4379_R4379
R4380_R4380 Genotypes for sample R4380_R4380
R4381_R4381 Genotypes for sample R4381_R4381
R4382_R4382 Genotypes for sample R4382_R4382
R4383_R4383 Genotypes for sample R4383_R4383
R4384_R4384 Genotypes for sample R4384_R4384
R4385_R4385 Genotypes for sample R4385_R4385
R4386_R4386 Genotypes for sample R4386_R4386
R4387_R4387 Genotypes for sample R4387_R4387
R4388_R4388 Genotypes for sample R4388_R4388
R4389_R4389 Genotypes for sample R4389_R4389
R4390_R4390 Genotypes for sample R4390_R4390
R4391_R4391 Genotypes for sample R4391_R4391
R4392_R4392 Genotypes for sample R4392_R4392
R4393_R4393 Genotypes for sample R4393_R4393
R4395_R4395 Genotypes for sample R4395_R4395
R4396_R4396 Genotypes for sample R4396_R4396
R4397_R4397 Genotypes for sample R4397_R4397
R4398_R4398 Genotypes for sample R4398_R4398
R4399_R4399 Genotypes for sample R4399_R4399
R4400_R4400 Genotypes for sample R4400_R4400
R4401_R4401 Genotypes for sample R4401_R4401
R4402_R4402 Genotypes for sample R4402_R4402
R4403_R4403 Genotypes for sample R4403_R4403
R4404_R4404 Genotypes for sample R4404_R4404
R4405_R4405 Genotypes for sample R4405_R4405
R4406_R4406 Genotypes for sample R4406_R4406
R4407_R4407 Genotypes for sample R4407_R4407
R4408_R4408 Genotypes for sample R4408_R4408
R4409_R4409 Genotypes for sample R4409_R4409
R4410_R4410 Genotypes for sample R4410_R4410
R4411_R4411 Genotypes for sample R4411_R4411
R4412_R4412 Genotypes for sample R4412_R4412
R4413_R4413 Genotypes for sample R4413_R4413
R4414_R4414 Genotypes for sample R4414_R4414

R4415_R4415 Genotypes for sample R4415_R4415
R4416_R4416 Genotypes for sample R4416_R4416
R4417_R4417 Genotypes for sample R4417_R4417
R4418_R4418 Genotypes for sample R4418_R4418
R4419_R4419 Genotypes for sample R4419_R4419
R4420_R4420 Genotypes for sample R4420_R4420
R4421_R4421 Genotypes for sample R4421_R4421
R4422_R4422 Genotypes for sample R4422_R4422
R4423_R4423 Genotypes for sample R4423_R4423
R4424_R4424 Genotypes for sample R4424_R4424
R4425_R4425 Genotypes for sample R4425_R4425
R4426_R4426 Genotypes for sample R4426_R4426
R4427_R4427 Genotypes for sample R4427_R4427
R4428_R4428 Genotypes for sample R4428_R4428
R4429_R4429 Genotypes for sample R4429_R4429
R4430_R4430 Genotypes for sample R4430_R4430
R4431_R4431 Genotypes for sample R4431_R4431
R4432_R4432 Genotypes for sample R4432_R4432
R4433_R4433 Genotypes for sample R4433_R4433
R4434_R4434 Genotypes for sample R4434_R4434
R4435_R4435 Genotypes for sample R4435_R4435
R4436_R4436 Genotypes for sample R4436_R4436
R4437_R4437 Genotypes for sample R4437_R4437
R4438_R4438 Genotypes for sample R4438_R4438
R4439_R4439 Genotypes for sample R4439_R4439
R4440_R4440 Genotypes for sample R4440_R4440
R4441_R4441 Genotypes for sample R4441_R4441
R4442_R4442 Genotypes for sample R4442_R4442
R4443_R4443 Genotypes for sample R4443_R4443
R4444_R4444 Genotypes for sample R4444_R4444
R4445_R4445 Genotypes for sample R4445_R4445
R4446_R4446 Genotypes for sample R4446_R4446
R4447_R4447 Genotypes for sample R4447_R4447
R4448_R4448 Genotypes for sample R4448_R4448
R4449_R4449 Genotypes for sample R4449_R4449
R4450_R4450 Genotypes for sample R4450_R4450
R4451_R4451 Genotypes for sample R4451_R4451

R4452_R4452 Genotypes for sample R4452_R4452
R4453_R4453 Genotypes for sample R4453_R4453
R4454_R4454 Genotypes for sample R4454_R4454
R4455_R4455 Genotypes for sample R4455_R4455
R4456_R4456 Genotypes for sample R4456_R4456
R4457_R4457 Genotypes for sample R4457_R4457
R4458_R4458 Genotypes for sample R4458_R4458
R4459_R4459 Genotypes for sample R4459_R4459
R4460_R4460 Genotypes for sample R4460_R4460
R4461_R4461 Genotypes for sample R4461_R4461
R4462_R4462 Genotypes for sample R4462_R4462
R4463_R4463 Genotypes for sample R4463_R4463
R4464_R4464 Genotypes for sample R4464_R4464
R4465_R4465 Genotypes for sample R4465_R4465
R4466_R4466 Genotypes for sample R4466_R4466
R4467_R4467 Genotypes for sample R4467_R4467
R4468_R4468 Genotypes for sample R4468_R4468
R4469_R4469 Genotypes for sample R4469_R4469
R4470_R4470 Genotypes for sample R4470_R4470
R4471_R4471 Genotypes for sample R4471_R4471
R4472_R4472 Genotypes for sample R4472_R4472
R4473_R4473 Genotypes for sample R4473_R4473
R4474_R4474 Genotypes for sample R4474_R4474
R4476_R4476 Genotypes for sample R4476_R4476
R4477_R4477 Genotypes for sample R4477_R4477
R4478_R4478 Genotypes for sample R4478_R4478
R4479_R4479 Genotypes for sample R4479_R4479
R4480_R4480 Genotypes for sample R4480_R4480
R4481_R4481 Genotypes for sample R4481_R4481
R4482_R4482 Genotypes for sample R4482_R4482
R4483_R4483 Genotypes for sample R4483_R4483
R4484_R4484 Genotypes for sample R4484_R4484
R4485_R4485 Genotypes for sample R4485_R4485
R4486_R4486 Genotypes for sample R4486_R4486
R4487_R4487 Genotypes for sample R4487_R4487
R4488_R4488 Genotypes for sample R4488_R4488
R4489_R4489 Genotypes for sample R4489_R4489

R4491_R4491 Genotypes for sample R4491_R4491
R4492_R4492 Genotypes for sample R4492_R4492
R4493_R4493 Genotypes for sample R4493_R4493
R4494_R4494 Genotypes for sample R4494_R4494
R4495_R4495 Genotypes for sample R4495_R4495
R4496_R4496 Genotypes for sample R4496_R4496
R4497_R4497 Genotypes for sample R4497_R4497
R4498_R4498 Genotypes for sample R4498_R4498
R4500_R4500 Genotypes for sample R4500_R4500
R4501_R4501 Genotypes for sample R4501_R4501
R4502_R4502 Genotypes for sample R4502_R4502
R4503_R4503 Genotypes for sample R4503_R4503
R4504_R4504 Genotypes for sample R4504_R4504
R4506_R4506 Genotypes for sample R4506_R4506
R4507_R4507 Genotypes for sample R4507_R4507
R4508_R4508 Genotypes for sample R4508_R4508
R4509_R4509 Genotypes for sample R4509_R4509
R4510_R4510 Genotypes for sample R4510_R4510
R4511_R4511 Genotypes for sample R4511_R4511
R4512_R4512 Genotypes for sample R4512_R4512
R4513_R4513 Genotypes for sample R4513_R4513
R4514_R4514 Genotypes for sample R4514_R4514
R4515_R4515 Genotypes for sample R4515_R4515
R4516_R4516 Genotypes for sample R4516_R4516
R4517_R4517 Genotypes for sample R4517_R4517
R4518_R4518 Genotypes for sample R4518_R4518
R4519_R4519 Genotypes for sample R4519_R4519
R4520_R4520 Genotypes for sample R4520_R4520
R4521_R4521 Genotypes for sample R4521_R4521
R4522_R4522 Genotypes for sample R4522_R4522
R4523_R4523 Genotypes for sample R4523_R4523
R4524_R4524 Genotypes for sample R4524_R4524
R4525_R4525 Genotypes for sample R4525_R4525
R4526_R4526 Genotypes for sample R4526_R4526
R4527_R4527 Genotypes for sample R4527_R4527
R4528_R4528 Genotypes for sample R4528_R4528
R4529_R4529 Genotypes for sample R4529_R4529

R4531_R4531 Genotypes for sample R4531_R4531
R4532_R4532 Genotypes for sample R4532_R4532
R4533_R4533 Genotypes for sample R4533_R4533
R4534_R4534 Genotypes for sample R4534_R4534
R4535_R4535 Genotypes for sample R4535_R4535
R4536_R4536 Genotypes for sample R4536_R4536
R4537_R4537 Genotypes for sample R4537_R4537
R4538_R4538 Genotypes for sample R4538_R4538
R4539_R4539 Genotypes for sample R4539_R4539
R4540_R4540 Genotypes for sample R4540_R4540
R4541_R4541 Genotypes for sample R4541_R4541
R4542_R4542 Genotypes for sample R4542_R4542
R4543_R4543 Genotypes for sample R4543_R4543
R4544_R4544 Genotypes for sample R4544_R4544
R4545_R4545 Genotypes for sample R4545_R4545
R4546_R4546 Genotypes for sample R4546_R4546
R4547_R4547 Genotypes for sample R4547_R4547
R4548_R4548 Genotypes for sample R4548_R4548
R4549_R4549 Genotypes for sample R4549_R4549
R4550_R4550 Genotypes for sample R4550_R4550
R4551_R4551 Genotypes for sample R4551_R4551
R4552_R4552 Genotypes for sample R4552_R4552
R4553_R4553 Genotypes for sample R4553_R4553
R4554_R4554 Genotypes for sample R4554_R4554
R4555_R4555 Genotypes for sample R4555_R4555
R4556_R4556 Genotypes for sample R4556_R4556
R4557_R4557 Genotypes for sample R4557_R4557
R4558_R4558 Genotypes for sample R4558_R4558
R4559_R4559 Genotypes for sample R4559_R4559
R4560_R4560 Genotypes for sample R4560_R4560
R4561_R4561 Genotypes for sample R4561_R4561
R4562_R4562 Genotypes for sample R4562_R4562
R4563_R4563 Genotypes for sample R4563_R4563
R4564_R4564 Genotypes for sample R4564_R4564
R4565_R4565 Genotypes for sample R4565_R4565
R4566_R4566 Genotypes for sample R4566_R4566
R4567_R4567 Genotypes for sample R4567_R4567

R4568_R4568 Genotypes for sample R4568_R4568
R4569_R4569 Genotypes for sample R4569_R4569
R4570_R4570 Genotypes for sample R4570_R4570
R4571_R4571 Genotypes for sample R4571_R4571
R4572_R4572 Genotypes for sample R4572_R4572
R4573_R4573 Genotypes for sample R4573_R4573
R4574_R4574 Genotypes for sample R4574_R4574
R4575_R4575 Genotypes for sample R4575_R4575
R4576_R4576 Genotypes for sample R4576_R4576
R4577_R4577 Genotypes for sample R4577_R4577
R4578_R4578 Genotypes for sample R4578_R4578
R4579_R4579 Genotypes for sample R4579_R4579
R4580_R4580 Genotypes for sample R4580_R4580
R4581_R4581 Genotypes for sample R4581_R4581
R4582_R4582 Genotypes for sample R4582_R4582
R4583_R4583 Genotypes for sample R4583_R4583
R4584_R4584 Genotypes for sample R4584_R4584
R4585_R4585 Genotypes for sample R4585_R4585
R4586_R4586 Genotypes for sample R4586_R4586
R4587_R4587 Genotypes for sample R4587_R4587
R4588_R4588 Genotypes for sample R4588_R4588
R4589_R4589 Genotypes for sample R4589_R4589
R4590_R4590 Genotypes for sample R4590_R4590
R4591_R4591 Genotypes for sample R4591_R4591
R4592_R4592 Genotypes for sample R4592_R4592
R4593_R4593 Genotypes for sample R4593_R4593
R4594_R4594 Genotypes for sample R4594_R4594
R4595_R4595 Genotypes for sample R4595_R4595
R4596_R4596 Genotypes for sample R4596_R4596
R4597_R4597 Genotypes for sample R4597_R4597
R4598_R4598 Genotypes for sample R4598_R4598
R4599_R4599 Genotypes for sample R4599_R4599
R4600_R4600 Genotypes for sample R4600_R4600
R4601_R4601 Genotypes for sample R4601_R4601
R4602_R4602 Genotypes for sample R4602_R4602
R4603_R4603 Genotypes for sample R4603_R4603
R4604_R4604 Genotypes for sample R4604_R4604

R4605_R4605 Genotypes for sample R4605_R4605
R4606_R4606 Genotypes for sample R4606_R4606
R4607_R4607 Genotypes for sample R4607_R4607
R4608_R4608 Genotypes for sample R4608_R4608
R4609_R4609 Genotypes for sample R4609_R4609
R4610_R4610 Genotypes for sample R4610_R4610
R4611_R4611 Genotypes for sample R4611_R4611
R4612_R4612 Genotypes for sample R4612_R4612
R4613_R4613 Genotypes for sample R4613_R4613
R4614_R4614 Genotypes for sample R4614_R4614
R4615_R4615 Genotypes for sample R4615_R4615
R4616_R4616 Genotypes for sample R4616_R4616
R4617_R4617 Genotypes for sample R4617_R4617
R4618_R4618 Genotypes for sample R4618_R4618
R4619_R4619 Genotypes for sample R4619_R4619
R4620_R4620 Genotypes for sample R4620_R4620
R4621_R4621 Genotypes for sample R4621_R4621
R4622_R4622 Genotypes for sample R4622_R4622
R4623_R4623 Genotypes for sample R4623_R4623
R4624_R4624 Genotypes for sample R4624_R4624
R4625_R4625 Genotypes for sample R4625_R4625
R4626_R4626 Genotypes for sample R4626_R4626
R4627_R4627 Genotypes for sample R4627_R4627
R4628_R4628 Genotypes for sample R4628_R4628
R4629_R4629 Genotypes for sample R4629_R4629
R4630_R4630 Genotypes for sample R4630_R4630
R4631_R4631 Genotypes for sample R4631_R4631
R4632_R4632 Genotypes for sample R4632_R4632
R4633_R4633 Genotypes for sample R4633_R4633
R4634_R4634 Genotypes for sample R4634_R4634
R4635_R4635 Genotypes for sample R4635_R4635
R4636_R4636 Genotypes for sample R4636_R4636
R4637_R4637 Genotypes for sample R4637_R4637
R4638_R4638 Genotypes for sample R4638_R4638
R4639_R4639 Genotypes for sample R4639_R4639
R4640_R4640 Genotypes for sample R4640_R4640
R4641_R4641 Genotypes for sample R4641_R4641

R4642_R4642 Genotypes for sample R4642_R4642
R4643_R4643 Genotypes for sample R4643_R4643
R4644_R4644 Genotypes for sample R4644_R4644
R4645_R4645 Genotypes for sample R4645_R4645
R4646_R4646 Genotypes for sample R4646_R4646
R4647_R4647 Genotypes for sample R4647_R4647
R4648_R4648 Genotypes for sample R4648_R4648
R4649_R4649 Genotypes for sample R4649_R4649
R4650_R4650 Genotypes for sample R4650_R4650
R4651_R4651 Genotypes for sample R4651_R4651
R4652_R4652 Genotypes for sample R4652_R4652
R4653_R4653 Genotypes for sample R4653_R4653
R4654_R4654 Genotypes for sample R4654_R4654
R4655_R4655 Genotypes for sample R4655_R4655
R4656_R4656 Genotypes for sample R4656_R4656
R4657_R4657 Genotypes for sample R4657_R4657
R4658_R4658 Genotypes for sample R4658_R4658
R4659_R4659 Genotypes for sample R4659_R4659
R4660_R4660 Genotypes for sample R4660_R4660
R4661_R4661 Genotypes for sample R4661_R4661
R4662_R4662 Genotypes for sample R4662_R4662
R4663_R4663 Genotypes for sample R4663_R4663
R4664_R4664 Genotypes for sample R4664_R4664
R4665_R4665 Genotypes for sample R4665_R4665
R4666_R4666 Genotypes for sample R4666_R4666
R4667_R4667 Genotypes for sample R4667_R4667
R4668_R4668 Genotypes for sample R4668_R4668
R4669_R4669 Genotypes for sample R4669_R4669
R4670_R4670 Genotypes for sample R4670_R4670
R4671_R4671 Genotypes for sample R4671_R4671
R4672_R4672 Genotypes for sample R4672_R4672
R4673_R4673 Genotypes for sample R4673_R4673
R4674_R4674 Genotypes for sample R4674_R4674
R4675_R4675 Genotypes for sample R4675_R4675
R4676_R4676 Genotypes for sample R4676_R4676
R4677_R4677 Genotypes for sample R4677_R4677
R4678_R4678 Genotypes for sample R4678_R4678

R4679_R4679 Genotypes for sample R4679_R4679
R4680_R4680 Genotypes for sample R4680_R4680
R4681_R4681 Genotypes for sample R4681_R4681
R4682_R4682 Genotypes for sample R4682_R4682
R4683_R4683 Genotypes for sample R4683_R4683
R4684_R4684 Genotypes for sample R4684_R4684
R4685_R4685 Genotypes for sample R4685_R4685
R4686_R4686 Genotypes for sample R4686_R4686
R4687_R4687 Genotypes for sample R4687_R4687
R4688_R4688 Genotypes for sample R4688_R4688
R4689_R4689 Genotypes for sample R4689_R4689
R4690_R4690 Genotypes for sample R4690_R4690
R4691_R4691 Genotypes for sample R4691_R4691
R4692_R4692 Genotypes for sample R4692_R4692
R4693_R4693 Genotypes for sample R4693_R4693
R4694_R4694 Genotypes for sample R4694_R4694
R4695_R4695 Genotypes for sample R4695_R4695
R4696_R4696 Genotypes for sample R4696_R4696
R4697_R4697 Genotypes for sample R4697_R4697
R4698_R4698 Genotypes for sample R4698_R4698
R4699_R4699 Genotypes for sample R4699_R4699
R4700_R4700 Genotypes for sample R4700_R4700
R4701_R4701 Genotypes for sample R4701_R4701
R4702_R4702 Genotypes for sample R4702_R4702
R4703_R4703 Genotypes for sample R4703_R4703
R4704_R4704 Genotypes for sample R4704_R4704
R4705_R4705 Genotypes for sample R4705_R4705
R4706_R4706 Genotypes for sample R4706_R4706
R4707_R4707 Genotypes for sample R4707_R4707
R4708_R4708 Genotypes for sample R4708_R4708
R4709_R4709 Genotypes for sample R4709_R4709
R4710_R4710 Genotypes for sample R4710_R4710
R4711_R4711 Genotypes for sample R4711_R4711
R4712_R4712 Genotypes for sample R4712_R4712
R4713_R4713 Genotypes for sample R4713_R4713
R4714_R4714 Genotypes for sample R4714_R4714
R4715_R4715 Genotypes for sample R4715_R4715

R4716_R4716 Genotypes for sample R4716_R4716
R4717_R4717 Genotypes for sample R4717_R4717
R4718_R4718 Genotypes for sample R4718_R4718
R4719_R4719 Genotypes for sample R4719_R4719
R4720_R4720 Genotypes for sample R4720_R4720
R4721_R4721 Genotypes for sample R4721_R4721
R4722_R4722 Genotypes for sample R4722_R4722
R4723_R4723 Genotypes for sample R4723_R4723
R4724_R4724 Genotypes for sample R4724_R4724
R4725_R4725 Genotypes for sample R4725_R4725
R4726_R4726 Genotypes for sample R4726_R4726
R4727_R4727 Genotypes for sample R4727_R4727
R4728_R4728 Genotypes for sample R4728_R4728
R4729_R4729 Genotypes for sample R4729_R4729
R4730_R4730 Genotypes for sample R4730_R4730
R4731_R4731 Genotypes for sample R4731_R4731
R4732_R4732 Genotypes for sample R4732_R4732
R4733_R4733 Genotypes for sample R4733_R4733
R4734_R4734 Genotypes for sample R4734_R4734
R4735_R4735 Genotypes for sample R4735_R4735
R4736_R4736 Genotypes for sample R4736_R4736
R4737_R4737 Genotypes for sample R4737_R4737
R4738_R4738 Genotypes for sample R4738_R4738
R4739_R4739 Genotypes for sample R4739_R4739
R4740_R4740 Genotypes for sample R4740_R4740
R4741_R4741 Genotypes for sample R4741_R4741
R4742_R4742 Genotypes for sample R4742_R4742
R4743_R4743 Genotypes for sample R4743_R4743
R4744_R4744 Genotypes for sample R4744_R4744
R4745_R4745 Genotypes for sample R4745_R4745
R4746_R4746 Genotypes for sample R4746_R4746
R4747_R4747 Genotypes for sample R4747_R4747
R4748_R4748 Genotypes for sample R4748_R4748
R4749_R4749 Genotypes for sample R4749_R4749
R4750_R4750 Genotypes for sample R4750_R4750
R4751_R4751 Genotypes for sample R4751_R4751
R4752_R4752 Genotypes for sample R4752_R4752

R4753_R4753 Genotypes for sample R4753_R4753
R4754_R4754 Genotypes for sample R4754_R4754
R4755_R4755 Genotypes for sample R4755_R4755
R4756_R4756 Genotypes for sample R4756_R4756
R4757_R4757 Genotypes for sample R4757_R4757
R4758_R4758 Genotypes for sample R4758_R4758
R4759_R4759 Genotypes for sample R4759_R4759
R4760_R4760 Genotypes for sample R4760_R4760
R4761_R4761 Genotypes for sample R4761_R4761
R4762_R4762 Genotypes for sample R4762_R4762
R4763_R4763 Genotypes for sample R4763_R4763
R4765_R4765 Genotypes for sample R4765_R4765
R4766_R4766 Genotypes for sample R4766_R4766
R4767_R4767 Genotypes for sample R4767_R4767
R4768_R4768 Genotypes for sample R4768_R4768
R4769_R4769 Genotypes for sample R4769_R4769
R4770_R4770 Genotypes for sample R4770_R4770
R4771_R4771 Genotypes for sample R4771_R4771
R4772_R4772 Genotypes for sample R4772_R4772
R4773_R4773 Genotypes for sample R4773_R4773
R4774_R4774 Genotypes for sample R4774_R4774
R4775_R4775 Genotypes for sample R4775_R4775
R4776_R4776 Genotypes for sample R4776_R4776
R4777_R4777 Genotypes for sample R4777_R4777
R4778_R4778 Genotypes for sample R4778_R4778
R4779_R4779 Genotypes for sample R4779_R4779
R4780_R4780 Genotypes for sample R4780_R4780
R4781_R4781 Genotypes for sample R4781_R4781
R4782_R4782 Genotypes for sample R4782_R4782
R4783_R4783 Genotypes for sample R4783_R4783
R4784_R4784 Genotypes for sample R4784_R4784
R4785_R4785 Genotypes for sample R4785_R4785
R4786_R4786 Genotypes for sample R4786_R4786
R4787_R4787 Genotypes for sample R4787_R4787
R4788_R4788 Genotypes for sample R4788_R4788
R4789_R4789 Genotypes for sample R4789_R4789
R4790_R4790 Genotypes for sample R4790_R4790

R4791_R4791 Genotypes for sample R4791_R4791
R4792_R4792 Genotypes for sample R4792_R4792
R4793_R4793 Genotypes for sample R4793_R4793
R4794_R4794 Genotypes for sample R4794_R4794
R4795_R4795 Genotypes for sample R4795_R4795
R4796_R4796 Genotypes for sample R4796_R4796
R4797_R4797 Genotypes for sample R4797_R4797
R4798_R4798 Genotypes for sample R4798_R4798
R4799_R4799 Genotypes for sample R4799_R4799
R4800_R4800 Genotypes for sample R4800_R4800
R4801_R4801 Genotypes for sample R4801_R4801
R4802_R4802 Genotypes for sample R4802_R4802
R4803_R4803 Genotypes for sample R4803_R4803
R4804_R4804 Genotypes for sample R4804_R4804
R4805_R4805 Genotypes for sample R4805_R4805
R4806_R4806 Genotypes for sample R4806_R4806
R4807_R4807 Genotypes for sample R4807_R4807
R4808_R4808 Genotypes for sample R4808_R4808
R4809_R4809 Genotypes for sample R4809_R4809
R4810_R4810 Genotypes for sample R4810_R4810
R4811_R4811 Genotypes for sample R4811_R4811
R4812_R4812 Genotypes for sample R4812_R4812
R4813_R4813 Genotypes for sample R4813_R4813
R4814_R4814 Genotypes for sample R4814_R4814
R4815_R4815 Genotypes for sample R4815_R4815
R4816_R4816 Genotypes for sample R4816_R4816
R4817_R4817 Genotypes for sample R4817_R4817
R4818_R4818 Genotypes for sample R4818_R4818
R4819_R4819 Genotypes for sample R4819_R4819
R4820_R4820 Genotypes for sample R4820_R4820
R4821_R4821 Genotypes for sample R4821_R4821
R4822_R4822 Genotypes for sample R4822_R4822
R4823_R4823 Genotypes for sample R4823_R4823
R4824_R4824 Genotypes for sample R4824_R4824
R4825_R4825 Genotypes for sample R4825_R4825
R4826_R4826 Genotypes for sample R4826_R4826
R4827_R4827 Genotypes for sample R4827_R4827

R4828_R4828 Genotypes for sample R4828_R4828
R4829_R4829 Genotypes for sample R4829_R4829
R4830_R4830 Genotypes for sample R4830_R4830
R4831_R4831 Genotypes for sample R4831_R4831
R4832_R4832 Genotypes for sample R4832_R4832
R4833_R4833 Genotypes for sample R4833_R4833
R4834_R4834 Genotypes for sample R4834_R4834
R4835_R4835 Genotypes for sample R4835_R4835
R4836_R4836 Genotypes for sample R4836_R4836
R4837_R4837 Genotypes for sample R4837_R4837
R4838_R4838 Genotypes for sample R4838_R4838
R4839_R4839 Genotypes for sample R4839_R4839
R4840_R4840 Genotypes for sample R4840_R4840
R4841_R4841 Genotypes for sample R4841_R4841
R4842_R4842 Genotypes for sample R4842_R4842
R4843_R4843 Genotypes for sample R4843_R4843
R4844_R4844 Genotypes for sample R4844_R4844
R4845_R4845 Genotypes for sample R4845_R4845
R4846_R4846 Genotypes for sample R4846_R4846
R4847_R4847 Genotypes for sample R4847_R4847
R4848_R4848 Genotypes for sample R4848_R4848
R4849_R4849 Genotypes for sample R4849_R4849
R4850_R4850 Genotypes for sample R4850_R4850
R4851_R4851 Genotypes for sample R4851_R4851
R4852_R4852 Genotypes for sample R4852_R4852
R4853_R4853 Genotypes for sample R4853_R4853
R4854_R4854 Genotypes for sample R4854_R4854
R4855_R4855 Genotypes for sample R4855_R4855
R4856_R4856 Genotypes for sample R4856_R4856
R4857_R4857 Genotypes for sample R4857_R4857
R4858_R4858 Genotypes for sample R4858_R4858
R4859_R4859 Genotypes for sample R4859_R4859
R4860_R4860 Genotypes for sample R4860_R4860
R4861_R4861 Genotypes for sample R4861_R4861
R4862_R4862 Genotypes for sample R4862_R4862
R4863_R4863 Genotypes for sample R4863_R4863
R4864_R4864 Genotypes for sample R4864_R4864

R4865_R4865 Genotypes for sample R4865_R4865
R4866_R4866 Genotypes for sample R4866_R4866
R4867_R4867 Genotypes for sample R4867_R4867
R4868_R4868 Genotypes for sample R4868_R4868
R4869_R4869 Genotypes for sample R4869_R4869
R4870_R4870 Genotypes for sample R4870_R4870
R4871_R4871 Genotypes for sample R4871_R4871
R4872_R4872 Genotypes for sample R4872_R4872
R4873_R4873 Genotypes for sample R4873_R4873
R4874_R4874 Genotypes for sample R4874_R4874
R4875_R4875 Genotypes for sample R4875_R4875
R4876_R4876 Genotypes for sample R4876_R4876
R4877_R4877 Genotypes for sample R4877_R4877
R4878_R4878 Genotypes for sample R4878_R4878
R4879_R4879 Genotypes for sample R4879_R4879
R4880_R4880 Genotypes for sample R4880_R4880
R4881_R4881 Genotypes for sample R4881_R4881
R4882_R4882 Genotypes for sample R4882_R4882
R4883_R4883 Genotypes for sample R4883_R4883
R4884_R4884 Genotypes for sample R4884_R4884
R4885_R4885 Genotypes for sample R4885_R4885
R4886_R4886 Genotypes for sample R4886_R4886
R4887_R4887 Genotypes for sample R4887_R4887
R4888_R4888 Genotypes for sample R4888_R4888
R4889_R4889 Genotypes for sample R4889_R4889
R4890_R4890 Genotypes for sample R4890_R4890
R4891_R4891 Genotypes for sample R4891_R4891
R4892_R4892 Genotypes for sample R4892_R4892
R4893_R4893 Genotypes for sample R4893_R4893
R4894_R4894 Genotypes for sample R4894_R4894
R4895_R4895 Genotypes for sample R4895_R4895
R4896_R4896 Genotypes for sample R4896_R4896
R4897_R4897 Genotypes for sample R4897_R4897
R4898_R4898 Genotypes for sample R4898_R4898
R4899_R4899 Genotypes for sample R4899_R4899
R4900_R4900 Genotypes for sample R4900_R4900
R4901_R4901 Genotypes for sample R4901_R4901

R4902_R4902 Genotypes for sample R4902_R4902
R4903_R4903 Genotypes for sample R4903_R4903
R4904_R4904 Genotypes for sample R4904_R4904
R4905_R4905 Genotypes for sample R4905_R4905
R4906_R4906 Genotypes for sample R4906_R4906
R4907_R4907 Genotypes for sample R4907_R4907
R4908_R4908 Genotypes for sample R4908_R4908
R4909_R4909 Genotypes for sample R4909_R4909
R4910_R4910 Genotypes for sample R4910_R4910
R4911_R4911 Genotypes for sample R4911_R4911
R4912_R4912 Genotypes for sample R4912_R4912
R4913_R4913 Genotypes for sample R4913_R4913
R4914_R4914 Genotypes for sample R4914_R4914
R4915_R4915 Genotypes for sample R4915_R4915
R4916_R4916 Genotypes for sample R4916_R4916
R4917_R4917 Genotypes for sample R4917_R4917
R4918_R4918 Genotypes for sample R4918_R4918
R4919_R4919 Genotypes for sample R4919_R4919
R4920_R4920 Genotypes for sample R4920_R4920
R4921_R4921 Genotypes for sample R4921_R4921
R4922_R4922 Genotypes for sample R4922_R4922
R4923_R4923 Genotypes for sample R4923_R4923
R4924_R4924 Genotypes for sample R4924_R4924
R4925_R4925 Genotypes for sample R4925_R4925
R4926_R4926 Genotypes for sample R4926_R4926
R4927_R4927 Genotypes for sample R4927_R4927
R4928_R4928 Genotypes for sample R4928_R4928
R4929_R4929 Genotypes for sample R4929_R4929
R4930_R4930 Genotypes for sample R4930_R4930
R4931_R4931 Genotypes for sample R4931_R4931
R4932_R4932 Genotypes for sample R4932_R4932
R4933_R4933 Genotypes for sample R4933_R4933
R4934_R4934 Genotypes for sample R4934_R4934
R4935_R4935 Genotypes for sample R4935_R4935
R4936_R4936 Genotypes for sample R4936_R4936
R4937_R4937 Genotypes for sample R4937_R4937
R4938_R4938 Genotypes for sample R4938_R4938

R4939_R4939 Genotypes for sample R4939_R4939
R4940_R4940 Genotypes for sample R4940_R4940
R4941_R4941 Genotypes for sample R4941_R4941
R4942_R4942 Genotypes for sample R4942_R4942
R4943_R4943 Genotypes for sample R4943_R4943
R4944_R4944 Genotypes for sample R4944_R4944
R4945_R4945 Genotypes for sample R4945_R4945
R4946_R4946 Genotypes for sample R4946_R4946
R4947_R4947 Genotypes for sample R4947_R4947
R4948_R4948 Genotypes for sample R4948_R4948
R4949_R4949 Genotypes for sample R4949_R4949
R4950_R4950 Genotypes for sample R4950_R4950
R4951_R4951 Genotypes for sample R4951_R4951
R4952_R4952 Genotypes for sample R4952_R4952
R4953_R4953 Genotypes for sample R4953_R4953
R4954_R4954 Genotypes for sample R4954_R4954
R4955_R4955 Genotypes for sample R4955_R4955
R4956_R4956 Genotypes for sample R4956_R4956
R4957_R4957 Genotypes for sample R4957_R4957
R4958_R4958 Genotypes for sample R4958_R4958
R4959_R4959 Genotypes for sample R4959_R4959
R4960_R4960 Genotypes for sample R4960_R4960
R4961_R4961 Genotypes for sample R4961_R4961
R4962_R4962 Genotypes for sample R4962_R4962
R4964_R4964 Genotypes for sample R4964_R4964
R4965_R4965 Genotypes for sample R4965_R4965
R4966_R4966 Genotypes for sample R4966_R4966
R4967_R4967 Genotypes for sample R4967_R4967
R4968_R4968 Genotypes for sample R4968_R4968
R4969_R4969 Genotypes for sample R4969_R4969
R4970_R4970 Genotypes for sample R4970_R4970
R4971_R4971 Genotypes for sample R4971_R4971
R4972_R4972 Genotypes for sample R4972_R4972
R4973_R4973 Genotypes for sample R4973_R4973
R4974_R4974 Genotypes for sample R4974_R4974
R4975_R4975 Genotypes for sample R4975_R4975
R4976_R4976 Genotypes for sample R4976_R4976

R4977_R4977 Genotypes for sample R4977_R4977
R4978_R4978 Genotypes for sample R4978_R4978
R4979_R4979 Genotypes for sample R4979_R4979
R4980_R4980 Genotypes for sample R4980_R4980
R4981_R4981 Genotypes for sample R4981_R4981
R4982_R4982 Genotypes for sample R4982_R4982
R4983_R4983 Genotypes for sample R4983_R4983
R4984_R4984 Genotypes for sample R4984_R4984
R4985_R4985 Genotypes for sample R4985_R4985
R4986_R4986 Genotypes for sample R4986_R4986
R4987_R4987 Genotypes for sample R4987_R4987
R4988_R4988 Genotypes for sample R4988_R4988
R4989_R4989 Genotypes for sample R4989_R4989
R4990_R4990 Genotypes for sample R4990_R4990
R4991_R4991 Genotypes for sample R4991_R4991
R4992_R4992 Genotypes for sample R4992_R4992
R4993_R4993 Genotypes for sample R4993_R4993
R4994_R4994 Genotypes for sample R4994_R4994
R4995_R4995 Genotypes for sample R4995_R4995
R4996_R4996 Genotypes for sample R4996_R4996
R4997_R4997 Genotypes for sample R4997_R4997
R4998_R4998 Genotypes for sample R4998_R4998
R4999_R4999 Genotypes for sample R4999_R4999
R5000_R5000 Genotypes for sample R5000_R5000
R5001_R5001 Genotypes for sample R5001_R5001
R5002_R5002 Genotypes for sample R5002_R5002
R5003_R5003 Genotypes for sample R5003_R5003
R5004_R5004 Genotypes for sample R5004_R5004
R5005_R5005 Genotypes for sample R5005_R5005
R5006_R5006 Genotypes for sample R5006_R5006
R5007_R5007 Genotypes for sample R5007_R5007
R5008_R5008 Genotypes for sample R5008_R5008
R5009_R5009 Genotypes for sample R5009_R5009
R5010_R5010 Genotypes for sample R5010_R5010
R5011_R5011 Genotypes for sample R5011_R5011
R5012_R5012 Genotypes for sample R5012_R5012
R5013_R5013 Genotypes for sample R5013_R5013

R5014_R5014 Genotypes for sample R5014_R5014
R5015_R5015 Genotypes for sample R5015_R5015
R5016_R5016 Genotypes for sample R5016_R5016
R5017_R5017 Genotypes for sample R5017_R5017
R5018_R5018 Genotypes for sample R5018_R5018
R5019_R5019 Genotypes for sample R5019_R5019
R5020_R5020 Genotypes for sample R5020_R5020
R5021_R5021 Genotypes for sample R5021_R5021
R5022_R5022 Genotypes for sample R5022_R5022
R5023_R5023 Genotypes for sample R5023_R5023
R5024_R5024 Genotypes for sample R5024_R5024
R5025_R5025 Genotypes for sample R5025_R5025
R5026_R5026 Genotypes for sample R5026_R5026
R5027_R5027 Genotypes for sample R5027_R5027
R5028_R5028 Genotypes for sample R5028_R5028
R5029_R5029 Genotypes for sample R5029_R5029
R5030_R5030 Genotypes for sample R5030_R5030
R5031_R5031 Genotypes for sample R5031_R5031
R5032_R5032 Genotypes for sample R5032_R5032
R5033_R5033 Genotypes for sample R5033_R5033
R5034_R5034 Genotypes for sample R5034_R5034
R5035_R5035 Genotypes for sample R5035_R5035
R5036_R5036 Genotypes for sample R5036_R5036
R5037_R5037 Genotypes for sample R5037_R5037
R5038_R5038 Genotypes for sample R5038_R5038
R5039_R5039 Genotypes for sample R5039_R5039
R5040_R5040 Genotypes for sample R5040_R5040
R5041_R5041 Genotypes for sample R5041_R5041
R5042_R5042 Genotypes for sample R5042_R5042
R5043_R5043 Genotypes for sample R5043_R5043
R5044_R5044 Genotypes for sample R5044_R5044
R5045_R5045 Genotypes for sample R5045_R5045
R5046_R5046 Genotypes for sample R5046_R5046
R5047_R5047 Genotypes for sample R5047_R5047
R5048_R5048 Genotypes for sample R5048_R5048
R5049_R5049 Genotypes for sample R5049_R5049
R5050_R5050 Genotypes for sample R5050_R5050

R5051_R5051 Genotypes for sample R5051_R5051
R5052_R5052 Genotypes for sample R5052_R5052
R5053_R5053 Genotypes for sample R5053_R5053
R5054_R5054 Genotypes for sample R5054_R5054
R5055_R5055 Genotypes for sample R5055_R5055
R5056_R5056 Genotypes for sample R5056_R5056
R5057_R5057 Genotypes for sample R5057_R5057
R5058_R5058 Genotypes for sample R5058_R5058
R5059_R5059 Genotypes for sample R5059_R5059
R5060_R5060 Genotypes for sample R5060_R5060
R5061_R5061 Genotypes for sample R5061_R5061
R5062_R5062 Genotypes for sample R5062_R5062
R5063_R5063 Genotypes for sample R5063_R5063
R5064_R5064 Genotypes for sample R5064_R5064
R5065_R5065 Genotypes for sample R5065_R5065
R5066_R5066 Genotypes for sample R5066_R5066
R5067_R5067 Genotypes for sample R5067_R5067
R5068_R5068 Genotypes for sample R5068_R5068
R5069_R5069 Genotypes for sample R5069_R5069
R5070_R5070 Genotypes for sample R5070_R5070
R5071_R5071 Genotypes for sample R5071_R5071
R5072_R5072 Genotypes for sample R5072_R5072
R5073_R5073 Genotypes for sample R5073_R5073
R5074_R5074 Genotypes for sample R5074_R5074
R5075_R5075 Genotypes for sample R5075_R5075
R5076_R5076 Genotypes for sample R5076_R5076
R5077_R5077 Genotypes for sample R5077_R5077
R5078_R5078 Genotypes for sample R5078_R5078
R5079_R5079 Genotypes for sample R5079_R5079
R5080_R5080 Genotypes for sample R5080_R5080
R5081_R5081 Genotypes for sample R5081_R5081
R5082_R5082 Genotypes for sample R5082_R5082
R5083_R5083 Genotypes for sample R5083_R5083
R5084_R5084 Genotypes for sample R5084_R5084
R5085_R5085 Genotypes for sample R5085_R5085
R5086_R5086 Genotypes for sample R5086_R5086
R5087_R5087 Genotypes for sample R5087_R5087

R5088_R5088 Genotypes for sample R5088_R5088
R5089_R5089 Genotypes for sample R5089_R5089
R5091_R5091 Genotypes for sample R5091_R5091
R5094_R5094 Genotypes for sample R5094_R5094
R5095_R5095 Genotypes for sample R5095_R5095
R5097_R5097 Genotypes for sample R5097_R5097
R5098_R5098 Genotypes for sample R5098_R5098
R5099_R5099 Genotypes for sample R5099_R5099
R5100_R5100 Genotypes for sample R5100_R5100
R5101_R5101 Genotypes for sample R5101_R5101
R5102_R5102 Genotypes for sample R5102_R5102
R5103_R5103 Genotypes for sample R5103_R5103
R5104_R5104 Genotypes for sample R5104_R5104
R5105_R5105 Genotypes for sample R5105_R5105
R5106_R5106 Genotypes for sample R5106_R5106
R5107_R5107 Genotypes for sample R5107_R5107
R5108_R5108 Genotypes for sample R5108_R5108
R5109_R5109 Genotypes for sample R5109_R5109
R5110_R5110 Genotypes for sample R5110_R5110
R5111_R5111 Genotypes for sample R5111_R5111
R5112_R5112 Genotypes for sample R5112_R5112
R5114_R5114 Genotypes for sample R5114_R5114
R5115_R5115 Genotypes for sample R5115_R5115
R5116_R5116 Genotypes for sample R5116_R5116
R5117_R5117 Genotypes for sample R5117_R5117
R5118_R5118 Genotypes for sample R5118_R5118
R5119_R5119 Genotypes for sample R5119_R5119
R5120_R5120 Genotypes for sample R5120_R5120
R5121_R5121 Genotypes for sample R5121_R5121
R5122_R5122 Genotypes for sample R5122_R5122
R5123_R5123 Genotypes for sample R5123_R5123
R5124_R5124 Genotypes for sample R5124_R5124
R5125_R5125 Genotypes for sample R5125_R5125
R5126_R5126 Genotypes for sample R5126_R5126
R5127_R5127 Genotypes for sample R5127_R5127
R5128_R5128 Genotypes for sample R5128_R5128
R5129_R5129 Genotypes for sample R5129_R5129

R5130_R5130 Genotypes for sample R5130_R5130
R5131_R5131 Genotypes for sample R5131_R5131
R5132_R5132 Genotypes for sample R5132_R5132
R5133_R5133 Genotypes for sample R5133_R5133
R5134_R5134 Genotypes for sample R5134_R5134
R5135_R5135 Genotypes for sample R5135_R5135
R5136_R5136 Genotypes for sample R5136_R5136
R5137_R5137 Genotypes for sample R5137_R5137
R5138_R5138 Genotypes for sample R5138_R5138
R5139_R5139 Genotypes for sample R5139_R5139
R5140_R5140 Genotypes for sample R5140_R5140
R5141_R5141 Genotypes for sample R5141_R5141
R5142_R5142 Genotypes for sample R5142_R5142
R5143_R5143 Genotypes for sample R5143_R5143
R5144_R5144 Genotypes for sample R5144_R5144
R5145_R5145 Genotypes for sample R5145_R5145
R5146_R5146 Genotypes for sample R5146_R5146
R5147_R5147 Genotypes for sample R5147_R5147
R5148_R5148 Genotypes for sample R5148_R5148
R5149_R5149 Genotypes for sample R5149_R5149
R5150_R5150 Genotypes for sample R5150_R5150
R5151_R5151 Genotypes for sample R5151_R5151
R5152_R5152 Genotypes for sample R5152_R5152
R5153_R5153 Genotypes for sample R5153_R5153
R5154_R5154 Genotypes for sample R5154_R5154
R5155_R5155 Genotypes for sample R5155_R5155
R5156_R5156 Genotypes for sample R5156_R5156
R5157_R5157 Genotypes for sample R5157_R5157
R5158_R5158 Genotypes for sample R5158_R5158
R5159_R5159 Genotypes for sample R5159_R5159
R5160_R5160 Genotypes for sample R5160_R5160
R5161_R5161 Genotypes for sample R5161_R5161

Source

Wu, D., Liang, Z., Yan, T., Xu, Y., Xuan, L., Tang, J., Zhou, G., Lohwasser, U., Hua, S., Wang, H., Chen, X., Wang, Q., Zhu, L., Maodzeka, A., Hussain, N., Li, Z., Li, X., Shamsi, I. H., Jilani, G., ... Jiang, L. (2019). Whole-Genome Resequencing of a Worldwide Collection of Rape-seed Accessions Reveals the Genetic Basis of Ecotype Divergence. *Molecular Plant*, 12(1), 30–43. <https://doi.org/10.1016/j.molp.2018.11.007>

Index

* **datasets**

LD, [7](#)

vcf, [7](#)

collate_define_haplotypes, [2](#)

collate_haplotype_variants, [2](#)

define_haplotypes, [3](#)

define_haplotypes_globally, [4](#)

haplotype_variants, [5](#)

haplotype_variants_global, [6](#)

LD, [7](#)

vcf, [7](#)