Package 'HCAData'

October 24, 2025

Type Package Title Accessing The Datasets Of The Human Cell Atlas in R/Bioconductor **Description** This package allows a direct access to the dataset generated by the Human Cell Atlas project for further processing in R and Bioconductor, in the comfortable format of SingleCellExperiment objects (available in other formats here: http://preview.data.humancellatlas.org/). License MIT + file LICENSE **Encoding** UTF-8 biocViews RNASeqData, SingleCellData, ExperimentData, ExpressionData, ExperimentHub **Depends** R (>= 3.6), SingleCellExperiment Imports ExperimentHub, AnnotationHub, HDF5Array, utils Suggests knitr, rmarkdown, BiocStyle, scran (>= 1.11.4), BiocSingular, scater, scuttle, Rtsne, igraph, iSEE, testthat URL https://github.com/federicomarini/HCAData VignetteBuilder knitr RoxygenNote 7.3.2 **Roxygen** list(markdown = TRUE) git_url https://git.bioconductor.org/packages/HCAData git_branch devel git_last_commit 11bf045 git_last_commit_date 2025-04-15 **Repository** Bioconductor 3.23 Date/Publication 2025-10-24 Author Federico Marini [aut, cre] (ORCID: <https://orcid.org/0000-0003-3252-7758>) Maintainer Federico Marini <marinif@uni-mainz.de>

2 HCAData

Contents

HCADa	ata	Dov	vni	loa	ıd	dai	ta.	fre	om	th	ie I	НС	CA	vie	a I	Ex_{j}	pe	rii	ne	nt	Ηı	ıb					
Index																											4
	HCAData HCAData-pkg .																										

Description

Download HDF5 (dense assay) and RDS (row and column annotations) files from the HCA via ExperimentHub, composing them together as a SingleCellExperiment object

Usage

```
HCAData(dataset = NULL, as.sparse = TRUE)
```

Arguments

dataset A character string: which dataset should be retrieved?

as.sparse Logical, specifies whether the underlying HDF5 dataset should be treated as

sparse or not - will be passed to the call to HDF5Array(). Defaults to TRUE, i.e.

by using the DelayedArray infrastructure.

Details

This current release includes the following datasets:

Census of Immune Cells - Umbilical cord blood UMI counts from the 10x (droplet) single-cell RNA-seq data. The object contains counts for 33694 genes in 384000 cells.

Census of Immune Cells - Bone marrow UMI counts from the 10x (droplet) single-cell RNA-seq data. The object contains counts for 33694 genes in 378000 cells.

Value

A SingleCellExperiment object with a HDF5Matrix in the counts assay, containing the UMI counts for each gene in each cell. Row- and column-level metadata are also provided.

Examples

```
HCAData()
sce_cordblood <- HCAData("ica_cord_blood")</pre>
```

HCAData-pkg 3

HCAData-pkg	HCAData: Accessing The Datasets Of The Human Cell Atlas in R/Bioconductor

Description

HCAData is an ExperimentHub package which provides access to the single-cell RNA-seq data from the Human Cell Atlas project (https://www.humancellatlas.org)

Author(s)

Federico Marini <marinif@uni-mainz.de>

References

If you use the data in this package, please refer to the original sources (Human Cell Atlas Data Portal, https://preview.data.humancellatlas.org) as well (plus the related publications, which will be listed here when they will be out), which are licensed under a Creative Commons Attribution 4.0 International License.

See Also

Useful links:

• https://github.com/federicomarini/HCAData

Index

```
* internal

HCAData-pkg, 3

HCAData, 2

HCAData-package (HCAData-pkg), 3

HCAData-pkg, 3
```