

# Package ‘AccSamplingDesign’

July 11, 2025

**Title** Acceptance Sampling Plans Design

**Version** 0.0.5

**Description** Provides tools for designing and analyzing Acceptance Sampling plans. Supports both Attributes Sampling (Binomial and Poisson distributions) and Variables Sampling (Normal and Beta distributions), enabling quality control for fractional and compositional data. Uses nonlinear programming for sampling plan optimization, minimizing sample size while controlling producer's and consumer's risks. Operating Characteristic curves are available for plan visualization.

**License** GPL-3

**Encoding** UTF-8

**Imports** stats, methods

**Suggests** knitr, rmarkdown

**VignetteBuilder** knitr

**URL** <https://github.com/vietha/AccSamplingDesign>

**BugReports** <https://github.com/vietha/AccSamplingDesign/issues>

**RoxygenNote** 7.3.2

**NeedsCompilation** no

**Author** Ha Truong [aut, cre, cph],  
Victor Miranda [ths, rev],  
Roger Kissling [ths, rev]

**Maintainer** Ha Truong <truongvietha87@gmail.com>

**Repository** CRAN

**Date/Publication** 2025-07-11 04:20:06 UTC

## Contents

accProb	2
manualPlan	3
muEst	4
OCdata	5

optAttrPlan . . . . .	6
optPlan . . . . .	7
optVarPlan . . . . .	9
plot.AttrPlan . . . . .	11
plot.OCdata . . . . .	12
plot.VarPlan . . . . .	13
summary.AttrPlan . . . . .	14
summary.VarPlan . . . . .	15
<b>Index</b>	<b>16</b>

---

accProb	<i>Acceptance Probability</i>
---------	-------------------------------

---

**Description**

Calculate the probability of acceptance for a given quality level.

**Usage**

accProb(plan, p)

**Arguments**

- plan                   Acceptance plan object (AttrPlan/VarPlan).
- p                      True quality level (proportion of nonconforming).

**Value**

Numeric probability between 0 and 1.

**Author(s)**

Ha Truong

**Examples**

```
# Example for attribute plan
attr_plan <- optAttrPlan(PRQ = 0.01, CRQ = 0.1)
accProb(attr_plan, 0.05)

# Example for variable plan (normal distribution)
var_plan <- optVarPlan(
  PRQ = 0.025,      # Acceptable quality level (% nonconforming)
  CRQ = 0.1,        # Rejectable quality level (% nonconforming)
  alpha = 0.05,     # Producer's risk
  beta = 0.1,       # Consumer's risk
  distribution = "normal"
)
accProb(var_plan, 0.05)
```

manualPlan

*Create manual acceptance sampling (AS) plan from User Inputs***Description**

Constructs an AttrPlan or VarPlan object from the given parameters.

**Usage**

```
manualPlan(distribution = c("binomial", "poisson", "normal", "beta"),
           n = NULL, c = NULL, k = NULL,
           USL = NULL, LSL = NULL, sigma = NULL, theta = NULL,
           PRQ = NULL, CRQ = NULL, alpha = NULL, beta = NULL,
           sigma_type = c("known", "unknown"),
           theta_type = c("known", "unknown"))
```

**Arguments**

distribution	One of "binomial", "poisson", "normal", or "beta".
n	Sample size.
c	Acceptance number (for attribute sampling).
k	Acceptability constant (for variable sampling).
USL	Upper specification limit.
LSL	Lower specification limit.
sigma	Standard deviation (for normal plans).
theta	Precision parameter (for beta plans).
PRQ	Producer's risk quality level.
CRQ	Consumer's risk quality level.
alpha	Producer's risk.
beta	Consumer's risk.
sigma_type	Either "known" or "unknown" (for normal).
theta_type	Either "known" or "unknown" (for beta).

**Details**

This function provides a user-friendly wrapper to construct AS plan directly from parameters. Internally, it constructs the appropriate AttrPlan or VarPlan, from given parameters.

**Value**

An object of class "AttrPlan" or VarPlan.

**Author(s)**

Ha Truong

**See Also**[optPlan](#), [OCdata](#)**Examples**

```
# Attribute sampling with user-defined parameters
plan1 <- manualPlan(n = 100, c = 2, distribution = "binomial")

# Variable sampling (normal)
plan2 <- manualPlan(n = 30, k = 1.5, distribution = "normal", USL = 10, sigma = 1)
```

muEst

*Estimate Mean  $\mu$  Based on Specification Limits and Probability***Description**

Computes the estimated mean  $\mu$  for a given level of quality and specification limit under either a normal or beta distribution.

**Usage**

```
muEst(p, USL = NULL, LSL = NULL,
      sigma = NULL, theta = NULL,
      dist = c("normal", "beta"))
```

**Arguments**

p	Level of quality (numeric, between 0 and 1).
USL	Upper specification limit (numeric). Only one of USL or LSL should be provided.
LSL	Lower specification limit (numeric). Only one of USL or LSL should be provided.
sigma	Standard deviation (numeric) for the normal distribution. Must be provided if <code>dist = "normal"</code> .
theta	Theta parameter (numeric) for the beta distribution. Must be provided if <code>dist = "beta"</code> .
dist	Distribution type. Either "normal" or "beta".

**Details**

The function estimates the mean  $\mu$  corresponding to a given tail probability  $p$ , assuming that the process output follows either a normal or beta distribution, and that the probability of being beyond the provided specification limit equals  $1 - p$ .

- For the normal distribution, the mean is calculated using the inverse cumulative distribution function (quantile function) of the normal distribution.
- For the beta distribution, the mean is solved numerically such that the CDF at the specified limit equals  $p$ , given the shape determined by  $\theta$ .

Exactly one of USL or LSL must be provided to define whether the probability refers to the upper or lower tail.

**Value**

Returns the estimated mean  $\mu$  as a numeric value.

**Author(s)**

Ha Truong

**Examples**

```
# Example for normal distribution with lower specification limit (LSL)
muEst(p = 0.95, LSL = 10, sigma = 2, dist = "normal")

# Example for beta distribution with upper specification limit (USL)
muEst(p = 0.95, USL = 0.7, theta = 500, dist = "beta")
```

---

OCdata

*Generic function for OC Curve Generation*


---

**Description**

Generic function to compute Operating Characteristic (OC) curve data from an acceptance sampling plan.

**Usage**

```
OCdata(plan, pd = NULL)
```

**Arguments**

<code>plan</code>	An object of class <code>AttrPlan</code> or <code>VarPlan</code> .
<code>pd</code>	Vector of quality levels (proportions of nonconforming items).

Details

This is a generic function. Methods are defined for objects of class AttrPlan and VarPlan, which compute the probability of acceptance across a range of quality levels (proportions of nonconforming).

See [OCdata.AttrPlan](#) and [OCdata.VarPlan](#) for details.

Value

An object of class "OCdata", a list containing:

- pd — quality levels (e.g. proportion defective)
- paccept — probability of acceptance at each level
- process\_means — process means, if applicable
- dist, n, k, c — plan parameters

Author(s)

Ha Truong

See Also

[optPlan](#), [manualPlan](#)

---

optAttrPlan	<i>Attribute Acceptance Sampling Plan</i>
-------------	---

---

Description

Designs binomial-based acceptance sampling plans using producer/consumer risk criteria.

Usage

```
optAttrPlan(PRQ, CRQ, alpha = 0.05, beta = 0.10,
            distribution = c("binomial", "poisson"))
```

Arguments

PRQ	Producer Risk Quality ( $0 < PRQ < 1$ )
CRQ	Consumer Risk Quality ( $PRQ < CRQ < 1$ )
alpha	Producer's risk (0.05 default)
beta	Consumer's risk (0.10 default)
distribution	Support binomial and poisson distribution

**Value**

AttrPlan object containing:

n	Sample size
c	Acceptance number
PRQ	Input PRQ value
CRQ	Input CRQ value
distribution	Selected distribution

**Author(s)**

Ha Truong

**References**

ISO 2859-1:1999 - Sampling procedures for inspection by attributes

Schilling, E.G., & Neubauer, D.V. (2017). Acceptance Sampling in Quality Control (3rd ed.). Chapman and Hall/CRC. <https://doi.org/10.4324/9781315120744>

**Examples**

```
plan <- optAttrPlan(PRQ = 0.01, CRQ = 0.1, alpha = 0.05, beta = 0.1,
  distribution = "binomial")
```

---

optPlan

*Optimal Acceptance Sampling Plan*

---

**Description**

Design optimal variable acceptance sampling plans based on specified parameters. Supports different distributions (binomial, normal, beta) and accommodates known or unknown standard deviation and process parameters.

**Usage**

```
optPlan(PRQ, CRQ, alpha = 0.05, beta = 0.10, USL = NULL, LSL = NULL,
  distribution = c("binomial", "poisson", "normal", "beta"),
  sigma_type = c("known", "unknown"),
  theta_type = c("known", "unknown"),
  sigma = NULL, theta = NULL)
```

**Arguments**

PRQ	Producer's risk quality level (e.g., acceptable quality level).
CRQ	Consumer's risk quality level (e.g., rejectable quality level).
alpha	Producer's risk (Type I error), default is 0.05.
beta	Consumer's risk (Type II error), default is 0.10.
USL	Upper Specification Limit. Required for variable sampling plans.
LSL	Lower Specification Limit. Required for variable sampling plans.
distribution	Distribution type used in the plan. Can be "binomial", "normal", or "beta".
sigma_type	Indicates if the standard deviation (sigma) is known or unknown.
theta_type	Indicates if the process parameter (theta) is known or unknown.
sigma	Known standard deviation of the process, if applicable.
theta	Known process parameter (e.g., mean), if applicable.

**Details**

This function designs optimal acceptance sampling plans by balancing producer's and consumer's risks under specified quality levels. It supports plans for attributes (binomial) and variables (normal or beta distributions), including cases with unknown standard deviation or distributional parameters.

**Value**

Returns a list or data frame with optimal sample size(s) and critical value(s) based on the specified parameters and distribution.

**Author(s)**

Ha Truong

**Examples**

```
# Example usage (normal distribution, known sigma):
optPlan(PRQ = 0.005, CRQ = 0.03, alpha = 0.05, beta = 0.10,
        distribution = "normal", sigma_type = "known")

# Example usage (beta distribution, unknown theta):
optPlan(PRQ = 0.025, CRQ = 0.10, alpha = 0.05, beta = 0.10,
        distribution = "beta", theta = 6.6e8,
        theta_type = "unknown", LSL = 5.65e-6)
```

optVarPlan

*Variable Acceptance Sampling Plan***Description**

Creates variable sampling plans for normal or beta distributed measurements.

**Usage**

```
optVarPlan(PRQ, CRQ, alpha = 0.05, beta = 0.10, USL = NULL, LSL = NULL,
           distribution = c("normal", "beta"), sigma_type = c("known", "unknown"),
           theta_type = c("known", "unknown"), sigma = NULL, theta = NULL)
```

**Arguments**

PRQ	Producer Risk Quality (must be within valid range for the chosen distribution).
CRQ	Consumer Risk Quality (must be greater than PRQ and within valid range).
alpha	Producer's risk (numeric between 0 and 1).
beta	Consumer's risk (numeric between 0 and 1).
USL	Upper Specification Limit (numeric). Only one of USL or LSL should be provided.
LSL	Lower Specification Limit (numeric). Only one of USL or LSL should be provided.
distribution	Measurement distribution: "normal" or "beta".
sigma_type	Indicates whether sigma (population standard deviation) is "known" or "unknown".
theta_type	Indicates whether theta (population precision parameter for beta) is "known" or "unknown".
sigma	Known standard deviation (used for normal distribution). Required if sigma_type = "known".
theta	Dispersion parameter (used for beta distribution). Required if theta_type = "known".

**Details**

The function generates variable acceptance sampling plans based on specified producer and consumer risks and either a normal or beta distribution model.

The specification limit must be defined via either USL (upper specification limit) or LSL (lower specification limit), depending on whether the one-sided quality criterion concerns the upper or lower tail. Only one limit should be provided.

The plan design accounts for known or unknown standard deviation in the normal case, and known or unknown dispersion parameter (theta) in the beta case. Measurement error, if any, can be incorporated via the measurement\_error argument.

**Value**

A VarPlan object containing:

distribution	Distribution used ("normal" or "beta").
sample_size	Final sample size after rounding (integer).
k	Acceptability constant.
n	Unrounded sample size.

**Author(s)**

Ha Truong

**References**

ISO 3951-1:2013 - Sampling procedures for inspection by variables.

Wilrich, PT. (2004). Single Sampling Plans for Inspection by Variables under a Variance Component Situation. In: Lenz, HJ., Wilrich, PT. (eds) Frontiers in Statistical Quality Control 7. Physica, Heidelberg. doi:[10.1007/9783790826746\\_4](https://doi.org/10.1007/9783790826746_4)

K. Govindaraju and R. Kissling (2015). Sampling plans for Beta-distributed compositional fractions.

**Examples**

```
# Example for normal distribution plan
norm_plan <- optVarPlan(
  PRQ = 0.025,      # Acceptable quality level (% nonconforming)
  CRQ = 0.1,        # Rejectable quality level (% nonconforming)
  alpha = 0.05,     # Producer's risk
  beta = 0.1,       # Consumer's risk
  distribution = "normal",
  USL = 10
)
summary(norm_plan)

# Example for beta distribution plan
beta_plan <- optVarPlan(
  PRQ = 0.025,      # Target quality level (% nonconforming)
  CRQ = 0.1,        # Minimum quality level (% nonconforming)
  alpha = 0.05,     # Producer's risk
  beta = 0.1,       # Consumer's risk
  distribution = "beta",
  theta = 44000000, # Beta distribution parameter
  LSL = 0.00001
)
summary(beta_plan)
```

---

plot.AttrPlan	<i>Plot the OC Curve for Attribute Sampling Plans</i>
---------------	---

---

**Description**

Plots the Operating Characteristic (OC) curve for an attribute sampling plan object of class `AttrPlan`.

**Usage**

```
## S3 method for class 'AttrPlan'
plot(x, pd = NULL, ...)
```

**Arguments**

<code>x</code>	An object of class <code>AttrPlan</code> representing an attribute acceptance sampling plan.
<code>pd</code>	Optional vector of proportions of nonconforming items. If <code>NULL</code> (default), a range is automatically generated.
<code>...</code>	Additional graphical parameters passed to <code>plot()</code> .

**Details**

This method computes and visualizes the probability of acceptance ( $P(\text{accept})$ ) as a function of the proportion of nonconforming items in the population, based on the attribute sampling plan.

The plot also includes reference lines at the plan's producer and consumer quality levels (PRQ, CRQ) and their corresponding acceptance probabilities.

**Value**

A plot showing the OC curve for the given attribute sampling plan.

**Author(s)**

Ha Truong

**See Also**

[optAttrPlan](#), [accProb](#), [OCdata](#)

**Examples**

```
# Create attribute plan
plan <- optAttrPlan(PRQ = 0.01, CRQ = 0.1)

# Plot OC curve
plot(plan)

# With custom pd
plot(plan, pd = seq(0, 0.15, by = 0.001))
```

---

plot.OCdata

---

*Plot Method for OCdata Objects*


---

### Description

Plots the Operating Characteristic (OC) curve from an object of class "OCdata", either by proportion nonconforming or process mean levels.

### Usage

```
## S3 method for class 'OCdata'
plot(x, by = c("pd", "mean"), ...)
```

### Arguments

x	An object of class "OCdata", typically generated using OCdata().
by	A character string indicating the type of OC curve to plot. Options are: "pd" (Default) Plot the OC curve by proportion nonconforming. "mean" Plot the OC curve by estimated process mean levels (only available for variable sampling plans).
...	Additional graphical parameters passed to the plot() function.

### Details

This method visualizes the OC curve based on the content of the "OCdata" object.

By default, the curve is plotted against the proportion of nonconforming items (@pd). If by = "mean" is specified and the plan includes valid mean-level estimates (@process\_means), the curve is plotted against mean levels.

If by = "mean" is requested but no mean estimates are available (e.g., for attribute plans), a message will be shown and no plot will be drawn.

### Value

A plot showing the OC curve for the given attribute/variable sampling plan.

### Author(s)

Ha Truong

### See Also

[OCdata](#), [optAttrPlan](#), [optVarPlan](#)

## Examples

```
# Attribute plan
plan_attr <- optAttrPlan(PRQ = 0.01, CRQ = 0.05)
oc_attr <- OCdata(plan_attr)
plot(oc_attr)                # OC curve by pd (default)
plot(oc_attr, by = "mean")  # Will show message if not available

# Variable plan
plan_var <- optVarPlan(PRQ = 0.025, CRQ = 0.1, USL = 0.1,
                      distribution = "normal", sigma=0.01)
oc_var <- OCdata(plan_var)
plot(oc_var)                # OC curve by pd
plot(oc_var, by = "mean")  # OC curve by mean levels
```

---

plot.VarPlan

---

*Plot the OC Curve for Variable Sampling Plans*


---

## Description

Plots the Operating Characteristic (OC) curve for an object of class VarPlan. Supports plotting against either the proportion of nonconforming items or the corresponding process mean levels, depending on availability.

## Usage

```
## S3 method for class 'VarPlan'
plot(x, pd = NULL, by = c("pd", "mean"), ...)
```

## Arguments

x	An object of class VarPlan representing a variable acceptance sampling plan.
pd	Optional numeric vector of proportions of nonconforming items to evaluate. If NULL (default), a suitable range is generated automatically.
by	Character string indicating which x-axis to use for plotting. Either "pd" for proportion nonconforming (default) or "mean" for process mean levels. If "mean" is selected but the plan lacks specification limits, an error is raised.
...	Additional graphical parameters passed to plot().

## Details

This plotting method visualizes the probability of acceptance ( $P(\text{accept})$ ) against the desired metric, based on the parameters of a variable sampling plan.

If by = "pd", the x-axis represents the proportion of nonconforming items. If by = "mean" and the plan defines limit\_type and spec\_limit, the function estimates corresponding process means using [muEst](#) and plots the OC curve by those mean values.

Reference lines for the Producer's Risk Quality (PRQ) and Consumer's Risk Quality (CRQ), along with their respective acceptance probabilities, are shown when plotting by proportion.

**Value**

A plot showing the OC curve for the given variable sampling plan, either by nonconforming proportion or mean level.

**Author(s)**

Ha Truong

**See Also**

[optVarPlan](#), [accProb](#), [muEst](#), [OCdata](#), [plot.OCdata](#)

**Examples**

```
# Variable sampling plan with specification limits
plan <- optVarPlan(
  PRQ = 0.025, CRQ = 0.1,
  alpha = 0.05, beta = 0.1,
  distribution = "normal",
  USL = 3, sigma = 0.1
)

# Plot by proportion nonconforming
plot(plan, by = "pd")

# Plot by estimated mean level (requires spec_limit and limit_type)
plot(plan, by = "mean")

# Custom pd vector
plot(plan, pd = seq(0.01, 0.15, by = 0.001))
```

---

summary.AttrPlan

*Summarize Attribute Acceptance Plan*


---

**Description**

Detailed summaries for attribute acceptance plans.

**Usage**

```
## S3 method for class 'AttrPlan'
summary(object, ...)
```

**Arguments**

object	Plan object to summarize
...	Additional parameters (ignored)

**Value**

No return value. This function is called for its side effect of printing a formatted summary of the attribute sampling plan to the console.

**Author(s)**

Ha Truong

**Examples**

```
attr_plan <- optAttrPlan(PRQ = 0.01, CRQ = 0.1)
summary(attr_plan)
```

---

summary.VarPlan	<i>Summarize Variable Acceptance Plan</i>
-----------------	---

---

**Description**

Detailed summaries for variable acceptance plans.

**Usage**

```
## S3 method for class 'VarPlan'
summary(object, ...)
```

**Arguments**

object	Plan object to summarize
...	Additional parameters (ignored)

**Value**

No return value. This function is called for its side effect of printing a formatted summary of the variable sampling plan to the console.

**Author(s)**

Ha Truong

**Examples**

```
var_plan <- optVarPlan(
  PRQ = 0.025,      # Acceptable quality level (% nonconforming)
  CRQ = 0.1,        # Rejectable quality level (% nonconforming)
  alpha = 0.05,     # Producer's risk
  beta = 0.1,       # Consumer's risk
  distribution = "normal"
)
summary(var_plan)
```

# Index

accProb, [2](#), [11](#), [14](#)

manualPlan, [3](#), [6](#)

muEst, [4](#), [13](#), [14](#)

OCdata, [4](#), [5](#), [11](#), [12](#), [14](#)

OCdata.AttrPlan, [6](#)

OCdata.VarPlan, [6](#)

optAttrPlan, [6](#), [11](#), [12](#)

optPlan, [4](#), [6](#), [7](#)

optVarPlan, [9](#), [12](#), [14](#)

plot.AttrPlan, [11](#)

plot.OCdata, [12](#), [14](#)

plot.VarPlan, [13](#)

summary.AttrPlan, [14](#)

summary.VarPlan, [15](#)