

Package ‘trackopt’

July 22, 2025

Type Package

Title Track Numerical Optimization

Version 0.1.0

Description Tracks parameter value, gradient, and Hessian at each iteration of numerical optimizers. Useful for analyzing optimization progress, diagnosing issues, and studying convergence behavior.

License GPL (>= 3)

Encoding UTF-8

RoxygenNote 7.3.2

Imports checkmate, cli, ggplot2, oeli (>= 0.7.2), optimizeR (>= 1.2.0), stats, tibble, utils

Suggests testthat (>= 3.0.0)

Depends R (>= 4.1.0)

Config/testthat/edition 3

URL <https://github.com/loelschlaeger/trackopt>

BugReports <https://github.com/loelschlaeger/trackopt/issues>

NeedsCompilation no

Author Lennart Oelschläger [aut, cre]

Maintainer Lennart Oelschläger <oelschlaeger.lennart@gmail.com>

Repository CRAN

Date/Publication 2025-05-12 08:20:02 UTC

Contents

nlm_track	2
Index	5

`nlm_track`*Track numerical optimization*

Description

- `nlm_track()`: track `nlm` iterations
- `optim_track()`: track `optim` iterations
- `summary()`: summary of optimization track
- `autoplot()`: visualization of optimization for one or two parameters

Usage

```
nlm_track(  
  f,  
  p,  
  target = NULL,  
  npar = NULL,  
  gradient = NULL,  
  hessian = NULL,  
  ...,  
  iterations_max = 100,  
  tolerance = 1e-06,  
  tysize = rep(1, length(p)),  
  fscale = 1,  
  ndigit = 12,  
  stepmax = max(1000 * sqrt(sum((p/tysize)^2)), 1000),  
  steptol = 1e-06,  
  minimize = TRUE,  
  verbose = FALSE  
)  
  
optim_track(  
  f,  
  p,  
  target = NULL,  
  npar = NULL,  
  gradient = NULL,  
  ...,  
  iterations_max = 100,  
  tolerance = 1e-06,  
  lower = NULL,  
  upper = NULL,  
  method = c("Nelder-Mead", "BFGS", "CG", "L-BFGS-B", "SANN", "Brent"),  
  control = list(),  
  minimize = TRUE,  
  verbose = FALSE
```

```

)

## S3 method for class 'trackopt'
summary(object, ...)

## S3 method for class 'trackopt'
autoplot(object, iteration = NULL, xlim = NULL, xlim2 = NULL, ...)

```

Arguments

f	[function] A function to be optimized, returning a single numeric value. The first argument of f should be a numeric of the same length as p, optionally followed by any other arguments specified by the ... argument. If f is to be optimized over an argument other than the first, or more than one argument, this has to be specified via the target argument.
p	[numeric()] The starting parameter values for the target argument(s).
target	[character() NULL] The name(s) of the argument(s) over which f gets optimized. This can only be numeric arguments. Can be NULL (default), then it is the first argument of f.
npar	[integer()] The length(s) of the target argument(s). Must be specified if more than two target arguments are specified via the target argument. Can be NULL if there is only one target argument, in which case npar is set to be length(p).
gradient	[function NULL] Optionally a function that returns the gradient of f. The function call of gradient must be identical to f.
hessian	[function NULL] Optionally a function that returns the Hessian of f. The function call of hessian must be identical to f.
...	Additional arguments to be passed to f (and gradient, hessian if specified).
iterations_max	[integer(1)] The maximum number of iterations before termination.
tolerance	[numeric(1)] The minimum allowed absolute change in function value between two iterations before termination.
typsize, fscale, ndigit, stepmax, steptol	Arguments passed on to nlm .
minimize	[logical(1)] Minimize?

verbose	[logical(1)] Print progress?
lower, upper	[numeric() NULL] Optionally lower and upper parameter bounds.
method, control	Arguments passed on to <code>optim</code> . Elements <code>trace</code> and <code>maxit</code> are ignored in <code>control</code> .
object	[trackopt] A <code>trackopt</code> object.
iteration	[integer(1)] The iteration to plot. If NULL, the last iteration is plotted. This option is useful for creating animations, see https://bookdown.org/yihui/rmarkdown-cookbook/animation.html#ref-R-animation .
xlim, xlim2	[numeric(2)] Ranges for the first and second parameter to plot. If NULL, they are derived from the parameter ranges in <code>object</code> .

Value

A tibble with iterations in rows.

Examples

```
himmelblau <- function(x) (x[1]^2 + x[2] - 11)^2 + (x[1] + x[2]^2 - 7)^2
track <- nlm_track(f = himmelblau, p = c(0, 0))
summary(track)
ggplot2::autoplot(track)
```

Index

`autoplot.trackopt (nlm_track)`, 2

`nlm`, 2, 3

`nlm_track`, 2

`optim`, 2, 4

`optim_track (nlm_track)`, 2

`summary.trackopt (nlm_track)`, 2