

# Package ‘ARTofR’

May 6, 2026

**Title** To Insert Title, Divider, and Block of Comments

**Version** 0.4.1

**Description** For instructions, check <<https://github.com/Hzhang-ouce/ARTofR>>. This is a wrapper of 'bannerCommenter', for inserting neat comments, headers and dividers.

**License** MIT + file LICENSE

**Encoding** UTF-8

**RoxygenNote** 7.1.2

**Imports** bannerCommenter (>= 1.0.0), clipr (>= 0.4.0), rstudioapi, shiny

**Suggests** rmarkdown, miniUI, knitr

**VignetteBuilder** knitr

**Date** 2022-03-05 23:20:01 UTC

**NeedsCompilation** no

**Author** Huanyuan Zhang [aut, cre] (ORCID: <<https://orcid.org/0000-0003-4801-8771>>)

**Maintainer** Huanyuan Zhang <hyzhang1996@gmail.com>

**Repository** CRAN

**Date/Publication** 2022-03-05 15:30:02 UTC

## Contents

xxx_box . . . . .	2
xxx_divider1 . . . . .	3
xxx_title1 . . . . .	4
<b>Index</b>	<b>6</b>

---

`xxx_box`*Convert sentences into a box of comments*

---

## Description

For user guide, please refer to <https://github.com/Hzhang-ouce/ARTofR>

## Usage

```
xxx_box(mystring = NULL, center = FALSE)
xxx_box1(mystring = NULL, center = FALSE)
xxx_list(mystring = NULL, center = FALSE)
xxx_list1(mystring = NULL, center = FALSE)
```

## Arguments

<code>mystring</code>	A string, will be a line of comment. If missing, the function will try to grab texts from your clipboard.
<code>center</code>	A logical value: Do you want the text strings centred? (alternative: left justified)

## Details

`xxx_box` is for paragraph, `xxx_list` is for bullet points or numbered list.  
Number 1 in `xxx_box1` and `xxx_list1` imply style 1.

## Value

A character string vector returned invisibly, but automatically displayed in the console, the output will be saved into clipboard

## Functions

- `xxx_box1`: Same as `xxx_box` but add border
- `xxx_list`: Same as `xxx_box` but looks better for bullet points list or numbered list
- `xxx_list1`: Same as `xxx_list` but add border

**Examples**

```
# COMMON WORKFLOW OF THIS PACKAGE
# 1. type your text in any text editor
# 2. copy your text
# 3. call xxx_box() etc without arguments to grab text from clipboard
# 4. decorated text will be displayed and sent to clipboard, NO NEED to copy them
# 5. paste into your R script
#
#
#.....
# # OTHER USAGE

xxx_box('test sentence, test sentence, test sentence, test sentence',center = FALSE )
xxx_box1('test sentence, test sentence, test sentence, test sentence',center = FALSE )
xxx_box1('test sentence, test sentence, test sentence, test sentence',center = TRUE )
```

---

xxx\_divider1

*Insert a divider (line break or page break)*


---

**Description**

For user guide, please refer to <https://github.com/Hzhang-ouce/ARTofR>

**Usage**

```
xxx_divider1(mystring = NULL)
```

```
xxx_divider2(mystring = NULL)
```

**Arguments**

mystring            the content of your break, must be one line only, not too long

**Details**

Divider is shorter than title for hierarchy purpose, title will be come a section (for folding) in Rstudio, but divider will not

There are two styles of break, xxx\_divider1 and xxx\_divider2

Please note that a super long divider string will result in an error

call xxx\_divider1() will grab text from clipboard,

call xxx\_divider1('') will make a line without text,

call xxx\_divider1('mystring') will make a divider with 'mystring'

**Value**

A character string vector returned invisibly, but automatically displayed in the console, the output will be saved into clipboard

**Functions**

- xxx\_divider2: Same as xxx\_divider1 but different style

**Examples**

```
# COMMON WORKFLOW OF THIS PACKAGE
# 1. type your text in any text editor
# 2. copy your text
# 3. call xxx_box() etc without arguments to grab text from clipboard
# 4. decorated text will be displayed and sent to clipboard, NO NEED to copy them
# 5. paste into your R script
#
#
#.....
# # OTHER USAGE

xxx_divider1('mystring')
xxx_divider1('')
xxx_divider2('mystring')
xxx_divider2('')
```

---

xxx\_title1

*Insert a title*


---

**Description**

For user guide, please refer to <https://github.com/Hzhang-ouce/ARTofR>

**Usage**

```
xxx_title1(mystring = NULL)
```

```
xxx_title0(mystring = NULL)
```

```
xxx_title2(mystring = NULL)
```

```
xxx_title3(mystring = NULL)
```

**Arguments**

mystring            the content of your title, must be one line only, not too long

**Details**

There are three levels of titles, inserting a title with xxx\_title() will also add a section in Rstudio automatically.

Please note that a super long title string will result in an error

xxx\_title0() was designed as the main title of the whole script  
xxx\_title1() is the largest header  
xxx\_title2() is the middle size header  
xxx\_title3() is the smallest header

**Value**

A character string vector returned invisibly, but automatically displayed in the console, the output will be saved into clipboard

**Functions**

- xxx\_title0: the middle size title
- xxx\_title2: the middle size title
- xxx\_title3: the smallest title

**Examples**

```
# COMMON WORKFLOW OF THIS PACKAGE
# 1. type your text in any text editor
# 2. copy your text
# 3. call xxx_box() etc without arguments to grab text from clipboard
# 4. decorated text will be displayed and sent to clipboard, NO NEED to copy them
# 5. paste into your R script
#
#
#.....
# # OTHER USAGE

xxx_title0('my title')
xxx_title1('my title')
xxx_title2('my title')
xxx_title3('my title')
```

# Index

xxx\_box, 2  
xxx\_box1 (xxx\_box), 2  
xxx\_divider1, 3  
xxx\_divider2 (xxx\_divider1), 3  
xxx\_list (xxx\_box), 2  
xxx\_list1 (xxx\_box), 2  
xxx\_title0 (xxx\_title1), 4  
xxx\_title1, 4  
xxx\_title2 (xxx\_title1), 4  
xxx\_title3 (xxx\_title1), 4