

Package ‘Modelcharts’

May 7, 2026

Type Package

Title Classification Model Charts

Version 0.1.0

Imports dplyr,plotly,stats

Description Provides two important functions for producing Gain chart and Lift chart for any classification model.

License GPL

Encoding UTF-8

LazyData true

RoxygenNote 6.0.1

NeedsCompilation no

Author Badri N Pattanaik [aut],
Krishna Harsha K H [cre]

Maintainer Krishna Harsha K H <khkrishnaharsha123@gmail.com>

Repository CRAN

Date/Publication 2018-03-13 11:07:18 UTC

Contents

GAIN_CHART	2
LIFT_CHART	3
Modelcharts	4
Index	5

GAIN_CHART

Functions Gain Chart

Description

Creates a Gain chart.

Usage

```
GAIN_CHART(INPUT, Probability, cutoffs, Outcome, Event)
```

Arguments

INPUT	Input data
Probability	Probability values between zero and one
cutoffs	probability cutoffs(c(0.80,0.60,0.40,0.20,0)/c(0.5,0))
Outcome	outcome variable(target variable)
Event	outcome representation ("YES"/"Y"/"1")

Value

A gain chart

See Also

[Modelcharts](#)

Examples

```
## Not run:  
# Run it and see for yourself  
  
## End(Not run)  
data.tmp<-read.csv(system.file("ext", "testdata.csv", package="Modelcharts"))  
GAIN_CHART(data.tmp,data.tmp$Probability,seq(0.95,0,-0.05),data.tmp$Outcome,"Y")
```

LIFT_CHART

Functions Lift Chart

Description

Creates a Lift chart.

Usage

```
LIFT_CHART(INPUT, Probability, cutoffs, Outcome, Event)
```

Arguments

INPUT	Input data
Probability	Probability values between zero and one
cutoffs	probability cutoffs(c(0.80,0.60,0.40,0.20,0)/c(0.5,0))
Outcome	outcome variable(target variable)
Event	outcome representation ("YES"/"Y"/"1")

Value

A lift chart

See Also

[Modelcharts](#)

Examples

```
## Not run:  
# Run it and see for yourself  
  
## End(Not run)  
data.tmp<-read.csv(system.file("ext", "testdata.csv", package="Modelcharts"))  
LIFT_CHART(data.tmp,data.tmp$Probability,seq(0.95,0,-0.05),data.tmp$Outcome,"Y")
```

Modelcharts

Gain Chart and Lift Chart

Description

This Package provides two important functions for producing Gain chart and Lift chart for any classification model.

GAIN_CHART()

Creates a gain chart based on calculated probability values and actual outcome.

LIFT_CHART()

creates a lift chart based on calculated probability values and actual outcome.

See Also

[GAIN_CHART](#), [LIFT_CHART](#)

Index

GAIN_CHART, [2](#), [4](#)

LIFT_CHART, [3](#), [4](#)

Modelcharts, [2](#), [3](#), [4](#)

Modelcharts-package (Modelcharts), [4](#)