

Package ‘SWATH2stats’

April 23, 2016

Type Package

Title Transform and Filter SWATH Data for Statistical Packages

Version 1.0.3

Date 2015-12-06

Author Peter Blattmann, Moritz Heusel and Ruedi Aebersold

Maintainer Peter Blattmann <blattmann@imsb.biol.ethz.ch>

Description This package is intended to transform SWATH data from the OpenSWATH software into a format readable by other statistics packages while performing filtering, annotation and FDR estimation.

License GPL-3

Imports data.table, reshape2, grid

Suggests testthat, MSstats, aLFQ

Enhances imsbInfer

biocViews Proteomics, Annotation, ExperimentalDesign, Preprocessing, MassSpectrometry

NeedsCompilation no

R topics documented:

SWATH2stats-package	2
assess_decoy_rate	3
assess_fdr_byrun	4
assess_fdr_overall	5
convert4aLFQ	6
convert4mapDIA	7
convert4MSstats	8
convert4pythonscript	9
disaggregate	10
filter_all_peptides	11
filter_mscore	11
filter_mscore_fdr	12

filter_on_max_peptides	13
filter_on_min_peptides	14
filter_proteotypic_peptides	15
mscore4assayfdr	16
mscore4pepfdr	17
mscore4protfdr	18
OpenSWATH_data	19
plot.fdr_cube	19
plot.fdr_table	20
reduce_OpenSWATH_output	21
sample_annotation	22
Study_design	23
write_matrix_peptides	23
write_matrix_proteins	24

Index	26
--------------	-----------

SWATH2stats-package	<i>SWATH2stats</i>
---------------------	--------------------

Description

This package is intended to transform SWATH data from the OpenSWATH software into a format readable by other statistics packages while performing filtering, annotation and FDR assessment.

Details

Package:	SWATH2stats
Type:	Package
Version:	1.0.1
Date:	2015-11-08
License:	GPLv3

Author(s)

Peter Blattmann, Moritz Heusel and Ruedi Aebersold
 Maintainer: Peter Blattmann <blattmann@imsb.biol.ethz.ch>

References

Rost HL, Rosenberger G, Navarro P, Gillet L, Miladinovic SM, Schubert OT, Wolski W, Collins BC, Malmstrom J, Malmstrom L, Aebersold R. OpenSWATH enables automated, targeted analysis of data-independent acquisition MS data. *Nature Biotechnology*. 2014 Mar;32(3):219-23. doi: 10.1038/nbt.2841.

Choi M, Chang CY, Clough T, Broudy D, Killeen T, MacLean B, Vitek O. MSstats: an R package for statistical analysis of quantitative mass spectrometry-based proteomic experiments. *Bioinformatics*. 2014 Sep 1;30(17):2524-6. doi: 10.1093/bioinformatics/btu305.

Rosenberger G, Ludwig C, Rost HL, Aebersold R, Malmstrom L. aLFQ: an R-package for estimating absolute protein quantities from label-free LC-MS/MS proteomics data. *Bioinformatics*. 2014 Sep 1;30(17):2511-3. doi: 10.1093/bioinformatics/btu200.

See Also

[aLFQ](#), [MSstats](#),

assess_decoy_rate	<i>assess_decoy_rate: Assess decoy rate</i>
-------------------	---

Description

This function counts the number of decoy peptides.

Usage

```
assess_decoy_rate(data)
```

Arguments

data	A data frame that contains at least a column named "FullPeptideName" and "decoy".
------	---

Details

A printout is generated to indicate the number of non-decoy, decoy peptides and the rate of decoy vs non-decoy peptides. Unique peptides are counted, so a precursor with different charge states is counted as one peptide. In the column "decoy" the values need to be 1,0 or TRUE and FALSE.

Value

Prints the decoy rate.

Author(s)

Peter Blattmann

Examples

```
data("OpenSWATH_data", package="SWATH2stats")
data <- OpenSWATH_data
assess_decoy_rate(data)
```

assess_fdr_byrun	<i>Assess assay, peptide and protein level FDR by run (for each MS_injection separately) in OpenSWATH output table</i>
------------------	--

Description

This function estimates the assay, peptide and protein FDR by run in an OpenSWATH result table in dependence of a range of m_score cutoffs. The results can be visualized and summarized by the associated method `plot.fdr_table()`. It counts target and decoy assays (unique `transition_group_id`), peptides (unique `FullPeptideName`) and proteins (unique `ProteinName`) in the OpenSWATH output table in dependence of m-score cutoff, the useful m_score cutoff range is evaluated for each dataset individually on the fly.

To arrive from decoy counts at an estimation of the false discovery rate (false positives among the targets remaining at a given mscore cutoff) the ratio of false positives to true negatives (decoys) (FFT) must be supplied. It is estimated for each run individually by pyProphet and contained in the pyProphet statistics `[Injection_name]_full_stat.csv`. As an approximation, the FFTs of multiple runs are averaged and supplied as argument FFT.

To assess fdr over the entire dataset, please refer to function `assess_fdr_overall`.

FDR is calculated as $FDR = (TN * FFT / T)$; TN=decoys, T=targets, FFT=see above

Usage

```
assess_fdr_byrun(data, FFT, output = "pdf_csv", plot = TRUE, filename = "FDR_report_byrun")
```

Arguments

data	Annotated OpenSWATH/pyProphet output table. Refer to function <code>sample_annotation</code> from this package for further information.
FFT	Ratio of false positives to true negatives, q-values from <code>[Injection_name]_full_stat.csv</code> in pyProphet stats output. As an approximation, the q-values of multiple runs are averaged and supplied as argument FFT. Numeric from 0 to 1. Defaults to 1, the most conservative value (1 Decoy indicates 1 False target).
output	Choose output type. "pdf_csv" creates the output as files in the working directory, "Rconsole" triggers delivery of the output to the console enabling further computation or custom plotting / output.
plot	Logical, whether or not to create plots from the results (using the associated method <code>plot.fdr_cube()</code>)
filename	Optional, modifying the basename of the result files if applicable.

Value

Returns an array of target/decoy identification numbers and calculated FDR values at different m-score cutoffs.

Author(s)

Moritz Heusel

Examples

```
data("OpenSWATH_data_FDR", package="SWATH2stats")
data("Study_design", package="SWATH2stats")
data <- sample_annotation(OpenSWATH_data_FDR, Study_design)
assess_fdr_byrun(data, FFT=0.7, output = "pdf_csv", plot = TRUE, filename="Testoutput_assess_fdr_byrun")
```

assess_fdr_overall *Assess overall FDR in annotated OpenSWATH/pyProphet output table in dependence of m_score cutoff*

Description

This function estimates the assay, peptide and protein FDR over a multi-run OpenSWATH/pyProphet output table. It counts target and decoy assays (unique transition_group_id), peptides (unique FullPeptideName) and proteins (unique ProteinName) in dependence of the m-score cutoff (1e-2 to 1e-20).

To arrive from decoy counts at an estimation of the false discovery rate (false positives among the targets remaining at a given mscore cutoff) the ratio of false positives to true negatives (decoys) (FFT) must be supplied. It is estimated for each run individually by pyProphet and contained in the pyProphet statistics [Injection_name]_full_stat.csv. As an approximation, the FFTs of multiple runs are averaged and supplied as argument FFT.

Protein FDR control on peak group quality level is a very strict filter and should be handled with caution.

FDR is calculated as $FDR = (TN * FFT / T)$; TN=decoys, T=targets, FFT=see above

Usage

```
assess_fdr_overall(data, FFT, output = "pdf_csv", plot = TRUE, filename="FDR_report_overall")
```

Arguments

- data Data table that is produced by the OpenSWATH/pyProphet workflow
- FFT Ratio of false positives to true negatives, q-values from [Injection_name]_full_stat.csv in pyProphet stats output. As an approximation, the q-values of multiple runs are averaged and supplied as argument FFT. Numeric from 0 to 1. Defaults to 1, the most conservative value (1 Decoy indicates 1 False target).
- output Choose output type. "pdf_csv" creates the output as files in the working directory, "Rconsole" triggers delivery of the output to the console enabling further computation or custom plotting / output.
- plot Logical, whether or not to create plots from the results (using the associated method plot.fdr_table())
- filename Optional, modifying the basename of the result files if applicable.

Value

Returns a list of class "fdr_table". If output "pdf_csv" and plot = TRUE were chosen, report files are written to the working folder.

Author(s)

Moritz Heusel

Examples

```
data("OpenSWATH_data_FDR", package="SWATH2stats")
data("Study_design", package="SWATH2stats")
data <- sample_annotation(OpenSWATH_data_FDR, Study_design)
assess_fdr_overall(data, FFT=0.7, output = "pdf_csv", plot = TRUE, filename="Testoutput_assess_fdr_overall")
```

convert4aLFQ

convert4aLFQ: Convert table into the format for aLFQ

Description

This functions selects the columns necessary for the aLFQ R package.

Usage

```
convert4aLFQ(data, annotation = TRUE)
```

Arguments

data	A data frame containing the SWATH data in transition-level format
annotation	Option to indicate if the data has been annotated, i.e. if the columns Condition, Replicate, Run are present. If option is set to true it will write a new run_id as a string of the combination of these three columns.

Value

Returns a data frame in the appropriate format for aLFQ.

Author(s)

Peter Blattmann

References

Rosenberger G, Ludwig C, Rost HL, Aebersold R, Malmstrom L. aLFQ: an R-package for estimating absolute protein quantities from label-free LC-MS/MS proteomics data. *Bioinformatics*. 2014 Sep 1;30(17):2511-3. doi: 10.1093/bioinformatics/btu200.

Examples

```
data("OpenSWATH_data", package="SWATH2stats")
data("Study_design", package="SWATH2stats")
data <- sample_annotation(OpenSWATH_data, Study_design)
data.filtered.decoy <- filter_mscore(data, 0.01)
raw <- disaggregate(data.filtered.decoy)
data.aLFQ <- convert4aLFQ(raw)
```

convert4mapDIA	<i>convert4mapDIA: Convert table into the format for mapDIA</i>
----------------	---

Description

This functions selects the columns necessary for mapDIA.

Usage

```
convert4mapDIA(data, RT=FALSE)
```

Arguments

data	A data frame containing SWATH data.
RT	Option to export the retention times.

Value

Returns a data frame in the appropriate format for mapDIA.

Note

The table must not contain any technical replica, the intensity of technical replica is averaged. This function requires the package reshape2.

Author(s)

Peter Blattmann

References

Teo et al. submitted, mapDIA is available on Sourceforge <http://sourceforge.net/projects/mapdia/>

Examples

```
data("OpenSWATH_data", package="SWATH2stats")
data("Study_design", package="SWATH2stats")
data <- sample_annotation(OpenSWATH_data, Study_design)
data.filtered.decoy <- filter_mscore(data, 0.01)
raw <- disaggregate(data.filtered.decoy)
data.mapDIA <- convert4mapDIA(raw, RT=TRUE)
```

convert4MSstats	<i>convert4MSstats: Convert table into the format for MSstats</i>
-----------------	---

Description

This functions selects the columns necessary for MSstats and renames them if necessary.

Usage

```
convert4MSstats(data, replace.values = TRUE, replace.colnames = TRUE,  
replace.Unimod = TRUE)
```

Arguments

`data` A data frame containing SWATH data.
`replace.values` Option to indicate if negative and 0 values should be replaced with NA.
`replace.colnames` Option to indicate if column names should be renamed and columns reduced to the necessary columns for MSstats
`replace.Unimod` Option to indicate if Unimod Identifier should be replaced form ":" to "_".

Details

The necessary columns are selected and three columns renamed: FullPeptideName -> PeptideSequence Charge -> PrecursorCharge align_origfilename -> File

Value

Returns a data frame in the appropriate format for MSstats.

Author(s)

Peter Blattmann

References

Choi M, Chang CY, Clough T, Broudy D, Killeen T, MacLean B, Vitek O. MSstats: an R package for statistical analysis of quantitative mass spectrometry-based proteomic experiments. *Bioinformatics*. 2014 Sep 1;30(17):2524-6. doi: 10.1093/bioinformatics/btu305.

Examples

```
data("OpenSWATH_data", package="SWATH2stats")  
data("Study_design", package="SWATH2stats")  
data <- sample_annotation(OpenSWATH_data, Study_design)  
data.filtered.decoy <- filter_mscore(data, 0.01)  
raw <- disaggregate(data.filtered.decoy)  
data.mapDIA <- convert4MSstats(raw)
```

convert4pythonscript *convert4bashscript: Convert data into the format for running a bash script*

Description

This functions selects the columns suggested to run a python script to change the data from peptide-level to transition-level.

Usage

```
convert4pythonscript(data, replace.Unimod = TRUE)
```

Arguments

`data` A data frame containing SWATH data.
`replace.Unimod` Option to indicate if Unimod Identifier should be replaced form ":" to "_".

Details

The necessary columns are selected and the run column is renamed to `align_origfilename` for the script.

Value

Returns a data frame in the appropriate format to be used by a custom python script stored in the scripts folder.

Author(s)

Peter Blattmann

Examples

```
data("OpenSWATH_data", package="SWATH2stats")
data("Study_design", package="SWATH2stats")
data <- sample_annotation(OpenSWATH_data, Study_design)
data.filtered.decoy <- filter_mscore(data,0.01)
data.pythonscript <- convert4pythonscript(data.filtered.decoy)
```

disaggregate	<i>disaggregate: Transforms the SWATH data from a peptide- to a transition-level table.</i>
--------------	---

Description

If the SWATH data should be analyzed on transition-level the data needs to be transformed from peptide-level table to a transition-level table (one row per transition instead of one row per peptide). The columns "aggr_Fragment_Annotation" and "aggr_Peak_Area" are disaggregated into the new columns "FragmentIon" and "Intensity".

Usage

```
disaggregate(data)
```

Arguments

data	A data frame containing SWATH data.
------	-------------------------------------

Value

Returns a data frame containing the SWATH data in a transition-level table.

Note

This function works for maximal 6 transitions per precursor, from version 1.1.1 SWATH2stats::disaggregate can also transform data with more than 6 transitions per precursor.

Author(s)

Peter Blattmann

Examples

```
data("OpenSWATH_data", package="SWATH2stats")
data("Study_design", package="SWATH2stats")
data <- sample_annotation(OpenSWATH_data, Study_design)
data.filtered.decoy <- filter_mscore(data, 0.01)
raw <- disaggregate(data.filtered.decoy)
```

filter_all_peptides *Select all proteins that are supported by peptides.*

Description

This functions counts all proteins that are supported by peptides (including non proteo-typic peptides). All peptides (incl. non proteotypic peptides) are selected. For the proteins supported by proteotypic peptide the "1/" in front of the identifier is removed to facilitate further data processing.

Usage

```
filter_all_peptides(data)
```

Arguments

data A data frame containing SWATH data.

Value

Returns a data frame with the data from both proteotypic and non-proteotypic peptides.

Author(s)

Peter Blattmann

Examples

```
data("OpenSWATH_data", package="SWATH2stats")
data("Study_design", package="SWATH2stats")
data <- sample_annotation(OpenSWATH_data, Study_design)
data.filtered.decoy <- filter_mscore(data, 0.01)
data.all <- filter_all_peptides(data.filtered.decoy)
```

filter_mscore *filter_mscore: Filter openSWATH output table according to mscore*

Description

This function filters the SWATH data according to the m_score value, as well as to the number of occurrence in the data (requant) and within a condition (condition)

Usage

```
filter_mscore(data, mscore, rm.decoy=TRUE)
filter_mscore_requant(data, mscore, percentage=NULL, rm.decoy = TRUE)
filter_mscore_condition(data, mscore, n.replica, rm.decoy = TRUE)
```

Arguments

data	A data frame containing SWATH data.
mscore	Value that defines the mscore threshold according to which the data will be filtered.
n.replica	Number of measurements within at least one condition that have to pass the mscore threshold for this transition.
percentage	Percentage in which replicas the transition has to reach the mscore threshold
rm.decoy	Option to remove the decoys during filtering.

Value

Returns a data frame with the filtered data.

Author(s)

Peter Blattmann

Examples

```
data("OpenSWATH_data", package="SWATH2stats")
data("Study_design", package="SWATH2stats")
data <- sample_annotation(OpenSWATH_data, Study_design)
data.filtered <- filter_mscore(data, 0.01)
data.filtered <- filter_mscore_requant(data, 0.01, 0.8)
data.filtered <- filter_mscore_condition(data, 0.01, 3)
```

filter_mscore_fdr	<i>Filter annotated OpenSWATH/pyProphet output table to achieve a high FDR quality data matrix with controlled overall protein FDR and quantitative values for all peptides mapping to these high-confidence proteins (up to a desired overall peptide level FDR quality).</i>
-------------------	--

Description

This function controls the protein FDR over a multi-run OpenSWATH/pyProphet output table and filters all quantitative values to a desired overall/global peptide FDR level.

It first finds a suitable m-score cutoff to minimally achieve a desired global FDR quality on a protein master list based on the function `mscore4protfdr`. It then finds a suitable m-score cutoff to minimally achieve a desired global FDR quality on peptide level based on the function `mscore4pepfdr`. Finally, it reports all the peptide quantities derived based on the peptide level cutoff for only those peptides mapping to the protein master list. It further summarizes the protein and peptide numbers remaining after the filtering. It further evaluates the individual run FDR qualities of the peptides (and quantitation events) selected.

Usage

```
filter_mscore_fdr(data, FFT = 1, overall_protein_fdr_target = 0.02,
  upper_overall_peptide_fdr_limit = 0.05, rm.decoy = TRUE)
```

Arguments

data	Annotated OpenSWATH/pyProphet data table
FFT	Ratio of false positives to true negatives, q-values from [Injection_name]_full_stat.csv in pyProphet stats output. As an approximation, the q-values of multiple runs are averaged and supplied as argument FFT. Numeric from 0 to 1. Defaults to 1, the most conservative value (1 Decoy indicates 1 False target).
overall_protein_fdr_target	FDR target for the protein master list for which quantitative values down to the less strict peptide_fdr criterion will be kept/reported. Defaults to 0.02.
upper_overall_peptide_fdr_limit	FDR target for the quantitative values kept/reported for all peptides mapping to the high-confidence protein master list. Defaults to 0.05. If all values up to m_score 0.01 shall be kept, set = 1.
rm.decoy	Logical T/F, whether decoy entries should be removed after the analysis. Defaults to TRUE. Can be useful to disable to track the influence on decoy fraction by further filtering steps such as requiring 2 peptides per protein.

Value

data.filtered the filtered data frame

Author(s)

Moritz Heusel

Examples

```
data("OpenSWATH_data_FDR", package="SWATH2stats")
data("Study_design", package="SWATH2stats")
data <- sample_annotation(OpenSWATH_data_FDR, Study_design)
data.fdr.filtered<-filter_mscore_fdr(data, FFT=0.7, overall_protein_fdr_target=0.02,
  upper_overall_peptide_fdr_limit=0.1)
```

filter_on_max_peptides

Filter only for the highest intense peptides

Description

In order to reduce the data, the data is filtered only for the proteins with the highest intensity peptides.

Usage

```
filter_on_max_peptides(data, n_peptides)
```

Arguments

data	A data frame containing SWATH data with the column names: ProteinNames, PeptideSequence, PrecursorCharge, Intensity.
n_peptides	Maximum number of highest intense peptides to filter the data on.

Value

Returns a data frame of the filtered data

Author(s)

Peter Blattmann

Examples

```
data("OpenSWATH_data", package="SWATH2stats")
data("Study_design", package="SWATH2stats")
data <- sample_annotation(OpenSWATH_data, Study_design)
data.filtered <- filter_mscore_requant(data, 0.01,0.8)
data.max <- filter_on_max_peptides(data.filtered, 5)
```

filter_on_min_peptides

Filter openSWATH output for proteins that are identified by a minimum of n independent peptides

Description

This function removes entries mapping to proteins that are identified by less than n_peptides.

Removing single-hit proteins from an analysis can significantly increase the sensitivity under strict protein fdr criteria, as evaluated by e.g. assess_fdr_overall.

Usage

```
filter_on_min_peptides(data, n_peptides)
```

Arguments

data	Data table that is produced by the openSWATH/iPortal workflow.
n_peptides	Number of minimal number of peptide IDs associated with a protein ID in order to be kept in the dataset.

Value

Returns the filtered data frame with only peptides that map to proteins with $\geq n_peptides$ peptides.

Author(s)

Moritz Heusel

Examples

```
data("OpenSWATH_data", package="SWATH2stats")
data("Study_design", package="SWATH2stats")
data <- sample_annotation(OpenSWATH_data, Study_design)
data.filtered <- filter_mscore_requant(data, 0.01,0.8)
data.max <- filter_on_max_peptides(data.filtered, 5)
data.min.max <- filter_on_min_peptides(data.max, 3)
```

filter_proteotypic_peptides

Filter for proteins that are supported by proteotypic peptides.

Description

Peptides can match to several proteins. With this function proteotypic peptides, peptides that are only contained in one protein are selected. Additionally the number of proteins are counted and printed.

Usage

```
filter_proteotypic_peptides(data)
```

Arguments

data A data frame containing SWATH data.

Value

Returns a data frame with only the data supported by proteotypic peptides.

Author(s)

Peter Blattmann

Examples

```
data("OpenSWATH_data", package="SWATH2stats")
data("Study_design", package="SWATH2stats")
data <- sample_annotation(OpenSWATH_data, Study_design)
data.filtered.decoy <- filter_mscore(data, 0.01)
data.all <- filter_proteotypic_peptides(data.filtered.decoy)
```

mscore4assayfdr	<i>Find m_score cutoff to reach a desired FDR on assay level (over the entire OpenSWATH/pyProphet output table)</i>
-----------------	---

Description

This function estimates the `m_score` cutoff required in a dataset to reach a given overall assay level FDR. It counts target and decoy assays at high resolution across the `m_score` cutoffs and reports a useful `m_score` cutoff - assay FDR pair close to the supplied `fdr_target` level over the entire dataset. The `m_score` cutoff is returned by the function and can be used in the context of the filtering functions, e.g.:

```
data.assayFDR1pc<-filter_mscore(data, mscore4assayfdr(data, fdr_target=0.01))
```

To arrive from decoy counts at an estimation of the false discovery rate (false positives among the targets remaining at a given `mscore` cutoff) the ratio of false positives to true negatives (decoys) (FFT) must be supplied. It is estimated for each run individually by `pyProphet` and contained in the `pyProphet` statistics `[Injection_name]_full_stat.csv`. As an approximation, the FFTs of multiple runs are averaged and supplied as argument `FFT`.

For FDR evaluations on peptide and protein level, please refer to functions `mscore4pepfdr` `mscore4protfdr`

Usage

```
mscore4assayfdr(data, FFT, fdr_target)
```

Arguments

<code>data</code>	Annotated OpenSWATH/pyProphet data table. See function <code>sample_annotation</code> from this package.
<code>FFT</code>	Ratio of false positives to true negatives, q-values from <code>[Injection_name]_full_stat.csv</code> in <code>pyProphet</code> stats output. As an approximation, the q-values of multiple runs are averaged and supplied as argument <code>FFT</code> . Numeric from 0 to 1. Defaults to 1, the most conservative value (1 Decoy indicates 1 False target).
<code>fdr_target</code>	Assay FDR target, numeric, defaults to 0.01. An <code>m_score</code> cutoff achieving an $FDR < fdr_target$ will be selected. Calculated as $FDR = (TN * FFT / T)$; <code>TN</code> =decoys, <code>T</code> =targets, <code>FFT</code> =see above.

Value

Returns the `m_score` cutoff selected to arrive at the desired FDR

Author(s)

Moritz Heusel

Examples

```
data("OpenSWATH_data_FDR", package="SWATH2stats")
data("Study_design", package="SWATH2stats")
data <- sample_annotation(OpenSWATH_data_FDR, Study_design)
mscore4assayfdr(data, FFT=0.7, fdr_target=0.01)
```

mscore4pepfdr	<i>Find m_score cutoff to reach a desired FDR on peptide level (over the entire OpenSWATH/pyProphet output table)</i>
---------------	---

Description

This function estimates the `m_score` cutoff required in a dataset to reach a given overall peptide level FDR. It counts target and decoy peptides (unique FullPeptideName) at high resolution across the `m_score` cutoffs and reports a useful `m_score` cutoff - peptide FDR pair close to the supplied `fdr_target` level over the entire dataset. The `m_score` cutoff is returned by the function and can be used in the context of the filtering functions, e.g.:

```
data.pepFDR2pc<-filter_mscore(data, mscore4pepfdr(data, fdr_target=0.02))
```

To arrive from decoy counts at an estimation of the false discovery rate (false positives among the targets remaining at a given `mscore` cutoff) the ratio of false positives to true negatives (decoys) (FFT) must be supplied. It is estimated for each run individually by pyProphet and contained in the pyProphet statistics [Injection_name]_full_stat.csv. As an approximation, the FFTs of multiple runs are averaged and supplied as argument FFT.

For FDR evaluations on assay and protein level, please refer to functions `mscore4assayfdr` `mscore4protfdr`

Usage

```
mscore4pepfdr(data, FFT, fdr_target)
```

Arguments

<code>data</code>	Annotated OpenSWATH/pyProphet data table. See function <code>sample_annotation</code> from this package.
<code>FFT</code>	Ratio of false positives to true negatives, q-values from [Injection_name]_full_stat.csv in pyProphet stats output. As an approximation, the q-values of multiple runs are averaged and supplied as argument FFT. Numeric from 0 to 1. Defaults to 1, the most conservative value (1 Decoy indicates 1 False target).
<code>fdr_target</code>	FDR target, numeric, defaults to 0.01. An <code>m_score</code> cutoff achieving an FDR < <code>fdr_target</code> will be selected. Calculated as $FDR = (TN * FFT / T)$; TN=decoys, T=targets, FFT=see above.

Value

Returns the `m_score` cutoff selected to arrive at the desired FDR

Author(s)

Moritz Heusel

Examples

```
data("OpenSWATH_data_FDR", package="SWATH2stats")
data("Study_design", package="SWATH2stats")
data <- sample_annotation(OpenSWATH_data_FDR, Study_design)
mscore4pepfdr(data, FFT=0.7, fdr_target=0.01)
```

mscore4protfdr	<i>Find m_score cutoff to reach a desired FDR on protein level (over the entire OpenSWATH/pyProphet output table)</i>
----------------	---

Description

This function estimates the `m_score` cutoff required in a dataset to reach a given overall protein level FDR. This filter is to be used with caution as the resulting quantitative matrix is relatively sparse. It can be filled with quantitative values at a lower FDR quality level. It counts target and decoy peptides (unique ProteinName) at high resolution across the `m_score` cutoffs and reports a useful `m_score` cutoff - peptide FDR pair close to the supplied `fdr_target` level over the entire dataset. The `m_score` cutoff is returned by the function and can be used in the context of the filtering functions, e.g.:

```
data.protFDR5pc<-filter_mscore(data, mscore4protfdr(data, fdr_target=0.02))
```

To arrive from decoy counts at an estimation of the false discovery rate (false positives among the targets remaining at a given `m_score` cutoff) the ratio of false positives to true negatives (decoys) (FFT) must be supplied. It is estimated for each run individually by pyProphet and contained in the pyProphet statistics `[Injection_name]_full_stat.csv`. As an approximation, the FFTs of multiple runs are averaged and supplied as argument FFT.

For FDR evaluations on assay and peptide level, please refer to functions `mscore4assayfdr` `mscore4pepfdr`

Usage

```
mscore4protfdr(data, FFT, fdr_target)
```

Arguments

<code>data</code>	Annotated OpenSWATH/pyProphet data table. See function <code>sample_annotation</code> from this package.
<code>FFT</code>	Ratio of false positives to true negatives, q-values from <code>[Injection_name]_full_stat.csv</code> in pyProphet stats output. As an approximation, the q-values of multiple runs are averaged and supplied as argument FFT. Numeric from 0 to 1. Defaults to 1, the most conservative value (1 Decoy indicates 1 False target).
<code>fdr_target</code>	FDR target, numeric, defaults to 0.01. An <code>m_score</code> cutoff achieving an FDR < <code>fdr_target</code> will be selected. Calculated as $FDR = (TN * FFT / T)$; TN=decoys, T=targets, FFT=see above.

Value

Returns the `m_score` cutoff selected to arrive at the desired FDR quality

Author(s)

Moritz Heusel

Examples

```
data("OpenSWATH_data_FDR", package="SWATH2stats")
data("Study_design", package="SWATH2stats")
data <- sample_annotation(OpenSWATH_data_FDR, Study_design)
mscore4protfdr(data, FFT=0.7, fdr_target=0.01)
```

OpenSWATH_data

Testing dataset from OpenSWATH

Description

A small selection of the data obtained from the iPortal pipeline for an experiment with perturbations relating to cholesterol regulation. Protein and Peptides have been anonymized as the data is unpublished. The FDR version of the test data contains modified (lowered) decoy peak group `m_scores` to simulate FDR behaviour of a large dataset.

Author(s)

Peter Blattmann

plot.fdr_cube

Plot functionality for FDR assessment result arrays as produced by e.g. the function `assess_fdr_byrun()`

Description

This function creates standard plots from result arrays as produced by e.g. the function `assess_fdr_byrun()`, visualizing assay, peptide and protein level FDR for each run at `m-score` cutoffs $1e-2$ and $1e-3$. Furthermore, Target and Decoy ID numbers are visualized.

Usage

```
## S3 method for class 'fdr_cube'
plot(x, output = "Rconsole", filename = "FDR_report_byrun", ...)
```

Arguments

x	Array of by-run FDR assessment results as produced e.g. by the function <code>assess_fdr_byrun()</code> from this package.
output	Choose output type. "pdf_csv" creates the output as files in the working directory, "Rconsole" triggers delivery of the output to the console enabling further computation and/or custom plotting / output.
filename	Basename for output files to be created (if output = "pdf_csv" has been selected).
...	further arguments passed to method.

Value

Plots in Rconsole or report files.

Author(s)

Moritz Heusel

Examples

```
data("OpenSWATH_data_FDR", package="SWATH2stats")
data("Study_design", package="SWATH2stats")
data <- sample_annotation(OpenSWATH_data_FDR, Study_design)
x <- assess_fdr_byrun(data, FFT=0.7, output = "Rconsole", plot = FALSE)
plot.fdr_cube(x, output = "pdf_csv", filename = "Assess_fdr_byrun_testplot")
```

<code>plot.fdr_table</code>	<i>Plot functionality for results of class "fdr_table" as produced by e.g. the function <code>assess_fdr_overall()</code></i>
-----------------------------	---

Description

This function created standard plots from results of class "fdr_table" as produced by e.g. the function `assess_fdr_overall()` visualizing ID numbers in dependence of estimated FDR and also estimated FDR in dependence of `m_score` cutoff.

Usage

```
## S3 method for class 'fdr_table'
plot(x, output = "Rconsole", filename = "FDR_report_overall", ...)
```

Arguments

x	List of class "fdr_table" as produced e.g. by the function <code>assess_fdr_overall()</code> from this package.
output	Choose output type. "pdf_csv" creates the output as files in the working directory, "Rconsole" triggers delivery of the output to the console enabling further computation or custom plotting / output.

filename Basename for output files to be created (if output = "pdf_csv" has been selected).
... further arguments passed to method.

Value

Plots in Rconsole or report files.

Author(s)

Moritz Heusel

Examples

```
data("OpenSWATH_data_FDR", package="SWATH2stats")
data("Study_design", package="SWATH2stats")
data <- sample_annotation(OpenSWATH_data_FDR, Study_design)
x <- assess_fdr_overall(data, FFT=0.7, output = "Rconsole", plot = FALSE)
plot.fdr_table(x, output = "pdf_csv", filename = "Assess_fdr_overall_testplot")
```

reduce_OpenSWATH_output

Reduce columns of OpenSWATH data

Description

This function selects the columns from the standard OpenSWATH output to column needed for MSstats, aLFQ and mapDIA.

Usage

```
reduce_OpenSWATH_output(data, column.names=NULL)
```

Arguments

data A data frame containing SWATH data.
column.names A vector of column names that can be selected.

Value

Returns a data frame with the selected columns.

Note

A basic set of columns are defined in the function and are used if no column names are indicated

Note

The column.names can be omitted and then the following columns are selected that are needed for MSstats and mapDIA analysis: ProteinName, FullPeptideName, Sequence, Charge, aggr_Fragment_Annotation, aggr_Peak_Area, align_origfilename, m_score, decoy, Intensity, RT. This function should be omitted if the data is analyzed afterwards with the aLFQ or imsbInfer package that needs further columns.

Author(s)

Peter Blattmann

Examples

```
data("OpenSWATH_data", package="SWATH2stats")
data("Study_design", package="SWATH2stats")
data <- sample_annotation(OpenSWATH_data, Study_design)
data.filtered <- reduce_OpenSWATH_output(data)
```

sample_annotation	<i>sample_annotation: Annotate the SWATH data with the sample information</i>
-------------------	---

Description

For statistical analysis and filtering the measurements need to be annotated with Filename, Condition, BioReplicate, and Run. This functions takes this information from a txt file containing this meta-data.

Usage

```
sample_annotation(data, sample.annotation, data.type="openSWATH", column.file = "align_origfilename"
change.run.id = TRUE, verbose=FALSE)
```

Arguments

data	A data frame containing SWATH data.
sample.annotation	A data frame containing the columns: Filename, Condition, BioReplicate, Run. The values contained in the column filename have to be present in the filename of the SWATH data.
data.type	Option to specify the format of the table, if the column names from an OpenSWATH output or MSstats table are used.
column.file	Option to specify the column name where the injection file is specified. Default is set to "align_origfilename".
change.run.id	Option to choose if the run_id column shall be reassigned to a unique value combining the values of Condition, BioReplicate and Run. (Option only possible if data is of format "OpenSWATH")
verbose	Option to turn on reporting on which filename it is working on.

Value

Returns a dataframe with each row annotated for the study design

Author(s)

Peter Blattmann

Examples

```
data("OpenSWATH_data", package="SWATH2stats")
data("Study_design", package="SWATH2stats")
data <- sample_annotation(OpenSWATH_data, Study_design)
```

Study_design	<i>Study design table</i>
--------------	---------------------------

Description

A table containing the meta-data defining the study design.

Filename A unique identifier corresponding to the filename in the SWATH data.

Condition The Condition explains the perturbation performed on this sample.

BioReplicate Number indicating the biological replicate of this sample.

Run A unique number for each MS-injection.

Author(s)

Peter Blattmann

Source

Peter Blattmann

write_matrix_peptides	<i>write_matrix_peptides: Writes out an overview matrix of peptides mapping to a FDR quality controlled protein master list at controlled global peptide FDR quality.</i>
-----------------------	---

Description

Writes out an overview matrix on peptide level of a supplied (unfiltered or prefiltered) OpenSWATH results data frame. The peptide quantification is achieved by summing the areas under all 6 transitions per precursor and summing all precursors per FullPeptideName. In order to keep the peptide-to-protein association, the FullPeptideName is joined with the ProteinName.

Usage

```
write_matrix_peptides(data, filename = "SWATH2stats_overview_matrix_peptidelevel.csv",  
  rm.decoy = FALSE)
```

Arguments

data	A data frame containing annotated OpenSWATH/pyProphet data.
filename	File base name of the .csv matrix written out to the working folder
rm.decoy	Logical whether decoys will be removed from the data matrix. Defaults to FALSE. It's sometimes useful to know how decoys behave across a dataset and how many you allow into your final table with the current filtering strategy.

Value

No return value, output .csv matrix is written to the working folder.

Author(s)

Moritz Heusel

Examples

```
data("OpenSWATH_data", package="SWATH2stats")  
data("Study_design", package="SWATH2stats")  
data <- sample_annotation(OpenSWATH_data, Study_design)  
write_matrix_peptides(data)
```

write_matrix_proteins *write_matrix_proteins: Writes out an overview matrix of summed signals per protein identifier (lines) over run_id(columns).*

Description

Writes out an overview matrix on protein level of a supplied (unfiltered or filtered) OpenSWATH results data frame. The protein quantification is achieved by summing the areas under all 6 transitions per precursor, summing all precursors per FullPeptideName and all FullPeptideName signals per ProteinName entry.

This function does not select consistently quantified or top peptides but sums all signals available that may or may not originate from the same set of peptides across different runs. A more detailed overview can be generated using the function `write_matrix_peptides()`.

Peptide selection can be achieved upstream using e.g. the functions `filter_mscore_requant()`, `filter_on_max_peptides()` and `filter_on_min_peptides()`.

Usage

```
write_matrix_proteins(data, filename = "SWATH2stats_overview_matrix_proteinlevel.csv",  
  rm.decoy = FALSE)
```

Arguments

<code>data</code>	A data frame containing annotated OpenSWATH/pyProphet data.
<code>filename</code>	File base name of the .csv matrix written out to the working folder
<code>rm.decoy</code>	Logical whether decoys will be removed from the data matrix. Defaults to FALSE. It's sometimes useful to know how decoys behave across a dataset and how many you allow into your final table with the current filtering strategy.

Value

No return value, output .csv matrix is written to the working folder.

Author(s)

Moritz Heusel

Examples

```
data("OpenSWATH_data", package="SWATH2stats")
data("Study_design", package="SWATH2stats")
data <- sample_annotation(OpenSWATH_data, Study_design)
write_matrix_proteins(data)
```

Index

*Topic **SWATH2stats**

SWATH2stats-package, 2

aLFQ, 3

assess_decoy_rate, 3

assess_fdr_byrun, 4

assess_fdr_overall, 5

convert4aLFQ, 6

convert4mapDIA, 7

convert4MSstats, 8

convert4pythonscript, 9

disaggregate, 10

filter_all_peptides, 11

filter_mscore, 11

filter_mscore_condition
(filter_mscore), 11

filter_mscore_fdr, 12

filter_mscore_requant (filter_mscore),
11

filter_on_max_peptides, 13

filter_on_min_peptides, 14

filter_proteotypic_peptides, 15

mscore4assayfdr, 16

mscore4pepfdr, 17

mscore4protfdr, 18

MSstats, 3

OpenSWATH_data, 19

OpenSWATH_data_FDR (OpenSWATH_data), 19

plot.fdr_cube, 19

plot.fdr_table, 20

reduce_OpenSWATH_output, 21

sample_annotation, 22

Study_design, 23

SWATH2stats (SWATH2stats-package), 2

SWATH2stats-package, 2

write_matrix_peptides, 23

write_matrix_proteins, 24