

# Package ‘TBX20BamSubset’

October 26, 2024

**Title** Subset of BAM files from the ‘TBX20’ experiment

**Description** Dual transcriptional activator and repressor roles of TBX20 regulate adult cardiac structure and function. A subset of the RNA-Seq data.

**Version** 1.41.0

**Author** D. Bindreither

**Maintainer** D. Bindreither <daniel.bindreither@gmail.com>

**Depends** Rsamtools (>= 1.9.8)

**Imports** xtable

**Collate** getBamFileList.R

**biocViews** ExperimentData, SequencingData, RNASeqData

**License** LGPL

**git\_url** <https://git.bioconductor.org/packages/TBX20BamSubset>

**git\_branch** devel

**git\_last\_commit** 6dd8cea

**git\_last\_commit\_date** 2024-04-30

**Repository** Bioconductor 3.20

**Date/Publication** 2024-10-26

## Contents

TBX20BamSubset-package . . . . .	1
getBamFileList . . . . .	2

<b>Index</b>	<b>3</b>
--------------	----------

---

TBX20BamSubset-package

*Utilities returning the paths to BAM files of the data package*

---

## Description

The package contains 6 subset of BAM files from the TBX20 RNA-Seq experiment.

## Details

The TBX20 data set basically provides ChIP-Seq and RNA-Seq data. In here only the RNA-Seq part of the data is utilized. TBX20 (T-box 20) is a transcriptional regulator essential for cardiac development and maintenance of mouse heart tissue. In this study TXB20 was knocked out by using a Tamoxifen mediated conditional knock-out system. Transcriptional changes caused by the ablation of the second exon of TBX20 result in rapid onset of heart failures and the subsequent death of the mice. TBX20 knock-out adult heart tissue was compared to wild type adult heart tissue. The associated RNA-Seq raw data can be retrieved by the following code chunk.

## References

Noboru J. Sakabe, Ivy Aneas, Tao Shen, Leila Shokri, Soo-Young Park, Martha L. Bulyk, Sylvia M. Evans and Marcelo A. Nobrega Human Molecular Genetics Date: Feb 2012 *Dual transcriptional activator and repressor roles of TBX20 regulate adult cardiac structure and function*

## Examples

```
bfs <- getBamFileList()
```

---

getBamFileList	<i>Retrieving file paths pointing to the BAM files.</i>
----------------	---

---

## Description

Retrieves the file paths for accessing the data of the TBX20BamSubset package.

## Usage

```
getBamFileList(...)
```

## Arguments

... Arguments to be passed to or from methods.

## Details

Accessory function to the BAM files of the TBX20BamSubset package.

## Value

Returns a named character vector pointing to the BAM files included in TBX20BamSubset package.

## Author(s)

D. Bindreither

## See Also

[TBX20BamSubset](#)

## Examples

```
bfl <- getBamFileList()
bfl
```

# Index

## \* **utilities**

TBX20BamSubset-package, [1](#)

getBamFileList, [2](#)

TBX20BamSubset, [2](#)

TBX20BamSubset  
(TBX20BamSubset-package), [1](#)

TBX20BamSubset-package, [1](#)