Package 'curatedAdipoRNA'

October 14, 2025

Type Package

```
Title A Curated RNA-Seq Dataset of MDI-induced Differentiated
     Adipocytes (3T3-L1)
Version 1.25.0
Year 2019
Description A curated dataset of RNA-Seq samples. The samples are MDI-induced
     pre-phagocytes (3T3-L1) at different time points/stage of differentiation.
     The package document the data collection, pre-processing and processing. In
     addition to the documentation, the package contains the scripts that was used
     to generated the data.
License GPL-3
URL https://github.com/MahShaaban/curatedAdipoRNA
BugReports https://github.com/MahShaaban/curatedAdipoRNA/issues
Encoding UTF-8
RoxygenNote 6.1.1
LazyData TRUE
Depends R (>= 3.6), SummarizedExperiment
Suggests knitr, rmarkdown, DESeq2, fastqcr, devtools, testthat, readr,
     dplyr, tidyr, ggplot2, S4Vectors
VignetteBuilder knitr
biocViews ExperimentData, GEO, RNASeqData, SequencingData
git_url https://git.bioconductor.org/packages/curatedAdipoRNA
git_branch devel
git_last_commit 7977992
git_last_commit_date 2025-04-15
Repository Bioconductor 3.22
Date/Publication 2025-10-14
Author Mahmoud Ahmed [aut, cre] (ORCID:
     <https://orcid.org/0000-0002-4377-6541>)
Maintainer Mahmoud Ahmed <mahmoud.s.fahmy@students.kasralainy.edu.eg>
```

2 curatedAdipoRNA

Contents

adipo_counts	Gene counts in differentiating adipocytes	
Index		3
1 —	NA	

Description

Gene counts in differentiating adipocytes

Usage

adipo_counts

Format

A RangedSummarizedExperiment object contains:

```
assay The gene counts matrix.
```

colData The phenotype data and quality control data of the samples.

rowRanges The feature data at gene level.

metadata The study level metadata which contains one object called studies. This is a data. frame of bibliography information of the studies from which the samples were collected.

Examples

```
# load the data object
data('adipo_counts')
# print the object
adipo_counts
```

curatedAdipoRNA

curatedAdipoRNA package

Description

A Curated RNA-Seq Dataset of MDI-induced Differentiated Adipocytes (3T3-L1)

Details

A curated dataset of RNA-Seq samples. The samples are MDI-induced pre-phagocytes (3T3-L1) at different time points/stage of differentiation. The package document the data collection, pre-processing and processing. In addition to the documentation, the package contains the scripts that was used to generated the data. The datasets and the pipeline used to process it are documented in adipo_counts and the package vignette.

Index