

Package ‘KEGGdzPathwaysGEO’

November 4, 2025

Type Package

Title KEGG Disease Datasets from GEO

Version 1.49.0

Date 2012-08-13

Author Gaurav Bhatti, Adi L. Tarca

Maintainer Gaurav Bhatti <gbhatti@med.wayne.edu>

Description This is a collection of 24 data sets for which the phenotype is a disease with a corresponding pathway in the KEGG database. This collection of datasets were used as gold standard in comparing gene set analysis methods by the PADOG package.

Depends R (>= 2.13.0)

Imports Biobase, BiocGenerics

License GPL-2

biocViews MicroarrayData, GEO, ExperimentData

git_url <https://git.bioconductor.org/packages/KEGGdzPathwaysGEO>

git_branch devel

git_last_commit 19d5122

git_last_commit_date 2025-10-29

Repository Bioconductor 3.23

Date/Publication 2025-11-04

Contents

KEGGdzPathwaysGEO-package	2
GSE1297	3
GSE14762	5
GSE15471	6
GSE16515	7
GSE18842	8
GSE19188	9
GSE19728	11

GSE20153	12
GSE20291	13
GSE21354	14
GSE3467	15
GSE3585	16
GSE3678	18
GSE4107	19
GSE5281_EC	20
GSE5281_HIP	21
GSE5281_VCX	22
GSE6956AA	24
GSE6956C	25
GSE781	26
GSE8671	27
GSE8762	28
GSE9348	30
GSE9476	31

Index	33
--------------	-----------

KEGGdzPathwaysGEO-package

GEO Data Sets used to compare gene set analysis methods by PADOG package

Description

This is a collection of 24 data sets for which the phenotype is a disease with a corresponding pathway in the KEGG database. This collection of datasets were used as gold standard in comparing gene set analysis methods by the PADOG package.

GEOID	Pubmed	Ref.	Disease/Target pathway	KEGGID	Tissue
GSE1297	14769913	<i>pmid14769913</i>	Alzheimer's Disease	hsa05010	Hippocampal CA1
GSE5281	17077275	<i>pmid17077275</i>	Alzheimer's Disease	hsa05010	Brain, Entorhinal Cortex
GSE5281	17077275	<i>pmid17077275</i>	Alzheimer's Disease	hsa05010	Brain, hippocampus
GSE5281	17077275	<i>pmid17077275</i>	Alzheimer's Disease	hsa05010	Brain, Primary visual cortex
GSE20153	20926834	<i>pmid20926834</i>	Parkinson's disease	hsa05012	Lymphoblasts
GSE20291	15965975	<i>pmid15965975</i>	Parkinson's disease	hsa05012	Postmortem brain putamen
GSE8762	17724341	<i>pmid17724341</i>	Huntington's disease	hsa05016	Lymphocytes (blood)
GSE4107	17317818	<i>pmid17317818</i>	Colorectal Cancer	hsa05210	Mucosa
GSE8671	18171984	<i>pmid18171984</i>	Colorectal Cancer	hsa05210	Colon
GSE9348	20143136	<i>pmid20143136</i>	Colorectal Cancer	hsa05210	Colon
GSE14762	19252501	<i>pmid19252501</i>	Renal Cancer	hsa05211	Kidney
GSE781	14641932	<i>pmid14641932</i>	Renal Cancer	hsa05211	Kidney
GSE15471	19260470	<i>pmid19260470</i>	Pancreatic Cancer	hsa05212	Pancreas
GSE16515	19732725	<i>pmid19732725</i>	Pancreatic Cancer	hsa05212	Pancreas
GSE19728	-	-	Glioma	hsa05214	Brain

GSE21354	-		Glioma	hsa05214	Brain, Spine
GSE6956	18245496	<i>pmid18245496</i>	Prostate Cancer	hsa05215	Prostate
GSE6956	18245496	<i>pmid18245496</i>	Prostate Cancer	hsa05215	Prostate
GSE3467	16365291	<i>pmid16365291</i>	Thyroid Cancer	hsa05216	Thyroid
GSE3678	-		Thyroid Cancer	hsa05216	Thyroid
GSE9476	17910043	<i>pmid17910043</i>	Acute myeloid leukemia	hsa05221	Blood, Bone marrow
GSE18842	20878980	<i>pmid20878980</i>	Non-Small Cell Lung Cancer	hsa05223	Lung
GSE19188	20421987	<i>pmid20421987</i>	Non-Small Cell Lung Cancer	hsa05223	Lung
GSE3585	17045896	<i>pmid17045896</i>	Dilated cardiomyopathy	hsa05414	Heart

Details

Package: KEGGdzPathwaysGEO
 Type: Package
 Version: 1.0
 Date: 2012-07-23
 License: GPL-2

Author(s)

Gaurav Bhatti <gbhatti@med.wayne.edu>

References

Tarca AL, Draghici S, Bhatti G, Romero R (2012) Down-weighting overlapping genes improves gene set analysis. *BMC Bioinformatics* 13:136.

Examples

```

mysets=data(package="KEGGdzPathwaysGEO")$results[, "Item"]
mysets
data(GSE8671)

set=mysets[1]
data(list=set, package="KEGGdzPathwaysGEO")

```

GSE1297

Gene Expression Omnibus (GEO) Data Set Id: GSE1297

Description

For detailed description visit: <http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE1297>

Usage

```
data(GSE1297)
```

Format

The format is: Formal class 'ExpressionSet' [package "Biobase"] with 7 slots ..@ experimentData :Formal class 'MIAME' [package "Biobase"] with 13 slots@ name : chr "GSE1297"@ lab : chr "Landfield"@ contact : chr "emblal@uky.edu"@ title : chr "Incipient Alzheimer's Disease: Microarray Correlation Analyses"@ abstract : chr ""@ url : chr "http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE1297"@ pubMedIds : chr "14769913"@ samples : list()@ hybridizations : list()@ normControls : list()@ preprocessing : list()@ other :List of 3\$ design : chr "Not Paired"\$ targetGeneSets: chr "05010"\$ disease : chr "Alzheimer's Disease"@ .__classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 2\$: int [1:3] 1 0 0\$: int [1:3] 1 1 0 ..@ assayData :<environment: 0x3f9e5268> ..@ phenoData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots@ varMetadata : 'data.frame': 2 obs. of 1 variable:\$ labelDescription: chr [1:2] "GEO Sample ID" "Control/Disease status"@ data : 'data.frame': 16 obs. of 2 variables:\$ Sample: chr [1:16] "GSM21215" "GSM21217" "GSM21218" "GSM21219"\$ Group : chr [1:16] "c" "c" "c" "c"@ dimLabels : chr [1:2] "sampleNames" "sampleColumns"@ .__classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 1\$: int [1:3] 1 1 0 ..@ featureData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots@ varMetadata : 'data.frame': 0 obs. of 1 variable:\$ labelDescription: chr(0)@ data : 'data.frame': 22283 obs. of 0 variables@ dimLabels : chr [1:2] "featureNames" "featureColumns"@ .__classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 1\$: int [1:3] 1 1 0 ..@ annotation : chr "hgu133a" ..@ protocolData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots@ varMetadata : 'data.frame': 0 obs. of 1 variable:\$ labelDescription: chr(0)@ data : 'data.frame': 16 obs. of 0 variables@ dimLabels : chr [1:2] "sampleNames" "sampleColumns"@ .__classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 1\$: int [1:3] 1 1 0 ..@ .__classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 4\$: int [1:3] 2 15 0\$: int [1:3] 2 16 0\$: int [1:3] 1 3 0\$: int [1:3] 1 0 0

Details

Samples belonging to the Severe and Control groups are included. The sample, GSM21207, was excluded during Quality Control.

Source

<http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE1297>

Examples

```
data(GSE1297)
```

GSE14762

*Gene Expression Omnibus (GEO) Data Set Id: GSE14762***Description**

For detailed description visit: <http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE14762>

Usage

```
data(GSE14762)
```

Format

The format is: Formal class 'ExpressionSet' [package "Biobase"] with 7 slots ..@ experimentData :Formal class 'MIAME' [package "Biobase"] with 13 slots@ name : chr "GSE14762"@ lab : chr "Lab of Computational Biology"@ contact : chr "NA"@ title : chr "Renal Cell Carcinoma: Hypoxia and Endocytosis"@ abstract : chr ""@ url : chr "http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE14762"@ pubMedIds : chr "19252501"@ samples : list()@ hybridizations : list()@ normControls : list()@ preprocessing : list()@ other :List of 3\$ design : chr "Not Paired"\$ targetGeneSets: chr "05211"\$ disease : chr "Renal Cancer"@ .._classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 2\$: int [1:3] 1 0 0\$: int [1:3] 1 1 0 ..@ assayData :<environment: 0x3f9eaa60> ..@ phenoData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots@ varMetadata :'data.frame': 2 obs. of 1 variable:\$ labelDescription: chr [1:2] "GEO Sample ID" "Control/Disease status"@ data :'data.frame': 21 obs. of 2 variables:\$ Sample: chr [1:21] "GSM368649" "GSM368650" "GSM368651" "GSM368652"\$ Group : chr [1:21] "c" "c" "c" "c"@ dimLabels : chr [1:2] "sampleNames" "sampleColumns"@ .._classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 1\$: int [1:3] 1 1 0 ..@ featureData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots@ varMetadata :'data.frame': 0 obs. of 1 variable:\$ labelDescription: chr(0)@ data :'data.frame': 54675 obs. of 0 variables@ dimLabels : chr [1:2] "featureNames" "featureColumns"@ .._classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 1\$: int [1:3] 1 1 0 ..@ annotation : chr "hgu133plus2" ..@ protocolData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots@ varMetadata :'data.frame': 0 obs. of 1 variable:\$ labelDescription: chr(0)@ data :'data.frame': 21 obs. of 0 variables@ dimLabels : chr [1:2] "sampleNames" "sampleColumns"@ .._classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 1\$: int [1:3] 1 1 0 ..@ .._classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 4\$: int [1:3] 2 15 0\$: int [1:3] 2 16 0\$: int [1:3] 1 3 0\$: int [1:3] 1 0 0

Details

The sample, GSM368647, was excluded during Quality Control.

Source

<http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE14762>

Examples

```
data(GSE14762)
```

GSE15471

Gene Expression Omnibus (GEO) Data Set Id: GSE15471

Description

For detailed description visit: <http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE15471>

Usage

```
data(GSE15471)
```

Format

The format is: Formal class 'ExpressionSet' [package "Biobase"] with 7 slots ..@ experimentData :Formal class 'MIAME' [package "Biobase"] with 13 slots@ name : chr "GSE15471"@ lab : chr "AI and Bioinformatics"@ contact : chr "badea.liviu@gmail.com"@ title : chr "Whole-Tissue Gene Expression Study of Pancreatic Ductal Adenocarcinoma"@ abstract : chr ""@ url : chr "http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE15471"@ pubMedIds : chr "19260470"@ samples : list()@ hybridizations : list()@ normControls : list()@ preprocessing : list()@ other :List of 3@ design : chr "Paired"@ targetGeneSets : chr "05212"@ disease : chr "Pancreatic Cancer"@ __classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 2@ : int [1:3] 1 0 0@ : int [1:3] 1 1 0 ..@ assayData :<environment: 0x3f9f19b8> ..@ phenoData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots@ varMetadata : 'data.frame': 3 obs. of 1 variable:@ : chr [1:3] "GEO Sample ID" "Control/Disease status" "Pair ID"@ data : 'data.frame': 70 obs. of 3 variables:@ Sample: chr [1:70] "GSM388076" "GSM388078" "GSM388080" "GSM388082"@ Group : chr [1:70] "c" "c" "c" "c"@ Block : chr [1:70] "30162" "40728" "41027" "30057"@ dimLabels : chr [1:2] "sampleNames" "sampleColumns"@ __classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 1@ : int [1:3] 1 1 0 ..@ featureData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots@ varMetadata : 'data.frame': 0 obs. of 1 variable:@ : chr(0)@ data : 'data.frame': 54675 obs. of 0 variables@ dimLabels : chr [1:2] "featureNames" "featureColumns"@ __classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 1@ : int [1:3] 1 1 0 ..@ annotation : chr "hgu133plus2" ..@ protocolData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots@ varMetadata : 'data.frame': 0 obs. of 1 variable:@ : chr(0)@ data : 'data.frame': 70 obs. of 0 variables@ dimLabels : chr [1:2] "sampleNames" "sampleColumns"@ __classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 1@ : int [1:3] 1 1 0 ..@

```
.__classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots .. ..@ .Data:List of 4
.. .. ..$ : int [1:3] 2 15 0 .. .. ..$ : int [1:3] 2 16 0 .. .. ..$ : int [1:3] 1 3 0 .. .. ..$ : int [1:3] 1
0 0
```

Details

Samples, GSM388077, GSM388079, GSM388081, GSM388116, GSM388118, GSM388120 were excluded because they were replicates. Samples, GSM388111 and GSM388150, were excluded during Quality Control.

Source

<http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE15471>

Examples

```
data(GSE15471)
```

GSE16515

Gene Expression Omnibus (GEO) Data Set Id: GSE16515

Description

For detailed description visit: <http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE16515>

Usage

```
data(GSE16515)
```

Format

The format is: Formal class 'ExpressionSet' [package "Biobase"] with 7 slots ..@ experimentData :Formal class 'MIAME' [package "Biobase"] with 13 slots@ name : chr "GSE16515"@ lab : chr "NA"@ contact : chr "wang.liewei@mayo.edu"@ title : chr "Expression data from Mayo Clinic Pancreatic Tumor and Normal samples"@ abstract : chr ""@ url : chr "http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE16515"@ pubMedIds : chr "19732725"@ samples : list()@ hybridizations : list()@ normControls : list()@ preprocessing : list()@ other :List of 3\$ design : chr "Paired"\$ targetGeneSets: chr "05212"\$ disease : chr "Pancreatic Cancer"@ .__classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 2\$: int [1:3] 1 0 0\$: int [1:3] 1 1 0 ..@ assayData :<environment: 0x3f9f8150> ..@ phenoData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots@ varMetadata :'data.frame': 3 obs. of 1 variable:\$ labelDescription: chr [1:3] "GEO Sample ID" "Control/Disease status" "Pair ID"@ data :'data.frame': 30 obs. of 3 variables:\$ Sample: chr [1:30] "GSM414928" "GSM414930" "GSM414934" "GSM414938"\$ Group : chr [1:30] "c" "c" "c" "c"\$ Block : chr [1:30] "16" "53" "11" "54"@ dimLabels : chr [1:2] "sampleNames" "sampleColumns"@ .__classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 1\$: int

```
[1:3] 1 1 0 ..@ featureData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots
.. ..@ varMetadata :'data.frame': 0 obs. of 1 variable: .. ..$ labelDescription: chr(0) .. ..
..@ data :'data.frame': 54675 obs. of 0 variables .. ..@ dimLabels : chr [1:2] "featureNames"
"featureColumns" .. ..@ .__classVersion__:Formal class 'Versions' [package "Biobase"] with
1 slots .. ..@ .Data:List of 1 .. ..$ : int [1:3] 1 1 0 ..@ annotation : chr
"hgu133plus2" ..@ protocolData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4
slots .. ..@ varMetadata :'data.frame': 0 obs. of 1 variable: .. ..$ labelDescription: chr(0)
.. ..@ data :'data.frame': 30 obs. of 0 variables .. ..@ dimLabels : chr [1:2] "sampleNames"
"sampleColumns" .. ..@ .__classVersion__:Formal class 'Versions' [package "Biobase"] with 1
slots .. ..@ .Data:List of 1 .. ..$ : int [1:3] 1 1 0 ..@ .__classVersion__:Formal class
'Versions' [package "Biobase"] with 1 slots .. ..@ .Data:List of 4 .. ..$ : int [1:3] 2 15 0 .. ..
..$ : int [1:3] 2 16 0 .. ..$ : int [1:3] 1 3 0 .. ..$ : int [1:3] 1 0 0
```

Details

Only those samples that consisted of both tumor and normal expression data were included. Samples, GSM414931 and GSM414932, were excluded during Quality Control.

Source

<http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE16515>

Examples

```
data(GSE16515)
```

GSE18842

Gene Expression Omnibus (GEO) Data Set Id: GSE18842

Description

For detailed description visit: <http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE18842>

Usage

```
data(GSE18842)
```

Format

The format is: Formal class 'ExpressionSet' [package "Biobase"] with 7 slots ..@ experimentData :Formal class 'MIAME' [package "Biobase"] with 13 slots@ name : chr "GSE18842"@ lab : chr "NA"@ contact : chr "efarez@ugr.es"@ title : chr "Gene expression analysis of human lung cancer and control samples"@ abstract : chr ""@ url : chr "http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE18842"@ pubMedIds : chr "20878980"@ samples : list()@ hybridizations : list()@ normControls : list()@ preprocessing : list()@ other :List of 3\$ design : chr "Paired"\$ targetGeneSets : chr "05223"\$ disease : chr "Non Small Cell Lung Cancer"@ .__classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List


```

of 2 .. .. ..$ : int [1:3] 1 0 0 .. .. .. ..$ : int [1:3] 1 1 0 ..@ assayData :<environment:
0x3f9fe140> ..@ phenoData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots
.. .. ..@ varMetadata : 'data.frame': 3 obs. of 1 variable: .. .. ..$ labelDescription: chr [1:3] "GEO
Sample ID" "Control/Disease status" "Pair ID" .. .. ..@ data : 'data.frame': 88 obs. of 3 variables:
.. .. ..$ Sample: chr [1:88] "GSM466948" "GSM466950" "GSM466953" "GSM466955" ... ..
.. .. ..$ Group : chr [1:88] "c" "c" "c" "c" ... .. .. ..$ Block : chr [1:88] "2" "3" "9" "10" ... ..
.. .. ..@ dimLabels : chr [1:2] "sampleNames" "sampleColumns" .. .. ..@ .__classVersion__:Formal
class 'Versions' [package "Biobase"] with 1 slots .. .. .. ..@ .Data:List of 1 .. .. .. ..$ : int
[1:3] 1 1 0 ..@ featureData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots
.. .. ..@ varMetadata : 'data.frame': 0 obs. of 1 variable: .. .. ..$ labelDescription: chr(0) .. ..
.. .. ..@ data : 'data.frame': 54675 obs. of 0 variables .. .. ..@ dimLabels : chr [1:2] "featureNames"
"featureColumns" .. .. ..@ .__classVersion__:Formal class 'Versions' [package "Biobase"] with
1 slots .. .. .. ..@ .Data:List of 1 .. .. .. ..$ : int [1:3] 1 1 0 ..@ annotation : chr
"hgu133plus2" ..@ protocolData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4
slots .. .. ..@ varMetadata : 'data.frame': 0 obs. of 1 variable: .. .. ..$ labelDescription: chr(0)
.. .. ..@ data : 'data.frame': 88 obs. of 0 variables .. .. ..@ dimLabels : chr [1:2] "sampleNames"
"sampleColumns" .. .. ..@ .__classVersion__:Formal class 'Versions' [package "Biobase"] with 1
slots .. .. .. ..@ .Data:List of 1 .. .. .. ..$ : int [1:3] 1 1 0 ..@ .__classVersion__:Formal class
'Versions' [package "Biobase"] with 1 slots .. .. ..@ .Data:List of 4 .. .. .. ..$ : int [1:3] 2 15 0 .. ..
..$ : int [1:3] 2 16 0 .. .. ..$ : int [1:3] 1 3 0 .. .. ..$ : int [1:3] 1 0 0

```

Details

Only those samples were included that were paired.

Source

<http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE18842>

Examples

```
data(GSE18842)
```

GSE19188

Gene Expression Omnibus (GEO) Data Set Id: GSE19188

Description

For detailed description visit: <http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE19188>

Usage

```
data(GSE19188)
```

Format

The format is: Formal class 'ExpressionSet' [package "Biobase"] with 7 slots ..@ experimentData :Formal class 'MIAME' [package "Biobase"] with 13 slots@ name : chr "GSE19188"@ lab : chr "NA"@ contact : chr "j.philipsen@erasmusmc.nl"@ title : chr "Expression data for early stage NSCLC"@ abstract : chr ""@ url : chr "http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE19188"@ pubMedIds : chr "20421987"@ samples : list()@ hybridizations : list()@ normControls : list()@ preprocessing : list()@ other :List of 3@ design : chr "Not Paired"@ targetGeneSets : chr "05223"@ disease : chr "Non Small Cell Lung Cancer"@ ..@ classVersion__ :Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 2@ : int [1:3] 1 0 0@ : int [1:3] 1 1 0 ..@ assayData :<environment: 0x3fa048d8> ..@ phenoData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots@ varMetadata : 'data.frame': 2 obs. of 1 variable:@ labelDescription: chr [1:2] "GEO Sample ID" "Control/Disease status"@ data : 'data.frame': 153 obs. of 2 variables:@ Sample: chr [1:153] "GSM475657" "GSM475658" "GSM475660" "GSM475663"@ Group : chr [1:153] "c" "c" "c" "c"@ dimLabels : chr [1:2] "sampleNames" "sampleColumns"@ ..@ classVersion__ :Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 1@ : int [1:3] 1 1 0 ..@ featureData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots@ varMetadata : 'data.frame': 0 obs. of 1 variable:@ labelDescription: chr(0)@ data : 'data.frame': 54675 obs. of 0 variables@ dimLabels : chr [1:2] "featureNames" "featureColumns"@ ..@ classVersion__ :Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 1@ : int [1:3] 1 1 0 ..@ annotation : chr "hgu133plus2" ..@ protocolData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots@ varMetadata : 'data.frame': 0 obs. of 1 variable:@ labelDescription: chr(0)@ data : 'data.frame': 153 obs. of 0 variables@ dimLabels : chr [1:2] "sampleNames" "sampleColumns"@ ..@ classVersion__ :Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 1@ : int [1:3] 1 1 0 ..@ ..@ classVersion__ :Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 4@ : int [1:3] 2 15 0@ : int [1:3] 2 16 0@ : int [1:3] 1 3 0@ : int [1:3] 1 0 0

Details

Samples, GSM475659, GSM475666 and GSM475781, were excluded during Quality Control.

Source

<http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE19188>

Examples

```
data(GSE19188)
```

GSE19728

*Gene Expression Omnibus (GEO) Data Set Id: GSE19728***Description**

For detailed description visit: <http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE19728>

Usage

```
data(GSE19728)
```

Format

The format is: Formal class 'ExpressionSet' [package "Biobase"] with 7 slots ..@ experimentData :Formal class 'MIAME' [package "Biobase"] with 13 slots@ name : chr "GSE19728"@ lab : chr "NA"@ contact : chr "yaozhq11@hotmail.com"@ title : chr "Expression data from different grades (WHO) of astrocytomas (ACM)"@ abstract : chr ""@ url : chr "http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE19728"@ pubMedIds : chr "NA"@ samples : list()@ hybridizations : list()@ normControls : list()@ preprocessing : list()@ other :List of 3\$ design : chr "Not Paired"\$ targetGeneSets : chr "05214"\$ disease : chr "Glioma"@ .__classVersion__ :Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 2\$: int [1:3] 1 0 0\$: int [1:3] 1 1 0 ..@ assayData :<environment: 0x3fa0a8c8> ..@ phenoData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots@ varMetadata : 'data.frame': 2 obs. of 1 variable:\$ labelDescription: chr [1:2] "GEO Sample ID" "Control/Disease status"@ data : 'data.frame': 21 obs. of 2 variables:\$ Sample: chr [1:21] "GSM492649" "GSM525014" "GSM525015" "GSM525016"\$ Group : chr [1:21] "c" "c" "c" "c"@ dimLabels : chr [1:2] "sampleNames" "sampleColumns"@ .__classVersion__ :Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 1\$: int [1:3] 1 1 0 ..@ featureData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots@ varMetadata : 'data.frame': 0 obs. of 1 variable:\$ labelDescription: chr(0)@ data : 'data.frame': 54675 obs. of 0 variables@ dimLabels : chr [1:2] "featureNames" "featureColumns"@ .__classVersion__ :Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 1\$: int [1:3] 1 1 0 ..@ annotation : chr "hgu133plus2" ..@ protocolData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots@ varMetadata : 'data.frame': 0 obs. of 1 variable:\$ labelDescription: chr(0)@ data : 'data.frame': 21 obs. of 0 variables@ dimLabels : chr [1:2] "sampleNames" "sampleColumns"@ .__classVersion__ :Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 1\$: int [1:3] 1 1 0 ..@ .__classVersion__ :Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 4\$: int [1:3] 2 15 0\$: int [1:3] 2 16 0\$: int [1:3] 1 3 0\$: int [1:3] 1 0 0

Details

For detailed description visit: <http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE19728>


```
'Versions' [package "Biobase"] with 1 slots .. ..@ .Data:List of 4 .. .. .$. : int [1:3] 2 15 0 .. ..
..$. : int [1:3] 2 16 0 .. .. .$. : int [1:3] 1 3 0 .. .. .$. : int [1:3] 1 0 0
```

Details

For detailed description visit: <http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE20153>

Source

<http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE20153>

Examples

```
data(GSE20153)
```

GSE20291

Gene Expression Omnibus (GEO) Data Set Id: GSE20291

Description

For detailed description visit: <http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE20291>

Usage

```
data(GSE20291)
```

Format

The format is: Formal class 'ExpressionSet' [package "Biobase"] with 7 slots ..@ experimentData :Formal class 'MIAME' [package "Biobase"] with 13 slots@ name : chr "GSE20291"@ lab : chr "NA"@ contact : chr "middletf@upstate.edu"@ title : chr "Transcriptional analysis of putamen in Parkinson's disease"@ abstract : chr ""@ url : chr "http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE20291"@ pubMedIds : chr "15965975"@ samples : list()@ hybridizations : list()@ normControls : list()@ preprocessing : list()@ other :List of 3\$. design : chr "Not Paired"\$. targetGeneSets: chr "05012"\$. disease : chr "Parkinson's disease"@ .__classVersion__ :Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 2\$. : int [1:3] 1 0 0\$. : int [1:3] 1 1 0 ..@ assayData :<environment: 0x2cb9b7d8> ..@ phenoData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots@ varMetadata :'data.frame': 2 obs. of 1 variable:\$. labelDescription: chr [1:2] "GEO Sample ID" "Control/Disease status"@ data :'data.frame': 33 obs. of 2 variables:\$. Sample: chr [1:33] "GSM508594" "GSM508683" "GSM508686" "GSM508687"\$. Group : chr [1:33] "c" "c" "c" "c"@ dimLabels : chr [1:2] "sampleNames" "sampleColumns"@ .__classVersion__ :Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 1\$. : int [1:3] 1 1 0 ..@ featureData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots@ varMetadata :'data.frame': 0 obs. of 1 variable:\$. labelDescription: chr(0)@ data :'data.frame': 22283 obs. of 0 variables@ dimLabels : chr

Details

Source

Examples

GSE21354 *Gene Expression Omnibus (GEO) Data Set Id: GSE21354*

For detailed description visit: <http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE21354>

```
data(GSE21354)
```

```
The format is: Formal class 'ExpressionSet' [package "Biobase"] with 7 slots ..@ experimentData
:Formal class 'MIAME' [package "Biobase"] with 13 slots .. ..@ name : chr "GSE21354" .. ..
..@ lab : chr "NA" .. ..@ contact : chr "yaozhq11@hotmail.com" .. ..@ title : chr "gene
expression profiling of three type of grade II gliomas" .. ..@ abstract : chr "" .. ..@ url : chr
"http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE21354" .. ..@ pubMedIds : chr "NA"
.. ..@ samples : list() .. ..@ hybridizations : list() .. ..@ normControls : list() .. ..@
preprocessing : list() .. ..@ other :List of 3 .. .. ..$ design : chr "Not Paired" .. .. ..$
targetGeneSets: chr "05214" .. .. ..$ disease : chr "Glioma" .. ..@ .__classVersion__:Formal
class 'Versions' [package "Biobase"] with 1 slots .. .. ..@ .Data:List of 2 .. .. .. ..$
: int [1:3] 1 0 0 .. .. .. ..$ : int [1:3] 1 1 0 ..@ assayData <environment: 0x2cba1008>
..@ phenoData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots .. ..@
varMetadata : 'data.frame': 2 obs. of 1 variable: .. .. ..$ labelDescription: chr [1:2] "GEO Sample
ID" "Control/Disease status" .. ..@ data : 'data.frame': 17 obs. of 2 variables: .. .. ..$ Sample:
```

```
chr [1:17] "GSM492649" "GSM525014" "GSM525015" "GSM525016" ... .. ..$ Group : chr
[1:17] "c" "c" "c" "c" ... .. ..@ dimLabels : chr [1:2] "sampleNames" "sampleColumns" .. ..
..@ .__classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots .. .. ..@
.Data:List of 1 .. .. ..$ : int [1:3] 1 1 0 ..@ featureData :Formal class 'AnnotatedDataFrame'
[package "Biobase"] with 4 slots .. .. ..@ varMetadata :'data.frame': 0 obs. of 1 variable: .. ..
.. ..$ labelDescription: chr(0) .. .. ..@ data :'data.frame': 54675 obs. of 0 variables .. .. ..@
dimLabels : chr [1:2] "featureNames" "featureColumns" .. .. ..@ .__classVersion__:Formal class
'Versions' [package "Biobase"] with 1 slots .. .. ..@ .Data:List of 1 .. .. ..$ : int [1:3]
1 1 0 ..@ annotation : chr "hgu133plus2" ..@ protocolData :Formal class 'AnnotatedDataFrame'
[package "Biobase"] with 4 slots .. .. ..@ varMetadata :'data.frame': 0 obs. of 1 variable: .. ..
.. ..$ labelDescription: chr(0) .. .. ..@ data :'data.frame': 17 obs. of 0 variables .. .. ..@ dimLabels
: chr [1:2] "sampleNames" "sampleColumns" .. .. ..@ .__classVersion__:Formal class 'Versions'
[package "Biobase"] with 1 slots .. .. ..@ .Data:List of 1 .. .. ..$ : int [1:3] 1 1 0 ..@
.__classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots .. .. ..@ .Data:List of 4
.. .. ..$ : int [1:3] 2 15 0 .. .. ..$ : int [1:3] 2 16 0 .. .. ..$ : int [1:3] 1 3 0 .. .. ..$ : int [1:3] 1
0 0
```

Details

Sample, GSM492652, was excluded during Quality Control.

Source

<http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE21354>

Examples

```
data(GSE21354)
```

GSE3467

Gene Expression Omnibus (GEO) Data Set Id: GSE3467

Description

For detailed description visit: <http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE3467>

Usage

```
data(GSE3467)
```

Format

The format is: Formal class 'ExpressionSet' [package "Biobase"] with 7 slots ..@ experimentData :Formal class 'MIAME' [package "Biobase"] with 13 slots@ name : chr "GSE3467"@ lab : chr "Davuluri Lab"@ contact : chr "sandya.liyanarachchi@osumc.edu"@ title : chr "The role of micro-RNA genes in papillary thyroid carcinoma"@ abstract : chr ""@ url : chr "http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE3467"@ pubMedIds : chr "16365291"@ samples : list()@ hybridizations : list()@

```

normControls : list() .. ..@ preprocessing : list() .. ..@ other :List of 3 .. ..$ design : chr
"Paired" .. ..$ targetGeneSets: chr "05216" .. ..$ disease : chr "Thyroid Cancer" .. ..@
.__classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots .. ..@ .Data:List
of 2 .. ..$ : int [1:3] 1 0 0 .. ..$ : int [1:3] 1 1 0 ..@ assayData :<environment:
0x2cba7f60> ..@ phenoData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots
.. ..@ varMetadata :'data.frame': 3 obs. of 1 variable: .. ..$ labelDescription: chr [1:3] "GEO
Sample ID" "Control/Disease status" "Pair ID" .. ..@ data :'data.frame': 18 obs. of 3 variables:
.. ..$ Sample: chr [1:18] "GSM77362" "GSM77364" "GSM77366" "GSM77368" .. ..$
..$ Group : chr [1:18] "c" "c" "c" "c" .. ..$ Block : chr [1:18] "14" "26" "50" "69" ..
.. ..@ dimLabels : chr [1:2] "sampleNames" "sampleColumns" .. ..@ .__classVersion__:Formal
class 'Versions' [package "Biobase"] with 1 slots .. ..@ .Data:List of 1 .. ..$ : int
[1:3] 1 1 0 ..@ featureData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots
.. ..@ varMetadata :'data.frame': 0 obs. of 1 variable: .. ..$ labelDescription: chr(0) ..
..@ data :'data.frame': 54675 obs. of 0 variables .. ..@ dimLabels : chr [1:2] "featureNames"
"featureColumns" .. ..@ .__classVersion__:Formal class 'Versions' [package "Biobase"] with
1 slots .. ..@ .Data:List of 1 .. ..$ : int [1:3] 1 1 0 ..@ annotation : chr
"hgu133plus2" ..@ protocolData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4
slots .. ..@ varMetadata :'data.frame': 0 obs. of 1 variable: .. ..$ labelDescription: chr(0)
.. ..@ data :'data.frame': 18 obs. of 0 variables .. ..@ dimLabels : chr [1:2] "sampleNames"
"sampleColumns" .. ..@ .__classVersion__:Formal class 'Versions' [package "Biobase"] with 1
slots .. ..@ .Data:List of 1 .. ..$ : int [1:3] 1 1 0 ..@ .__classVersion__:Formal class
'Versions' [package "Biobase"] with 1 slots .. ..@ .Data:List of 4 .. ..$ : int [1:3] 2 15 0 ..
..$ : int [1:3] 2 16 0 .. ..$ : int [1:3] 1 3 0 .. ..$ : int [1:3] 1 0 0

```

Details

For detailed description visit: <http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE3467>

Source

<http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE3467>

Examples

```
data(GSE3467)
```

GSE3585

Gene Expression Omnibus (GEO) Data Set Id: GSE3585

Description

For detailed description visit: <http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE3585>

Usage

```
data(GSE3585)
```


Format

The format is: Formal class 'ExpressionSet' [package "Biobase"] with 7 slots ..@ experimentData :Formal class 'MIAME' [package "Biobase"] with 13 slots@ name : chr "GSE3585"@ lab : chr "Unit Cancer Genome Research"@ contact : chr "r.kuner@dkfz.de"@ title : chr "Dilated Cardiomyopathy and Non Failing Biopsies"@ abstract : chr ""@ url : chr "http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE3585"@ pubMedIds : chr "17045896"@ samples : list()@ hybridizations : list()@ normControls : list()@ preprocessing : list()@ other :List of 3\$ design : chr "Not Paired"\$ targetGeneSets: chr "05414"\$ disease : chr "Dilated cardiomyopathy"@ .._classVersion_:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 2\$: int [1:3] 1 0 0\$: int [1:3] 1 1 0 ..@ assayData :<environment: 0x2cbaeeb8> ..@ phenoData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots@ varMetadata : 'data.frame': 2 obs. of 1 variable:\$ labelDescription: chr [1:2] "GEO Sample ID" "Control/Disease status"@ data : 'data.frame': 12 obs. of 2 variables:\$ Sample: chr [1:12] "GSM82381" "GSM82382" "GSM82383" "GSM82384"\$ Group : chr [1:12] "c" "c" "c" "c"@ dimLabels : chr [1:2] "sampleNames" "sampleColumns"@ .._classVersion_:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 1\$: int [1:3] 1 1 0 ..@ featureData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots@ varMetadata : 'data.frame': 0 obs. of 1 variable:\$ labelDescription: chr(0)@ data : 'data.frame': 22283 obs. of 0 variables@ dimLabels : chr [1:2] "featureNames" "featureColumns"@ .._classVersion_:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 1\$: int [1:3] 1 1 0 ..@ annotation : chr "hgu133a" ..@ protocolData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots@ varMetadata : 'data.frame': 0 obs. of 1 variable:\$ labelDescription: chr(0)@ data : 'data.frame': 12 obs. of 0 variables@ dimLabels : chr [1:2] "sampleNames" "sampleColumns"@ .._classVersion_:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 1\$: int [1:3] 1 1 0 ..@ .._classVersion_:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 4\$: int [1:3] 2 15 0\$: int [1:3] 2 16 0\$: int [1:3] 1 3 0\$: int [1:3] 1 0 0

Details

For detailed description visit: <http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE3585>

Source

<http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE3585>

Examples

```
data(GSE3585)
```

GSE3678

*Gene Expression Omnibus (GEO) Data Set Id: GSE3678***Description**

For detailed description visit: <http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE3678>

Usage

```
data(GSE3678)
```

Format

The format is: Formal class 'ExpressionSet' [package "Biobase"] with 7 slots ..@ experimentData :Formal class 'MIAME' [package "Biobase"] with 13 slots@ name : chr "GSE3678"@ lab : chr "NA"@ contact : chr "ismael_reyes@nymc.edu"@ title : chr "PTC versus paired normal thyroid tissue"@ abstract : chr ""@ url : chr "http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE3678"@ pubMedIds : chr "NA"@ samples : list()@ hybridizations : list()@ normControls : list()@ preprocessing : list()@ other :List of 3@ design : chr "Paired"@ targetGeneSets: chr "05216"@ disease : chr "Thyroid Cancer"@ ..@ classVersion__ :Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 2@ ..@ : int [1:3] 1 0 0@ ..@ : int [1:3] 1 1 0 ..@ assayData :<environment: 0x2cbb46e8> ..@ phenoData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots@ varMetadata :'data.frame': 3 obs. of 1 variable:@ labelDescription: chr [1:3] "GEO Sample ID" "Control/Disease status" "Pair ID"@ data :'data.frame': 14 obs. of 3 variables:@ Sample: chr [1:14] "GSM85215" "GSM85216" "GSM85217" "GSM85218"@ Group: chr [1:14] "c" "c" "c" "c"@ Block: chr [1:14] "1" "2" "3" "4"@ dimLabels : chr [1:2] "sampleNames" "sampleColumns"@ ..@ classVersion__ :Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 1@ ..@ : int [1:3] 1 1 0 ..@ featureData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots@ varMetadata :'data.frame': 0 obs. of 1 variable:@ labelDescription: chr(0)@ data :'data.frame': 54675 obs. of 0 variables@ dimLabels : chr [1:2] "featureNames" "featureColumns"@ ..@ classVersion__ :Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 1@ ..@ : int [1:3] 1 1 0 ..@ annotation : chr "hgu133plus2" ..@ protocolData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots@ varMetadata :'data.frame': 0 obs. of 1 variable:@ labelDescription: chr(0)@ data :'data.frame': 14 obs. of 0 variables@ dimLabels : chr [1:2] "sampleNames" "sampleColumns"@ ..@ classVersion__ :Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 1@ ..@ : int [1:3] 1 1 0 ..@ ..@ classVersion__ :Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 4@ ..@ : int [1:3] 2 15 0@ ..@ : int [1:3] 2 16 0@ ..@ : int [1:3] 1 3 0@ ..@ : int [1:3] 1 0 0

Details

For detailed description visit: <http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE3678>

Source

<http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE3678>

Examples

```
data(GSE3678)
```

GSE4107

Gene Expression Omnibus (GEO) Data Set Id: GSE4107

Description

For detailed description visit: <http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE4107>

Usage

```
data(GSE4107)
```

Format

The format is: Formal class 'ExpressionSet' [package "Biobase"] with 7 slots ..@ experimentData :Formal class 'MIAME' [package "Biobase"] with 13 slots@ name : chr "GSE4107"@ lab : chr "CRC research lab"@ contact : chr "hong.yi@sgh.com.sg;fbap8570@yahoo.com"@ title : chr "Expression profiling in early onset colorectal cancer"@ abstract : chr ""@ url : chr "http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE4107"@ pubMedIds : chr "17317818"@ samples : list()@ hybridizations : list()@ normControls : list()@ preprocessing : list()@ other :List of 3\$ design : chr "Not Paired"\$ targetGeneSets: chr "05210"\$ disease : chr "Colorectal Cancer"@ __classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 2\$: int [1:3] 1 0 0\$: int [1:3] 1 1 0 ..@ assayData :<environment: 0x41550490> ..@ phenoData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots@ varMetadata :'data.frame': 2 obs. of 1 variable:\$ labelDescription: chr [1:2] "GEO Sample ID" "Control/Disease status"@ data :'data.frame': 22 obs. of 2 variables:\$ Sample: chr [1:22] "GSM93938" "GSM93939" "GSM93941" "GSM93943"\$ Group : chr [1:22] "c" "c" "c" "c"@ dimLabels : chr [1:2] "sampleNames" "sampleColumns"@ __classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 1\$: int [1:3] 1 1 0 ..@ featureData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots@ varMetadata :'data.frame': 0 obs. of 1 variable:\$ labelDescription: chr(0)@ data :'data.frame': 54675 obs. of 0 variables@ dimLabels : chr [1:2] "featureNames" "featureColumns"@ __classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 1\$: int [1:3] 1 1 0 ..@ annotation : chr "hgu133plus2" ..@ protocolData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots@ varMetadata :'data.frame': 0 obs. of 1 variable:\$ labelDescription: chr(0)@ data :'data.frame': 22 obs. of 0 variables@ dimLabels : chr [1:2] "sampleNames" "sampleColumns"@ __classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 1\$: int [1:3] 1 1 0 ..@ __classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 4

```
.. .. ..$ : int [1:3] 2 15 0 .. .. ..$ : int [1:3] 2 16 0 .. .. ..$ : int [1:3] 1 3 0 .. .. ..$ : int [1:3] 1
0 0
```

Details

For detailed description visit: <http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE4107>

Source

<http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE4107>

Examples

```
data(GSE4107)
```

GSE5281_EC

*Gene Expression Omnibus (GEO) Data Set Id: GSE5281.
GSE5281_EC contains data for Entorhinal cortex samples from the
data set GSE5281.*

Description

GSE5281_EC contains data for Entorhinal cortex samples from the data set GSE5281. For detailed description visit: <http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE5281>

Usage

```
data(GSE5281_EC)
```

Format

The format is: Formal class 'ExpressionSet' [package "Biobase"] with 7 slots ..@ experimentData :Formal class 'MIAME' [package "Biobase"] with 13 slots@ name : chr "GSE5281_EC"@ lab : chr "NIH Neuroscience Microarray Consortium"@ contact : chr "bhamill@mednet.ucla.edu"@ title : chr "Alzheimer's disease and the normal aged brain (steph-affy-human-433773)"@ abstract : chr ""@ url : chr "http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE5281"@ pubMedIds : chr "17077275"@ samples : list()@ hybridizations : list()@ normControls : list()@ preprocessing : list()@ other :List of 3\$ design : chr "Not Paired"\$ targetGeneSets : chr "05010"\$ disease : chr "Alzheimer's Disease"@ __classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 2\$: int [1:3] 1 0 0\$: int [1:3] 1 1 0 ..@ assayData :<environment: 0x415573e8> ..@ phenoData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots@ varMetadata :'data.frame': 2 obs. of 1 variable:\$ labelDescription: chr [1:2] "GEO Sample ID" "Control/Disease status"@ data :'data.frame': 21 obs. of 2 variables:\$ Sample: chr [1:21] "GSM119615" "GSM119616" "GSM119617" "GSM119618"\$ Group : chr [1:21] "c" "c" "c" "c"@ dimLabels : chr [1:2] "sampleNames" "sampleColumns"@ __classVersion__:Formal class 'Versions' [package "Biobase"] with 1

slots@ .Data:List of 1\$: int [1:3] 1 1 0 ..@ featureData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots@ varMetadata :'data.frame': 0 obs. of 1 variable:\$ labelDescription: chr(0)@ data :'data.frame': 54675 obs. of 0 variables@ dimLabels : chr [1:2] "featureNames" "featureColumns"@ .__classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 1\$: int [1:3] 1 1 0 ..@ annotation : chr "hgu133plus2" ..@ protocolData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots@ varMetadata :'data.frame': 0 obs. of 1 variable:\$ labelDescription: chr(0)@ data :'data.frame': 21 obs. of 0 variables@ dimLabels : chr [1:2] "sampleNames" "sampleColumns"@ .__classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 1\$: int [1:3] 1 1 0 ..@ .__classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 4\$: int [1:3] 2 15 0\$: int [1:3] 2 16 0\$: int [1:3] 1 3 0\$: int [1:3] 1 0 0

Details

GSE5281_EC contains data for Entorhinal cortex samples from the data set GSE5281. The samples, GSM119626 and GSM238763, were excluded during Quality Control.

Source

<http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE5281>

Examples

`data(GSE5281_EC)`

GSE5281_HIP	<i>Gene Expression Omnibus (GEO) Data Set Id: GSE5281.GSE5281_HIP contains data for hippocampus samples from the data set GSE5281.</i>
-------------	--

Description

GSE5281_HIP contains data for hippocampus samples from the data set GSE5281. For detailed description visit: <http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE5281>

Usage

`data(GSE5281_HIP)`

Format

The format is: Formal class 'ExpressionSet' [package "Biobase"] with 7 slots ..@ experimentData :Formal class 'MIAME' [package "Biobase"] with 13 slots@ name : chr "GSE5281_HIP"@ lab : chr "NIH Neuroscience Microarray Consortium"@ contact : chr "bhamill@mednet.ucla.edu"@ title : chr "Alzheimer's disease and the normal aged brain (steph-affy-human-433773)"@ abstract : chr ""@ url : chr "http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE5281"

```

.. ..@ pubMedIds : chr "17077275" .. ..@ samples : list() .. ..@ hybridizations : list() .. ..@
normControls : list() .. ..@ preprocessing : list() .. ..@ other :List of 3 .. ..$ design : chr
"Not Paired" .. ..$ targetGeneSets: chr "05010" .. ..$ disease : chr "Alzheimer's Disease"
.. ..@ .__classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots .. ..@
.Data:List of 2 .. ..$ : int [1:3] 1 0 0 .. ..$ : int [1:3] 1 1 0 ..@ assayData :<envi-
ronment: 0x4155cc18> ..@ phenoData :Formal class 'AnnotatedDataFrame' [package "Biobase"]
with 4 slots .. ..@ varMetadata : 'data.frame': 2 obs. of 1 variable: .. ..$ labelDescription:
chr [1:2] "GEO Sample ID" "Control/Disease status" .. ..@ data : 'data.frame': 23 obs. of 2 vari-
ables: .. ..$ Sample: chr [1:23] "GSM119628" "GSM119629" "GSM119630" "GSM119631"
.. ..$ Group : chr [1:23] "c" "c" "c" "c" .. ..@ dimLabels : chr [1:2] "sampleNames"
"sampleColumns" .. ..@ .__classVersion__:Formal class 'Versions' [package "Biobase"] with 1
slots .. ..@ .Data:List of 1 .. ..$ : int [1:3] 1 1 0 ..@ featureData :Formal class 'Anno-
tatedDataFrame' [package "Biobase"] with 4 slots .. ..@ varMetadata : 'data.frame': 0 obs. of 1
variable: .. ..$ labelDescription: chr(0) .. ..@ data : 'data.frame': 54675 obs. of 0 variables ..
.. ..@ dimLabels : chr [1:2] "featureNames" "featureColumns" .. ..@ .__classVersion__:Formal
class 'Versions' [package "Biobase"] with 1 slots .. ..@ .Data:List of 1 .. ..$ : int [1:3]
1 1 0 ..@ annotation : chr "hgu133plus2" ..@ protocolData :Formal class 'AnnotatedDataFrame'
[package "Biobase"] with 4 slots .. ..@ varMetadata : 'data.frame': 0 obs. of 1 variable: .. ..
..$ labelDescription: chr(0) .. ..@ data : 'data.frame': 23 obs. of 0 variables .. ..@ dimLabels
: chr [1:2] "sampleNames" "sampleColumns" .. ..@ .__classVersion__:Formal class 'Versions'
[package "Biobase"] with 1 slots .. ..@ .Data:List of 1 .. ..$ : int [1:3] 1 1 0 ..@
.__classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots .. ..@ .Data:List of 4
.. ..$ : int [1:3] 2 15 0 .. ..$ : int [1:3] 2 16 0 .. ..$ : int [1:3] 1 3 0 .. ..$ : int [1:3] 1
0 0

```

Details

GSE5281_HIP contains data for hippocampus samples from the data set GSE5281.

Source

<http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE5281>

Examples

```
data(GSE5281_HIP)
```

GSE5281_VCX

*Gene Expression Omnibus (GEO) Data Set Id: GSE5281.
GSE5281_VCX contains data for Visual Cortex samples from the data
set GSE5281.*

Description

GSE5281_VCX contains data for Visual Cortex samples from the data set GSE5281. For detailed description visit: <http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE5281>

Usage

```
data(GSE5281_VCX)
```

Format

The format is: Formal class 'ExpressionSet' [package "Biobase"] with 7 slots ..@ experimentData :Formal class 'MIAME' [package "Biobase"] with 13 slots@ name : chr "GSE5281_VCX"@ lab : chr "NIH Neuroscience Microarray Consortium"@ contact : chr "bhamill@mednet.ucla.edu"@ title : chr "Alzheimer's disease and the normal aged brain (steph-affy-human-433773)"@ abstract : chr ""@ url : chr "http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE5281"@ pubMedIds : chr "17077275"@ samples : list()@ hybridizations : list()@ normControls : list()@ preprocessing : list()@ other :List of 3\$ design : chr "Not Paired"\$ targetGeneSets : chr "05010"\$ disease : chr "Alzheimer's Disease"@ __classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 2\$: int [1:3] 1 0 0\$: int [1:3] 1 1 0 ..@ assayData :<environment: 0x2cbb3168> ..@ phenoData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots@ varMetadata :'data.frame': 2 obs. of 1 variable:\$ labelDescription: chr [1:2] "GEO Sample ID" "Control/Disease status"@ data :'data.frame': 31 obs. of 2 variables:\$ Sample: chr [1:31] "GSM119677" "GSM119678" "GSM119679" "GSM119680"\$ Group : chr [1:31] "c" "c" "c" "c"@ dimLabels : chr [1:2] "sampleNames" "sampleColumns"@ __classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 1\$: int [1:3] 1 1 0 ..@ featureData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots@ varMetadata :'data.frame': 0 obs. of 1 variable:\$ labelDescription: chr(0)@ data :'data.frame': 54675 obs. of 0 variables@ dimLabels : chr [1:2] "featureNames" "featureColumns"@ __classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 1\$: int [1:3] 1 1 0 ..@ annotation : chr "hgu133plus2" ..@ protocolData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots@ varMetadata :'data.frame': 0 obs. of 1 variable:\$ labelDescription: chr(0)@ data :'data.frame': 31 obs. of 0 variables@ dimLabels : chr [1:2] "sampleNames" "sampleColumns"@ __classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 1\$: int [1:3] 1 1 0 ..@ __classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 4\$: int [1:3] 2 15 0\$: int [1:3] 2 16 0\$: int [1:3] 1 3 0\$: int [1:3] 1 0 0

Details

GSE5281_VCX contains data for Visual Cortex samples from the data set GSE5281.

Source

<http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE5281>

Examples

```
data(GSE5281_VCX)
```

GSE6956AA

*Gene Expression Omnibus (GEO) Data Set Id: GSE6956.
GSE6956AA contains data for African-American Men from the data
set GSE6956*

Description

GSE6956AA contains data for African-American Men from the data set GSE6956. For detailed description visit: <http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE6956>

Usage

```
data(GSE6956AA)
```

Format

The format is: Formal class 'ExpressionSet' [package "Biobase"] with 7 slots ..@ experimentData :Formal class 'MIAME' [package "Biobase"] with 13 slots@ name : chr "GSE6956AA"@ lab : chr "The Laboratory of Human Carcinogenesis"@ contact : chr "NA"@ title : chr "Tumor Immunobiological Differences in Prostate Cancer between African-American and European-American Men"@ abstract : chr ""@ url : chr "http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GS@ pubMedIds : chr "18245496"@ samples : list()@ hybridizations : list()@ normControls : list()@ preprocessing : list()@ other :List of 3@ design : chr "Paired"@ targetGeneSets: chr "05215"@ disease : chr "Prostate Cancer"@ .__classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 2@ : int [1:3] 1 0 0@ : int [1:3] 1 1 0 ..@ assayData :<environment: 0x2cb95870> ..@ phenoData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots@ varMetadata :'data.frame': 3 obs. of 1 variable:@ :\$ labelDescription: chr [1:3] "GEO Sample ID" "Control/Disease status" "Pair ID"@ data :'data.frame': 10 obs. of 3 variables:@ :\$ Sample: chr [1:10] "GSM160404" "GSM160424" "GSM160427" "GSM160428"@ :\$ Group : chr [1:10] "c" "c" "c" "c"@ :\$ Block : chr [1:10] "65" "51" "16" "11"@ dimLabels : chr [1:2] "sampleNames" "sampleColumns"@ .__classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 1@ : int [1:3] 1 1 0 ..@ featureData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots@ varMetadata :'data.frame': 0 obs. of 1 variable:@ :\$ labelDescription: chr(0)@ data :'data.frame': 22277 obs. of 0 variables@ dimLabels : chr [1:2] "featureNames" "featureColumns"@ .__classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 1@ : int [1:3] 1 1 0 ..@ annotation : chr "hgu133a" ..@ protocolData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots@ varMetadata :'data.frame': 0 obs. of 1 variable:@ :\$ labelDescription: chr(0)@ data :'data.frame': 10 obs. of 0 variables@ dimLabels : chr [1:2] "sampleNames" "sampleColumns"@ .__classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 1@ : int [1:3] 1 1 0 ..@ .__classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 4@ : int [1:3] 2 15 0@ : int [1:3] 2 16 0@ : int [1:3] 1 3 0@ : int [1:3] 1 0 0

Details

GSE6956AA contains data for African-American Men from the data set GSE6956.

Source

<http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE6956>

Examples

```
data(GSE6956AA)
```

GSE6956C

Gene Expression Omnibus (GEO) Data Set Id: GSE6956. GSE6956C contains data for European-American Men from the data set GSE6956.

Description

GSE6956C contains data for European-American Men from the data set GSE6956. For detailed description visit: <http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE6956>

Usage

```
data(GSE6956C)
```

Format

The format is: Formal class 'ExpressionSet' [package "Biobase"] with 7 slots ..@ experimentData :Formal class 'MIAME' [package "Biobase"] with 13 slots@ name : chr "GSE6956C"@ lab : chr "The Laboratory of Human Carcinogenesis"@ contact : chr "NA"@ title : chr "Tumor Immunobiological Differences in Prostate Cancer between African-American and European-American Men"@ abstract : chr ""@ url : chr "http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GS@ pubMedIds : chr "18245496"@ samples : list()@ hybridizations : list()@ normControls : list()@ preprocessing : list()@ other :List of 3@\$ design : chr "Paired"@\$ targetGeneSets: chr "05215"@\$ disease : chr "Prostate Cancer"@ .__classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 2@\$: int [1:3] 1 0 0@\$: int [1:3] 1 1 0 ..@ assayData :<environment: 0x3f9f5cd8> ..@ phenoData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots@ varMetadata :'data.frame': 3 obs. of 1 variable:@\$ labelDescription: chr [1:3] "GEO Sample ID" "Control/Disease status" "Pair ID"@ data :'data.frame': 16 obs. of 3 variables:@\$ Sample: chr [1:16] "GSM160402" "GSM160407" "GSM160409" "GSM160411"@\$ Group : chr [1:16] "c" "c" "c" "c"@\$ Block : chr [1:16] "63" "68" "70" "72"@ dimLabels : chr [1:2] "sampleNames" "sampleColumns"@ .__classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 1@\$: int [1:3] 1 1 0 ..@ featureData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots@ varMetadata :'data.frame': 0 obs. of 1 variable:@\$ labelDescription: chr(0)@ data :'data.frame': 22277 obs. of 0 variables@ dimLabels : chr [1:2] "featureNames"

```
"featureColumns" .. ..@ .__classVersion__:Formal class 'Versions' [package "Biobase"] with 1
slots .. ..@ .Data:List of 1 .. ..@ annotation : chr "hgu133a"
..@ protocolData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots .. ..@
varMetadata : 'data.frame': 0 obs. of 1 variable: .. ..@ labelDescription: chr(0) .. ..@
data : 'data.frame': 16 obs. of 0 variables .. ..@ dimLabels : chr [1:2] "sampleNames" "sam-
pleColumns" .. ..@ .__classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots
.. ..@ .Data:List of 1 .. ..@ .__classVersion__:Formal class
'Versions' [package "Biobase"] with 1 slots .. ..@ .Data:List of 4 .. ..@
..$ : int [1:3] 2 16 0 .. ..@ ..$ : int [1:3] 1 3 0 .. ..@ ..$ : int [1:3] 1 0 0
```

Details

GSE6956C contains data for European-American Men from the data set GSE6956.

Source

<http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE6956>

Examples

```
data(GSE6956C)
```

GSE781

Gene Expression Omnibus (GEO) Data Set Id: GSE781

Description

For detailed description visit: <http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE781>

Usage

```
data(GSE781)
```

Format

The format is: Formal class 'ExpressionSet' [package "Biobase"] with 7 slots ..@ experiment-Data :Formal class 'MIAME' [package "Biobase"] with 13 slots@ name : chr "GSE781"@ lab : chr "NA"@ contact : chr "mtenburg@bu.edu"@ title : chr "Normal and Renal Cell Carcinoma Kidney Tissue, Human"@ abstract : chr ""@ url : chr "http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE781"@ pubMedIds : chr "14641932"@ samples : list()@ hybridizations : list()@ normControls : list()@ preprocessing : list()@ other :List of 3@ design : chr "Not Paired"@ targetGeneSets: chr "05211"@ disease : chr "Renal Cancer"@ .__classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 2@ ..\$: int [1:3] 1 0 0@ ..\$: int [1:3] 1 1 0 ..@ assayData :<environment: 0x2a6cbd18> ..@ phenoData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots@ varMetadata : 'data.frame': 2 obs. of 1 variable:@ labelDescription: chr [1:2] "GEO Sample

```
ID" "Control/Disease status" .. ..@ data : 'data.frame': 17 obs. of 2 variables: .. .. .$ Sample: chr [1:17] "GSM11805" "GSM11823" "GSM12075" "GSM12098" ... .. .$ Group : chr [1:17] "c" "c" "c" "c" ... .. @ dimLabels : chr [1:2] "sampleNames" "sampleColumns" .. .. @ .__classVersion__: Formal class 'Versions' [package "Biobase"] with 1 slots .. .. @ .Data: List of 1 .. .. .$ : int [1:3] 1 1 0 .. @ featureData : Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots .. .. @ varMetadata : 'data.frame': 0 obs. of 1 variable: .. .. .$ labelDescription: chr(0) .. .. @ data : 'data.frame': 22283 obs. of 0 variables .. .. @ dimLabels : chr [1:2] "featureNames" "featureColumns" .. .. @ .__classVersion__: Formal class 'Versions' [package "Biobase"] with 1 slots .. .. @ .Data: List of 1 .. .. .$ : int [1:3] 1 1 0 .. @ annotation : chr "hgu133a" .. @ protocolData : Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots .. .. @ varMetadata : 'data.frame': 0 obs. of 1 variable: .. .. .$ labelDescription: chr(0) .. .. @ data : 'data.frame': 17 obs. of 0 variables .. .. @ dimLabels : chr [1:2] "sampleNames" "sampleColumns" .. .. @ .__classVersion__: Formal class 'Versions' [package "Biobase"] with 1 slots .. .. @ .Data: List of 1 .. .. .$ : int [1:3] 1 1 0 .. @ .__classVersion__: Formal class 'Versions' [package "Biobase"] with 1 slots .. .. @ .Data: List of 4 .. .. .$ : int [1:3] 2 15 0 .. .. .$ : int [1:3] 2 16 0 .. .. .$ : int [1:3] 1 3 0 .. .. .$ : int [1:3] 1 0 0
```

Details

Samples run on the chip, hgu133a, are included.

Source

<http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE781>

Examples

```
data(GSE781)
```

GSE8671

Gene Expression Omnibus (GEO) Data Set Id: GSE8671

Description

For detailed description visit: <http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE8671>

Usage

```
data(GSE8671)
```

Format

The format is: Formal class 'ExpressionSet' [package "Biobase"] with 7 slots .. @ experimentData : Formal class 'MIAME' [package "Biobase"] with 13 slots @ name : chr "GSE8671" @ lab : chr "NA" @ contact : chr "marra@imcr.uzh.ch" @ title : chr "Transcriptome profile of human colorectal adenomas." @ abstract : chr "" @ url : chr "http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE8671" @ pubMedIds : chr "18171984" @ samples : list() @ hybridizations : list() @ normControls : list()

```

.. .. ..@ preprocessing : list() .. .. ..@ other :List of 3 .. .. ..$ design : chr "Paired" .. ..
..$ targetGeneSets: chr "05210" .. .. ..$ disease : chr "Colorectal Cancer" .. .. ..@ .__classVersion__ :Formal class 'Versions' [package "Biobase"] with 1 slots .. .. ..@ .Data:List of 2 .. ..
.. .. ..$ : int [1:3] 1 0 0 .. .. ..$ : int [1:3] 1 1 0 ..@ assayData :<environment: 0x383c9608>
..@ phenoData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots .. .. ..@
varMetadata :'data.frame': 3 obs. of 1 variable: .. .. ..$ labelDescription: chr [1:3] "GEO Sample
ID" "Control/Disease status" "Pair ID" .. .. ..@ data :'data.frame': 64 obs. of 3 variables: .. ..
.. ..$ Sample: chr [1:64] "GSM215051" "GSM215052" "GSM215053" "GSM215054" ... .. ..
..$ Group : chr [1:64] "c" "c" "c" "c" ... .. ..$ Block : chr [1:64] "1" "2" "3" "4" ... ..
..@ dimLabels : chr [1:2] "sampleNames" "sampleColumns" .. .. ..@ .__classVersion__ :Formal
class 'Versions' [package "Biobase"] with 1 slots .. .. ..@ .Data:List of 1 .. .. ..$ :
int [1:3] 1 1 0 ..@ featureData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4
slots .. .. ..@ varMetadata :'data.frame': 0 obs. of 1 variable: .. .. ..$ labelDescription: chr(0)
.. .. ..@ data :'data.frame': 54675 obs. of 0 variables .. .. ..@ dimLabels : chr [1:2] "feature-
Names" "featureColumns" .. .. ..@ .__classVersion__ :Formal class 'Versions' [package "Biobase"]
with 1 slots .. .. ..@ .Data:List of 1 .. .. ..$ : int [1:3] 1 1 0 ..@ annotation : chr
"hgu133plus2" ..@ protocolData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4
slots .. .. ..@ varMetadata :'data.frame': 0 obs. of 1 variable: .. .. ..$ labelDescription: chr(0)
.. .. ..@ data :'data.frame': 64 obs. of 0 variables .. .. ..@ dimLabels : chr [1:2] "sampleNames"
"sampleColumns" .. .. ..@ .__classVersion__ :Formal class 'Versions' [package "Biobase"] with 1
slots .. .. ..@ .Data:List of 1 .. .. ..$ : int [1:3] 1 1 0 ..@ .__classVersion__ :Formal class
'Versions' [package "Biobase"] with 1 slots .. .. ..@ .Data:List of 4 .. .. ..$ : int [1:3] 2 15 0 .. ..
..$ : int [1:3] 2 16 0 .. .. ..$ : int [1:3] 1 3 0 .. .. ..$ : int [1:3] 1 0 0

```

Details

For detailed description visit: <http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE8671>

Source

<http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE8671>

Examples

```
data(GSE8671)
```

GSE8762

Gene Expression Omnibus (GEO) Data Set Id: GSE8762

Description

For detailed description visit: <http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE8762>

Usage

```
data(GSE8762)
```

Format

The format is: Formal class 'ExpressionSet' [package "Biobase"] with 7 slots ..@ experimentData :Formal class 'MIAME' [package "Biobase"] with 13 slots ..@ name : chr "GSE8762" ..@ lab : chr "Laboratory of Neurogenetics" ..@ contact : chr "kuhnam@mail.nih.gov" ..@ title : chr "Lymphocyte gene expression data from moderate stage HD patients and controls" ..@ abstract : chr "" ..@ url : chr "http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE8762" ..@ pubMedIds : chr "17724341" ..@ samples : list() ..@ hybridizations : list() ..@ normControls : list() ..@ preprocessing : list() ..@ other :List of 3 ..@ design : chr "Not Paired" ..@ targetGeneSets: chr "05016" ..@ disease : chr "Huntington's disease" ..@ .__classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots ..@ .Data:List of 2 ..@ : int [1:3] 1 0 0 ..@ : int [1:3] 1 1 0 ..@ assayData :<environment: 0x7e09e1f0> ..@ phenoData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots ..@ varMetadata : 'data.frame': 2 obs. of 1 variable: ..@ labelDescription: chr [1:2] "GEO Sample ID" "Control/Disease status" ..@ data : 'data.frame': 22 obs. of 2 variables: ..@ Sample: chr [1:22] "GSM217766" "GSM217767" "GSM217768" "GSM217769"@ Group : chr [1:22] "c" "c" "c" "c"@ dimLabels : chr [1:2] "sampleNames" "sampleColumns" ..@ .__classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots ..@ .Data:List of 1 ..@ : int [1:3] 1 1 0 ..@ featureData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots ..@ varMetadata : 'data.frame': 0 obs. of 1 variable: ..@ labelDescription: chr(0) ..@ data : 'data.frame': 54675 obs. of 0 variables ..@ dimLabels : chr [1:2] "featureNames" "featureColumns" ..@ .__classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots ..@ .Data:List of 1 ..@ : int [1:3] 1 1 0 ..@ annotation : chr "hgu133plus2" ..@ protocolData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots ..@ varMetadata : 'data.frame': 0 obs. of 1 variable: ..@ labelDescription: chr(0) ..@ data : 'data.frame': 22 obs. of 0 variables ..@ dimLabels : chr [1:2] "sampleNames" "sampleColumns" ..@ .__classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots ..@ .Data:List of 1 ..@ : int [1:3] 1 1 0 ..@ .__classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots ..@ .Data:List of 4 ..@ : int [1:3] 2 15 0 ..@ : int [1:3] 2 16 0 ..@ : int [1:3] 1 3 0 ..@ : int [1:3] 1 0 0

Details

For detailed description visit: <http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE8762>

Source

<http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE8762>

Examples

```
data(GSE8762)
```

GSE9348

*Gene Expression Omnibus (GEO) Data Set Id: GSE9348***Description**

For detailed description visit: <http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE9348>

Usage

```
data(GSE9348)
```

Format

The format is: Formal class 'ExpressionSet' [package "Biobase"] with 7 slots ..@ experimentData :Formal class 'MIAME' [package "Biobase"] with 13 slots@ name : chr "GSE9348"@ lab : chr "CRC research lab"@ contact : chr "hong.yi@sgh.com.sg;fbap8570@yahoo.com"@ title : chr "Expression data from healthy controls and early stage CRC patient's tumor"@ abstract : chr ""@ url : chr "http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE9348"@ pubMedIds : chr "20143136"@ samples : list()@ hybridizations : list()@ normControls : list()@ preprocessing : list()@ other :List of 3\$ design : chr "Not Paired"\$ targetGeneSets: chr "05210"\$ disease : chr "Colorectal Cancer"@ __classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 2\$: int [1:3] 1 0 0\$: int [1:3] 1 1 0 ..@ assayData :<environment: 0x6239b018> ..@ phenoData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots@ varMetadata :'data.frame': 2 obs. of 1 variable:\$ labelDescription: chr [1:2] "GEO Sample ID" "Control/Disease status"@ data :'data.frame': 82 obs. of 2 variables:\$ Sample: chr [1:82] "GSM237984" "GSM237985" "GSM237986" "GSM237987"\$ Group : chr [1:82] "c" "c" "c" "c"@ dimLabels : chr [1:2] "sampleNames" "sampleColumns"@ __classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 1\$: int [1:3] 1 1 0 ..@ featureData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots@ varMetadata :'data.frame': 0 obs. of 1 variable:\$ labelDescription: chr(0)@ data :'data.frame': 54675 obs. of 0 variables@ dimLabels : chr [1:2] "featureNames" "featureColumns"@ __classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 1\$: int [1:3] 1 1 0 ..@ annotation : chr "hgu133plus2" ..@ protocolData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots@ varMetadata :'data.frame': 0 obs. of 1 variable:\$ labelDescription: chr(0)@ data :'data.frame': 82 obs. of 0 variables@ dimLabels : chr [1:2] "sampleNames" "sampleColumns"@ __classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 1\$: int [1:3] 1 1 0 ..@ __classVersion__:Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 4\$: int [1:3] 2 15 0\$: int [1:3] 2 16 0\$: int [1:3] 1 3 0\$: int [1:3] 1 0 0

Details

For detailed description visit: <http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE9348>

Source

<http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE9348>

Examples

```
data(GSE9348)
```

GSE9476

*Gene Expression Omnibus (GEO) Data Set Id: GSE9476***Description**

For detailed description visit: <http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE9476>

Usage

```
data(GSE9476)
```

Format

The format is: Formal class 'ExpressionSet' [package "Biobase"] with 7 slots ..@ experimentData :Formal class 'MIAME' [package "Biobase"] with 13 slots@ name : chr "GSE9476"@ lab : chr "Stirewalt Lab"@ contact : chr "dstirewa@fhcrc.org"@ title : chr "Abnormal Expression Changes in AML"@ abstract : chr ""@ url : chr "http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE9476"@ PubMedIds : chr "17910043"@ samples : list()@ hybridizations : list()@ normControls : list()@ preprocessing : list()@ other :List of 3\$ design : chr "Not Paired"\$ targetGeneSets : chr "05221"\$ disease : chr "Acute myeloid leukemia"@ .._classVersion__ :Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 2\$: int [1:3] 1 0 0\$: int [1:3] 1 1 0 ..@ assayData :<environment: 0x6a5d4cd0> ..@ phenoData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots@ varMetadata : 'data.frame': 2 obs. of 1 variable:\$ labelDescription: chr [1:2] "GEO Sample ID" "Control/Disease status"@ data : 'data.frame': 63 obs. of 2 variables:\$ Sample: chr [1:63] "GSM239170" "GSM239323" "GSM239324" "GSM239326"\$ Group : chr [1:63] "c" "c" "c" "c"@ dimLabels : chr [1:2] "sampleNames" "sampleColumns"@ .._classVersion__ :Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 1\$: int [1:3] 1 1 0 ..@ featureData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots@ varMetadata : 'data.frame': 0 obs. of 1 variable:\$ labelDescription: chr(0)@ data : 'data.frame': 22283 obs. of 0 variables@ dimLabels : chr [1:2] "featureNames" "featureColumns"@ .._classVersion__ :Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 1\$: int [1:3] 1 1 0 ..@ annotation : chr "hgu133a" ..@ protocolData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots@ varMetadata : 'data.frame': 0 obs. of 1 variable:\$ labelDescription: chr(0)@ data : 'data.frame': 63 obs. of 0 variables@ dimLabels : chr [1:2] "sampleNames" "sampleColumns"@ .._classVersion__ :Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 1\$: int [1:3] 1 1 0 ..@ .._classVersion__ :Formal class 'Versions' [package "Biobase"] with 1 slots@ .Data:List of 4\$: int [1:3] 2 15 0\$: int [1:3] 2 16 0\$: int [1:3] 1 3 0\$: int [1:3] 1 0 0

Details

The sample, GSM240433, was excluded during Quality Control.

Source

<http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE9476>

Examples

```
data(GSE9476)
```


Index

* datasets

GSE1297, [3](#)
GSE14762, [5](#)
GSE15471, [6](#)
GSE16515, [7](#)
GSE18842, [8](#)
GSE19188, [9](#)
GSE19728, [11](#)
GSE20153, [12](#)
GSE20291, [13](#)
GSE21354, [14](#)
GSE3467, [15](#)
GSE3585, [16](#)
GSE3678, [18](#)
GSE4107, [19](#)
GSE5281_EC, [20](#)
GSE5281_HIP, [21](#)
GSE5281_VCX, [22](#)
GSE6956AA, [24](#)
GSE6956C, [25](#)
GSE781, [26](#)
GSE8671, [27](#)
GSE8762, [28](#)
GSE9348, [30](#)
GSE9476, [31](#)

GSE1297, [3](#)
GSE14762, [5](#)
GSE15471, [6](#)
GSE16515, [7](#)
GSE18842, [8](#)
GSE19188, [9](#)
GSE19728, [11](#)
GSE20153, [12](#)
GSE20291, [13](#)
GSE21354, [14](#)
GSE3467, [15](#)
GSE3585, [16](#)
GSE3678, [18](#)
GSE4107, [19](#)

GSE5281_EC, [20](#)
GSE5281_HIP, [21](#)
GSE5281_VCX, [22](#)
GSE6956AA, [24](#)
GSE6956C, [25](#)
GSE781, [26](#)
GSE8671, [27](#)
GSE8762, [28](#)
GSE9348, [30](#)
GSE9476, [31](#)

KEGGdzPathwaysGEO
(KEGGdzPathwaysGEO-package), [2](#)
KEGGdzPathwaysGEO-package, [2](#)