

BSgenome.Rnorvegicus.UCSC.rn5

April 4, 2014

Rnorvegicus

Rattus norvegicus (Rat) full genome (UCSC version rn5)

Description

Rattus norvegicus (Rat) full genome as provided by UCSC (rn5, Mar. 2012) and stored in Biostrings objects.

Note

This BSgenome data package was made from the following source data files:

sequences: rn5.fa.gz, upstream1000.fa.gz, upstream2000.fa.gz, upstream5000.fa.gz
from <http://hgdownload.cse.ucsc.edu/goldenPath/rn5/bigZips/>
AGAPS masks: <http://hgdownload.cse.ucsc.edu/goldenPath/rn5/database/gap.txt.gz>
RM masks: <http://hgdownload.cse.ucsc.edu/goldenPath/rn5/bigZips/rn5.fa.out.gz>
TRF masks: <http://hgdownload.cse.ucsc.edu/goldenPath/rn5/bigZips/rn5.trf.bed.gz>

See [?BSgenomeForge](#) and the BSgenomeForge vignette (`vignette("BSgenomeForge")`) in the BSgenome software package for how to make a BSgenome data package.

Author(s)

The Bioconductor Dev Team

See Also

[BSgenome-class](#), [DNAString-class](#), [available.genomes](#), [BSgenomeForge](#)

Examples

```
Rnorvegicus
seqlengths(Rnorvegicus)
Rnorvegicus$chr1 # same as Rnorvegicus[["chr1"]]

if ("AGAPS" %in% masknames(Rnorvegicus)) {

  ## Check that the assembly gaps contain only Ns:
  checkOnlyNsInGaps <- function(seq)
  {
    ## Replace all masks by the inverted AGAPS mask
    masks(seq) <- gaps(masks(seq)["AGAPS"])
    unique_letters <- uniqueLetters(seq)
    if (any(unique_letters != "N"))
      stop("assembly gaps contain more than just Ns")
  }

  ## A message will be printed each time a sequence is removed
  ## from the cache:
  options(verbose=TRUE)

  for (seqname in seqnames(Rnorvegicus)) {
    cat("Checking sequence", seqname, "... ")
    seq <- Rnorvegicus[[seqname]]
    checkOnlyNsInGaps(seq)
    cat("OK\n")
  }
}

## See the GenomeSearching vignette in the BSgenome software
## package for some examples of genome-wide motif searching using
## Biostrings and the BSgenome data packages:
if (interactive())
  vignette("GenomeSearching", package="BSgenome")
```

Index

*Topic **data**

Rnorvegicus, [1](#)

*Topic **package**

Rnorvegicus, [1](#)

available.genomes, [1](#)

BSgenome-class, [1](#)

BSgenome.Rnorvegicus.UCSC.rn5
(Rnorvegicus), [1](#)

BSgenome.Rnorvegicus.UCSC.rn5-package
(Rnorvegicus), [1](#)

BSgenomeForge, [1](#)

DNAStrng-class, [1](#)

Rnorvegicus, [1](#)