

# BSgenome.Mmulatta.UCSC.rheMac2

October 7, 2014

---

BSgenome.Mmulatta.UCSC.rheMac2

*Full genome sequences for Macaca mulatta (UCSC version rheMac2)*

---

## Description

Full genome sequences for *Macaca mulatta* (Rhesus) as provided by UCSC (rheMac2, Jan. 2006) and stored in Biostrings objects.

## Note

This BSgenome data package was made from the following source data files:

```
chromFa.tar.gz, upstream1000.fa.gz, upstream2000.fa.gz, upstream5000.fa.gz  
from http://hgdownload.cse.ucsc.edu/goldenPath/rheMac2/bigZips/
```

See [?BSgenomeForge](#) and the `BSgenomeForge` vignette (`vignette("BSgenomeForge")`) in the **BSgenome** software package for how to make a BSgenome data package.

## Author(s)

The Bioconductor Dev Team

## See Also

- `BSgenome` objects and the `available.genomes` function in the **BSgenome** software package.
- `DNAString` objects in the **Biostrings** package.
- The `BSgenomeForge` vignette (`vignette("BSgenomeForge")`) in the **BSgenome** software package for how to make a BSgenome data package.

**Examples**

```
BSgenome.Mmulatta.UCSC.rheMac2
genome <- BSgenome.Mmulatta.UCSC.rheMac2
seqlengths(genome)
genome$chr1 # same as genome[["chr1"]]

## See the GenomeSearching vignette in the BSgenome software
## package for some examples of genome-wide motif searching using
## Biostrings and the BSgenome data packages:
if (interactive())
  vignette("GenomeSearching", package="BSgenome")
```

# Index

\*Topic **data**

    BSgenome.Mmulatta.UCSC.rheMac2, [1](#)

\*Topic **package**

    BSgenome.Mmulatta.UCSC.rheMac2, [1](#)

available.genomes, *I*

BSgenome, *I*

    BSgenome.Mmulatta.UCSC.rheMac2, [1](#)

    BSgenome.Mmulatta.UCSC.rheMac2-package

        (BSgenome.Mmulatta.UCSC.rheMac2),

[1](#)

    BSgenomeForge, *I*

DNAString, *I*

Mmulatta

    (BSgenome.Mmulatta.UCSC.rheMac2),

[1](#)