

RMAPPER

April 20, 2011

hits

Hits details

Description

Function displaying the detailed information on the sequence and other properties of each hit returned from the MAPPER RPC interface query.

Usage

```
hits(x)
```

Arguments

x x – mapperHits object returned from [readMAPPER](#)

References

<http://genome.ufl.edu/mapper/>

See Also

[readMAPPER](#).

Examples

```
# see readMAPPER
```

mapperHits-class *Class "mapperHits" – holds collection of hits from MAPPER*

Description

A data frame and some metadata about a MAPPER query from <http://genome.ufl.edu/mapper>. The data frame holds the predicted transcription factor binding sites from MAPPER.

Objects from the Class

Objects can be created by calls of the form `new("mapperHits", ...)`. These are annotated data frames.

Slots

query: character string that provides information on the query generating the object

hits: Object of class "data.frame" providing information on the sequence and other properties of each hit.

Methods

query signature(x = "mapperHits"):...

hits signature(x = "mapperHits"):...

show signature(object = "mapperHits"):...

Author(s)

VJ Carey <stvjc@channing.harvard.edu>

References

<http://genome.ufl.edu/mapper/>

See Also

[readMAPPER](#).

Examples

```
# see readMAPPER
```

query	<i>Character string that provides information on the query generating the object</i>
-------	--

Description

Function displaying the exact query to the MAPPER RPC interface.

Usage

```
query(x)
```

Arguments

x x – mapperHits object returned from [readMAPPER](#)

References

<http://genome.ufl.edu/mapper/>

See Also

[readMAPPER](#).

Examples

```
# see readMAPPER
```

readMAPPER	<i>Retrieve a set of predicted transcription factor binding sites from the MAPPER database</i>
------------	--

Description

The MAPPER RPC interface allows you to retrieve a set of predicted transcription factor binding sites from the MAPPER database through a simple HTTP request. This package provides a function to retrieve predicted TFBS from R.

Usage

```
readMAPPER(stub = paste(urlpath, "db-rpc?", sep = ""), ...)
```

Arguments

stub stub – a string giving the URL handle up to the db-rpc selector (optional)
... ... – all the query parameters (see Details).

Details

Currently (9/10) the RPC interface to MAPPER defines the following parameters. You can use any of these as keywords (with bindings supplied using "=", e.g., `gene="CRP"`) to the `readMAPPER` function.

`gene` - you can use either NCBI GeneID or mRNA accession number; gene names should work too, but this is not recommended because there often are multiple forms of the same gene. [required, unless 'list' is specified]

`models` - a comma-separated list of model names (to restrict the output to these models only) [required, unless 'list' is specified]

`score` - the score threshold (0 by default)

`perc` - the percentile (one of 50, 80, 85, 90, 95). Only hits with scores above the desired percentile for each model are returned.

`eval` - the E-value threshold (25 by default)

`pbases` - how many basepairs to look at (default: 2000). See `pstart`.

`pstart` - what `pbases` is relative to (either T for transcript start or C for coding sequence start - remember that in the db we have hits for the region from 10,000 bp upstream of transcript start to 50bp after coding sequence start)

`sort` - how to sort the results: either M (by model accession), N (factor name), E (by E-value), S (by score), P (by position, the default)

`org` - two letter organism code

`list` - returns a list of all TF names with the corresponding model accession numbers. All other parameters are ignored.

If you issue `rmapperHelp()`, you will get a help page in text.

Value

An instance of the `mapperHits` class.

Author(s)

Vince Carey <stvjc@channing.harvard.edu>

References

<http://genome.ufl.edu/mapper/>

See Also

`mapperHits-class query hits`

Examples

```
# Run an example retrieving data from the MAPPER RPC interface for gene ID = NM_009696
mh = readMAPPER(gene="NM_009696", perc="95", models="M00027")
# Display the mapperHits object returned by readMAPPER
mh
# Display the exact query that was issued to the MAPPER RPC interface
query(mh)
# Display the details of hits from the query
hits(mh)
```

rmapperFactorTable *MAPPER Factor Table*

Description

Function to display a table listing the transcription factor/s known to MAPPER with the corresponding model accession numbers.

Usage

```
rmapperFactorTable(tf)
```

Arguments

tf tf – a specific transcription factor, i.e. "AbaA" or "*" for all transcription factors

References

<http://genome.ufl.edu/mapper/>

Examples

```
# Display all transcription factors and their model accession numbers
rmapperFactorTable("*")
# Display a specific transcription factor and its model accession numbers
rmapperFactorTable("AbaA")
# Display transcription factors "Ab..." and their model accession numbers
rmapperFactorTable("Ab")
```

rmapperHelp *Help*

Description

Function to call the MAPPER backdoor interface help page.

Usage

```
rmapperHelp()
```

References

<http://genome.ufl.edu/mapper/>

Examples

```
# Display the help page
rmapperHelp()
```

Index

*Topic **classes**

mapperHits-class, 2

*Topic **documentation**

rmapperFactorTable, 5

rmapperHelp, 5

*Topic **methods**

hits, 1

query, 3

*Topic **models**

readMAPPER, 3

hits, 1, 4

hits, mapperHits-method
(*mapperHits-class*), 2

mapperHits-class, 4

mapperHits-class, 2

query, 3, 4

query, mapperHits-method
(*mapperHits-class*), 2

readMAPPER, 1, 2, 3, 3

rmapperFactorTable, 5

rmapperHelp, 5

show, mapperHits-method
(*mapperHits-class*), 2