

colonCA

October 25, 2011

colonCA

Data from the microarray experiment done by Alon et al. (1999)

Description

The data package contains an `exprSet` instance for the Alon et al. (1999) colon cancer data. 62 samples (40 tumor samples, 22 normal samples) from colon-cancer patients were analyzed with an Affymetrix oligonucleotide Hum6000 array.

Usage

```
data(colonCA)
```

Format

Expression set with 2000 genes and 62 samples.
There are 3 covariates listed.

- `expNr`: Number of sample.
- `samp`: Sample code.
positive: Normal tissue, negative: Tumor tissue
- `class`: Tissue identity.
n: Normal tissue, t: Tumor tissue

Details

40 samples are from tumors (labelled as "negative") and 22 samples are from normal (labelled as "positive") biopsies from healthy parts of the colons of the same patients.

Two thousand out of around 6500 genes were selected based on the confidence in the measured expression levels (for details refer to publication). No further preprocessing (normalization etc.) was done.

Note: the `featureNames` in this dataset were not unique when submitted; `make.names(unique=TRUE)` was run and some `featureNames` have suffix `.1`, `.2`, etc. added to establish uniqueness.

Source

<http://microarray.princeton.edu/oncology/affydata/index.html>

References

U. Alon et al. (1999): Broad patterns of gene expression revealed by clustering analysis of tumor and normal colon tissue probed by oligonucleotide arrays. *Proc. Natl. Acad. Sci. USA* **96**, 6745-6750

Examples

```
library(Biobase)
data(colonCA)
xx <- exprs(colonCA)
dim(xx)
xx[1:5,1:5]

colonCA$class
featureNames(colonCA)[1:20]
colnames(xx) <- as.character(colonCA$class)
xx[1:5,1:5]
```

Index

*Topic **datasets**

colonCA, 1

colonCA, 1