

# Mulcom

March 24, 2012

---

Affy

*Affy Dataset*

---

**Description**

Affy Dataset

**Author(s)**

Claudio Isella, <claudio.isella@ircc.it>

---

AffyIlnn

*cross mapping table*

---

**Description**

cross mapping table

**Author(s)**

Claudio Isella, <claudio.isella@ircc.it>

---

Illumina

*Illumina Dataset*

---

**Description**

Illumina Dataset

**Author(s)**

Claudio Isella, <claudio.isella@ircc.it>

Ilmn

*Ilmn Dataset*

---

**Description**

Ilmn Dataset

**Author(s)**

Claudio Isella, &lt;claudio.isella@ircc.it&gt;

MULCOM-class

*Class MulCom*

---

**Description**

This is a class representation MulCom test scores

**Objects from the Class**Objects can be created using the function `mulScores` on `ExpressionSet`.**Slots****FC:** Object of class `numeric` representing difference between all experimental groups and the reference groups**HM:** Object of class `numeric` representing the harmonic means in all subgroups**MSE\_Corrected:** Object of class `numeric` representing the MulCom test estimation of mean square error as described in the formula of the Dunnett's t-test**Author(s)**

Claudio Isella

**Examples**

```
data(benchVign)
mulcom_scores <- mulScores(Affy, Affy$Groups)
```

---

MULCOM\_P-class      *Class MulCom Permutation*

---

### Description

This is a class representation MulCom test scores permutation

### Objects from the Class

Objects can be created using the function `mulScores` on `ExpressionSet`.

### Slots

**FC:** Object of class `numeric` representing delta between all experimental groups and the reference groups

**MSE\_Corrected:** Object of class `numeric` representing the MulCom test estimation of mean square error as described in the formula of the Dunnett's t-test

**FCp:** Object of class `numeric` representing delta between all experimental groups and the reference groups in permuted data

**MSE\_Correctedp:** Object of class `numeric` representing the MulCom test estimation of mean square error as described in the formula of the Dunnett's t-test in permuted data

### Author(s)

Claudio Isella

### Examples

```
data(benchVign)
mulcom_scores <- mulScores(Affy, Affy$Groups)
```

---

harmonicMean      *MulCom Harmonic Mean*

---

### Description

Computes harmonic means across groups replicate Should not be called directly

### Usage

```
harmonicMean(index)
```

### Arguments

`index`      a numeric vector with the groups labels of the samples. 0 are the control samples. Number must be progressive

### Details

`harmonicMean` calculates harmonic means across groups replicate for the estimation of Mulcom Test

**Value**

a numeric vector

**Author(s)**

Claudio Isella, <claudio.isella@ircc.it>

**References**

<claudio.isella@ircc.it>

---

limmaAffySymbols    *significant gene list with limma in Affymetrix*

---

**Description**

significant gene list with limma in Affymetrix

**Author(s)**

Claudio Isella, <claudio.isella@ircc.it>

---

limmaIlmnSymbols    *significant gene list with limma in Illumina*

---

**Description**

significant gene list with limma in Illumina

**Author(s)**

Claudio Isella, <claudio.isella@ircc.it>

mulCAND

*Identify the Mulcom candidate feature selection***Description**

Identify the Mulcom candidate feature selection by the m and T defined by the user

**Usage**

```
mulCAND(eset, Mulcom_P, m, t, ese = "T")
```

**Arguments**

eset	an <a href="#">AffyBatch</a>
Mulcom_P	an object of class MULCOM
m	m: a numeric vector corresponding to log 2 ratio correction
t	t: a numeric vector corresponding to the MulCom T values
ese	True or False

**Details**

mulCAND Identify the Mulcom candidate feature selection by the m and T defined by the user

**Author(s)**

Claudio Isella, <claudio.isella@ircc.it>

**Examples**

```
data(benchVign)
mulcom_perm <- mulPerm(Affy, Affy$Groups, 10, 2)
mulcom_cand <- mulCAND(Affy, mulcom_perm, 0.2, 2)
```

mulCalc

*MulCom Calculation***Description**

Calculates MulCom test score for given m and t parameters

**Usage**

```
mulCalc(Mulcom_P, m, t)
```

**Arguments**

Mulcom_P	an object of class MULCOM
m	m: a numeric value corresponding to log 2 ratio correction for MulCom Test
t	t: a numeric value corresponding to T values for MulCom Test

**Details**

`mulCalc` Calculate the Mulcom Score with `m` and `t` defined by the user

`Mulcom_P`: an object of class `MULCOM_P`

`m`: a number corresponding to log 2 ratio correction for MulCom Test

`t`: a number corresponding to T values for MulCom Test

**Author(s)**

Claudio Isella, <claudio.isella@ircc.it>

**Examples**

```
data(benchVign)
mulcom_scores <- mulScores(Affy, Affy$Groups)
mulcom_calc <- mulCalc(mulcom_scores, 0.2, 2)
```

---

mulDELTA

*MulCom Delta*

---

**Description**

Computes Delta for all the experimental points in the datasets in respect to control Should not be called directly

**Usage**

```
mulDELTA(vector, index)
```

**Arguments**

<code>vector</code>	vector: numeric vector with data measurements
<code>index</code>	a numeric vector with the labels of the samples. 0 are the control samples. number must be progressive

**Details**

`mulDELTA` An internal function that should not be called directly. It calculates differential expression in the groups defined in the index class vector, in respect to the 0 groups

**Value**

<code>vector</code>	a numeric vector with data measurements
<code>index</code>	a numeric vector with the labels of the samples. 0 are the control samples. number must be progressive

**Author(s)**

Claudio Isella, <claudio.isella@ircc.it>

**Examples**

```
data(benchVign)
mulcom_delta <- mulDELTA(exprs(Affy[1,]), Affy$Groups)
```

---

mulDiff

*MulCom Test Differential analysis*

---

**Description**

Identify the differentially expressed features for a specific comparison with given m and t value

**Usage**

```
mulDiff(eset, Mulcom_P, m, t, ind)
```

**Arguments**

eset	An ExpressionSet object from package affy
Mulcom_P	An object of class Mulcom_P
m	the m values for the analysis
t	the t values for the analysis
ind	and index refeing to te comparison, should be numeric

**Value**

eset	An ExpressionSet object from package affy
Mulcom_P	An object of class Mulcom_P
m	the m values for the analysis
t	the t values for the analysis
ind	and index refeing to te comparison, should be numeric

**Author(s)**

Claudio Isella, <claudio.isella@ircc.it>

**Examples**

```
data(benchVign)
mulcom_perm <- mulPerm(Affy, Affy$Groups, 10, 7)
mulcom_diff <- mulDiff(Affy, mulcom_perm, 0.2, 2)
```

---

mulFSG *MulCom False Significant Genes*

---

### Description

Calculate the False Significant Genes for m and t defined by the user

### Usage

```
mulFSG(Mulcom_P, m, t)
```

### Arguments

Mulcom_P	an object of class MULCOM
m	m: a numeric value corresponding to log 2 ratio correction for MulCom Test
t	t: a numeric value corresponding to t values for MulCom Test

### Details

mulFDR evaluate the False Significant genes on the Mulcom\_P object according to specific m and t parameters. For each permutation it is calculated the number of positive genes. An estimation of the false called genes is evaluated with the median for each experimental subgroups

### Author(s)

Claudio Isella, <claudio.isella@ircc.it>

### Examples

```
data(benchVign)
mulcom_perm <- mulPerm(Affy, Affy$Groups, 10, 7)
mulcom_fsg <- mulFSG(mulcom_perm, 0.2, 2)
```

---

mulIndex *Mulcom Index for Monte Carlo Simlation*

---

### Description

Random asseby of the groups indices for Monte Carlo Simulation

### Usage

```
mulIndex(index, np, seed)
```

### Arguments

index	the vector with the groups of analysis, must be numeric and 0 correspond to the reference.
np	number of permutation in the simulation
seed	seed for permtations



**Details**

'mulIndex' generates random index for the function mulPerm. it is not directly called by the user.

**Value**

A matrix with all indices permutations

**Author(s)**

Claudio Isella, <claudio.isella@ircc.it>

**Examples**

```
data(benchVign)
mulcom_scores <- mulIndex(Affy$Groups, 5, 7)
```

---

mulInt

*generates a consensus matrix from list of genes*

---

**Description**

generates a consensus matrix from list of genes

**Usage**

```
mulInt(...)
```

**Arguments**

... the function requires vector files as inputs

**Details**

mulCAND generates a consensus matrix from list of genes

**Author(s)**

Claudio Isella, <claudio.isella@ircc.it>

**Examples**

```
data(benchVign)
mulcom_perm <- mulPerm(Affy, Affy$Groups, 10,2)
mulcom_opt <- mulOpt(mulcom_perm, vm = seq(0,0.5, 0.1), vt = seq(1,3, 0.1))

h1_opt <- mulParOpt(mulcom_perm, mulcom_opt, ind = 1, th = 0.05)
h2_opt <- mulParOpt(mulcom_perm, mulcom_opt, ind = 1, th = 0.05)

int <- mulInt(h1_opt, h2_opt)
```

---

mulMSE	<i>MulCom Mean Square Error</i>
--------	---------------------------------

---

**Description**

Computes Mean Square Error for all the experimental points in the datasets in respect to control  
Should not be called directly

**Usage**

```
mulMSE(vector, index, tmp = vector())
```

**Arguments**

vector	a numeric vector with data measurements
index	a numeric vector with the labels of the samples. 0 are the control samples. number must be progressive
tmp	a vector

**Details**

mulMSE An internal function that should not be called directly. It calculates within group means square error for the values defined in the x vector according to the index class vector

**Value**

vector	a numeric vector with data measurements
index	a numeric vector with the labels of the samples. 0 are the control samples. number must be progressive
tmp	a vector

**Author(s)**

Claudio Isella, <claudio.isella@ircc.it>

---

mulOpt	<i>MulCom optimization</i>
--------	----------------------------

---

**Description**

The function systematically performs the calculation of significant genes and corresponding FDR for all the combination of given list of m and t values.

**Usage**

```
mulOpt(Mulcom_P, vm, vt)
```

**Arguments**

Mulcom\_P      an object of class Mulcom\_P  
 vm            a vector of m values to test  
 vt            a vector of t values to test

**Details**

mulOpt The function systematically performs the calculation of significant genes and corresponding FDR for all the combination of given list of m and t values.

**Author(s)**

Claudio Isella, <claudio.isella@ircc.it>

**Examples**

```
data(benchVign)
mulcom_perm <- mulPerm(Affy, Affy$Groups, 10, 7)
mulcom_opt <- mulOpt(mulcom_perm, seq(0.1, 0.5, 0.1), seq(1, 3, 0.1))
```

---

mulOptPars

*MulCom Parameter Optimization*


---

**Description**

Function to optimize Mulcom parameter for maximum number of genes with a user defined FDR

**Usage**

```
mulOptPars(opt, ind, ths)
```

**Arguments**

opt            an MulCom optimization object  
 ind            index corresponding to the comparison  
 ths            a threshold for the FDR optimization, default is 0.05

**Details**

mulOptPars MulCom optimization function to identify best parameters

**Author(s)**

Claudio Isella, <claudio.isella@ircc.it>

**Examples**

```
data(benchVign)
mulcom_perm <- mulPerm(Affy, Affy$Groups, 10, 7)
#mulcom_opt <- mulOpt(mulcom_perm, seq(0.1, 0.5, 0.1), seq(1, 3, 0.1))
#optThs <- mulOptPars(mulcom_opt, 1, 0.05)
```

---

mulOptPlot *MulCom optimization Plot*

---

### Description

MulCom optimization Plot to identify best configuration paramters

### Usage

```
mulOptPlot(M.Opt, ind, th, smooth = "NO")
```

### Arguments

M.Opt	an MulCom optimization object
ind	index corresponding to the comparison to plot
th	a threshold for the FDR plot
smooth	indicates whether the FDR plot will show a significant threshold or will be continuous.

### Details

mulOptPlot MulCom optimization Plot

### Value

a numeric vector

### Author(s)

Claudio Isella, <claudio.isella@ircc.it>

### Examples

```
data(benchVign)
mulcom_perm <- mulPerm(Affy, Affy$Groups, 10,2)
mulcom_opt <- mulOpt(mulcom_perm, vm=seq(0.1, 0.5, 0.1), vt=seq(1, 3,1))
mulOptPlot(mulcom_opt, 1, 0.05)
```

---

mulParOpt *MulCom Parameters Optimization*

---

### Description

MulCom parameter optimization function to identify best combination of t and m providing maximum number of genes at a given FDR

### Usage

```
mulParOpt(perm, M.Opt, ind, th, image = "T")
```

**Arguments**

perm	a object with permuted MulCom Scores
M.Opt	an MulCom optimization object
ind	index corresponding to the comparison to plot
th	a threshold for the FDR plot
image	default = "T", indicates is print the MulCom optimization plot

**Details**

`mulParOpt` The function `mulParOpt` is designed to identify the optimal `m` and `t` values combination leading to the maximum number of differentially regulated genes satisfying an user define FDR threshold. In case of equal number of genes, the combination of `m` and `t` with the lower FDR will be prioritized. In case of both identical number of genes and FDR, the function will chose the highest `t`. The function optionally will define a graphical output to visually inspect the performance of the test at given `m` and `t` parameters for a certain comparison.

**Author(s)**

Claudio Isella, <claudio.isella@ircc.it>

**Examples**

```
data(benchVign)
mulcom_perm <- mulPerm(Affy, Affy$Groups, 10,2)
mulcom_opt <- mulOpt(mulcom_perm, vm=seq(0.1, 0.5, 0.1), vt=seq(1, 3,1))
mulParOpt(mulcom_perm, mulcom_opt, 1, 0.05)
```

---

mulPerm

*MulCom Permutation*


---

**Description**

Reiterate MulCom Test on permuted data to perform Montecarlo simulation

**Usage**

```
mulPerm(eset, index, np, seed, segm = "F")
```

**Arguments**

eset	An an <a href="#">AffyBatch</a> object, each row of must correspond to a variable and each column to a sample.
index	a numeric vector of length <code>ncol(data)</code> with the labels of the samples. 0 are the reference samples.
np	a numeric values indicating the number of permutation to perform. It is set as default to 10
seed	set the seed of the permutaton, default is 1
segm	a default set to F. This parametheres requires to be setted to avoid segmentation fault of C subroutin in the case of very large datasets.

**Details**

```
mulPerm
```

**Author(s)**

Claudio Isella, <claudio.isella@ircc.it>

**Examples**

```
data(benchVign)
mulcom_perm <- mulPerm(Affy, Affy$Groups, 10,2)
```

---

```
mulPermC
```

```
MulCom Permutation
```

---

**Description**

R pipe to C function not called directly by user that reiterate MulCom Test on permuted data to perform Monte Carlo simulation

**Usage**

```
mulPermC(eset, index, means, mse, n, m, nump, ngroups, reference)
```

**Arguments**

eset	An an <a href="#">AffyBatch</a> object, each row of must correspond to a variable and each column to a sample.
index	a numeric vector of length ncol(data) with the labels of the samples. 0 are the reference samples.
means	entry for the means output.
mse	entry for the mean square errors output
n	number of rows in obext of class eset
m	number of columns
nump	number of permutation to perform
ngroups	a number corresponding to the number of groups in the analysis.
reference	reference for the comparisons. typically it is 0

**Details**

```
mulPerm
```

**Author(s)**

Claudio Isella, <claudio.isella@ircc.it>

**Examples**

```
data(benchVign)
```

---

mulSSE *MulCom Sum of Square Error*

---

### Description

Computes sum of square errors for all the experimental points in the datasets Should not be called directly

### Usage

```
mulSSE(vec, index)
```

### Arguments

`vec` a numeric vector with data measurements  
`index` a numeric vector with the labels of the samples. 0 are the control samples. number should be progressive

### Details

`mulSSE` An internal function that should not be called directly. It calculates sum of square error in the groups defined in the index class vector.

### Value

`vec` a numeric vector with data measurements  
`index` a numeric vector with the labels of the samples. 0 are the control samples. number must be progressive

### Author(s)

Claudio Isella, <claudio.isella@ircc.it>

---

mulScores *MulCom Score Calculation*

---

### Description

Computes the scores for the MulCom test. The function calculates the numerator and the denominator of the test without the parameters m and t

### Usage

```
mulScores(eset, index)
```

### Arguments

`eset` An an [AffyBatch](#) object, each row of must correspond to a variable and each column to a sample.  
`index` a numeric vector of length `ncol(data)` with the labels of the samples. 0 are the reference samples.

**Details**

'mulScore' computes the scores for the MulCom test for multiple point profile. The Mulcom test is designed to compare each experimental mean with the control mean and it is derived from the "Dunnett's test". Dunnett's test controls the Experiment-wise Error Rate and is more powerful than tests designed to compare each mean with each other mean. The test is conducted by computing a modified t-test between each experimental group and the control group.

**Value**

An Object of class MULCOM from Mulcom package

**Author(s)**

Claudio Isella, <claudio.isella@ircc.it>

**Examples**

```
data(benchVign)
mulcom_scores <- mulScores(Affy, Affy$Groups)
```

---

mulcomGeneListIilmn *significant gene list with limma in Illumina*

---

**Description**

significant gene list with limma in Illumina

**Author(s)**

Claudio Isella, <claudio.isella@ircc.it>

---

samAffySymbols *significant gene list with SAM in Affymetrix*

---

**Description**

significant gene list with SAM in Affymetrix

**Author(s)**

Claudio Isella, <claudio.isella@ircc.it>



---

samIlnSymbols      *significant gene list with SAM in Illumina*

---

**Description**

significant gene list with SAM in Illumina

**Author(s)**

Claudio Isella, <claudio.isella@ircc.it>

---

samOptPars      *sam Parameter Optimization*

---

**Description**

Function to optimize Sam parameter for maximim nuber of genes with a user defined FDR

**Usage**

```
samOptPars(opt, ths)
```

**Arguments**

opt	an Sam optimization object
ths	a threshold for the FDR optimization

**Value**

a numeric vector

**Author(s)**

Claudio Isella, <claudio.isella@ircc.it>

# Index

## \*Topic **MulCom**

Affy, 1  
AffyIlmn, 1  
harmonicMean, 3  
Illumina, 1  
Ilmn, 2  
limmaAffySymbols, 4  
limmaIlmnSymbols, 4  
mulCalc, 5  
mulCAND, 5  
mulcomGeneListIlmn, 16  
mulDELTA, 6  
mulDiff, 7  
mulFSG, 8  
mulIndex, 8  
mulInt, 9  
mulMSE, 10  
mulOpt, 10  
mulOptPars, 11  
mulOptPlot, 12  
mulParOpt, 12  
mulPerm, 13  
mulPermC, 14  
mulScores, 15  
mulSSE, 15  
samAffySymbols, 16  
samIlmnSymbols, 17  
samOptPars, 17

## \*Topic **classes**

MULCOM-class, 2  
MULCOM\_P-class, 3

Affy, 1

AffyBatch, 5, 13–15

AffyIlmn, 1

class:MULCOM (*MULCOM-class*), 2

class:MULCOM\_P (*MULCOM\_P-class*), 3

harmonicMean, 3

Illumina, 1

Ilmn, 2

limmaAffySymbols, 4

limmaIlmnSymbols, 4

mulCalc, 5

mulCAND, 5

MULCOM (*MULCOM-class*), 2

MULCOM-class, 2

MULCOM\_P (*MULCOM\_P-class*), 3

MULCOM\_P-class, 3

mulcomGeneListIlmn, 16

mulDELTA, 6

mulDiff, 7

mulFSG, 8

mulIndex, 8

mulInt, 9

mulMSE, 10

mulOpt, 10

mulOptPars, 11

mulOptPlot, 12

mulParOpt, 12

mulPerm, 13

mulPermC, 14

mulScores, 2, 3, 15

mulSSE, 15

samAffySymbols, 16

samIlmnSymbols, 17

samOptPars, 17