

Package ‘CONFESS’

March 6, 2025

Type Package

Title Cell OrderiNg by FluorEScence Signal

Version 1.34.0

Date 2019-09-19

Author Diana LOW and Efthimios MOTAKIS

Maintainer Diana LOW <lowdiana@gmail.com>

Description Single Cell Fluidigm Spot Detector.

License GPL-2

LazyData TRUE

Depends R (>= 3.3),grDevices,utils,stats,graphics

Imports methods,changepoint,cluster,contrast,data.table(>= 1.9.7),ecp,EBImage,flexmix,flowCore,flowClust,flowMeans,flowMerge,flowPeaks,foreach,ggplot2,grid,limma,MASS

biocViews ImmunoOncology, GeneExpression,DataImport,CellBiology,Clustering,RNASeq,QualityControl,Visualization,TimeCourse,Regression,C

Collate fluo_est.R fluo_NBE.R internal_fluo_NBE.R internal_fluo_est.R internal_DDHF.R simulator.R cases.R

RoxygenNote 6.1.1

Encoding UTF-8

VignetteBuilder knitr

Suggests BiocStyle, knitr, rmarkdown, CONFESSdata

NeedsCompilation no

git_url <https://git.bioconductor.org/packages/CONFESS>

git_branch RELEASE_3_20

git_last_commit 5d947c7

git_last_commit_date 2024-10-29

Repository Bioconductor 3.20

Date/Publication 2025-03-06

Contents

addKpredictions	4
adjustFluo	5
aveDiff	6
BatchFluo	6
BGcorrectFluo	7
boxcoxMatrix	7
boxcoxMatrixEst	8
boxFluo	8
caseof0s	9
caseof1R0G	10
caseof1R1G	11
caseof1R2G	12
caseof2R1G	13
caseof2R2G	14
caseof2Rs0G	15
clu	16
cluster2outlier	17
contrastFluo	18
cpoints	18
cpPELT	19
createFluo	19
cutpointsEstimator	20
CVsampler	21
DDHFfit	21
DDHFinput	22
ddhft.np.2	22
defineLocClusters	23
denoisefun	24
denoiser	25
despecklefun	25
diagnoseResiduals	26
distfromcenter	26
doTransform	27
estimate.new.pseudotimes	27
estimatePath	28
estimates	28
estimates.2	29
extractBFArea	31
failurecase	31
fcust	32
files	33
filled.contour3	33
findPattern	34
fixPath	34
flowclust_step1	35
flowclust_step2	35
FluoInspection	36
FluoSelection_byRun	36
Fluo_adjustment	37
Fluo_CV_modeling	39

Fluo_CV_prep	40
Fluo_inspection	43
Fluo_modeling	44
Fluo_ordering	45
forceBF	46
function.from.vector	47
GAPanalysis	47
getCoordinates_stats	48
getCsFAIL	48
getFluo	49
getFluo_byRun	50
getSpot	51
giveWarning	52
grouplines	52
grubbs	53
GrubbsOutliers	53
highlight.cols	54
invTransform	54
isotone	55
joinAreas	55
listSorter	56
lmFluo	56
LocationMatrix	57
mean_signal	58
measureB	58
measureF	59
multiplot	59
myt	60
orderFluo	60
path.initiator	61
pathEstimator	61
pathUpdater	62
plotImages	63
plot_clusgap	63
predict.kmeans	64
processImg	64
project	65
readChaImg	65
readFiles	66
readOriImg	67
reestimate.pseudos.byCV	68
refineMixes	68
Results	69
revDDHFinp	69
signal.from.matrix	70
significantSignal	70
simcells	71
sortCentroids	72
spot.simulator	72
SpotbyStrLines	73
spotCenter	73
spotCoords	74

spotEstimator	75
SpotStats	77
step1	78
step2	78
step2.1	81
step3	82
step3.1	83
step4	83
steps2_4	84
straightCollLines	85
straightRowLines	86
subsetAnalysis	86
summarizeAdjFluo	87
transformFluo	88
trigofun	88
unnormalizeC01	89
updateCentroids	89
updateCentroidsPaths	90
which.min.diff	90
zoomInBF	91

Index	92
--------------	-----------

addKpredictions	<i>addKpredictions</i>
-----------------	------------------------

Description

Adds the predicted k-mean clusters to the existing set (CV-estimated).

Usage

```
addKpredictions(whole, cv, new.clusters, indices)
```

Arguments

whole	List. The output of Fluo_inspection() on the original data.
cv	List. The output of Fluo_inspection() on the cross-validated data.
new.clusters	Numeric. The predicted k-mean clusters.
indices	List. The index numbers of the old and the new data.

Value

The new output of Fluo_inspection() with the original data where @GAPgroups has been replaced with the CV estimates and the new predictions and the @centroids with the CV-estimated centroids.

adjustFluo	<i>adjustFluo</i>
------------	-------------------

Description

It performs the run effect correction and normalization of the raw fluorescence signals.

Usage

```
adjustFluo(data, transformation, BGmethod, maxMix, reference, prior.pi,
           flex.reps, flexmethod, image.type, savePlot, seed, dateIndex)
```

Arguments

data	List. A list with the fluorescence signal information of both channels.
BGmethod	Character string. The type of image background correction to be performed. One of "normexp" or "subtract".
maxMix	Integer. The maximum number of components to fit into the mixture of regressions model. If maxMix=1 or if the the optimal number of the estimated components is 1, the model reduces to the classical 2-way ANOVA.
reference	Numeric vector. Specifies the runs to be used as baseline (iteratively).
prior.pi	Float. The prior probability to accept a component.
flex.reps	Integer. The iterations of the Expectation-Maximization algorithm to estimate the flexmix model.
flexmethod	Character string. A method to estimate the optimal number of flexmix components. One of "BIC", "AIC", "ICL".
image.type	Character string. A triplet of IDs to characterize the type of images under study.
savePlot	Character string. The directory to store the plots or an option to print them on the screen.
seed	Integer. An optional seed number for the Random Number Generator.
dateIndex	Character string. a date index to be used in saving the output files.
transform	Character string. The type of transformation to be performed. One of "bc" (Box-Cox), "log", "log10" or "asinh".

Value

A list with the fluorescence signals, mixture components and flexmix model estimates

aveDiff	<i>aveDiff</i>
---------	----------------

Description

It estimates the average difference between the original and the CV estimated pseudotimes. For circular path types, the difference is defined as $\min(\text{diff}, \max(\text{pseudotime}) - \text{diff})$. For example assuming 300 cells (thus the maximum pseudotime is 300) in a circular path, two pseudotimes 1 and 300 differ only by 1 and not by 299.

Usage

```
aveDiff(data, path.type, maxPseudo)
```

Arguments

data	Numeric. A vector of pseudotimes whose first element is the originally estimated one (from the full data).
path.type	Character. The input of path.type parameter in pathEstimator().
maxPseudo	Numeric. The maximum possible pseudotime.

Value

The average difference between the original and the CV estimated pseudotimes for a sample.

BatchFluo	<i>BatchFluo</i>
-----------	------------------

Description

It performs the run effect correction of the cell fluorescence signals by flexmix or 2-way ANOVA.

Usage

```
BatchFluo(data, maxMix, reference, prior.pi, flex.reps, flexmethod, seed)
```

Arguments

data	List. A list of transformed and adjusted fluorescence signals.
maxMix	Integer. The maximum number of components to fit into the mixture of regressions model. If maxMix=1 or if the optimal number of the estimated components is 1, the model reduces to the classical 2-way ANOVA.
reference	Numeric vector. Specifies the runs to be used as baseline (iteratively).
prior.pi	Float. The prior probability to accept a component.
flex.reps	Integer. The iterations of the Expectation-Maximization algorithm to estimate the flexmix model.
flexmethod	Character string. A method to estimate the optimal number of flexmix components. One of "BIC", "AIC", "ICL".
seed	Integer. An optional seed number for the Random Number Generator.

Value

A list of fluorescence signals, mixture components and flexmix model estimates

BGcorrectFluo	<i>BGcorrectFluo</i>
---------------	----------------------

Description

It performs the background correction of cell fluorescence signals.

Usage

```
BGcorrectFluo(data, method, old.offset, bg)
```

Arguments

data	Data matrix. A data matrix with the foreground and background raw signals from each channel.
method	Character string. The type of background correction to be performed. One of "normexp" or "subtract".
old.offset	Float. An offset for the background correction method.
bg	Logical. If TRUE foreground - background is performed.

Value

The background corrected data

boxcoxMatrix	<i>boxcoxMatrix</i>
--------------	---------------------

Description

A helper to run the Box Cox transformation on a data matrix of adjusted fluorescence signals.

Usage

```
boxcoxMatrix(data)
```

Arguments

data	Numeric vector. The adjusted signals of one channel.
------	--

Value

The transformed data

boxcoxMatrixEst	<i>boxcoxMatrixEst</i>
-----------------	------------------------

Description

A helper to run the Box Cox transformation on a data matrix of adjusted fluorescence signals.

Usage

```
boxcoxMatrixEst(data)
```

Arguments

data	Numeric vector. The adjusted signals of one channel.
------	--

Value

The transformed data

boxFluo	<i>boxFluo</i>
---------	----------------

Description

It generates the density plots of the uncorrected and corrected cell fluorescence signals.

Usage

```
boxFluo(data, transformation, reference, legends, batchnames, image.type,
savePlot)
```

Arguments

data	List. A list with the fluorescence data. Typically, the output of createFluo().
reference	Integer. The run number to be used as baseline for the run correction.
legends	Character vector. Puts the "uncorrected" or "corrected" legends on the signal density plots.
batchnames	original run name.
image.type	Character string. A triplet of IDs to characterize the type of images under study.
savePlot	Character. A switch to generate the density plots.
transform	Character string. The type of transformation to be performed. One of "bc" (Box-Cox), "log", "log10" or "asinh".

Value

The density plots of the fluorescence data

caseof0s	<i>caseof0s</i>
----------	-----------------

Description

It processes the case of 0 spots in both channels. It performs BF image modelling.

Usage

```
caseof0s(centerR, centerG, origImg, chaImgs, minDiff, despeckle, ImgLimits,
         BFarea, chip.type, separator, image.type)
```

Arguments

centerR	Data matrix. The location statistics of one channel.
centerG	Data matrix. The location statistics of the other channel.
origImg	Data matrix. The original BF image to be read and processed.
chaImgs	List. The channel image data (data matrices) of a sample.
minDiff	Float. the $\mu_{\hat{}}$ of the H_0 : $\text{image-to-noise ratio} = \log(\text{foreground_signal}) - \log(\text{background_signal}) = \mu_{\hat{}}$. Rejection of H_0 implies that the identified spot is brighter than background. Default is 0.5.
despeckle	Logical. If TRUE the BF image is despeckled.
ImgLimits	Integer. It instructs the algorithm to find spots in the specified central image area. For example, for a 512 x 512 image with <code>cutSides = 50</code> , it will search for spots in the central area <code>[cutSides:(512-ImgLimits),ImgLimits:(512-ImgLimits)]</code> of the image matrix.
BFarea	Integer. Defines a rectangular pseudo-spot size whose fluorescence will be estimated. This is mainly used in BF image modeling where a fluorescence spot could not be originally detected. The value of this parameter is also used as a cut-off to find matched spots across channel of the same sample image.
chip.type	Character string. It specifies the type of Fluidigm chip to be analyzed.
separator	Character string. Removes the Bright Field ("BF") and channel indicators (IDs) from the image file names.
image.type	Character string. A triplet of IDs to characterize the type of images under study.

Value

A list of location estimates

 caseof1R0G

caseof1R0G

Description

It processes the case of 1 spot in one channel and 0 spots in the other channel. BF image modelling is not necessarily performed.

Usage

```
caseof1R0G(centerR, centerG, origImg, chaImgs, minDiff, despeckle,
  ImgLimits, BFarea, chip.type, separator, image.type)
```

Arguments

centerR	Data matrix. The location statistics of one channel.
centerG	Data matrix. The location statistics of the other channel.
origImg	Data matrix. The original BF image to be read and processed.
chaImgs	List. The channel image data (data matrices) of a sample.
minDiff	Float. the $\mu_{\hat{}}$ of the H_0 : $\text{image-to-noise ratio} = \log(\text{foreground_signal}) - \log(\text{background_signal}) = \mu_{\hat{}}$. Rejection of H_0 implies that the identified spot is brighter than background. Default is 0.5.
despeckle	Logical. If TRUE the BF image is despeckled.
ImgLimits	Integer. It instructs the algorithm to find spots in the specified central image area. For example, for a 512 x 512 image with cutSides = 50, it will search for spots in the central area [cutSides:(512-ImgLimits),ImgLimits:(512-ImgLimits)] of the image matrix.
BFarea	Integer. Defines a rectangular pseudo-spot size whose fluorescence will be estimated. This is mainly used in BF image modeling where a fluorescence spot could not be originally detected. The value of this parameter is also used as a cut-off to find matched spots across channel of the same sample image.
chip.type	Character string. It specifies the type of Fluidigm chip to be analyzed.
separator	Character string. Removes the Bright Field ("BF") and channel indicators (IDs) from the image file names.
image.type	Character string. A triplet of IDs to characterize the type of images under study.

Value

A list of location estimates

caseof1R1G

caseof1R1G

Description

It processes the case of 1 spot in both channels. BF image modelling is not necessarily performed. It reports possible contamination.

Usage

```
caseof1R1G(centerR, centerG, origImg, chaImgs, minDiff, despeckle,
  ImgLimits, BFarea, chip.type, separator, image.type,
  show.possible.contamination)
```

Arguments

centerR	Data matrix. The location statistics of one channel.
centerG	Data matrix. The location statistics of the other channel.
origImg	Data matrix. The original BF image to be read and processed.
chaImgs	List. The channel image data (data matrices) of a sample.
minDiff	Float. the $\mu_{\hat{}}$ of the H_0 : $\text{image-to-noise ratio} = \log(\text{foreground_signal}) - \log(\text{background_signal}) = \mu_{\hat{}}$. Rejection of H_0 implies that the identified spot is brighter than background. Default is 0.5.
despeckle	Logical. If TRUE the BF image is despeckled.
ImgLimits	Integer. It instructs the algorithm to find spots in the specified central image area. For example, for a 512 x 512 image with <code>cutSides = 50</code> , it will search for spots in the central area [<code>cutSides:(512-ImgLimits),ImgLimits:(512-ImgLimits)</code>] of the image matrix.
BFarea	Integer. Defines a rectangular pseudo-spot size whose fluorescence will be estimated. This is mainly used in BF image modeling where a fluorescence spot could not be originally detected. The value of this parameter is also used as a cut-off to find matched spots across channel of the same sample image.
chip.type	Character string. It specifies the type of Fluidigm chip to be analyzed.
separator	Character string. Removes the Bright Field ("BF") and channel indicators (IDs) from the image file names.
image.type	Character string. A triplet of IDs to characterize the type of images under study.
show.possible.contamination	Logical. If TRUE it reports all identified unmatched spots in both channels.

Value

A list of location estimates

 caseof1R2G

caseof1R2G

Description

It processes the case of 1 spot in the red channel and >1 spots in the green channel. BF image modelling is not necessarily performed. It reports possible contamination.

Usage

```
caseof1R2G(centerR, centerG, origImg, chaImgs, minDiff, despeckle,
  ImgLimits, BFarea, chip.type, separator, image.type,
  show.possible.contamination)
```

Arguments

centerR	Data matrix. The location statistics of one channel.
centerG	Data matrix. The location statistics of the other channel.
origImg	Data matrix. The original BF image to be read and processed.
chaImgs	List. The channel image data (data matrices) of a sample.
minDiff	Float. the $\mu_{\hat{}}$ of the H_0 : $\text{image-to-noise ratio} = \log(\text{foreground_signal}) - \log(\text{background_signal}) = \mu_{\hat{}}$. Rejection of H_0 implies that the identified spot is brighter than background. Default is 0.5.
despeckle	Logical. If TRUE the BF image is despeckled.
ImgLimits	Integer. It instructs the algorithm to find spots in the specified central image area. For example, for a 512 x 512 image with <code>cutSides = 50</code> , it will search for spots in the central area [<code>cutSides:(512-ImgLimits),ImgLimits:(512-ImgLimits)</code>] of the image matrix.
BFarea	Integer. Defines a rectangular pseudo-spot size whose fluorescence will be estimated. This is mainly used in BF image modeling where a fluorescence spot could not be originally detected. The value of this parameter is also used as a cut-off to find matched spots across channel of the same sample image.
chip.type	Character string. It specifies the type of Fluidigm chip to be analyzed.
separator	Character string. Removes the Bright Field ("BF") and channel indicators (IDs) from the image file names.
image.type	Character string. A triplet of IDs to characterize the type of images under study.
show.possible.contamination	Logical. If TRUE it reports all identified unmatched spots in both channels.

Value

A list of location estimates

 caseof2R1G

caseof2R1G

Description

It processes the case of >1 spots in the red channel and 1 spot in the green channel. BF image modelling is not necessarily performed. It reports possible contamination.

Usage

```
caseof2R1G(centerR, centerG, origImg, chaImgs, minDiff, despeckle,
  ImgLimits, BFarea, chip.type, separator, image.type,
  show.possible.contamination)
```

Arguments

centerR	Data matrix. The location statistics of one channel.
centerG	Data matrix. The location statistics of the other channel.
origImg	Data matrix. The original BF image to be read and processed.
chaImgs	List. The channel image data (data matrices) of a sample.
minDiff	Float. the $\mu_{\hat{}}$ of the H_0 : $\text{image-to-noise ratio} = \log(\text{foreground_signal}) - \log(\text{background_signal}) = \mu_{\hat{}}$. Rejection of H_0 implies that the identified spot is brighter than background. Default is 0.5.
despeckle	Logical. If TRUE the BF image is despeckled.
ImgLimits	Integer. It instructs the algorithm to find spots in the specified central image area. For example, for a 512 x 512 image with <code>cutSides = 50</code> , it will search for spots in the central area [<code>cutSides:(512-ImgLimits),ImgLimits:(512-ImgLimits)</code>] of the image matrix.
BFarea	Integer. Defines a rectangular pseudo-spot size whose fluorescence will be estimated. This is mainly used in BF image modeling where a fluorescence spot could not be originally detected. The value of this parameter is also used as a cut-off to find matched spots across channel of the same sample image.
chip.type	Character string. It specifies the type of Fluidigm chip to be analyzed.
separator	Character string. Removes the Bright Field ("BF") and channel indicators (IDs) from the image file names.
image.type	Character string. A triplet of IDs to characterize the type of images under study.
show.possible.contamination	Logical. If TRUE it reports all identified unmatched spots in both channels.

Value

A list of location estimates

 caseof2R2G

caseof2R2G

Description

It processes the case of >1 spots in both channels. BF image modelling is not necessarily performed. It implies image contamination.

Usage

```
caseof2R2G(centerR, centerG, origImg, chaImgs, minDiff, despeckle,
           ImgLimits, BFarea, chip.type, separator, image.type)
```

Arguments

centerR	Data matrix. The location statistics of one channel.
centerG	Data matrix. The location statistics of the other channel.
origImg	Data matrix. The original BF image to be read and processed.
chaImgs	List. The channel image data (data matrices) of a sample.
minDiff	Float. the $\mu_{\hat{}}$ of the H_0 : $\text{image-to-noise ratio} = \log(\text{foreground_signal}) - \log(\text{background_signal}) = \mu_{\hat{}}$. Rejection of H_0 implies that the identified spot is brighter than background. Default is 0.5.
despeckle	Logical. If TRUE the BF image is despeckled.
ImgLimits	Integer. It instructs the algorithm to find spots in the specified central image area. For example, for a 512 x 512 image with cutSides = 50, it will search for spots in the central area [cutSides:(512-ImgLimits),ImgLimits:(512-ImgLimits)] of the image matrix.
BFarea	Integer. Defines a rectangular pseudo-spot size whose fluorescence will be estimated. This is mainly used in BF image modeling where a fluorescence spot could not be originally detected. The value of this parameter is also used as a cut-off to find matched spots across channel of the same sample image.
chip.type	Character string. It specifies the type of Fluidigm chip to be analyzed.
separator	Character string. Removes the Bright Field ("BF") and channel indicators (IDs) from the image file names.
image.type	Character string. A triplet of IDs to characterize the type of images under study.

Value

A list of location estimates

 caseof2Rs0G

caseof2Rs0G

Description

It processes the case of >1 spots in one channel and 0 spots in the other channel. It performs BF image modelling and reports possible contamination.

Usage

```
caseof2Rs0G(centerR, centerG, origImg, chaImgs, minDiff, despeckle,
  ImgLimits, BFarea, chip.type, separator, image.type,
  show.possible.contamination)
```

Arguments

centerR	Data matrix. The location statistics of one channel.
centerG	Data matrix. The location statistics of the other channel.
origImg	Data matrix. The original BF image to be read and processed.
chaImgs	List. The channel image data (data matrices) of a sample.
minDiff	Float. the $\mu_{\hat{}}$ of the H_0 : $\text{image-to-noise ratio} = \log(\text{foreground_signal}) - \log(\text{background_signal}) = \mu_{\hat{}}$. Rejection of H_0 implies that the identified spot is brighter than background. Default is 0.5.
despeckle	Logical. If TRUE the BF image is despeckled.
ImgLimits	Integer. It instructs the algorithm to find spots in the specified central image area. For example, for a 512 x 512 image with <code>cutSides = 50</code> , it will search for spots in the central area [<code>cutSides:(512-ImgLimits),ImgLimits:(512-ImgLimits)</code>] of the image matrix.
BFarea	Integer. Defines a rectangular pseudo-spot size whose fluorescence will be estimated. This is mainly used in BF image modeling where a fluorescence spot could not be originally detected. The value of this parameter is also used as a cut-off to find matched spots across channel of the same sample image.
chip.type	Character string. It specifies the type of Fluidigm chip to be analyzed.
separator	Character string. Removes the Bright Field ("BF") and channel indicators (IDs) from the image file names.
image.type	Character string. A triplet of IDs to characterize the type of images under study.
show.possible.contamination	Logical. If TRUE it reports all identified unmatched spots in both channels.

Value

A list of location estimates

clu

clu

Description

Example output from defineLoClusters

Usage

```
data("clu")
```

Format

The format is: List of 9 \$ Results : 'data.frame': 14 obs. of 15 variables: ..\$ SampleID : chr [1:14] "1772-062-248_A01" "1772-062-248_A02" "1772-062-248_A03" "1772-062-248_A04"\$ X : num [1:14] 259 491 262 261 261 258 259 189 498 194\$ Y : num [1:14] 367 219 368 369 335 367 336 278 20 284\$ Size : num [1:14] 31 49 19 152 141 43 59 15 49 32\$ Estimation.Type: chr [1:14] "Both.Channels" "Both.Channels" "One.Channel" "One.Channel"\$ fore_Green : num [1:14] 48.4 36 26.2 45.7 32.6\$ back_Green : num [1:14] 17.2 17.3 16.6 16.9 17.1\$ fore_Red : num [1:14] 219.1 27.6 86.5 18.4 48\$ back_Red : num [1:14] 17.5 18.6 17.5 18.1 18\$ Green.StN : num [1:14] 1.442 1.01 0.626 1.389 0.889\$ Green.Pvalue : num [1:14] 6.03e-07 1.08e-03 5.55e-02 5.16e-27 4.57e-23\$ Red.StN : num [1:14] 3.5689 0.5455 2.2422 0.0256 1.3664\$ Red.Pvalue : num [1:14] 6.16e-07 2.68e-01 7.13e-05 1.00 3.33e-25\$ Other.Spots : chr [1:14] "0" "0" "X = 30, Y = 204 (Green) | X = 262, Y = 368 (Red)" "0"\$ QCgroup : chr [1:14] "confidence" "outlier" "confidence" "confidence" ... \$ BFdata :List of 14 ..\$:List of 6\$ sample : chr "1772-062-248_A01"\$ centerR: num [1:2] 0 0\$ centerG: num [1:2] 0 0\$ arR : NULL\$ arG : NULL\$ warn : NULL ..\$:List of 6\$ sample : chr "1772-062-248_A02"\$ centerR: num [1:2] 0 0\$ centerG: num [1:2] 0 0\$ arR : NULL\$ arG : NULL\$ warn : NULL ..\$:List of 6\$ sample : chr "1772-062-248_A03"\$ centerR: num [1:2] 263 370\$ centerG: num [1:2] 263 370\$ arR : NULL\$ arG : NULL\$ warn : chr "BF" ..\$:List of 6\$ sample : chr "1772-062-248_A04"\$ centerR: num [1:2] 265 370\$ centerG: num [1:2] 265 370\$ arR : NULL\$ arG : NULL\$ warn : chr "BF" ..\$:List of 6\$ sample : chr "1772-062-248_A05"\$ centerR: num [1:2] 0 0\$ centerG: num [1:2] 0 0\$ arR : NULL\$ arG : NULL\$ warn : NULL ..\$:List of 6\$ sample : chr "1772-062-248_A06"\$ centerR: num [1:2] 0 0\$ centerG: num [1:2] 0 0\$ arR : NULL\$ arG : NULL\$ warn : NULL ..\$:List of 6\$ sample : chr "1772-062-248_A07"\$ centerR: num [1:2] 0 0\$ centerG: num [1:2] 0 0\$ arR : NULL\$ arG : NULL\$ warn : NULL ..\$:List of 6\$ sample : chr "1772-067-039_A01"\$ centerR: num [1:2] 0 0\$ centerG: num [1:2] 0 0\$ arR : NULL\$ arG : NULL\$ warn : NULL ..\$:List of 6\$ sample : chr "1772-067-039_A02"\$ centerR: num [1:2] 195 250\$ centerG: num [1:2] 195 250\$ arR : NULL\$ arG : NULL\$ warn : chr "BF" ..\$:List of 6\$ sample : chr "1772-067-039_A03"\$ centerR: num [1:2] 0 0\$ centerG: num [1:2] 0 0\$ arR : NULL\$ arG : NULL\$ warn : NULL ..\$:List of 6\$ sample : chr "1772-067-039_A04"\$ centerR: num [1:2] 191 281\$ centerG: num [1:2] 191 281\$ arR : NULL\$ arG : NULL\$ warn : chr "BF" ..\$:List of 6\$ sample : chr "1772-067-039_A05"\$ centerR: num [1:2] 0 0\$ centerG: num [1:2] 0 0\$ arR : NULL\$ arG : NULL\$ warn : NULL ..\$:List of 6\$ sample : chr "1772-067-039_A06"\$ centerR: num [1:2] 187 274\$ centerG: num [1:2] 187 274\$ arR : NULL\$ arG : NULL\$ warn : chr "BF" ..\$:List of 6\$ sample : chr "1772-067-039_A07"\$ centerR: num [1:2] 0 0\$ centerG: num [1:2] 0 0\$ arR : NULL\$ arG : NULL\$ warn : NULL \$ Processed.Files:List of 6 ..\$ BF :


```
chr [1:14] "/home/diana/R/x86_64-pc-linux-gnu-library/3.2/CONFESSdata/extdata/BF/1772-062-248_A01_BF.txt" "/home/diana/R/x86_64-pc-linux-gnu-library/3.2/CONFESSdata/extdata/BF/1772-062-248_A02_BF.txt" "/home/diana/R/x86_64-pc-linux-gnu-library/3.2/CONFESSdata/extdata/BF/1772-062-248_A03_BF.txt" "/home/diana/R/x86_64-pc-linux-gnu-library/3.2/CONFESSdata/extdata/BF/1772-062-248_A04_BF.txt" ... ..$ CH1 : chr [1:14] "/home/diana/R/x86_64-pc-linux-gnu-library/3.2/CONFESSdata/extdata/CH/1772-062-248_A01_Green.txt" "/home/diana/R/x86_64-pc-linux-gnu-library/3.2/CONFESSdata/extdata/CH/1772-062-248_A02_Green.txt" "/home/diana/R/x86_64-pc-linux-gnu-library/3.2/CONFESSdata/extdata/CH/1772-062-248_A03_Green.txt" "/home/diana/R/x86_64-pc-linux-gnu-library/3.2/CONFESSdata/extdata/CH/1772-062-248_A04_Green.txt" ... ..$ CH2 : chr [1:14] "/home/diana/R/x86_64-pc-linux-gnu-library/3.2/CONFESSdata/extdata/CH/1772-062-248_A01_Red.txt" "/home/diana/R/x86_64-pc-linux-gnu-library/3.2/CONFESSdata/extdata/CH/1772-062-248_A02_Red.txt" "/home/diana/R/x86_64-pc-linux-gnu-library/3.2/CONFESSdata/extdata/CH/1772-062-248_A03_Red.txt" "/home/diana/R/x86_64-pc-linux-gnu-library/3.2/CONFESSdata/extdata/CH/1772-062-248_A04_Red.txt" ... ..$ separator : chr "-" ..$ image.type: chr [1:3] "BF" "Green" "Red" ..$ dateIndex : chr "WedApr611:21:282016" $ Outlier.indices: int [1:2] 2 9 $ Medians : chr [1:4, 1:4] "1772-062-248" "1772-062-248" "1772-067-039" "1772-067-039" ... $ Wellsets : chr [1:14, 1:3] "1772-062-248" "1772-062-248" "1772-062-248" "1772-062-248" ... ..- attr(*, "dimnames")=List of 2 ..$ : NULL ..$ : chr [1:3] "" "" "WellID" $ BFarea : num 7 $ image.type : chr [1:3] "BF" "Green" "Red" $ dateIndex : chr "WedApr611:21:282016"
```

Value

example intermediates

cluster2outlier	<i>cluster2outlier</i>
-----------------	------------------------

Description

It turns one or more selected clusters to outlier clusters, i.e. clusters consisting of outlying corrected signals.

Usage

```
cluster2outlier(data, out.cluster)
```

Arguments

data	List. The output of <code>Fluo_inspection()</code> .
out.cluster	Numeric vector. The cluster number(s) to be turned into outlier clusters.

Value

A list of corrected fluorescence signal estimates with the selected clusters turned into outlier clusters.

Examples

```
### here we (erroneously) assume that cluster 1 is an outlier and we flag it so below
step3.withoutliers <- cluster2outlier(step3,out.cluster=1)
```

```
### the outlier samples can be removed by FluoSelection_byRun()
step3.withoutliers <- FluoSelection_byRun(step3.withoutliers,
                                         other=which(step3.withoutliers$GAPgroups[,1]!==-999))
```

contrastFluo	<i>contrastFluo</i>
--------------	---------------------

Description

It estimates the contrasts comparisons across runs and runs*component in each channel.

Usage

```
contrastFluo(data, channel, legends)
```

Arguments

data	List. A list with the fluorescence signal information of both channels. Typically, the output of adjustFluo().
channel	Character string. An identifier for the channel to be analyzed.

Value

A list with the fluorescence signals, mixture components, flexmix model estimates and contrast results

cpoints	<i>cpoints</i>
---------	----------------

Description

It performs the change-point analysis of the variance stabilized adjusted fluorescence signals.

Usage

```
cpoints(data, thresh, cmethod, sig.level, Q, path.type, seed)
```

Arguments

data	List. A list of adjusted fluorescence signals in both channels. Typically, the output of transformFluo().
thresh	Integer. The minimum number of values for a cluster re-estimated by the change-point analysis.
cmethod	Character string. The change point method to be used. It can be one of "ECP", (non-parametric) "manualECP" (non-parametric with user-defined number of change-points) or "PELT" (Pruned Exact Linear Time; parametric).
sig.level	Float. The significance level below which we do not reject a change point.
Q	Integer. The number of change-points to be kept if CPmethod = "manualECP".
path.type	Character vector. A user-defined vector that characterizes the cell progression dynamics. The first element can be either "circular" or "A2Z" or "other". If "circular" the path progression is assumed to exhibit a circle-like behavior. If "A2Z" the path is assumed to have a well-defined start and a well-defined end point (e.g. a linear progression). If "other" the progression is assumed to be arbitrary without an obvious directionality.
seed	Integer. An optional seed number for the Random Number Generator.

Value

A list with the adjusted fluorescence signals and their change-points

cpPELT	<i>cpPELT</i>
--------	---------------

Description

It performs the change-point analysis of the variance stabilized adjusted fluorescence signals by PELT.

Usage

```
cpPELT(data, sig.level, thresh, seed)
```

Arguments

data	List. A list of adjusted fluorescence signals in both channels. Typically, the output of transformFluo().
sig.level	Float. The significance level below which we do not reject a change point.
thresh	Integer. The minimum number of values for a cluster re-estimated by the change-point analysis.
seed	Integer. An optional seed number for the Random Number Generator.

Value

A list of change-points and the associated change-point clusters

createFluo	<i>createFluo</i>
------------	-------------------

Description

The data format creator function for the signal normalization step.

Usage

```
createFluo(data, dateIndex = c(), from.file = FALSE, separator = "_")
```

Arguments

data	Data matrix. The output data matrix of LocationMatrix().
dateIndex	a date index to be used for storing the output files. It is either transferred from LocationMatrix() or it is generated here for the first time (e.g. if image analysis was not run by CONFESS or if the analysis has been repeated many times).
from.file	Logical. If TRUE the data is read from a file whose format should be the same to the output of LocationMatrix(). Default is FALSE.
separator	Character string. It separates the run ID from the Well ID in the image filenames (the «separator1» of readFiles()). It is also used here to enable the user perform the analysis independently of the previous step (cell recognition via imaging). Default is "_".

Value

A list of reformed data to be used in subsequent analysis: `index`: The sample indices. `RGexprs`: the foreground (columns 1 and 3) and background (columns 2 and 4) signals of each channel that have been estimated by `spotEstimator()` and filtered in `LocationMatrix()`. `samples`: the sample IDs. `batch`: a matrix of the run IDs. The first column contains the original run IDs. The second column is the converted original IDs into numeric values (to be used in the statistical modeling step of `Fluo_adjustment()`). `size`: the estimated cell size. `image.type`: the image type IDs as defined in `readFiles()`. The parameter is kept in order to enable the user to use this function independently of the image analysis step. `dateIndex`: a date index to be used for storing the output files. It is either transferred from `LocationMatrix()` or it is generated here for the first time (e.g. if image analysis was not run by `CONFESS` or if the analysis has been repeated many times).

Examples

```
step1 <- createFluo(from.file=system.file("extdata", "Results_of_image_analysis.txt",
package = "CONFESS"),separator="_")
```

cutpointsEstimator *cutpointsEstimator*

Description

A helper that estimates the change-points by various methods.

Usage

```
cutpointsEstimator(data, thresh, cmethod, sig.level, Q, seed)
```

Arguments

<code>data</code>	List. A list of adjusted fluorescence signals for both channels.
<code>thresh</code>	Integer. The minimum number of values for a cluster re-estimated by the change-point analysis.
<code>cmethod</code>	Character string. The change point method to be used. It can be one of "ECP", (non-parametric) "manualECP" (non-parametric with user-defined number of change-points) or "PELT" (Pruned Exact Linear Time; parametric).
<code>sig.level</code>	Float. The significance level below which we do not reject a change point.
<code>Q</code>	Integer. The number of change-points to be kept if <code>CPmethod = "manualECP"</code> .
<code>seed</code>	Integer. An optional seed number for the Random Number Generator.

Value

The sorted transformed signal differences (`path`) and the associated change-points

 CVsampler

CVsampler

Description

It samples a data subset for the cross-validation analysis.

Usage

```
CVsampler(data, f)
```

Arguments

data	List. The output of Fluo_inspection() or Fluo_modeling(). It requires existence of the @GAPgroups slot.
f	Float. The percentage of samples that are used in the CV analysis (the rest is re-estimated).

Value

An index with the data that will remain in the analysis.

 DDHFfit

DDHFfit

Description

An internal function to produce the DDHFmv clustering and other model estimates.

Usage

```
DDHFfit(data, den.method, savePlot)
```

Arguments

data	List. A list of fluorescence signals with their change-points and clusters.
den.method	Character string. A method to perform the denoising. One of "wavelets", "splines" or "lreg" (for linear regression).
savePlot	Character string. The directory to store the plots.

Value

The DDHFmv clusters and model estimates

 DDHFinput

DDHFinput

Description

It sorts the fluorescence signals of both channels data for DDHF.

Usage

```
DDHFinput(data, ms)
```

Arguments

data	Data matrix. A data matrix of fluorescence signals.
ms	Data matrix. A matrix of estimated cluster centroids.

Value

The sorted fluorescence signals

ddhft.np.2

ddhft.np.2

Description

The original DDHF function (Motakis et al, 2006).

Usage

```
ddhft.np.2(data)
```

Arguments

data	Numeric vector. A vector of data exhibiting monotonically increasing mean-variance relationship. The data will be transformed.
------	--

Value

The DDHF transformed data

defineLocClusters *defineLocClusters*

Description

It performs quality check on the estimated location of `spotEstimator()` in order to flag possible outliers. The flagging is done both visually and statistically using the Grubbs test.

Usage

```
defineLocClusters(LocData, dims = rep(512, 2),
  out.method = "interactive.clustering", subset = c(),
  separator = "_", savePlot = "screen")
```

Arguments

LocData	The table of the location estimates obtained by <code>spotEstimator()</code> .
dims	Numeric vector. The dimensions of the image data. Default is <code>rep(512,2)</code> .
out.method	Character string. The method by which to flag outliers: "interactive.clustering" or "interactive.manual" or "manual". Default is "interactive.clustering". The interactive options work through interactive plots: "interactive.clustering" enables the user to highlight the outliers via co-centric circles in the plot while "interactive.manual" asks the user to click on the plot to highlight the outliers (to confirm & finalize the picks in each plot the user has to select the "stop" command (Windows) or press the right click in Linux/Mac. Note that 'interactive.clustering' works when one has more then or equal to 15 samples IN EACH CATEGORY (Run/Well combination). The "manual" option simply gives back the original table of location estimates with the last column being a series of "confidence". The outliers should be manually annotated by inserting "outlier" in the appropriate rows of the last column.
subset	List. It allows the user to run the algorithm for a subset of data (run ids and wells). Default <code>c()</code> using all data. Otherwise put the run IDs and the wells (left and/or right) in a list, e.g. <code>list(c("1772-115-xxx","1772-115-yyy"),"left")</code> .
separator	Character string. It refers to «separator1» parameter described in <code>readFiles()</code> that separates the run ID from the Well ID in the original image (converted) file names. Default is "_".
savePlot	Character string. Directory to store the plots if <code>out.method = manual</code> . Its value can be an existing directory or "screen" that prints the plot only on the screen. Default is the current working directory, <code>getwd()</code> .

Details

The outlier locations will be re-estimated by BF image modelling or adjusted as the 2-dimensional median of all non-outlying locations.

Value

A list of components summarizing the location estimates and their quality control statistics: Results: The table of the location estimates from `spotEstimator()` with an extra "QCgroup" labelled column that flags the samples either by "confidence" or by "outlier" (the locations that have been selected

as outliers from the interactive plots). If `out.method = "manual"` the column includes a series of "confidence" entries. The outliers should be manually labelled. `BFdata`: the outlier estimates of `spotEstimator()`. They are kept here for processing in the second `spotEstimator()` step. See `spotEstimator()` for more details. `Processed.Files`: the samples that have been processed by `spotEstimator()`. Also kept from the first `spotEstimator()` step. They will be processed in the second `spotEstimator()` step. `Outlier.indices`: a vector of outlier sample indices. They are generated from the flagging of the outliers via interactive plots. They have to be manually specified if `out.method = "manual"`. `Medians`: the 2-dimensional medians by run ID and wellID sets. `Wellsets`: a matrix showing the directionality of the well IDs. `BFarea`: the size of the pseudospot. `image.type`: the image type IDs. `dateIndex`: a date index to be used in saving the output files.

Examples

```
library(CONFESSdata)
### set your directories
basedir<-"~/ "
data_path<-system.file("extdata",package="CONFESSdata")
files<-readFiles(iDirectory=NULL,
                 BFdirectory=paste(data_path, "/BF", sep=""),
                 CHdirectory=paste(data_path, "/CH", sep=""),
                 separator = "_", image.type = c("BF", "Green", "Red"),
                 bits=2^16)

#this example is run using out.method="manual" (not interactive)
clu <- defineLocClusters(LocData=estimates,out.method="manual",savePlot="screen")
```

denoiseFun

denoiseFun

Description

An internal function to run data denoising.

Usage

```
denoiseFun(data, method)
```

Arguments

<code>data</code>	Numeric vector. An 1-dimensional vector of pseudotime sorted transformed signal differences.
<code>method</code>	Character string. A method to perform the denoising. One of "wavelets", "splines" or "lregr" (linear regression).

Value

The denoised data

denoiser	<i>denoiser</i>
----------	-----------------

Description

An internal function to run transformed data denoising that estimates the model residuals.

Usage

```
denoiser(data, method)
```

Arguments

data	Data matrix. A matrix contains the sample indices, the pseudotimes, the Ch2-Ch3 transformed data and the cluster numbers.
method	Character string. A method to perform the denoising. One of "wavelets", "splines" or "lregr" (linear regression).

Value

The denoised data and the model residuals

despecklefun	<i>despecklefun</i>
--------------	---------------------

Description

It despeckles the BF image data matrix (similar to the despeckle function of ImageJ)

Usage

```
despecklefun(img, pix, thresh)
```

Arguments

img	Data matrix. The BF image data matrix.
pix	Integer. A cutoff specifying the area to be examined for speckles.
thresh	Integer. A cutoff to perform the despeckle function. If pixel signal > median object signal + thresh, the object is a speckle and the median object signal is returned.

Value

A despeckled image

diagnoseResiduals *diagnoseResiduals*

Description

An internal function to perform residual diagnostic tests.

Usage

```
diagnoseResiduals(data, savePlot = "OFF")
```

Arguments

`data` List. A list of fluorescence signals with their model estimates.
`savePlot` Character string. The directory to store the plots.

Value

The residual diagnostics and plots

distfromcenter *distfromcenter*

Description

It calculates the Euclidian distance between two 2-dimensional locations.

Usage

```
distfromcenter(data, center)
```

Arguments

`data` Data matrix. A 2-dimensional location.
`center` Data matrix. A second 2-dimensional location.

Value

The Euclidian distance between the two locations

doTransform	<i>doTransform</i>
-------------	--------------------

Description

It transforms the adjusted fluorescence signals of a matrix.

Usage

```
doTransform(data, transformation, lpar = NULL)
```

Arguments

data	Data matrix. The adjusted signals of both channels.
lpar	Float. The lambda parameter of the Box-Cox.
transform	Character string. The type of transformation to be performed. One of "bc" (Box-Cox), "log", "log10" or "asinh".

Value

The transformed data matrix

estimate.new.pseudotimes	<i>estimate.new.pseudotimes</i>
--------------------------	---------------------------------

Description

It estimates a unique pseudotime vector to be used for analysis with `Fluo_ordering()`. It is based on the cross-validation estimates for each sample and a particular method defined by `pseudo.est.method` parameter at `Fluo_CV_modeling()`.

Usage

```
estimate.new.pseudotimes(data)
```

Arguments

data	Data matrix. The estimated pseudotimes for all samples with the original data and the CV data under two methods, i.e. "median/original" and "median/null". For details see parameter <code>pseudo.est.method</code> at <code>Fluo_CV_modeling()</code> .
------	--

Value

It summarizes the CV-estimated pseudotimes into a single value. There are three possible methods that may produce different results. For details see parameter `pseudo.est.method` at `Fluo_CV_modeling()`.

estimatePath	<i>estimatePath</i>
--------------	---------------------

Description

The main function for automatic path estimation .

Usage

```
estimatePath(data, type, start)
```

Arguments

data	Data matrix. A matrix of centroids with their trigonometric function values.
type	Character string. A user-defined value that characterizes the cell progression dynamics. It can be either "clockwise" or "anticlockwise" depending on how the path is expected to proceed.
start	Integer. The cluster number that is assigned as the path starting point

Value

The sorted cluster indices (path)

estimates	<i>estimates</i>
-----------	------------------

Description

Example output of the SpotEstimator function

Usage

```
data("estimates")
```

Format

The format is: List of 6 \$ SpotResults :'data.frame': 14 obs. of 14 variables: ..\$ SampleID : chr [1:14] "1772-062-248_A01" "1772-062-248_A02" "1772-062-248_A03" "1772-062-248_A04"\$ X : num [1:14] 259 491 262 261 261 258 259 189 498 194\$ Y : num [1:14] 367 219 368 369 335 367 336 278 20 284\$ Size : num [1:14] 31 49 19 152 141 43 59 15 49 32\$ Estimation.Type: chr [1:14] "Both.Channels" "Both.Channels" "One.Channel" "One.Channel"\$ fore_Green : num [1:14] 48.4 36 26.2 45.7 32.6\$ back_Green : num [1:14] 17.2 17.3 16.6 16.9 17.1\$ fore_Red : num [1:14] 219.1 27.6 86.5 18.4 48\$ back_Red : num [1:14] 17.5 18.6 17.5 18.1 18\$ Green.StN : num [1:14] 1.442 1.01 0.626 1.389 0.889\$ Green.Pvalue : num [1:14] 6.03e-07 1.08e-03 5.55e-02 5.16e-27 4.57e-23\$ Red.StN : num [1:14] 3.5689 0.5455 2.2422 0.0256 1.3664\$ Red.Pvalue : num [1:14] 6.16e-07 2.68e-01 7.13e-05 1.00 3.33e-25\$ Other.Spots : chr [1:14] "0" "0" "X = 30, Y = 204 (Green) | X = 262, Y = 368 (Red)" "0" ... \$ Outlier.Estimates:List of 14 ..\$:List of 6\$ sample : chr "1772-062-248_A01"\$ centerR: num [1:2] 0 0\$ centerG: num [1:2] 0 0\$ arR : NULL\$ arG : NULL\$ warn : NULL

```

..$ :List of 6 .. ..$ sample : chr "1772-062-248_A02" .. ..$ centerR: num [1:2] 0 0 .. ..$ centerG:
num [1:2] 0 0 .. ..$ arR : NULL .. ..$ arG : NULL .. ..$ warn : NULL ..$ :List of 6 .. ..$ sample : chr
"1772-062-248_A03" .. ..$ centerR: num [1:2] 263 370 .. ..$ centerG: num [1:2] 263 370 .. ..$ arR :
NULL .. ..$ arG : NULL .. ..$ warn : chr "BF" ..$ :List of 6 .. ..$ sample : chr "1772-062-248_A04"
.. ..$ centerR: num [1:2] 265 370 .. ..$ centerG: num [1:2] 265 370 .. ..$ arR : NULL .. ..$ arG :
NULL .. ..$ warn : chr "BF" ..$ :List of 6 .. ..$ sample : chr "1772-062-248_A05" .. ..$ centerR:
num [1:2] 0 0 .. ..$ centerG: num [1:2] 0 0 .. ..$ arR : NULL .. ..$ arG : NULL .. ..$ warn : NULL
..$ :List of 6 .. ..$ sample : chr "1772-062-248_A06" .. ..$ centerR: num [1:2] 0 0 .. ..$ centerG:
num [1:2] 0 0 .. ..$ arR : NULL .. ..$ arG : NULL .. ..$ warn : NULL ..$ :List of 6 .. ..$ sample
: chr "1772-062-248_A07" .. ..$ centerR: num [1:2] 0 0 .. ..$ centerG: num [1:2] 0 0 .. ..$ arR :
NULL .. ..$ arG : NULL .. ..$ warn : NULL ..$ :List of 6 .. ..$ sample : chr "1772-067-039_A01"
.. ..$ centerR: num [1:2] 0 0 .. ..$ centerG: num [1:2] 0 0 .. ..$ arR : NULL .. ..$ arG : NULL .. ..$
warn : NULL ..$ :List of 6 .. ..$ sample : chr "1772-067-039_A02" .. ..$ centerR: num [1:2] 195
250 .. ..$ centerG: num [1:2] 195 250 .. ..$ arR : NULL .. ..$ arG : NULL .. ..$ warn : chr "BF" ..$
:List of 6 .. ..$ sample : chr "1772-067-039_A03" .. ..$ centerR: num [1:2] 0 0 .. ..$ centerG: num
[1:2] 0 0 .. ..$ arR : NULL .. ..$ arG : NULL .. ..$ warn : NULL ..$ :List of 6 .. ..$ sample : chr
"1772-067-039_A04" .. ..$ centerR: num [1:2] 191 281 .. ..$ centerG: num [1:2] 191 281 .. ..$ arR :
NULL .. ..$ arG : NULL .. ..$ warn : chr "BF" ..$ :List of 6 .. ..$ sample : chr "1772-067-039_A05"
.. ..$ centerR: num [1:2] 0 0 .. ..$ centerG: num [1:2] 0 0 .. ..$ arR : NULL .. ..$ arG : NULL .. ..$
warn : NULL ..$ :List of 6 .. ..$ sample : chr "1772-067-039_A06" .. ..$ centerR: num [1:2] 187
274 .. ..$ centerG: num [1:2] 187 274 .. ..$ arR : NULL .. ..$ arG : NULL .. ..$ warn : chr "BF" ..$
:List of 6 .. ..$ sample : chr "1772-067-039_A07" .. ..$ centerR: num [1:2] 0 0 .. ..$ centerG: num
[1:2] 0 0 .. ..$ arR : NULL .. ..$ arG : NULL .. ..$ warn : NULL $ Processed.Files :List of 6 ..$ BF :
chr [1:14] "/home/diana/R/x86_64-pc-linux-gnu-library/3.2/CONFESSdata/extdata/BF/1772-062-
248_A01_BF.txt" "/home/diana/R/x86_64-pc-linux-gnu-library/3.2/CONFESSdata/extdata/BF/1772-
062-248_A02_BF.txt" "/home/diana/R/x86_64-pc-linux-gnu-library/3.2/CONFESSdata/extdata/BF/1772-
062-248_A03_BF.txt" "/home/diana/R/x86_64-pc-linux-gnu-library/3.2/CONFESSdata/extdata/BF/1772-
062-248_A04_BF.txt" ... ..$ CH1 : chr [1:14] "/home/diana/R/x86_64-pc-linux-gnu-library/3.2/CONFESSdata/extdata/CH/1772-
062-248_A01_Green.txt" "/home/diana/R/x86_64-pc-linux-gnu-library/3.2/CONFESSdata/extdata/CH/1772-
062-248_A02_Green.txt" "/home/diana/R/x86_64-pc-linux-gnu-library/3.2/CONFESSdata/extdata/CH/1772-
062-248_A03_Green.txt" "/home/diana/R/x86_64-pc-linux-gnu-library/3.2/CONFESSdata/extdata/CH/1772-
062-248_A04_Green.txt" ... ..$ CH2 : chr [1:14] "/home/diana/R/x86_64-pc-linux-gnu-library/3.2/CONFESSdata/extdata/CH/1772-
062-248_A01_Red.txt" "/home/diana/R/x86_64-pc-linux-gnu-library/3.2/CONFESSdata/extdata/CH/1772-
062-248_A02_Red.txt" "/home/diana/R/x86_64-pc-linux-gnu-library/3.2/CONFESSdata/extdata/CH/1772-
062-248_A03_Red.txt" "/home/diana/R/x86_64-pc-linux-gnu-library/3.2/CONFESSdata/extdata/CH/1772-
062-248_A04_Red.txt" ... ..$ separator : chr "_" ..$ image.type: chr [1:3] "BF" "Green" "Red" ..$
dateIndex : chr "WedApr611:21:282016" $ BFarea : num 7 $ image.type : chr [1:3] "BF" "Green"
"Red" $ dateIndex : chr "WedApr611:21:282016"

```

Value

example intermediates

estimates.2	<i>estimates.2</i>
-------------	--------------------

Description

Example output from the 2nd run of the spotEstimator function

Usage

```
data("estimates.2")
```

Format

The format is: List of 6 \$ SpotResults : 'data.frame': 14 obs. of 15 variables: ..\$ SampleID : chr [1:14] "1772-062-248_A01" "1772-062-248_A02" "1772-062-248_A03" "1772-062-248_A04"\$ X : num [1:14] 259 261 262 261 261 258 259 189 195 194\$ Y : num [1:14] 367 335 368 369 335 367 336 278 250 284\$ Size : num [1:14] 31 49 19 152 141 43 59 15 49 32\$ Estimation.Type: chr [1:14] "Fluorescence-based" "Chip.Pattern-based" "Fluorescence-based" "Fluorescence-based"\$ fore_Green : num [1:14] 48.4 18.4 26.2 45.7 32.6\$ back_Green : num [1:14] 17.2 16.8 16.6 16.9 17.1\$ fore_Red : num [1:14] 219.1 19.8 86.5 18.4 48\$ back_Red : num [1:14] 17.5 17.8 17.5 18.1 18\$ Green.StN : num [1:14] 1.442 0.118 0.626 1.389 0.889\$ Green.Pvalue : num [1:14] 6.03e-07 1.00 5.55e-02 5.16e-27 4.57e-23\$ Red.StN : num [1:14] 3.5689 0.1416 2.2422 0.0256 1.3664\$ Red.Pvalue : num [1:14] 6.16e-07 1.00 7.13e-05 1.00 3.33e-25\$ Other.Spots : chr [1:14] "0" "0" "X = 30, Y = 204 (Green) | X = 262, Y = 368 (Red)" "0"\$ QCgroup : chr [1:14] "confidence" "contamination" "confidence" "confidence" ... \$ Outlier.Estimates:List of 14 ..\$:List of 6\$ sample : chr "1772-062-248_A01"\$ centerR: num [1:2] 0 0\$ centerG: num [1:2] 0 0\$ arR : NULL\$ arG : NULL\$ warn : NULL ..\$:List of 6\$ sample : chr "1772-062-248_A02"\$ centerR: num [1:2] 0 0\$ centerG: num [1:2] 0 0\$ arR : NULL\$ arG : NULL\$ warn : NULL ..\$:List of 6\$ sample : chr "1772-062-248_A03"\$ centerR: num [1:2] 263 370\$ centerG: num [1:2] 263 370\$ arR : NULL\$ arG : NULL\$ warn : chr "BF" ..\$:List of 6\$ sample : chr "1772-062-248_A04"\$ centerR: num [1:2] 265 370\$ centerG: num [1:2] 265 370\$ arR : NULL\$ arG : NULL\$ warn : chr "BF" ..\$:List of 6\$ sample : chr "1772-062-248_A05"\$ centerR: num [1:2] 0 0\$ centerG: num [1:2] 0 0\$ arR : NULL\$ arG : NULL\$ warn : NULL ..\$:List of 6\$ sample : chr "1772-062-248_A06"\$ centerR: num [1:2] 0 0\$ centerG: num [1:2] 0 0\$ arR : NULL\$ arG : NULL\$ warn : NULL ..\$:List of 6\$ sample : chr "1772-067-039_A01"\$ centerR: num [1:2] 0 0\$ centerG: num [1:2] 0 0\$ arR : NULL\$ arG : NULL\$ warn : NULL ..\$:List of 6\$ sample : chr "1772-067-039_A02"\$ centerR: num [1:2] 195 250\$ centerG: num [1:2] 195 250\$ arR : NULL\$ arG : NULL\$ warn : chr "BF" ..\$:List of 6\$ sample : chr "1772-067-039_A03"\$ centerR: num [1:2] 0 0\$ centerG: num [1:2] 0 0\$ arR : NULL\$ arG : NULL\$ warn : NULL ..\$:List of 6\$ sample : chr "1772-067-039_A04"\$ centerR: num [1:2] 191 281\$ centerG: num [1:2] 191 281\$ arR : NULL\$ arG : NULL\$ warn : chr "BF" ..\$:List of 6\$ sample : chr "1772-067-039_A05"\$ centerR: num [1:2] 0 0\$ centerG: num [1:2] 0 0\$ arR : NULL\$ arG : NULL\$ warn : NULL ..\$:List of 6\$ sample : chr "1772-067-039_A06"\$ centerR: num [1:2] 187 274\$ centerG: num [1:2] 187 274\$ arR : NULL\$ arG : NULL\$ warn : chr "BF" ..\$:List of 6\$ sample : chr "1772-067-039_A07"\$ centerR: num [1:2] 0 0\$ centerG: num [1:2] 0 0\$ arR : NULL\$ arG : NULL\$ warn : NULL \$ Processed.Files :List of 6 ..\$ BF : chr [1:2] "/home/diana/R/x86_64-pc-linux-gnu-library/3.2/CONFESSdata/extdata/BF/1772-062-248_A02_BF.txt" "/home/diana/R/x86_64-pc-linux-gnu-library/3.2/CONFESSdata/extdata/BF/1772-067-039_A02_BF.txt" ..\$ CH1 : chr [1:2] "/home/diana/R/x86_64-pc-linux-gnu-library/3.2/CONFESSdata/extdata/CH/1772-062-248_A02_Green.txt" "/home/diana/R/x86_64-pc-linux-gnu-library/3.2/CONFESSdata/extdata/CH/1772-067-039_A02_Green.txt" ..\$ CH2 : chr [1:2] "/home/diana/R/x86_64-pc-linux-gnu-library/3.2/CONFESSdata/extdata/CH/1772-062-248_A02_Red.txt" "/home/diana/R/x86_64-pc-linux-gnu-library/3.2/CONFESSdata/extdata/CH/1772-067-039_A02_Red.txt" ..\$ separator : chr "_" ..\$ image.type: chr [1:3] "BF" "Green" "Red" ..\$ dateIndex : chr "WedApr611:21:282016" \$ BFarea : num 7 \$ image.type : chr [1:3] "BF" "Green" "Red" \$ dateIndex : chr "WedApr611:21:282016"

Value

example intermediates

extractBFArea	<i>extractBFarea</i>
---------------	----------------------

Description

It estimates the spot or capture site location by BF image modelling.

Usage

```
extractBFArea(cc, img, area, BFarea)
```

Arguments

cc	Data matrix. An estimated spot center.
img	Data matrix. The matrix of image data from a channel.
area	Data matrix. The bright (spot) coordinates around the spot center.
BFarea	Integer. Defines a rectangular pseudo-spot size whose fluorescence will be estimated.

Value

The area identified by BF image modelling

failurecase	<i>failurecase</i>
-------------	--------------------

Description

Another helper to re-estimate the spot location or find the capture site location (BF image modelling).

Usage

```
failurecase(img, pattern.search, despeckle, ImgLimits, chip.type,  
separator, image.type)
```

Arguments

pattern.search	Integer. A cutoff to find horizontal and vertical lines on the chip.
despeckle	Logical. If TRUE, the BF image is despeckled.
ImgLimits	Integer. It instructs the algorithm to find spots in a certain central image area. For example, for a 512 x 512 image with ImgLimits = 50, it will search for spots in the central area [ImgLimits:(512-ImgLimits),ImgLimits:(512-ImgLimits)] of the image matrix.
separator	Character string. Removes the Bright Field ("BF") and channel indicators from the image file names.
image.type	Character string. A triplet of IDs to characterize the type of images under study.
origImg	Data matrix. The original BF image to be read and processed.
type	Character string. It specifies the type of Fluidigm chip to be analyzed.

Value

Location statistics and characteristic lines of BF image modelling

fclust

fclust

Description

The main flowClust function used in this application.

Usage

```
fclust(data, k, nstart = 1)
```

Arguments

data	Data matrix. A matrix of run effect and background corrected fluorescence signals in both channels.
k	Integer. The maximum number of clusters to be generated.
nstart	Integer. A flowClust parameter specifying the number of random sets to be chosen for the clustering estimation.

Value

The flowClust results

files	<i>files</i>
-------	--------------

Description

Example output of readFiles with file definition and locations

Usage

```
data("files")
```

Format

The format is: List of 6 \$ BF : chr [1:14] "/home/diana/R/x86_64-pc-linux-gnu-library/3.2/CONFESSdata/extdata/BF/1772-062-248_A01_BF.txt" "/home/diana/R/x86_64-pc-linux-gnu-library/3.2/CONFESSdata/extdata/BF/1772-062-248_A02_BF.txt" "/home/diana/R/x86_64-pc-linux-gnu-library/3.2/CONFESSdata/extdata/BF/1772-062-248_A03_BF.txt" "/home/diana/R/x86_64-pc-linux-gnu-library/3.2/CONFESSdata/extdata/BF/1772-062-248_A04_BF.txt" ... \$ CH1 : chr [1:14] "/home/diana/R/x86_64-pc-linux-gnu-library/3.2/CONFESSdata/extdata/CH/1772-062-248_A01_Green.txt" "/home/diana/R/x86_64-pc-linux-gnu-library/3.2/CONFESSdata/extdata/CH/1772-062-248_A02_Green.txt" "/home/diana/R/x86_64-pc-linux-gnu-library/3.2/CONFESSdata/extdata/CH/1772-062-248_A03_Green.txt" "/home/diana/R/x86_64-pc-linux-gnu-library/3.2/CONFESSdata/extdata/CH/1772-062-248_A04_Green.txt" ... \$ CH2 : chr [1:14] "/home/diana/R/x86_64-pc-linux-gnu-library/3.2/CONFESSdata/extdata/CH/1772-062-248_A01_Red.txt" "/home/diana/R/x86_64-pc-linux-gnu-library/3.2/CONFESSdata/extdata/CH/1772-062-248_A02_Red.txt" "/home/diana/R/x86_64-pc-linux-gnu-library/3.2/CONFESSdata/extdata/CH/1772-062-248_A03_Red.txt" "/home/diana/R/x86_64-pc-linux-gnu-library/3.2/CONFESSdata/extdata/CH/1772-062-248_A04_Red.txt" ... \$ separator : chr "_" \$ image.type: chr [1:3] "BF" "Green" "Red" \$ dateIndex : chr "WedApr611:21:282016"

Examples

```
data(files)
```

filled.contour3	<i>filled.contour3</i>
-----------------	------------------------

Description

It generates a contour plot of a channel specific spot. It is a modification by Ian Taylor of the filled.contour() to remove the key and facilitate overplotting with contour(). It has been further modified by Carey McGilliard and Bridget Ferris to allow multiple plots on one page <http://wiki.cbr.washington.edu/qerm/site>. We have added some extra parameters to adapt the function to our application.

Usage

```
filled.contour3(x = seq(0, 1, length.out = nrow(z)), y = seq(0, 1,
length.out = ncol(z)), z, xlim = range(x, finite = TRUE),
ylim = range(y, finite = TRUE), zlim = range(z, finite = TRUE),
levels = pretty(zlim, nlevels), nlevels = 20,
color.palette = cm.colors, col = color.palette(length(levels) - 1),
joinedPlots, plot.title, plot.axes, key.title, key.axes, asp = NA,
xaxs = "i", yaxs = "i", las = 1, axes = TRUE,
frame.plot = axes, mar, ...)
```

Arguments

x, y, z Numeric vectors. Some plot coordinates.
 ... Other parameters of the function.

Value

A plotted spot

findPattern	<i>findPattern</i>
-------------	--------------------

Description

A helper to find the characteristic straight lines of the BF image .

Usage

```
findPattern(imgline, bpattern)
```

Arguments

imgline Integer. A row or a column number of the BF image data matrix.
 bpattern Integer. A user-defined cutoff that specifies whether a given row or column contains a characteristic straight line.

Value

An estimate for the existence of a characteristic line

fixPath	<i>FixPath</i>
---------	----------------

Description

It tests whether the path has been appropriately defined and produces an error if not.

Usage

```
fixPath(data, groups)
```

Arguments

data List. A list of fluorescence signal information for both channels.
 groups Numeric vector. A vector of cluster indices.

Value

A list with the adjusted fluorescence signals and the clusters

flowclust_step1	<i>flowclust_step1</i>
-----------------	------------------------

Description

A helper function for flowClust analysis.

Usage

```
flowclust_step1(data, k, nstart)
```

Arguments

data	Data matrix. A matrix of run effect and background corrected fluorescence signals in both channels.
k	Integer. The maximum number of clusters to be generated.
nstart	Integer. A flowClust parameter specifying the number of random sets to be chosen for the clustering estimation.

Value

Preliminary flowClust results

flowclust_step2	<i>flowclust_step2</i>
-----------------	------------------------

Description

Another helper function for flowClust analysis.

Usage

```
flowclust_step2(data)
```

Arguments

data	Data matrix. A matrix of flowclust results from flowclust_step1().
------	--

Value

Preliminary flowClust results

FluoInspection	<i>FluoInspection</i>
----------------	-----------------------

Description

It generates the initial clusters, their centroids and plots the results.

Usage

```
FluoInspection(data, dateIndex, savePlot)
```

Arguments

data	List. A list of fluorescence signal information for both channels.
dateIndex	Character string. A date index to be used in saving the output files.
savePlot	Character string. The directory to store the plots or an option to print them on the screen.

Value

A list with the adjusted fluorescence signals and the centroids

FluoSelection_byRun	<i>FluoSelection_byRun</i>
---------------------	----------------------------

Description

It accepts a subset of data to inspect their background corrected fluorescence signal characteristics. Typically it one can inout the data from a single run to identify an appropriate mixture model for run effect correction. Any other arbitrary subset of the data can also be used. For example, it can be used to keep certain samples and filter out outliers.

Usage

```
FluoSelection_byRun(data, batch = c(), other = c())
```

Arguments

data	List. The output of createFluo().
batch	Integer. A selected run. If it is c() then the "other" parameter should be activated. Default is 1.
other	Numeric vector. It accepts the sample numbers indicating the samples to be kept for analysis, e.g. other = c(1:10, 101:110) to keep samples 1:10 and 100:110. Default is c().

Value

A list of reformed data to be used in subsequent analysis. It is essentially the same slots of createFluo() with only a subset of data included (as defined by the batch and other parameters): index: The sample indices. RGexprs: the foreground (columns 1 and 3) and background (columns 2 and 4) signals of each channel that have been estimated by spotEstimator() and filtered in LocationMatrix(). samples: the sample IDs. batch: a matrix of the run IDs. The first column contains the original run IDs. The second column is the converted original IDs into numeric values (to be used in the statistical modeling step of Fluo_adjustment()). size: the estimated cell size. image.type: the image type IDs as defined in readFiles(). The parameter is kept in order to enable the user to use this function independently of the image analysis step. dateIndex: a date index to be used for storing the output files. It is either transferred from LocationMatrix() or it is generated here for the first time (e.g. if image analysis was not run by CONFESS or if the analysis has been repeated many times).

Examples

```
step1 <- createFluo(from.file=system.file("extdata", "Results_of_image_analysis.txt",
package = "CONFESS"),separator="_")
step2a <- FluoSelection_byRun(data = step1, batch = 4:5)
```

Fluo_adjustment	<i>Fluo_adjustment</i>
-----------------	------------------------

Description

A summary of the signal adjustment algorithms into a single function. It corrects the run effect (if any) and performs background adjustment for appropriately transformed data.

Usage

```
Fluo_adjustment(data, BGmethod = "normexp", maxMix = 3,
single.batch.analysis = 1, transformation = "log", prior.pi = 0.1,
flex.reps = 50, flexmethod = "BIC", savePlot = getwd(),
seed = NULL)
```

Arguments

data	List. The output of createFluo().
BGmethod	Character string. The type of image background correction to be performed. One of "normexp" or "subtract". Default is "normexp".
maxMix	Integer. The maximum number of components to fit into the mixture of regressions model. If maxMix=1 or if the optimal number of the estimated components is 1, the model reduces to the classical 2-way ANOVA. Default is 3.
single.batch.analysis	Integer. The baseline run against with the run effect correction is performed. Default is 1. If 0, each run is used as baseline iteratively and the final corrected data are obtained as the average of all corrections.
transformation	Character string. One of bc (Box-Cox), log, log10, asinh transforms applied to the data. Default is "log".

prior.pi	Float. The prior probability to accept a component. Default is 0.1.
flex.reps	Integer. The iterations of the Expectation-Maximization algorithm to estimate the flexmix model. Default is 50.
flexmethod	Character string. A method to estimate the optimal number of flexmix components. One of "BIC", "AIC", "ICL". Default is "BIC".
savePlot	Character string. Directory to store the plots. Its value can be an existing directory or "screen" that prints the plot only on the screen or "OFF" that does not generate a plot (suggested only during cross-validations). Default is the current working directory, getwd().
seed	Integer. An optional seed number for the Random Number Generator. Note that this seed is a 'reference' value of the actual seed used in sampling. CONFESS is using various random sampling methods. Each method's actual seed is factor*seed. The factors vary across methods. Default is NULL.

Value

A list with the data description, the normalized and corrected estimates over all runs by averaging (Summarized_estimates) AND for a particular "reference" run (Batch_estimates). Analytically, the components are: General index: The sample indices. samples: the sample IDs. batch: a matrix of the run IDs. The first column contains the original run IDs. The second column is the converted original IDs into numeric values (to be used in the statistical modeling step of Fluo_adjustment()). Size: the estimated cell size. RGexprs: the foreground (columns 1 and 3) and background (columns 2 and 4) signals of each channel that have been estimated by spotEstimator() and filtered in LocationMatrix(). exprs: the background corrected (only) signals of each channel. These data are fed into the flexmix model. image.type: the image type IDs as defined in readFiles(). dateIndex: the date index used. single.batch.analysis: the reference run used for run effect correction with flexmix. BGmethod: the background correction method used. maxMix: the maxMix parameter used. prior.pi: the prior.pi parameter used. flex.reps: the flex.reps parameter used. flexmethod: the flexmethod parameter used. RNG: the seed that is used to generate the results.

Summarized_estimates: corrected.exprs: the background and run effect corrected channel signals (by averaging the estimates of all runs). corrected.transformed.exprs: the background and run effect transformed corrected channel signals (by averaging the estimates of all runs). The transformation is defined in the transformation parameter (see above). allResults: the background and run effect corrected and transformed corrected channel signals (two different slots) for all runs.

Batch_estimates: it contains the analytical results for each batch in different slots. Each slot includes: corrected.exprs: the background and run effect corrected channel signals (for a run). corrected.transformed.exprs: the background and run effect transformed corrected channel signals (for a run). The transformation is defined in the transformation parameter (see above). mixes.(image.type 1): the estimated components of the flexmix model for one channel. mixes.(image.type 2): the estimated components of the flexmix model for the other channel. Batch.(image.type 1).est: the run effects of one channel. It contains the model estimates and significance P-values/FDRs. "Comp" corresponds to the factor of flexmix components (mixes) and "Batch" to the factor of runs. Batch.(image.type 2).est: the run effects of the other channel. It contains the model estimates and significance P-values/FDRs. "Comp" corresponds to the factor of flexmix components (mixes) and "Batch" to the factor of runs. fitted.values: the fitted values of the flexmix model for each channel. transformation: the transformation applied on the fluorescence signals (it stores the value of transformation parameter). model.residuals: the flexmix residuals for each channel. model.standardized.residuals: the flexmix standardized residuals for each channel. residual.statistics: the result of various normality tests for the residuals. lpar: the lambda parameter of the Box-Cox transformation (if used). design.(image.type 1): the design matrix of one channel. design.(image.type 2): the design matrix of the other channel. reference: the run that has been used as reference. (image.type 1).contrasts: the

contrasts matrix for the differences across flexmix components and runs for one channel (only for the reference batch if any). (image.type 2).contrasts: the contrasts matrix for the differences across flexmix components and runs for the other channel (only for the reference batch if any).

Examples

```
step2 <- Fluo_adjustment(data=step1, flex.reps = 5, single.batch.analysis=5, savePlot="OFF")
```

Fluo_CV_modeling	<i>Fluo_CV_modeling</i>
------------------	-------------------------

Description

It performs the cross-validation analysis on the estimated pseudotimes and clusters of the previous step, i.e. `Fluo_CV_prep()` or a manually generated list based on `Fluo_modeling()`. This function will evaluate the change in the estimated obtained (i) from a subset of data by *f*-fold cross-validation where *f* is the percentage of the samples from a specific group (`@GAPgroups`) that stay in the analysis at each CV iteration, or (ii) from a subset of runs that stay in the analysis at each CV iteration. It produces informative plots for the differences in the estimates between each iteration and the original estimates. It also summarizes the CV-estimated pseudotimes into a new set of estimates.

Usage

```
Fluo_CV_modeling(data, B = 20, batch = 1, perc.cutoff = 0.6,
  q = 0.9, f = 0.9, seed.it = TRUE, pseudotime.cutoff = 20,
  savePlot = getwd())
```

Arguments

<code>data</code>	List. The output of <code>Fluo_CV_prep()</code> or any other manually retrieved list with the components of <code>Fluo_CV_prep()</code> .
<code>B</code>	Integer. The number of cross-validation to be performed. Default is 20.
<code>batch</code>	Numeric. A vector of runs to remain in the cross-validation. The rest are temporarily removed. The algorithm estimates the centroids of the reduced data and then calls the out-of-bag samples and re-estimates their k-mean clusters.
<code>perc.cutoff</code>	Float. The percentage of similar CV-estimated pseudotimes for each sample. The similarity is assessed by k-means with $k = 2$. It serves as a cut-off to identify outlying CV-estimated pseudotimes (along with <code>q</code> and <code>pseudotime.cutoff</code>). Default is 0.6.
<code>q</code>	Float. The <i>q</i> -th quantile of the difference between the original data estimated pseudotimes and the CV-estimated pseudotimes for each sample. It serves as a cut-off to identify outlying CV-estimated pseudotimes (along with <code>perc.cutoff</code> and <code>pseudotime.cutoff</code>). Default is 0.9.
<code>f</code>	Float. The percentage of samples from each estimated cluster (<code>@GAPgroups</code>) to remain in the cross-validation analysis. The rest are temporarily removed. The algorithm estimates the centroids of the reduced data and then calls the out-of-bag samples and re-estimates their k-mean clusters.
<code>seed.it</code>	Logical. If TRUE it performs cross-validation with the seed used in the analysis of the original data, i.e. in <code>Fluo_CV_prep()</code> . Default is TRUE.

pseudotime.cutoff	Integer. A user-defined value to define outlier samples (along with perc.cutoff and q), i.e. samples with $\text{Pseudotime}(\text{original}) - \text{medianPseudotime}(\text{CV}) > \text{pseudotime.cutoff}$. Default is 20.
savePlot	Character string. Directory to store the plots of the analysis of the whole data. Its value can be an existing directory or "screen" that prints the plot only on the screen. The "OFF" option is permanently used in cross-validations). Default is the current working directory, getwd().

Value

The output of `Fluo_modeling()` with the original estimates and the CV-based estimated pseudotimes/clusters in different slots of component CV results. The results are categorized by run number. Each run contains the original estimates (`@Original Pseudotimes`), the CV-based estimates by the "median/original" method (`@Reest.Pseudotimes_median/original`) and the CV-based estimates by the "median/null" method (`@Reest.Pseudotimes_median/null`).

1. "median/original" It integrates the information of the CV and the originally estimated pseudotimes. It build kmean clusters of the B CV estimates for each sample and defines $\text{pseudotime}(i) = \text{median}(\text{pseudotime}(\text{set1}, i))$ where set1 is a subset of the B pseudotimes that exhibit some similarity. The similarity is assessed by k-means clustering. This subset should contain a large percentage of the B data ($> \text{perc.cutoff}$) and it's median should be lower than the q-th quantile of the average differences between the original and the CV-estimated pseudotimes across all samples. If the CV estimated pseudotimes do not satisfy the above then the algorithm returns $\text{pseudotime}(i) = \text{median}(\text{pseudotime}(\text{set2}, i))$ where set2 is the cluster of B pseudotimes that minimizes $|\text{median}(\text{pseudotimes}(\text{set2}, i)) - \text{original.pseudotimes}|$.

2. "median/null" if set1 with similar pseudotimes that satisfies the above rules exists, it returns the $\text{pseudotime}(i) = \text{median}(\text{pseudotime}(\text{set1}, i))$. Otherwise it returns NULL, i.e. the sample CV-estimated pseudotimes are not similar and the algorithm cannot estimate reliably the pseudotime of interest.

Both solutions are then going under a final round of change-point analysis that uses the CV-estimated pseudotimes and produce the final results of `Fluo_CV_modeling()`. All results canbe subsequently used in `Fluo_ordering()`. The output also includes a second component, `@All.Progressions`, with the original and the CV estimated pseudotimes. This information is kept for comparison reasons and it is not used further.

Examples

```
print("Not run because takes a long time")
#step1 <- createFluo(from.file=system.file("extdata", "Results_of_image_analysis.txt",
#package = "CONFESS"), separator="_")
#steps2_4 <- Fluo_CV_prep(data=step1, init.path = "bottom/left", path.type=c("circular", "clockwise"),
#single.batch.analysis = 5, flex.reps=5, altFUN="kmeans", vSmethod="DDHFmv", CPmethod="ECP",
#B.kmeans=5, CPpvalue=0.01, savePlot="OFF")
#steps2_4cv<-Fluo_CV_modeling(data=steps2_4, B=5, f=0.99, savePlot="OFF")
```


Description

It generates the data that will be used in the cross-validation analysis. Essentially, it analyzes and stores the original (full) dataset for different reference runs, seeds, starting clusters etc. It estimates the progression path automatically that is feasible only for standard paths (path.type parameter different than 'other'). For this reason this function is useful only in these cases. If otherwise, it should be omitted from the analysis and the user should generate it manually, i.e. run Fluo_adjustment() - Fluo_modeling() series as many times as the cases to be studied with manual init.path input in Fluo_modeling().

Usage

```
Fluo_CV_prep(data, init.path = "bottom/left", path.type = c("circular",
  "clockwise"), BGmethod = "normexp", maxMix = 3,
  single.batch.analysis = 1:5, transformation = "log",
  prior.pi = 0.1, flex.reps = 50, flexmethod = "BIC", areacut = 0,
  fixClusters = 0, altFUN = "kmeans", k.max = 15,
  VSmethod = "DDHFmv", CPmethod = "ECP", CPgroups = 5,
  B.kmeans = 50, CPpvalue = 0.05, CPmingroup = 15,
  savePlot = getwd(), seed = NULL)
```

Arguments

data	List. The output of createFluo(), i.e. the image analysis estimates.
init.path	Character vector. It defines the starting cluster of the progression path in general terms. It can be one of "top/right", "top/left", "bottom/right" or "bottom/left" indicating the cluster of interest on the 2d scatterplot of Fluo_inspection(). Default is rep("bottom/left",2), i.e. in Fucci an EM/earlyG1 like cluster.
path.type	Character vector. A user-defined vector that characterizes the cell progression dynamics. The first element can be either "circular" or "A2Z" or "other". If "circular" the path progression is assumed to exhibit a circle-like behavior. If "A2Z" the path is assumed to have a well-defined start and a well-defined end point (e.g. a linear progression). If "other" the progression is assumed to be arbitrary without an obvious directionality. Default is "circular". The second element can be either "clockwise" or "anticlockwise" depending on how the path is expected to proceed. Default is "clockwise". If the first element is "other" the second element can be omitted. If path.type = "other", the function does not estimate a path. The cross-validation algorithm will probably fail for this kind of path.type values because it will not be able to automatically guess the progression path. It is suggested that the user runs the cross-validation manually (each time specifying the path in Fluo_modeling()), collect the data in a list similar to the one produced here and input them into Fluo_CV_modeling() to get the results.
BGmethod	Character string. The type of image background correction to be performed. One of "normexp" or "subtract". Default is "normexp".
maxMix	Integer. The maximum number of components to fit into the mixture of regressions model. If maxMix=1 or if the the optimal number of the estimated components is 1, the model reduces to the classical 2-way ANOVA. Default is 3.
single.batch.analysis	Numeric. The baseline run(s) to perform run effect correction with flexmix. Due to iterative nature of this function it can be a series of values including 0 (averaging of run correction estimates). Default is 1:5.

transformation	Character string. One of bc (Box-Cox), log, log10, asinh transforms applied to the data. Default is "log".
prior.pi	Float. The prior probability to accept a component. Default is 0.1.
flex.reps	Integer. The iterations of the Expectation-Maximization algorithm to estimate the flexmix model. Default is 50.
flexmethod	Character string. A method to estimate the optimal number of flexmix components. One of "BIC", "AIC", "ICL". Default is "BIC".
areacut	Integer. The "artificial" area size (BF_{area}^2) of the cells estimated by BF image modelling. Default is 0, implying that the area sizes to be corrected will be estimated automatically from the data (not recommended if prior knowledge exists).
fixClusters	Integer. A number that defines the number of k-mean clusters to be initially generated. If 0, the function runs GAP analysis to estimate the optimal number of clusters. Default is 0.
altFUN	Character string. A user-defined method to generate the initial clusters. It can be one of kmeans, samSpec, fmeans, fmerge or fpeaks. Default is "kmeans".
k.max	Integer. This is the maximum number of clusters that can be generated by k-means (if fixClusters = 0). Default is 15.
VSmethod	Character string. The variance stabilization transformation method to be applied to the corrected fluorescence data prior to the change point analysis. IT can be one of "log" or "DDHFmv". Default is "DDHFmv".
CPmethod	Character string. The change point method to be used. It can be one of "ECP", (non-parametric) "manualECP" (non-parametric with user-defined number of change-points) or "PELT" (Pruned Exact Linear Time; parametric). Default is ECP.
CPgroups	Integer. The number of change-points to be kept if CPmethod = "manualECP". Default is 5.
B.kmeans	Integer. The number of bootstrap samples for the calculation of the GAP statistic. Default is 50.
CPpvalue	Float. The significance level below which we do not reject a change point. Default is 0.05.
CPmingroup	Integer. The minimum number of values for a cluster re-estimated by the change-point analysis. Default is 10.
savePlot	Character string. Directory to store the plots of the analysis of the whole data. Its value can be an existing directory or "screen" that prints the plot only on the screen. The "OFF" option is permanently used in cross-validations). Default is the current working directory, getwd().
seed	Integer. An optional seed number for the Random Number Generator. Note that this seed is a 'reference' value of the actual seed used in sampling. CONFESS is using various random sampling methods. Each method's actual seed is factor*seed. The factors vary across methods. Default is NULL.

Details

The function can also be used to generate all pseudotime/clustering results up to the function of `Fluo_modeling()` but the starting cluster has to be defined in general terms (see `init.path` parameter below). For this reason, its parameters are essentially the same to the ones defined previously at the `Fluo_adjustment()` - `Fluo_modeling()` functions.

Value

The results of `Fluo_modeling()` for difference reference runs (batches) are stored in different slots. An additional slot `@init.path` exists that stores the `init.path` parameter (its value to be used in the CV automatically).

One can directly use the run components in `Fluo_ordering()` to finalize the data analysis. The main purpose of this function, though, is to prepare the data for cross-validation.

Examples

```
step1 <- createFluo(from.file=system.file("extdata", "Results_of_image_analysis.txt",
package = "CONFESS"),separator="_")
steps2_4 <- Fluo_CV_prep(data=step1,init.path = "bottom/left",path.type=c("circular","clockwise"),
single.batch.analysis = 5,flex.reps=5,altFUN="kmeans",VSmetho="DDHFmv",CPmethod="ECP",
B.kmeans=5,CPpvalue=0.01,savePlot="OFF")
```

Fluo_inspection

Fluo_inspection

Description

It generates the initial cell clusters as defined by their corrected fluorescence signals. The clusters can be generated by k-means (with GAP statistic estimated number of clusters) or by flow cytometry based approaches. This function shows the number and the characteristics of the initial groups and help us inspect cells' progression type for `pathEstimator()`.

Usage

```
Fluo_inspection(data, altFUN = "kmeans", fixClusters = 0,
SAM.sigma = 200, k.max = 15, B.kmeans = 50, savePlot = getwd(),
seed = NULL)
```

Arguments

<code>data</code>	List. The output of <code>getFluo()</code> or <code>getFluo_byRun()</code> .
<code>altFUN</code>	Character string. A user-defined method to generate the initial clusters. It can be one of <code>kmeans</code> , <code>samSpec</code> , <code>fmeans</code> , <code>fmerge</code> or <code>fpeaks</code> . Default is <code>"kmeans"</code> .
<code>fixClusters</code>	Integer. A number that defines the number of k-mean clusters to be initially generated. If 0, the function runs GAP analysis to estimate the optimal number of clusters. Default is 0.
<code>SAM.sigma</code>	Integer. A value for the sigma parameter of <code>SamSPECTRAL</code> algorithm. Default is 200.
<code>k.max</code>	Integer. This is the maximum number of clusters that can be generated by k-means (if <code>fixClusters = 0</code>). Default is 15.
<code>B.kmeans</code>	Integer. The number of bootstrap samples for the calculation of the GAP statistic. Default is 50.
<code>savePlot</code>	Character string. Directory to store the plots. Its value can be an existing directory or <code>"screen"</code> that prints the plot only on the screen or <code>"OFF"</code> that does not generate a plot (suggested only during cross-validations). Default is the current working directory, <code>getwd()</code> .

seed Integer. An optional seed number for the Random Number Generator. Note that this seed is a 'reference' value of the actual seed used in sampling. CONFESS is using various random sampling methods. Each method's actual seed is factor*seed. The factors vary across methods. Default is NULL.

Value

A list of corrected fluorescence signal estimates and a helper plot for deciding the number of groups and the cell progression path. The output is essentially the output of getFluo() or getFluo_byRun() with the addition of the following components: GAPgroups: the groups estimated by one of the altFUN methods are depicted in the first column. The second column contains 1s for non-outlier signals and 2s for outlier signals (as estimated by each of the methods). clusterFUN: the altFUN method that has been used for clustering. normal.sigma: the sigma parameter of samSpec method. centroids: the 2 dimensional medians (centroids) of the estimated clusters. fixClusters: the fixClusters parameter used. Kmax: the k.meax parameter used. B.kmeans: the B.kmeans parameter used

Examples

```
step3 <- Fluo_inspection(data=step2.1,altFUN="kmeans",B.kmeans=5,savePlot="OFF")
```

Fluo_modeling

Fluo_modeling

Description

It takes the initial groups and the path progression and estimates the pseudotimes of cell progression and the associated change-points (updated cell clusters).

Usage

```
Fluo_modeling(data, init.path, VSmethod = "DDHFmv", CPmethod = "ECP",
  CPgroups = 5, Cppvalue = 0.05, CPmingroup = 10, seed = NULL)
```

Arguments

data	List. The output of pathEstimator().
init.path	Numeric vector. The cell path progression as it has been estimated by pathEstimator() or a user-defined path that can be deduced from Fluo_inspection(). The latter is suggested only when path.type = "other" in pathEstimator().
VSmethod	Character string. The variance stabilization transformation method to be applied to the corrected fluorescence data prior to the change point analysis. IT can be one of "log" or "DDHFmv". Default is "DDHFmv".
CPmethod	Character string. The change point method to be used. It can be one of "ECP", (non-parametric) "manualECP" (non-parametric with user-defined number of change-points) or "PELT" (Pruned Exact Linear Time; parametric). Default is ECP.
CPgroups	Integer. The number of change-points to be kept if CPmethod = "manualECP". Default is 5.

CPpvalue	Float. The significance level below which we do not reject a change point. Default is 0.05.
CPmingroup	Integer. The minimum number of values for a cluster re-estimated by the change-point analysis. Default is 10.
seed	Integer. An optional seed number for the Random Number Generator. Note that this seed is a 'reference' value of the actual seed used in sampling. CONFESS is using various random sampling methods. Each method's actual seed is factor*seed. The factors vary across methods. Default is NULL.

Value

A list of corrected fluorescence signal estimates, the pseudotimes and the cell progression clusters. The output is essentially the output of pathEstimator() with the addition of the following components: UpdatedPath: the updated progression path after re-estimation by change points and clustering. DataSorts: a matrix contains the calculated distances by orthogonal projection and the pseudotimes. DDHFupdate: it takes TRUE or FALSE to signify whether the clustering/pseudotime estimation has been updated by the re-estimation procedure. corrected.VStransformed.exprs: the background and run effect transformed corrected channel signals (by one of "log" or "DDHFmv"). The transformation is defined in the VSmethod parameter. VSmethod: the transformation that has been applied to the channel signals. Progression: it describes the estimated progression by the pseudotimes (first column) and the differences between the transformed channel signals. Updated.groups: the final clusters. CPs: the final change points detected. CPmethod: the CPmethod parameter used. CPsig: the CPpvalue parameter used. CPgroups: the CPgroups parameter used. CPmingroup: the CPmingroup parameter used.

Examples

```
step4<-Fluo_modeling(data=step3.1,init.path=step3.1$Path,VSmethod="DDHFmv",
                    CPmethod="ECP",CPpvalue=0.01)
```

Fluo_ordering	<i>Fluo_ordering</i>
---------------	----------------------

Description

It produces the final output table of CONFESS. It includes the Sample IDs, the Run IDs, the estimated cell areas (image analysis), the corrected fluorescence signals of both channels (run and background adjustED), the pseudotimes of cell progression, the final cell clusters and other statistics of cell progression analysis.

Usage

```
Fluo_ordering(data, den.method = "wavelets", savePlot = "OFF")
```

Arguments

data	List. The output of Fluo_modeling().
den.method	Character string. A method to denoise the transformed channel signal differences (used for change-point analysis). The denoising obtains the residuals that can be subjected to statistical testing (model assumptions). It is one of "splines", "wavelets" or "lregr" (linear regression). Default is "wavelets".

`savePlot` Character string. Directory to store the plots. Its value can be an existing directory or "screen" that prints the plot only on the screen or "OFF" that does not generate a plot (suggested only during cross-validations). Default is the current working directory, `getwd()`.

Value

The list of final results in two components: `Summary_results`: It contains a matrix that summarizes the findings of CONFESS. It has the index number of each sample, the sample IDs, the run IDs, the estimated cell size, the estimated run corrected cell size, the estimated pseudotime, the log, and if specified, DDHFmv transformed channel signals, the log or DDHFmv transformed channel differences, the estimated clusters, the residuals and a column flagging outlier samples.

Analytical results: It contains all the components of `Fluo_modeling()` with the addition of: `Outliers`: a vector having "normal" for non-outlier samples and "outlier" for outlier samples. The outliers are estimated by Grubbs statistic based on their distance from the bulk of the clustered samples. `Residuals`: the residuals of the fitted model for the denoising of the corrected transformed channel differences (see parameter `den.method`). `Residuals_diagnostics`: various normality tests for the estimated residuals.

The component of

Examples

```
step5<-Fluo_ordering(data=step4,savePlot="OFF")
```

forceBF

forceBF

Description

It re-estimates the location of the outlier samples

Usage

```
forceBF(data, cutoff, median.correction, medians, Wells, image.type)
```

Arguments

`data` List. The location statistics of both channels.

`cutoff` Integer. A cutoff to detect outlier locations.

`median.correction` Logical. If TRUE it performs median adjustment for outlier locations.

`medians` Data matrix. The estimated medians of non-outlier samples by run and well ID.

`Wells` Data matrix. The directionality of the well IDs.

`image.type` Character string. A triplet of IDs to characterize the type of images under study. They refer to the ImageType part of the original image or txt file names.

Value

A list of re-estimated locations

function.from.vector *function.from.vector*

Description

A helper for DDHF.

Usage

```
function.from.vector(x, y, argument.vect)
```

Arguments

x, y, argument.vector
 Appropriate vectors for analysis.

Value

Preliminary DDHF results

GAPanalysis

GAPanalysis

Description

It performs GAP analysis using different methods. It generates the cluster numbers and an indicator of outliers.

Usage

```
GAPanalysis(data, fixClusters, sigma, altFUN, k.max, B.kmeans, savePlot,
            seed)
```

Arguments

data	List. A list of adjusted fluorescence signals. Typically, the output of summarizeAdjFluo().
fixClusters	Integer. A number that defines the number of k-mean clusters to be initially generated. If 0, the function runs GAP analysis to estimate the optimal number of clusters.
sigma	Integer. A value for the sigma parameter of samSPECTRAL algorithm.
altFUN	Character string. A user-defined method to generate the initial clusters. It can be one of kmeans, samSpec, fmeans, fmerge or fpeaks.
k.max	Integer. This is the maximum number of clusters that can be generated by k-means (if fixClusters = 0).
B.kmeans	Integer. The number of bootstrap samples for GAP analysis in altFUN = kmeans.
savePlot	Character string. The directory to store the plots or an option to print them on the screen.
seed	Integer. An optional seed number for the Random Number Generator.

Value

A list of adjusted fluorescence signals with cluster indices and outlier indicators (the 2s in the second column of GAPgroups).

getCoordinates_stats *getCoordinates_stats*

Description

It finds the spot coordinates using the spot centers or BF image modeling

Usage

```
getCoordinates_stats(centerR, centerG, minDiff, chaImgs, ll, ws, estCenter)
```

Arguments

centerR	Data matrix. The location statistics in one channel.
centerG	Data matrix. The location statistics in the other channel.
minDiff	Float. the $\mu_{\hat{}}$ of the H_0 : image-to-noise ratio = $\log(\text{foreground_signal}) - \log(\text{background_signal}) = \mu_{\hat{}}$. Rejection of H_0 implies that the identified spot is brighter than background. Default is 0.5.
chaImgs	List. A list of the channel images (data matrices) of a sample.
ll	Data matrix. An internal parameter specifying the spot center.
ws	List. An internal parameter specifying the spot center.
estCenter	Data matrix. The estimated spot center by BF image modelling.

Value

A series of location estimates including the channel-specific spot center and spot areas

getCsFAIL *getCsFAIL*

Description

A helper to re-estimate the spot location or find the capture site location (BF image modelling).

Usage

```
getCsFAIL(centerR, centerG, origImg, chaImgs, minDiff, despeckle,
           ImgLimits, BFarea, chip.type, separator, image.type)
```


Arguments

centerR	Data matrix. The location statistics of one channel.
centerG	Data matrix. The location statistics of the other channel.
origImg	Data matrix. The original BF image to be read and processed.
chaImgs	List. A list of the channel images (data matrices) of a sample.
minDiff	Float. the $\mu_{\hat{}}$ of the H_0 : $\text{image-to-noise ratio} = \log(\text{foreground_signal}) - \log(\text{background_signal}) = \mu_{\hat{}}$. Rejection of H_0 implies that the identified spot is brighter than background.
despeckle	Logical. If TRUE, the BF image is despeckled.
ImgLimits	Integer. It instructs the algorithm to find spots in a certain central image area. For example, for a 512 x 512 image with <code>ImgLimits = 50</code> , it will search for spots in the central area <code>[ImgLimits:(512-ImgLimits),ImgLimits:(512-ImgLimits)]</code> of the image matrix.
BFarea	Integer. Defines a rectangular pseudo-spot size whose fluorescence will be estimated.
chip.type	Character string. It specifies the type of Fluidigm chip to be analyzed.
separator	Character string. Removes the Bright Field ("BF") and channel indicators from the image file names.
image.type	Character string. A triplet of IDs to characterize the type of images under study. They refer to the ImageType part of the original image or txt file names.

Value

Location statistics under BF image modelling

getFluo

getFluo

Description

It retrieves the run effect and background corrected signals.

Usage

```
getFluo(data, areacut = 0)
```

Arguments

data	List. The output of the <code>Fluo_adjustment()</code> .
areacut	Integer. The "artificial" area size (BFarea^2) of the cells estimated by BF image modelling. Default is 0, implying that the area sizes to be corrected will be estimated automatically from the data (not recommended if prior knowledge exists).

Value

A list of estimates to be used in subsequent analysis (the slots are the same to those of `getFluo_byRun()`): `index`: The sample indices. `samples`: the sample IDs. `batch`: a matrix of the run IDs. The first column contains the original run IDs. The second column is the converted original IDs into numeric values (to be used in the statistical modeling step of `Fluo_adjustment()`). `Size`: the estimated cell size. `corrected.exprs`: the background corrected channel signals (case of a single run). `corrected.transformed.exprs`: the background transformed corrected channel signals (case of a single run). The transformation is defined in the transformation parameter. `correctedAreas`: the log-transformed areas after correction and imputation. `areacut`: the above areacut if different from 0 or the automatically calculated one otherwise. `transformation`: the transformation applied on the fluorescence signals. `image.type`: the image type IDs as defined in `readFiles()`. The parameter is kept in order to enable the user to use this function independently of the image analysis step. `dateIndex`: the date index used. `single.batch.analysis`: the reference run of the run effect correction by `flexmix`. `BGmethod`: the background correction methods used. `maxMix`: the `maxMix` parameter used. `prior.pi`: the `prior.pi` parameter used. `flex.reps`: the `flex.reps` parameter used. `flexmethod`: the `flexmethod` parameter used. `RNG`: the seed that is used to generate the results.

Examples

```
step1 <- createFluo(from.file=system.file("extdata", "Results_of_image_analysis.txt",
package = "CONFESS"),separator="_")
step2.1 <- getFluo(data=step2)
```

getFluo_byRun

getFluo_byRun

Description

It produces the background corrected data when run correction is not needed. It can be used for data coming from a single run instead of `Fluo_adjustment()`. Alternatively, this function can be used to visualize the fluorescence densities of a single batch before deciding the form of the normalization model.

Usage

```
getFluo_byRun(data, BGmethod = "normexp", areacut = 0,
transformation = "log", savePlot = getwd())
```

Arguments

<code>data</code>	List. The output of <code>createFluo()</code> .
<code>BGmethod</code>	Character string. The type of image background correction to be performed. One of "normexp" or "subtract". Default is "normexp".
<code>areacut</code>	Integer. The "artificial" area size (BF_{area}^2) of the cells estimated by BF image modelling. Default is 0, implying that the area sizes to be corrected will by estimated automatically from the data (not recommended if prior knowledge exists).
<code>transformation</code>	Character string. One of bc (Box-Cox), log, log10, asinh transforms applied to the data. Default is "log".

savePlot Character string. Directory to store the plots. Its value can be an existing directory or "screen" that prints the plot only on the screen or "OFF" that does not generate a plot (suggested only during cross-validations). Default is the current working directory, getwd().

Value

A list of corrected signal estimates. The slots are the same to those of getFluo(): index: The sample indices. samples: the sample IDs. batch: a matrix of the run IDs. The first column contains the original run IDs. The second column is the converted original IDs into numeric values (to be used in the statistical modeling step of Fluo_adjustment()). Size: the estimated cell size. corrected.exprs: the background corrected channel signals (case of a single run). corrected.transformed.exprs: the background transformed corrected channel signals (case of a single run). The transformation is defined in the transformation parameter. corrected.Areas: the log-transformed areas after correction and imputation. areacut: the above areacut if different from 0 or the automatically calculated one otherwise. transformation: the transformation applied on the fluorescence signals. image.type: the image type IDs as defined in readFiles(). The parameter is kept in order to enable the user to use this function independently of the image analysis step. dateIndex: the date index used. single.batch.analysis: it returns 0 because there is no run effect correction done. BGmethod: the background correction methods used. maxMix: it returns NULL because there is no flexmix run effect correction done. prior.pi: it returns NULL because there is no flexmix run effect correction done. flex.reps: it returns NULL because there is no flexmix run effect correction done. flexmethod: it returns NULL because there is no flexmix run effect correction done. RNG: the seed that is used to generate the results.

Examples

```
step1 <- createFluo(from.file=system.file("extdata", "Results_of_image_analysis.txt",
package = "CONFESS"),separator="_")

### select the samples of a single run and correct them
step2a <- FluoSelection_byRun(data = step1, batch = 5)
step2.1 <- getFluo_byRun(data=step2a,savePlot="OFF")
```

getSpot

getSpot

Description

Identifies one or multiple spot(s) in the image data matrix.

Usage

```
getSpot(img, rad)
```

Arguments

img Data matrix. The binary segmented channel image data.

rad Integer. A cut-off to separate the spots (densely clustered 1s) from small random signals (loosely clustered 1s) on the binary image.

Value

A matrix of bright (spot) coordinates

giveWarning	<i>giveWarning</i>
-------------	--------------------

Description

It generates a coded message of the estimation type that is being performed.

Usage

giveWarning(number)

Arguments

number	Integer. An internally defined number that produces a message .
--------	---

Value

A coded message

grouplines	<i>grouplines</i>
------------	-------------------

Description

It reconstructs the BF image characteristic lines.

Usage

grouplines(data)

Arguments

data	Integer. A row or a column of the BF image data matrix.
------	---

Value

An estimate for the existence of a characteristic line

grubbs	<i>grubbs</i>
--------	---------------

Description

It performs the grubbs test for outliers.

Usage

```
grubbs(data)
```

Arguments

data Numeric vector. An 1-dimensional vector of spot distances to check for outliers.

Value

All potential outliers (indices)

GrubbsOutliers	<i>GrubbsOutliers</i>
----------------	-----------------------

Description

It identifies potential outliers by the Grubbs test.

Usage

```
GrubbsOutliers(data, alpha)
```

Arguments

data Data matrix. A data matrix of fluorescence signals and model residuals.

alpha Float. A significance level for the grubbs test .

Value

The fluorescence signals and the potential outliers

highlight.cols	<i>highlight.cols</i>
----------------	-----------------------

Description

A helper to identify the vertical BF image characteristic lines.

Usage

```
highlight.cols(data, chip.type, fac)
```

Arguments

data	Numeric. A column of the BF image data matrix.
chip.type	Character string. It specifies the type of Fluidigm chip to be analyzed.
fac	Float. An internally estimated factor that adjusts for different chip types.

Value

Estimated vertical BF characteristic lines.

invTransform	<i>invTransform</i>
--------------	---------------------

Description

It back-transforms the transformed adjusted cell fluorescence signals of a matrix.

Usage

```
invTransform(data, lambda, transformation)
```

Arguments

data	Data matrix. The adjusted signals of both channels.
lambda	Float. The lambda parameter of the Box-Cox.
transformation	Character string. The type of transformation to be performed. One of "bc" (Box-Cox), "log", "log10" or "asinh".

Value

The back-transformed data matrix

isotone	<i>isotone</i>
---------	----------------

Description

The original function to perform isotone regression (Motakis et al 2006).

Usage

```
isotone(x, wt = rep(1, length(x)), increasing = TRUE)
```

Arguments

x	Numeric vector. A vector of appropriately sorted data.
...	Other parameters.

Value

The isotone regression model estimates

joinAreas	<i>joinAreas</i>
-----------	------------------

Description

It estimates the spot area by joining the red and green bright spot location estimates.

Usage

```
joinAreas(areaR, areaG, center, chaImg, areaBased, warning)
```

Arguments

areaR	Data matrix. The bright (spot) coordinates in one channel.
areaG	Data matrix. The bright (spot) coordinates in the other channel.
center	Data matrix. The 2-dimensional location of the spot's center.
areaBased	Integer. Defines a rectangular pseudo-spot size whose fluorescence will be estimated.
warning	Character string. An indicator of the estimation type that has been internally performed, i.e. fluorescence-based or BF image modelling.
chaImgs	Data matrix. The channel binary segmented image data that are used for reference to obtain the area of interest.

Value

The coordinates of the spot area and its length in pixels.

listSorter	<i>listSorter</i>
------------	-------------------

Description

A helper that sorts the data of a list variable.

Usage

```
listSorter(data, sorter)
```

Arguments

data	List. A list variable.
sorter	Numeric vector. An appropriate sorter.

Value

A list of appropriately sorted data

lmFluo	<i>lmFluo</i>
--------	---------------

Description

It estimates the optimal number of mixtures for the flexmix model on data from multiple runs.

Usage

```
lmFluo(data, batch, maxMix, reference, prior.pi, flex.reps, flexmethod,
        seed)
```

Arguments

data	Numeric vector. An 1-dimensional vector of adjusted data from a single channel.
batch	Integer. The run number.
maxMix	Integer. The maximum number of components to fit into the mixture of regressions model.
reference	Numeric vector. Specifies the runs to be used as baseline (iteratively).
prior.pi	Float. The prior probability to accept a component.
flex.reps	Integer. The iterations of the Expectation-Maximization algorithm to estimate the flexmix model.
flexmethod	Character string. A method to estimate the optimal number of flexmix components. One of "BIC", "AIC", "ICL".
seed	Integer. An optional seed number for the Random Number Generator.

Value

The flexmix mixture components and other statistics

LocationMatrix	<i>LocationMatrix</i>
----------------	-----------------------

Description

It generates the final cell location and fluorescence signal estimates and summarizes the quality control statistics.

Usage

```
LocationMatrix(data, filter.by = matrix(c("FDR", "Out.Index", 0.005,
    "confidence"), ncol = 2), report.by.signif = "max")
```

Arguments

data	Data matrix. The matrix of the location and fluorescence signal estimates after two rounds (maximum) of spotEstimator().
filter.by	Data matrix. A series of filtering criteria and cut-offs that specify which samples are KEPT for further analysis (see vignette). By default it flags by FDR (alpha = 0.005) and outlier index (keeps only the 'confident' estimates).
report.by.signif	Character string. It returns the pre-defined channel-specific signal-to-noise ratio and test statistics for each sample. If "min", the algorithm only reports the P-values/FDRs and signal-to-noise of the channel with the minimum signal-to-noise ratio. If "max", the algorithm only reports the P-values/FDRs and signal-to-noise of the channel with the maximum signal-to-noise ratio. Default is "max".

Value

List. The first component is a data matrix of the final table of estimates. The main body of this table has been generated by spotEstimator(). It summarizes the location, the raw fluorescence signal estimates (foreground and background) and the quality control statistics. It keeps only the signal-to-noise ratio and the associated P-value/FDR of a predefined channel (see parameter report.by.signif). The last column ("Cells") consists of 1s for the samples that pass the filtering step (filter.by) and are used for further analysis. The rest of the samples are assigned 0s. The user should always inspect them along with the images to obtain the final list of samples to be used for further analysis. The second component is the date index for storing the output files. It is transferred to the next step.

Examples

```
### the results matrix (column 'Cells') indicates three empty capture chambers
### (thus not only outliers were associated with the absence of a cell!)
Results <- LocationMatrix(data=estimates.2,
    filter.by = matrix(c("FDR", "Out.Index", 0.005, "confidence"), ncol=2))
```

mean_signal	<i>mean_signal</i>
-------------	--------------------

Description

A helper to simulate the spot signal.

Usage

```
mean_signal(data, noise.level)
```

Arguments

data	Numeric vector. An 1-dimensional vector of spot signals.
noise.level	Float. The noise level of the image.

Value

The average spot's noisy signal

measureB	<i>measureB</i>
----------	-----------------

Description

It estimates the background signal for an image.

Usage

```
measureB(img, area, iter, BFarea)
```

Arguments

img	Data matrix. The matrix of image data from a channel.
area	Data matrix. The bright (spot) coordinates around the spot center.
iter	Integer. A number of iterations (pseudo-spots) to be summarized.
BFarea	Integer. Defines a rectangular pseudo-spot size whose fluorescence will be estimated.

Value

The background image estimates

 measureF

measureF

Description

It estimates the foreground signal for an identified spot or for a predefined area within the capture site.

Usage

```
measureF(img, area, BFarea)
```

Arguments

img	Data matrix. The matrix of image data from a channel.
area	Data matrix. The bright (spot) coordinates around the spot center.
BFarea	Integer. Defines a rectangular pseudo-spot size whose fluorescence will be estimated.

Value

The foreground (spot) signal estimates

multiplot

multiplot

Description

Multiple plot function.

Usage

```
multiplot(..., plotlist = NULL, file, cols = 1, layout = NULL)
```

Details

ggplot objects can be passed in ..., or to plotlist (as a list of ggplot objects) cols: Number of columns in layout. layout: A matrix specifying the layout. If present, 'cols' is ignored.

If the layout is something like matrix(c(1,2,3,3), nrow=2, byrow=TRUE), then plot 1 will go in the upper left, 2 will go in the upper right, and 3 will go all the way across the bottom.

Value

ggplot2 multiplot

myt	<i>myt</i>
-----	------------

Description

A helper to test whether the foreground signal is statistically higher than the background.

Usage

```
myt(data, minDiff)
```

Arguments

data	Numeric vector. The 1-dimensinal signal of $\log(\text{foreground}) - \log(\text{background})$.
minDiff	Float. The μ_{hat} of the H_0 : $\text{image-to-noise ratio} = \log(\text{foreground_signal}) - \log(\text{background_signal}) = \mu_{\text{hat}}$. Rejection of H_0 implies that the identified spot is brighter than background.

Value

A test P-value

orderFluo	<i>orderFluo</i>
-----------	------------------

Description

It sort the adjusted (and transformed) fluorescence signals according to the path progression.

Usage

```
orderFluo(data, path.type, updater = FALSE)
```

Arguments

data	List. A list of adjusted fluorescence signals.
updater	Logical. An indicator of the estimation stage. If FALSE the initial groups are analyzed, otherwise the change-point based groups are analyzed.
path.start	Integer. A cluster number indicating the starting cluster that algorithm should use to build the path. The cluster numbers refer to the plot generated by <code>Fluo_inspection()</code> . Default is 1. If <code>path.type = "circular"</code> the number does not matter. If <code>path.type = "A2Z"</code> the user should inspect the <code>Fluo_inspection()</code> plot to detect the beginning of the path. If <code>path.type = "other"</code> , the function will not estimate a path. The user has to manually insert the path progression (the cluster numbers) in <code>Fluo_modeling()</code> .

Value

A list with the adjusted fluorescence signals, the centroids, the clusters and the pseudotimes

path.initiator	<i>path.initiator</i>
----------------	-----------------------

Description

It finds the cluster that initiates the progression path.

Usage

```
path.initiator(data, where)
```

Arguments

data	List. The output of Fluo_inspection().
where	Character. One of "random", "bottom/left", "bottom/right", "top/left", "top/right" that specify the starting point of the progression path.

Value

A starting point for the progression path

pathEstimator	<i>pathEstimator</i>
---------------	----------------------

Description

It reads the generated groups of Fluo_inspection() and estimates the path cell progression given a user-defined expected pattern. It can also join some of the groups into a single one (manual selection is required).

Usage

```
pathEstimator(data, path.start = 1, path.type = c("circular",
"clockwise"), joinedGroups = NULL)
```

Arguments

data	List. The output of Fluo_inspection().
path.start	Integer. A cluster number indicating the starting cluster that algorithm should use to build the path. The cluster numbers refer to the plot generated by Fluo_inspection(). Default is 1. If path.type = "circular" the number does not matter. If path.type = "A2Z" the user should inspect the Fluo_inspection() plot to detect the beginning of the path. If path.type = "other", the function will not estimate a path. The user has to manually insert the path progression (the cluster numbers) in Fluo_modeling().

path.type	<p>Character vector. A user-defined vector that characterizes the cell progression dynamics. The first element can be either "circular" or "A2Z" or "other". If "circular" the path progression is assumed to exhibit a circle-like behavior. If "A2Z" the path is assumed to have a well-defined start and a well-defined end point (e.g. a linear progression). If "other" the progression is assumed to be arbitrary without an obvious directionality. Default is "circular". The second element can be either "clockwise" or "anticlockwise" depending on how the path is expected to proceed. Default is "clockwise". If the first element is "other" the second element can be omitted.</p> <p>If path.type = "other", the function does not estimate a path. The exact path has to be manually inserted in Fluo_modeling().</p>
joinedGroups	<p>List. A list of cluster numbers to join. E.g. list(c(2,4)) joins cluster 2 and 4 as depicted in the Fluo_inspection() plot. Alternatively, list(c(2,4),c(1,6)) joins cluster 2 and 4 and clusters 1 and 6 as depicted in the Fluo_inspection() plot. Each list entry should contain 2 groups. Default is NULL.</p>

Value

The list of adjusted signal estimates, a progression path and the defined path type. The output is essentially the output of Fluo_inspection() with the addition of the following components: Path: the estimated path (visualized in the Fluo_Inspection() helper plot). path.type: the path.type that has been used to estimate the path.

Examples

```
step3.1 <- pathEstimator(step3,path.start=6,path.type=c("circular","clockwise"))
```

pathUpdater

pathUpdater

Description

A helper that updates the path sorted clusters after re-estimation by change-point analysis.

Usage

```
pathUpdater(data, path)
```

Arguments

data	Data matrix. A matrix of centroids with their path progression indices.
path	Numeric vector. The path progression indices.

Value

The sorted cluster indices (path)

plotImages	<i>plotImages</i>
------------	-------------------

Description

It generates the plotted results.

Usage

```
plotImages(number, origImg, chaImgs, binChaImgs, stats, pix, log.transform,
           minDiff, sample, image.type)
```

Arguments

number	Integer. An index number that regulates the fluorescence estimation procedure.
origImg	Data matrix. The original BF image to be read and processed.
chaImgs	List. A list of the channel images (data matrices) of a sample.
binChaImgs	List. A list of binary segmented channel image data.
stats	List. A series of foreground and background statistics.
pix	List. A list of bright spot coordinates in the channels.
log.transform	Logical. If TRUE the image data are plotted in the log scale.
minDiff	Float. the $\mu_{\hat{}}$ of the H_0 : $\text{image-to-noise ratio} = \log(\text{foreground_signal}) - \log(\text{background_signal}) = \mu_{\hat{}}$. Rejection of H_0 implies that the identified spot is brighter than background. Default is 0.5.
sample	Character string. The sample ID.
image.type	Character string. A triplet of IDs to characterize the type of images under study. They refer to the ImageType part of the original image or txt file names.

Value

the plotted results and statistics of the signal-to-noise ratio

plot_clusgap	<i>plot_clusgap</i>
--------------	---------------------

Description

adapted from plot_clusgap from phyloseq.

Usage

```
plot_clusgap(clusgap, title = "Gap Statistic results")
```

Value

plot gap stats

predict.kmeans	<i>predict.kmeans</i>
----------------	-----------------------

Description

Takes a training sample and predicts the k-mean clusters of a new dataset (minimizing the Euclidian distance).

Usage

```
## S3 method for class 'kmeans'
predict(data, centroid)
```

Arguments

data	Data matrix. A 2-dimensional matrix of corrected fluorescence signals that are clustered by k-means.
centroid	Data matrix. A 2-dimensional matrix of the k-means centroids.

Value

The predicted k-mean clusters.

processImg	<i>processImg</i>
------------	-------------------

Description

Denoises the image data to be used for spot location estimation.

Usage

```
processImg(img, denoise)
```

Arguments

img	Data matrix. The matrix of image data from a channel.
denoise	Logical. If TRUE the channel image is denoised with 2-dimensional la8, universal and hard thresholding.

Value

A denoised image

project	<i>project</i>
---------	----------------

Description

A helper to estimate the pseudotimes by orthogonal projection.

Usage

```
project(data, centers)
```

Arguments

data	Data matrix. The fluorescence signals of a particular cluster in both channels.
centers	Numeric vector. A vector of the 2-dimensional cluster centroids.

Value

The pseudotimes and cell progression

readChaImg	<i>readChaImg</i>
------------	-------------------

Description

It reads and processes the channel image data

Usage

```
readChaImg(imgNames, denoise)
```

Arguments

denoise	Logical. If TRUE the channel image is denoised with 2-dimesnional la8, universal and hard thresholding.
imgName	Character string. The file name of the images.

Value

A list of channel image estimates

readFiles

*readFiles***Description**

Reads the image data that are going to be analyzed. It converts the images into txt files. The images should be in .C01 (high resolution) or .BMP, or .JPG or .PNG format. The file names should be of the form:

Usage

```
readFiles(iDirectory, BFdirectory, CHdirectory, separator = "_",
         image.type = c("BF", "Red", "Green"), bits = 2^16)
```

Arguments

iDirectory	Character string. The directory where all images are stored. The images should be in the same format. Available choices are: C01, BMP, JPEG and PNG. The function recognizes the format automatically. If omitted, the function assumes that the txt data already exist at the predefined folders.
BFdirectory	Character string. The directory to store the .txt converted Bright Field images.
CHdirectory	Character string. The directory to store the .txt converted channel (e.g. Red/Green) images
separator	Character string. This is the «separator2» parameter that removes the Bright Field ("BF") and channel indicators (IDs) from the image file names. Default is "_".
image.type	Character string. A triplet of IDs to characterize the type of images under study. They refer to the ImageType part of the original image or txt file names. Default is c("BF", "Red", "Green").
bits	Numeric. The image bits. It is used to unnormalize the C01 signals from read-Cellomics(). It does not affect the signals of other image types. Default is 2^16.

Details

"RunID(separator1)WellID(separator2)ImageType.ImageFormat

For example in "1772-062-248_A01@BF.C01", RunID = 1772-062-248", separator1 = _, WellID = A01, separator2 = @ ImageType = BF, ImageFormat = C01. The function expects to see both Bright Field and channel images. It will store them in different directories. It will return a list of the respective .txt file names. Note that separator1 and separator2 CAN BE the same character (e.g. "_").

If the images have been already converted, then the txt files should be stored in the above form with ImageFormat = txt.

readFiles() will take the minimum overlapping sets. Converted images not present in any of the channels or the Bright Field list will be reported and discarded.

Value

A list with the following components: BF: the files names of the Bright Field converted data matrices. CH1: the files names of the converted data matrices of one channel. CH2: the files names of the converted data matrices of the other channel. separator: the separator being used. image.type: the image type IDs. dateIndex: a date index to be used in saving the output files.

Examples

```

library(CONFESSdata)

### set your directories
basedir<-"~/ "
data_path<-system.file("extdata",package="CONFESSdata")

## to read txt files
files<-readFiles(iDirectory=NULL,
                 BFdirectory=paste(data_path,"/BF",sep=""),
                 CHdirectory=paste(data_path,"/CH",sep=""),
                 separator = "_",image.type = c("BF","Green","Red"),
                 bits=2^16)

## to convert from BMP/JPEG images
#write_dir<-"~/converted_images/"
#files<-readFiles(iDirectory=data_path,
#                 BFdirectory=paste(write_dir,"/BF",sep=""),
#                 CHdirectory=paste(write_dir,"/CH",sep=""),
#                 separator = "_",image.type = c("BF","Green","Red"),
#                 bits=2^16)

```

readOriImg

*readOriImg***Description**

It reads and processes the original BF image

Usage

```
readOriImg(imgName, despeckle, pix, thresh, separator, image.type)
```

Arguments

imgName	Character string. The file name of the image.
despeckle	Logical. If TRUE the BF image is despeckled.
pix	Integer. A cutoff specifying the size of the area to search for speckles.
thresh	Integer. A cutoff to perform the despeckle function. If pixel signal > median object signal + thresh, the object is a speckle and the median object signal is returned.
separator	Character string. Removes the Bright Field ("BF") and channel indicators from the image file names.
image.type	Character string. A triplet of IDs to characterize the type of images under study. They refer to the ImageType part of the original image or txt file names.

Value

A list of BF image estimates

```
reestimate.pseudos.byCV
      reestimate.pseudos.byCV
```

Description

It estimates a new pseudotime for each sample based on its cross-validation estimates.

Usage

```
reestimate.pseudos.byCV(data, diff.quantile, perc.cutoff,
  pseudotime.cutoff)
```

Arguments

data	Numeric. A vector of estimated pseudotimes for one sample. The first value corresponds to the estimate of the whole data. The second value is the difference between the estimate of the original data and the median of the CV-estimated pseudotimes and it is used as a dissimilarity measure. The rest of the values are the CV estimated pseudotimes themselves.
diff.quantile	Float. The qth quantile of the distribution of the difference between the original and the CV-estimated pseudotimes. The q parameter is defined in <code>Fluo_CV_modeling()</code> .
perc.cutoff	Float. The percentage of CV-estimated pseudotimes that are similar (clustered together by k-means)
pseudotime.cutoff	Integer. A user-defined value to define outlier samples, i.e. samples with $\text{Pseudotime}(\text{original}) - \text{medianPseudotime}(\text{CV}) > \text{pseudotime.cutoff}$.

Value

It summarizes the CV-estimated pseudotimes into a single value. There are three possible methods that may produce different results. For details see parameter `pseudo.est.method` at `Fluo_CV()`.

```
refineMixes      refineMixes
```

Description

An helper internal function to generate the results of `flexmix`.

Usage

```
refineMixes(data, batch, model, seed)
```

Arguments

data	Numeric vector. The background corrected fluorescence signals of a single channel.
batch	Integer. The run number.
model	Model. The output of <code>getModel()</code> from <code>flexmix</code> .
seed	Integer. An optional seed number for the Random Number Generator.

Value

The flexmix mixture components

Results	<i>Results</i>
---------	----------------

Description

Example output from LocationMatrix

Usage

```
data("Results")
```

Format

The format is: List of 2 \$ Output : 'data.frame': 14 obs. of 15 variables: ..\$ SampleID : chr [1:14] "1772-062-248_A01" "1772-062-248_A02" "1772-062-248_A03" "1772-062-248_A04"\$ X : num [1:14] 259 261 262 261 261 258 259 189 195 194\$ Y : num [1:14] 367 335 368 369 335 367 336 278 250 284\$ Size : num [1:14] 31 49 19 152 141 43 59 15 49 32\$ Estimation.Type: chr [1:14] "Fluorescence-based" "Chip.Pattern-based" "Fluorescence-based" "Fluorescence-based"\$ fore_Green : num [1:14] 48.4 18.4 26.2 45.7 32.6\$ back_Green : num [1:14] 17.2 16.8 16.6 16.9 17.1\$ fore_Red : num [1:14] 219.1 19.8 86.5 18.4 48\$ back_Red : num [1:14] 17.5 17.8 17.5 18.1 18\$ Signal-to-Noise: Factor w/ 14 levels "0.141617112045591",...: 12 1 8 5 4 7 10 6 3 11\$ Pvalue : Factor w/ 14 levels "0.000360562783835169",...: 13 7 14 11 9 12 8 1 5 10\$ FDR : Factor w/ 12 levels "0.0001684989130688",...: 9 6 1 7 11 10 12 2 6 8\$ Out.Index : Factor w/ 2 levels "confidence","contamination": 1 2 1 1 1 1 1 1 1\$ Other.Spots : Factor w/ 3 levels "0","X = 128, Y = 358 (Green) | X = 191, Y = 277 (Red)",...: 1 1 3 1 1 1 1 1 1 1\$ Cells : num [1:14] 1 0 1 1 1 1 1 0 1 ... \$ dateIndex: chr "WedApr611:21:282016"

Value

example intermediates

revDDHFinput	<i>revDDHFinput</i>
--------------	---------------------

Description

It reverts the DDHF sorted fluorescence signals into the original sorting.

Usage

```
revDDHFinput(data, hft)
```

Arguments

data Numeric Data matrix. A data matrix of DDHF transformed data.

Value

The reverted data

signal.from.matrix	<i>signal.from.matrix</i>
--------------------	---------------------------

Description

A helper to simulate spots in a image.

Usage

```
signal.from.matrix(coords, mat)
```

Arguments

coords	Numeric vector. A vector of 2d coordinates for the spot center.
mat	Data Matrix. The data matrix which generates the image of interest.

Value

Some values of interest

significantSignal	<i>significantSignal</i>
-------------------	--------------------------

Description

It tests whether the foreground signal is statistically higher than the background.

Usage

```
significantSignal(centerR, centerG, minDiff, chaImgs)
```

Arguments

centerR	Data matrix. The location statistics of one channel.
centerG	Data matrix. The location statistics of the other channel.
minDiff	Float. the $\mu_{\hat{}}$ of the H_0 : $\text{image-to-noise ratio} = \log(\text{foreground_signal}) - \log(\text{background_signal}) = \mu_{\hat{}}$. Rejection of H_0 implies that the identified spot is brighter than background. Default is 0.5.
chaImgs	List. A list of the channel images (data matrices) of a sample.

Value

P-values and test statistics for both channels

simcells	<i>simcells</i>
----------	-----------------

Description

The main function to simulate spots of various numbers, sizes, signals in one or multiple images of a given dimension.

Usage

```
simcells(channels = 2, spots.per.image = c(1, 1),
  one.location = c(50, 50), image.dimension = rep(100, 2),
  signal.level = list(700, 700), noise.level = c(200, 200),
  spot.size = list(30, 30), agreement.number = 1)
```

Arguments

channels	Integer. The number of channels for each sample. Default is 2.
spots.per.image	Numeric vector. The number of spots in each image (channel). The length of the vector equals to the number of channels. Default is one spot per channel.
one.location	Numeric vector. The central location of the matched spots across the channels (in pixel) coordinates. Default is (X,Y) = (50,50).
image.dimension	Numeric vector. The image dimension (in pixels). Default is 100 x 100.
signal.level	List. The lambda parameter of the Poisson distribution that generates the true spot (pixel) signals. The list has as many components (length) as the number of channels. The number of elements of each component equals to the number of spots in each particular channel. Default is list(700,700).
noise.level	Numeric vector. The sigma parameter of the Normal distribution that generates the image noise level. The length of the vector equals to the number of channels. Default is c(200,200).
spot.size	List. The size of each spot on each channel (in pixels). The list has as many components (length) as the number of channels. The number of elements of each component equals to the number of spots in each particular channel. Default is list(30,30).
agreement.number	Integer. It defines how many spot pairs are matched, i.e. they are located in the same coordinates across channels. These reflect true cells. Default is 1 corresponding to a single-cell case study.

Value

The image(s) with the generated spot(s). It consists of the data matrices and the location of the spot centers.

Examples

```
r<-simcells(channels = 2, spots.per.image = c(2, 3), one.location = c(50, 50),
image.dimension = rep(200, 2), signal.level = list(c(1000, 1000), c(1000, 700, 300)),
noise.level = c(100, 100),spot.size = list(c(81, 100), c(26, 29, 50)), agreement.number = 1)
```

```
r<-simcells(channels = 2, spots.per.image = c(0, 0), image.dimension = rep(200, 2),
signal.level = list(c(),c()),noise.level = c(0, 0), spot.size = list(c(), c()))
```

sortCentroids	<i>sortCentroids</i>
---------------	----------------------

Description

A helper function to sort the centroids .

Usage

```
sortCentroids(data, type)
```

Arguments

data	Data matrix. A matrix of centroids with their trigonometric function values.
type	Character string. A user-defined value that characterizes the cell progression dynamics. It can be either "clockwise" or "anticlockwise" depending on how the path is expected to proceed.

Value

A matrix of sorted centroids

spot.simulator	<i>spot.simulator</i>
----------------	-----------------------

Description

A helper to simulate spots in a image.

Usage

```
spot.simulator(location, size, average.signal, dimension)
```

Arguments

location	Numeric vector. A vector of 2d coordinates for the spot center.
size	Integer. The number of pixels the spot consists of.
average.signal	Float. The parameter of the poisson distribution to generate the
dimension	Numeric vector. The image dimensions.

Value

The image with the generated spot(s)

SpotbyStrLines	<i>SpotbyStrLines</i>
----------------	-----------------------

Description

It estimates the spot location using the BF image modeling parameters

Usage

```
SpotbyStrLines(binImg, pattern.search, stats)
```

Arguments

binImg	List. The binary segmented image data in each channel.
pattern.search	Integer. A cutoff to find horizontal and vertical lines on the chip.
stats	List. The estimated parameters of the BF image modelling.

Value

A series of spot location estimates

spotCenter	<i>spotCenter</i>
------------	-------------------

Description

It estimates a series of spot statistics on each channel.

Usage

```
spotCenter(img, foregroundCut, howbig, ImgLimits)
```

Arguments

img	Data matrix. The channel image data.
foregroundCut	Numeric vector. The binary segmentation image analysis cutoffs for normalized image data. Pixels with normalized signals higher than the cutoff belong to foreground.
howbig	Integer. An user defined value of the minimum expected spot size.
ImgLimits	a cutoff that determines where the spot is supposed to be found.

Value

A list of spot coordinate estimates

 spotCoords

spotCoords

Description

It estimates the spot location statistics by fluorescence signal in each channel. Then, it integrates the channel-specific data into a single estimate

Usage

```
spotCoords(centerR, centerG, origImg, chaImgs, minDiff, despeckle,
           ImgLimits, BFarea, chip.type, separator, image.type,
           show.possible.contamination)
```

Arguments

centerR	Data matrix. The location statistics of one channel.
centerG	Data matrix. The location statistics of the other channel.
origImg	Data matrix. The original BF image to be read and processed.
chaImgs	List. A list of the red and green channel images (data matrices) of a sample
minDiff	Float. the $\mu_{\hat{}}$ of the H_0 : $\text{image-to-noise ratio} = \log(\text{foreground_signal}) - \log(\text{background_signal}) = \mu_{\hat{}}$. Rejection of H_0 implies that the identified spot is brighter than background. Default is 0.5.
despeckle	Logical. If TRUE, the BF image is descpeckled.
ImgLimits	Integer. It instructs the algorithm to find spots in a certain central image area. For example, for a 512 x 512 image with <code>ImgLimits = 50</code> , it will search for spots in the central area <code>[ImgLimits:(512-ImgLimits),ImgLimits:(512-ImgLimits)]</code> of the image matrix.
BFarea	Integer. Defines a rectangular pseudo-spot size whose fluorescence will be estimated.
separator	Character string. Removes the Bright Field ("BF") and channel indicators from the image file names.
image.type	Character string. A triplet of IDs to characterize the type of images under study. They refer to the ImageType part of the original image or txt file names.
show.possible.contamination	Logical. If TRUE it reports all identified unmatched spots in both channels.
type	Character string. It specifies the type of Fluidigm chip to be analyzed.

Value

Location statistics under fluorescence-based estimation

spotEstimator	<i>spotEstimator</i>
---------------	----------------------

Description

The main function to produce the raw fluorescence signal estimation results by analysis of the Fluidigm images.

Usage

```
spotEstimator(files, correctionAlgorithm, subset = c(),
  foregroundCut = seq(0.5, 0.7, 0.02), denoise = FALSE,
  despeckle = FALSE, chip.type = "medium/large", cutSides = 0,
  BFarea = 7, log.transform = TRUE, minDiff = 0.5,
  show.possible.contamination = TRUE, cutoff = 50, QCdata = 0,
  median.correction = TRUE, savePlot = getwd())
```

Arguments

files	Character string. The file names to be read and analyzed. This is the output of readFiles()
correctionAlgorithm	Logical. Its value specifies the estimation stage. If FALSE, the function processes all data using the standard operations of spotCoords(), i.e. case detection and fluorescence signal estimation. This is the first estimation stage. If TRUE, the function processes the BF image modeling estimates of outlier images obtained by defineLocClusters(). The BF image modeling is internally applied during the first stage. Note that correctionAlgorithm = TRUE is strictly used in the second (outliers adjustment / correction) stage of the process.
subset	Numeric vector. It can be a series sample index numbers (a subset) that specifies the samples to be analyzed. The index numbers are obtained from readFiles() (the position of the sample in each listed vector). By default subset = c(). The parameter is mainly used in the second estimation stage where spotEstimator() processes the outlier images (the index numbers)
foregroundCut	Numeric vector. The binary segmentation image analysis cutoffs for normalized image data. Pixels with normalized signals higher than the cutoff belong to foreground. Default is seq(0.5,0.7,0.02).
denoise	Logical. If TRUE it denoises the channel images with la8, universal, hard. Default is FALSE.
despeckle	Logical. If TRUE the bf image is descpeckled in the ImageJ fashion. Default is FALSE.
chip.type	Character string. It specifies the type of Fluidigm chip to be analyzed. Default is "medium/large". The alternative option is "small".
cutSides	Integer. It instructs the algorithm to find spots in a certain central image area. For example, for a 512 x 512 image with cutSides = 50, spotEstimator() will search for spots in the central area [cutSides:(512-cutSides),cutSides:(512-cutSides)] of the image matrix. Default is 0.

BFarea	Integer. Defines a rectangular pseudo-spot size whose fluorescence will be estimated. This is mainly used in BF image modeling where a fluorescence spot could not be originally detected. The value of this parameter is also used as a cut-off to find matched spots across channel of the same sample image. Default is 7.
log.transform	Logical. If TRUE the image data are plotted in the log scale. Default is TRUE
minDiff	Float. The $\mu_{\hat{0}}$ of the H_0 : $\text{image-to-noise ratio} = \log(\text{foreground_signal}) - \log(\text{background_signal}) = \mu_{\hat{0}}$. Rejection of H_0 implies that the identified spot is brighter than background. Default is 0.5.
show.possible.contamination	Logical. If TRUE it reports all identified unmatched spots in both channels. Default is TRUE.
cutoff	Integer. A cutoff of the distance between the estimated spot location of an outlier sample (X, Y) and the median location of all non-outliers of the same run and well set (medX,medY), i.e. (X-medX, Y-medY). An outlier sample can either have a fluorescence-based location (X, Y) or a BF-based location (X*, Y*) or both. It is re-adjusted as follows: (1) if $\min(X-\text{medX}, Y-\text{medY}) > \text{cutoff}$ and $\min(X^*-\text{medX}, Y^*-\text{medY}) > \text{cutoff}$, the sample's location is set to (medX, medY); (2) if $\min(X^*-\text{medX}, Y^*-\text{medY}) \leq \text{cutoff}$, the sample's location is set to (X*, Y*); (3) if $\min(X-\text{medX}, Y-\text{medY}) \leq \text{cutoff}$ and $\min(X^*-\text{medX}, Y^*-\text{medY}) > \text{cutoff}$, the algorithm can either produce the solution of (1) or the solution of (2) depending on the value of median.correction parameter below. By default cutoff = 50.
QCdata	List. The output of defineLocClusters().
median.correction	Logical. If TRUE, the algorithm re-adjusts the location of the outlier sample as the median of all non-outliers of the same run and well ID (if necessary).
savePlot	Character string. Directory to store the plots. Its value can be an existing directory or "screen" that prints the plot only on the screen. Default is the current working directory, getwd().

Details

Triplets of images of the same sample are sequentially considered to estimate the channel-specific fluorescence signals (if detectable) or perform BF image modeling. The main result of this function is a table of location and fluorescence estimates for each sample.

Value

A list of the following components: SpotResults: the matrix of the location and fluorescence signal estimates. It contains the index number of each sample, the X,Y coordinates of the spot center, the spot size, the type of estimation that have been performed (fluorescence based indicating the channels in which the spot has been found or BF image modelling based), the fluorescence foreground and background signals of each channel, the signal-to-noise ratio ($\log\text{Foreground} - \log\text{Background}$) for each channel, the associated P-value of significance of the signal-to-noise ratio and a column indicating the coordinates of other spots that are not matched in both images. Existence of such spots (values that are different from 0) indicate contaminated image or highly noisy images or images with other artefacts. If correctionAlgorithm=TRUE (second spotEstimator() step), there is an extra column generated indicating outlier samples (see the QCgroup column in defineLocClusters()). Outlier.Estimates: The estimates obtained from BF modeling (if necessary to be obtained). These are alternative location estimates that will be used if the original estimates of the SpotResults table

are flagged as outliers. `Processed.Files`: the samples that have been processed by `spotEstimator()`. `BFarea`: the pseudospot size. `image.type`: the image type IDs. `dateIndex`: a date index to be used in saving the output files.

Examples

```
### set your directories
basedir<-"~/ "
#data_path<-system.file("extdata",package="CONFESSdata")
#files<-readFiles(iDirectory=NULL,
#                 BFdirectory=paste(data_path, "/BF", sep=""),
#                 CHdirectory=paste(data_path, "/CH", sep=""),
#                 separator = "_", image.type = c("BF", "Green", "Red"),
#                 bits=2^16)

### an example where the second image produces a clear outlier!
#estimates <- spotEstimator(files=files,subset=1:3,foregroundCut=seq(0.6,0.76,0.02),
#                           correctionAlgorithm=FALSE,savePlot="screen")
```

SpotStats

spotStats

Description

It produces a table of estimated spot locations and fluorescence signals accompanied by informative plots. It can process the results of either `spotCoords()` for fluorescence-based estimation or `forceBF()` for BF image modelling estimation.

Usage

```
SpotStats(img, chaImgs, binChaImgs, center, other.spots, BFcoords, BFarea,
          log.transform, warning, minDiff, separator, image.type)
```

Arguments

<code>img</code>	Data matrix. The original data of the BF image to be read and processed.
<code>chaImgs</code>	List. A list of the channel images (data matrices) of a sample.
<code>binChaImgs</code>	List. A list of binary segmented channel image data.
<code>center</code>	Data matrix. The 2-dimensional location of the spot's representative center.
<code>BFcoords</code>	List. A list of statistics describing the C1 chip line patterns (for BF image modelling).
<code>BFarea</code>	Integer. Defines a rectangular pseudo-spot size whose fluorescence will be estimated. This is mainly used in BF image modeling where a fluorescence spot could not be originally detected. The value of this parameter is also used as a cut-off to find matched spots across channel of the same sample image.
<code>log.transform</code>	Logical. If TRUE the image data are plotted in the log scale.
<code>warning</code>	Character string. An indicator of the estimation type that has been internally performed, i.e. fluorescence-based or BF image modelling.
<code>minDiff</code>	Float. the $\mu_{\hat{}}$ of the H_0 : $\text{image-to-noise ratio} = \log(\text{foreground_signal}) - \log(\text{background_signal}) = \mu_{\hat{}}$. Rejection of H_0 implies that the identified spot is brighter than background. Default is 0.5.

separator	Character string. Removes the Bright Field ("BF") and channel indicators from the image file names (see «separator2» in readFiles()).
image.type	Character string. A triplet of IDs to characterize the type of images under study. They refer to the ImageType part of the original image or txt file names.

Value

A table of location and fluorescence estimated with accompanied plots

step1	<i>step1</i>
-------	--------------

Description

Example output of the createFluo function

Usage

```
data("step1")
```

Format

The format is: List of 7 \$ index : int [1:246] 1 2 3 4 5 6 7 8 9 10 ... \$ RGexprs : 'data.frame': 246 obs. of 4 variables: ..\$ fore_Green: num [1:246] 48.4 26.2 45.7 34 24\$ back_Green: num [1:246] 17.2 17 16.8 17.1 16.8\$ fore_Red : num [1:246] 219.1 86.5 18.4 84.4 104.3\$ back_Red : num [1:246] 17.3 17 18 17.7 17.5 ... \$ samples : chr [1:246] "1772-062-248_A01" "1772-062-248_A03" "1772-062-248_A04" "1772-062-248_A06" ... \$ batch : chr [1:246, 1:2] "1772-062-248" "1772-062-248" "1772-062-248" "1772-062-248" ... \$ Size : num [1:246] 31 19 152 43 59 21 72 81 31 56 ... \$ image.type: chr [1:3] "BF" "Green" "Red" \$ dateIndex : chr "WedMar2313:29:522016"

Value

example intermediates

step2	<i>step2</i>
-------	--------------

Description

Example output of the Fluo_adjustment function

Usage

```
data("step2")
```

Format

The format is: List of 3 \$ General :List of 15 ..\$ index : int [1:246] 1 2 3 4 5 6 7 8 9 10\$ sam-
 ples : chr [1:246] "1772-062-248_A01" "1772-062-248_A03" "1772-062-248_A04" "1772-062-
 248_A06"\$ batch : chr [1:246, 1:2] "1772-062-248" "1772-062-248" "1772-062-248" "1772-
 062-248"\$ Size : num [1:246] 31 19 152 43 59 21 72 81 31 56\$ RGexprs : 'data.frame':
 246 obs. of 4 variables:\$ fore_Green: num [1:246] 48.4 26.2 45.7 34 24\$ back_Green:
 num [1:246] 17.2 17 16.8 17.1 16.8\$ fore_Red : num [1:246] 219.1 86.5 18.4 84.4 104.3 ...
\$ back_Red : num [1:246] 17.3 17 18 17.7 17.5\$ exprs : num [1:246, 1:2] 35.3 13.2 32.9
 20.9 11.3\$ attr(*, "dimnames")=List of 2\$: NULL\$: chr [1:2] "Green" "Red" ..\$
 image.type : chr [1:3] "BF" "Green" "Red" ..\$ dateIndex : chr "WedMar2313:29:522016" ..\$ single.
 batch.analysis: num 5 ..\$ BGmethod : chr "normexp" ..\$ maxMix : num 3 ..\$ prior.pi : num 0.1
 ..\$ flex.reps : num 5 ..\$ flexmethod : chr "BIC" ..\$ RNG : NULL \$ Summarized_estimates:List of 3
 ..\$ corrected.exprs : num [1:246, 1:2] 37 11.8 34.4 20.5 9.7\$ attr(*, "dimnames")=List of 2
 ..\$: NULL\$: chr [1:2] "Green" "Red" ..\$ corrected.transformed.exprs: num [1:246, 1:2] 3.61
 2.47 3.54 3.02 2.27\$ attr(*, "dimnames")=List of 2\$: NULL\$: chr [1:2] "Green"
 "Red" ..\$ allResults :List of 2\$ corrected.exprs : chr [1:247, 1:10] "Ref=1" "40.7543386916705"
 "13.2747695514339" "37.8669946332554"\$ corrected.transformed.exprs: chr [1:247, 1:10]
 "Ref=1" "3.70756230498048" "2.58586520738665" "3.63407987867093" ... \$ Batch_estimates
 :List of 5 ..\$ Batch1:List of 15\$ corrected.exprs : num [1:246, 1:2] 40.8 13.3 37.9 22.8 10.8
\$ attr(*, "dimnames")=List of 2\$: NULL\$: chr [1:2] "Green"
 "Red"\$ corrected.transformed.exprs : num [1:246, 1:2] 3.71 2.59 3.63 3.13 2.38\$ attr(*,
 "dimnames")=List of 2\$: NULL\$: chr [1:2] "Green" "Red"\$
 mixes.Green : num [1:246] 1 1 1 1 1 1 2 1 2 1\$ mixes.Red : num [1:246] 3 3 1 3 3 3 3
 3 3 3\$ Batch.Green.est : chr [1:11, 1:4] "" "(Intercept)" "factor(Comp)2" "factor(Batch)2"
\$ BatchRed.est : chr [1:16, 1:4] "" "(Intercept)" "factor(Comp)2" "factor(Comp)3"\$
 fitted.values : num [1:246, 1:2] 2.7 2.7 2.7 2.7 2.7\$ attr(*, "dimnames")=List of 2\$
 : NULL\$: chr [1:2] "Green" "Red"\$ transformation : chr "log"\$ model.residuals
 : num [1:246, 1:2] 0.865 -0.114 0.797 0.34 -0.277\$ attr(*, "dimnames")=List of 2\$
 : NULL\$: chr [1:2] "Green" "Red"\$ model.standardized.residuals: num [1:246,
 1:2] 1.746 -0.231 1.609 0.687 -0.559\$ attr(*, "dimnames")=List of 2\$: NULL ..
\$: chr [1:2] "Green" "Red"\$ residual.statistics : chr [1:4, 1:7] "" "Green" "Red" "Green
 & Red"\$ lpar : NULL\$ design.Green : num [1:246, 1:10] 1 1 1 1 1 1 1 1 1 1
\$ attr(*, "dimnames")=List of 2\$: chr [1:246] "1" "2" "3" "4"\$: chr
 [1:10] "(Intercept)" "factor(Comp)2" "factor(Batch)2" "factor(Batch)3"\$ attr(*, "assign")=
 int [1:10] 0 1 2 2 2 2 3 3 3 3\$ attr(*, "contrasts")=List of 2\$ factor(Comp) : chr
 "contr.treatment"\$ factor(Batch): chr "contr.treatment"\$ design.Red : num [1:246,
 1:15] 1 1 1 1 1 1 1 1 1 1\$ attr(*, "dimnames")=List of 2\$: chr [1:246] "1" "2"
 "3" "4"\$: chr [1:15] "(Intercept)" "factor(Comp)2" "factor(Comp)3" "factor(Batch)2"
\$ attr(*, "assign")= int [1:15] 0 1 1 2 2 2 2 3 3 3\$ attr(*, "contrasts")=List of
 2\$ factor(Comp) : chr "contr.treatment"\$ factor(Batch): chr "contr.treatment"
\$ reference : int 1 ..\$ Batch2:List of 15\$ corrected.exprs : num [1:246, 1:2] 34.33 9.63
 31.69 17.88 8.08\$ attr(*, "dimnames")=List of 2\$: NULL\$: chr [1:2]
 "Green" "Red"\$ corrected.transformed.exprs : num [1:246, 1:2] 3.54 2.26 3.46 2.88 2.09
\$ attr(*, "dimnames")=List of 2\$: NULL\$: chr [1:2] "Green" "Red"\$
 mixes.Green : num [1:246] 1 1 1 1 1 1 1 1 2 1\$ mixes.Red : num [1:246] 3 3 1 3 3 3 3 3
 3 3\$ Batch.Green.est : chr [1:11, 1:4] "" "(Intercept)" "factor(Comp)2" "factor(Batch)1" ...
\$ BatchRed.est : chr [1:16, 1:4] "" "(Intercept)" "factor(Comp)2" "factor(Comp)3"\$ fit-
 ted.values : num [1:246, 1:2] 2.85 2.85 2.85 2.85 2.85\$ attr(*, "dimnames")=List of 2\$
 : NULL\$: chr [1:2] "Green" "Red"\$ transformation : chr "log"\$ model.residuals
 : num [1:246, 1:2] 0.717 -0.262 0.649 0.192 -0.425\$ attr(*, "dimnames")=List of 2\$
 : NULL\$: chr [1:2] "Green" "Red"\$ model.standardized.residuals: num [1:246,
 1:2] 1.345 -0.492 1.218 0.361 -0.797\$ attr(*, "dimnames")=List of 2\$: NULL ..

```

.. .. ..$ : chr [1:2] "Green" "Red" .. ..$ residual.statistics : chr [1:4, 1:7] "" "Green" "Red" "Green
& Red" ... ..$ lpar : NULL .. ..$ design.Green : num [1:246, 1:10] 1 1 1 1 1 1 1 1 1 1 ... ..
.. ..- attr(*, "dimnames")=List of 2 .. .. ..$ : chr [1:246] "1" "2" "3" "4" ... .. .. ..$ : chr
[1:10] "(Intercept)" "factor(Comp)2" "factor(Batch)1" "factor(Batch)3" ... .. ..- attr(*, "assign")=
int [1:10] 0 1 2 2 2 2 3 3 3 3 .. ..- attr(*, "contrasts")=List of 2 .. .. ..$ factor(Comp) : chr
"contr.treatment" .. .. ..$ factor(Batch): chr "contr.treatment" .. ..$ design.Red : num [1:246,
1:15] 1 1 1 1 1 1 1 1 1 1 ... .. ..- attr(*, "dimnames")=List of 2 .. .. ..$ : chr [1:246] "1" "2"
"3" "4" ... .. .. ..$ : chr [1:15] "(Intercept)" "factor(Comp)2" "factor(Comp)3" "factor(Batch)1"
... .. ..- attr(*, "assign")= int [1:15] 0 1 1 2 2 2 2 3 3 3 ... .. ..- attr(*, "contrasts")=List of
2 .. .. ..$ factor(Comp) : chr "contr.treatment" .. .. ..$ factor(Batch): chr "contr.treatment"
.. ..$ reference : int 2 ..$ Batch3:List of 15 .. ..$ corrected.exprs : num [1:246, 1:2] 41.7 12.6
38.7 22.7 10.1 ... .. ..- attr(*, "dimnames")=List of 2 .. .. ..$ : NULL .. .. ..$ : chr [1:2]
"Green" "Red" .. ..$ corrected.transformed.exprs : num [1:246, 1:2] 3.73 2.53 3.66 3.12 2.31 ... ..
.. ..- attr(*, "dimnames")=List of 2 .. .. ..$ : NULL .. .. ..$ : chr [1:2] "Green" "Red" .. ..$
mixes.Green : num [1:246] 1 1 1 1 1 1 2 1 2 1 ... .. ..$ mixes.Red : num [1:246] 3 3 1 3 3 3 3
3 3 3 ... ..$ Batch.Green.est : chr [1:11, 1:4] "" "(Intercept)" "factor(Comp)2" "factor(Batch)1"
... .. ..$ BatchRed.est : chr [1:16, 1:4] "" "(Intercept)" "factor(Comp)2" "factor(Comp)3" ... .. ..$
fitted.values : num [1:246, 1:2] 2.7 2.7 2.7 2.7 2.7 ... .. ..- attr(*, "dimnames")=List of 2 .. .. ..$
: NULL .. .. ..$ : chr [1:2] "Green" "Red" .. ..$ transformation : chr "log" .. ..$ model.residuals
: num [1:246, 1:2] 0.865 -0.114 0.797 0.34 -0.277 ... .. ..- attr(*, "dimnames")=List of 2 .. .. ..
..$ : NULL .. .. ..$ : chr [1:2] "Green" "Red" .. ..$ model.standardized.residuals: num [1:246,
1:2] 1.749 -0.231 1.612 0.688 -0.56 ... .. ..- attr(*, "dimnames")=List of 2 .. .. ..$ : NULL ..
.. ..$ : chr [1:2] "Green" "Red" .. ..$ residual.statistics : chr [1:4, 1:7] "" "Green" "Red" "Green
& Red" ... ..$ lpar : NULL .. ..$ design.Green : num [1:246, 1:10] 1 1 1 1 1 1 1 1 1 1 ... ..
.. ..- attr(*, "dimnames")=List of 2 .. .. ..$ : chr [1:246] "1" "2" "3" "4" ... .. .. ..$ : chr
[1:10] "(Intercept)" "factor(Comp)2" "factor(Batch)1" "factor(Batch)2" ... .. ..- attr(*, "assign")=
int [1:10] 0 1 2 2 2 2 3 3 3 3 .. .. ..- attr(*, "contrasts")=List of 2 .. .. ..$ factor(Comp) : chr
"contr.treatment" .. .. ..$ factor(Batch): chr "contr.treatment" .. ..$ design.Red : num [1:246,
1:15] 1 1 1 1 1 1 1 1 1 1 ... .. ..- attr(*, "dimnames")=List of 2 .. .. ..$ : chr [1:246] "1" "2"
"3" "4" ... .. .. ..$ : chr [1:15] "(Intercept)" "factor(Comp)2" "factor(Comp)3" "factor(Batch)1"
... .. ..- attr(*, "assign")= int [1:15] 0 1 1 2 2 2 2 3 3 3 ... .. ..- attr(*, "contrasts")=List of
2 .. .. ..$ factor(Comp) : chr "contr.treatment" .. .. ..$ factor(Batch): chr "contr.treatment"
.. ..$ reference : int 3 ..$ Batch4:List of 15 .. ..$ corrected.exprs : num [1:246, 1:2] 34.67 11.85
32.27 19.75 9.81 ... .. ..- attr(*, "dimnames")=List of 2 .. .. ..$ : NULL .. .. ..$ : chr [1:2]
"Green" "Red" .. ..$ corrected.transformed.exprs : num [1:246, 1:2] 3.55 2.47 3.47 2.98 2.28 ... ..
.. ..- attr(*, "dimnames")=List of 2 .. .. ..$ : NULL .. .. ..$ : chr [1:2] "Green" "Red" .. ..$
mixes.Green : num [1:246] 1 1 1 1 1 1 2 1 2 1 ... .. ..$ mixes.Red : num [1:246] 3 3 1 3 3 3 3
3 3 3 ... ..$ Batch.Green.est : chr [1:11, 1:4] "" "(Intercept)" "factor(Comp)2" "factor(Batch)1"
... .. ..$ BatchRed.est : chr [1:16, 1:4] "" "(Intercept)" "factor(Comp)2" "factor(Comp)3" ... .. ..$
fitted.values : num [1:246, 1:2] 2.7 2.7 2.7 2.7 2.7 ... .. ..- attr(*, "dimnames")=List of 2 .. .. ..$
: NULL .. .. ..$ : chr [1:2] "Green" "Red" .. ..$ transformation : chr "log" .. ..$ model.residuals
: num [1:246, 1:2] 0.865 -0.114 0.797 0.34 -0.277 ... .. ..- attr(*, "dimnames")=List of 2 .. .. ..
..$ : NULL .. .. ..$ : chr [1:2] "Green" "Red" .. ..$ model.standardized.residuals: num [1:246,
1:2] 1.741 -0.23 1.605 0.685 -0.557 ... .. ..- attr(*, "dimnames")=List of 2 .. .. ..$ : NULL ..
.. ..$ : chr [1:2] "Green" "Red" .. ..$ residual.statistics : chr [1:4, 1:7] "" "Green" "Red" "Green
& Red" ... ..$ lpar : NULL .. ..$ design.Green : num [1:246, 1:10] 1 1 1 1 1 1 1 1 1 1 ... ..
.. ..- attr(*, "dimnames")=List of 2 .. .. ..$ : chr [1:246] "1" "2" "3" "4" ... .. .. ..$ : chr
[1:10] "(Intercept)" "factor(Comp)2" "factor(Batch)1" "factor(Batch)2" ... .. ..- attr(*, "assign")=
int [1:10] 0 1 2 2 2 2 3 3 3 3 .. .. ..- attr(*, "contrasts")=List of 2 .. .. ..$ factor(Comp) : chr
"contr.treatment" .. .. ..$ factor(Batch): chr "contr.treatment" .. ..$ design.Red : num [1:246,
1:15] 1 1 1 1 1 1 1 1 1 1 ... .. ..- attr(*, "dimnames")=List of 2 .. .. ..$ : chr [1:246] "1" "2"
"3" "4" ... .. .. ..$ : chr [1:15] "(Intercept)" "factor(Comp)2" "factor(Comp)3" "factor(Batch)1"

```



```

... .. attr(*, "assign")= int [1:15] 0 1 1 2 2 2 2 3 3 3 ... .. attr(*, "contrasts")=List of
2 .. .. ..$ factor(Comp) : chr "contr.treatment" .. .. ..$ factor(Batch): chr "contr.treatment"
.. ..$ reference : int 4 ..$ Batch5:List of 17 .. ..$ corrected.exprs : num [1:246, 1:2] 34.3 11.96
31.95 19.7 9.95 ... .. attr(*, "dimnames")=List of 2 .. .. ..$ : NULL .. .. ..$ : chr [1:2]
"Green" "Red" .. ..$ corrected.transformed.exprs : num [1:246, 1:2] 3.54 2.48 3.46 2.98 2.3 ... ..
.. attr(*, "dimnames")=List of 2 .. .. ..$ : NULL .. .. ..$ : chr [1:2] "Green" "Red" .. ..$
mixes.Green : num [1:246] 1 1 1 1 1 1 2 1 1 ... .. ..$ mixes.Red : num [1:246] 2 2 1 2 2 2 2
2 2 2 ... ..$ Batch.Green.est : chr [1:11, 1:4] "" "(Intercept)" "factor(Comp)2" "factor(Batch)1"
... .. ..$ BatchRed.est : chr [1:11, 1:4] "" "(Intercept)" "factor(Comp)2" "factor(Batch)1" ... .. ..$
fitted.values : num [1:246, 1:2] 2.7 2.7 2.7 2.7 2.7 ... .. .. attr(*, "dimnames")=List of 2 .. .. ..$
: NULL .. .. ..$ : chr [1:2] "Green" "Red" .. ..$ transformation : chr "log" .. ..$ model.residuals :
num [1:246, 1:2] 0.865 -0.114 0.797 0.34 -0.277 ... .. .. attr(*, "dimnames")=List of 2 .. .. ..$
: NULL .. .. ..$ : chr [1:2] "Green" "Red" .. ..$ model.standardized.residuals: num [1:246, 1:2]
1.749 -0.231 1.612 0.688 -0.56 ... .. .. attr(*, "dimnames")=List of 2 .. .. ..$ : NULL .. .. ..$
: chr [1:2] "Green" "Red" .. ..$ residual.statistics : chr [1:4, 1:7] "" "Green" "Red" "Green & Red"
... .. ..$ lpar : NULL .. ..$ design.Green : num [1:246, 1:10] 1 1 1 1 1 1 1 1 1 1 ... .. .. attr(*,
"dimnames")=List of 2 .. .. ..$ : chr [1:246] "1" "2" "3" "4" ... .. ..$ : chr [1:10] "(Intercept)"
"factor(Comp)2" "factor(Batch)1" "factor(Batch)2" ... .. .. attr(*, "assign")= int [1:10] 0 1 2 2
2 2 3 3 3 3 .. .. attr(*, "contrasts")=List of 2 .. .. ..$ factor(Comp) : chr "contr.treatment"
.. .. ..$ factor(Batch): chr "contr.treatment" .. ..$ design.Red : num [1:246, 1:10] 1 1 1 1 1 1 1
1 1 1 ... .. .. attr(*, "dimnames")=List of 2 .. .. ..$ : chr [1:246] "1" "2" "3" "4" ... .. ..$
: chr [1:10] "(Intercept)" "factor(Comp)2" "factor(Batch)1" "factor(Batch)2" ... .. .. attr(*,
"assign")= int [1:10] 0 1 2 2 2 2 3 3 3 3 .. .. attr(*, "contrasts")=List of 2 .. .. ..$ factor(Comp)
: chr "contr.treatment" .. .. ..$ factor(Batch): chr "contr.treatment" .. ..$ reference : int 5 .. ..$
Green.contrasts : chr [1:21, 1:7] "Channel" "CH1" "CH1" "CH1" ... .. ..$ Red.contrasts : chr [1:21,
1:7] "Channel" "CH2" "CH2" "CH2" ...

```

Value

example intermediates

step2.1

step2.1

Description

Example output of the getFluo function

Usage

```
data("step2.1")
```

Format

The format is: List of 18 \$ index : int [1:246] 1 2 3 4 5 6 7 8 9 10 ... \$ samples : chr [1:246] "1772-062-248_A01" "1772-062-248_A03" "1772-062-248_A04" "1772-062-248_A06" ... \$ batch : chr [1:246, 1:2] "1772-062-248" "1772-062-248" "1772-062-248" "1772-062-248" ... \$ Size : num [1:246] 31 19 152 43 59 21 72 81 31 56 ... \$ corrected.exprs : num [1:246, 1:2] 34.3 11.96 31.95 19.7 9.95 attr(*, "dimnames")=List of 2\$: NULL\$: chr [1:2] "Green" "Red" \$ corrected.transformed.exprs: num [1:246, 1:2] 3.54 2.48 3.46 2.98 2.3 attr(*, "dimnames")=List of 2\$: NULL\$: chr [1:2] "Green" "Red" \$ correctedAreas : num [1:246] 3.43 2.94 5.02

```
3.76 4.08 ... $ areacut : num 49 $ transformation : chr "log" $ image.type : chr [1:3] "BF" "Green"
"Red" $ dateIndex : chr "WedMar2313:29:522016" $ single.batch.analysis : num 5 $ BGmethod :
chr "normexp" $ maxMix : num 3 $ prior.pi : num 0.1 $ flex.reps : num 5 $ flexmethod : chr "BIC"
$ RNG : NULL
```

Value

example intermediates

step3

step3

Description

Example output of the Fluo_inspection function

Usage

```
data("step3")
```

Format

The format is: List of 25 \$ index : int [1:246] 1 2 3 4 5 6 7 8 9 10 ... \$ samples : chr [1:246] "1772-062-248_A01" "1772-062-248_A03" "1772-062-248_A04" "1772-062-248_A06" ... \$ batch : chr [1:246, 1:2] "1772-062-248" "1772-062-248" "1772-062-248" "1772-062-248" ... \$ Size : num [1:246] 31 19 152 43 59 21 72 81 31 56 ... \$ corrected.exprs : num [1:246, 1:2] 34.3 11.96 31.95 19.7 9.95- attr(*, "dimnames")=List of 2\$: NULL\$: chr [1:2] "Green" "Red" \$ corrected.transformed.exprs: num [1:246, 1:2] 3.54 2.48 3.46 2.98 2.3- attr(*, "dimnames")=List of 2\$: NULL\$: chr [1:2] "Green" "Red" \$ correctedAreas : num [1:246] 3.43 2.94 5.02 3.76 4.08 ... \$ areacut : num 49 \$ transformation : chr "log" \$ image.type : chr [1:3] "BF" "Green" "Red" \$ dateIndex : chr "WedMar2313:29:522016" \$ single.batch.analysis : num 5 \$ BGmethod : chr "normexp" \$ maxMix : num 3 \$ prior.pi : num 0.1 \$ flex.reps : num 5 \$ flexmethod : chr "BIC" \$ RNG : NULL \$ GAPgroups : num [1:246, 1:2] 3 6 2 6 6 6 4 6 5 4 ... \$ clusterFUN : chr "kmeans" \$ normal.sigma : num 200 \$ centroids : num [1:6, 1:3] 1 2 3 4 5- attr(*, "dimnames")=List of 2\$: NULL\$: chr [1:3] "Cluster" "Green" "Red" \$ fixClusters : num 0 \$ Kmax : num 15 \$ B.kmeans : num 5

Value

example intermediates

 step3.1

step3.1

Description

Example output of the pathEstimator function

Usage

```
data("step3.1")
```

Format

The format is: List of 27 \$ index : int [1:246] 1 2 3 4 5 6 7 8 9 10 ... \$ samples : chr [1:246] "1772-062-248_A01" "1772-062-248_A03" "1772-062-248_A04" "1772-062-248_A06" ... \$ batch : chr [1:246, 1:2] "1772-062-248" "1772-062-248" "1772-062-248" "1772-062-248" ... \$ Size : num [1:246] 31 19 152 43 59 21 72 81 31 56 ... \$ corrected.exprs : num [1:246, 1:2] 34.3 11.96 31.95 19.7 9.95- attr(*, "dimnames")=List of 2\$: NULL\$: chr [1:2] "Green" "Red" \$ corrected.transformed.exprs: num [1:246, 1:2] 3.54 2.48 3.46 2.98 2.3- attr(*, "dimnames")=List of 2\$: NULL\$: chr [1:2] "Green" "Red" \$ correctedAreas : num [1:246] 3.43 2.94 5.02 3.76 4.08 ... \$ areacut : num 49 \$ transformation : chr "log" \$ image.type : chr [1:3] "BF" "Green" "Red" \$ dateIndex : chr "WedMar2313:29:522016" \$ single.batch.analysis : num 5 \$ BGmethod : chr "normexp" \$ maxMix : num 3 \$ prior.pi : num 0.1 \$ flex.reps : num 5 \$ flexmethod : chr "BIC" \$ RNG : NULL \$ GAPgroups : num [1:246, 1:2] 3 6 2 6 6 6 4 6 5 4 ... \$ clusterFUN : chr "kmeans" \$ normal.sigma : num 200 \$ centroids : num [1:6, 1:3] 1 2 3 4 5- attr(*, "dimnames")=List of 2\$: NULL\$: chr [1:3] "Cluster" "Green" "Red" \$ fixClusters : num 0 \$ Kmax : num 15 \$ B.kmeans : num 5 \$ Path : num [1:6] 6 3 5 4 2 1 \$ Path.type : chr [1:2] "circular" "clockwise"

Value

example intermediates

 step4

step4

Description

Example output of the Fluo_modeling function

Usage

```
data("step4")
```

Format

The format is: List of 39 \$ index : int [1:246] 1 2 3 4 5 6 7 8 9 10 ... \$ samples : chr [1:246] "1772-062-248_A01" "1772-062-248_A03" "1772-062-248_A04" "1772-062-248_A06" ... \$ batch : chr [1:246, 1:2] "1772-062-248" "1772-062-248" "1772-062-248" "1772-062-248" ... \$ Size : num [1:246] 31 19 152 43 59 21 72 81 31 56 ... \$ corrected.exprs : num [1:246, 1:2] 34.3 11.96 31.95 19.7 9.95- attr(*, "dimnames")=List of 2\$: NULL\$: chr [1:2] "Green" "Red" \$ corrected.transformed.exprs : num [1:246, 1:2] 3.54 2.48 3.46 2.98 2.3- attr(*, "dimnames")=List of 2\$: NULL\$: chr [1:2] "Green" "Red" \$ correctedAreas : num [1:246] 3.43 2.94 5.02 3.76 4.08 ... \$ areacut : num 49 \$ transformation : chr "log" \$ image.type : chr [1:3] "BF" "Green" "Red" \$ dateIndex : chr "WedMar2313:29:522016" \$ single.batch.analysis : num 5 \$ BGmethod : chr "normexp" \$ maxMix : num 3 \$ prior.pi : num 0.1 \$ flex.reps : num 5 \$ flexmethod : chr "BIC" \$ RNG : NULL \$ GAPgroups : num [1:246, 1:2] 3 6 2 6 6 6 4 6 5 4 ... \$ clusterFUN : chr "kmeans" \$ normal.sigma : num 200 \$ centroids : num [1:7, 1:3] 2 1 5 4 3- attr(*, "dimnames")=List of 2\$: NULL\$: chr [1:3] "Cluster" "Green" "Red" \$ fixClusters : num 0 \$ Kmax : num 15 \$ B.kmeans : num 5 \$ Path : num [1:6] 6 3 5 4 2 1 \$ Path.type : chr [1:2] "circular" "clockwise" \$ UpdatedPath : num [1:7] 1 2 3 4 5 6 7 \$ DataSorts : chr [1:246, 1:2] "0.453392432450554" "0.0087217837649943" "0.201631879709111" "-0.395060882232867"- attr(*, "dimnames")=List of 2\$: NULL\$: chr [1:2] "Distance" "Pseudotime" \$ DDH-Fupdate : logi FALSE \$ corrected.VStranformed.exprs : num [1:246, 1:2] 93.7 87.7 90.3 89.3 87.7 ... \$ VSmethd : chr "DDHFmv" \$ Progression : num [1:246, 1:2] 77 18 201 22 31 11 169 34 119 171- attr(*, "dimnames")=List of 2\$: NULL\$: chr [1:2] "Pseudotime" "transf.Difference" \$ Updated.groups : num [1:246] 2 1 5 1 1 1 4 1 3 4 ... \$ CPs : num [1:6] 56 93 140 178 206 229 \$ CPmethod : chr "ECP" \$ CPsig : num 0.01 \$ CPgroups : num 5 \$ CPmingroup : num 10

Value

example intermediates

steps2_4

steps2_4

Description

example results of the Fluo_CV_modeling function

Usage

```
data("steps2_4")
```

Format

The format is: List of 2 \$ Batch5 :List of 39 ..\$ index : int [1:246] 1 2 3 4 5 6 7 8 9 10\$ samples : chr [1:246] "1772-062-248_A01" "1772-062-248_A03" "1772-062-248_A04" "1772-062-248_A06"\$ batch : chr [1:246, 1:2] "1772-062-248" "1772-062-248" "1772-062-248" "1772-062-248"\$ Size : num [1:246] 31 19 152 43 59 21 72 81 31 56\$ corrected.exprs : num [1:246, 1:2] 26.64 9.5 24.84 15.43 8.04- attr(*, "dimnames")=List of 2\$: NULL\$: chr [1:2] "Green" "Red" ..\$ corrected.transformed.exprs : num [1:246, 1:2] 3.28 2.25 3.21 2.74 2.08- attr(*, "dimnames")=List of 2\$: NULL\$: chr [1:2] "Green" "Red" ..\$ correctedAreas : num [1:246] 3.43 2.94 5.02 3.76 4.08\$ areacut : num 49 ..\$ transformation : chr "log" ..\$ image.type : chr [1:3] "BF" "Green" "Red" ..\$ dateIndex :

```
chr "ThuMar2416:02:312016" ..$ single.batch.analysis : num 5 ..$ BGmethod : chr "normexp" ..$
maxMix : num 3 ..$ prior.pi : num 0.1 ..$ flex.reps : num 5 ..$ flexmethod : chr "BIC" ..$ RNG :
num 999 ..$ GAPgroups : num [1:246, 1:2] 6 4 5 4 4 4 1 4 2 4 ... ..$ clusterFUN : chr "kmeans" ..$
normal.sigma : num 200 ..$ centroids : num [1:6, 1:3] 3 6 5 4 2 ... ..$ attr(*, "dimnames")=List
of 2 .. ..$ : NULL .. ..$ : chr [1:3] "Cluster" "Green" "Red" ..$ fixClusters : num 0 ..$
Kmax : num 15 ..$ B.kmeans : num 5 ..$ Path : num [1:6] 3 4 6 2 1 5 ..$ Path.type : chr [1:2]
"circular" "clockwise" ..$ UpdatedPath : num [1:6] 1 2 3 4 5 6 ..$ DataSorts : chr [1:246, 1:2] "-
0.0524253515714255" "0.0573114934260645" "-0.0658947839764907" "-0.10952104926524" ...
.. ..$ attr(*, "dimnames")=List of 2 .. ..$ : NULL .. ..$ : chr [1:2] "Distance" "Pseudotime"
..$ DDHFupdate : logi FALSE ..$ corrected.VStransformed.exprs: num [1:246, 1:2] 90.2 86.4 88.6
88.1 86.4 ... ..$ VSmethode : chr "DDHFmv" ..$ Progression : num [1:246, 1:2] 110 58 229 64
68 51 215 76 166 85 ... ..$ attr(*, "dimnames")=List of 2 .. ..$ : NULL .. ..$ : chr [1:2]
"Pseudotime" "transf.Difference" ..$ Updated.groups : num [1:246] 3 3 6 3 3 3 5 3 4 3 ... ..$ CPs :
num [1:5] 22 38 118 169 222 ..$ CPmethod : chr "ECP" ..$ CPsig : num 0.01 ..$ CPgroups : num
5 ..$ CPmingroup : num 15 $ init.path: chr [1:2] "bottom/left" "bottom/left"
```

Value

cross validation modeling

```
straightColLines      straightColLines
```

Description

It identifies the vertical BF image characteristic lines.

Usage

```
straightColLines(img, pattern.search, cut = seq(0.3, 1.5, 0.02),
  ImgLimits, chip.type)
```

Arguments

<code>img</code>	Data matrix. The BF image data matrix.
<code>pattern.search</code>	Integer. A cutoff to find horizontal and vertical lines on the chip.
<code>cut</code>	Integer. A normalized signal cutoff above which a pixel is considered as foreground.
<code>ImgLimits</code>	Integer. It instructs the algorithm to find spots in a certain central image area. For example, for a 512 x 512 image with <code>cutSides = 50</code> , it will search for spots in the central area [<code>ImgLimits:(512-ImgLimits),ImgLimits:(512-ImgLimits)</code>] of the image matrix.
<code>chip.type</code>	Character string. It specifies the type of Fluidigm chip to be analyzed.

Value

Estimated vertical BF characteristic lines.

straightRowLines	<i>straightRowLines</i>
------------------	-------------------------

Description

It identifies the horizontal BF image characteristic lines.

Usage

```
straightRowLines(colData, pattern.search, ImgLimits)
```

Arguments

colData	List. The data to be analyzed.
pattern.search	Integer. A cutoff to find horizontal and vertical lines on the chip
ImgLimits	Integer. It instructs the algorithm to find spots in a certain central image area. For example, for a 512 x 512 image with cutSides = 50, it will search for spots in the central area [ImgLimits:(512-ImgLimits),ImgLimits:(512-ImgLimits)] of the image matrix.

Value

The estimated horizontal BF characteristic lines

subsetAnalysis	<i>subsetAnalysis</i>
----------------	-----------------------

Description

It reads a subset of the original file names.

Usage

```
subsetAnalysis(files, sub)
```

Arguments

files	List. A list of all BF and channel file names.
sub	Character string. A vector of the file names to be read.

Value

A list of files to be analyzed

summarizeAdjFluo	<i>summarizeAdjFluo</i>
------------------	-------------------------

Description

A wrapper of the functions used for run effect and background correction. It gives the the corrected, transformed corrected and mixture groups of each baseline run.

Usage

```
summarizeAdjFluo(data, transformation, BGmethod, maxMix, reference,
  prior.pi, flex.reps, flexmethod, image.type, savePlot, seed)
```

Arguments

data	List. A list with the fluorescence signal information of both channels.
BGmethod	Character string. The type of image background correction to be performed. One of "normexp" or "subtract".
maxMix	Integer. The maximum number of components to fit into the mixture of regressions model. If maxMix=1 or if the the optimal number of the estimated components is 1, the model reduces to the classical 2-way ANOVA.
reference	Numeric vector. Specifies the runs to be used as baseline (iteratively).
prior.pi	Float. The prior probability to accept a component.
flex.reps	Integer. The iterations of the Expectation-Maximization algorithm to estimate the flexmix model.
flexmethod	Character string. A method to estimate the optimal number of flexmix components. One of "BIC", "AIC", "ICL".
image.type	Character string. A triplet of IDs to characterize the type of images under study.
savePlot	Character string. The directory to store the plots or an option to print them on the screen.
seed	Integer. An optional seed number for the Random Number Generator.
transform	Character string. The type of transformation to be performed. One of "bc" (Box-Cox), "log", "log10" or "asinh".

Value

A list with the adjusted fluorescence signals

transformFluo	<i>transformFluo</i>
---------------	----------------------

Description

It performs the variance stabilizing transformation of the fluorescence signals.

Usage

```
transformFluo(data, method)
```

Arguments

data	List. A list of adjusted fluorescence signals in both channels. Typically, the output of <code>orderFluo()</code> .
method	Character string. The variance stabilizing method. One of "DDHFmv" or "log".

Value

A list with the adjusted fluorescence signals and the transformed adjusted fluorescence signals

trigofun	<i>trigofun</i>
----------	-----------------

Description

It computes the sin,cos and tan trigonometric functions for a number of points (2-dimensional fluorescence centroids) relative to the start of the axes.

Usage

```
trigofun(data)
```

Arguments

data	Data matrix. A matrix of fluorescence centroids.
------	--

Value

The centroids and their trigonometric function values

unnormalizeC01	<i>unnormalizeC01</i>
----------------	-----------------------

Description

It calculates the unnormalized signal of a normalized image. The normalization has been originally performed as $x[i,j]/bits$ where $x[i,j]$ is the i,j element of the signal matrix x and $bits$ is the value of the bits.

Usage

```
unnormalizeC01(data, bits)
```

Arguments

data	Data matrix. The matrix of the normalized image signals.
bits	Numeric. The image bits.

Value

A matrix of unnormalized image signals

updateCentroids	<i>updateCentroids</i>
-----------------	------------------------

Description

It updates the centroids of the clusters that are re-estimated by change-point analysis.

Usage

```
updateCentroids(data, centroidTable)
```

Arguments

data	Data matrix. A matrix of appropriately transformed fluorescence signals .
centroidTable	Data matrix. A previously estimated centroids table to be updated.

Value

The updated centroids table

updateCentroidsPaths *updateCentroidsPaths*

Description

It updates the path sorted clusters after re-estimation by change-point analysis.

Usage

```
updateCentroidsPaths(data, estimates, path.type)
```

Arguments

data	List. A list of adjusted fluorescence signals.
estimates	List. A list of sorted Ch2-Ch3 transformed fluorescence signals with their associated change-points.
path.type	Character vector. A user-defined vector that characterizes the cell progression dynamics. The first element can be either "circular" or "A2Z" or "other". If "circular" the path progression is assumed to exhibit a circle-like behavior. If "A2Z" the path is assumed to have a well-defined start and a well-defined end point (e.g. a linear progression). If "other" the progression is assumed to be arbitrary without an obvious directionality.

Value

A list of adjusted fluorescence signals and the updated path after the change-point analysis

which.min.diff *which.min.diff*

Description

A helper for DDHF

Usage

```
which.min.diff(a, vect)
```

Arguments

a, vector	Appropriate vectors for analysis
-----------	----------------------------------

Value

Preliminary DDHF results

`zoomInBF`*zoomInBF*

Description

It estimates the chip characteristics for BF image modelling

Usage

```
zoomInBF(img, pattern.search, ImgLimits, chip.type)
```

Arguments

<code>img</code>	Data matrix. The BF image data.
<code>pattern.search</code>	Integer. A cutoff to find horizontal and vertical lines on the chip.
<code>ImgLimits</code>	Integer. It instructs the algorithm to find spots in a certain central image area. For example, for a 512 x 512 image with <code>cutSides = 50</code> , it will search for spots in the central area [<code>ImgLimits:(512-ImgLimits),ImgLimits:(512-ImgLimits)</code>] of the image matrix.
<code>chip.type</code>	Character string. It specifies the type of Fluidigm chip to be analyzed.

Value

The locations of the straight lines on the chip

Index

* datasets

- clu, 16
- estimates, 28
- estimates.2, 29
- files, 33
- Results, 69
- step1, 78
- step2, 78
- step2.1, 81
- step3, 82
- step3.1, 83
- step4, 83
- steps2_4, 84

* internal

- addKpredictions, 4
- adjustFluo, 5
- aveDiff, 6
- BatchFluo, 6
- BGcorrectFluo, 7
- boxcoxMatrix, 7
- boxcoxMatrixEst, 8
- boxFluo, 8
- caseof0s, 9
- caseof1R0G, 10
- caseof1R1G, 11
- caseof1R2G, 12
- caseof2R1G, 13
- caseof2R2G, 14
- caseof2Rs0G, 15
- contrastFluo, 18
- cpoints, 18
- cpPELT, 19
- cutpointsEstimator, 20
- CVsampler, 21
- DDHFfit, 21
- DDHFinput, 22
- ddhft.np.2, 22
- denoiseFun, 24
- denoiser, 25
- despeckleFun, 25
- diagnoseResiduals, 26
- distfromcenter, 26
- doTransform, 27

- estimate.new.pseudotimes, 27
- estimatePath, 28
- extractBFArea, 31
- failurecase, 31
- fclust, 32
- filled.contour3, 33
- findPattern, 34
- fixPath, 34
- flowclust_step1, 35
- flowclust_step2, 35
- FluoInspection, 36
- forceBF, 46
- function.from.vector, 47
- GAPanalysis, 47
- getCoordinates_stats, 48
- getCsFAIL, 48
- getSpot, 51
- giveWarning, 52
- grouplines, 52
- grubbs, 53
- GrubbsOutliers, 53
- highlight.cols, 54
- invTransform, 54
- isotone, 55
- joinAreas, 55
- listSorter, 56
- lmFluo, 56
- mean_signal, 58
- measureB, 58
- measureF, 59
- multiplot, 59
- myt, 60
- orderFluo, 60
- path.initiator, 61
- pathUpdater, 62
- plot_clusgap, 63
- plotImages, 63
- predict.kmeans, 64
- processImg, 64
- project, 65
- readChaImg, 65
- readOriImg, 67
- reestimate.pseudos.byCV, 68

- refineMixes, 68
 - revDDHFinput, 69
 - signal.from.matrix, 70
 - significantSignal, 70
 - sortCentroids, 72
 - spot.simulator, 72
 - SpotbyStrLines, 73
 - spotCenter, 73
 - spotCoords, 74
 - SpotStats, 77
 - straightCollLines, 85
 - straightRowLines, 86
 - subsetAnalysis, 86
 - summarizeAdjFluo, 87
 - transformFluo, 88
 - trigofun, 88
 - unnormalizeC01, 89
 - updateCentroids, 89
 - updateCentroidsPaths, 90
 - which.min.diff, 90
 - zoomInBF, 91
- addKpredictions, 4
- adjustFluo, 5
- aveDiff, 6
- BatchFluo, 6
- BGcorrectFluo, 7
- boxcoxMatrix, 7
- boxcoxMatrixEst, 8
- boxFluo, 8
- caseof0s, 9
- caseof1R0G, 10
- caseof1R1G, 11
- caseof1R2G, 12
- caseof2R1G, 13
- caseof2R2G, 14
- caseof2Rs0G, 15
- clu, 16
- cluster2outlier, 17
- contrastFluo, 18
- cpoints, 18
- cpPELT, 19
- createFluo, 19
- cutpointsEstimator, 20
- CVsampler, 21
- DDHFfit, 21
- DDHFinput, 22
- ddhft.np.2, 22
- defineLocClusters, 23
- denoiseFun, 24
- denoiser, 25
- despeckleFun, 25
- diagnoseResiduals, 26
- distfromcenter, 26
- doTransform, 27
- estimate.new.pseudotimes, 27
- estimatePath, 28
- estimates, 28
- estimates.2, 29
- extractBFarea, 31
- failurecase, 31
- fclust, 32
- files, 33
- filled.contour3, 33
- findPattern, 34
- fixPath, 34
- flowclust_step1, 35
- flowclust_step2, 35
- Fluo_adjustment, 37
- Fluo_CV_modeling, 39
- Fluo_CV_prep, 40
- Fluo_inspection, 43
- Fluo_modeling, 44
- Fluo_ordering, 45
- FluoInspection, 36
- FluoSelection_byRun, 36
- forceBF, 46
- function.from.vector, 47
- GAPanalysis, 47
- getCoordinates_stats, 48
- getCsFAIL, 48
- getFluo, 49
- getFluo_byRun, 50
- getSpot, 51
- giveWarning, 52
- groupLines, 52
- grubbs, 53
- GrubbsOutliers, 53
- highlight.cols, 54
- invTransform, 54
- isotone, 55
- joinAreas, 55
- listSorter, 56
- lmFluo, 56
- LocationMatrix, 57
- mean_signal, 58

measureB, 58
measureF, 59
multiplot, 59
myt, 60

orderFluo, 60

path.initiator, 61
pathEstimator, 61
pathUpdater, 62
plot_clusgap, 63
plotImages, 63
predict.kmeans, 64
processImg, 64
project, 65

readChaImg, 65
readFiles, 66
readOriImg, 67
reestimate.pseudos.byCV, 68
refineMixes, 68
Results, 69
revDDHFinput, 69

signal.from.matrix, 70
significantSignal, 70
simcells, 71
sortCentroids, 72
spot.simulator, 72
SpotbyStrLines, 73
spotCenter, 73
spotCoords, 74
spotEstimator, 75
SpotStats, 77
step1, 78
step2, 78
step2.1, 81
step3, 82
step3.1, 83
step4, 83
steps2_4, 84
straightColLines, 85
straightRowLines, 86
subsetAnalysis, 86
summarizeAdjFluo, 87

transformFluo, 88
trigofun, 88

unnormalizeC01, 89
updateCentroids, 89
updateCentroidsPaths, 90

which.min.diff, 90
zoomInBF, 91