

# Package ‘ExperimentHub’

November 28, 2024

**Type** Package

**Title** Client to access ExperimentHub resources

**Version** 2.14.0

**Description** This package provides a client for the Bioconductor ExperimentHub web resource. ExperimentHub provides a central location where curated data from experiments, publications or training courses can be accessed. Each resource has associated metadata, tags and date of modification. The client creates and manages a local cache of files retrieved enabling quick and reproducible access.

**License** Artistic-2.0

**biocViews** Infrastructure, DataImport, GUI, ThirdPartyClient

**Depends** methods, BiocGenerics (>= 0.15.10), AnnotationHub (>= 3.3.6), BiocFileCache (>= 1.5.1)

**Imports** utils, S4Vectors, BiocManager, rappdirs

**Suggests** knitr, BiocStyle, rmarkdown, HubPub, GenomicAlignments

**Enhances** ExperimentHubData

**BugReports** <https://github.com/Bioconductor/ExperimentHub/issues>

**VignetteBuilder** knitr

**RoxygenNote** 7.0.0

**git\_url** <https://git.bioconductor.org/packages/ExperimentHub>

**git\_branch** RELEASE\_3\_20

**git\_last\_commit** 2bac493

**git\_last\_commit\_date** 2024-10-29

**Repository** Bioconductor 3.20

**Date/Publication** 2024-11-28

**Author** Bioconductor Package Maintainer [cre],

Martin Morgan [aut],

Marc Carlson [ctb],

Dan Tenenbaum [ctb],

Sonali Arora [ctb],

Valerie Oberchain [ctb],

Kayla Morrell [ctb],

Lori Shepherd [aut]

**Maintainer** Bioconductor Package Maintainer <maintainer@bioconductor.org>

## Contents

ExperimentHub-objects . . . . .	2
getExperimentHubOption . . . . .	5
utilities . . . . .	6

<b>Index</b>	<b>8</b>
--------------	----------

ExperimentHub-objects *ExperimentHub objects and their related methods and functions*

## Description

Use ExperimentHub to interact with Bioconductor's ExperimentHub service. Query the instance to discover and use resources that are of interest, and then easily download and import the resource into R for immediate use.

Use ExperimentHub() to retrieve information about all records in the hub. If working offline, add argument localHub=TRUE to work with a local, non-updated hub; It will only have resources available that have previously been downloaded. If offline, Please also see BiocManager vignette section on offline use to ensure proper functionality. To force redownload of the hub, refreshHub(hubClass="ExperimentHub") can be utilized.

If you are operating behind a proxy please see the ExperimentHub Vignette section on "Access behind a Proxy" for setting up configuration to allow ExperimentHub to run properly.

Discover records in a hub using mcols(), query(), subset(), and [.

Retrieve individual records using [\$. On first use of a resource, the corresponding files or other hub resources are downloaded from the internet to a local cache. On this and all subsequent uses the files are quickly input from the cache into the R session. If a user wants to download the file again and not use the cache version add the argument force=TRUE.

ExperimentHub records can be added (and sometimes removed) at any time. snapshotDate() restricts hub records to those available at the time of the snapshot. possibleDates() lists snapshot dates valid for the current version of Bioconductor.

The location of the local cache can be found (and updated) with getExperimentHubOption and setExperimentHubOption; removeCache removes all cache resources.

For common hub troubleshooting, please see the AnnotationHub vignette entitled 'vignette("TroubleshootingTheHubs", package="AnnotationHub")'.

## Constructors

```
ExperimentHub(..., hub=getExperimentHubOption("URL"), cache=getExperimentHubOption("CACHE"), proxy=
```

Create an ExperimentHub instance, possibly updating the current database of records.

See getExperimentHubOption for more details on constructor arguments. The ellipsis is current not utilized; arguments are passed into the virtual Hub class constructor and it is needed as a placeholder.

## Accessors

In the code snippets below, x and object are ExperimentHub objects.

hubCache(x): Gets the file system location of the local ExperimentHub cache.

hubUrl(x): Gets the URL for the online hub.



`subset(x, subset)`: Return the subset of records containing only those elements whose meta-data satisfies the *expression* in `subset`. The expression can reference columns of `mcols(x)`, and should return a logical vector of length `length(x)`. e.g., `subset(x, species == "Homo sapiens" & genome=="GRCh38")`.

`listResources(hub, package, filterBy=character())`: List resources in ExperimentHub associated with `package`. `filterBy` is a character vector of search terms.

`loadResources(hub, package, filterBy=character())`: Load resources in ExperimentHub associated with `package`. `filterBy` is a character vector of search terms.

### Cache and hub management

In the code snippets below, `x` is an ExperimentHub object.

`snapshotDate(x)` and `snapshotDate(x) <- value`: Gets or sets the date for the snapshot in use. `value` should be one of `possibleDates()`.

`possibleDates(x)`: Lists the valid snapshot dates for the version of Bioconductor that is being run (e.g., `BiocManager::version()`).

`cache(x)` and `cache(x) <- NULL`: Adds (downloads) all resources in `x`, or removes all local resources corresponding to the records in `x` from the cache. In this case, `x` would typically be a small subset of ExperimentHub resources. If `x` is a subset hub from a larger hub, and `localHub=TRUE` was used to construct the hubs, the original object will need to be reconstructed to reflect the removed resources. See also `removeResources` for a nicer interface for removing cached resources, or `removeCache` for deleting the hub cache entirely.

`hubUrl(x)`: Gets the URL for the online ExperimentHub.

`hubCache(x)`: Gets the file system location of the local ExperimentHub cache.

`refreshHub(..., hub, cache, proxy, hubClass=c("AnnotationHub", "ExperimentHub"))`: Force redownload of Hub sqlite file. This returns a Hub object as if calling the constructor (ie. `ExperimentHub()`). For force redownload specifically for ExperimentHub the base call should be `refreshHub(hubClass="ExperimentHub")`

`removeResources(hub, ids)`: Removes listed ids from the local cache. `ids` are "EH" ids. Returns an updated hub object. To work with updated hub object suggested syntax is to reassign (ie. `hub = removeResources(hub, "EH1")`). If `ids` are missing will remove all previously downloaded local resources.

`removeCache(x)`: Removes local ExperimentHub database and all related resources. After calling this function, the user will have to download any ExperimentHub resources again.

### Coercion

In the code snippets below, `x` is an ExperimentHub object.

`as.list(x)`: Coerce `x` to a list of hub instances, one entry per element. Primarily for internal use.

`c(x, ...)`: Concatenate one or more sub-hub. Sub-hubs must reference the same ExperimentHub instance. Duplicate entries are removed.

### For developers

`createHubAccessors(pkgname, titles)`: This helper is intended to be used by ExperimentHub package developers in their `.onLoad()` function in `zzz.R`. It generates and exports functions by resource name which allows the resource to be loaded with `resource123()` in addition to the standard method via the ExperimentHub interface, e.g., `ehub[["EH123"]]`. When `'metadata=TRUE'` just the metadata are displayed, when `'metadata=FALSE'` the full resource is loaded, e.g., `resource123(metadata=TRUE)`. See vignette for more information.

**Author(s)**

Bioconductor Core Team

**Examples**

```
## Create an ExperimentHub object
ehub <- ExperimentHub()
ehub

## Display packages associated with resources
unique(package(ehub))
query(ehub, "alpineData")

## Search metadata by general terms
query(ehub, c("FASTQ", "Homo sapiens"))
```

---

getExperimentHubOption

*Get and set options for default ExperimentHub behavior.*

---

**Description**

These functions get or set options for creation of new ‘ExperimentHub’ instances.

**Usage**

```
getExperimentHubOption(arg)
setExperimentHubOption(arg, value)
```

**Arguments**

arg	The character(1) hub options to set. see ‘Details’ for current options.
value	The value to be assigned to the hub option.

**Details**

Supported options include:

“**URL**”: character(1). The base URL of the ExperimentHub. Default: <https://experimenthub.bioconductor.org>

“**CACHE**”: character(1). The location of the hub cache. Default: “.ExperimentHub” in the user home directory.

“**MAX\_DOWNLOADS**”: numeric(1). The integer number of downloads allowed before triggering an error. This is to help avoid accidental download of a large number of ExperimentHub members.

“**PROXY**”: request object returned by `httr::use_proxy()`. The request object describes a proxy connection allowing Internet access, usually through a restrictive firewall. Setting this option sends all ExperimentHub requests through the proxy. Default: NULL.

In `setExperimentHubOption("PROXY", value)`, `value` can be one of NULL, a request object returned by `httr::use_proxy()`, or a well-formed URL as character(1). The URL can be completely specified by `http://username:password@proxy.dom.com:8080;username:password`

and port (e.g. :8080) are optional. If behind a proxy it will also be useful to set the `httr::set_config(proxy)` with the proxy information.

“**LOCAL**”: logical(1). Should the ExperimentHub create a hub consisting only of previously downloaded resources. Default: FALSE.

“**ASK**”: logical(1). TRUE/FALSE should the ExperimentHub ask if the hub location should be created. If FALSE, the default location will be used and created if it doesn't exist without asking. If TRUE will ask the user and if in a non interactive session utilize a temporary directory for the caching. Default: TRUE.

Default values may also be determined by system and global R environment variables visible *before* the package is loaded. Use options or variables preceded by “EXPERIMENT\_HUB\_”, e.g., `options(EXPERIMENT_HUB_MAX_DOWNLOADS=10)` prior to package load sets the default number of downloads to 10.

### Value

The requested or successfully set option.

### Author(s)

Bioconductor Core Team

### Examples

```
getExperimentHubOption("URL")
## Not run:
setExperimentHubOption("CACHE", "~/myHub")

## End(Not run)
```

---

utilities

*Utility functions for discovering package-specific Hub resources.*

---

### Description

List and load resources from ExperimentHub filtered by package name and optional search terms.

### Usage

```
listResources(hub, package, filterBy = character())
loadResources(hub, package, filterBy = character())
```

### Arguments

hub	A Hub object; currently only meaningful for ExperimentHub.
package	A character(1) name of a package with resources hosted in the Hub.
filterBy	A character() vector of search terms for additional filtering. Can be any terms found in the metadata ( <code>mcols()</code> ) of the resources. When not provided, there is no additional filtering and all resources associated with the given package are returned.

**Details**

Currently `listResources` and `loadResources` are only meaningful for ExperimentHub objects.

**Value**

`listResources` returns a character vector; `loadResources` returns a list of data objects.

**Examples**

```
## Not run:
## Packages with resources hosted in ExperimentHub:
require(ExperimentHub)
eh <- ExperimentHub()
unique(package(eh))

## All resources associated with the 'GSE62944' package:
listResources(eh, "GSE62944")

## Resources associated with the 'curatedMetagenomicData' package
## filtered by 'plaque.abundance':
listResources(eh, "curatedMetagenomicData", "plaque.abundance")

## 'loadResources()' returns a list of the data objects:
loadResources(eh, "curatedMetagenomicData", "plaque.abundance")

## End(Not run)
```

# Index

- \* **classes**
  - ExperimentHub-objects, 2
- \* **manip**
  - getExperimentHubOption, 5
- \* **methods**
  - ExperimentHub-objects, 2
- \* **utilities**
  - utilities, 6
- [[,ExperimentHub,character,missing-method  
(ExperimentHub-objects), 2
- [[,ExperimentHub,numeric,missing-method  
(ExperimentHub-objects), 2
  
- cache,ExperimentHub-method  
(ExperimentHub-objects), 2
- class:ExperimentHub  
(ExperimentHub-objects), 2
- createHubAccessors  
(ExperimentHub-objects), 2
  
- ExperimentHub (ExperimentHub-objects), 2
- ExperimentHub-class  
(ExperimentHub-objects), 2
- ExperimentHub-objects, 2
  
- getExperimentHubOption, 5
- grepl, 3
  
- listResources (utilities), 6
- listResources,AnnotationHub-method  
(utilities), 6
- listResources,ExperimentHub-method  
(ExperimentHub-objects), 2
- loadResources (utilities), 6
- loadResources,AnnotationHub-method  
(utilities), 6
- loadResources,ExperimentHub-method  
(ExperimentHub-objects), 2
  
- package,ExperimentHub-method  
(ExperimentHub-objects), 2
  
- recordStatus (ExperimentHub-objects), 2
- refreshHub (ExperimentHub-objects), 2
  
- setExperimentHubOption  
(getExperimentHubOption), 5
  
- utilities, 6