# FDb.FANTOM4.promoters.hg19

March 5, 2025

hg18ToHg19

UCSC liftOver chain for hg18 to hg19, used in build scripts

# **Description**

In the subdirectory inst/build/, there are several scripts that rebuild this FeatureDb from scratch. Since this is lifted from hg18, a chain is included.

# Author(s)

Tim Triche, Jr.

### **Examples**

data(hg18ToHg19) hg18ToHg19

FDb.FANTOM4.promoters.hg19

Annotation package for FANTOM4 CAGE promoters from THP-1 cells

# **Description**

This package loads one or more FeatureDb objects. Such FeatureDb objects are an R interface to prefabricated databases contained by this package. In the case of the FANTOM4 promoter database, it is FDb.FANTOM4.promoters.hg19 (hg18 is available directly from unibas.ch).

#### Author(s)

Tim Triche, Jr.

# See Also

features makeFeatureDbFromUCSC import.bed

#### **Examples**

```
## load the library
library(FDb.FANTOM4.promoters.hg19)
## list the contents that are loaded into memory
ls('package:FDb.FANTOM4.promoters.hg19')
## show the db object that is loaded by calling it's name
FDb.FANTOM4.promoters.hg19
## extract features for use in annotating data
FANTOM4.hg19 <- features(FDb.FANTOM4.promoters.hg19)</pre>
## we'd prefer if R would stop us from comparing across assemblies:
met <- metadata(FDb.FANTOM4.promoters.hg19) ## need to fetch genome</pre>
genome(FANTOM4.hg19) <- met[which(met[,'name']=='Genome'),'value']</pre>
## Plot the observed/expected CpG ratio look like across promoters
## (computed as Pr(CG) / Pr(C)Pr(G)Pr(CG|G,C) within a 3kb window)
## Conversion back to numeric is due to an artifact of features()
values(FANTOM4.hg19)$oecg <- as.numeric(values(FANTOM4.hg19)$oecg)</pre>
hist(values(FANTOM4.hg19)$oecg, breaks=200,
     xlab='Observed/expected CpG content from hg19',
     main='FANTOM4 promoter CpG content, 3kb windows')
## The function used for this is FDb.FANTOM4.promoters.hg19:::oecg()
```

# **Index**