# Package 'CellMapperData'

November 28, 2024

Type Package
Title Pre-processed data for use with the CellMapper package
<b>Version</b> 1.32.0
<b>Date</b> 2016-10-05
Author Brad Nelms
Maintainer Brad Nelms  bnelms.research@gmail.com>
<b>Description</b> Experiment data package. Contains microarray data from several large expression compendia that have been pre-processed for use with the CellMapper package. This pre-processed data is recommended for routine searches using the CellMapper package.
License Artistic-2.0
Depends ExperimentHub, CellMapper
Suggests BiocStyle
biocViews ExperimentData, MicroarrayData, ExpressionData
git_url https://git.bioconductor.org/packages/CellMapperData
git_branch RELEASE_3_20
git_last_commit 77bc949
git_last_commit_date 2024-10-29
Repository Bioconductor 3.20
Date/Publication 2024-11-28
Contents
CellMapperData-package
Index

CellMapperData-package

Pre-processed data for use with the CellMapper package

# **Description**

Contains microarray data from several large expression compendia that have been pre-processed for use with the CellMapper package. All datasets are CellMapperList objects that were pre-processed using the CMprep function; these can be provided directly to the CMsearch function. These pre-processed datasets are recommended for routine searches using the CellMapper package.

#### **Details**

Contains the following six pre-processed datasets:

EH170: pre-processed microarray samples from microdissected human brain regions. Normalized microarray data were downloaded from the Allen Brain Atlas in February 2014 at the link: http://human.brain-map.org/static/download (the 6 files listed under the heading "Complete normalized microarray datasets"). The six normalized datasets were then loaded into R and cancatenated to make a unified expression matrix of 3702 arrays, and pre-processed using the CMprep function.

EH171: pre-processed microarray samples from the Affymetrix HG\_U133PlusV2 platform. The data were obtained from the GSE64985 Bioconductor package and pre-processed using the CMprep function. The original dataset contained 9395 arrays from diverse biological samples.

EH172: pre-processed microarray samples from the Affymetrix HG\_U133A platform. The data were obtained from the E.MTAB.62 Bioconductor package and pre-processed using the CMprep function. The original dataset contained 5372 arrays from diverse biological samples.

EH173: pre-processed microarray samples from the Affymetrix MG\_U74Av2 platform. Normalized microarray data were downloaded from Array Express accession E-MTAB-27 (https://www.ebi.ac.uk/arrayexpress/eMTAB-27/) and processed with the R package bias.0.0.3 to reduce the influence of technical bias (Eklund, et al. 2008). Then Mouse Entrez IDs were then mapped to their corresponding human orthologs as described in Nelms, et al. 2016, and the expression matrix was pre-processed with the CMprep function. The original dataset contained 1332 arrays from diverse biological samples.

EH174: pre-processed microarray samples from the human intestine. An intestine-specific subset of the 'Engreitz' and 'Lukk' datsets was obtained as described in Section 5.2 of the CellMapper package vignette. The unprocessed data contained 582 microarrays from the 'Engreitz' dataset and 130 microarrays from the 'Lukk' dataset.

EH175: pre-processed microarray samples from the human kidney. Normalized microarray data were downloaded from the Gene Expression Omnibus from the following accessions: GSE32691, GSE35488, GSE37455, GSE37460, and GSE47185. The five normalized datasets were then loaded into R and cancatenated to make a unified expression matrix of 463 arrays, and pre-processed using the CMprep function.

### Author(s)

**Brad Nelms** 

Maintainer: Brad Nelms <br/> <br/>bnelms.research@gmail.com>

#### References

B.D. Nelms, L. Waldron, L.A. Barrera, A.W. Weflen, J.A. Goettel, G. Guo, R.K. Montgomery, M.R. Neutra, D.T. Breault, S.B. Snapper, S.H. Orkin, M.L. Bulyk, C. Huttenhower and W.I. Lencer. CellMapper: rapid and accurate inference of gene expression in difficult-to-isolate cell types. Genome Biology 2016, 17(1).

Hawrylycz MJ, Lein ES, Guillozet-Bongaarts AL, Shen EH, Ng L, Miller J a, van de Lagemaat LN, Smith K A, Ebbert A, Riley ZL, Abajian C, Beckmann CF, Bernard A, Bertagnolli D, Boe AF, Cartagena PM, Chakravarty MM, Chapin M, Chong J, Dalley R A, Daly BD, Dang C, Datta S, Dee N, Dolbeare T a, Faber V, Feng D, Fowler DR, Goldy J, Gregor BW, et al. An anatomically comprehensive atlas of the adult human brain transcriptome. Nature 2012, 489:391-9.

Engreitz JM, Daigle BJ, Marshall JJ, Altman RB. Independent component analysis: mining microarray data for fundamental human gene expression modules. J Biomed Inform 2010, 43:932-44.

Lukk M, Kapushesky M, Nikkil\"a J, Parkinson H, Goncalves A, Huber W, Ukkonen E, Brazma A. A global map of human gene expression. Nat Biotechnol 2010, 28:322-4.

Zheng-Bradley X, Rung J, Parkinson H, Brazma A. Large scale comparison of global gene expression patterns in human and mouse. Genome Biol 2010, 11:R124.

Eklund AC, Szallasi Z. Correction of technical bias in clinical microarray data improves concordance with known biological information. Genome Biol 2008, 9:R26.

#### See Also

CMsearch, CMprep

## **Examples**

```
library(ExperimentHub)
hub <- ExperimentHub()
x <- query(hub, "CellMapperData")
x
## Not run:
## download Brain Atlas resource (EH170)
BrainAtlas <- x[[1]]
## End(Not run)</pre>
```

# **Index**