

Package ‘hmyriB36’

October 18, 2017

Title YRI hapmap + expression (GENEVAR), Build 36, r23a genotypes

Description YRI hapmap + expression (GENEVAR), Build 36, r23a genotypes

Version 1.12.0

Author Vincent Carey <stvjc@channing.harvard.edu>

Maintainer Vincent Carey <stvjc@channing.harvard.edu>

Depends R (>= 2.13.0), methods, Biobase (>= 2.5.5), GGBase

Suggests GGtools, illuminaHumanv1.db

License Artistic-2.0

biocViews ExperimentData, Genome, SNPData, HapMap

NeedsCompilation no

R topics documented:

hmyriB36 1

Index 3

hmyriB36	<i>representations of HapMap phaseII snp data + expression data</i>
----------	---

Description

representations of HapMap snp data + expression data

Usage

```
# getSS("hmyriB36", "20") # for example, to get full expression, + genotypes  
# on chr20
```

Format

ExpressionSet and SnpMatrix instances to be combined using getSS

Details

Instances of class `smlSet` are created from two basic sources.

First, the expression data for 90 YRI families were obtained from SANGER GENEVAR project.

Second, data on forward non-redundant SNPs in these individuals the HapMap build 36 ftp site (r23a) in march 2008. Full provenance information still to be supplied.

Value

instances of class `smlSet`

Note

As of March 2011 the `smlSet` is no longer serialized. Instead, use `getSS("hmyriB36", [chrs])` to create an `smlSet` with all probes and selected chromosomes. There is an instance of `ExpressionSet-class` named `ex` in the data folder of this package that will be united with genotype data using `getSS`.

Author(s)

Vince Carey <stvjc@channing.harvard.edu>

References

Cheung VG., Spielman RS., Ewens KG., Weber TM., Morley M & Burdick JT.: *Mapping determinants of human gene expression by regional and whole genome association*. Nature, 437: 1365-1369, 2005

Examples

```
library(GGtools)
hmyriB36 = getSS("hmyriB36", c("20")) # just 1 chromosome
exprs(hmyriB36)[1:4,1:4]
as(smlList(hmyriB36)[[1]][1:4,1:4], "character")
library(GGtools)
library(illuminaHumanv1.db)
cptag = get("CPNE1", revmap(illuminaHumanv1SYMBOL))
tt = eqtlTests(hmyriB36[probeId(cptag),], ~male)
topFeats(probeId(cptag), mgr=tt, ffind=1)
```

Index

*Topic **packages**

hmyriB36, [1](#)

ex (hmyriB36), [1](#)

getSS, [2](#)

hmyriB36, [1](#)

hmyriB36-package (hmyriB36), [1](#)

smlSet, [2](#)