## Package 'curatedAdipoArray'

December 24, 2024

Type Package

**Title** A Curated Microarrays Dataset of MDI-induced Differentiated Adipocytes (3T3-L1) Under Genetic and Pharmacological Perturbations

**Version** 1.19.0

Description A curated dataset of Microarrays samples. The samples are MDI-induced pre-adipocytes (3T3-L1) at different time points/stage of differentiation under different types of genetic (knockdown/overexpression) and pharmacological (drug treatment) perturbations. The package documents the data collection and processing. In addition to the documentation, the package contains the scripts that was used to generated the data.

License GPL-3 + file LICENSE

URL https://github.com/MahShaaban/curatedAdipoArray

BugReports https://github.com/MahShaaban/curatedAdipoArray/issues

**Encoding** UTF-8 **RoxygenNote** 6.1.1 **LazyData** TRUE

**Depends** R (>= 4.0)

Suggests knitr, rmarkdown, ExperimentHub, SummarizedExperiment

VignetteBuilder knitr

biocViews ExperimentData, ExperimentHub, GEO, MicroarrayData
git\_url https://git.bioconductor.org/packages/curatedAdipoArray

git\_branch devel

git\_last\_commit 670ef61

git\_last\_commit\_date 2024-10-29

**Repository** Bioconductor 3.21

Date/Publication 2024-12-24

Author Mahmoud Ahmed [aut, cre] (ORCID:

<https://orcid.org/0000-0002-4377-6541>)

Maintainer Mahmoud Ahmed <mahmoud.s.fahmy@students.kasralainy.edu.eg>

2 curatedAdipoArray

### **Contents**

	curatedAdipoArray		2
Index			3
curat	edAdipoArray	curatedAdipoArray package	

#### Description

A Curated Microarrays Dataset of MDI-induced Differentiated Adipocytes (3T3-L1) Under Genetic and Pharmacological Perturbations

#### **Details**

A curated dataset of Microarrays samples. The samples are MDI-induced pre-adipocytes (3T3-L1) at different time points/stage of differentiation under different types of genetic (knockdown/overexpression) and pharmacological (drug treatment). The package document the data collection and processing. In addition to the documentation, the package contains the scripts that was used to generate the data.

# **Index**