

Package ‘dominatRData’

May 7, 2026

Type Package

Title Datasets for R Package dominatR

Version 1.0.0

Description dominatRData is a data package useful for showcasing dominatR examples. dominatR is an R package for quantifying and visualizing feature dominance in datasets. dominatR makes use of entropy-based triangular projections and compositional comparison metrics.

License MIT + file LICENSE

Encoding UTF-8

biocViews ExperimentData, ChIPSeqData, Tissue, PackageTypeData

LazyData false

URL <https://github.com/VanBortleLab/dominatRData>

BugReports <https://github.com/VanBortleLab/dominatRData/issues>

Roxygen list(markdown = TRUE)

RoxygenNote 7.3.2

Depends R (>= 4.5.0)

Suggests knitr, rmarkdown

VignetteBuilder knitr

git_url <https://git.bioconductor.org/packages/dominatRData>

git_branch RELEASE_3_23

git_last_commit 2f78ad2

git_last_commit_date 2026-04-28

Repository Bioconductor 3.23

Date/Publication 2026-05-07

Author Simon Lizarazo [aut, cre] (ORCID:
<<https://orcid.org/0009-0001-8974-6225>>),
Ethan Chen [ctb],
Rajendra K C [ctb],
Kevin Van Bortle [ctb]

Maintainer Simon Lizarazo <silizarazoch@gmail.com>

Contents

atac_tissue_counts	2
atac_tissue_score	3
rnapol_counts	4
rnapol_score	4
Index	6

atac_tissue_counts *ATAC-Seq rawcounts for POL3 Genes Dataframe*

Description

A list of tissues and the corresponding counts for RNA POL3 genes for each of them.

Usage

```
data('atac_tissue_counts')
```

Format

A dataframe with 9817 rows and 26 variables:

core_type Category for genes based on their expression across tissues

Chr Chromosome where the RNA of interest is located

Start Gene start coordinate

End Gene end coordinate

Gene Gene name

Index Unique RNA Sequence identifier - Can be retrieved from RNA Central

Type Type of RNA POL3 Transcript

Tissue Remaining columns contain the name of different assessed tissues

Source

Created by The VanBortle lab at UIUC to serve as an example

References

Simon Lizarazo et al., 2025 bioRxiv Preprint

atac_tissue_score	<i>ATAC-Seq Score for POL3 Genes Dataframe</i>
-------------------	--

Description

A list of tissues and the corresponding counts for RNA POL3 genes for each of them. Values represent a binary call on significance for accessibility. If the value is 1 the gene is accessible in the respective tissue.

Usage

```
data('atac_tissue_score')
```

Format

A dataframe with 9817 rows and 23 variables:

core_type Category for genes based on their expression across tissues

Chr Chromosome where the RNA of interest is located

Start Gene start coordinate

End Gene end coordinate

Gene Gene name

Index Unique RNA Sequence identifier - Can be retrieved from RNA Central

Type Type of RNA POL3 Transcript

Tissue Remaining columns contain the name of different assessed tissues

Source

Created by The VanBortle lab at UIUC to serve as an example

References

Simon Lizarazo et al., 2025 bioRxiv Preprint

rnapol_counts	<i>RNA Polymerase raw counts dataframe</i>
---------------	--

Description

A subset of data obtained from CHIP-Seq Data for RNA Polymerase I, II and III

Usage

```
data('rnapol_counts')
```

Format

A dataframe with 1061 rows and 7 variables:

Chr Chromosome where the gene is located

Start Gene start coordinate

Stop Gene stop coordinate

RNA_Type Type of transcript

pol1 Raw counts for RNA Polymerase I Chip-Seq

pol2 Raw counts for RNA Polymerase II Chip-Seq

pol3 Raw counts for RNA Polymerase III Chip-Seq

Source

Created by The VanBortle lab at UIUC to serve as an example

References

Rajendra K C et al., 2024 Molecular Cell

rnapol_score	<i>RNA Polymerase score dataframe</i>
--------------	---------------------------------------

Description

A subset of data obtained from CHIP-Seq Data for RNA Polymerase I, II and III. Values are represented as the $-\log_{10}(\text{p-value})$

Usage

```
data('rnapol_score')
```

Format

A dataframe with 1061 rows and 7 variables:

Chr Chromosome where the gene is located

Start Gene start coordinate

Stop Gene stop coordinate

RNA_Type Type of transcript

pol1 Score for RNA Polymerase I Chip-Seq

pol2 Score for RNA Polymerase II Chip-Seq

pol3 Score for RNA Polymerase III Chip-Seq

Source

Created by The VanBortle lab at UIUC to serve as an example

References

Rajendra K C et al., 2024 Molecular Cell

Index

atac_tissue_counts, [2](#)
atac_tissue_score, [3](#)

rnapol_counts, [4](#)
rnapol_score, [4](#)