## Package 'tissueTreg'

August 7, 2025

**Title** TWGBS and RNA-seq data from tissue T regulatory cells from mice **Version** 1.28.0

Author Charles Imbusch [aut, cre],
Michael Delacher [aut],
Markus Feuerer [aut],
Benedikt Brors [aut]

Maintainer Charles Imbusch < c.imbusch@dkfz.de>

**Description** The package provides ready to use epigenomes (obtained from TWGBS) and transcriptomes (RNA-seq) from various tissues as obtained in the study (Delacher and Imbusch 2017, PMID: 28783152).

Regulatory T cells (Treg cells) perform two distinct functions: they maintain self-tolerance, and they support organ homeostasis by differentiating into specialized tissue Treg cells. The underlying dataset characterises the epigenetic and transcriptomic modifications for specialized tissue Treg cells.

**Depends** R (>= 3.5) **License** GPL (>= 2) **Encoding** UTF-8 **LazyData** true

**Suggests** BiocStyle, knitr, rmarkdown, testthat, ExperimentHub, bsseq, SummarizedExperiment, ggplot2, reshape2

VignetteBuilder knitr

**biocViews** ExperimentData, Tissue, Mus\_musculus\_Data, SequencingData, RNASeqData

URL https://github.com/cimbusch/tissueTreg

RoxygenNote 6.0.1

git\_url https://git.bioconductor.org/packages/tissueTreg

git\_branch RELEASE\_3\_21
git\_last\_commit 290bbb8

git\_last\_commit\_date 2025-04-15

**Repository** Bioconductor 3.21

Date/Publication 2025-08-07

2 tissueTreg

### **Contents**

	tissue Treg																		. 2
Index										3									
tissueTreg		Ер	Epigenomes and transcriptomes of tissue resident regulatory T cells														ls		

#### **Description**

The package provides ready to use epigenomes (obtained from TWGBS) and transcriptomes (RNA-seq) from various tissues. Regulatory T cells (Treg cells) perform two distinct functions: they maintain self-tolerance, and they support organ homeostasis by differentiating into specialized tissue Treg cells. The underlying dataset characterises the epigenetic and transcriptomic modifications for specialized tissue Treg cells.

#### Source

Delacher, M, Imbusch, CD, Weichenhan, D, Breiling, A, Hotz-Wagenblatt, A, Träger, U, Hofer, AC, Kägebein, D, Wang, Q, Frauhammer, F, Mallm, JP, Bauer, K, Herrmann, C, Lang, PA, Brors, B, Plass, C, Feuerer, M (2017). Genome-wide DNA-methylation landscape defines specialization of regulatory T cells in tissues. Nat. Immunol., 18, 10:1160-1172.

#### **Examples**

```
eh <- ExperimentHub::ExperimentHub()

# RNA-seq RPKM data:
se_rpkms <- eh[["EH1074"]]

# Whole genome bisulfite sequencing data as bsseq objects:
tregs_per_sample <- eh[["EH1072"]]
tregs_per_tissue <- eh[["EH1073"]]</pre>
```

# **Index**

 $* \begin{tabular}{ll} * datasets \\ tissueTreg, 2 \end{tabular}$ 

 ${\tt tissueTreg}, {\color{red} 2}$