

**MASARYK
UNIVERSITY**

FACULTY OF SCIENCE

A fibeamer user guide
for the Faculty of Science

Bachelor's Thesis

VÍT NOVOTNÝ

Advisor: Doc. RNDr. Petr Sojka, Ph.D.

Department of Computer Graphics and Design

Brno, Fall 2021

MUNI
SCI

Bibliographic record

Author: Vít Novotný
Faculty of Science
Masaryk University
Department of Computer Graphics and Design

Title of Thesis: A fibeamer user guide for the Faculty of Science

Degree Programme: Applied Informatics

Field of Study: Typesetting

Supervisor: Doc. RNDr. Petr Sojka, Ph.D.

Academic Year: 2021/2022

Number of Pages: 11 + 20

Keywords: thesis, typesetting, L^AT_EX

Abstract

Fibeamer is a theme for the beamer \LaTeX document class and is intended to be used for the preparation of thesis defense presentations across the faculties of the Masaryk University. This document describes the installation of the fibeamer theme, its configuration, and its use.

Declaration

Hereby I declare that this paper is my original authorial work, which I have worked out on my own. All sources, references, and literature used or excerpted during elaboration of this work are properly cited and listed in complete reference to the due source.

Vít Novotný

Contents

1	Introduction	13
1.1	Installation	13
1.1.1	Installing a T _E X distribution	13
1.1.2	Installing packages	14
1.2	Picking a T _E X engine	15
1.3	Creating and typesetting a fibeamer document	16
2	Configuration	19

1 Introduction

To use the `fibeamer` `beamer` theme, you can use an online \LaTeX editor, such as `Overleaf`¹, which allows you to skip the installation described in Section 1.1 completely.

Another way to avoid installation is to use the faculty \TeX Live installation by connecting to the Linux server at `▼yoda.math.muni.cz` or `▲vader.math.muni.cz` over SSH (through port 22222) or over the remote desktop protocol² (through port 13556), or to use any public-access computer at the Faculty of Science that runs Linux. If you choose this approach, you can also skip this entire section, although a certain degree of proficiency in working with a Unix operating system is required compared to the first method.

1.1 Installation

1.1.1 Installing a \TeX distribution

If you decided not to use a public \TeX distribution, you will need to install one locally before proceeding further. A \TeX distribution contains tools and packages that are going to help you with preparing and typesetting your \LaTeX documents.

The two major \TeX distributions that you can install are `MikTeX`³, which can be used with the Microsoft Windows operating system, and `TeX Live`⁴, which can be installed on both Unix and Windows operating systems. The advantages of `MikTeX` include refined graphical user interface and the ability to install new packages on the fly.

Along with `MikTeX`, you will also need to install a Perl interpreter, such as `Strawberry Perl`⁵. `TeX Live` installs a Perl interpreter by default.

1. `Overleaf` `fibeamer` templates are located at <http://www.overleaf.com/gallery/tagged/muni>.

2. For more information about connecting through the remote desktop protocol, see <http://www.math.muni.cz/aktuality/347-vzdaleny-pristup-yoda-vader.html>.

3. `MikTeX` can be acquired from <http://miktex.org/2.9/setup>.

4. `TeX Live` can be acquired from <http://www.tug.org/texlive>.

5. `Strawberry Perl` can be downloaded from <http://strawberryperl.com/>.

1.1.2 Installing packages

In order to function properly, `fibeamer` needs the following packages to be installed in your $\text{T}_{\text{E}}\text{X}$ distribution: `ifthen`, `ifxetex`, `ifluatex`, `lm`, `carlito`, `arev`, `iwona`, `dejavu`, `setspace`, `fontenc`, `fontspec`, `beamer`, `fibeamer`.

If you performed a full installation of $\text{T}_{\text{E}}\text{X}$ Live, you should already have all the required packages installed. If you are using a partial installation of $\text{T}_{\text{E}}\text{X}$ Live, you can use the `tlmgr` command-line tool by executing `tlmgr install <pkgname>`, where `<pkgname>` is the name of the package you wish to install. In some cases, $\text{T}_{\text{E}}\text{X}$ Live may assign a different name to a package. To find out the $\text{T}_{\text{E}}\text{X}$ Live name of a package, open the <http://www.ctan.org/pkg/<pkgname>> webpage in a web browser. It should contain the following text:

Contained in $\text{T}_{\text{E}}\text{X}$ Live as `<texlivename>`

where `<texlivename>` corresponds to the $\text{T}_{\text{E}}\text{X}$ Live name of the package. Use this name instead of `<pkgname>` with `tlmgr`. Alternatively, you can download the packages manually from <http://www.ctan.org/pkg/<pkgname>> and extract them into the `texmf/` directory located in your user home directory. Mind that the packages themselves may depend on other packages; if you are using a partial installation of $\text{T}_{\text{E}}\text{X}$ Live, you will have to resolve these dependencies manually by inspecting the documentation of each package.

If you use Mik $\text{T}_{\text{E}}\text{X}$ and you enabled the *over the air installation of packages* during the installation, Mik $\text{T}_{\text{E}}\text{X}$ will automatically download all the required packages, when you first typeset a `fibeamer` document. If you didn't enable this feature, you will need to enter the Mik $\text{T}_{\text{E}}\text{X}$ package manager by running

Start >> Mik $\text{T}_{\text{E}}\text{X}$ >> Mik $\text{T}_{\text{E}}\text{X}$ Package Manager (Admin)

and download the packages manually through the user interface. In some cases, Mik $\text{T}_{\text{E}}\text{X}$ may assign a different name to a package. To find out the Mik $\text{T}_{\text{E}}\text{X}$ name of a package, open the <http://www.ctan.org/pkg/<pkgname>> webpage in a web browser, where `<pkgname>` is the name of the package you wish to install. It should contain the following text:

Contained in Mik $\text{T}_{\text{E}}\text{X}$ as `<miktexname>`

where $\langle miktexname \rangle$ corresponds to the MikTeX name of the package. If you still can't find the package, try synchronizing the package database by selecting

Repository » Synchronize

from the menu bar of the MikTeX package manager. Mind that the packages themselves may depend on other packages; if you disabled the over the air installation of packages, you will have to resolve these dependencies manually by inspecting the documentation of each package.

If you wish to use a newer version of `fibeamr` than the one that is available in your TeX distribution, you should download a file named `fibeamr.tds.zip` containing the version of the package you wish to use and place it in a root directory that is recognized by your TeX distribution. In TeX Live⁶, one of such directories is the `texmf/` folder in your user home directory. In MikTeX⁷, the list of recognized root directories can be gleaned by running

Start » MikTeX » MikTeX Options (Admin) » Roots

1.2 Picking a TeX engine

There are several programs, called TeX engines, that you can use to typeset `fibeamr` L^ATeX source files into displayable PDF documents. The ones we will discuss are pdfTeX and LuaTeX.

pdfTeX is the more conservative choice and most TeX editors use pdfTeX as the default TeX engine. The main advantage LuaTeX over pdfTeX for a `fibeamr` user is the ability to use standard OpenType and TrueType fonts installed on your system, whereas pdfTeX is confined to the fonts installed in your TeX distribution.

If the ability to use arbitrary fonts within your documents interests you, Chapter 3 of the `fontspec` package manual⁸ should provide you

6. For more information about the TeX Live root directories, see <http://www.tug.org/texlive/doc/texlive-en/texlive-en.html#x1-110002.3>, Chapter 2.3.

7. For more information about the TeX Live root directories, see <http://docs.miktex.org/manual/localadditions.html>.


8. The `fontspec` package manual is available at <http://mirrors.ctan.org/macros/latex/contrib/fontspec/fontspec.pdf>.

with the relevant information. If you are only going to use the fonts present in the \TeX distribution or if you do not intend to change the preset fibeamer fonts at all, you can safely use pdf \TeX , which is currently also considerably faster than Lua \TeX .

1.3 Creating and typesetting a fibeamer document

Before using the fibeamer theme, it is useful to be familiar with the \LaTeX typesetting system. A good way to get started is to read one of the introductory texts in English [1–4] or in Czech [5, 6]. Taking one of the *FI:PB029*, *PřF:M5751*, or *FF:PLIN028* courses taught at the Masaryk University is also helpful.

To become familiar with fibeamer, you are encouraged to inspect the example fibeamer documents named `mu-sci-pdflatex.pdf` and `mu-sci-lualatex.pdf` as well as their \LaTeX source files that are named `mu-sci-pdflatex.tex` and `mu-sci-lualatex.tex`. These example documents are distributed along with the package inside the `example/` directory⁹. By modifying and by typesetting these \LaTeX source files using either the pdf \TeX or the Lua \TeX engine, you can quickly gain a working knowledge of \LaTeX and use these source files as the basis for your thesis.

If you are using an online editor, such as Overleaf¹⁰, \LaTeX source files will be typeset automatically, as you edit them. The \TeX engine can be selected inside the  project settings.

If you are using a graphical \TeX editor, such as \TeX works¹¹, you can typeset a \LaTeX source file by opening the source file from within the editor and running either the pdf \LaTeX or Lua \LaTeX (depending on your choice of \TeX engine) command from the task bar. The command needs to be executed at least twice.

If you are using the command line, you can typeset \LaTeX source files by running either `pdflatex name.tex` or `lualatex name.tex`

9. The example fibeamer documents are also available online at <http://mirror.ctan.org/macros/latex/contrib/beamer-contrib/fibeamer/example/mu>. To typeset the example documents, you need to download the `resources/` directory as well, as it contains vector images used in the examples.

10. Overleaf fibeamer templates are located at <http://www.overleaf.com/gallery/tagged/muni>.

11. \TeX works can be downloaded from <http://www.tug.org/texworks/>.

(depending on your choice of $\text{T}_{\text{E}}\text{X}$ engine), where *name.tex* corresponds to the name of a $\text{L}_{\text{A}}\text{T}_{\text{E}}\text{X}$ source file. In the case of the two aforementioned example files, the corresponding commands would be:

```
pdflatex mu-sci-pdflatex.tex  
lualatex mu-sci-lualatex.tex
```

The command needs to be executed from within the directory, where the $\text{L}_{\text{A}}\text{T}_{\text{E}}\text{X}$ source file is located. In Windows, the command line can be opened in a directory by holding down the **Shift** key and by clicking the right mouse button while hovering the cursor over a directory. Select the **Open Command Window Here** option in the context menu that opens shortly afterwards. The command also needs to be executed at least twice.

Beside Overleaf and $\text{T}_{\text{E}}\text{X}$ works, any text editor can be used to modify $\text{L}_{\text{A}}\text{T}_{\text{E}}\text{X}$ source files.

2 Configuration

A fibeamer L^AT_EX source file should begin as follows:

```
\documentclass{beamer}
\usetheme[option1, option2, ..., optionN]{fibeamer}
```

The following list summarizes the options that are recognized by the fibeamer theme and their meaning. Options that are enabled by default are *set in italics*.

faculty=⟨name⟩ This option changes the color theme based on the selected faculty. To choose the color theme of the Faculty of Science, use **sci** as the ⟨name⟩.

fonts This option sets up the combination of the font families of Carlito, Arev, Iwona, Dsfont, and DejaVu for the typesetting of text and mathematics.

nofonts This option prevents fibeamer from setting up the fonts. The user must set the fonts manually in the preamble of the document.

If you are typesetting your thesis on a public-access computer at the Faculty of Science that runs Linux or on either the ▼yoda.math.muni.cz or ▲vader.math.muni.cz Linux server, you can also use the commercial Math Time mathematical font family, which goes well with the T_EX Gyre Termes text font family. To use Math Time and T_EX Gyre Termes within your thesis, the preamble of your document should look as follows:

```
\documentclass{beamer}
\usetheme[nofonts, ...]{fibeamer}
\usepackage[utf8]{inputenc}
\usepackage{cmap}
\usepackage[T1]{fontenc}
\usepackage{tgtermes}
\usepackage{mathtime}
%% Here goes the rest of the document.
```

2. CONFIGURATION

microtype This option sets up microtypographic extensions¹, which results in visually more pleasing paragraphs of text.

nomicrotype This option prevents `fibeamer` from setting up microtypographic extensions.

The complete list of the package options can be found in Section 2 of the technical documentation of the `fibeamer` class [7].

1. For more information about the \TeX engine microtypographic extensions, see <http://mirrors.ctan.org/macros/latex/contrib/microtype/microtype.pdf>.

Bibliography

- [1] *The very short guide to typesetting with L^AT_EX*. Silmaril Consultants, Jan. 2013. URL: <http://tug.ctan.org/info/latex-veryshortguide/veryshortguide.pdf> (visited on 05/03/2015).
- [2] Allin Cottrell. *A short introduction to L^AT_EX*. Dec. 1995. URL: http://ricardo.ecn.wfu.edu/~cottrell/ecn297/latex_tut.pdf (visited on 05/03/2015).
- [3] Tobias Oetiker et al. *The Not So Short Introduction to L^AT_EX 2_ε or L^AT_EX 2_ε in 157 minutes*. Oct. 2014. URL: <http://tobi.oetiker.ch/lshort/lshort.pdf> (visited on 05/03/2015).
- [4] L^AT_EX. Wikibooks.org, Mar. 2013. URL: <http://en.wikibooks.org/wiki/LaTeX> (visited on 05/03/2015).
- [5] Jiří Rybička. *L^AT_EX pro začátečníky*. 3rd ed. Konvoj, 2003. ISBN: 80-7302-049-1.
- [6] Pavel Satrapa. *L^AT_EX pro pragmatiky*. June 2011. URL: <http://mirror.ctan.org/info/czech/latex-pro-pragmatiky/latex-pro-pragmatiky.pdf> (visited on 05/03/2015).
- [7] Vít Novotný. *The beamer theme for the typesetting of thesis defense presentations at the Masaryk University in Brno*. 2015. URL: <http://mirrors.ctan.org/macros/latex/contrib/beamer-contrib/fibeamer/fibeamer.pdf> (visited on 11/20/2015).