

programming in C++

Jonas Vejlin

Parts

Part 1

Basic programming

Part 2

Control structure such as loops and if-else

Part 3

Vector, Functions and Input/Output (Today)

Table of Contents

- 1 Files
- 2 Vector
- 3 Functions

Write File

Source Code

```
#include <iostream>
#include <fstream>
using namespace std;
int main()
{
    ofstream myfile;
    myfile.open
("C:\\example.txt");
    myfile<<1<<'\t'<<
2<<endl;
    myfile<<3<<'\t'<<
4<<endl;
    myfile.close();
cin.get();
}
```

File

data

Write File

Source Code

```
#include <iostream>
#include <fstream>
using namespace std;
int main()
{
    ofstream myfile;
    myfile.open
("C:\\example.txt");
    myfile<<1<<'\t'<<
2<<endl;
    myfile<<3<<'\t'<<
4<<endl;
    myfile.close();
    cin.get();
}
```

File

data

Write File

Source Code

```
#include <iostream>
#include <fstream>
using namespace std;
int main()
{
    ofstream myfile;
    myfile.open
    ("C:\\example.txt");
    myfile<<1<<'\t'<<
2<<endl;
    myfile<<3<<'\t'<<
4<<endl;
    myfile.close();
    cin.get();
}
```

File

data

Write File

Source Code

```
#include <iostream>
#include <fstream>
using namespace std;
int main()
{
    ofstream myfile;
    myfile.open
("C:\\example.txt");
    myfile<<1<<'\t'<<
2<<endl;
    myfile<<3<<'\t'<<
4<<endl;
    myfile.close();
    cin.get();
}
```

File

```
1      2
```

data

Write File

Source Code

```
#include <iostream>
#include <fstream>
using namespace std;
int main()
{
    ofstream myfile;
    myfile.open
("C:\\example.txt");
    myfile<<1<<'\t'<<
2<<endl;
    myfile<<3<<'\t'<<
4<<endl;
    myfile.close();
cin.get();
}
```

File

```
1      2
3      4
```

data

Write File

Source Code

```
#include <iostream>
#include <fstream>
using namespace std;
int main()
{
    ofstream myfile;
    myfile.open
("C:\\example.txt");
    myfile<<1<<'\t'<<
2<<endl;
    myfile<<3<<'\t'<<
4<<endl;
    myfile.close();
    cin.get();
}
```

File

```
1      2
3      4
```

data

Read File

Source Code

```
#include <iostream>
#include <fstream>
#include <string>
using namespace std;
int main()
{
    ifstream myfile;
    myfile.open
("C:\\example.txt");
    string line;
    while(getline(myfile,line))
    {
        cout<<line<<endl;
    }
    myfile.close();
}
```

Output

data

Read File

Source Code

```
#include <iostream>
#include <fstream>
#include <string>
using namespace std;
int main()
{
    ifstream myfile;
    myfile.open
("C:\\example.txt");
    string line;
    while(getline(myfile,line))
    {
        cout<<line<<endl;
    }
    myfile.close();
}
```

Output

data

Read File

Source Code

```
#include <iostream>
#include <fstream>
#include <string>
using namespace std;
int main()
{
    ifstream myfile;
    myfile.open
("C:\\example.txt");
    string line;
    while(getline(myfile,line))
    {
        cout<<line<<endl;
    }
    myfile.close();
}
```

Output

data

Read File

Source Code

```
#include <iostream>
#include <fstream>
#include <string>
using namespace std;
int main()
{
    ifstream myfile;
    myfile.open
("C:\\example.txt");
    string line;
    while(getline(myfile,line))
    {
        cout<<line<<endl;
    }
    myfile.close();
}
```

Output

data

Read File

Source Code

```
#include <iostream>
#include <fstream>
#include <string>
using namespace std;
int main()
{
    ifstream myfile;
    myfile.open
("C:\\example.txt");
    string line;
    while(getline(myfile,line))
    {
        cout<<line<<endl;
    }
    myfile.close();
}
```

Output

data

Read File

Source Code

```
#include <iostream>
#include <fstream>
#include <string>
using namespace std;
int main()
{
    ifstream myfile;
    myfile.open
("C:\\example.txt");
    string line;
    while(getline(myfile, line))
    {
        cout<<line<<endl;
    }
    myfile.close();
}
```

Output

data

line

Read File

Source Code

```
#include <iostream>
#include <fstream>
#include <string>
using namespace std;
int main()
{
    ifstream myfile;
    myfile.open
("C:\\example.txt");
    string line;
    while(getline(myfile,line))
    {
        cout<<line<<endl;
    }
    myfile.close();
}
```

Output

data

line= 1 2

Read File

Source Code

```
#include <iostream>
#include <fstream>
#include <string>
using namespace std;
int main()
{
    ifstream myfile;
    myfile.open
("C:\\example.txt");
    string line;
    while(getline(myfile,line))
    {
        cout<<line<<endl;
    }
    myfile.close();
}
```

Output

```
1    2
```

data

```
line= 1    2
```

Read File

Source Code

```
#include <iostream>
#include <fstream>
#include <string>
using namespace std;
int main()
{
    ifstream myfile;
    myfile.open
("C:\\example.txt");
    string line;
    while(getline(myfile,line))
    {
        cout<<line<<endl;
    }
    myfile.close();
}
```

Output

```
1    2
```

data

```
line= 3    4
```

Read File

Source Code

```
#include <iostream>
#include <fstream>
#include <string>
using namespace std;
int main()
{
    ifstream myfile;
    myfile.open
("C:\\example.txt");
    string line;
    while(getline(myfile,line))
    {
        cout<<line<<endl;
    }
    myfile.close();
}
```

Output

```
1    2
3    4
```

data

```
line= 3    4
```

Read File

Source Code

```
#include <iostream>
#include <fstream>
#include <string>
using namespace std;
int main()
{
    ifstream myfile;
    myfile.open
("C:\\example.txt");
    string line;
    while(getline(myfile,line))
    {
        cout<<line<<endl;
    }
    myfile.close();
}
```

Output

```
1    2
3    4
```

data

```
line= 3    4
```

Splitting of a string

Source Code

```
#include <iostream>
#include <sstream>
using namespace std;
int main()
{
    string line="56.5,54.32";
    string token;
    stringstream ss(line);
    while(getline(ss, token,','))
    {
double info=atof(token.c_str());
    }
}
```

Output

data

Splitting of a string

Source Code

```
#include <iostream>
#include <sstream>
using namespace std;
int main()
{
    string line="56.5,54.32";
    string token;
    stringstream ss(line);
    while(getline(ss, token,','))
    {
        double info=atof(token.c_str());
    }
}
```

Output

data

```
line="56.5,54.32"
```

Splitting of a string

Source Code

```
#include <iostream>
#include <sstream>
using namespace std;
int main()
{
    string line="56.5,54.32";
    string token;
    stringstream ss(line);
    while(getline(ss, token,','))
    {
        double info=atof(token.c_str());
    }
}
```

Output

data

```
line="56.5,54.32"
token
```

Splitting of a string

Source Code

```
#include <iostream>
#include <sstream>
using namespace std;
int main()
{
    string line="56.5,54.32";
    string token;
    stringstream ss(line);
    while(getline(ss, token,','))
    {
        double info=atof(token.c_str());
    }
}
```

Output

data

```
line="56.5,54.32"
token
```

Splitting of a string

Source Code

```
#include <iostream>
#include <sstream>
using namespace std;
int main()
{
    string line="56.5,54.32";
    string token;
    stringstream ss(line);
    while(getline(ss, token,','))
    {
double info=atof(token.c_str());
    }
}
```

Output

data

```
line="56.5,54.32"
token
```

Splitting of a string

Source Code

```
#include <iostream>
#include <sstream>
using namespace std;
int main()
{
    string line="56.5,54.32";
    string token;
    stringstream ss(line);
    while(getline(ss, token, ','))
    {
        double info=atof(token.c_str());
    }
}
```

Output

data

```
line="56.5,54.32"
token
```

Splitting of a string

Source Code

```
#include <iostream>
#include <sstream>
using namespace std;
int main()
{
    string line="56.5,54.32";
    string token;
    stringstream ss(line);
    while(getline(ss, token, ','))
    {
        double info=atof(token.c_str());
    }
}
```

Output

data

```
line="56.5,54.32"
token
```

Splitting of a string

Source Code

```
#include <iostream>
#include <sstream>
using namespace std;
int main()
{
    string line="56.5,54.32";
    string token;
    stringstream ss(line);
    while(getline(ss, token, ','))
    {
        double info=atof(token.c_str());
    }
}
```

Output

data

```
line="56.5,54.32"
token=56.5
```

Splitting of a string

Source Code

```
#include <iostream>
#include <sstream>
using namespace std;
int main()
{
    string line="56.5,54.32";
    string token;
    stringstream ss(line);
    while(getline(ss, token,','))
    {
        double info=atof(token.c_str());
    }
}
```

Output

data

```
line="56.5,54.32"
token=56.5
```

Splitting of a string

Source Code

```
#include <iostream>
#include <sstream>
using namespace std;
int main()
{
    string line="56.5,54.32";
    string token;
    stringstream ss(line);
    while(getline(ss, token,','))
    {
        double info=atof(token.c_str());
    }
}
```

Output

data

```
line="56.5,54.32"
token=56.5
```

Splitting of a string

Source Code

```
#include <iostream>
#include <sstream>
using namespace std;
int main()
{
    string line="56.5,54.32";
    string token;
    stringstream ss(line);
    while(getline(ss, token,','))
    {
double info=atof(token.c_str());
    }
}
```

Output

data

```
line="56.5,54.32"
token=54.32
```

Splitting of a string

Source Code

```
#include <iostream>
#include <sstream>
using namespace std;
int main()
{
    string line="56.5,54.32";
    string token;
    stringstream ss(line);
    while(getline(ss, token,','))
    {
        double info=atof(token.c_str());
    }
}
```

Output


data

```
line="56.5,54.32"
token=54.32
```

Table of Contents

- 1 Files
- 2 Vector**
- 3 Functions

Graphical Representation



Vector example

Source Code

```
#include <iostream>
#include <vector>
using namespace std;
int main()
{
    vector<int> MyList(2)
    MyList[0]=1;
    MyList[1]=2;
    MyList.push_back(5);
    cout<<MyList[0]<<endl;
    cout<<MyList[1]<<endl;
    cout<<MyList[2]<<endl;
}
```

Output

data

```
array1[0]=0
array1[1]=0
```

Vector example

Source Code

```
#include <iostream>
#include <vector>
using namespace std;
int main()
{
    vector<int> MyList(2)
    MyList[0]=1;
    MyList[1]=2;
    MyList.push_back(5);
    cout<<MyList[0]<<endl;
    cout<<MyList[1]<<endl;
    cout<<MyList[2]<<endl;
}
```

Output

data

```
array1[0]=1
array1[1]=0
```

Vector example

Source Code

```
#include <iostream>
#include <vector>
using namespace std;
int main()
{
    vector<int> MyList(2)
    MyList[0]=1;
    MyList[1]=2;
    MyList.push_back(5);
    cout<<MyList[0]<<endl;
    cout<<MyList[1]<<endl;
    cout<<MyList[2]<<endl;
}
```

Output

data

```
array1[0]=1
array1[1]=2
```

Vector example

Source Code

```
#include <iostream>
#include <vector>
using namespace std;
int main()
{
    vector<int> MyList(2)
    MyList[0]=1;
    MyList[1]=2;
    MyList.push_back(5);
    cout<<MyList[0]<<endl;
    cout<<MyList[1]<<endl;
    cout<<MyList[2]<<endl;
}
```

Output

data

```
array1[0]=1
array1[1]=2
array1[2]=5
```

Vector example

Source Code

```
#include <iostream>
#include <vector>
using namespace std;
int main()
{
    vector<int> MyList(2)
    MyList[0]=1;
    MyList[1]=2;
    MyList.push_back(5);
    cout<<MyList[0]<<endl;
    cout<<MyList[1]<<endl;
    cout<<MyList[2]<<endl;
}
```

Output

1

data

```
array1[0]=1
array1[1]=2
array1[2]=5
```

Vector example

Source Code

```
#include <iostream>
#include <vector>
using namespace std;
int main()
{
    vector<int> MyList(2)
    MyList[0]=1;
    MyList[1]=2;
    MyList.push_back(5);
    cout<<MyList[0]<<endl;
    cout<<MyList[1]<<endl;
    cout<<MyList[2]<<endl;
}
```

Output

```
1
2
```

data

```
array1[0]=1
array1[1]=2
array1[2]=5
```

Vector example

Source Code

```
#include <iostream>
#include <vector>
using namespace std;
int main()
{
    vector<int> MyList(2)
    MyList[0]=1;
    MyList[1]=2;
    MyList.push_back(5);
    cout<<MyList[0]<<endl;
    cout<<MyList[1]<<endl;
    cout<<MyList[2]<<endl;
}
```

Output

```
1
2
5
```

data

```
array1[0]=1
array1[1]=2
array1[2]=5
```

loops and vector example

Source Code

```
#include <iostream>
#include <vector>
using namespace std;
int main()
{
    vector<double> MyList(2);
    MyList[0]=1.2;
    MyList[1]=2.2;
    for(int i=0;i<MyList.size();i=i+1)
    {
        cout<<"the value is "
        <<MyList[i]<<endl;
    }
}
```

Output

data

loops and vector example

Source Code

```
#include <iostream>
#include <vector>
using namespace std;
int main()
{
    vector<double> MyList(2);
    MyList[0]=1.2;
    MyList[1]=2.2;
    for(int i=0;i<MyList.size();i=i+1)
    {
        cout<<"the value is "
        <<MyList[i]<<endl;
    }
}
```

Output

data

```
MyList[0]=0
MyList[0]=2.2
```

loops and vector example

Source Code

```
#include <iostream>
#include <vector>
using namespace std;
int main()
{
    vector<double> MyList(2);
    MyList[0]=1.2;
    MyList[1]=2.2;
    for(int i=0;i<MyList.size();i=i+1)
    {
        cout<<"the value is "
        <<MyList[i]<<endl;
    }
}
```

Output

data

```
MyList[0]=1.2
MyList[1]=0
```

loops and vector example

Source Code

```
#include <iostream>
#include <vector>
using namespace std;
int main()
{
    vector<double> MyList(2);
    MyList[0]=1.2;
    MyList[1]=2.2;
    for(int i=0;i<MyList.size();i=i+1)
    {
        cout<<"the value is "
        <<MyList[i]<<endl;
    }
}
```

Output

data

```
MyList[0]=1.2
MyList[0]=2.2
```

loops and vector example

Source Code

```
#include <iostream>
#include <vector>
using namespace std;
int main()
{
    vector<double> MyList(2);
    MyList[0]=1.2;
    MyList[1]=2.2;
    for(int i=0;i<MyList.size();i=i+1)
    {
        cout<<"the value is "
        <<MyList[i]<<endl;
    }
}
```

Output

data

MyList[0]=1.2

MyList[0]=2.2

i=0

loops and vector example

Source Code

```
#include <iostream>
#include <vector>
using namespace std;
int main()
{
    vector<double> MyList(2);
    MyList[0]=1.2;
    MyList[1]=2.2;
    for(int i=0;i<MyList.size();i=i+1)
    {
        cout<<"the value is "
        <<MyList[i]<<endl;
    }
}
```

Output

data

MyList[0]=1.2

MyList[0]=2.2

i=0

loops and vector example

Source Code

```
#include <iostream>
#include <vector>
using namespace std;
int main()
{
    vector<double> MyList(2);
    MyList[0]=1.2;
    MyList[1]=2.2;
    for(int i=0;i<MyList.size();i=i+1)
    {
        cout<<"the value is "
<<MyList[i]<<endl;
    }
}
```

Output

the value is 1.2

data

MyList[0]=1.2

MyList[0]=2.2

i=0

loops and vector example

Source Code

```
#include <iostream>
#include <vector>
using namespace std;
int main()
{
    vector<double> MyList(2);
    MyList[0]=1.2;
    MyList[1]=2.2;
    for(int i=0;i<MyList.size();i=i+1)
    {
        cout<<"the value is "
        <<MyList[i]<<endl;
    }
}
```

Output

the value is 1.2

data

MyList[0]=1.2

MyList[0]=2.2

i=1

loops and vector example

Source Code

```
#include <iostream>
#include <vector>
using namespace std;
int main()
{
    vector<double> MyList(2);
    MyList[0]=1.2;
    MyList[1]=2.2;
    for(int i=0;i<MyList.size();i=i+1)
    {
        cout<<"the value is "
        <<MyList[i]<<endl;
    }
}
```

Output

the value is 1.2

data

MyList[0]=1.2

MyList[0]=2.2

i=1

loops and vector example

Source Code

```
#include <iostream>
#include <vector>
using namespace std;
int main()
{
    vector<double> MyList(2);
    MyList[0]=1.2;
    MyList[1]=2.2;
    for(int i=0;i<MyList.size();i=i+1)
    {
        cout<<"the value is "
<<MyList[i]<<endl;
    }
}
```

Output

```
the value is 1.2
the value is 2.2
```

data

```
MyList[0]=1.2
MyList[0]=2.2

i=1
```

loops and vector example

Source Code

```
#include <iostream>
#include <vector>
using namespace std;
int main()
{
    vector<double> MyList(2);
    MyList[0]=1.2;
    MyList[1]=2.2;
    for(int i=0;i<MyList.size();i=i+1)
    {
        cout<<"the value is "
        <<MyList[i]<<endl;
    }
}
```

Output

```
the value is 1.2
the value is 2.2
```

data

```
MyList[0]=1.2
MyList[0]=2.2
```

```
i=2
```

loops and vector example

Source Code

```
#include <iostream>
#include <vector>
using namespace std;
int main()
{
    vector<double> MyList(2);
    MyList[0]=1.2;
    MyList[1]=2.2;
    for(int i=0;i<MyList.size();i=i+1)
    {
        cout<<"the value is "
        <<MyList[i]<<endl;
    }
}
```

Output

```
the value is 1.2
the value is 2.2
```

data

```
MyList[0]=1.2
MyList[0]=2.2

i=2
```

loops and vector example

Source Code

```
#include <iostream>
#include <vector>
using namespace std;
int main()
{
    vector<double> MyList(2);
    MyList[0]=1.2;
    MyList[1]=2.2;
    for(int i=0;i<MyList.size();i=i+1)
    {
        cout<<"the value is "
        <<MyList[i]<<endl;
    }
}
```

Output

```
the value is 1.2
the value is 2.2
```

data

```
MyList[0]=1.2
MyList[0]=2.2

i=2
```

Intro to functions

- Function description (done in the header (.h) file)
- Function implementation (done in the c++ (.cpp) file)
- Calling the function

header file (.h-file)

Source Code

```
double mean(double a, double b);
```

header file (.h-file)

Source Code

```
double mean(double a, double b);
```

header file (.h-file)

Source Code

```
double mean(double a, double b);
```

body file (.cpp-file)

Source Code

```
double mean(double a, double b) {  
  
    double value=(a+b);  
    return value; }  

```

body file (.cpp-file)

Source Code

```
double mean(double a, double b) {  
  
    double value=(a+b);  
    return value; }  

```

body file (.cpp-file)

Source Code

```
double mean(double a, double b) {  
  
    double value=(a+b);  
    return value; }  
}
```

body file (.cpp-file)

Source Code

```
double mean(double a, double b) {  
  
double value=(a+b);  
return value; }
```

body file (.cpp-file)

Source Code

```
double mean(double a, double b) {  
  
    double value=(a+b);  
    return value; }  

```

Using the function

Source Code

```
#include <iostream>
"function1.h"
using namespace std;
int main()
{
double result =mean(2,2);
}
```

Using the function

Source Code

```
#include <iostream>
"function1.h"
using namespace std;
int main()
{
double result =mean(2,2);
}
```

Using the function

Source Code

```
#include <iostream>
"function1.h"
using namespace std;
int main()
{
double result =mean(2,2);
}
```

Using the function

Source Code

```
#include <iostream>
"function1.h"
using namespace std;
int main()
{
    double result =mean(2,2);
}
```