



# The *bidi* Package

Source documentation for [version 40.6](#)

*to my Master, Ferdowsi The Great*

If you want to report any bugs or typos and corrections in the documentation, or ask for any new features, or suggest any improvements, or ask any questions about the package, then please use the issue tracker:

<https://github.com/xepersian/bidi/issues>

In doing so, please always explain your issue well enough, and always include a minimal working example showing the issue.

You may also have conversations, ask questions and post answers without opening issues using the Discussions space:

<https://github.com/xepersian/bidi/discussions>

The announcements for the new releases of the package will also appear in the Discussions space under the Announcements category.

Copyright (c) 2007–2024 Vafa Khalighi  
Copyright (c) 2018–2020 bidi-tex GitHub Organization

Permission is granted to distribute and/or modify *both the documentation and the code* under the conditions of the L<sup>A</sup>T<sub>E</sub>X Project Public License, either version 1.3c of this license or (at your option) any later version.

# The *bidi* Package

## Bidirectional typesetting in plain T<sub>E</sub>X and L<sup>A</sup>T<sub>E</sub>X, using XeT<sub>E</sub>X engine

Source documentation for [version 40.6](#)

Vafa Khalighi\*

December 20, 2024

## Contents

1 File amsart-xetex-bidi.def	5	18 File beamerbasecompatibility-xetex-bidi.def 43
2 File adjmulticol-xetex-bidi.def	7	19 File beamerbaseframecomponents-xetex-bidi.def 44
3 File algorithm2e-xetex-bidi.def	8	20 File beamerbaseframesize-xetex-bidi.def 51
4 File amsbook-xetex-bidi.def	8	21 File beamerbaselocalstructure-xetex-bidi.def 53
5 File amsmath-xetex-bidi.def	11	22 File beamerbasemisc-xetex-bidi.def 55
6 File amstext-xetex-bidi.def	11	23 File beamerbasenavigation-xetex-bidi.def 55
7 File amsthm-xetex-bidi.def	11	24 File beamerbaseoverlay-xetex-bidi.def 57
8 File array-xetex-bidi.def	11	25 File beamerinnerthemedefault-xetex-bidi.def 58
9 File article-xetex-bidi.def	13	26 File beamerinnerthemecircles-xetex-bidi.def 61
10 File artikel1-xetex-bidi.def	17	27 File beamerinnerthemefocus-xetex-bidi.def 61
11 File artikel2-xetex-bidi.def	21	28 File beamerinnerthememainmargin-xetex-bidi.def 63
12 File artikel3-xetex-bidi.def	26	29 File beamerinnerthememetropolis-xetex-bidi.def 64
13 File arydshln-xetex-bidi.def	31	30 File beamerinnerthemerectangles-xetex-bidi.def 67
14 File beamer-xetex-bidi.def	34	31 File beamerinnerthemerounded-xetex-bidi.def 67
15 File beamerbaseauxtemplates-xetex-bidi.def	34	32 File beamerouterthemedefault-xetex-bidi.def 67
16 File beamerbaseboxes-xetex-bidi.def	40	33 File beamerouterthemefocus-xetex-bidi.def 69
17 File beamerbasecolor-xetex-bidi.def	42	34 File beamerouterthemefolines-xetex-bidi.def 70

\*Thanks to the *bidi-tex* GitHub organization consisted of David Carlisle and other members of the L<sup>A</sup>T<sub>E</sub>X team for maintaining the package in the period 2018–2020.

35 File beamerouterthememetropolis-xetex-bidi.def	187
36 File beamerouterthememiniframes-xetex-bidi.def	191
37 File beamerouterthemesidebar-xetex-bidi.def	192
38 File beamerouterthemesplit-xetex-bidi.def	193
39 File beamerouterthemeshadow-xetex-bidi.def	193
40 File beamerouterthemesMOOTHbars-xetex-bidi.def	193
41 File beamerouterthemesMOOTHtree-xetex-bidi.def	194
42 File beamerouterthemetree-xetex-bidi.def	195
43 File beamertHEMEHannover-xetex-bidi.def	195
44 File beamertHEMEsingapore-xetex-bidi.def	197
45 File bidi.sty	82
46 File bidi.tex	89
47 File bidi2ini.sty	91
48 File bidicode.sty	92
49 File bidiftnxtra.sty	96
50 File bidimoderncv.cls	99
51 File bidi-perpage.sty	104
52 File biditools.sty	105
53 File bidituftefloat.sty	143
54 File biditufteidenote.sty	153
55 File bidituftetoc.sty	163
56 File bidituftegeneralstructure.sty	166
57 File bidituftehyperref.sty	168
58 File bidituftetitle.sty	169
59 File biditufte-handout.cls	172
60 File biditufte-book.cls	172
61 File bidipoem.sty	173
62 File boek3-xetex-bidi.def	180
63 File boek-xetex-bidi.def	183
64 File bookest-xetex-bidi.def	187
65 File filebox-xetex-bidi.def	187
66 File filebox2-xetex-bidi.def	187
67 File filebox3-xetex-bidi.def	187
68 File filebox4-xetex-bidi.def	187
69 File filebox5-xetex-bidi.def	187
70 File filebox6-xetex-bidi.def	187
71 File filebox7-xetex-bidi.def	187
72 File filebox8-xetex-bidi.def	187
73 File filebox9-xetex-bidi.def	187
74 File filebox10-xetex-bidi.def	187
75 File filebox11-xetex-bidi.def	187
76 File cvthemedibicasual.sty	206
77 File cvthemedibiclassic.sty	208
78 File dblfnote-xetex-bidi.def	210
79 File diagbox-xetex-bidi.def	213
80 File draftwatermark-xetex-bidi.def	215
81 File eso-pic-xetex-bidi.def	216
82 File empheq-xetex-bidi.def	217
83 File extarticle-xetex-bidi.def	220
84 File extbook-xetex-bidi.def	223
85 File extletter-xetex-bidi.def	226
86 File extrafootnotefeatures-xetex-bidi.def	227
87 File extreport-xetex-bidi.def	297
88 File fancybox-xetex-bidi.def	301
89 File fancyhdr-xetex-bidi.def	301
90 File fix2col-xetex-bidi.def	301
91 File fleqn-xetex-bidi.def	303
92 File float-xetex-bidi.def	304
93 File floatrow-xetex-bidi.def	304
94 File flowfram-xetex-bidi.def	304



95 File footnote-xetex-bidi.def	307	125File overpic-xetex-bidi.def	384
96 File footnotebackref-xetex-bidi.def	313	126File pdfbase-xetex-bidi.def	385
97 File framed-xetex-bidi.def	314	127File pdflandscape-xetex-bidi.def	386
98 File ftnright-xetex-bidi.def	318	128File pdfpages-xetex-bidi.def	386
99 File graphicx-xetex-bidi.def	322	129File pgfcorescopes.code-xetex-bidi.def	387
100File geometry-xetex-bidi.def	325	130File pgfsys.code-xetex-bidi.def	388
101File hfloat-xetex-bidi.def	326	131File picinpar-xetex-bidi.def	388
102File hyperref-xetex-bidi.def	331	132File plain-xetex-bidi.def	391
103File imsproc-xetex-bidi.def	343	133File pstricks-xetex-bidi.def	393
104File leqno-xetex-bidi.def	345	134File quotchap-xetex-bidi.def	394
105File letter-xetex-bidi.def	345	135File ragged2e-xetex-bidi.def	394
106File lettrine-xetex-bidi.def	345	136File rapport1-xetex-bidi.def	396
107File lineno-xetex-bidi.def	346	137File rapport3-xetex-bidi.def	401
108File listings-xetex-bidi.def	347	138File refrep-xetex-bidi.def	406
109File loadingorder-xetex-bidi.def	349	139File report-xetex-bidi.def	409
110File longtable-xetex-bidi.def	354	140File rotating-xetex-bidi.def	413
111File lscape-xetex-bidi.def	357	141File scrartcl-xetex-bidi.def	416
112File mathtools-xetex-bidi.def	357	142File scrbook-xetex-bidi.def	429
113File mdframed-xetex-bidi.def	357	143File scrreprt-xetex-bidi.def	444
114File bidi-media9.sty	359	144File sidecap-xetex-bidi.def	458
115File memoir-xetex-bidi.def	370	145File soul-xetex-bidi.def	458
116File midfloat-xetex-bidi.def	373	146File stabular-xetex-bidi.def	459
117File minitoc-xetex-bidi.def	377	147File subfigure-xetex-bidi.def	460
118File multicol-xetex-bidi.def	378	148File tabls-xetex-bidi.def	460
119File multienum-xetex-bidi.def	381	149File tabularx-xetex-bidi.def	461
120File natbib-xetex-bidi.def	382	150File tabulary-xetex-bidi.def	462
121File newfloat-xetex-bidi.def	383	151File tc-xetex-bidi.def	463
122File nicematrix-xetex-bidi.def	383	152File tcolorbox-xetex-bidi.def	463
123File ntheorem-xetex-bidi.def	384	153File titlesec-xetex-bidi.def	464
124File ntheorem-hyper-xetex-bidi.def	384	154File titletoc-xetex-bidi.def	464



<b>155</b> File <b>tocbibind-xetex-bidi.def</b>	<b>465</b>	<b>160</b> File <b>wrapfig-xetex-bidi.def</b>	<b>494</b>
<b>156</b> File <b>tocloft-xetex-bidi.def</b>	<b>467</b>	<b>161</b> File <b>xcolor-xetex-bidi.def</b>	<b>495</b>
<b>157</b> File <b>tocbasic-xetex-bidi.def</b>	<b>472</b>	<b>162</b> File <b>latex-xetex-bidi.def</b>	<b>497</b>
<b>158</b> File <b>tocstyle-xetex-bidi.def</b>	<b>487</b>	<b>163</b> File <b>xltextra-xetex-bidi.def</b>	<b>516</b>
<b>159</b> File <b>todonotes-xetex-bidi.def</b>	<b>491</b>	<b>164</b> <b>Index</b>	<b>516</b>



## 1 File amsart-xetex-bidi.def

```
1 \ProvidesFile{amsart-xetex-bidi.def}[2017/08/09 v1.1 bidi adaptations for amsart class for Xe
2 \def\@tocline#1#2#3#4#5#6#7{\relax
3   \ifnum #1>\c@tocdepth \% then omit
4   \else
5     \par \addpenalty\@secpenalty\addvspace{#2}%
6     \begingroup \hyphenpenalty\@M
7     \@ifempty{#4}{%
8       \tempdima\csname r@tocindent\endcsname\relax
9     }{%
10       \tempdima#4\relax
11     }%
12     \parindent\z@ \if@RTL\rightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightskip\else\leftskip\fi#3\relax
13     \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
14     #5\leavevmode\hskip-\tempdima #6\nobreak\relax
15     \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
16     \nobreak
17     \endgroup
18   \fi}
19 \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}}
20 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
21 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
22 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
23 \def\part{\@startsection{part}{0}%
24   \z@\{.5\linespacing\@plus.5\linespacing\}\{.5\linespacing\}%
25   {\normalfont\bfseries\if@RTL\raggedleft\else\raggedright\fi}}
26 \def\right@footnoterule{%
27   \kern-.4\p@
28   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
29   \kern11\p@\kern-\footnotesep}
30 \def\left@footnoterule{\kern-.4\p@
31   \hrule\@width 5pc\kern11\p@\kern-\footnotesep}
32
33
34 \long\def\@footnotetext#1{%
35   \insert\footins{%
36     \if@RTL\footnote\@RTLtrue\else\@RTLfalse\fi%
37     \reset@font%
38     \bidi@\footnotetext\font% \normalfont\footnotesize
39     \interlinepenalty\interfootnotelinepenalty
40     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
41     \floatingpenalty\@MM \hsize\columnwidth
42     \parboxrestore \parindent\normalparindent \sloppy
43     \protected\edef\@currentlabel{%
44       \csname p@footnote\endcsname\@thefnmark}%
45     \makefntext{%
46       \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}
47
48 \long\def\@RTLfootnotetext#1{%
49   \insert\footins{%
50     \@RTLtrue%
51     \reset@font%
52     \bidi@\@RTLfootnotetext\font% \normalfont\footnotesize
```



```

53   \interlinepenalty\interfootnotelinepenalty
54   \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
55   \floatingpenalty\@MM \hsize\columnwidth
56   \parboxrestore \parindent\normalparindent \sloppy
57   \protected@edef\@currentlabel{%
58     \csname p@footnote\endcsname\@thefnmark}%
59   \@makefntext{%
60     \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}
61
62
63
64 \long\def\@LTRfootnotetext#1{%
65   \insert\footins{%
66     \ifRTLfalse%
67     \reset@font%
68     \bidi@LTRfootnotetext\font% \normalfont\footnotesize
69     \interlinepenalty\interfootnotelinepenalty
70     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
71     \floatingpenalty\@MM \hsize\columnwidth
72     \parboxrestore \parindent\normalparindent \sloppy
73     \protected@edef\@currentlabel{%
74       \csname p@footnote\endcsname\@thefnmark}%
75     \@makefntext{%
76       \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}
77
78
79 \footdir@temp\footdir@ORG\bidi@amsart@footnotetext\@footnotetext{\bidi@footdir@footnote}%
80 \footdir@temp\footdir@ORG\bidi@amsart@RTLfootnotetext\@RTLfootnotetext{R}%
81 \footdir@temp\footdir@ORG\bidi@amsart@LTRfootnotetext\@LTRfootnotetext{L}%
82
83 \renewenvironment{thebibliography}[1]{%
84   \bibtitlestyle
85   \normalfont\biblio\labelsep .5em\relax
86   \renewcommand{\theenumiv}{\arabic{enumiv}}\let\p@enumiv\empty
87   \ifRTL\if@LTRbibitems\ifRTLfalse\else\fi\else\if@RTLbibitems\ifRTLtrue\else\fi\fi
88   \bidi@thebibliography\font@hook%
89   \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
90     \leftmargin\labelwidth \advance\leftmargin\labelsep
91     \usecounter{enumiv}}%
92   \sloppy \clubpenalty\OM \widowpenalty\clubpenalty
93   \sfcodes`.\.=\OM
94 }{%
95   \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
96   \endlist
97 }
98 \def\theindex{\restonecoltrue\if@twocolumn\restonecolfalse\fi
99   \columnseprule\z@\columnsep 35\p@
100  \indextitlestyle
101  \thispagestyle{plain}%
102  \let\item\idxitem
103  \parindent\z@\parskip\z@\plus.3\p@\relax
104  \ifRTL\raggedleft\else\raggedright\fi
105  \hyphenpenalty\OM
106  \footnotesize}

```



```

107 \def\@idxitem{\par\hangindent \if@RTL-\fi2em}
108 \def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
109 \def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
110 \def\maketitle{\par
111   \c@topnum\z@ % this prevents figures from falling at the top of page 1
112   \c@setcopyright
113   \thispagestyle{firstpage}% this sets first page specifications
114   \uppercase\nonmath\shorttitle
115   \ifx\c@empty\shortauthors \let\shortauthors\shorttitle
116   \else \andify\shortauthors
117   \fi
118   \c@maketitle@hook
119   \begingroup
120   \c@maketitle
121   \toks0@\xp{\shortauthors}\@temptokena\xp{\shorttitle}%
122   \toks4{\def\\{\ignorespaces}}% defend against questionable usage
123   \edef\@tempa{%
124     \c@nx\markboth{\the\toks4}
125     \c@nx\MakeUppercase{\the\toks0}{\the\@temptokena}}%
126   \c@tempa
127   \endgroup
128   \c@footnote\z@
129   \c@cleartopmattertags
130 }

```

## 2 File adjmulticol-xetex-bidi.def

```

131 \ProvidesFile{adjmulticol-xetex-bidi.def}[2015/04/25 v0.1 bidi adaptations for adjmulticol p
132 \def\adjmulticols#1#2#3{\col@number#1\relax
133   \def\@tempa{#2}%
134   \ifx\@tempa\c@empty\adjmc@inner\z@\else\adjmc@inner#2\fi
135   \def\@tempa{#3}%
136   \ifx\@tempa\c@empty\adjmc@outer\z@\else\adjmc@outer#3\fi
137   \ifnum\col@number<\c@ne
138     \PackageWarning{adjmulticol}%
139     {Using `~\number`\col@number'%
140      columns doesn't seem a good idea.^^J
141      I therefore use one columns instead}%
142     \col@number\c@ne\fi
143   \ifnum\col@number>10
144     \PackageError{adjmulticol}%
145     {Too many columns}%
146     {Current implementation doesn't
147      support more than 10 columns.}%
148     \MessageBreak
149     {I therefore use 10 columns instead}%
150   \col@number10\fi
151   \ifx\c@footnotetext\mult@footnotetext\else
152     \let\orig@c@footnotetext\c@footnotetext
153     \let\c@footnotetext\mult@footnotetext
154   \fi
155   \ifx\c@LTRfootnotetext\mult@LTRfootnotetext\else
156     \let\orig@c@LTRfootnotetext\c@LTRfootnotetext
157     \let\c@LTRfootnotetext\mult@LTRfootnotetext

```



```

158     \fi
159     \ifx\@RTLfootnotetext\mult@RTLfootnotetext\else
160         \let\orig@RTLfootnotetext\@RTLfootnotetext
161         \let\@RTLfootnotetext\mult@RTLfootnotetext
162     \fi
163 \@ifnextchar[\adjmult@cols{\adjmult@cols[]}]
164 \let\adjmc@page@sofar@orig=\page@sofar

```

### 3 File algorithm2e-xetex-bidi.def

```

165 \ProvidesFile{algorithm2e-xetex-bidi.def}[2018/09/23 v0.2 bidi adaptations for algorithm2e p
166 \expandafter\ifx\csname algocf@within\endcsname\relax% if \algocf@within doesn't exist
167 \else%
168 \renewcommand\thealgocf{\csname the\algocf@within\endcsname\SepMark\arabic{c}\algocf}%
169 \fi
170 \ifpackage{color}{}{%
171   \bidi@patchcmd{\@algocf@start}{\bgroup}{%
172     \bgroup
173     \if@RTL
174       \beginR
175     \else
176       \beginL
177     \fi
178   }{}{%
179     \bidi@patchcmd{\@algocf@finish}{\egroup\end{lrbox}}{%
180       \if@RTL
181         \endR
182       \else
183         \endL
184       \fi
185       \egroup
186       \end{lrbox}%
187   }{}{%
188   \bidi@patchcmd{\algocf@makecaption}{\hbox}{%
189     \if@RTL
190       \hboxR
191     \else
192       \hboxL
193     \fi
194   }{}{%
195 }

```

### 4 File amsbook-xetex-bidi.def

```

196 \ProvidesFile{amsbook-xetex-bidi.def}[2017/08/09 v1.2 bidi adaptations for amsbook class for
197 \def\@tocline#1#2#3#4#5#6#7{\relax
198 \ifnum #1>\c@tocdepth % then omit
199 \else
200   \par \addpenalty\secpenalty\addvspace{#2}%
201   \begingroup \hyphenpenalty\@M
202   \@ifempty{#4}{%
203     \tempdima\csname r@tocindent\endcsname\relax
204   }{%
205     \tempdima#4\relax

```



```

206 }%
207 \parindent\z@ \if@RTL\rightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightskip\else\leftskip\fi\z@ \if@RTL\leftskip\else\rightskip\fi\z@ \cnumwidth plus4em \parfillskip-\cnumwidth
208 #5\leavevmode\hskip-\@tempdima #6\nobreak\relax
209 \hfil\hbox to \cnumwidth{\tocpagenum{#7}}\par
210 \nobreak
211 \endgroup
212 \fi}
213 \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}}
214 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
215 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
216 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
217 \def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
218 \columnseprule\z@ \columnsep 35\p@
219 \cindextitlestyle
220 \thispagestyle{plain}%
221 \let\item@\idxitem
222 \parindent\z@ \parskip\z@ \@plus.3\p@\relax
223 \if@RTL\raggedleft\else\raggedright\fi
224 \hyphenpenalty\@M
225 \footnotesize
226 \def\@idxitem{\par\hangindent \if@RTL-\fi2em}
227 \def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
228 \def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
229 \def\right@footnoterule{%
230 \kern-.4\p@
231 \hbox to \cnumwidth{\hskip \dimexpr\cnumwidth-5pc\relax \hrulefill }
232 \kern11\p@\kern-\footnotesep}
233 \def\left@footnoterule{\kern-.4\p@
234 \hrule\@width 5pc\kern11\p@\kern-\footnotesep}
235 \def\footnotetext#1{%
236 \long\def\@footnotetext#1{%
237 \insert\footins{%
238 \if@RTL\footnote\@RTLtrue\else\@RTLfalse\fi%
239 \reset@font%
240 \bidi@@footnotetext\font% \normalfont\footnotesize
241 \interlinepenalty\interfootnotelinepenalty
242 \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
243 \floatingpenalty\@MM \hsize\cnumwidth
244 \parboxrestore \parindent\normalparindent \sloppy
245 \protected@edef\@currentlabel{%
246 \csname p@footnote\endcsname\@thefnmark}%
247 \makefntext{%
248 \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}
249 \long\def\@RTLfootnotetext#1{%
250 \insert\footins{%
251 \if@RTLtrue%
252 \bidi@@RTLfootnotetext\font% \normalfont\footnotesize
253 \interlinepenalty\interfootnotelinepenalty
254 \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
255 \floatingpenalty\@MM \hsize\cnumwidth
256 \parboxrestore \parindent\normalparindent \sloppy
257 \protected@edef\@currentlabel{%
258 \csname p@footnote\endcsname\@thefnmark}%
259 \makefntext{%
260 \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}

```



```

260   \protected@edef{\currentlabel}{%
261     \csname p@footnote\endcsname\@thefnmark}%
262   \makefntext{%
263     \rule{z@\footnotesep}{\ignorespaces#1\unskip\strut\par}}}
264
265
266 \long\def{\@LTRfootnotetext#1}{%
267   \insert\footins{%
268     \RTLfalse%
269     \reset@font{%
270       \bidi{\@LTRfootnotetext@font} \normalfont\footnotesize
271       \interlinepenalty\interfootnotelinepenalty
272       \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
273       \floatingpenalty\OMM \hsize\columnwidth
274       \parboxrestore \parindent\normalparindent \sloppy
275       \protected@edef{\currentlabel}{%
276         \csname p@footnote\endcsname\@thefnmark}%
277       \makefntext{%
278         \rule{z@\footnotesep}{\ignorespaces#1\unskip\strut\par}}}}
279
280
281
282 \footdir@temp\footdir@ORG\bidi@amsbook@footnotetext\@footnotetext{\bidi@footdir@footnote}%
283 \footdir@temp\footdir@ORG\bidi@amsbook@RTLfootnotetext\@RTLfootnotetext{R}%
284 \footdir@temp\footdir@ORG\bidi@amsbook@LTRfootnotetext\@LTRfootnotetext{L}%
285
286 \renewenvironment{thebibliography}[1]{%
287   \bibtitlestyle
288   \normalfont\biblio\labelsep .5em\relax
289   \renewcommand{\theenumiv}{\arabic{enumiv}}\let\p@enumiv\empty
290   \ifRTL\if@LTRbibitems\RTLfalse\else\fi\else\if@RTLbibitems\RTLtrue\else\fi\fi
291   \bidi@thebibliography@font@hook%
292   \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth\{\@biblabel{#1}\}%
293     \leftmargin\labelwidth \advance\leftmargin\labelsep
294     \usecounter{enumiv}}%
295   \sloppy \clubpenalty\OM \widowpenalty\clubpenalty
296   \sfcode`\.=\@m
297 }{%
298   \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
299   \endlist
300 }
301 \def{\@makechapterhead#1}{\global\topskip 7.5pc\relax
302   \begingroup
303   \fontsize{\xivpt}{18}\bfseries\centering
304   \ifnum\c@secnumdepth>\m@ne
305     \leavevmode \hskip-\ifRTL\rightskip\else\leftskip\fi
306     \rlap{\vbox to\z@\{} \vss
307     \centerline{\normalsize\mdseries
308       \uppercase{\exp{\chaptername}\enspace\thechapter}
309       \vskip 3pc}\hskip\ifRTL\rightskip\else\leftskip\fi\fi
310   \#1\par \endgroup
311   \skip034\p@ \advance\skip0-\normalbaselineskip
312   \vskip\skip0 }
313 \def{\maketitle}{\par

```



```

314  \atopnum{z@} % this prevents figures from falling at the top of page 1
315  \begingroup
316  \maketitle
317  \endgroup
318  \c@footnote{z@}
319  \def\do##1{\let##1\relax}%
320  \do\maketitle \do\@maketitle \do\title \do\xtitle \do\@title
321  \do\author \do\@xauthor \do\address \do\@xaddress
322  \do\email \do\@xemail \do\curraddr \do\@curraddr
323  \do\dedicatory \do\@dedicatory \do\thanks \do\thankses
324  \do\keywords \do\@keywords \do\subjclass \do\@subjclass
325 }

```

## 5 File amsmath-xetex-bidi.def

```

326 \ProvidesFile{amsmath-xetex-bidi.def}[2020/05/16 v1.2 bidi adaptations for amsmath package f
327 \let\veqno=\eqno
328 \iftagsleft@ \let\veqno=\leqno \fi
329 \renewcommand{\numberwithin}[3]{[\arabic]{%
330   \ifundefined{c@\#2}{\@nocounterr{\#2}}{%
331     \ifundefined{c@\#3}{\@nocounterr{\#3}}{%
332       \addtoreset{\#2}{\#3}%
333       \expandafter\csname the\#2\endcsname{%
334         \expandafter\csname the\#3\endcsname \nx\SepMark\nx\#1{\#2}}}}}}%
335 }
336 \def\tagform@#1{\maketag@@@{\if@nonlatin\beginR\fi(\kern{z@}\ignorespaces#1\unskip\@italicco
337
338 \bidi@patchcmd\math@cr@@@align\place@tag{%
339   \place@tag
340 } \else
341   \place@tag
342 }{}{}}
343

```

## 6 File amstext-xetex-bidi.def

```

344 \ProvidesFile{amstext-xetex-bidi.def}[2016/09/12 v0.2 bidi adaptations for amstext package f
345 \def\textdef@#1#2#3{\hbox{%
346   \everymath{\#1}%
347   \let\f@size\selectfont
348   \if@nonlatin\beginR\fi#3\if@nonlatin\endR\fi}}}

```

## 7 File amsthm-xetex-bidi.def

```

349 \ProvidesFile{amsthm-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for amsthm package for
350 \def\@thmcountersep{\SepMark}

```

## 8 File array-xetex-bidi.def

```

351 \ProvidesFile{array-xetex-bidi.def}[2024/12/10 v0.5 bidi adaptations for array package for X
352 \def\@testpach{\chclass
353 \ifnum\@lastchclass=6 \one\chnum\one\else
354 \ifnum\@lastchclass=7 5\else
355 \ifnum\@lastchclass=8 \tw@ \else

```





```

410  \@arrayleft
411  \if #1\atop \else \if#1b\vbox \else \vcenter \fi \fi
412  \bgroup
413  \let \sharp ##\let \protect \relax
414  \lineskip \z@
415  \baselineskip \z@
416  \mathsurround \z@
417  \let\\@\arraycr \let\tabularnewline\\\let\par\empty
418  \if@RTLtab\hbox\bgroup\beginR\@hboxRconstructtrue\if #1\atop \else \vbox \fi\bgroup\fi
419  \UseTaggingSocket{tbl/init}
420  \preamble
421 }
422 \ExplSyntaxOff
423 \let@\@array\@array
424 \ExplSyntaxOn
425 \def\endarray {
426  \tbl_crccr:n\endarray \egroup
427  \UseTaggingSocket{tbl/finalize}
428  \tbl_restore_outer_cell_data:
429  \if@RTLtab\egroup\endR\egroup\fi
430  \egroup
431  \arrayright \gdef\preamble{}%
432 }
433 \ExplSyntaxOff
434 \def\array{\col@sep\arraycolsep
435  \def\d@llarbegin{$}\let\d@llarend\def\@halignto{}%
436  \if@RTLtabfalse\@tabarray}

```

## 9 File article-xetex-bidi.def

```

437 \ProvidesFile{article-xetex-bidi.def}[2024/12/07 v0.7 bidi adaptations for standard article
438 \if@titlepage
439  \renewcommand\maketitle{\begin{titlepage}%
440  \let\footnotesize\small
441  \let\right@footnoterule\relax
442  \let\left@footnoterule\relax
443  \let\textwidth@footnoterule\relax
444  \let \footnote \thanks
445  \let \LTRfootnote \LTRthanks
446  \let \RTLfootnote \RTLthanks
447  \null\vfil
448  \vskip 60\p@
449  \begin{center}%
450  {\LARGE \title \par}%
451  \vskip 3em%
452  {\large
453  \lineskip .75em%
454  \begin{tabular}[t]{c}%
455  \author \\
456  \end{tabular}\par}%
457  \vskip 1.5em%
458  {\large \date \par} % Set date in \large size.
459  \end{center}\par
460  \thanks

```



```

461 \vfil\null
462 \end{titlepage}%
463 \setcounter{footnote}{0}%
464 \global\let\thanks\relax
465 \global\let\LTRthanks\relax
466 \global\let\RTLthanks\relax
467 \global\let\maketitle\relax
468 \global\let{@thanks}{\empty}
469 \global\let{@author}{\empty}
470 \global\let{@date}{\empty}
471 \global\let{@title}{\empty}
472 \global\let\title\relax
473 \global\let\author\relax
474 \global\let\date\relax
475 \global\let\and\relax
476 }
477 \else
478 \renewcommand\maketitle{\par
479   \begingroup
480     \renewcommand\thefootnote{\fnsymbol{c@footnote}}%
481     \def\@makefnmark{\rlap{\textsuperscript{\normalfont\thefnmark}}}%
482     \long\def\@makefntext##1{\parindent 1em\noindent
483       \hb@xt@1.8em{%
484         \hss\textsuperscript{\normalfont\thefnmark}##1}%
485     \if@twocolumn
486       \ifnum\col@number=\@ne
487         \maketitle
488       \else
489         \twocolumn[\maketitle]%
490       \fi
491     \else
492       \newpage
493       \global\topnum=0 % Prevents figures from going at top of page.
494       \maketitle
495     \fi
496     \thispagestyle{plain}\@thanks
497   \endgroup
498   \setcounter{footnote}{0}%
499   \global\let\thanks\relax
500   \global\let\LTRthanks\relax
501   \global\let\RTLthanks\relax
502   \global\let\maketitle\relax
503   \global\let\maketitle\relax
504   \global\let{@thanks}{\empty}
505   \global\let{@author}{\empty}
506   \global\let{@date}{\empty}
507   \global\let{@title}{\empty}
508   \global\let\title\relax
509   \global\let\author\relax
510   \global\let\date\relax
511   \global\let\and\relax
512 }
513 \def\@maketitle{%
514   \newpage

```



```

515 \null
516 \vskip 2em%
517 \begin{center}%
518 \let \footnote \thanks
519 \let \LTrfootnote \LTrthanks
520 \let \RTLfootnote \RTLthanks
521 {\LARGE \@title \par}%
522 \vskip 1.5em%
523 {\large
524 \lineskip .5em%
525 \begin{tabular}[t]{c}%
526 \author
527 \end{tabular}\par}%
528 \vskip 1em%
529 {\large \@date}%
530 \end{center}%
531 \par
532 \vskip 1.5em}
533 \fi
534 \renewcommand*\l@part[2]{%
535 \ifnum \c@tocdepth >-2\relax
536 \addpenalty\@secpenalty
537 \addvspace{2.25em \oplus \p@}%
538 \setlength\@tempdima{3em}%
539 \begingroup
540 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
541 \parfillskip -\pnumwidth
542 {\leavevmode
543 \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}}\par
544 \nobreak
545 \if@compatibility
546 \global\@nobreaktrue
547 \everypar{\global\@nobreakfalse\everypar{}}
548 \fi
549 \endgroup
550 \fi}
551 \renewcommand*\l@section[2]{%
552 \ifnum \c@tocdepth >\z@
553 \addpenalty\@secpenalty
554 \addvspace{1.0em \oplus \p@}%
555 \setlength\@tempdima{1.5em}%
556 \begingroup
557 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
558 \parfillskip -\pnumwidth
559 \leavevmode \bfseries
560 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
561 \hskip -\if@RTL\rightskip\else\leftskip\fi
562 #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
563 \endgroup
564 \fi}
565 \renewcommand\left@footnoterule{%
566 \kern-3\p@
567 \hrule\@width.4\columnwidth
568 \kern2.6\p@}

```



```

569 \renewcommand\right@footnoterule{%
570   \kern-3\p@
571   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
572   \kern2.6\p@}
573 \renewcommand\thesubsection {\thesection\c@subsection}
574 \renewcommand\thesubsubsection{\thesubsection\c@subsubsection}
575 \renewcommand\theparagraph {\thesubsubsection\c@paragraph}
576 \renewcommand\thesubparagraph {\theparagraph\c@subparagraph}
577 \def\@part[#1]{%
578   \ifnum \c@sectiondepth >\m@ne
579     \refstepcounter{part}%
580     \addcontentsline{toc}{part}{\thechapter\hspace{1em}#1}%
581   \else
582     \addcontentsline{toc}{part}{#1}%
583   \fi
584   \parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
585   \interlinepenalty \OM
586   \normalfont
587   \ifnum \c@sectiondepth >\m@ne
588     \Large\bfseries \partname\nobreakspace\thechapter
589     \par\nobreak
590   \fi
591   \huge\bfseries #2%
592   \markboth{}{}\par}%
593   \nobreak
594   \vskip 3ex
595   \c@afterheading}
596 \bidi@patchcmd\@part\raggedright{%
597   \if@RTL\raggedleft\else\raggedright\fi
598 }{}{\bidi@warning{Oops! patching `string@\part' failed}}
599 \renewenvironment{thebibliography}[1]
600   {\section*{\refname}%
601    \mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
602    \if@RTL\if@LTrbitems@\RTLfalse\else\fi\else\if@RTLbitems@\RTLtrue\else\fi\fi
603    \bidi@thebibliography@font@hook%
604    \list{\biblabel{\c@arabic\c@enumiv}}{%
605      \settowidth\labelwidth{\biblabel{#1}}%
606      \leftmargin\labelwidth
607      \advance\leftmargin\labelsep
608      \openbib@code
609      \usecounter{enumiv}%
610      \let\p@enumiv\empty
611      \renewcommand\theenumiv{\c@arabic\c@enumiv}%
612      \sloppy
613      \clubpenalty4000
614      \clubpenalty \clubpenalty
615      \widowpenalty4000%
616      \sfcode`\. \OM
617      \def\@itemerr
618        {\@latex@warning{Empty `thebibliography' environment}}%
619      \endlist}
620 \renewenvironment{theindex}
621   {\if@twocolumn
622     \restonecolfalse

```



```

623         \else
624             \@restonecoltrue
625         \fi
626         \columnseprule \z@
627         \columnsep 35\p@
628         \twocolumn[\section*{\indexname}]%
629         \mkboth{\MakeUppercase\indexname}{%
630             {\MakeUppercase\indexname}%
631         }%
632         \thispagestyle{plain}\parindent\z@
633         \parskip\z@ \plus .3\p@\relax
634         \let\item\@idxitem
635     {\if@restonecol\onecolumn\else\clearpage\fi}

```

## 10 File artikel1-xetex-bidi.def

```

635 \ProvidesFile{artikel1-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for artikel1 class f
636 \renewenvironment{theindex}{%
637     \if@twocolumn
638         \@restonecolfalse
639     \else
640         \@restonecoltrue
641     \fi
642     \columnseprule \z@
643     \columnsep 35\p@
644     \twocolumn[\section*{\indexname}]%
645     \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
646     \thispagestyle{plain}\parindent\z@
647     \parskip\z@ \plus .3\p@\relax
648     \let\item\@idxitem
649 }{%
650     \if@restonecol\onecolumn\else\clearpage\fi}
651 \renewcommand*\head@style{%
652     \interlinepenalty \OM
653     \hyphenpenalty=\OM \exhyphenpenalty=\OM
654     \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
655 \if@titlepage
656     \renewenvironment{abstract}{%
657         \titlepage
658         \null\vfil
659         \section*{\SectFont\abstractname}
660         \noindent\ignorespaces
661         {\par\vfil\null\endtitlepage}
662     }%
663     \renewenvironment{abstract}{%
664         \if@twocolumn
665             \section*{\abstractname}%
666         \else
667             \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
668             \section*{\small\SectFont\abstractname}%
669             \noindent\ignorespaces
670         \fi}
671         {\if@twocolumn\else\par\egroup\fi}
672 \fi
673 \renewcommand*\@rgtocline[3]{%

```



```

674 \ifnum #1>\c@tocdepth
675 \else
676   \vskip\z@\@plus.2\p@
677   {\hangindent\z@ \c@afterindenttrue \interlinepenalty\@M
678     \if@RTL\rightskip\else\leftskip\fi\unitindent
679     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
680     \parfillskip\z@
681     \tempdima\unitindent
682     \parindent\z@
683     \leavevmode
684     \hbox{}{\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
685     \hskip 1em \nobreak{\slshape #3}\par
686   }%
687 \fi}
688 \if@oldtoc
689 \renewcommand*\l@part[2]{%
690   \ifnum \c@tocdepth >-2\relax
691     \addpenalty\@secpenalty
692     \addvspace{2.25em \@plus\p@}%
693     \begingroup
694       \setlength\tempdima{3em}%
695       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
696       \parfillskip -\pnumwidth
697       \leavevmode
698       \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
699       \nobreak
700       \if@compatibility
701         \global\nobreaktrue
702         \everypar{\global\nobreakfalse\everypar{} }%
703       \fi
704     \endgroup
705   \fi}
706 \else
707   \renewcommand*\l@part{%
708     \ifnum \c@tocdepth >-2\relax
709     \addpenalty\@secpenalty
710     \addvspace{2.25em \@plus \p@}%
711     \regtocline{0}%
712   \fi}
713 \fi
714 \if@oldtoc
715 \renewcommand*\l@section[2]{%
716   \addpenalty\@secpenalty
717   \addvspace{1.0em \@plus\p@}%
718   \setlength\tempdima{1.5em}%
719   \begingroup
720   \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
721   \parfillskip -\pnumwidth
722   \leavevmode \bfseries
723   \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
724   \hskip -\if@RTL\rightskip\else\leftskip\fi
725   #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
726   \endgroup}
727 \else

```



```

728 \renewcommand*\l@section{\@regtocline{1}}
729 \fi
730 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@section}
731 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@section\@SepMark\@arabic\c@subsubsection}
732 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
733 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
734 \renewenvironment{thebibliography}[1]
735 {\section*{\refname}%
736     \OMkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
737     \if@RTL\if@LTrbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi\fi
738     \bidi@thebibliography\font@hook%
739     \list{\@biblabel{\@arabic\c@enumiv}}%
740         {\settowidth\labelwidth{\@biblabel{#1}}%
741             \leftmargin\labelwidth
742             \advance\leftmargin\labelsep
743             \openbib@code
744             \usecounter{enumiv}%
745             \let\p@enumiv\empty
746             \renewcommand*\theenumiv{\@arabic\c@enumiv}%
747             \sloppy\clubpenalty4000\widowpenalty4000%
748             \sfcode`.\@m}
749     {\def\noitemerr
750         {\@latex@warning{Empty `thebibliography' environment}}%
751     \endlist}
752 \renewcommand*\left@footnoterule{%
753     \kern-3\p@
754     \kern.5\baselineskip
755     \hrule\@width\unitindent
756     \kern.4\baselineskip
757 }
758 \renewcommand*\right@footnoterule{%
759     \kern-3\p@
760     \kern.5\baselineskip
761     \hbox to \columnwidth{\hspace{\dimexpr\columnwidth-\unitindent\relax}\hrulefill\kern.4\baselineskip}
762     \kern.4\baselineskip}
763 \if@titlepage
764 \renewcommand*\TitleFont{\rmfamily}
765 \renewcommand*\maketitle{%
766     \begin{titlepage}%
767         \let\footnotesize\small
768         \let\right@footnoterule\relax
769         \let\left@footnoterule\relax
770         \let\textwidth@footnoterule\relax
771         \let\footnote\thanks
772         \long\def\makefnText##1{\par\indent\z@\def\labelitemi{\textendash}\revlabeltrue
773             \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
774     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
775     \if@compatibility\setcounter{page}{0}\fi
776     \null\vfil
777     \vskip 60\p@
778     \begin{center}%
779         \TitleFont
780         {\LARGE \def\\{\penalty -\OM}}

```



```

782     \if@allcaps
783         \expandafter\uc@nothanks\@title\thanks\relax
784     \else
785         \@title
786         \fi\par}%
787     \vskip 3em%
788     {\large
789         \lineskip .75em \parindent\z@
790         \begin{tabular}[t]{c}%
791             \if@allcaps
792                 \expandafter\uc@authornothanks\author\and\relax
793             \else
794                 \author
795                 \fi
796             \end{tabular}\par}%
797     \vskip 1.5em%
798     {\large
799         \if@allcaps
800             \uppercase\expandafter{\@date}%
801         \else
802             \@date
803             \fi\par}%
804         \end{center}\par
805     \@thanks
806     \vfil\null
807 \end{titlepage}%
808 \setcounter{footnote}{0}%
809 \global\let\thanks\relax
810 \global\let\maketitle\relax
811 \global\let\@thanks\empty
812 \global\let\@author\empty
813 \global\let\@title\empty
814 \global\let\@date\empty
815 \global\let\title\relax
816 \global\let\author\relax
817 \global\let\date\relax
818 \global\let\and\relax
819 }
820 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
821 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
822     \futurelet\@tempa\uc@ax}
823 \def\uc@ax{%
824     \ifx\@tempa\relax
825     \else
826         \\\andname \\ \expandafter\uc@authornothanks
827         \fi}
828 \def\uc@tx{\ifx\@tempa\relax
829     \else \expandafter\uc@ty \fi}
830 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
831 \else
832 \renewcommand*\maketitle{\par
833     \begingroup
834         \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
835         \def\makefnmark{\rlap{%

```



```

836      \Otextsuperscript{\normalfont\Othefnmark}}}%  

837      \long\def\@makefntext{\xmakefntext{  

838          \Otextsuperscript{\normalfont\Othefnmark}}}%  

839      \if@twocolumn  

840          \ifnum \col@number=\@ne  

841              \Omaketitle  

842          \else  

843              \twocolumn[\Omaketitle]%
```

```

844          \fi  

845      \else  

846          \newpage  

847          \global\@topnum\z@  

848          \Omaketitle  

849          \fi  

850          \thispagestyle{plain}\Othanks  

851      \endgroup  

852      \setcounter{footnote}{0}%
853      \global\let\thanks\relax  

854      \global\let\maketitle\relax  

855      \global\let\Omaketitle\relax  

856      \global\let\Othanks\@empty  

857      \global\let\Oauthor\@empty  

858      \global\let\Otitle\@empty  

859      \global\let\Odate\@empty  

860      \global\let\Otitle\relax  

861      \global\let\Oauthor\relax  

862      \global\let\Odate\relax  

863      \global\let\and\relax  

864  }  

865 \def\Omaketitle{%
866     \newpage  

867     \null  

868     \vskip 2em%
869     \begin{center}%
870         \let \footnote \Othanks  

871         {\LARGE \TitleFont \Otitle \par}%
872         \vskip 1.5em%
873         {\large \TitleFont
874             \lineskip .5em%
875             \begin{tabular}[t]{c}%
876                 \Oauthor  

877             \end{tabular}\par}%
878         \vskip 1em%
879         {\large \TitleFont \Odate}%
880     \end{center}%
881     \par
882     \vskip 1.5em}
883 \fi

```

## 11 File artikel2-xetex-bidi.def

```

884 \ProvidesFile{artikel2-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for artikel2 class f
885 \renewenvironment{theindex}{%
886     \if@twocolumn

```



```

887      \crestonecolfalse
888  \else
889      \crestonecoltrue
890  \fi
891  \columnseprule \z@
892  \columnsep 35\p@
893  \twocolumn[\section*\{\indexname\}]%
894  \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
895  \thispagestyle{plain}\parindent\z@
896  \parskip\z@ \plus .3\p@\relax
897  \let\item\@idxitem
898  }%
899  \if@restonecol\onecolumn\else\clearpage\fi
900 \renewcommand*\@reftocline[3]{%
901  \ifnum #1>\c@tocdepth
902  \else
903      \vskip\z@\plus.2\p@
904      \hangindent\z@ \ifafterindenttrue \interlinepenalty\@M
905      \if@RTL\rightskip\else\leftskip\fi\unitindent
906      \if@RTL\leftskip\else\rightskip\fi\unitindent\plus 1fil
907      \parfillskip\z@
908      \tempdima\unitindent
909      \advance\tempdima by \othermargin
910      \parindent\z@
911      \leavevmode
912      \hbox{}\hspace{-\if@RTL\rightskip\else\leftskip\fi\relax\#2\nobreak
913      \hspace{1em}\nobreak\slshape #3}\par
914  }%
915  \fi}
916 \if@oldtoc
917 \renewcommand*\l@section[2]{%
918     \addpenalty\secpenalty
919     \addvspace{1.0em \plus\p@}%
920     \setlength\tempdima{1.5em}%
921     \begin{group}
922         \parindent\z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
923         \parfillskip -\pnumwidth
924         \leavevmode \bfseries
925         \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
926         \hspace{-\if@RTL\rightskip\else\leftskip\fi}
927         \#1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss \#2}\par
928     \end{group}
929 \else
930     \renewcommand*\l@section{\@reftocline{1}}
931 \fi
932 \if@oldtoc
933 \renewcommand*\l@part[2]{%
934     \ifnum \c@tocdepth >-2\relax
935         \addpenalty\secpenalty
936         \addvspace{2.25em \plus\p@}%
937         \begin{group}
938             \setlength\tempdima{3em}%
939             \parindent\z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
940             \parfillskip -\pnumwidth

```



```

941      {\leavevmode
942          \large \bfseries #1\hfil \hb@xt@\cnumwidth{\hss #2}\par
943          \nobreak
944          \if@compatibility
945              \global\nobreaktrue
946              \everypar{\global\nobreakfalse\everypar{}}
947          \fi
948      \endgroup
949      \fi}
950 \else
951     \renewcommand*\l@part{%
952         \ifnum \c@tocdepth >-2\relax
953             \addpenalty\@secpenalty
954             \addvspace{2.25em \@plus \p@}%
955             \@rgtocline{0}%
956         \fi}
957 \fi
958 \renewcommand*\head@style{%
959     \interlinepenalty \OM
960     \hyphenpenalty=\OM \exhyphenpenalty=\OM
961     \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
962 \if@titlepage
963     \renewenvironment{abstract}{%
964         \titlepage
965         \null\vfil
966         \section*{\SectFont\abstractname}%
967         \noindent\ignorespaces
968         {\par\vfil\null\endtitlepage}
969     \else
970         \renewenvironment{abstract}{%
971             \if@twocolumn
972                 \section*{\abstractname}%
973             \else
974                 \section*{\hskip\unitindent\small\SectFont\abstractname}%
975                 \list{}{\setlength\listparindent{\unitindent}%
976                     \setlength\parindent {\z@}%
977                     \setlength\leftmargin {\unitindent}%
978                     \setlength\rightmargin {\unitindent}%
979                     \setlength\parsep {\z@}%
980                     \item[]%
981                 \fi}
982                 {\if@twocolumn\else\par\endlist\fi}
983     \fi
984     \renewcommand*\thesubsection{\thesection\SepMark\arabic\c@section}
985     \renewcommand*\thesubsubsection{\thesubsection\SepMark\arabic\c@section}
986     \renewcommand*\theparagraph{\thesubsubsection\SepMark\arabic\c@section}
987     \renewcommand*\thesubparagraph{\theparagraph\SepMark\arabic\c@section}
988     \renewcommand*\left@footnoterule{%
989         \kern-3\p@
990         \hrule\@width 3\unitindent
991         \kern 2.6\p@
992     }
993     \renewcommand*\right@footnoterule{%
994         \kern-3\p@

```



```

995 \hbox to \columnwidth{\hspace{\dimexpr\columnwidth-3\unitindent\relax} \hrulefill }
996 \kern 2.6\p@}
997 \renewenvironment{thebibliography}[1]
998   {\section*{\refname}%
999     \mkboth{\MakeUppercase{\refname}}{\MakeUppercase{\refname}}%
1000     \if@RTL\if@LTrbitems\@RTLfalse\else\fi\else\if@RTLbitems\@RTLtrue\else\fi\fi
1001     \bidi@thebibliography@font@hook%
1002     \list{\@biblabel{\@arabic\c@enumiv}}%
1003       {\settowidth\labelwidth{\@biblabel{\#1}}%
1004         \leftmargin\labelwidth
1005         \advance\leftmargin\labelsep
1006         \openbib@code
1007         \usecounter{enumiv}%
1008         \let\p@enumiv\empty
1009         \renewcommand*\theenumiv{\@arabic\c@enumiv}%
1010         \sloppy\clubpenalty4000\widowpenalty4000%
1011         \sfcode`.\@m}%
1012       {\def\@noitemerr
1013         {\@latex@warning{Empty `thebibliography' environment}}%
1014       \endlist}
1015 \if@titlepage
1016 \renewcommand*\TitleFont{\rmfamily}
1017 \renewcommand*\maketitle{%
1018   \begin{titlepage}%
1019     \let\footnotesize\small
1020     \let\right@footnoterule\relax
1021     \let\left@footnoterule\relax
1022     \let\textwidth@footnoterule\relax
1023     \let\footnote\thanks
1024     \long\def\@makefntext##1{\par\indent\z@%
1025       \def\labelitemi{\textendash}\revlabeltrue
1026       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}%
1027     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
1028     \if@compatibility\setcounter{page}{0}\fi
1029     \null\vfil
1030     \vskip 60\p@
1031     \begin{center}%
1032       \TitleFont
1033       {\LARGE \def\\{\penalty -\OM}%
1034         \if@allcaps
1035           \expandafter\uc\nothanks\@title\thanks\relax
1036         \else
1037           \@title
1038           \fi\par}%
1039     \vskip 3em%
1040     {\large
1041       \lineskip .75em \par\indent\z@%
1042       \begin{tabular}[t]{c}%
1043         \if@allcaps
1044           \expandafter\uc\author\nothanks\@author\and\relax
1045         \else
1046           \@author
1047           \fi
1048       \end{tabular}\par}%

```



```

1049     \vskip 1.5em%
1050     {\large
1051         \if@allcaps
1052             \uppercase\expandafter{\@date}%
1053         \else
1054             \@date
1055             \fi\par}%
1056     \end{center}\par
1057     \@thanks
1058     \vfil\null
1059     \end{titlepage}%
1060     \setcounter{footnote}{0}%
1061     \global\let\thanks\relax
1062     \global\let\maketitle\relax
1063     \global\let\@thanks\@empty
1064     \global\let\@author\@empty
1065     \global\let\@title\@empty
1066     \global\let\@date\@empty
1067     \global\let\title\relax
1068     \global\let\author\relax
1069     \global\let\date\relax
1070     \global\let\and\relax
1071 }
1072 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
1073 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
1074     \futurelet\@tempa\uc@ax}
1075 \def\uc@ax{%
1076     \ifx\@tempa\relax
1077     \else
1078         \\ \andname \\ \expandafter\uc@authornothanks
1079         \fi}
1080 \def\uc@tx{\ifx\@tempa\relax
1081     \else \expandafter\uc@ty \fi}
1082 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
1083 \else
1084 \renewcommand*\maketitle{\par
1085     \begingroup
1086         \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
1087         \long\def\@makefntext##1{\parindent\z@
1088             \def\labelitemi{\textendash}%
1089             \leavevmode\hb@xt@.5\unitindent{%
1090                 \textsuperscript{\normalfont\@thefnmark}\hfil}##1}
1091         \if@twocolumn
1092             \ifnum \col@number=\@ne
1093                 \maketitle
1094             \else
1095                 \twocolumn[\maketitle]%
1096             \fi
1097         \else
1098             \newpage
1099             \global\@topnum\z@
1100             \maketitle
1101         \fi
1102     \thispagestyle{plain}\@thanks

```



```

1103 \endgroup
1104 \setcounter{footnote}{0}%
1105 \global\let\thanks\relax
1106 \global\let\maketitle\relax
1107 \global\let\@maketitle\relax
1108 \global\let\@thanks\@empty
1109 \global\let\@author\@empty
1110 \global\let\@title\@empty
1111 \global\let\@date\@empty
1112 \global\let\title\relax
1113 \global\let\author\relax
1114 \global\let\date\relax
1115 \global\let\and\relax
1116 }
1117 \def\@maketitle{%
1118   \newpage
1119   \null
1120   \vskip 2em%
1121   \begin{center}%
1122     \let \footnote \thanks
1123     {\LARGE \TitleFont \@title \par}%
1124     \vskip 1.5em%
1125     {\large \TitleFont
1126       \lineskip .5em%
1127       \begin{tabular}[t]{c}%
1128         \author
1129       \end{tabular}\par}%
1130     \vskip 1em%
1131     {\large \TitleFont \@date}%
1132   \end{center}%
1133   \par
1134   \vskip 1.5em}
1135 \fi

```

## 12 File artikel3-xetex-bidi.def

```

1136 \ProvidesFile{artikel3-xetex-bidi.def}[2017/06/09 v0.5 bidi adaptations for artikel3 class f
1137 \renewenvironment{theindex}{%
1138   \if@twocolumn
1139     \restonecolfalse
1140   \else
1141     \restonecoltrue
1142   \fi
1143   \columnseprule \z@
1144   \columnsep 35\p@
1145   \twocolumn[\section*{\indexname}]%
1146   \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
1147   \thispagestyle{plain}\parindent\z@
1148   \parskip\z@\plus .3\p@\relax
1149   \let\item\idxitem
1150 }{%
1151   \if@restonecol\onecolumn\else\clearpage\fi}
1152 \renewcommand*\head@style{%
1153   \interlinepenalty \OM

```



```

1154     \hyphenpenalty=\@M \exhyphenpenalty=\@M
1155     \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
1156 \renewcommand*\@regtocline[3]{%
1157   \ifnum #1>\c@tocdepth
1158   \else
1159     \vskip\z@\@plus.2\p@
1160     {\hangindent\z@ \cafterindenttrue \interlinepenalty\@M
1161       \if@RTL\rightskip\else\leftskip\fi\unitindent
1162       \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
1163       \parfillskip\z@
1164       \tempdima\unitindent
1165       \parindent\z@
1166       \leavevmode
1167       \hbox{} \hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
1168       \hskip 1em \nobreak{\slshape #3}\par
1169     }%
1170   \fi}
1171 \if@oldtoc
1172 \renewcommand*\l@part[2]{%
1173   \ifnum \c@tocdepth >-2\relax
1174     \addpenalty\@secpenalty
1175     \addvspace{2.25em \@plus\p@}%
1176     \begingroup
1177       \setlength\tempdima{3em}%
1178       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
1179       \parfillskip -\pnumwidth
1180       {\leavevmode
1181         \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}}\par
1182       \nobreak
1183       \if@compatibility
1184         \global\ nobreaktrue
1185         \everypar{\global\ nobreakfalse\everypar{} }%
1186       \fi
1187     \endgroup
1188   \fi}
1189 \else
1190   \renewcommand*\l@part{%
1191     \ifnum \c@tocdepth >-2\relax
1192     \addpenalty\@secpenalty
1193     \addvspace{2.25em \@plus \p@}%
1194     \@regtocline{0}%
1195   \fi}
1196 \fi
1197
1198 \if@oldtoc
1199 \renewcommand*\l@section[2]{%
1200   \addpenalty\@secpenalty
1201   \addvspace{1.0em \@plus\p@}%
1202   \setlength\tempdima{1.5em}%
1203   \begingroup
1204   \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
1205   \parfillskip -\pnumwidth
1206   \leavevmode \bfseries
1207   \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima

```



```

1208     \hskip -\if@RTL\rightskip\else\leftskip\fi
1209     #1\nobreak\hfil \nobreak\hb@xt@\cnumwidth{\hss #2}\par
1210     \endgroup}
1211 \else
1212   \renewcommand*\l@section{\regtocline{1}}
1213 \fi
1214 \if@titlepage
1215   \renewenvironment{abstract}{%
1216     \titlepage
1217     \null\vfil
1218     \section*{\SectFont\abstractname}%
1219     \noindent\ignorespaces
1220     {\par\vfil\null\endtitlepage}
1221 \else
1222   \renewenvironment{abstract}{%
1223     \if@twocolumn
1224       \section*{\abstractname}%
1225     \else
1226       \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
1227       \section*{\small\SectFont\abstractname}%
1228       \noindent\ignorespaces
1229     \fi}
1230   {\if@twocolumn\else\par\egroup\fi}
1231 \fi
1232 \renewcommand*\left@footnoterule{%
1233   \kern-3\p@
1234   \kern.5\baselineskip
1235   \hrule\@width\unitindent
1236   \kern.4\baselineskip
1237 }
1238 \renewcommand*\right@footnoterule{%
1239   \kern-3\p@
1240   \kern.5\baselineskip
1241   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
1242   \kern.4\baselineskip}
1243 \renewcommand*\thesubsection{\thesection\SepMark\arabic\c@section}
1244 \renewcommand*\thesubsubsection{\thesubsection\SepMark\arabic\c@section\c@subsection}
1245 \renewcommand*\theparagraph{\thesubsubsection\SepMark\arabic\c@paragraph}
1246 \renewcommand*\thesubparagraph{\theparagraph\SepMark\arabic\c@subparagraph}
1247 \renewenvironment{thebibliography}[1]
1248   {\section*{\refname}%
1249    \mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
1250    \if@RTL\if@LTrbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
1251    \bidi@thebibliography@font@hook%
1252    \list{\@biblabel{\arabic\c@enumiv}}%
1253      {\settowidth\labelwidth{\@biblabel{\#1}}%
1254       \leftmargin\labelwidth
1255       \advance\leftmargin\labelsep
1256       \openbib@code
1257       \usecounter{enumiv}%
1258       \let\p@enumiv\empty
1259       \renewcommand*\theenumiv{\arabic\c@enumiv}%
1260       \sloppy\clubpenalty4000\widowpenalty4000%
1261       \sfcodes`.\.\\@m}

```



```

1262      {\def\@noitemerr
1263          {\@latex@warning{Empty `thebibliography' environment}}%
1264          \endlist}
1265 \if@titlepage
1266 \renewcommand*\TitleFont{\rmfamily}
1267 \renewcommand*\maketitle{%
1268   \begin{titlepage}%
1269     \let\footnotesize\small
1270     \let\right@footnoterule\relax
1271     \let\left@footnoterule\relax
1272     \let\textwidth@footnoterule\relax
1273     \let\footnote\thanks
1274     \long\def\makefntext##1{\par\indent\z@
1275       \def\labelitemi{\textendash}\@revlabeltrue
1276       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
1277     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
1278     \if@compatibility\setcounter{page}{0}\fi
1279     \null\vfil
1280     \vskip 60\p@
1281     \begin{center}%
1282       \TitleFont
1283       {\LARGE \def\{\penalty -\@M}
1284       \if@allcaps
1285         \expandafter\uc@nothanks\@title\thanks\relax
1286       \else
1287         \atitle
1288       \fi\par}%
1289     \vskip 3em%
1290     {\large
1291       \lineskip .75em \par\indent\z@
1292     \begin{tabular}[t]{c}%
1293       \if@allcaps
1294         \expandafter\uc@authornothanks\@author\and\relax
1295       \else
1296         \atitle
1297       \fi
1298     \end{tabular}\par}%
1299     \vskip 1.5em%
1300     {\large
1301       \if@allcaps
1302         \uppercase\expandafter{\@date}%
1303       \else
1304         \atitle
1305       \fi\par}%
1306     \end{center}\par
1307     \atitle
1308     \vfil\null
1309   \end{titlepage}%
1310   \setcounter{footnote}{0}%
1311   \global\let\thanks\relax
1312   \global\let\maketitle\relax
1313   \global\let\@thanks\empty
1314   \global\let\@author\empty
1315   \global\let\@title\empty

```



```

1316 \global\let@\date\@empty
1317 \global\let@\title\relax
1318 \global\let@\author\relax
1319 \global\let@\date\relax
1320 \global\let\and\relax
1321 }
1322 \def\uc@nothanks#1{#1\futurelet@\tempa\uc@tx}
1323 \def\uc@authornothanks#1{\and{\uc@nothanks#1\thanks\relax
1324 \futurelet@\tempa\uc@ax}}
1325 \def\uc@ax{%
1326 \ifx@\tempa\relax
1327 \else
1328 \\\andname \\ \expandafter\uc@authornothanks
1329 \fi}
1330 \def\uc@tx{\ifx@\tempa\relax
1331 \else \expandafter\uc@ty \fi}
1332 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
1333 \else
1334 \renewcommand*\maketitle{\par
1335 \begingroup
1336 \renewcommand*\thefootnote{\fnsymbol{c@footnote}}%
1337 \def\@makefnmark{\rlap{%
1338 \textsuperscript{\normalfont\@thefnmark}}}}%
1339 \long\def\@makefntext{\xmakefntext{%
1340 \textsuperscript{\normalfont\@thefnmark}}}}%
1341 \if@twocolumn
1342 \ifnum\col@number=\@ne
1343 \maketitle
1344 \else
1345 \twocolumn[\maketitle]%
1346 \fi
1347 \else
1348 \newpage
1349 \global\@topnum\z@
1350 \maketitle
1351 \fi
1352 \thispagestyle{plain}\@thanks
1353 \endgroup
1354 \setcounter{footnote}{0}%
1355 \global\let\thanks\relax
1356 \global\let\maketitle\relax
1357 \global\let@\maketitle\relax
1358 \global\let@\thanks\@empty
1359 \global\let@\author\@empty
1360 \global\let@\title\@empty
1361 \global\let@\date\@empty
1362 \global\let\title\relax
1363 \global\let\author\relax
1364 \global\let\date\relax
1365 \global\let\and\relax
1366 }
1367 \def\@maketitle{%
1368 \newpage
1369 \null

```



```

1370   \vskip 2em%
1371 \if@titlecentered
1372   \begin{center}%
1373     \let \footnote \thanks
1374     {\LARGE \TitleFont \atitle \par}%
1375     \vskip 1.5em%
1376     {\large \TitleFont
1377       \lineskip .5em%
1378       \begin{tabular}[t]{c}%
1379         \author
1380       \end{tabular}\par}%
1381     \vskip 1em%
1382     {\large \TitleFont \atdate}%
1383   \end{center}%
1384 \else
1385   {\LARGE \TitleFont \head@style \atitle \par} \vskip 1.5em
1386   {\large \TitleFont \lineskip .5em \tabcolsep\z@
1387     \def\and{\% \begin{tabular} has already started
1388               \end{tabular}\hspace{1em plus .17fil}
1389               \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\% \end{tabular}%
1390               \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\@author\end{tabular}%
1391     \vskip 1em {\large \TitleFont \atdate}
1392   \fi
1393   \par
1394   \vskip 1.5em}
1395 \fi

```

## 13 File arydshln-xetex-bidi.def

```

1396 \ProvidesFile{arydshln-xetex-bidi.def}[2010/08/01 v0.2 bidi adaptations for arydshln package]
1397 \def\endarray{\adl@endarray \egroup \adl@arrayrestore \if@RTLtab\egroup\endR\egroup\fi\egroup}
1398 \def\endtabular{\endarray $ \if@RTLtab\endR\fi\egroup}
1399 \expandafter\let\csname endtabular*\endcsname\endtabular
1400 \let\adl@array\@array
1401 \def\@array{\adl@everyvbox\everyvbox
1402             \everyvbox{\adl@arrayinit \the\adl@everyvbox \everyvbox\adl@everyvbox}%
1403             \ifadl@inactive \adl@inactivate \else \adl@activate \fi
1404             \let\adl@noalign\noalign
1405             \adl@array}
1406 \ifadl@usingarypk
1407 \def\@testpach{\@chclass
1408 \ifnum \@lastchclass=6 \one \chnum \one \else
1409 \ifnum \@lastchclass=7 5 \else
1410 \ifnum \@lastchclass=8 \tw@ \else
1411 \ifnum \@lastchclass=9 \thr@%
1412 \else \z@%
1413 \ifnum \@lastchclass = 10 \else
1414 \edef\@nextchar{\expandafter\string\@nextchar}%
1415 \chnum
1416 \if \@nextchar c\z@ \else
1417 \if \@nextchar \if@RTLtab r\else l\fi\one \else
1418 \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
1419 \z@ \chclass
1420 \if\@nextchar |\one \let\@arrayrule\adl@arrayrule \else

```



```

1421   \if\@nextchar :\@ne \let\@arrayrule\adl@arraydashrule \else
1422   \if\@nextchar ;\@ne \let\@arrayrule\adl@argarraydashrule \else
1423     \if\@nextchar !6 \else
1424       \if\@nextchar @7 \else
1425         \if\@nextchar <8 \else
1426           \if\@nextchar >9 \else
1427             10
1428             \@chnum
1429             \if\@nextchar m\thr@@\else
1430               \if\@nextchar p4 \else
1431                 \if\@nextchar b5 \else
1432                   z@\@chclass z@\@preamerr z@\fi \fi \fi \fi \fi \fi
1433                   \fi \fi
1434 \def\@classz{\@classx
1435   \@tempcnta \count@
1436   \prepnext@tok
1437   \@addtopreamble{\ifcase \@chnum
1438     \hfil
1439     \adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
1440     \hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
1441     \hfil\hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\or
1442     \setbox\adl@box\hbox \adl@startmbox{\@nextchar}\insert@column
1443     \adl@endmbox\or
1444     \setbox\adl@box\vtop \startpbox{\@nextchar}\insert@column \endpbox \or
1445     \setbox\adl@box\vbox \startpbox{\@nextchar}\insert@column \endpbox
1446     \fi}\prepnext@tok}
1447 \def\adl@class@start{4}
1448 \def\adl@class@iiiorvii{7}
1449
1450
1451 \else
1452 \def\@testpach#1{\@chclass \ifnum \lastchclass=\tw@ 4\relax \else
1453   \ifnum \lastchclass=\thr@@ 5\relax \else
1454     z@\if #1\@chnum z@\else
1455       \if \if@RTLtab#1\else#1\fi\@chnum \one \else
1456         \if \if@RTLtab#1\else#1\fi\@chnum \tw@ \else
1457           \@chclass
1458             \if #1|\one \let\@arrayrule\adl@arrayrule \else
1459               \if #1:\one \let\@arrayrule\adl@arraydashrule \else
1460                 \if #1;\one \let\@arrayrule\adl@argarraydashrule \else
1461                   \if #1@\tw@ \else
1462                     \if #1p\thr@@ \else z@\@preamerr 0\fi
1463                     \fi \fi
1464
1465 \def\@arrayclassz{\ifcase \lastchclass \acolampacol \or \ampacol \or
1466   \or \or \addamp \or
1467   \acolampacol \or \firststampfalse \acol \fi
1468   \edef\@preamble{\preamble
1469   \ifcase \@chnum
1470     \hfil\adl@putlrc{$\relax\sharp$}\hfil
1471     \or \adl@putlrc{$\relax\sharp$}\hfil
1472     \or \hfil\adl@putlrc{$\relax\sharp$}\fi}
1473 \def\@tabclassz{\ifcase \lastchclass \acolampacol \or \ampacol \or
1474   \or \or \addamp \or

```



```

1475          \@acolampacol \or \@firststampfalse \@acol \fi
1476      \edef\@preamble{\@preamble
1477      \ifcase \@chnum
1478          \hfil\adl@putlrc{\@sharp\unskip}\hfil
1479          \or \adl@putlrc{\@sharp\unskip}\hfil
1480          \or \hfil\hskip\z@\adl@putlrc{\@sharp\unskip}\fi}
1481 \def\adl@class@start{6}
1482 \def\adl@class@iiiorvii{3}
1483 \fi
1484 \ifpackageloaded{colortbl}{%
1485 \def\adl@inactivate{\adl@org@inactivate \let\CT@setup\adl@CT@setup}
1486 \def\adl@activate{\adl@org@activate \let\CT@setup\adl@act@CT@setup
1487     \let\@endpbox\adl@org@endpbox}
1488 \let\adl@CT@setup\CT@setup
1489 \def\CT@setup{\adl@CT@setup
1490     \tempdima\ht\z@\advance\tempdima\minrowclearance
1491     \ifdim\adl@height<\tempdima \global\adl@height\tempdima \fi
1492     \ifdim\adl@depth<\dp\z@\global\adl@depth\dp\z@\fi}
1493 \let\adl@act@CT@setup\CT@setup
1494 \def\@classz{\@classx
1495     \tempcpta\count@\prepnext@tok
1496     \expandafter\CT@extract\the\toks\tempcpta\columncolor!\@nil
1497     \expandafter\adl@extract@arc\the\toks\tempcpta\arrayrulecolor!\@nil
1498     \expandafter\adl@extract@drsc
1499         \the\toks\tempcpta\doublerulesepcolor!\@nil
1500     \expandafter\adl@extract@dgc\the\toks\tempcpta\dashgapcolor!\@nil
1501     \addtopreamble{\if@RTL\beginL\fi%
1502         \setbox\z@\hbox\bgroup\if@RTL\beginR\fi
1503         \ifcase \@chnum
1504             \hskip\stretch{.5}\kern\z@
1505             \d@llarbegin
1506             \insert@column
1507                 \d@llarend\hskip\stretch{.5}%
1508             \or \d@llarbegin \insert@column \d@llarend \hfill
1509             \or \hfill \kern\z@\d@llarbegin \insert@column \d@llarend
1510             \or \$\vcenter
1511                 \startpbox{@nextchar}\insert@column \endpbox $%
1512             \or \vtop \startpbox{@nextchar}\insert@column \endpbox
1513             \or \vbox \startpbox{@nextchar}\insert@column \endpbox
1514             \fi
1515             \if@RTL\endR\fi\egroup\egroup
1516             \begingroup
1517                 \CT@setup
1518                 \CT@column@color
1519                 \CT@row@color
1520                 \CT@cell@color
1521                 \CT@do@color
1522             \endgroup
1523             \tempdima\ht\z@
1524             \advance\tempdima\minrowclearance
1525             \vrule\@height\tempdima\@width\z@
1526             \unhbox\z@\if@RTL\endL\fi}%
1527     \prepnext@tok}
1528 \let\adl@act@classz\@classz

```



```
1529 \let\adl@org@classz@\classz  
1530 }{}
```

## 14 File beamer-xetex-bidi.def

```
1531 \ProvidesFile{beamer-xetex-bidi.def}[2022/06/07 v0.3 bidi adaptations for beamer class for XeLaTeX]  
1532 \AtBeginDocument{  
1533   \if@RTLmain  
1534     \raggedleft  
1535   \else  
1536     \raggedright  
1537   \fi  
1538 }  
1539 \renewcommand*{\bidi@beamer@ragged}{  
1540   \if@RTL  
1541     \raggedleft  
1542   \else  
1543     \raggedright  
1544   \fi  
1545 }  
1546 }  
1547  
1548
```

## 15 File beamerbaseauxtemplates-xetex-bidi.def

```
1549 \ProvidesFile{beamerbaseauxtemplates-xetex-bidi.def}[2024/12/20 v0.4 bidi adaptations for beamer class for XeLaTeX]  
1550 \bidi@csundef{beamer@@tmpop@subsection in toc@sections numbered}  
1551 \bidi@csundef{beamer@@tmpop@subsubsection in toc@sections numbered}  
1552 \bidi@csundef{beamer@@tmpop@section in toc@subsections numbered}  
1553 \bidi@csundef{beamer@@tmpop@subsection in toc@subsections numbered}  
1554 \bidi@csundef{beamer@@tmpop@subsubsection in toc@subsections numbered}  
1555 \bidi@csundef{beamer@@tmpop@section in toc@subsections numbered}  
1556 \bidi@csundef{beamer@@tmpop@subsection in toc@subsections numbered}  
1557 \bidi@csundef{beamer@@tmpop@subsubsection in toc@subsections numbered}  
1558 \bidi@csundef{beamer@@tmpop@subsubsection in toc@subsections numbered}  
1559 \defbeamertemplate{subsection in toc}{sections numbered}{  
1560   {\leavevemode\bidi@beamer@leftskip=2.5em\inserttocsubsection\par}  
1561 }  
1562 \defbeamertemplate{subsubsection in toc}{sections numbered}{  
1563   {\leavevemode\normalsize\usebeamertfont{subsection in toc}\bidi@beamer@leftskip=3.5em\usebeamertfont{subsubsection in toc}\bidi@beamer@leftskip=2.5em\inserttocsubsubsection\par}  
1564 }  
1565 \inserttocsubsubsection\par  
1566 }  
1567 \defbeamertemplate{section in toc}{subsections numbered}{  
1568   {\leavevemode\bidi@beamer@leftskip=2em\inserttocsection\par}  
1569 }  
1570 \defbeamertemplate{subsection in toc}{subsections numbered}{  
1571   {\leavevemode\bidi@beamer@leftskip=2em\rlap{\hskip-2em\inserttocsectionnumber.\inserttocsubsection\par}  
1572 }  
1573 \defbeamertemplate{subsubsection in toc}{subsections numbered}{  
1574   {\leavevemode\normalsize\usebeamertfont{subsection in toc}\bidi@beamer@leftskip=3em\usebeamertfont{subsubsection in toc}\bidi@beamer@leftskip=2em\inserttocsubsubsection\par}  
1575 }  
1576 \inserttocsubsubsection\par}
```



```

1577 \bidi@csundef{beamer@@tmpop@section in toc@circle}
1578 \bidi@csundef{beamer@@tmpop@subsection in toc@circle}
1579 \bidi@csundef{beamer@@tmpop@subsubsection in toc@circle}
1580 \bidi@csundef{beamer@@tmpop@subsubsubsection in toc@circle}
1581
1582 \defbeamertemplate{section in toc}{circle}
1583 {\leavevmode\bidi@beamer@leftskip=2ex%
1584 \llap{%
1585 \usebeamertemplate*{section number projected}%
1586 \usebeamercolor{section number projected}%
1587 \begin{pgfpicture}{-1ex}{0ex}{1ex}{2ex}
1588 \color{bg}
1589 \pgfpathcircle{\pgfpoint{0pt}{.75ex}}{1.2ex}
1590 \pgfusepath{fill}
1591 \pgftext[base]{\color{fg}\inserttocsectionnumber}
1592 \end{pgfpicture}\kern1.25ex%
1593 }%
1594 \inserttocsection\par}
1595 }%
1596 \inserttocsection\par}
1597
1598 \defbeamertemplate{subsection in toc}{circle}
1599 {\leavevmode\bidi@beamer@leftskip=2em\inserttocsubsection\par}
1600
1601 \defbeamertemplate{subsubsection in toc}{circle}
1602 {\leavevmode\normalsize\usebeamertemplate*{subsection in
1603 toc}\bidi@beamer@leftskip=3em\usebeamertemplate*{subsubsection in toc}%
1604 \inserttocsubsubsection\par}
1605
1606 \bidi@csundef{beamer@@tmpop@section in toc@square}
1607
1608 \bidi@csundef{beamer@@tmpop@subsection in toc@square}
1609
1610 \bidi@csundef{beamer@@tmpop@subsubsection in toc@square}
1611
1612 \bidi@csundef{beamer@@tmpop@enumerate item@square}
1613
1614 \bidi@csundef{beamer@@tmpop@enumerate subitem@square}
1615
1616 \bidi@csundef{beamer@@tmpop@enumerate subsubitem@square}
1617
1618 \bidi@csundef{beamer@@tmpop@enumerate mini template@square}
1619
1620 \defbeamertemplate{section in toc}{square}
1621 {\leavevmode\bidi@beamer@leftskip=3ex%
1622 \llap{%
1623 \usebeamertemplate*{section number projected}%
1624 \usebeamercolor[bg]{section number projected}%
1625 \if@RTL
1626 \else
1627 \vrule width2.25ex height1.85ex depth.4ex%
1628 \hskip-2.25ex%
1629 \fi
1630 \hbox to2.25ex{\hfil\color{fg}\inserttocsectionnumber\hfil}%

```



```

1631     \if@RTL
1632         \hskip-2.25ex%
1633         \vrule width2.25ex height1.85ex depth.4ex%
1634     \fi
1635     }\kern1.25ex}%
1636 \inserttocsection\par}
1637
1638 \defbeamertemplate{subsection in toc}{square}
1639 {\leavevmode\bidi@beamer@leftskip=5ex\llap{%%
1640     \usebeamercolor[bg]{subsection number projected}%
1641     \vrule width1ex height1ex\kern1ex}\inserttocsubsection\par}
1642
1643 \defbeamertemplate{subsubsection in toc}{square}
1644 {\leavevmode\normalsize\usebeamertemplate{subsection in
1645     toc}\bidi@beamer@leftskip=7ex\usebeamertemplate{subsubsection in toc}%
1646 \llap{%%
1647     \usebeamercolor[bg]{subsubsection number projected}%
1648     \vrule width0.75ex height0.75ex\kern1ex}\inserttocsubsubsection\par}
1649
1650 \defbeamertemplate{enumerate item}{square}
1651 {
1652     \hbox{%%
1653         \usebeamertemplate*{item projected}%
1654         \usebeamercolor[bg]{item projected}%
1655         \if@RTL
1656         \else
1657             \vrule width2.25ex height1.85ex depth.4ex%
1658             \hskip-2.25ex%
1659         \fi
1660         \hbox to2.25ex{%%
1661             \hfil%
1662             \color{fg}\insertenumlabel%
1663             \hfil}%%
1664         \if@RTL
1665             \hskip-2.25ex%
1666             \vrule width2.25ex height1.85ex depth.4ex%
1667         \fi
1668     }%%
1669 }
1670 [action]
1671 {\setbeamertemplate{item projected}{size=\scriptsize}}
1672
1673 \defbeamertemplate{enumerate subitem}{square}
1674 {
1675     \hbox{%%
1676         \usebeamertemplate*{subitem projected}%
1677         \usebeamercolor[bg]{subitem projected}%
1678         \if@RTL
1679         \else
1680             \vrule width2.25ex height1.85ex depth.4ex%
1681             \hskip-2.25ex%
1682         \fi
1683         \hbox to2.25ex{%%
1684             \hfil%

```



```

1685      \color{fg}\insertsubenumlabel%
1686      \hfil}\}%
1687      \if@RTL
1688          \hskip-2.25ex%
1689          \vrule width2.25ex height1.85ex depth.4ex%
1690      \fi
1691  }\}%
1692 }
1693
1694 \defbeamertemplate{enumerate subsubitem}{square}
1695 {
1696     \hbox{%%
1697         \usebeamerfont*{subitem projected}%
1698         \usebeamercolor[bg]{subsubitem projected}%
1699         \if@RTL
1700         \else
1701             \vrule width2.25ex height1.85ex depth.4ex%
1702             \hskip-2.25ex%
1703         \fi
1704         \hbox to2.25ex{%%
1705             \hfil%
1706             \color{fg}\insertsubsubenumlabel%
1707             \hfil}\}%
1708         \if@RTL
1709             \hskip-2.25ex%
1710             \vrule width2.25ex height1.85ex depth.4ex%
1711         \fi
1712     }\}%
1713 }
1714
1715 \defbeamertemplate{enumerate mini template}{square}
1716 {
1717     \hbox{%%
1718         \usebeamerfont*{\beameritemnestingprefix item projected}%
1719         \usebeamercolor[bg]{\beameritemnestingprefix item projected}%
1720         \if@RTL
1721         \else
1722             \vrule width2.25ex height1.85ex depth.4ex%
1723             \hskip-2.25ex%
1724         \fi
1725         \hbox to2.25ex{%%
1726             \hfil%
1727             \color{fg}\insertenumlabel%
1728             \hfil}\}%
1729         \if@RTL
1730             \hskip-2.25ex%
1731             \vrule width2.25ex height1.85ex depth.4ex%
1732         \fi
1733     }\}%
1734 }
1735
1736 \bidi@csundef{beamer@@tmpop@section in toc@ball unnumbered}
1737
1738 \bidi@csundef{beamer@@tmpop@subsection in toc@ball unnumbered}

```



```

1739 \bidi@csundef{beamer@@tmpop@subsubsection in toc@ball unnumbered}
1740
1741 \defbeamertemplate{section in toc}{ball unnumbered}
1742 {\leavevemode\bidi@beamer@leftskip=2.25ex%
1743 \llap{\raise0.1ex\beamer@usesphere{section number projected}{bigsphere}\kern1.25ex}%
1744 \inserttocsection\par}
1745
1746 \llap{\raise0.2ex\beamer@usesphere{subsection number projected}{smallsphere}\kern1ex}\insertttoc
1747
1748 \defbeamertemplate{subsection in toc}{ball unnumbered}
1749 {\leavevemode\bidi@beamer@leftskip=5.1ex\llap{\raise0.2ex\beamer@usesphere{subsection number projected}{smallsphere}\kern1ex}\insertttoc
1750
1751 \defbeamertemplate{subsubsection in toc}{ball unnumbered}
1752 {\leavevemode\normalsize\usebeamertfont{subsection in
1753 toc}\bidi@beamer@leftskip=8.2ex\usebeamertfont{subsubsection in toc}%
1754 \llap{\raise0.2ex\beamer@usesphere{subsubsection number projected}{smallsphere}\kern0.75ex}\insertttocsub
1755
1756 \bidi@csundef{beamer@@tmpop@section in toc@ball}
1757
1758 \bidi@csundef{beamer@@tmpop@subsection in toc@ball}
1759
1760 \bidi@csundef{beamer@@tmpop@subsubsection in toc@ball}
1761
1762 \bidi@csundef{beamer@@tmpop@subsubsection in toc@ball}
1763
1764 \defbeamertemplate{section in toc}{ball}
1765 {\leavevemode\bidi@beamer@leftskip=2.75ex%
1766 \llap{\normalsize%
1767 \begin{pgfpicture}{-1ex}{-0.7ex}{1ex}{1ex}
1768 \pgftext{\beamer@usesphere{section number projected}{tocsphere}}
1769 \pgftext{%
1770 \usebeamertfont*{section number projected}%
1771 \usebeamercolor{section number projected}%
1772 \color{fg!90!bg}%
1773 \inserttocsectionnumber}
1774 \end{pgfpicture}%
1775 \kern1.25ex}%
1776 \insertttocsection\par
1777 }
1778 }
1779 [action]
1780 {\setbeamertfont{section number projected}{size=\scriptsize}}
1781
1782 \defbeamertemplate{subsection in toc}{ball}
1783 {\leavevemode\bidi@beamer@leftskip=5ex%
1784 \llap{\raise0.1ex\beamer@usesphere{subsection number projected}{bigsphere}\kern1ex}%
1785 \insertttocsubsection\par}
1786
1787
1788 \defbeamertemplate{subsubsection in toc}{ball}
1789 {\leavevemode\normalsize\usebeamertfont{subsection in
1790 toc}\bidi@beamer@leftskip=7ex\usebeamertfont{subsubsection in toc}%
1791 \llap{\raise0.2ex\beamer@usesphere{subsubsection number projected}{bigsphere}\kern0.75ex}%
1792 \insertttocsubsubsection\par}

```



```

1793 }
1794 \bidi@csundef{beamer@@tmpop@block begin@rounded}
1796
1797 \bidi@csundef{beamer@@tmpop@block alerted begin@rounded}
1798
1799 \bidi@csundef{beamer@@tmpop@block example begin@rounded}
1800
1801 \defbeamertemplate{block begin}{rounded}[1][shadow=false]
1802 {%
1803   \par\vskip\medskipamount%
1804   \begin{beamerboxesrounded}[upper=block title,lower=block body,#1]%
1805     {\raggedright\usebeamertemplate{block title}\insertblocktitle}%
1806     \bidi@beamer@ragged%
1807     \usebeamertemplate{block body}%
1808   }%
1809
1810 \defbeamertemplate{block alerted begin}{rounded}[1][shadow=false]
1811 {%
1812   \par\vskip\medskipamount%
1813   \begin{beamerboxesrounded}[upper=block title alerted,lower=block body alerted,#1]%
1814     {\raggedright\usebeamertemplate{block title alerted}\insertblocktitle}%
1815     \bidi@beamer@ragged%
1816     \usebeamertemplate{block body alerted}%
1817 }%
1818
1819 \defbeamertemplate{block example begin}{rounded}[1][shadow=false]
1820 {%
1821   \par\vskip\medskipamount%
1822   \begin{beamerboxesrounded}[upper=block title example,lower=block body example,#1]%
1823     {\raggedright\usebeamertemplate{block title example}\insertblocktitle}%
1824     \bidi@beamer@ragged%
1825     \usebeamertemplate{block body example}%
1826 }%
1827
1828 \bidi@csundef{beamer@@tmpop@caption@numbered}
1829
1830 \defbeamertemplate{caption}{numbered}
1831 {%
1832   \leavevemode
1833   \bidi@beamer@ragged
1834   {%
1835     \usebeamercolor[fg]{caption name}%
1836     \usebeamertemplate{caption name}%
1837     \insertcaptionname~\insertcaptionnumber
1838     \usebeamertemplate{caption label separator}%
1839   }%
1840   \insertcaption\par
1841 }%
1842
1843 \bidi@csundef{beamer@@tmpop@caption@caption name own line}
1844
1845 \defbeamertemplate{caption}{caption name own line}
1846 {%

```



```

1847 \begin{minipage}{\textwidth}
1848   \leavevmode
1849   \bidi@beamer@ragged
1850 {%
1851   \usebeamercolor[fg]{caption name}%
1852   \usebeamertfont*[caption name]%
1853   \insertcaptionname%
1854 } \\
1855   \insertcaption
1856 \end{minipage}
1857 }
1858
1859 \ifpackageloaded{caption}{%
1860   \DeclareCaptionFont{beamer@font}{%
1861     \usebeamertfont*[caption]%
1862   }%
1863   \usebeamercolor[fg]{caption}%
1864   \SetCaptionDefault{font}{beamer@font}
1865   \DeclareCaptionJustification{bidi@beamer@ragged}{\bidi@beamer@ragged}
1866   \SetCaptionDefault{justification}{bidi@beamer@ragged}
1867 }{}%
1868

```

## 16 File beamerbaseboxes-xetex-bidi.def

```

1869 \ProvidesFile{beamerbaseboxes-xetex-bidi.def}[2022/06/01 v0.1 bidi adaptations for beamerbase
1870 \renewcommand\beamerboxesrounded[2][]{%
1871   \global\let\beamer@firstlineitemizeunskip=\relax%
1872   \vbox\bggroup%
1873   \setkeys{beamerboxes}{upper=block title,lower=block body,width=\textwidth,shadow=false}%
1874   \setkeys{beamerboxes}{#1}%
1875 {%
1876   \usebeamercolor{\bmb@lower}%
1877   \globalcolorstrue%
1878   \colorlet{lower.bg}{bg}%
1879 }%
1880 {%
1881   \usebeamercolor{\bmb@upper}%
1882   \globalcolorstrue%
1883   \colorlet{upper.bg}{bg}%
1884 }%
1885 %
1886 % Typeset head
1887 %
1888 \vskip4bp
1889 \setbox\bmb@box=\hbox{%
1890   \begin{minipage}[b]{\bmb@width}%
1891     \usebeamercolor[fg]{\bmb@upper}%
1892     #2%
1893   \end{minipage}%
1894 }%
1894 \ifdim\wd\bmb@box=0pt%
1895   \setbox\bmb@box=\hbox{}%
1896   \ht\bmb@box=1.5pt%
1897   \bmb@prevheight=-4.5pt%

```



```

1898 \else%
1899   \wd\bmb@box=\bmb@width%
1900   \bmb@temp=\dp\bmb@box%
1901   \ifdim\bmb@temp<1.5pt%
1902     \bmb@temp=1.5pt%
1903   \fi%
1904   \setbox\bmb@box=\hbox{\raise\bmb@temp\hbox{\box\bmb@box}}%
1905   \dp\bmb@box=0pt%
1906   \bmb@prevheight=\ht\bmb@box%
1907 \fi%
1908 \bmb@temp=\bmb@width%
1909 \bmb@dima=\bmb@temp\advance\bmb@dima by2.2bp%
1910 \bmb@dimb=\bmb@temp\advance\bmb@dimb by4bp%
1911 \hbox{%
1912   \begin{pgfpicture}{0bp}{+-\ht\bmb@box}{0bp}{+-\ht\bmb@box}%
1913     \ifdim\wd\bmb@box=0pt%
1914       \color{lower.bg}%
1915     \else%
1916       \color{upper.bg}%
1917     \fi%
1918     \pgfpathqmoveto{-4bp}{-1bp}
1919     \pgfpathqcurveto{-4bp}{1.2bp}{-2.2bp}{3bp}{0bp}{3bp}
1920     \pgfpathlineto{\pgfpoint{\bmb@temp}{3bp}}
1921     \pgfpathcurveto%
1922     {\pgfpoint{\bmb@dima}{3bp}}%
1923     {\pgfpoint{\bmb@dimb}{1.2bp}}%
1924     {\pgfpoint{\bmb@dimb}{-1bp}}%
1925     \bmb@dima=-\ht\bmb@box%
1926     \advance\bmb@dima by-2pt%
1927     \pgfpathlineto{\pgfpoint{\bmb@dimb}{\bmb@dima}}
1928     \pgfpathlineto{\pgfpoint{-4bp}{\bmb@dima}}
1929     \pgfusepath{fill}%
1930   \end{pgfpicture}%
1931   \copy\bmb@box%
1932 }%
1933 \nointerlineskip%
1934 \vskip-1pt%
1935 \ifdim\wd\bmb@box=0pt%
1936 \else%
1937 \hbox{%
1938   \begin{pgfpicture}{0pt}{0pt}{\bmb@width}{6pt}%
1939     \bmb@dima=\bmb@width%
1940     \advance\bmb@dima by8bp%
1941     \pgfpathrectangle{\pgfpoint{-4bp}{-1bp}}{\pgfpoint{\bmb@dima}{8bp}}
1942     \pgfusepath{clip}%
1943     \pgftransformshift{\pgfpoint{-4bp}{0bp}}\pgftext[left,base]{\pgfuseshading{\bmb@transi
1944   \end{pgfpicture}%
1945 }%
1946 \nointerlineskip%
1947 \vskip-0.5pt%
1948 \fi%
1949 \setbox\bmb@colorbox=\hbox{\ifpgfpicturetrue\pgfsetcolor{lower.bg}}}%
1950 \setbox\bmb@box=\hbox\bgroup\begin{minipage}[b]{\bmb@width}%
1951   \vskip2pt%

```



```

1952     \usebeamercolor[fg]{\bmb@lower}%
1953     \colorlet{beamerstructure}{upper.bg}%
1954     \colorlet{structure}{upper.bg}%
1955     \%\\color{.}%
1956     \\@bidi@list@minipage@parboxfalse
1957   }
1958
1959 \\bidi@patchcmd{\\endbeamerboxesrounded}{\\begingroup}{%
1960   \\begingroup
1961   \\@RTLfalse
1962 }{}{}
1963
1964

```

## 17 File beamerbasecolor-xetex-bidi.def

```

1965 \\ProvidesFile{beamerbasecolor-xetex-bidi.def}[2022/06/07 v0.2 bidi adaptations for beamerbas
1966 \\renewenvironment{beamercolorbox}[2][]{%
1967   \\def\\beamer@vmodo{\\leavevmode}%
1968   \\setkeys{beamercolbox}{wd=\\textwidth,ht={},dp={},%
1969     leftskip=0pt,rightskip=0pt plus1fil,%
1970     sep=0pt,colsep=0pt,colsep*=0pt,%
1971     shadow=false,rounded=false,ignorebg=false}%
1972   \\if@RTL
1973     \\setkeys{beamercolbox}{rightskip=0pt,leftskip=0pt plus1fil}%
1974   \\else
1975     \\setkeys{beamercolbox}{leftskip=0pt,rightskip=0pt plus1fil}%
1976   \\fi
1977   \\setkeys{beamercolbox}{#1}%
1978   \\ifbeamercolorempty[bg]{#2}{\\@tempswafalse}{\\@tempswatrue}%
1979   \\ifbeamercolorempty[bg]{#2}{\\@tempswafalse}{\\@tempswatrue}%
1980   \\def\\beamer@colbox@color{#2}%
1981   \\setbox\\beamer@tempbox=\\hbox\\bgroup\\color@begingroup
1982     \\ifbeamercolorempty[bg]{#2}{%
1983       \\colorlet{beamercolorempty[bg]}{#2}%
1984       \\usebeamercolor[fg]{#2}%
1985       \\colorlet{bg}{beamercolorempty[bg]}%
1986     \\else%
1987       \\usebeamercolor[fg]{#2}%
1988     \\fi%
1989   \\beginL
1990   \\vbox\\bgroup%
1991     \\hspace=\\beamer@colbox@wd%
1992     \\arrayparboxrestore%
1993     \\leftskip=\\beamer@colbox@ls%
1994     \\ifdim\\beamer@colbox@sep>\\z@\\advance\\leftskip\\beamer@colbox@sep\\fi%
1995     \\rightskip=\\beamer@colbox@rs%
1996     \\ifdim\\beamer@colbox@sep>\\z@\\advance\\rightskip\\beamer@colbox@sep\\fi%
1997     \\if@tempswa\\ifdim\\beamer@colbox@colsep>\\z@%
1998       \\advance\\leftskip by\\beamer@colbox@colsep%
1999       \\advance\\rightskip by\\beamer@colbox@colsep%
2000       \\vskip\\beamer@colbox@colsep%
2001     \\fi%
2002     \\ifdim\\beamer@colbox@colseps>\\z@\\vskip\\beamer@colbox@colseps\\fi%

```



```

2003   \fi%
2004   \ifdim\beamer@colbox@sep>\z@\vskip\beamer@colbox@sep\fi%
2005   \beamer@vmode\ignorespaces}%
2006   \ifdim\beamer@colbox@sep>\z@\vskip\beamer@colbox@sep\fi%
2007   \if@tempswa
2008     \ifdim\beamer@colbox@colsep>\z@\vskip\beamer@colbox@colsep\fi%
2009     \ifdim\beamer@colbox@colseps>\z@\vskip\beamer@colbox@colseps\fi%
2010   \fi%
2011   \egroup\endL\color@endgroup\egroup%
2012   \wd\beamer@tempbox=\beamer@colbox@wd%
2013 \ifx\beamer@colbox@ht\empty\else\ht\beamer@tempbox=\beamer@colbox@ht\fi%
2014 \ifx\beamer@colbox@dp\empty\else\dp\beamer@tempbox=\beamer@colbox@dp\fi%
2015 \ifbeamer@colbox@rounded%
2016   \if@tempswa%
2017     \begin{beamertboxesrounded}[%%
2018       shadow=\beamer@colbox@shadow,%%
2019       lower=\beamer@colbox@color,%%
2020       upper=normal text,%%
2021       width=\beamer@colbox@wd]{}%%
2022     \box\beamer@tempbox%
2023   \end{beamertboxesrounded}%
2024 \else%
2025   \ifdim\wd\beamer@tempbox>\textwidth%
2026     \setbox\beamer@tempbox=\hbox to\textwidth{\hss\box\beamer@tempbox\hss}%
2027   \fi%
2028   \box\beamer@tempbox%
2029 \fi%
2030 \else%
2031   \if@tempswa\setbox\beamer@tempbox=\hbox{%
2032     \usebeamercolor{\beamer@colbox@color}}%
2033     \hskip-\beamer@colbox@colseps%
2034     \fboxsep=\z@\colorbox{bg}{%
2035       \hskip\beamer@colbox@colseps%
2036       \box\beamer@tempbox%
2037       \hskip\beamer@colbox@colseps%
2038     }%
2039     \hskip-\beamer@colbox@colseps%
2040   }\fi%
2041   \ifdim\wd\beamer@tempbox>\textwidth%
2042     \setbox\beamer@tempbox=\hbox to\textwidth{\hskip0pt minus\beamer@leftmargin\relax\box\beamer@tempbox\hskip-\beamer@colbox@colseps}%
2043   \fi%
2044   \box\beamer@tempbox%
2045 \fi%
2046 }
2047
2048

```

## 18 File beamerbasecompatibility-xetex-bidi.def

```

2049 \ProvidesFile{beamerbasecompatibility-xetex-bidi.def}[2022/06/27 v0.1 bidi adaptations for b
2050 \def\insertvrule#1#2{\hbox{{\color{#2}\hskip-\Gm@lmargin\vrule width \paperwidth height #1\h
2051
2052

```



## 19 File beamerbaseframecomponents-xetex-bidi.def

```
2053 \ProvidesFile{beamerbaseframecomponents-xetex-bidi.def}[2023/08/02 v0.6 bidi adaptations for
2054 \renewcommand{\setbeamersize}[1]{%
2055   \beamer@dogeometryfalse%
2056   \setkeys{beamer@margin}{#1}%
2057   \ifbeamer@dogeometry%
2058     % Reset left margin now
2059     \beamer@tempdim=\beamer@leftmargin%
2060     \advance\beamer@tempdim by\beamer@leftsidebar%
2061     \if@RTLmain
2062       \geometry{right=\the\beamer@tempdim}%
2063     \else
2064       \geometry{left=\the\beamer@tempdim}%
2065     \fi
2066     % Reset right margin now
2067     \beamer@tempdim=\beamer@rightmargin%
2068     \advance\beamer@tempdim by\beamer@rightsidebar%
2069     \if@RTLmain
2070       \geometry{left=\the\beamer@tempdim}%
2071     \else
2072       \geometry{right=\the\beamer@tempdim}%
2073     \fi
2074   \fi%
2075 }
2076
2077 \newcommand*{\bidi@beamer@Gm@lmargin}{%
2078   \if@RTLmain
2079     \Gm@rmargin
2080   \else
2081     \Gm@lmargin
2082   \fi
2083 }
2084
2085 \newcommand*{\bidi@beamer@Gm@rmargin}{%
2086   \if@RTLmain
2087     \Gm@lmargin
2088   \else
2089     \Gm@rmargin
2090   \fi
2091 }
2092
2093 \def\ps@navigation{
2094   \def\@oddhead{%
2095     \begingroup%
2096     \setbox\beamer@tempbox=\hbox{\usebeamertemplate***{background canvas}\hyper@pagetransiti
2097     \beamer@tempdim=\ht\beamer@tempbox%
2098     \setbox\beamer@tempbox=\hbox{\lower\beamer@tempdim\hbox{\box\beamer@tempbox}}%
2099     \wd\beamer@tempbox=0pt\ht\beamer@tempbox=0pt\dp\beamer@tempbox=0pt%
2100     \setbox\@tempboxa=\hbox{\usebeamertemplate***{background}}%
2101     \beamer@tempdim=\ht\@tempboxa%
2102     \setbox\@tempboxa=\hbox{\lower\beamer@tempdim\hbox{\box\@tempboxa}}%
2103     \wd\@tempboxa=0pt\ht\@tempboxa=0pt\dp\@tempboxa=0pt%
2104     \vbox{\hbox{\hskip-\bidi@beamer@Gm@lmargin\box\beamer@tempbox\box\@tempboxa}}%
```



```

2105 \hbox{%
2106   {%
2107     \setbox\beamer@tempbox=\hbox{\hskip-\bidi@beamer@Gm@lmargin%
2108       \if@RTLmain
2109         {%
2110           \vbox to \sidebarheight{%
2111             \usebeamertemplate***{sidebar left}%
2112             \vfil%
2113           }%
2114           \@ifpackageloaded{beamerinnerthemainmargin}{}{%
2115             \hskip-\textwidth
2116           }%
2117           \fi
2118           {\setbox\beamer@tempbox=\hbox{\vbox to \sidebarheight{%
2119             \usebeamercolor*{sidebar left}%
2120             \usebeamertemplate{sidebar canvas left}%
2121             \vss%
2122           }%
2123             \wd\beamer@tempbox=0pt\ht\beamer@tempbox=0pt\dp\beamer@tempbox=0pt%
2124             \box\beamer@tempbox}%
2125             \if@RTLmain
2126               \else
2127                 {%
2128                   \vbox to \sidebarheight{%
2129                     \usebeamertemplate***{sidebar left}%
2130                     \vfil%
2131                   }{}\fi}%
2132             \beamer@tempdim=\ht\beamer@tempbox%
2133             \setbox\beamer@tempbox=\hbox{{\lower\beamer@tempdim\hbox{\box\beamer@tempbox}}}}%
2134             \wd\beamer@tempbox=0pt\ht\beamer@tempbox=0pt\dp\beamer@tempbox=0pt%
2135             \box\beamer@tempbox%
2136           }%
2137           \% print right sidebar first, since it should be overwritten by headline
2138           \setbox\beamer@tempbox=\hbox{\hskip\textwidth\hskip\beamer@rightmargin%
2139             \if@RTLmain
2140               {%
2141                 \vbox to \sidebarheight{%
2142                   \usebeamertemplate***{sidebar right}%
2143                     \vfil%
2144                   }%
2145                   \hskip-\textwidth
2146                   \fi
2147                   {\setbox\beamer@tempbox=\hbox{\vbox to \sidebarheight{%
2148                     \usebeamercolor*{sidebar right}%
2149                     \usebeamertemplate{sidebar canvas right}%
2150                     \vss%
2151                   }%
2152                     \wd\beamer@tempbox=0pt\ht\beamer@tempbox=0pt\dp\beamer@tempbox=0pt%
2153                     \box\beamer@tempbox}%
2154                     \if@RTLmain
2155                       \else
2156                         {%
2157                           \vbox to \sidebarheight{%
2158                             \usebeamertemplate***{sidebar right}%

```



```

2159           \vfil%
2160       } }\fi}%
2161   \beamer@tempdim=\ht\beamer@tempbox%
2162   \setbox\beamer@tempbox=\hbox{{\lower\beamer@tempdim\hbox{\box\beamer@tempbox}}}}%
2163   \wd\beamer@tempbox=0pt\ht\beamer@tempbox=0pt\dp\beamer@tempbox=0pt%
2164   \box\beamer@tempbox%
2165 }%
2166 \beamer@typesettheadorfoot{headline}%
2167 }%
2168 \hfil}%
2169 \endgroup%
2170 \def\@oddfoot{%
2171   \vbox{\offinterlineskip\hbox{\beamer@typesettheadorfoot{footline}}%
2172   \hfil}\hbox{} }\hfil
2173 }%
2174 \let\@evenhead\@oddhead
2175 \let\@evenfoot\@oddfoot}
2176
2177 \AtBeginDocument{%
2178   \pagestyle{navigation}%
2179 }
2180
2181 \def\beamer@typesettheadorfoot#1{%
2182   \parskip0pt\offinterlineskip%
2183   \hbox{%
2184     \hskip-\bidi@beamer@Gm@lmargin%
2185     \hbox{%
2186       \vbox{%
2187         \tempdima=\textwidth%
2188         \textwidth=\paperwidth%
2189         \hsize=\textwidth%
2190         \def\\{,}%
2191         \usebeamertemplate***{#1}%
2192       }%
2193       \hskip-\bidi@beamer@Gm@rmargin%
2194     } }\hfil%
2195 }
2196
2197 \def\ps@empty{%
2198   \let\mkboth\gobbletwo%
2199   \def\@oddhead{\begingroup%
2200     \setbox\beamer@tempbox=\hbox{\usebeamertemplate***{background canvas}\hyper@pagetransiti%
2201     \beamer@tempdim=\ht\beamer@tempbox%
2202     \setbox\beamer@tempbox=\hbox{{\lower\beamer@tempdim\hbox{\box\beamer@tempbox}}}}%
2203     \wd\beamer@tempbox=0pt\ht\beamer@tempbox=0pt\dp\beamer@tempbox=0pt%
2204     \setbox\@tempboxa=\hbox{\usebeamertemplate***{background}}%
2205     \beamer@tempdim=\ht\@tempboxa%
2206     \setbox\@tempboxa=\hbox{{\lower\beamer@tempdim\hbox{\box\@tempboxa}}}}%
2207     \wd\@tempboxa=0pt\ht\@tempboxa=0pt\dp\@tempboxa=0pt%
2208     \vbox{\hskip-\Gm@lmargin\raise\headheight\box\beamer@tempbox\raise\headheight\box\@tempboxa}%
2209   } \endgroup%
2210 }
2211 \def\@oddfoot{\normalcolor\hfil%
2212   \setbox\beamer@tempbox=\hbox{\usebeamertemplate***{navigation symbols}\hspace{-\bidi@beame

```



```

2213   \ht\beamer@tempbox=0pt%
2214   \dp\beamer@tempbox=0pt%
2215   \box\beamer@tempbox}}}}
2216 \let\@evenhead\@oddhead\let\@evenfoot\@oddfoot}
2217
2218 \renewcommand<>\beamer@columncom[2][\beamer@colmode]{%
2219   \beamer@colclose%
2220   \def\beamer@colclose{\end{minipage}\hfill\end{actionenv}\ignorespaces}%
2221 \begin{actionenv}#3%
2222   \setkeys{beamer@col}{#1}%
2223   \begin{minipage}[\beamer@colalign]{#2}%
2224     \leavevmode\bidi@beamer@ragged\beamer@colheadskip\ignorespaces}%
2225
2226 \renewenvironment<>{columns}[1][]{%
2227   \begin{actionenv}#2%
2228   \ifbeamer@onlytextwidth
2229     \def\beamer@colentrycode{\hbox to\textwidth\bgroun\ignorespaces}%
2230     \def\beamer@colexitcode{\unskip\egroup}%
2231   \else%
2232     \def\beamer@colentrycode{%
2233       \hbox to\textwidth\bgroun%
2234       \leavevmode%
2235       \hspace{-\beamer@leftmargin}%
2236       \nobreak%
2237       \beamer@tempdim=\textwidth%
2238       \advance\beamer@tempdim by\beamer@leftmargin%
2239       \advance\beamer@tempdim by\beamer@rightmargin%
2240       \hbox to\beamer@tempdim\bgroun%
2241       \hbox{}\hfill\ignorespaces}%
2242     \def\beamer@colexitcode{\egroup}%
2243     \nobreak%
2244     \hspace{-\beamer@rightmargin}\egroup}%
2245   \fi%
2246 \ifbeamer@centered\setkeys{beamer@col}{c}\else\setkeys{beamer@col}{t}\fi%
2247 \setkeys{beamer@col}{#1}%
2248 \par%
2249 \leavevmode
2250 \beamer@colentrycode%
2251 \def\beamer@colclose{} \ignorespaces}%
2252 {\beamer@colclose\def\beamer@colclose{} \beamer@colexitcode\end{actionenv}}%
2253
2254
2255 \def\@makeRTLfntext#1{%
2256   \def\insertfootnotetext{#1}%
2257   \def\insertfootnotemark{\@makefnmark}%
2258   \usebeamertemplate***{RTLfootnote}%
2259
2260 \def\@makeLTRfntext#1{%
2261   \def\insertfootnotetext{#1}%
2262   \def\insertfootnotemark{\@makefnmark}%
2263   \usebeamertemplate***{LTRfootnote}%
2264
2265 \renewcommand<>\beamer@framefootnotetext[1]{%
2266   \global\setbox\beamer@footins\vbox{%

```



```

2267 \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
2268 \hsize\framewidth
2269 \textwidth\hsize
2270 \columnwidth\hsize
2271 \unvbox\beamer@footins
2272 \reset@font
2273 \bidi@@footnotetext@font
2274 \parboxrestore
2275 \protected@edef\@currentlabel
2276 {\csname p@footnote\endcsname\@thefnmark}%
2277 \color@begingroup
2278 \uncover#2{\@makefntext{%
2279 \rule{z@{\footnotesep}\ignorespaces#1\@finalstrut\strutbox}}}
2280 \color@endgroup}
2281
2282 \renewcommand<>\beamer@frameRTLfootnotetext[1]{%
2283 \global\setbox\beamer@footins\vbox{%
2284 \ifRTLtrue
2285 \hsize\framewidth
2286 \textwidth\hsize
2287 \columnwidth\hsize
2288 \unvbox\beamer@footins
2289 \reset@font
2290 \bidi@@RTLfootnotetext@font
2291 \parboxrestore
2292 \protected@edef\@currentlabel
2293 {\csname p@footnote\endcsname\@thefnmark}%
2294 \color@begingroup
2295 \uncover#2{\@makeRTLfntext{%
2296 \rule{z@{\footnotesep}\ignorespaces#1\@finalstrut\strutbox}}}
2297 \color@endgroup}
2298
2299 \renewcommand<>\beamer@frameLTRfootnotetext[1]{%
2300 \global\setbox\beamer@footins\vbox{%
2301 \ifRTLfalse
2302 \hsize\framewidth
2303 \textwidth\hsize
2304 \columnwidth\hsize
2305 \unvbox\beamer@footins
2306 \reset@font
2307 \bidi@@LTRfootnotetext@font
2308 \parboxrestore
2309 \protected@edef\@currentlabel
2310 {\csname p@footnote\endcsname\@thefnmark}%
2311 \color@begingroup
2312 \uncover#2{\@makeLTRfntext{%
2313 \rule{z@{\footnotesep}\ignorespaces#1\@finalstrut\strutbox}}}
2314 \color@endgroup}
2315
2316 \renewcommand<>\ompfootnotetext[1]{%
2317 \ifbidi@autofootnoterule\ifnum\c@mpfootnote=1\ifRTL@footnote\global\let\bidi@mpfootnote
2318 \global\setbox\ompfootins\vbox{%
2319 \unvbox\ompfootins
2320 \ifRTL@footnote\@RTLtrue\else\@RTLfalse\fi

```



```

2321   \reset@font
2322   \bidi@@footnotetext@font
2323   \hsize\columnwidth
2324   \@parboxrestore
2325   \protected@edef{\currentlabel}
2326     {\csname p@mpfootnote\endcsname\thefnmark}%
2327   \color@begingroup
2328     \uncover#2{\makefntext{%
2329       \rule{z@\footnotesep\ignorespaces#1\finalstrut\strutbox}}}
2330   \color@endgroup}
2331
2332 \renewcommand<>{\mpRTLfootnotetext[1]{%
2333 \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\one\global\let\bidi@mpfootnoterule\right@footno
2334 \global\setbox\@mpfootins\vbox{%
2335   \unvbox\@mpfootins
2336   \ifRTLtrue
2337     \reset@font
2338     \bidi@RTLfootnotetext@font
2339     \hsize\columnwidth
2340     \@parboxrestore
2341     \protected@edef{\currentlabel}
2342       {\csname p@mpfootnote\endcsname\thefnmark}%
2343     \color@begingroup
2344       \uncover#2{\makeRTLfntext{%
2345         \rule{z@\footnotesep\ignorespaces#1\finalstrut\strutbox}}}
2346     \color@endgroup}
2347
2348 \renewcommand<>{\mpLTRfootnotetext[1]{%
2349 \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\one\global\let\bidi@mpfootnoterule\left@footno
2350 \global\setbox\@mpfootins\vbox{%
2351   \unvbox\@mpfootins
2352   \ifRTLfalse
2353     \reset@font
2354     \bidi@LTRfootnotetext@font
2355     \hsize\columnwidth
2356     \@parboxrestore
2357     \protected@edef{\currentlabel}
2358       {\csname p@mpfootnote\endcsname\thefnmark}%
2359     \color@begingroup
2360       \uncover#2{\makeLTRfntext{%
2361         \rule{z@\footnotesep\ignorespaces#1\finalstrut\strutbox}}}
2362     \color@endgroup}
2363
2364 \let\footnotetext=\beamer@framefootnotetext
2365 \let\@RTLfootnotetext=\beamer@frameRTLfootnotetext
2366 \let\@LTRfootnotetext=\beamer@frameLTRfootnotetext
2367
2368 \footdir@temp\footdir@ORG\bidi@beamer@footnotetext\footnotetext{\bidi@footdir@footnote}%
2369 \footdir@temp\footdir@ORG\bidi@beamer@RTLfootnotetext\@RTLfootnotetext{R}%
2370 \footdir@temp\footdir@ORG\bidi@beamer@LTRfootnotetext\@LTRfootnotetext{L}%
2371
2372 \renewcommand<>{\footnote}[1][]{%
2373   \let\beamer@footnotetext=\footnotetext%
2374   \let\beamer@mpfn=\mpfn}

```



```

2375 \let\beamer@thempfn=\thempfn%
2376 \let\beamer@kvorig=\KV@errx%
2377 \let\beamer@xkvorig=\XKV@err
2378 \def\beamer@footarg{}%
2379 \def\KV@errx##1{\edef\beamer@footarg{\@tempa}}%
2380 \def\XKV@err##1{\edef\beamer@footarg{\XKV@tkey}}%
2381 \setkeys{beamerfootnote}{#1}%
2382 \let\KV@errx=\beamer@kvorig%
2383 \let\XKV@errx=\beamer@xkvorig
2384 \ifx\beamer@footarg\empty%
2385   \def\beamer@next{\stepcounter{beamer@mpfn}
2386     \protected@xdef{\thefnmark}{\beamer@thempfn}%
2387     \footnotemark\beamer@footnotetext#2}%
2388 \else%
2389   \def\beamer@next{%
2390     \begin{group}
2391       \csname c@\beamer@mpfn\endcsname\beamer@footarg\relax
2392       \unrestored@protected@xdef{\thefnmark}{\beamer@thempfn}%
2393     \endgroup
2394     \footnotemark\beamer@footnotetext#2}%
2395   \fi%
2396 \beamer@next}
2397
2398 \renewcommand<>{\RTLfootnote}[1][]{%
2399   \let\beamer@RTLfootnotetext=\@RTLfootnotetext%
2400   \let\beamer@mpfn=\@mpfn%
2401   \let\beamer@thempfn=\thempfn%
2402   \let\beamer@kvorig=\KV@errx%
2403   \let\beamer@xkvorig=\XKV@err
2404   \def\beamer@footarg{}%
2405   \def\KV@errx##1{\edef\beamer@footarg{\@tempa}}%
2406   \def\XKV@err##1{\edef\beamer@footarg{\XKV@tkey}}%
2407   \setkeys{beamerfootnote}{#1}%
2408   \let\KV@errx=\beamer@kvorig%
2409   \let\XKV@errx=\beamer@xkvorig
2410   \ifx\beamer@footarg\empty%
2411     \def\beamer@next{\stepcounter{beamer@mpfn}
2412       \protected@xdef{\thefnmark}{\beamer@thempfn}%
2413       \footnotemark\beamer@RTLfootnotetext#2}%
2414   \else%
2415     \def\beamer@next{%
2416       \begin{group}
2417         \csname c@\beamer@mpfn\endcsname\beamer@footarg\relax
2418         \unrestored@protected@xdef{\thefnmark}{\beamer@thempfn}%
2419       \endgroup
2420       \footnotemark\beamer@RTLfootnotetext#2}%
2421   \fi%
2422 \beamer@next}
2423
2424 \renewcommand<>{\LTRfootnote}[1][]{%
2425   \let\beamer@LTRfootnotetext=\@LTRfootnotetext%
2426   \let\beamer@mpfn=\@mpfn%
2427   \let\beamer@thempfn=\thempfn%
2428   \let\beamer@kvorig=\KV@errx%

```



```

2429 \let\beamer@xkvorig=\XKV@err
2430 \def\beamer@footarg{}%
2431 \def\KV@errx##1{\edef\beamer@footarg{\@tempa}}%
2432 \def\XKV@err##1{\edef\beamer@footarg{\XKV@tkey}}%
2433 \setkeys{beamerfootnote}{#1}%
2434 \let\KV@errx=\beamer@xkvorig%
2435 \let\XKV@errx=\beamer@xkvorig
2436 \ifx\beamer@footarg\empty%
2437   \def\beamer@next{\stepcounter{beamer@mpfn}%
2438     \protected@xdef\@thefnmark{\beamer@thempfn}%
2439     \footnotemark\beamer@LTRfootnotetext#2}%
2440 \else%
2441   \def\beamer@next{%
2442     \begingroup%
2443       \csname c@\beamer@mpfn\endcsname\beamer@footarg\relax%
2444       \unrestored@protected@xdef\@thefnmark{\beamer@thempfn}%
2445     \endgroup%
2446     \footnotemark\beamer@LTRfootnotetext#2}%
2447 \fi%
2448 \beamer@next}
2449
2450

```

## 20 File beamerbaseframesize-xetex-bidi.def

```

2451 \ProvidesFile{beamerbaseframesize-xetex-bidi.def}[2022/06/27 v0.1 bidi adaptations for beame
2452 \def\beamer@framezoom<#1><#2>[#3](#4,#5)(#6,#7){%
2453   \par\nointerlineskip%
2454   \global\beamer@slidehaszoomtrue%
2455   \advance\beamer@zoomcount by1\relax%
2456   \def\beamer@zoomborderwidth{0}%
2457   \edef\beamer@labelzoomed{\beamer@labelzoomed@\the\beamer@zoomframecount @\the\beamer@zoomco
2458   \setkeys{beamerzoom}{#3}%
2459   \only<#1>{%
2460     {\hypersetup{pdfhighlight={/P},pdfborder={0 0 \beamer@zoomborderwidth}}%
2461     \global\setbox\@tempboxa=\vbox{\hyperlink{\beamer@labelzoomed}{%
2462       \expandafter\ifx\csname XeTeXrevision\endcsname\relax%
2463         \vbox to #7{%
2464           \hbox to#6{\hfil}%
2465           \vfil}%
2466         }%
2467     \else%
2468       \begingroup%
2469         \normalsize%
2470         \begin{pgfpicture}{#1}{#2}{#3}{#4}{#5}{#6}{#7}%
2471           \pgfsetfillcolor{#1}%
2472           \pgftext[x=0cm,y=3pt]{.}%
2473           \pgftext[x=#6,y=\dimexpr#7-\baselineskip+3pt]{.}%
2474         \end{pgfpicture}%
2475       \endgroup%
2476     \fi%
2477   }}}%
2478   \ht\@tempboxa=Opt%
2479   \wd\@tempboxa=Opt%

```



```

2480   \dp\@tempboxa=0pt%
2481   \setbox\@tempboxa=\vbox{\if@RTL\moveleft\else\moveright\fi#4\hbox{\lower#5\vbox{\box\@te
2482   \ht\@tempboxa=0pt%
2483   \wd\@tempboxa=0pt%
2484   \dp\@tempboxa=0pt%
2485   \global\setbox\beamer@zoombox=\vbox to0pt{\unvbox\beamer@zoombox\box\@tempboxa}%
2486 }%
2487 \only<#2>{%
2488   \@ifundefined{\beamer@labelzoomed}%
2489   {%
2490     \hypertarget{\beamer@labelzoomed}{}%
2491     \expandafter\gdef\csname\beamer@labelzoomed\endcsname{}%
2492   }{%
2493     \gdef\beamer@zoomer{%
2494       % compute zoom factor
2495       \tempdima=\beamer@frametextheight%
2496       \tempdimb=#7\relax%
2497       \tempcpta=\tempdimb%
2498       \divide\tempcpta by4096\relax%
2499       \multiply\tempdima by16\relax%
2500       \divide\tempdima by\tempcpta%
2501       \tempdimb=\paperwidth%
2502       \ifbeamer@plainframe%
2503       \else%
2504         \advance\tempdimb by-\beamer@leftsidebar%
2505         \advance\tempdimb by-\beamer@rightsidebar\relax%
2506     \fi%
2507     \tempdimc=#6\relax%
2508     \tempcntb=\tempdimc%
2509     \divide\tempcntb by4096\relax%
2510     \multiply\tempdimb by16\relax%
2511     \divide\tempdimb by\tempcntb%
2512     \ifdim\tempdimb<\tempdima%
2513       \tempdima=\tempdimb%
2514     \fi%
2515     \edef\beamer@temp{\strip@pt\tempdima}%
2516     \tempdimc=\beamer@frametextheight%
2517     \advance\tempdimc by4pt%
2518     \tempdimb=\paperwidth%
2519     \ifbeamer@plainframe%
2520     \else%
2521       \advance\tempdimb by-\beamer@leftsidebar%
2522       \advance\tempdimb by-\beamer@rightsidebar\relax%
2523     \fi%
2524     \setbox\@tempboxa=\vbox{\hsize=\tempdimb\Acrobatmenu{GoBack}{\vbox to
2525       \beamer@frametextheight{\hbox to\tempdimb{\hfil}\vfil}}}}%
2526     \ht\@tempboxa=0pt%
2527     \wd\@tempboxa=0pt%
2528     \dp\@tempboxa=0pt%
2529     \setbox\beamer@framebox=\vbox to\beamer@frametextheight{%
2530       \ifbeamer@plainframe\beamer@leftmargin=\Gm@lmargin\fi%
2531       \if@RTL%
2532         \begin{pgfpicture}{\paperwidth-\beamer@leftmargin}{-\beamer@frametextheight}{\paper
2533           \pgftext[right,top]{\box\@tempboxa}

```



```

2534 \pgfpathrectangle{\pgfpoint{0pt}{-\@tempdimc}}{\pgfpoint{\@tempdimb}{\@tempdimc}}
2535 \pgfusepath{clip}
2536 \begingroup
2537   \pgftransformscale{\beamer@temp}
2538   \tempdima=#4\relax%
2539   \tempdimb=#5\relax%
2540   {\pgftransformshift{\pgfpoint{\@tempdima+\#6}{\@tempdimb}}%
2541     \pgftext[right,top]{\vbox{\vbox{} \nointerlineskip \unvbox \beamer@framebox}}}
2542   \endgroup
2543 \end{pgfpicture}%
2544 \else
2545 \begin{pgfpicture}{\beamer@leftmargin}{-\beamer@frametextheight}{\beamer@leftmargin}
2546   \pgftext[left,top]{\box\@tempboxa}
2547   \pgfpathrectangle{\pgfpoint{0pt}{-\@tempdimc}}{\pgfpoint{\@tempdimb}{\@tempdimc}}
2548   \pgfusepath{clip}
2549   \begingroup
2550     \pgftransformscale{\beamer@temp}
2551     \tempdima=#4\relax%
2552     \tempdimb=#5\relax%
2553     {\pgftransformshift{\pgfpoint{-\@tempdima}{\@tempdimb}}%
2554       \pgftext[left,top]{\vbox{\vbox{} \nointerlineskip \unvbox \beamer@framebox}}}
2555     \endgroup
2556   \end{pgfpicture}%
2557   \fi
2558 }%
2559 \setbox\beamer@framebox=\vbox{%
2560   \nobreak\vbox{} \nobreak\par\nobreak\beamer@entrycode\nobreak%
2561   \nointerlineskip\unvbox\beamer@frametitlebox%
2562   \nobreak%
2563   \box\beamer@framebox%
2564   \nobreak%
2565   \vss%
2566   \beamer@exitcode%
2567 }%
2568 \global\setbox\beamer@footins=\box\voidb@x% no footnotes in zoomed slides
2569 }%
2570 }%
2571 }%
2572
2573

```

## 21 File beamerbaselocalstructure-xetex-bidi.def

```

2574 \ProvidesFile{beamerbaselocalstructure-xetex-bidi.def}[2022/05/24 v0.1 bidi adaptations for
2575 \def\beamer@enum@{%
2576   \beamer@computepref@\itemdepth% sets \beameritemnestingprefix
2577   \usebeamertemplate{itemize/enumerate \beameritemnestingprefix body}%
2578   \bgroup
2579   \usebeamercolor[fg]{itemize/enumerate \beameritemnestingprefix body}%
2580   \usebeamertemplate{itemize/enumerate \beameritemnestingprefix body begin}%
2581   \egroup
2582   \expandafter
2583   \list
2584     {\usebeamertemplate{\beamer@enumtemp1}}%

```



```

2585   {\usecounter{\enumctr}%
2586     \def\makelabel##1{{\hss\llap{%%
2587       \usebeamerfont*{enumerate \beameritemnestingprefix item}%
2588       \usebeamercolor[fg]{enumerate \beameritemnestingprefix item}##1}}}}%
2589   \beamer@cramped}%
2590 \bidi@beamer@ragged}%
2591 \beamer@firstlineitemizeunskip}%
2592 }%
2593 \renewcommand{\itemize}[1][]{%
2594   \ifblank{#1}{}{\def\beamer@defaultospec{#1}}%
2595   \ifnum \itemdepth >2\relax\@toodeep\else
2596     \advance\itemdepth\@ne
2597     \beamer@computepref{\itemdepth} sets \beameritemnestingprefix
2598     \usebeamerfont{itemize/enumerate \beameritemnestingprefix body}%
2599     \bgroup
2600     \usebeamercolor[fg]{itemize/enumerate \beameritemnestingprefix body}%
2601     \usebeamertemplate{itemize/enumerate \beameritemnestingprefix body begin}%
2602     \egroup
2603     \list
2604       {\usebeamertemplate{itemize \beameritemnestingprefix item}}%
2605       {\def\makelabel##1{%
2606         {%
2607           \hss\llap{%%
2608             \usebeamerfont*{itemize \beameritemnestingprefix item}%
2609             \usebeamercolor[fg]{itemize \beameritemnestingprefix item}##1}}}}%
2610         }%
2611       }%
2612     }%
2613   }%
2614 \fi}%
2615 \beamer@cramped}%
2616 \bidi@beamer@ragged}%
2617 \beamer@firstlineitemizeunskip}%
2618 }%
2619 \def\@@description{%
2620   \advance\beamer@descdefault by \labelsep%
2621   \usebeamerfont{description body}%
2622   \bgroup
2623   \usebeamercolor[fg]{description body}%
2624   \usebeamertemplate{description body begin}%
2625   \egroup
2626   \list
2627   {}%
2628   {\labelwidth\beamer@descdefault\leftmargin\beamer@descdefault\let\makelabel\beamer@descrip
2629   \beamer@cramped}%
2630   \bidi@beamer@ragged
2631   \beamer@firstlineitemizeunskip}%
2632 }%
2633 }%
2634 \renewenvironment{thebibliography}[1]
2635 {%\leavevmode\unskip}%
2636 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
2637 \bidi@thebibliography@font@hook}%
2638 
```



```

2639 \list{@biblabel{@arabic@c@enumiv}}%
2640   {\settowidth\labelwidth{\beamer@biblabeltemplate{@biblabel{#1}}}}%
2641   \leftmargin\labelwidth
2642   \advance\leftmargin\labelsep
2643   \itemsep=0pt%
2644   \partopsep=0pt%
2645   \topsep=0pt%
2646   \usecounter{enumiv}%
2647   \let\p@enumiv\empty
2648   \renewcommand{\theenumiv}{@arabic@c@enumiv}
2649   \let\makelabel\beamer@biblabeltemplate}%
2650   \slloppy\bidi@beamer@ragged
2651   \clubpenalty10000
2652   \clubpenalty \clubpenalty
2653   \widowpenalty10000%
2654   \sfcod`.\.@\m}
2655   {\def@noitemerr
2656     {\@latex@warning{Empty `thebibliography' environment}}%
2657     \ifhmode\unskip\fi\endlist}
2658
2659

```

## 22 File beamerbasemisc-xetex-bidi.def

```

2660 \ProvidesFile{beamerbasemisc-xetex-bidi.def}[2022/06/27 v0.1 bidi adaptations for beamerbase
2661 \define@key{beamerst}{width}{%
2662   \def\beamer@ststart{%
2663     \begin{minipage}[t]{#1}%
2664       \bidi@beamer@ragged
2665       \beamer@stalign
2666       \beamer@stlinebreakrule
2667     }%
2668   \def\beamer@stend{\end{minipage}}}
2669
2670

```

## 23 File beamerbasenavigation-xetex-bidi.def

```

2671 \ProvidesFile{beamerbasenavigation-xetex-bidi.def}[2022/06/27 v0.2 bidi adaptations for beam
2672 \def\slideentry#1#2#3#4#5#6{%
2673   %section number, subsection number, slide number, first/last frame, page number, part numb
2674   \ifnum#6=\c@part\ifnum#1>0\ifnum#3>0%
2675     \ifbeamer@compress%
2676       \advance\beamer@xpos by1\relax%
2677     \else%
2678       \ifnum#2=0%
2679         \beamer@ypos@offset=1\relax%
2680       \fi
2681       \beamer@xpos=#3\relax%
2682       \beamer@ypos=#2\relax%
2683       \advance\beamer@ypos by \beamer@ypos@offset\relax
2684     \fi%
2685   \hbox to 0pt{%
2686     \beamer@tempdim=-\beamer@vboxoffset%

```



```

2687   \advance\beamer@tempdim by-\beamer@boxsize%
2688   \multiply\beamer@tempdim by\beamer@ypos%
2689   \advance\beamer@tempdim by -.05cm%
2690   \raise\beamer@tempdim\hbox{%
2691     \beamer@tempdim=\beamer@boxsize%
2692     \multiply\beamer@tempdim by\beamer@xpos%
2693     \advance\beamer@tempdim by -\beamer@boxsize%
2694     \advance\beamer@tempdim by 1pt%
2695     \kern\beamer@tempdim
2696     \global\beamer@section@min@dim\beamer@tempdim
2697     \hbox{\beamer@link(#4){%
2698       \usebeamertemplate{mini frame}%
2699       \ifnum\c@section=#1%
2700         \ifnum\c@subsection=#2%
2701           \usebeamercolor[fg]{mini frame}%
2702           \ifnum\c@subsectionslide=#3%
2703             \usebeamertemplate{mini frame}%\beamer@minislidetitle%
2704             \else%
2705               \usebeamertemplate{mini frame in current subsection}%\beamer@minislide%
2706             \fi%
2707             \else%
2708               \usebeamercolor{mini frame}%
2709               \%color{fg!50!bg}%
2710               \usebeamertemplate{mini frame in other subsection}%\beamer@minislide%
2711             \fi%
2712             \else%
2713               \usebeamercolor{mini frame}%
2714               \%color{fg!50!bg}%
2715               \usebeamertemplate{mini frame in other subsection}%\beamer@minislide%
2716             \fi%
2717           }}}\hskip-10cm plus 1fil%
2718     }\fi\fi%
2719   \else%
2720   \fakeslideentry{#1}{#2}{#3}{#4}{#5}{#6}%
2721   \fi\ignorespaces
2722 }
2723
2724 \pgfdefobject{bidi@beamer@RTL@gotosymbol}{\pgfpoint{0pt}{-1pt}}{\pgfpoint{5pt}{5pt}}
2725 {
2726   \pgfpathqmoveto{3.5bp}{0.5bp}
2727   \pgfpathqlineto{1.5bp}{2bp}
2728   \pgfpathqlineto{3.5bp}{3.5bp}
2729   \pgfusepathqfill
2730 }
2731
2732 \def\insertgotosymbol{%
2733 \if@RTL
2734   \begin{pgfpicture}{-1pt}{0pt}{4pt}{5pt}
2735     \pgfuseobject{bidi@beamer@RTL@gotosymbol}%
2736   \end{pgfpicture}%
2737 \else
2738   \begin{pgfpicture}{1pt}{0pt}{6pt}{5pt}
2739     \pgfuseobject{beamergotosymbol}%
2740   \end{pgfpicture}%

```



```

2741 \fi
2742 }
2743
2744 \pgfdefobject{bidi@beamer@RTL@skipssymbol}{\pgfpoint{0pt}{-1pt}}{\pgfpoint{7pt}{5pt}}
2745 {
2746   \pgfpathqmoveto{5.5bp}{0.5bp}
2747   \pgfpathqlineto{3.5bp}{2bp}
2748   \pgfpathqlineto{5.5bp}{3.5bp}
2749   \pgfpathqmoveto{3.5bp}{0.5bp}
2750   \pgfpathqlineto{1.5bp}{2bp}
2751   \pgfpathqlineto{3.5bp}{3.5bp}
2752   \pgfusepathqfill
2753 }
2754
2755 \def\insertskipssymbol{%
2756 \if@RTL
2757   \begin{pgfpicture}{-1pt}{0pt}{6pt}{5pt}
2758     \pgfuseobject{bidi@beamer@RTL@skipssymbol}%
2759   \end{pgfpicture}%
2760 \else
2761   \begin{pgfpicture}{1pt}{0pt}{8pt}{5pt}
2762     \pgfuseobject{beamerskipssymbol}%
2763   \end{pgfpicture}%
2764 \fi
2765 }
2766
2767 \pgfdefobject{bidi@beamer@RTL@returnsymbol}{\pgfpoint{0pt}{-1pt}}{\pgfpoint{5pt}{5pt}}
2768 {
2769   \pgfpathqmoveto{1.5bp}{0.5bp}
2770   \pgfpathqlineto{3.5bp}{2bp}
2771   \pgfpathqlineto{1.5bp}{3.5bp}
2772   \pgfusepathqfill
2773 }
2774
2775 \def\insertreturnsymbol{%
2776 \if@RTL
2777   \begin{pgfpicture}{-1pt}{0pt}{4pt}{5pt}
2778     \pgfuseobject{bidi@beamer@RTL@returnsymbol}%
2779   \end{pgfpicture}%
2780 \else
2781   \begin{pgfpicture}{1pt}{0pt}{6pt}{5pt}
2782     \pgfuseobject{beamerreturnsymbol}%
2783   \end{pgfpicture}%
2784 \fi
2785 }
2786
2787

```

## 24 File beamerbaseoverlay-xetex-bidi.def

```

2788 \ProvidesFile{beamerbaseoverlay-xetex-bidi.def}[2022/06/10 v0.1 bidi adaptations for beamerb
2789 \renewcommand<>{\color}{\alt#1{\beameroriginal{\color}}{\beamer@gobbleoptionalinsp}}
2790
2791

```



## 25 File beamerinnerthemedefault-xetex-bidi.def

```
2792 \ProvidesFile{beamerinnerthemedefault-xetex-bidi.def}[2022/06/27 v0.6 bidi adaptations for b
2793 \newcommand*\bidi@beamer@leftskip}{%
2794   \if@RTL
2795     \rightskip
2796   \else
2797     \leftskip
2798   \fi
2799 }
2800
2801 \newcommand*\bidi@beamer@rightskip}{%
2802   \if@RTL
2803     \leftskip
2804   \else
2805     \rightskip
2806   \fi
2807 }
2808
2809 \bidi@csundef{beamer@@tmpop@subsection in toc@default}
2810
2811 \bidi@csundef{beamer@@tmpop@subsubsection in toc@default}
2812
2813 \defbeamertemplate*{subsection in toc}{default}
2814 {\leavevmode\bidi@beamer@leftskip=1.5em\inserttocsubsection\par}
2815
2816 \defbeamertemplate*{subsubsection in toc}{default}
2817 {\leavevmode\normalsize\usebeamertemplate{subsection in toc}\bidi@beamer@leftskip=3em%
2818   \usebeamertemplate{subsubsection in toc}\inserttocsubsubsection\par}
2819
2820 \newcommand*\bidi@beamer@blacktriangle}{%
2821   \if@RTL
2822     $\blacktriangleright$%
2823   \else
2824     $\blacktriangleleft$%
2825   \fi
2826 }
2827
2828 \bidi@csundef{beamer@@tmpop@itemize item@default}
2829
2830 \bidi@csundef{beamer@@tmpop@itemize subitem@default}
2831
2832 \bidi@csundef{beamer@@tmpop@itemize subsubitem@default}
2833
2834 \defbeamertemplate*{itemize item}{default}{\usebeamertemplate{itemize item}\raise1.25pt\hbox{\d
2835 \defbeamertemplate*{itemize subitem}{default}{\usebeamertemplate{itemize subitem}\raise1.5pt\hbox{\d
2836 \defbeamertemplate*{itemize subsubitem}{default}{\usebeamertemplate{itemize subsubitem}\raise1.
2837
2838 \bidi@undef\beamer@@tmpop@footnote@default
2839
2840 \defbeamertemplate*{footnote}{default}{%
2841   \parindent 1em\noindent%
2842   \bidi@beamer@ragged
```



```

2844   \hbox to 1.8em{\hfil\insertfootnotemark}\insertfootnotetext\par%
2845 }
2846
2847 \defbeamertemplate*{RTLfootnote}{default}
2848 {
2849   \parindent 1em\noindent%
2850   \raggedleft
2851   \hbox to 1.8em{\hfil\insertfootnotemark}\insertfootnotetext\par%
2852 }
2853
2854 \defbeamertemplate*{LTRfootnote}{default}
2855 {
2856   \parindent 1em\noindent%
2857   \raggedright
2858   \hbox to 1.8em{\hfil\insertfootnotemark}\insertfootnotetext\par%
2859 }
2860
2861 \bidi@undef\beamer@@tmpop@caption@default
2862
2863 \defbeamertemplate*{caption}{default}
2864 {%
2865   \bidi@beamer@ragged
2866   {%
2867     \leavevmode
2868     \usebeamercolor[fg]{caption name}%
2869     \usebeamertemplate*{caption name}%
2870     \insertcaptionname
2871     \usebeamertemplate{caption label separator}%
2872   }%
2873   \insertcaption\par
2874 }
2875
2876 \bidi@csundef{beamer@@tmpop@block begin@default}
2877
2878 \bidi@csundef{beamer@@tmpop@block alerted begin@default}
2879
2880 \bidi@csundef{beamer@@tmpop@block example begin@default}
2881
2882 \defbeamertemplate*{block begin}{default}
2883 {
2884   \par\vskip\medskipamount%
2885   \begin{beamercolorbox}[colsep*=.75ex]{block title}
2886     \usebeamertemplate*{block title}\insertblocktitle%
2887   \end{beamercolorbox}%
2888   {\parskip0pt\par}%
2889   \ifbeamercolorempty[bg]{block title}
2890   {}
2891   \ifbeamercolorempty[bg]{block body}{}{\nointerlineskip\vskip-0.5pt}%
2892   \usebeamertemplate*{block body}%
2893   \begin{beamercolorbox}[colsep*=.75ex,vmode]{block body}%
2894     \ifbeamercolorempty[bg]{block body}{\vskip-.25ex}{\leavevmode\vskip-\dimexpr.75ex+\basel}
2895   }
2896
2897 \defbeamertemplate*{block alerted begin}{default}

```



```

2898 {
2899   \par\vskip\medskipamount%
2900   \begin{beamercolorbox}[colsep*=.75ex]{block title alerted}%
2901     \usebeamertfont*{block title alerted}\insertblocktitle%
2902   \end{beamercolorbox}%
2903   {\parskip0pt\par}%
2904   \ifbeamercolorempty[bg]{block title alerted}%
2905   {}%
2906   \ifbeamercolorempty[bg]{block body alerted}{}{\nointerlineskip\vskip-0.5pt}%
2907   \usebeamertfont{block body alerted}%
2908   \begin{beamercolorbox}[colsep*=.75ex,vmode]{block body alerted}%
2909     \ifbeamercolorempty[bg]{block body alerted}{\vskip-.25ex}{\leavevmode\vskip-\dimexpr.75ex-0.25ex}%
2910   }%
2911   \defbeamertemplate*{block example begin}{default}%
2912   {\par\vskip\medskipamount%
2913     \begin{beamercolorbox}[colsep*=.75ex]{block title example}%
2914       \usebeamertfont*{block title example}\insertblocktitle%
2915     \end{beamercolorbox}%
2916     {\parskip0pt\par}%
2917     \ifbeamercolorempty[bg]{block title example}%
2918     {}%
2919     \ifbeamercolorempty[bg]{block body example}{}{\nointerlineskip\vskip-0.5pt}%
2920     \usebeamertfont{block body example}%
2921     \begin{beamercolorbox}[colsep*=.75ex,vmode]{block body example}%
2922       \ifbeamercolorempty[bg]{block body example}{\vskip-.25ex}{\leavevmode\vskip-\dimexpr.75ex-0.25ex}%
2923     }%
2924   }%
2925   \bidi@csundef{beamer@@tmpop@abstract begin@default}%
2926   \defbeamertemplate*{abstract begin}{default}%
2927   {\beamercolorbox[vmode]{abstract}\bidi@beamer@leftskip2em\bidi@beamer@rightskip2em plus 1fill}
2928   \bidi@undef\beamer@@tmpop@button@default%
2929   \defbeamertemplate*{button}{default}%
2930   {%
2931     \setbox\beamer@tempbox=\hbox{\insertbuttonontext}%
2932     \ht\beamer@tempbox=6pt%
2933     \dp\beamer@tempbox=0pt%
2934     \setbox\beamer@tempbox=\vbox{\box\beamer@tempbox\vskip2pt}%
2935     \beamer@tempdim=\wd\beamer@tempbox%
2936     \beamer@dima=\beamer@tempdim\advance\beamer@dima by2.2pt%
2937     \beamer@dimb=\beamer@tempdim\advance\beamer@dimb by4pt%
2938     \if@RTL%
2939       \kern4pt%
2940       \box\beamer@tempbox%
2941       \hskip-\beamer@tempdim%
2942     \fi%
2943     \begin{pgfpicture}{-4pt}{0pt}{\the\beamer@tempdim}{8pt}%
2944       \color{bg}%
2945       \pgfsetlinewidth{0.8pt}%
2946       \pgfpathmoveto{0pt}{0pt}%
2947     }%
2948   }%

```



```

2952 \pgfpathqcurveto{-2.2pt}{0pt}{-4pt}{1.8pt}{-4pt}{4pt}
2953 \pgfpathqcurveto{-4pt}{-6.2pt}{-2.2pt}{8pt}{0pt}{8pt}
2954 \pgfpathlineto{\pgfpoint{\the\beamer@tempdim}{8pt}}
2955 \pgfpathcurveto%
2956 {\pgfpoint{\the\beamer@dima}{8pt}}%
2957 {\pgfpoint{\the\beamer@dimb}{6.2pt}}%
2958 {\pgfpoint{\the\beamer@dimb}{4pt}}%
2959 \pgfpathcurveto%
2960 {\pgfpoint{\the\beamer@dimb}{1.8pt}}%
2961 {\pgfpoint{\the\beamer@dima}{0pt}}%
2962 {\pgfpoint{\the\beamer@tempdim}{0pt}}
2963 \pgfpathclose
2964 \pgfusepathqfill
2965 \colorlet{bg}{parent.bg}
2966 \usebeamercolor[fg]{button border}
2967 \pgfpathqmoveto{0pt}{0pt}
2968 \pgfpathqcurveto{-2.2pt}{0pt}{-4pt}{1.8pt}{-4pt}{4pt}
2969 \pgfpathqcurveto{-4pt}{-6.2pt}{-2.2pt}{8pt}{0pt}{8pt}
2970 \pgfpathlineto{\pgfpoint{\the\beamer@tempdim}{8pt}}
2971 \pgfpathcurveto%
2972 {\pgfpoint{\the\beamer@dima}{8pt}}%
2973 {\pgfpoint{\the\beamer@dimb}{6.2pt}}%
2974 {\pgfpoint{\the\beamer@dimb}{4pt}}%
2975 \pgfpathcurveto%
2976 {\pgfpoint{\the\beamer@dimb}{1.8pt}}%
2977 {\pgfpoint{\the\beamer@dima}{0pt}}%
2978 {\pgfpoint{\the\beamer@tempdim}{0pt}}
2979 \pgfpathclose
2980 \pgfusepathqstroke
2981 \end{pgfpicture}%
2982 \if@RTL
2983 \else
2984 \hskip-\beamer@tempdim%
2985 \box\beamer@tempbox%
2986 \kern4pt%
2987 \fi
2988 }
2989
2990

```

## 26 File beamerinnerthemecircles-xetex-bidi.def

```

2991 \ProvidesFile{beamerinnerthemecircles-xetex-bidi.def}[2022/06/06 v0.1 bidi adaptations for b
2992 \setbeamertemplate{sections/subsections in toc}[circle]
2993

```

## 27 File beamerinnerthemefocus-xetex-bidi.def

```

2994 \ProvidesFile{beamerinnerthemefocus-xetex-bidi.def}[2022/06/13 v0.1 bidi adaptations for bea
2995 \setbeamertemplate{section in toc}[square]
2996 \setbeamertemplate{subsection in toc}[square]
2997
2998 \setbeamertemplate{itemize items}[square]
2999 \setbeamertemplate{itemize subitem}[triangle]

```



```

3000 \bidi@csundef{beamer@@tmpop@title page@focus}
3001
3002
3003 \defbeamertemplate*{title page}{focus}{%
3004     {%
3005         \usebeamercolor{frametitle}\colorlet{focus@@temp}{bg}%
3006         \begin{tikzpicture}[overlay, remember picture]
3007             \fill[color=focus@@temp] (current page.north west) rectangle ([shift = {(0, -0.4
3008             \end{tikzpicture}
3009     }%
3010
3011     \vspace{-1.65\baselineskip}
3012     \begin{minipage}[b]{0.35\paperheight}{\textwidth}
3013         \vspace{\baselineskip}
3014         \usebeamertitlefont
3015         \usebeamercolor[fg]{frametitle}
3016         \inserttitle
3017     \end{minipage}
3018
3019     \begin{minipage}[t]{0.1\paperheight}{\textwidth}
3020         \usebeamertitlefont
3021         \usebeamercolor[fg]{frametitle}
3022         \insertsubtitle
3023     \end{minipage}
3024
3025     % Set the title graphic in a zero-height box, so that
3026     % the position of other elements is not affected.
3027     {\vuzz=9999pt\vbox to 0pt {
3028         \if@RTL
3029             \raggedright
3030         \else
3031             \raggedleft
3032         \fi
3033         \inserttitlegraphic
3034     }%
3035
3036     \begin{minipage}[t]{\textwidth}
3037         \usebeamertitlefont
3038         \insertauthor
3039     \end{minipage}
3040
3041     \vspace{\baselineskip}
3042     \begin{minipage}[t]{\textwidth}
3043         \usebeamertitlefont
3044         \insertinstitute
3045     \end{minipage}
3046
3047     \vspace{\baselineskip}
3048     \begin{minipage}[t]{\textwidth}
3049         \usebeamertitlefont
3050         \insertdate
3051     \end{minipage}
3052
3053     \vspace{0pt plus 100fill}

```



```

3054     \addtocounter{framenumber}{-1}
3055     \addtocounter{realframenumber}{-1}
3056 }
3058
3059
3060

```

## 28 File beamerinnerthemainmargin-xetex-bidi.def

```

3061 \ProvidesFile{beamerinnerthemainmargin-xetex-bidi.def}[2022/06/09 v0.1 bidi adaptations for
3062 \AtBeginDocument{%
3063   \setbeamersize{sidebar width left=.25\paperwidth}%
3064 }
3065
3066 \bidi@csundef{beamer@@tmpop@section in toc@inmargin}
3067
3068 \bidi@csundef{beamer@@tmpop@title page@inmargin}
3069
3070 \bidi@csundef{beamer@@tmpop@block begin@inmargin}
3071
3072 \bidi@csundef{beamer@@tmpop@block end@inmargin}
3073
3074 \bidi@csundef{beamer@@tmpop@block alerted begin@inmargin}
3075
3076 \bidi@csundef{beamer@@tmpop@block alerted end@inmargin}
3077
3078 \bidi@csundef{beamer@@tmpop@block example begin@inmargin}
3079
3080 \bidi@csundef{beamer@@tmpop@block example end@inmargin}
3081
3082 \defbeamertemplate*{section in toc}{inmargin}
3083 {\leavevmode
3084   \beamer@putleft{{\usebeamercolor[fg]{section in toc}\inserttocsection}\strut}{2.5ex}}
3085
3086 \defbeamertemplate*{title page}{inmargin}
3087 {
3088   \begin{block}{\inserttitleindicator}
3089     \bgroup\usebeamercolor[fg]{title}\usebeamertfont{title}\inserttitle\egroup\par
3090     \usebeamercolor[fg]{subtitle}\usebeamertfont{subtitle}\insertsubtitle
3091   \end{block}
3092   \vfill
3093   \ifx\insertauthor\empty
3094   \else
3095   \begin{block}{\insertauthorindicator}
3096     \bgroup\usebeamercolor[fg]{author}\usebeamertfont{author}\insertauthor\egroup\par
3097   \end{block}
3098   \fi
3099   \ifx\insertinstitute\empty
3100   \else
3101   \begin{block}{\insertinstituteindicator}
3102     \bgroup\usebeamercolor[fg]{institute}\usebeamertfont{institute}\insertinstitute\egroup\par
3103   \end{block}
3104   \fi

```



```

3105 \ifx\insertdate\empty
3106 \else
3107 \begin{block}{\insertdateindicator}
3108   \bgroup\usebeamercolor[fg]{date}\usebeamerfont{date}\insertdate\egroup\par
3109 \end{block}
3110 \fi
3111 }
3112
3113 \defbeamertemplate*{block begin}{inmargin}
3114 {
3115   \par\vskip\medskipamount%
3116   \leavevmode%
3117   \beamer@putleft{\normalfont{\usebeamercolor[fg]{block title}\usebeamerfont*[block title]\i
3118   \begin{L}\beamer@putright
3119   \%{\usebeamercolor[fg]{block body}}% to be done!
3120 }
3121
3122 \defbeamertemplate*{block end}{inmargin}
3123 {\endbeamer@putright\end{L}\vskip\smallskipamount}
3124
3125 \defbeamertemplate*{block alerted begin}{inmargin}
3126 {
3127   \par\vskip\medskipamount%
3128   \leavevmode%
3129   \beamer@putleft{\normalfont{\usebeamercolor[fg]{block title alerted}\usebeamerfont*[block
3130   \begin{L}\beamer@putright
3131   \%{\usebeamercolor[fg]{block body alerted}}% to be done!
3132 }
3133
3134 \defbeamertemplate*{block alerted end}{inmargin}
3135 {\endbeamer@putright\end{L}\vskip\smallskipamount}
3136
3137 \defbeamertemplate*{block example begin}{inmargin}
3138 {
3139   \par\vskip\medskipamount%
3140   \leavevmode%
3141   \beamer@putleft{\normalfont{\usebeamercolor[fg]{block title example}\usebeamerfont*[block
3142   \begin{L}\beamer@putright
3143   \%{\usebeamercolor[fg]{block body example}}% to be done
3144 }
3145
3146 \defbeamertemplate*{block example end}{inmargin}
3147 {\endbeamer@putright\end{L}\vskip\smallskipamount}
3148
3149 \bidi@AfterFile{beamerinnerthememetropolis-xetex-bidi.def}{%
3150   \setbeamertemplate{section in toc}{inmargin}%
3151   \setbeamertemplate{subsection in toc}{inmargin}%
3152   \setbeamertemplate{subsubsection in toc}{inmargin}%
3153 }
3154
3155

```

## 29 File beamerinnerthememetropolis-xetex-bidi.def



```

3156 \ProvidesFile{beamerinnerthememetropolis-xetex-bidi.def}[2022/06/13 v0.1 bidi adaptations fo
3157 \setbeamertemplate{title}{
3158   \bidi@beamer@ragged%
3159   \linespread{1.0}%
3160   \inserttitle%
3161   \par%
3162   \vspace*{0.5em}%
3163 }
3164
3165 \setbeamertemplate{subtitle}{
3166   \bidi@beamer@ragged%
3167   \insertsubtitle%
3168   \par%
3169   \vspace*{0.5em}%
3170 }
3171
3172 \bidi@csundef{beamer@@tmpop@section page@progressbar}
3173
3174 \defbeamertemplate{section page}{progressbar}{
3175   \centering
3176   \begin{minipage}{22em}
3177     \bidi@beamer@ragged
3178     \usebeamercolor[fg]{section title}
3179     \usebeamertfont{section title}
3180     \insertsectionhead\[-1ex]
3181     \usebeamertemplate*{progress bar in section page}
3182     \par
3183     \ifx\insertsubsectionhead\empty\else%
3184       \usebeamercolor[fg]{subsection title}%
3185       \usebeamertfont{subsection title}%
3186       \insertsubsectionhead
3187     \fi
3188   \end{minipage}
3189   \par
3190   \vspace{\baselineskip}
3191 }
3192
3193 \setbeamertemplate{progress bar in section page}{
3194   \setlength{\metropolis@progressonsectionpage}{%
3195     \textwidth * \ratio{\insertframenum pt}{\inserttotalframenum pt}%
3196   }%
3197   \begin{tikzpicture}
3198     \fill[bg] (0,0) rectangle (\textwidth, \metropolis@progressonsectionpage@linewidth);
3199   \if@RTLmain
3200     \fill[fg] (\textwidth-\metropolis@progressonsectionpage,0) rectangle (\textwidth, \metropo
3201   \else
3202     \fill[fg] (0,0) rectangle (\metropolis@progressonsectionpage, \metropolis@progressonsec
3203   \fi
3204   \end{tikzpicture}%
3205 }
3206
3207 \renewcommand{\metropolis@block}[1]{
3208   \par\vskip\medskipamount%
3209   \setlength{\parskip}{0pt}

```



```

3210 \ifbeamercolorempty[bg]{block title#1}{%
3211   \if@RTL
3212     \begin{beamercolorbox}[leftskip=0pt plus 4em]{block title#1}%
3213   \else
3214     \begin{beamercolorbox}[rightskip=0pt plus 4em]{block title#1}%
3215   \fi
3216 }{%
3217 \ifbeamercolorempty[bg]{block title}{%
3218   \if@RTL
3219     \begin{beamercolorbox}[leftskip=0pt plus 4em]{block title#1}%
3220   \else
3221     \begin{beamercolorbox}[rightskip=0pt plus 4em]{block title#1}%
3222   \fi
3223 }%
3224 {%
3225 \if@RTL
3226   \begin{beamercolorbox}[
3227     sep=\dimexpr\metropolis@blocksep-\metropolis@blockadjust\relax,
3228     rightskip=\metropolis@blockadjust,
3229     leftskip=\dimexpr\metropolis@blockadjust plus 4em\relax
3230   ]{block title#1}%
3231 \else
3232   \begin{beamercolorbox}[
3233     sep=\dimexpr\metropolis@blocksep-\metropolis@blockadjust\relax,
3234     leftskip=\metropolis@blockadjust,
3235     rightskip=\dimexpr\metropolis@blockadjust plus 4em\relax
3236   ]{block title#1}%
3237   \fi
3238 }{%
3239   \usebeamertfont*{block title#1}%
3240   \metropolis@strut%
3241   \insertblocktitle%
3242   \metropolis@strut%
3243 \end{beamercolorbox}%
3244 \nointerlineskip%
3245 \ifbeamercolorempty[bg]{block body#1}{%
3246   \begin{beamercolorbox}[vmode]{block body#1}%
3247 \ifbeamercolorempty[bg]{block body}{%
3248   \begin{beamercolorbox}[vmode]{block body#1}%
3249 }{%
3250   \begin{beamercolorbox}[sep=\metropolis@blocksep, vmode]{block body#1}%
3251   \vspace{-\metropolis@parskip}%
3252 }{%
3253   \usebeamertfont{block body#1}%
3254   \setlength{\parskip}{\metropolis@parskip}%
3255 }
3256
3257
3258 \setbeamertemplate{footnote}{%
3259   \parindent 0em\noindent%
3260   \bidi@beamer@ragged
3261   \usebeamercolor{footnote}\hbox to 0.8em{\hfil\insertfootnotemark}\insertfootnotetext\par%
3262 }
3263

```



```

3264 \setbeamertemplate{RTLfootnote}{%
3265   \parindent 0em\noindent%
3266   \raggedleft
3267   \usebeamercolor{footnote}\hbox to 0.8em{\hfil\insertfootnotemark}\insertfootnotetext\par%
3268 }
3269
3270 \setbeamertemplate{LTRfootnote}{%
3271   \parindent 0em\noindent%
3272   \raggedright
3273   \usebeamercolor{footnote}\hbox to 0.8em{\hfil\insertfootnotemark}\insertfootnotetext\par%
3274 }
3275
3276 \setbeamertemplate{itemize items}{\textbullet}
3277
3278 \setbeamertemplate{section page}[progressbar]
3279
3280

```

## 30 File beamerinnerthemerectangles-xetex-bidi.def

```

3281 \ProvidesFile{beamerinnerthemerectangles-xetex-bidi.def}[2022/06/06 v0.1 bidi adaptations fo
3282 \setbeamertemplate{sections/subsections in toc}[square]
3283 \setbeamertemplate{items}[square]
3284

```

## 31 File beamerinnertherounded-xetex-bidi.def

```

3285 \ProvidesFile{beamerinnertherounded-xetex-bidi.def}[2022/06/01 v0.1 bidi adaptations for b
3286 \setbeamertemplate{blocks}[rounded][shadow=\beamer@therounded@shadow]
3287 \setbeamertemplate{items}[ball]
3288 \setbeamertemplate{sections/subsections in toc}[ball]
3289

```

## 32 File beamerrouterthemedefault-xetex-bidi.def

```

3290 \ProvidesFile{beamerrouterthemedefault-xetex-bidi.def}[2022/06/27 v0.2 bidi adaptations for b
3291 \def\beamer@fteleft{\if@RTLmain\vskip0.35cm\advance\leftskip by 1.7cm\advance\rightskip by1.
3292
3293 \def\beamer@fteright{\if@RTLmain\else\vskip0.35cm\advance\leftskip by 1.7cm\advance\rightski
3294
3295 \AtBeginDocument{%
3296   \if@RTLmain
3297     \setbeamertemplate{frametitle}[default][right]
3298   \fi
3299 }
3300
3301 \bidi@csundef{beamer@@tmpop@note page@default}
3302
3303 \newcommand*{\bidi@beamer@today}{%
3304   \the\year-\ifnum\month<10\relax0\fi\the\month-\ifnum\day<10\relax0\fi\the\day}
3305
3306 \defbeamertemplate*{note page}{default}{%
3307   {%
3308     {%

```



```

3309   \scriptsize
3310   \usebeamertemplate{note title}\usebeamercolor[fg]{note title}%
3311   \ifbeamercolorempty[bg]{note title}{}{%
3312     \insertvrule{.25\paperheight}{note title.bg}%
3313     \vskip-.25\paperheight%
3314     \nointerlineskip%
3315   }%
3316   \vbox{%
3317     \hfill\insertslideintonotes{0.25}\hspace{-\Gm@rmargin}\hspace{0pt}%
3318     \vskip-0.25\paperheight%
3319     \nointerlineskip%
3320     \if@RTL%
3321       \begin{pgfpicture}{-\textwidth}{0cm}{-\textwidth}{0cm}%
3322         \begin{pgfflowlevelslope}{\pgftransformrotate{-90}}%
3323           \pgftransformshift{\pgfpoint{2cm}{0.2cm}}%
3324           \pgftext[base,right]{\usebeamertemplate{note date}\usebeamercolor[fg]{note date}\bidi@b}
3325         \end{pgfflowlevelslope}%
3326       \end{pgfpicture}%
3327     \else%
3328       \begin{pgfpicture}{0cm}{0cm}{0cm}{0cm}%
3329         \begin{pgfflowlevelslope}{\pgftransformrotate{90}}%
3330           \pgftransformshift{\pgfpoint{-2cm}{0.2cm}}%
3331           \pgftext[base,left]{\usebeamertemplate{note date}\usebeamercolor[fg]{note date}\bidi@b}
3332         \end{pgfflowlevelslope}%
3333       \end{pgfpicture}%
3334     \fi}%
3335   \nointerlineskip%
3336   \vbox to .25\paperheight{\vskip0.5em%
3337   \if@RTL%
3338     \overright{0.25\textwidth}%
3339   \fi%
3340     \hbox{\insertshorttitle[width=0.75\textwidth]}%
3341     \setbox\beamer@tempbox=\hbox{\insertsection}%
3342   }%
3343 \if@RTL%
3344   \overright{\dimexpr0.29\textwidth-14pt}\relax%
3345 \fi%
3346 \hbox{\if@RTL\beginR\fi\ifdim\wd\beamer@tempbox>1pt{\hspace{4pt}\raise3pt\hbox{\vrule
3347   width0.4pt height7pt\vrule width 9pt
3348   height0.4pt}}\hspace{1pt}\hbox{\begin{minipage}[t]{0.71\textwidth}\def\breakhere{}%
3349   \if@RTL\endR\fi}%
3350   \setbox\beamer@tempbox=\hbox{\insertsubsection}%
3351 \if@RTL%
3352   \overright{\dimexpr0.29\textwidth-27.4pt}\relax%
3353 \fi%
3354 \hbox{\if@RTL\beginR\fi\ifdim\wd\beamer@tempbox>1pt{\hspace{17.4pt}\raise3pt\hbox{\vrule
3355   width0.4pt height7pt\vrule width 9pt
3356   height0.4pt}}\hspace{1pt}\hbox{\begin{minipage}[t]{0.71\textwidth}\def\breakhere{}%
3357   \if@RTL\endR\fi}%
3358   \setbox\beamer@tempbox=\hbox{\insertshortframetitle}%
3359 \if@RTL%
3360   \overright{\dimexpr0.33\textwidth-40.8pt}\relax%
3361 \fi%
3362 \hbox{\if@RTL\beginR\fi\ifdim\wd\beamer@tempbox>1pt{\hspace{30.8pt}\raise3pt\hbox{\vrule

```



```

3363         width0.4pt height7pt\vrule width 9pt
3364         height0.4pt}}\hskip1pt\hbox{\insertshortframetitle[width=0.67\textwidth]}\fi%
3365     \if@RTL\endR\fi}%
3366     \vfil}%
3367 }%
3368 \ifbeamercolorempty[bg]{note page}{}{%
3369     \nointerlineskip%
3370     \insertvrule{.75\paperheight}{note page.bg}%
3371     \vskip-.75\paperheight%
3372 }%
3373 \vskip.25em
3374 \nointerlineskip
3375 \insertnote
3376 }
3377
3378
3379

```

### 33 File beamerouterthemefocus-xetex-bidi.def

```

3380 \ProvidesFile{beamerouterthemefocus-xetex-bidi.def}[2022/06/13 v0.1 bidi adaptations for bea
3381 \bidi@undef\beamer@tmp@footline@progressbar
3382
3383 \defbeamertemplate*{footline}{progressbar}{%
3384     % If not appendix.
3385     \ifnum\mainend<0% From package appendixnumberbeamer.
3386         %
3387         \settowidth{\focus@pbar@leftoffset}{1}%
3388         \addtolength{\focus@pbar@leftoffset}{1.5em}%
3389         %
3390         \ifx\beamer@focus@totalframenumber\no%
3391             \settowidth{\focus@pbar@rightoffset}{}
3392             \addtolength{\focus@pbar@rightoffset}{0.5em}%
3393         \else%
3394             \settowidth{\focus@pbar@rightoffset}{\inserttotalframenumber}%
3395             \addtolength{\focus@pbar@rightoffset}{1.5em}%
3396         \fi%
3397         %
3398     % If not title page.
3399     \ifnum\value{realframenumber}>0%
3400         \ifnum\value{framenumber}<\inserttotalframenumber%
3401             \begin{tikzpicture}[inner xsep=0.5em, inner ysep=0.5ex]\usebeamertfont{footli
3402                 \pgfmathsetmacro{\focus@pbar@progress}{%
3403                     (\paperwidth-\focus@pbar@leftoffset-\focus@pbar@rightoffset)*(\inse
3404
3405                     \clip (0,0) rectangle ++(\paperwidth,\the\focus@pbar@height);
3406 \if@RTLmain
3407             \fill[footline.bg] (\paperwidth,0) rectangle ++(-\the\focus@pbar@leftoff
3408             \fill[footline.bg] (\paperwidth-\the\focus@pbar@leftoffset,0) rectangle
3409             +(0,{-.5*\the\focus@pbar@height}) node[anchor=west,
3410 \else
3411             \fill[footline.bg] (0,0) rectangle ++(\the\focus@pbar@leftoffset,\the\fo
3412             \fill[footline.bg] (\the\focus@pbar@leftoffset,0) rectangle ++
3413             +(0,{-.5*\the\focus@pbar@height}) node[anchor=east,
```



```

3414 \fi
3415           \ifx\beamer@focus@totalframenumbering\no%
3416           \else%
3417 \if@RTLmain
3418             \fill[footline.bg] (0,0) rectangle ++(\the\focus@pbar@rightoffset,\t
3419                                         ++(0,\f-0.5*\the\focus@pbar@height}) node[anchor=e
3420 \else
3421             \fill[footline.bg] (\paperwidth,0) rectangle ++(-\the\focus@pbar@rig
3422                                         ++(0,\f-0.5*\the\focus@pbar@height}) node[anchor=w
3423 \fi
3424           \fi%
3425           \end{tikzpicture}%
3426       \else%
3427         \begin{tikzpicture}[inner xsep=0.5em, inner ysep=0.5ex]
3428           \clip (0,0) rectangle ++(\paperwidth,\the\focus@pbar@height);
3429           \fill[footline.bg] (0,0) rectangle ++(\paperwidth,\the\focus@pbar@height)
3430 \if@RTLmain
3431           \node[anchor=west, footnote.fg] at ({\the\focus@pbar@rightoffset},{0.5*\v
3432 \else
3433           \node[anchor=east, footnote.fg] at ({\paperwidth-\the\focus@pbar@rightof
3434 \fi
3435           \ifx\beamer@focus@totalframenumbering\no%
3436           \else%
3437 \if@RTLmain
3438             \node[footline.fg] at ({\the\focus@pbar@rightoffset},{0.5*\focus@pba
3439             \node[anchor=east, footline.fg] at ({\the\focus@pbar@rightoffset},{0.
3440 \else
3441             \node[footline.fg] at ({\paperwidth-\the\focus@pbar@rightoffset},{0.
3442             \node[anchor=west, footline.fg] at ({\paperwidth-\the\focus@pbar@rig
3443 \fi
3444           \fi%
3445           \end{tikzpicture}%
3446       \fi%
3447     \fi%
3448   \fi%
3449 }
3450
3451

```

## 34 File beamerouterthemefolines-xetex-bidi.def

```

3452 \ProvidesFile{beamerouterthemefolines-xetex-bidi.def}[2022/06/09 v0.2 bidi adaptations for
3453 \bidi@csundef{beamer@tmpop@footline@folines theme}
3454
3455 \defbeamertemplate*{footline}{folines theme}
3456 {%
3457   \leavevmode%
3458   \hbox{%
3459     \begin{beamercolorbox}[wd=.333333\paperwidth,ht=2.25ex,dp=1ex,center]{author in head/foot}
3460       \usebeamertemplate{author in head/foot}\insertshortauthor\expandafter\ifblank\expandafter{\b
3461     \end{beamercolorbox}%
3462     \begin{beamercolorbox}[wd=.333333\paperwidth,ht=2.25ex,dp=1ex,center]{title in head/foot}%
3463       \usebeamertemplate{title in head/foot}\insertshorttitle
3464     \end{beamercolorbox}%

```



```

3465 \begin{beamercolorbox}[wd=.333333\paperwidth,ht=2.25ex,dp=1ex,leftskip=2ex,rightskip=2ex]{}
3466   \hfill%
3467   \usebeamertemplate{date in head/foot}%
3468   \insertshortdate{}%
3469   \hfill%
3470   \bgroup
3471   \usebeamercolor[fg]{page number in head/foot}%
3472   \usebeamertemplate{page number in head/foot}%
3473   \usebeamertemplate{page number in head/foot}%
3474   \egroup
3475 \end{beamercolorbox}}%
3476 \vskip0pt%
3477 }
3478
3479 \bidi@csundef{beamer@@tmpop@headline@infolines theme}
3480
3481 \defbeamertemplate*{headline}{infolines theme}{%
3482   \leavevmode%
3483   \hbox{%
3484     \if@RTL%
3485       \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.65ex,dp=1.5ex,left]{section in head/foot}%
3486     \else%
3487       \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.65ex,dp=1.5ex,right]{section in head/foot}%
3488     \fi%
3489     \usebeamertemplate{section in head/foot}\insertsectionhead\hspace*{2ex}%
3490   \end{beamercolorbox}%
3491   \if@RTL%
3492     \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.65ex,dp=1.5ex,right]{subsection in head/foot}%
3493   \else%
3494     \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.65ex,dp=1.5ex,left]{subsection in head/foot}%
3495   \fi%
3496     \usebeamertemplate{subsection in head/foot}\hspace*{2ex}\insertsubsectionhead%
3497   \end{beamercolorbox}}%
3498 \end{beamercolorbox}}%
3499 \vskip0pt%
3500 }
3501
3502 \bidi@AfterFile{beamerrouterthememetropolis-xetex-bidi.def}{%
3503   \setbeamertemplate{footline}{infolines theme}%
3504 }
3505

```

## 35 File beamerrouterthememetropolis-xetex-bidi.def

```

3506 \ProvidesFile{beamerrouterthememetropolis-xetex-bidi.def}[2022/06/13 v0.1 bidi adaptations for
3507 \setbeamertemplate{progress bar in head/foot}{%
3508   \nointerlineskip%
3509   \setlength{\metropolis@progressinheadfoot}{%
3510     \paperwidth * \ratio{\insertframenumber pt}{\inserttotalframenumber pt}%
3511   }%
3512   \begin{beamercolorbox}[wd=\paperwidth]{progress bar in head/foot}%
3513     \begin{tikzpicture}%
3514       \fill[bg] (0,0) rectangle (\paperwidth, \metropolis@progressinheadfoot@linewidth);%
3515   \if@RTLmain

```



```

3516      \fill[fg] (\paperwidth-\metropolis@progressinheadfoot,0) rectangle (\paperwidth, \metr
3517 \else
3518     \fill[fg] (0,0) rectangle (\metropolis@progressinheadfoot, \metropolis@progressinheadf
3519 \fi
3520   \end{tikzpicture}%
3521 \end{beamercolorbox}
3522 }
3523
3524 \AtBeginDocument{%
3525   \setbeamertemplate{frametitle}[plain]%
3526 }
3527
3528

```

## 36 File beamerouterthememiniframes-xetex-bidi.def

```

3529 \ProvidesFile{beamerouterthememiniframes-xetex-bidi.def}[2022/06/09 v0.1 bidi adaptations fo
3530 \bidi@csundef{beamer@@tmpop@headline@miniframes theme}
3531
3532 \defbeamertemplate*{headline}{miniframes theme}%
3533 {%
3534   \begin{beamercolorbox}[colsep=1.5pt]{upper separation line head}
3535   \end{beamercolorbox}
3536   \begin{beamercolorbox}{section in head/foot}
3537     \vskip2pt\if@RTL\beginR\fi\insertnavigation{\paperwidth}\if@RTL\endR\fi\vskip2pt
3538   \end{beamercolorbox}%
3539   \ifbeamer@theme@subsection%
3540     \begin{beamercolorbox}[colsep=1.5pt]{middle separation line head}
3541     \end{beamercolorbox}
3542     \if@RTL
3543       \begin{beamercolorbox}[ht=2.5ex,dp=1.125ex,%
3544         rightskip=.3cm,leftskip=.3cm plus1fil]{subsection in head/foot}
3545     \else
3546       \begin{beamercolorbox}[ht=2.5ex,dp=1.125ex,%
3547         leftskip=.3cm,rightskip=.3cm plus1fil]{subsection in head/foot}
3548     \fi
3549       \usebeamertfont{subsection in head/foot}\insertsubsectionhead
3550     \end{beamercolorbox}%
3551   \fi%
3552   \begin{beamercolorbox}[colsep=1.5pt]{lower separation line head}
3553   \end{beamercolorbox}
3554 }
3555
3556

```

## 37 File beamerouterthemesidebar-xetex-bidi.def

```

3557 \ProvidesFile{beamerouterthemesidebar-xetex-bidi.def}[2022/06/07 v0.2 bidi adaptations for b
3558 \bidi@csundef{beamer@@tmpop@frametitle@sidebar theme}
3559
3560 \bidi@csundef{beamer@@tmpop@headline@sidebar theme}
3561
3562 \bidi@csundef{beamer@@tmpop@sidebar left@sidebar theme}
3563

```



```

3564 \bidi@csundef{beamer@@tmpop@sidebar right@sidebar theme}
3565
3566 \ifdim\beamer@headheight>0pt
3567
3568 \defbeamertemplate*{frametitle}{sidebar theme}
3569 {%
3570   \nointerlineskip%
3571   \ifbeamer@plainframe%
3572     \hbox{\usebeamercolor[bg]{frametitle}%
3573       \tempdima\paperwidth\advance\tempdima-\beamer@sidebarwidth
3574       \hspace{-\beamer@leftmargin}\rule{height\beamer@headheight width\tempdima}{\hspace{-\beamer@leftmargin}}%
3575       \nointerlineskip%
3576     \fi%
3577     \vskip-\beamer@headheight%
3578     \vbox to \beamer@headheight{%
3579       \vfil
3580       \bidi@beamer@leftskip=-\beamer@leftmargin%
3581       \advance\bidi@beamer@leftskip by 0.3cm%
3582       \bidi@beamer@rightskip=-\beamer@rightmargin%
3583       \advance\bidi@beamer@rightskip by 0.3cm plus 1fil%
3584       {\usebeamercolor[fg]{frametitle}\usebeamertfont{frametitle}\strut\insertframetitle\par}%
3585       \ifx\insertframesubtitle\empty\else%
3586         {\usebeamercolor[fg]{framesubtitle}\usebeamertfont{framesubtitle}\strut\insertframesubtitle}%
3587       \fi%
3588       \vbox{}%
3589       \vskip-1em%
3590       \vfil
3591     }%
3592   }
3593
3594 \AtBeginDocument{%
3595   \setbeamertemplate{frametitle}[sidebar theme]%
3596 }
3597
3598 \defbeamertemplate*{headline}{sidebar theme}
3599 {%
3600   \begin{beamercolorbox}[wd=\paperwidth]{frametitle}
3601     \ifx\beamer@sidebarside\beamer@lefttext%
3602     \else%
3603       \hfill%
3604     \fi%
3605     \ifdim\beamer@sidebarwidth>0pt%
3606       \bgroup
3607       \usebeamercolor[bg]{logo}%
3608       \if@RTLmain
3609       \else
3610         \rule{width\beamer@sidebarwidth height \beamer@headheight}{\hspace{-\beamer@sidebarwidth}}%
3611       \fi
3612       \hbox to \beamer@sidebarwidth{\hss\vbox to
3613         \beamer@headheight{\vss\hbox{\color{fg}\insertlogo}\vss}\hss}%
3614       \if@RTLmain
3615         \hspace{-\beamer@sidebarwidth}%
3616         \rule{width\beamer@sidebarwidth height \beamer@headheight}{\hspace{-\beamer@sidebarwidth}}%
3617     \fi
3618   
```



```

3618         \fi
3619         \egroup
3620     \else%
3621         \vrule width0pt height \beamer@headheight%
3622     \fi%
3623 \end{beamercolorbox}
3624 }
3625 \fi
3626
3627 \def\beamer@sidebarformat#1#2#3{%
3628 \if@RTL
3629   \begin{beamercolorbox}[wd=\beamer@sidebarwidth,rightskip=#1,leftskip=1ex plus1fil,vmode]{#2}
3630 \else
3631   \begin{beamercolorbox}[wd=\beamer@sidebarwidth,leftskip=#1,rightskip=1ex plus1fil,vmode]{#2}
3632 \fi
3633   \vbox{#3}%
3634   #3\par%
3635   \vbox{#3}%
3636   \vskip-1.5ex%
3637 \end{beamercolorbox}
3638 }
3639
3640 \ifdim\beamer@sidebarwidth>0pt
3641 \AtBeginDocument{%
3642   \setbeamersize{sidebar width \beamer@sidebarside=\beamer@sidebarwidth}%
3644 }
3645
3646 \defbeamertemplate*{sidebar}{\beamer@sidebarside}{sidebar theme}{%
3647   {
3648     \beamer@tempdim=\beamer@sidebarwidth%
3649     \advance\beamer@tempdim by -6pt%
3650     {\usebeamertitle{title in sidebar}%
3651       \vskip1.5em%
3652       \hspace{3pt}%
3653       \bgroup
3654         \usebeamercolor{fg}{title in sidebar}%
3655         \insertshorttitle[width=\beamer@tempdim,center,respectlinebreaks]\egroup\par%
3656         \vskip1.25em%
3657     }%
3658   {%
3659     \hspace{3pt}%
3660     \bgroup
3661       \usebeamercolor{fg}{author in sidebar}%
3662       \usebeamertitle{author in sidebar}%
3663       \insertshortauthor[width=\beamer@tempdim,center,respectlinebreaks]\egroup\par%
3664       \vskip1.25em%
3665   }%
3666   \insertverticalnavigation{\beamer@sidebarwidth}%
3667   \vfill
3668   \ifx\beamer@sidebarside\beamer@lefttext%
3669   \else%
3670     \usebeamercolor{normal text}%
3671     \llap{\usebeamertemplate***{navigation symbols}\hspace{0.1cm}}%

```



```

3672      \vskip2pt%
3673      \fi%
3674  }%
3675 \fi
3676

```

## 38 File beamerouterthemessplit-xetex-bidi.def

```

3677 \ProvidesFile{beamerouterthemessplit-xetex-bidi.def}[2022/06/09 v0.2 bidi adaptations for bea
3678 \bidi@csundef{beamer@tmpop@footline@split theme}
3679
3680 \defbeamertemplate*{footline}{split theme}
3681 {%
3682   \leavevmode%
3683   \hbox{\if@RTL\begin{beamercolorbox}[wd=.5\paperwidth,ht=2.5ex,dp=1.125ex,rightskip=.3cm pl
3684 \else
3685 \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.5ex,dp=1.125ex,leftskip=.3cm plus1fill,rightskip
3686 \fi
3687   \usebeamertemplate{author in head/foot}{insertshortauthor}
3688   \end{beamercolorbox}%
3689 \if@RTL
3690   \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.5ex,dp=1.125ex,rightskip=.3cm,leftskip=.3cm
3691 \else
3692   \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.5ex,dp=1.125ex,leftskip=.3cm,rightskip=.3cm p
3693 \fi
3694   \usebeamertemplate{title in head/foot}{insertshorttitle\nobreak\hfill\bgroup\usebeamercolor[
3695   \end{beamercolorbox}%
3696   \vskip0pt%
3697 }
3698
3699

```

## 39 File beamerouterthemeshadow-xetex-bidi.def

```

3700 \ProvidesFile{beamerouterthemeshadow-xetex-bidi.def}[2022/06/11 v0.3 bidi adaptations for be
3701 \pgfdeclarehorizontalshading[frametitle.bg,frametitle right.bg]{bidi@beamer@RTL@frametitleshade}
3702   color(Opt)=(frametitle right.bg);
3703   color(\paperwidth)=(frametitle.bg)
3704 }
3705
3706 \newcommand*{\bidi@beamer@frametitleshade}{%
3707   \if@RTLmain
3708     \pgfuseshading{bidi@beamer@RTL@frametitleshade}%
3709   \else
3710     \pgfuseshading{beamer@frametitleshade}%
3711   \fi
3712 }
3713
3714 \bidi@csundef{beamer@tmpop@frametitle@shadow theme}
3715
3716 \defbeamertemplate*{frametitle}{shadow theme}
3717 {%
3718   \nointerlineskip%
3719   \vskip-2pt%

```



```

3720 \hbox{\leavevmode
3721   \advance\beamer@leftmargin by -12bp%
3722   \advance\beamer@rightmargin by -12bp%
3723   \beamer@tempdim=\textwidth%
3724   \advance\beamer@tempdim by \beamer@leftmargin%
3725   \advance\beamer@tempdim by \beamer@rightmargin%
3726   \hskip-\Gm@lmargin\hbox{%
3727     \setbox\beamer@tempbox=\hbox{\begin{minipage}[b]{\paperwidth}%
3728       \vskip-.75ex%
3729       \bidi@beamer@leftskip0.3cm%
3730       \bidi@beamer@rightskip0.3cm plus1fil\leavevmode
3731       \bgroup\usebeamercolor[fg]{frametitle}\usebeamertfont{frametitle}\strut\insertframe%
3732       \ifx\insertframesubtitle\empty\else%
3733         {\usebeamertfont*{framesubtitle}{\usebeamercolor[fg]{framesubtitle}\insertframesu%
3734         \fi%
3735         \nointerlineskip
3736         \vbox{%
3737           \end{minipage}}%
3738         \beamer@tempdim=\ht\beamer@tempbox%
3739         \advance\beamer@tempdim by 2pt%
3740         \begin{pgfpicture}{0pt}{0pt}{\paperwidth}{\beamer@tempdim}
3741           \begin{pgfscope}
3742             \pgfsetfillcolor{black}%
3743             \pgfpathrectangle{\pgfpoint{0pt}{-4pt}}{\pgfpoint{\paperwidth}{8pt}}%
3744             \pgfsetfading{beamer@topshadowmask}{}%
3745             \pgfusepath{fill}%
3746           \end{pgfscope}
3747           \begin{pgfscope}
3748             \usebeamercolor{frametitle right}%
3749             \pgfpathrectangle{\pgfpointorigin}{\pgfpoint{\paperwidth}{\beamer@tempdim}}%
3750             \pgfusepath{clip}%
3751             \pgftext[left,base]{\bidi@beamer@frametitleshade}%
3752           \end{pgfscope}
3753         \end{pgfpicture}
3754         \hskip-\paperwidth%
3755         \box\beamer@tempbox%
3756       }%
3757       \hskip-\Gm@rmargin%
3758     }%
3759     \vskip-2pt
3760   }
3761 \AtBeginDocument{%
3762   \setbeamertemplate{frametitle}[shadow theme]%
3763 }
3764 }
3765
3766

```

## 40 File beamerouterthemeshSmoothbars-xetex-bidi.def

```

3767 \ProvidesFile{beamerouterthemeshSmoothbars-xetex-bidi.def}[2022/06/09 v0.1 bidi adaptations fo%
3768 \bidi@csundef{beamer@@tmpop@headline@smoothbars theme}
3769
3770 \bidi@csundef{beamer@@tmpop@frametitle@smoothbars theme}

```



```

3771 \defbeamertemplate*{headline}{smoothbars theme}
3772 {%
3773   \pgfuseshading{beamer@barshade}%
3774   \vskip-0.05ex%
3775   \begin{beamercolorbox}[wd=\paperwidth,ht=1ex,dp=0ex]{empty}%
3776     \begin{pgfpicture}%
3777       \begin{pgfscope}%
3778         \ifbeamer@sb@subsection%
3779           \pgfsetfillcolor{subsection in head/foot.bg}%
3780         \else%
3781           \pgfsetfillcolor{section in head/foot.bg}%
3782         \fi%
3783         \pgfpathrectangle{\pgfpoint{-5\paperwidth}{-0.5ex}}{\pgfpoint{\paperwidth}{1ex}}%
3784         \pgfsetfading{beamer@belowframetitlemask}{0}%
3785         \pgfusepath{fill}%
3786       \end{pgfscope}%
3787     \end{pgfpicture}%
3788   \end{beamercolorbox}%
3789   \ifbeamer@sb@subsection%
3790     \vskip-9.75ex%
3791   \else%
3792     \vskip-6.85ex%
3793   \fi%
3794   \begin{beamercolorbox}[ignorebg,ht=2.25ex,dp=3.75ex]{section in head/foot}%
3795     \insertnavigation{\paperwidth}%
3796   \end{beamercolorbox}%
3797   \ifbeamer@sb@subsection%
3798     \vskip-9.75ex%
3799   \fi%
3800   \begin{beamercolorbox}[ignorebg,ht=2.125ex,dp=1.125ex,%
3801     rightskip=.3cm,leftskip=.3cm plus1fil]{subsection in head/foot}%
3802   \else%
3803     \begin{beamercolorbox}[ignorebg,ht=2.125ex,dp=1.125ex,%
3804       leftskip=.3cm,rightskip=.3cm plus1fil]{subsection in head/foot}%
3805     \fi%
3806     \usebeamertfont{subsection in head/foot}\insertsubsectionhead%
3807   \end{beamercolorbox}%
3808 \fi%
3809 }%
3810 %
3811 \defbeamertemplate*{frametitle}{smoothbars theme}
3812 {%
3813   \nointerlineskip%
3814   \vskip-0.19ex%
3815   \usebeamertfont{headline}%
3816   \begin{beamercolorbox}[wd=\paperwidth,ht=1ex,dp=1ex,vmode]{empty}%
3817     \pgfuseshading{beamer@aboveframetitle}%
3818   \end{beamercolorbox}%
3819   \vskip-1ex%
3820   \nointerlineskip%
3821   \if@RTL%
3822     \begin{beamercolorbox}[wd=\paperwidth,rightskip=.3cm,leftskip=.3cm plus1fil,vmode]{frameti}%
3823   \else%
3824     \begin{beamercolorbox}[wd=\paperwidth,leftskip=.3cm,rightskip=.3cm plus1fil,vmode]{frameti}%

```



```

3825 \fi
3826   \vskip0.5ex%
3827   \usebeamerfont*{frametitle}\strut\insertframetitle%
3828     \ifx\insertframesubtitle\empty%
3829       \strut\par%
3830     \else
3831       \par{\usebeamerfont*{framesubtitle}{\usebeamercolor[fg]{framesubtitle}}\strut\insertf
3832     \fi%
3833   \usebeamerfont{headline}%
3834   \vskip0.05ex%
3835 \end{beamercolorbox}%
3836 \nointerlineskip%
3837 \vskip-0.05ex%
3838 \begin{beamercolorbox}[wd=\paperwidth,ht=1ex,dp=0ex]{empty}
3839 \begin{pgfpicture}
3840   \begin{pgfscope}%
3841     \pgfsetfillcolor{frametitle.bg}%
3842     \pgfpathrectangle{\pgfpoint{-0.5\paperwidth}{-0.5ex}}{\pgfpoint{\paperwidth}{1ex}}%
3843     \pgfsetfading{beamer@belowframetitlemask}{0}%
3844     \pgfusepath{fill}%
3845   \end{pgfscope}%
3846 \end{pgfpicture}%
3847 \end{beamercolorbox}%
3848 }
3849
3850 \AtBeginDocument{%
3851   \setbeamertemplate{frametitle}{smoothbars theme}%
3852 }
3853
3854

```

## 41 File beamerouterthemeshoothtree-xetex-bidi.def

```

3855 \ProvidesFile{beamerouterthemeshoothtree-xetex-bidi.def}[2022/06/09 v0.1 bidi adaptations fo
3856 \bidi@csundef{beamer@@tmpop@headline@smoothtree theme}
3857
3858 \bidi@csundef{beamer@@tmpop@frametitle@smoothtree theme}
3859
3860 \defbeamertemplate*{headline}{smoothtree theme}%
3861 {%
3862   \pgfuseshading{beamer@treeshade}%
3863   \vskip-0.05ex%
3864   \begin{beamercolorbox}[wd=\paperwidth,ht=1ex,dp=0ex]{empty}
3865   \begin{pgfpicture}
3866     \begin{pgfscope}%
3867       \pgfsetfillcolor{subsection in head/foot.bg}%
3868       \pgfpathrectangle{\pgfpoint{-0.5\paperwidth}{-0.5ex}}{\pgfpoint{\paperwidth}{1ex}}%
3869       \pgfsetfading{beamer@belowframetitlemask}{0}%
3870       \pgfusepath{fill}%
3871     \end{pgfscope}%
3872   \end{pgfpicture}%
3873 \end{beamercolorbox}%
3874 \vskip-0.15ex%
3875 \if@RTL

```



```

3876 \begin{beamercolorbox}[wd=\paperwidth,ht=1.125ex,dp=1.125ex,ignorebg,%
3877   rightskip=.3cm,leftskip=.3cm plus1fil]{title in head/foot}
3878 \else
3879 \begin{beamercolorbox}[wd=\paperwidth,ht=1.125ex,dp=1.125ex,ignorebg,%
3880   leftskip=.3cm,rightskip=.3cm plus1fil]{title in head/foot}
3881 \fi
3882 \usebeamerfont{title in head/foot}\insertshorttitle
3883 \end{beamercolorbox}
3884 \if@RTL
3885   \begin{beamercolorbox}[wd=\paperwidth,ht=2.125ex,dp=1.125ex,ignorebg,%
3886     rightskip=.3cm,leftskip=.3cm plus1fil]{section in head/foot}
3887 \else
3888 \begin{beamercolorbox}[wd=\paperwidth,ht=2.125ex,dp=1.125ex,ignorebg,%
3889   leftskip=.3cm,rightskip=.3cm plus1fil]{section in head/foot}
3890 \fi
3891 \usebeamerfont{section in head/foot}%
3892 \hspace{6pt}\insertsectionhead
3893 \end{beamercolorbox}
3894 \if@RTL
3895 \begin{beamercolorbox}[wd=\paperwidth,ht=2.125ex,dp=1.125ex,ignorebg,%
3896   rightskip=.3cm,leftskip=.3cm plus1fil]{subsection in head/foot}
3897 \else
3898 \begin{beamercolorbox}[wd=\paperwidth,ht=2.125ex,dp=1.125ex,ignorebg,%
3899   leftskip=.3cm,rightskip=.3cm plus1fil]{subsection in head/foot}
3900 \fi
3901 \usebeamerfont{subsection in head/foot}%
3902 \hspace{12pt}\insertsubsectionhead
3903 \end{beamercolorbox}
3904 \vskip-0.4ex%
3905 }
3906
3907 \defbeamertemplate*{frametitle}{smoothtree theme}
3908 {%
3909   \nointerlineskip%
3910   \vskip-0.05ex%
3911   \usebeamerfont{headline}%
3912   \begin{beamercolorbox}[wd=\paperwidth,ht=0.85ex,dp=0ex]{empty}
3913     \pgfuseshading{beamer@aboveframetitle}%
3914   \end{beamercolorbox}
3915   \nointerlineskip%
3916   \if@RTL
3917   \begin{beamercolorbox}[wd=\paperwidth,rightskip=.935cm,leftskip=.3cm plus1fil]{frametitle}
3918   \else
3919   \begin{beamercolorbox}[wd=\paperwidth,leftskip=.935cm,rightskip=.3cm plus1fil]{frametitle}
3920   \fi
3921   \vskip-1.2ex%
3922   \usebeamerfont*{frametitle}\strut\insertframetitle%
3923   \ifx\insertframesubtitle\empty%
3924     \strut\par%
3925   \else
3926     \par{\usebeamerfont*{framesubtitle}{\usebeamercolor[fg]{framesubtitle}}\strut\inserttf
3927   \fi%
3928   \usebeamerfont{headline}%
3929 \end{beamercolorbox}%

```



```

3930 \nointerlineskip
3931 \vskip-0.2ex%
3932 \begin{beamercolorbox}[wd=\paperwidth,ht=1ex,dp=0ex]{empty}
3933 \begin{pgfpicture}
3934   \begin{pgfscope}%
3935     \pgfsetfillcolor{frametitle.bg}%
3936     \pgfpathrectangle{\pgfpoint{-0.5\paperwidth}{-0.5ex}}{\pgfpoint{\paperwidth}{1ex}}%
3937     \pgfsetfading{beamer@belowframetitlemask}{0}%
3938     \pgfusepath{fill}%
3939   \end{pgfscope}%
3940 \end{pgfpicture}%
3941 \end{beamercolorbox}%
3942 }
3943
3944
3945 \AtBeginDocument{%
3946   \setbeamertemplate{frametitle}{smoothtree theme}%
3947 }
3948
3949

```

## 42 File beamerouterthemetree-xetex-bidi.def

```

3950 \ProvidesFile{beamerouterthemetree-xetex-bidi.def}[2022/06/09 v0.1 bidi adaptations for beam
3951 \bidi@csundef{beamer@ttmpop@headline@tree theme}
3952
3953 \defbeamertemplate*{headline}{tree theme}%
3954 {%
3955   \begin{beamercolorbox}[wd=\paperwidth,colsep=1.5pt]{upper separation line head}
3956   \end{beamercolorbox}
3957   \if@RTL
3958   \begin{beamercolorbox}[wd=\paperwidth,ht=2.5ex,dp=1.125ex,%
3959     rightskip=.3cm,leftskip=.3cm plus1fil]{title in head/foot}
3960   \else
3961   \begin{beamercolorbox}[wd=\paperwidth,ht=2.5ex,dp=1.125ex,%
3962     leftskip=.3cm,rightskip=.3cm plus1fil]{title in head/foot}
3963   \fi
3964   \usebeamertitle{title in head/foot}\insertshorttitle
3965   \end{beamercolorbox}
3966   \if@RTL
3967   \begin{beamercolorbox}[wd=\paperwidth,ht=2.5ex,dp=1.125ex,%
3968     rightskip=.3cm,leftskip=.3cm plus1fil]{section in head/foot}
3969   \else
3970   \begin{beamercolorbox}[wd=\paperwidth,ht=2.5ex,dp=1.125ex,%
3971     leftskip=.3cm,rightskip=.3cm plus1fil]{section in head/foot}
3972   \fi
3973   \usebeamertitle{section in head/foot}%
3974   \ifbeamer@tree@showhooks
3975     \setbox\beamer@tempbox=\hbox{\insertsectionhead}%
3976     \ifdim\wd\beamer@tempbox>1pt%
3977       \hskip2pt\raise1.9pt\hbox{\vrule width0.4pt height1.875ex\vrule width 5pt height0.4pt}%
3978       \hskip1pt%
3979     \fi%
3980   \else%

```



```

3981      \hskip6pt%
3982      \fi%
3983      \insertsectionhead
3984  \end{beamercolorbox}
3985  \if@RTL
3986  \begin{beamercolorbox}[wd=\paperwidth,ht=2.5ex,dp=1.125ex,%
3987    rightskip=.3cm,leftskip=.3cm plus1fil]{subsection in head/foot}
3988  \else
3989  \begin{beamercolorbox}[wd=\paperwidth,ht=2.5ex,dp=1.125ex,%
3990    leftskip=.3cm,rightskip=.3cm plus1fil]{subsection in head/foot}
3991  \fi
3992  \usebeamerfont{subsection in head/foot}%
3993  \ifbeamer@tree@showhooks
3994    \setbox\beamer@tempbox=\hbox{\insertsubsectionhead}%
3995    \ifdim\wd\beamer@tempbox>1pt%
3996      \hskip9.4pt\raise1.9pt\hbox{\vrule width0.4pt height1.875ex\vrule width 5pt height
3997      \hskip1pt}%
3998      \fi%
3999    \else%
4000      \hskip12pt%
4001      \fi%
4002      \insertsubsectionhead
4003  \end{beamercolorbox}
4004  \begin{beamercolorbox}[wd=\paperwidth,colsep=1.5pt]{lower separation line head}
4005  \end{beamercolorbox}
4006 }
4007
4008

```

### 43 File beamerthemeHannover-xetex-bidi.def

```

4009 \ProvidesFile{beamerthemeHannover-xetex-bidi.def}[2022/06/07 v0.1 bidi adaptations for beam
4010 \AtBeginDocument{%
4011   \if@RTLmain
4012     \setbeamertemplate{frametitle}[default][left]%
4013   \else
4014     \setbeamertemplate{frametitle}[default][right]%
4015   \fi
4016 }
4017
4018

```

### 44 File beamerthemeSingapore-xetex-bidi.def

```

4019 \ProvidesFile{beamerthemeSingapore-xetex-bidi.def}[2022/06/09 v0.1 bidi adaptations for beam
4020 \addtoheadtemplate{\pgfuseshading{beamer@headfade}\vskip-1.25cm}{}
4021
4022 \beamertemplatedotitem
4023
4024 \AtBeginDocument{%
4025   \setbeamertemplate{frametitle}[default][center]%
4026 }
4027
4028

```



## 45 File `bidi.sty`

```
4029 \NeedsTeXFormat{LaTeX2e}
4030 \def\bidi@date{2024/12/20}
4031 \def\bidi@version{40.6}
4032 \def\bidi@releasename{John Willard Milnor}
4033 \newcommand*\bidi@releasename{\bidi@releasename}
4034 \ProvidesPackage{bidi}[\bidi@date\space v\bidi@version\space (Release \bidi@releasename)\space]
4035 Bidirectional typesetting in plain TeX and LaTeX
4036 \newif\if@bidi@banner
4037 \newif\if@bidi@pdfbanner
4038 \newif\if@footdir@debug
4039 \newif\if@extrafootnotefeatures
4040 \newif\if@nonlatin
4041 \newif\if@bidi@pdfmark
4042 \newif\if@bidi@perpage@footnote
4043 \ExplSyntaxOn
4044 \keys_define:nn { bidi }
4045   {
4046     banner .choice: ,
4047     banner / on .code:n = \bidi@bannertrue ,
4048     banner / off .code:n = \bidi@bannerfalse ,
4049     banner .default:n = on
4050   }
4051 \keys_define:nn { bidi }
4052   {
4053     PDFbanner .choice: ,
4054     PDFbanner / on .code:n = \bidi@pdfbannertrue ,
4055     PDFbanner / off .code:n = \bidi@pdfbannerfalse ,
4056     PDFbanner .default:n = on
4057   }
4058 \keys_define:nn { bidi }
4059   {
4060     RTLdocument .choice: ,
4061     RTLdocument / on .code:n = \AtEndOfPackage{\@RTLtrue} ,
4062     RTLdocument / off .code:n = \AtEndOfPackage{\@RTLfalse} ,
4063     RTLdocument .default:n = on
4064   }
4065 \keys_define:nn { bidi }
4066   {
4067     rldocument .choice: ,
4068     rldocument / on .code:n = \AtEndOfPackage{\@RTLtrue} ,
4069     rldocument / off .code:n = \AtEndOfPackage{\@RTLfalse} ,
4070     rldocument .default:n = on
4071   }
4072 \keys_define:nn { bidi }
4073   {
4074     documentdirection .choice: ,
4075     documentdirection / righttoleft .code:n = \AtEndOfPackage{\@RTLtrue} ,
4076     documentdirection / lefttoright .code:n = \AtEndOfPackage{\@RTLfalse}
4077   }
4078 \keys_define:nn { bidi }
4079   {
4080     tabledirection .choice: ,
```



```

4081     tabledirection / righttoleft .code:n = \AtEndOfPackage{\@RTLtabtrue} ,
4082     tabledirection / lefttoright .code:n = \AtEndOfPackage{\@RTLtabfalse}
4083   }
4084 \keys_define:nn { bidi }
4085   {
4086     footnotedirection .choice: ,
4087     footnotedirection / righttoleft .code:n = \AtEndOfPackage{\@RTLfootnotetrue} ,
4088     footnotedirection / lefttoright .code:n = \AtEndOfPackage{\@RTLfootnotefalse}
4089   }
4090 \keys_define:nn { bidi }
4091   {
4092     debugfootnotedirection .choice: ,
4093     debugfootnotedirection / on .code:n = \footdir@debugtrue ,
4094     debugfootnotedirection / off .code:n = \footdir@debugfalse ,
4095     debugfootnotedirection .default:n = on
4096   }
4097 \keys_define:nn { bidi }
4098   {
4099     footnoterule .choice: ,
4100     footnoterule / automatic .code:n = \AtEndOfPackage{\autofootnoterule} ,
4101     footnoterule / left .code:n = \AtEndOfPackage{\leftfootnoterule} ,
4102     footnoterule / right .code:n = \AtEndOfPackage{\rightfootnoterule} ,
4103     footnoterule / split .code:n = \AtEndOfPackage{\SplitFootnoteRule} ,
4104     footnoterule / textwidth .code:n = \AtEndOfPackage{\textwidthfootnoterule}
4105   }
4106 \keys_define:nn { bidi }
4107   {
4108     extrafootnotefeatures .choice: ,
4109     extrafootnotefeatures / on .code:n = \extrafootnotefeaturestrue ,
4110     extrafootnotefeatures / off .code:n = \extrafootnotefeaturesfalse ,
4111     extrafootnotefeatures .default:n = on
4112   }
4113 \keys_define:nn { bidi }
4114   {
4115     script .choice: ,
4116     script / latin .code:n = \nonlatinfalse ,
4117     script / nonlatin .code:n = \nonlatintrue ,
4118     script .default:n = latin
4119   }
4120 \keys_define:nn { bidi }
4121   {
4122     DetectColumn .choice: ,
4123     DetectColumn / on .code:n =
4124       \def\bidi@firstcolumn@status@write{%
4125         \protected@write\@auxout{}{%
4126           {\string\bidi@column@status
4127             {1}}}}
4128       \def\bidi@lastcolumn@status@write{%
4129         \protected@write\@auxout{}{%
4130           {\string\bidi@column@status{2}}}} ,
4131     DetectColumn / off .code:n =
4132       \let\bidi@firstcolumn@status@write\relax
4133       \let\bidi@lastcolumn@status@write\relax ,
4134     DetectColumn .default:n = on

```



```

4135  }
4136 \keys_define:nn { bidi }
4137  {
4138    logo .choice: ,
4139    logo / on .code:n = \AtEndOfPackage{\AtBeginDocument{\@bidi@inslogo@}} ,
4140    logo / off .code:n = \let\@bidi@logo@\empty \let\@bidi@inslogo@\empty ,
4141    logo .default:n = on
4142  }
4143 \keys_define:nn { bidi }
4144  {
4145    pdfinfo .choice: ,
4146    pdfinfo / on .code:n = \@bidi@pdfm@marktrue ,
4147    pdfinfo / off .code:n = \@bidi@pdfm@markfalse ,
4148    pdfinfo .default:n = on
4149  }
4150 % The `perpagefootnote' option is documented in UK TeX FAQ at
4151 % <https://texfaq.org/FAQ-footnpp> (see last paragraph)
4152 \keys_define:nn { bidi }
4153  {
4154    perpagefootnote .choice: ,
4155    perpagefootnote / on .code:n = \@bidi@perpage@footnotetrue ,
4156    perpagefootnote / off .code:n = \@bidi@perpage@footnotefalse ,
4157    perpagefootnote .default:n = on
4158  }
4159 \keys_set:nn { bidi }
4160  {
4161    banner = on ,
4162    PDFbanner = on ,
4163    DetectColumn = off
4164
4165  }
4166 \ExplSyntaxOff
4167 \ProcessKeyOptions
4168 \edef\@bidi@info{*****^J%
4169 * ^J%
4170 * bidi package (Bidirectional typesetting in^J%
4171 * plain TeX and LaTeX, using XeTeX engine)^J%
4172 * ^J%
4173 * Description: A convenient interface for^J%
4174 * typesetting bidirectional texts in plain TeX^J%
4175 * and LaTeX. The package includes adaptations^J%
4176 * for use with many other commonly-used packages.^J%
4177 * ^J%
4178 * Copyright (c) 2007--2024 Vafa Khalighi^J%
4179 * Copyright (c) 2018--2020 bidi-tex GitHub organization^J%
4180 * ^J%
4181 * v\bidi@version\space (Release \bidi@releasename), \bididate^J%
4182 * ^J%
4183 * License: LaTeX Project Public License, version^J%
4184 * 1.3c or higher (your choice)^J%
4185 * ^J%
4186 * Location on CTAN: /macros/xetex/latex/bidi^J%
4187 * ^J%
4188 * Issue tracker: https://github.com/xepersian/bidi/issues^J%

```



```

4189 * ^~J%
4190 * Discussions: https://github.com/xepersian/bidi/discussions^~J%
4191 * ^~J%
4192 * Primary author of bidi package: Vafa Khalighi.^~J%
4193 * ^~J%
4194 ****
4195 \edef\bidi@everyjob{\the\everyjob}
4196 \if@bidi@banner
4197   \typeout{@bidi@info}
4198   \everyjob{\bidi@everyjob\typeout{@bidi@info}}
4199 \fi
4200 \newcommand*{\bidi diversion}{\ensuremath{\bidi@version}}
4201 \newcommand*{\IfbidiPackageVersionLater}[1]{%
4202   \ifdim\bidi@version pt > #1 pt %
4203     \expandafter\@firstoftwo
4204   \else
4205     \expandafter\@secondoftwo
4206   \fi}
4207 \newcommand*{\IfbidiPackageVersionBefore}[1]{%
4208   \ifdim\bidi@version pt < #1 pt %
4209     \expandafter\@firstoftwo
4210   \else
4211     \expandafter\@secondoftwo
4212   \fi}
4213 \newcommand*{\IfbidiPackageVersion}[1]{%
4214   \ifdim\bidi@version pt = #1 pt %
4215     \expandafter\@firstoftwo
4216   \else
4217     \expandafter\@secondoftwo
4218   \fi}
4219 \RequirePackage{iftex}
4220 \RequireXeTeX
4221 \RequirePackage{biditools}
4222 \RequirePackage{zref-abspage}
4223 \RequirePackage{auxhook}
4224 \RequirePackage{ltxcmds}
4225 \eqnewif{\if@RTLmain}{\if@rlmain}
4226 \eqnewif{\if@RTL}{\if@rl}
4227 \newcommand*{\setlatin}{\nonlatinfalse}
4228 \newcommand*{\setnonlatin}{\nonlatintrue}
4229 \eqnewif{\if@RTLtab}{\if@tab@rl}
4230 \newif\if@hboxRconstruct
4231 \newif\if@bidi@pdfencrypt
4232 \newcommand*{\setRTLtable}{\RTLtabtrue}
4233 \newcommand*{\setLTRtable}{\RTLtabfalse}
4234 \newif\if@RTLmarginpar
4235 \newif\if@LTRmarginpar
4236 \newif\if@LTRebitems
4237 \newif\if@RTLbibitems
4238 \eqnewif{\if@RTL@footnote}{\if@rl@footnote}
4239 \newif\if@bidi@list@minipage@parbox
4240 \newif\if@bidi@list@minipage@parbox@not@nob
4241 \newcommand*{@bidi@pdfcreator}{%
4242   The bidi package, v\bidi@version\space (Release \bidi@releasename), \bidi@date

```



```

4243 }
4244 \newcommand*{\@bidi@pdfproducer}{%
4245   The bidi package, v\@bidi@version\space (Release \bidi@releasename), \bididate
4246 }
4247 \newcommand*{\@bidi@pdfcustomproperties}{%
4248   This is the bidi package, Version \bidi@version\space (Release \bidi@releasename),
4249   Released December 20, 2024.
4250 }
4251 \newcommand*{\bidi@beamer@ragged}{}%
4252 \@RTLmainfalse
4253 \AtBeginDocument{%
4254   \if@RTLmain\else
4255     \if@RTL\@RTLmaintrue%
4256     \else\@RTLmainfalse%
4257     \fi%
4258   \fi%
4259 }
4260 \let\n@xt=\
4261 \bidi@newrobustcmd*{\LRE}{\protect\pLRE}%
4262 \def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
4263 \bidi@newrobustcmd*{\RLE}{\protect\pRLE}
4264 \def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
4265 \def\brace{text{\ifcat\n@xt{\else\ifcat\n@xt}\fi
4266   \errmessage{Missing left brace has been substituted}\fi \bgroup}
4267 \newinsert{@bidi@copyins@}
4268 \skip@bidi@copyins@=12\p@
4269 \dimen@bidi@copyins@=40pc
4270 \count@bidi@copyins@=1000
4271 \newcommand*{\@bidi@inslogo@}{\insert{@bidi@copyins@{\@bidi@logo@}}}
4272 \newcommand*{\@bidi@logo@hb@xt@columnwidth}{%
4273   \if@RTLmain
4274     \if@twocolumn
4275       \hboxR to \columnwidth
4276     \else
4277       \hboxR to \textwidth
4278     \fi
4279   \else
4280     \if@twocolumn
4281       \hboxL to \columnwidth
4282     \else
4283       \hboxL to \textwidth
4284     \fi
4285   \fi
4286 }
4287 \newcommand*{\@bidi@logo}[1]{%
4288   \toks@{%
4289     \setbox\z@\hbox{%
4290       \special{%
4291         pdf:image width 50pt height 50pt (#1)}%
4292       }%
4293   }%
4294   \dp\z@\z@%
4295   \ht\z@=50pt
4296   \wd\z@=50pt

```



```

4297   \beginL
4298     \lower20pt\box\z@%
4299   \endL
4300 }%
4301 \the\toks@
4302 }
4303 \newcommand*{\@bidi@logo@}{%
4304   \@bidi@logo@hb@xt@columnwidth
4305   {\hss\LR{Typeset by the \textsf{bidi}}
4306    package\quad\bidi@logo{bidi-logo.pdf}}}
4307 \ExplSyntaxOn
4308 \keys_define:nn { bidi / pdfencrypt }
4309 {
4310   userpassword .code:n = \def\bidi@pdfencrypt@userpassword{#1} ,
4311   userpassword .default:n =
4312 }
4313 \keys_define:nn { bidi / pdfencrypt }
4314 {
4315   ownerpassword .code:n = \def\bidi@pdfencrypt@ownerpassword{#1} ,
4316   ownerpassword .default:n =
4317 }
4318 \keys_define:nn { bidi / pdfencrypt }
4319 {
4320   keylength .code:n = \def\bidi@pdfencrypt@keylength{#1} ,
4321   keylength .default:n = 128
4322 }
4323 \keys_define:nn { bidi / pdfencrypt }
4324 {
4325   permissionflags .code:n = \def\bidi@pdfencrypt@permissionflags{#1} ,
4326   permissionflags .default:n = 2052
4327 }
4328 \NewDocumentCommand \pdfencryptsetup {m} { \keys_set:nn { bidi / pdfencrypt } {#1} }
4329 \ExplSyntaxOff
4330 \onlypreamble\pdfencryptsetup
4331 \input{latex-xetex-bidi.def}
4332 \input{loadingorder-xetex-bidi.def}
4333
4334 \pdfencryptsetup{%
4335   userpassword,%
4336   ownerpassword,%
4337   keylength,%
4338   permissionflags%
4339 }
4340
4341 \if@extrafootnotefeatures
4342   \input{extrafootnotefeatures-xetex-bidi.def}
4343 \fi
4344 \newcount\bidi@digits
4345 \XeTeXinterchartokenstate=\@ne
4346 \newXeTeXintercharclass\bidi@digits@charclass
4347 \newXeTeXintercharclass\bidi@sepmark@charclass
4348 \XeTeXcharclass `\. \bidi@sepmark@charclass
4349 \XeTeXcharclass `~- \bidi@sepmark@charclass
4350 \bidi@digits=\`0 \loop \XeTeXcharclass \bidi@digits \bidi@digits@charclass \ifnum\bidi@digit

```



```

4351 \bidi@digits=\`\\loop \XeTeXcharclass \bidi@digits \bidi@digits@charclass \ifnum\bidi@digit
4352 \bidi@digits=\`\\loop \XeTeXcharclass \bidi@digits \bidi@digits@charclass \ifnum\bidi@digit
4353 \XeTeXinterchartoks \bidi@sepmark@charclass \bidi@digits@charclass = {\DigitsDotDashInterCh
4354 \newcommand*{\DigitsDotDashInterCharToks}{\if@nonlatin\char"200F \fi}
4355 \bidi@AtEndPreamble{%
4356   \if@bidi@perpage@footnote
4357     \RequirePackage{bidi-perpage}%
4358     \ResetCounterPerPage{footnote}%
4359   \fi
4360   \ifx\bidi@pdfencrypt@ownerpassword\empty
4361     \ifx\bidi@pdfencrypt@userpassword\empty
4362       \bidi@pdfencryptfalse
4363     \else
4364       \bidi@pdfencrypttrue
4365     \fi
4366   \else
4367     \bidi@pdfencrypttrue
4368   \fi
4369   \if@bidi@pdfencrypt
4370     \special{pdf:encrypt
4371       userpw (\bidi@pdfencrypt@userpassword)
4372       ownerpw (\bidi@pdfencrypt@ownerpassword)
4373       length \bidi@pdfencrypt@keylength
4374       perm \bidi@pdfencrypt@permissionflags
4375     }%
4376   \fi
4377 }
4378 \if@bidi@pdfbanner
4379   \if@bidi@pdfm@mark
4380     \AtEndDocument{%
4381       \special{pdf:%
4382         docinfo<<%
4383           /Creator(\@bidi@pdfcreator)%
4384           /Producer(\@bidi@pdfproducer)%
4385           /BIDI.Fullbanner(\@bidi@pdfcustomproperties)%
4386           \if@bidi@csdef{@xepersian@pdfcustomproperties}{%
4387             /XEPERSIAN.Fullbanner(\@xepersian@pdfcustomproperties)%
4388           }{}%
4389           >>%
4390         }%
4391       }
4392     \else
4393       \AtEndDocument{%
4394         \special{pdf:%
4395           docinfo<<%
4396             /BIDI.Fullbanner(\@bidi@pdfcustomproperties)%
4397             \if@bidi@csdef{@xepersian@pdfcustomproperties}{%
4398               /XEPERSIAN.Fullbanner(\@xepersian@pdfcustomproperties)%
4399             }{}%
4400             >>%
4401           }%
4402       }
4403     \fi
4404   \else

```



```
4405 \if@bidi@pdfm@mark
4406   \AtEndDocument{%
4407     \special{pdf:%
4408       docinfo<<%
4409         /Creator(\@bidi@pdfcreator)%
4410         /Producer(\@bidi@pdfproducer)%
4411       >>}%
4412   }%
4413 }
4414 \fi
4415 \fi
```

46 File bidi.tex

```
4416 \def\bandidate{2024/12/20}
4417 \catcode`@=11
4418 \def\bidi@version{40.6}
4419 \def\bidi@releasename{John Willard Milnor}
4420 \def\bidi@bidireleasename{\bidi@releasename}
4421 \let \protect \relax
4422 \newlinechar`^J
4423 \edef@\bidi@info{*****}
4424 * ^J%
4425 * bidi package (Bidirectional typesetting in^J%
4426 * plain TeX and LaTeX, using XeTeX engine)^J%
4427 * ^J%
4428 * Description: A convenient interface for^J%
4429 * typesetting bidirectional texts in plain TeX^J%
4430 * and LaTeX. The package includes adaptations^J%
4431 * for use with many other commonly-used packages.^J%
4432 * ^J%
4433 * Copyright (c) 2007--2024 Vafa Khalighi^J%
4434 * Copyright (c) 2018--2020 bidi-tex GitHub organization^J%
4435 * ^J%
4436 * v\bidi@version\space (Release \bidi@releasename), \bandidate^J%
4437 * ^J%
4438 * License: LaTeX Project Public License, version^J%
4439 * 1.3c or higher (your choice)^J%
4440 * ^J%
4441 * Location on CTAN: /macros/xetex/latex/bidi^J%
4442 * ^J%
4443 * Issue tracker: https://github.com/xepersian/bidi/issues^J%
4444 * ^J%
4445 * Discussions: https://github.com/xepersian/bidi/discussions^J%
4446 * ^J%
4447 * Primary author of bidi package: Vafa Khalighi.^J%
4448 * ^J%
4449 ****}
4450 \edef\bidi@everyjob{\the\everyjob}
4451 \message{@bidi@info}
4452 \everyjob{\bidi@everyjob\message{@bidi@info}}
4453 \def\bidiversion{%
4454   \relax
4455   \ifmmode
```



```

4456      \bidi@version
4457      \else
4458      \$\bidi@version\$
4459      \fi
4460 }
4461 \input iftex.sty
4462 \RequireXeTeX
4463 \newif\if@bidi@pdfm@mark
4464 \newif\if@RTLmain
4465 \newif\if@RTL
4466 \newif\if@hboxRconstruct
4467 \newif\if@sentrdir
4468 \newif\if@RTL@footnote
4469 \oRTLmainfalse
4470 \def\setRTLmain{%
4471   \if@RTLmain\else
4472     \if@RTL\oRTLmaintrue%
4473     \else\oRTLmainfalse%
4474   \fi%
4475 }%
4476 }
4477 \let\n@xt=\
4478 \protected\def\LRE{\protect\pLRE}%
4479 \def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
4480 \protected\def\RLE{\protect\pRLE}
4481 \def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
4482 \def\brace{text{\ifcat\n@xt{\else\ifcat\n@xt}\fi
4483   \errmessage{Missing left brace has been substituted}\fi \bgroup}
4484 \newinsert\@bidi@copyins@%
4485 \skip\@bidi@copyins@=12\p@
4486 \dimen\@bidi@copyins@=40pc
4487 \count\@bidi@copyins@=1000
4488 \def\@bidi@inslogo@{\insert\@bidi@copyins@\{\@bidi@logo@\}}
4489 \def\@bidi@logo@hb@xt@{%
4490   \if@RTLmain
4491     \hboxR to
4492   \else
4493     \hboxL to
4494   \fi
4495 }
4496 \def\@bidi@logo#1{%
4497   \toks@{%
4498     \setbox\z@\hbox{%
4499       \special{%
4500         pdf:image width 50pt height 50pt (#1)%
4501       }%
4502     }%
4503     \dp\z@\z@%
4504     \ht\z@=50pt
4505     \wd\z@=50pt
4506     \beginL
4507       \lower20pt\box\z@
4508     \endL
4509   }%

```



```

4510   \the\toks@
4511 }
4512 \def\@bidi@logo{\@bidi@logo@hb@xt@\hsize{\hss\LR{Typeset by the bidi package}quad\@bidi@inslogo}}
4513 \def\nobidilogo{\let\@bidi@logo@\empty\let\@bidi@inslogo@\empty}
4514 \def\@bidi@pdfcreator{%
4515   The bidi package, v\bidi@version\space (Release \bidi@releasename), \bidi@date
4516 }
4517 \def\@bidi@pdfproducer{%
4518   The bidi package, v\bidi@version\space (Release \bidi@releasename), \bidi@date
4519 }
4520 \def\@bidi@pdfcustomproperties{%
4521   This is the bidi package, Version \bidi@version\space (Release \bidi@releasename),
4522   Released December 20, 2024.
4523 }
4524 \def\bidi@pdfm@mark{%
4525   \special{pdf:%
4526     docinfo<<%
4527     \if\bidi@pdfm@mark
4528       /Creator(\@bidi@pdfcreator)%
4529       /Producer(\@bidi@pdfproducer)%
4530     \fi
4531     /BIDI.Fullbanner(\@bidi@pdfcustomproperties)%
4532     >>%
4533   }%
4534 }
4535 \def\bidi@pdfinfoon{\@bidi@pdfm@marktrue}
4536 \def\bidi@pdfinfooff{\@bidi@pdfm@markfalse}
4537 \input plain-xetex-bidi.def
4538 \bidi@inslogo@
4539 \outer\def\bye{\par\vfill\supereject\bidi@pdfm@mark\end}
4540 \catcode`@=12
4541 \bidi@pdfinfoon

```

## 47 File `bidi2in1.sty`

```

4542 \NeedsTeXFormat{LaTeX2e}
4543 \ProvidesPackage{bidi2in1}
4544 \pagestyle{plain}
4545 \newcount\evenpage
4546 \newcount\oddpage
4547 \twocolumn
4548 \def\@oddfoot{\evenpage=\thepage%
4549 \multiply\evenpage by 2%
4550 \oddpage=\the\evenpage%
4551 \advance\oddpage by -1%
4552 \hfil\the\evenpage\hfil\hfil\the\oddpage\hfil}%
4553 \def\@evenfoot{\evenpage=\thepage%
4554 \multiply\evenpage by 2%
4555 \oddpage=\the\evenpage%
4556 \advance\oddpage by -1%
4557 \hfil\the\oddpage\hfil\hfil\the\evenpage\hfil}%
4558 \textwidth 9.49in
4559 \textheight 6.7in
4560 \columnsep 0.9in

```



```

4561 \columnseprule 0.125pt
4562 \headheight 0cm
4563 \topmargin 0in
4564 \marginparwidth 0in
4565 \marginparsep 0in
4566 \hoffset 0.05in % Corrected
4567 \voffset -0.5in % top margin space is 1.0in by default
4568 \oddsidemargin 0in
4569 \evensidemargin 0in
4570 \headsep 0cm
4571 \topskip 0cm
4572 \parskip 0.15in      %
4573 \headsep 0pt
4574 \special{papersize=11.69in,8.26in}
4575 \renewcommand{\maketitle}{\par
4576 \begingroup
4577 \renewcommand{\thefootnote}{\@fnsymbol\c@footnote}%
4578 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
4579 \long\def\@makefntext{\par\indent 1em\noindent
4580 \hb@xt@1.8em{%
4581 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
4582 \maketitle
4583 \thanks
4584 \endgroup
4585 \setcounter{footnote}{0}%
4586 \global\let\thanks\relax
4587 \global\let\maketitle\relax
4588 \global\let\@maketitle\relax
4589 \global\let\@thanks\empty
4590 \global\let\@author\empty
4591 \global\let\@date\empty
4592 \global\let\@title\empty
4593 \global\let\title\relax
4594 \global\let\author\relax
4595 \global\let\date\relax
4596 \global\let\and\relax
4597 }

```

## 48 File `bidicode.sty`

```

4598 \NeedsTeXFormat{LaTeX2e}
4599 \ProvidesPackage{bidicode}
4600 \RequirePackage{xcolor}
4601 \RequirePackage{showexpl}
4602 \definecolor{hellgelb}{rgb}{1,1,0.85}
4603 \definecolor{colKeys}{rgb}{0.2,0.4,0.8}
4604 \definecolor{colCS}{rgb}{0.2,0.4,0.8}
4605 \definecolor{colIdentifier}{rgb}{0,0,0}
4606 \definecolor{colComments}{rgb}{1,0,0}
4607 \definecolor{colString}{rgb}{0,0.5,0}
4608 \lstset{%
4609   language=[LaTeX]TeX,%
4610   float=hbp,%
4611   basicstyle=\ttfamily\small,%

```



```

4612 identifierstyle=\color{colIdentifier},%
4613 keywordstyle=\color{colKeys},%
4614 texcsstyle=\color{colCS},%
4615 stringstyle=\color{colString},%
4616 commentstyle=\color{colComments},%
4617 backgroundcolor=\color{hellgelb},%
4618 columns=flexible,%
4619 tabsize=4,%
4620 extendedchars=true,%
4621 showspaces=false,%
4622 showstringspaces=false,%
4623 numbers=left,%
4624 numbersep=0.9em,%
4625 numberstyle=\tiny,%
4626 frame=single,%
4627 captionpos=b,%
4628 xleftmargin=1em,%
4629 breaklines=true,%
4630 breakautoindent=false,%
4631 breakindent=0pt,%
4632 escapeinside=**,%
4633 pos=r,%
4634 explpreset={%
4635   xleftmargin=1em,%
4636   columns=flexible,%
4637   language=[LaTeX]TeX%
},%
4638 moretexcs={%
4639   bididate,%
4640   bidiversion,%
4641   deflatinfont,%
4642   defpersianfont,%
4643   ding,%
4644   endLTR,%
4645   endRTL,%
4646   false,%
4647   falsesymbol,%
4648   junicode,%
4649   lr,%
4650   LR,%
4651   LRE,%
4652   LTR,%
4653   maketitle,%
4654   Nastaliq,%
4655   newfontfamily,%
4656   Parsifont,%
4657   part,%
4658   RL,%
4659   RLE,%
4660   RTL,%
4661   RTLcases,%
4662   SepMark,%
4663   setLR,%
4664   setLTR,%
4665

```



```

4666      setRL,%
4667      setRTL,%
4668      settextfont,%
4669      subsection,%
4670      subsubsection,%
4671      tableofcontents,%
4672      text,%
4673      theequation,%
4674      thesection,%
4675      true,%
4676      truesymbol,%
4677      XePersian,%
4678      xepersiandate,%
4679      xepersianversion%
4680      }%
4681 }
4682 \newcommand\HLON{%
4683   \gdef\lst@alloverstyle##1{%
4684     \fboxrule=0pt
4685     \fboxsep=0pt
4686     \fcolorbox{hellgelb}{hellgelb}{\bfseries\strut##1}%
4687   }%
4688 \newcommand\HLOFF{%
4689   \xdef\lst@alloverstyle##1{##1}%
4690 }%
4691 \newcommand\Larg [1]{\normalfont\itshape#1\}}
4692 \newcommand\Larga[1]{$\langle$ \Larg{#1} $\rangle$}
4693 \newcommand\Largb[1]{\lcb \Larg{#1} \rcb}
4694 \newcommand\Largs[1]{\lsb \Larg{#1} \rsb}
4695 \newcommand\Lagr[1]{\lrb \Larg{#1} \rrb}
4696 \newcommand\LBEG[1]{\normalfont\ttfamily\bs{}begin\lcb#1\rcb\}}
4697 \newcommand\LEND[1]{\normalfont\ttfamily\bs{}end\lcb#1\rcb\}}
4698
4699 \DeclareRobustCommand\bs{{\normalfont\ttfamily\symbol{92}}}
4700 \DeclareRobustCommand\lcb{{\normalfont\ttfamily\char`{`}}
4701 \DeclareRobustCommand\rcb{{\normalfont\ttfamily\char`'}}}
4702 \DeclareRobustCommand\lsb{{\normalfont\ttfamily[]}}
4703 \DeclareRobustCommand\rsb{{\normalfont\ttfamily[]}}
4704 \DeclareRobustCommand\lrb{{\normalfont\ttfamily(})}
4705 \DeclareRobustCommand\rrb{{\normalfont\ttfamily)}}
```

4706

```

4707 \def\Lcs#1{\nxLcs{#1}}
4708 \def\LcsStar#1{\nxLcs{#1}\OptArg*{*}}
4709 \def\nxLcs#1{\texttt{\symbol{92}#1}}
4710
4711 \def\Coordx#1{$x_{\#1}$}
4712 \def\Coordy#1{$y_{\#1}$}
4713 \def\Coordz#1{$z_{\#1}$}
4714 \def\Coord#1{\Coordx{#1},\kern 1pt\Coordy{#1}}
4715 \def\Coordn{\Coordx{n},\kern 1pt\Coordy{n}}
4716 \def\CoordIII#1{\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1}}
4717 \def\CAny{\Coordx{},\kern 1pt\Coordy{}}
4718 \def\CIILAny{\Coordx{},\kern 1pt\Coordy{},\kern 1pt\Coordz{}}
4719 \def\coord#1{(\Coordx{#1},\kern 1pt\Coordy{#1})}
```



```

4720 \def\coordn{(\Coordx{n},\kern 1pt\Coordy{n})}
4721 \def\coordiii#1{(\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1})}
4722 \def\coordx#1{($x_{\#1}$)}
4723 \def\coordy#1{($y_{\#1}$)}
4724 \def\coordz#1{($z_{\#1}$)}
4725 \def\cAny{(\Coordx{},\kern 1pt\Coordy{})}
4726 \def\ciiiAny{(\Coordx{},\kern 1pt\Coordy{},\kern 1pt\Coordz{})}
4727
4728 \newsavebox{\boxdef}
4729 \newenvironment{BDef}
4730   {\begin{lrbox}\boxdef
4731     \def\arraystretch{1.0}
4732     \begin{tabular}{@{}l@{}l@{}l@{}}
4733   }
4734   {\end{tabular}\end{lrbox}
4735
4736   {\BCmd\fbox{\usebox\boxdef}\endBCmd}
4737   \aftergroup\@afterindentfalse\aftergroup\@afterheading
4738 }
4739
4740 \newenvironment{BDef*}
4741   {\begin{lrbox}\boxdef
4742     \def\arraystretch{1.0}
4743     \begin{tabular}{@{}l@{}l@{}l@{}}
4744   }
4745   {\end{tabular}\end{lrbox}
4746   {\begin{BCmd*}\fbox{\usebox\boxdef}\end{BCmd*}}
4747   \aftergroup\@afterindentfalse\aftergroup\@afterheading
4748 }
4749 \newenvironment{BCmd}{
4750   \begin{parpenalty}-\lowpenalty
4751   \topsep\BDefaboveskip
4752   \fboxsep3pt
4753   \flushleft}
4754 {\endparpenalty\OM
4755 \topsepadd\BDefbelowskip
4756 \endflushleft}
4757
4758 \newenvironment{BCmd*} {
4759   \begin{parpenalty}\OM
4760   \topsep\BDefinlineskip
4761   \fboxsep3pt
4762   \flushleft}
4763 {\endparpenalty5000
4764 \endflushleft}
4765
4766 \newskip\BDefaboveskip
4767 \newskip\BDefbelowskip
4768 \newskip\BDefinlineskip
4769 \setlength\BDefaboveskip{10pt plus 4pt}
4770 \setlength\BDefbelowskip{6pt}
4771 \setlength\BDefinlineskip{6pt}
4772
4773 \def\OptArgs{\colorbox{black!20}{\texttt{[Options]}}}\kern1pt}

```



```

4774 \def\OptArg{\@ifnextchar*\OptArg@i{\OptArg@ii*}}
4775 \def\OptArg@i*#1{\colorbox{black!20}{\texttt{\#1}}}\kern1pt
4776 \def\OptArg@ii*#1{\colorbox{black!20}{\texttt{[#1]}}}\kern1pt

```

## 49 File `bidiftnxtra.sty`

```

4777 \NeedsTeXFormat{LaTeX2e}
4778 \ProvidesPackage{bidiftnxtra}
4779 \newtoks\bidi@p@ftn
4780 \let\FN@sf@@footnote\footnote
4781 \let\FN@sf@@LTRfootnote\LTRfootnote
4782 \let\FN@sf@@RTLfootnote\RTLfootnote
4783 \def\footnote{\ifx\protect\@typeset@protect
4784     \expandafter\FN@sf@@footnote
4785   \else
4786     \expandafter\FN@sf@gobble@opt
4787   \fi
4788 }
4789 \def\LTRfootnote{\ifx\protect\@typeset@protect
4790     \expandafter\FN@sf@@LTRfootnote
4791   \else
4792     \expandafter\FN@sf@gobble@opt
4793   \fi
4794 }
4795 \def\RTLfootnote{\ifx\protect\@typeset@protect
4796     \expandafter\FN@sf@@RTLfootnote
4797   \else
4798     \expandafter\FN@sf@gobble@opt
4799   \fi
4800 }
4801 \edef\FN@sf@gobble@opt{\noexpand\protect
4802   \expandafter\noexpand\csname FN@sf@gobble@opt \endcsname}
4803 \expandafter\def\csname FN@sf@gobble@opt \endcsname{%
4804   \@ifnextchar[%
4805     \FN@sf@gobble@twobracket
4806     \gobble
4807 }
4808 \def\FN@sf@gobble@twobracket[#1]#2{%
4809   \let\FN@sf@@footnotemark\footnotemark
4810 \def\footnotemark{\ifx\protect\@typeset@protect
4811     \expandafter\FN@sf@@footnotemark
4812   \else
4813     \expandafter\FN@sf@gobble@optionly
4814   \fi
4815 }
4816 \edef\FN@sf@gobble@optionly{\noexpand\protect
4817   \expandafter\noexpand\csname FN@sf@gobble@optionly \endcsname}
4818 \expandafter\def\csname FN@sf@gobble@optionly \endcsname{%
4819   \@ifnextchar[%
4820     \FN@sf@gobble@bracket
4821     {}%
4822 }
4823 \def\FN@sf@gobble@bracket[#1]{}
4824 \def\@tabular{%

```



```

4825 \leavevmode \hbox \bgroup
4826 \let\@footnotetext\bidi@p@ftntext
4827 \let\@LTRfootnotetext\bidi@p@LTRftntext
4828 \let\@RTLfootnotetext\bidi@p@RTLftntext
4829 \let\xfootnotenext\bidi@p@xftntext
4830 \let\xfootnote\bidi@p@xfootnote
4831 \let\xLTRfootnotenext\bidi@p@xLTRftntext
4832 \let\xLTRfootnote\bidi@p@xLTRfootnote
4833 \let\xRTLfootnotenext\bidi@p@xRTLftntext
4834 \let\xRTLfootnote\bidi@p@xRTLfootnote
4835 \if@RTLtab\beginR \fi
4836 $\let\@acol\@tabacol
4837 \let\@classz\@tabclassz
4838 \let\@classiv\@tabclassiv \let\\@\tabularcr\@tabarray}
4839 \def\endtabular{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
4840 \egroup $ \if@RTLtab\endR\fi\egroup
4841 \vifx\@capttype\@undefined
4842 \global\bidi@p@ftn\expandafter{\expandafter}\the\bidi@p@ftn\fi}
4843 \long\def\bidi@p@ftntext#1{%
4844 \edef\@tempy{\the\bidi@p@ftn\noexpand\footnotetext[\the\csname c@\@mpfn\endcsname]}%
4845 \global\bidi@p@ftn\expandafter{\@tempy{#1}}%
4846 \long\def\bidi@p@LTRftntext#1{%
4847 \edef\@tempyi{\the\bidi@p@ftn\noexpand\LTRfootnotetext[\the\csname c@\@mpfn\endcsname]}%
4848 \global\bidi@p@ftn\expandafter{\@tempyi{#1}}%
4849 \long\def\bidi@p@RTLftntext#1{%
4850 \edef\@tempyii{\the\bidi@p@ftn\noexpand\RTLfootnotetext[\the\csname c@\@mpfn\endcsname]}%
4851 \global\bidi@p@ftn\expandafter{\@tempyii{#1}}%
4852
4853
4854 \long\def\bidi@p@xftntext[#1]{%
4855 \global\bidi@p@ftn\expandafter{\the\bidi@p@ftn\footnotetext[#1]{#2}}}
4856
4857 \long\def\bidi@p@xLTRftntext[#1]{%
4858 \global\bidi@p@ftn\expandafter{\the\bidi@p@ftn\LTRfootnotetext[#1]{#2}}}
4859
4860 \long\def\bidi@p@xRTLftntext[#1]{%
4861 \global\bidi@p@ftn\expandafter{\the\bidi@p@ftn\RTLfootnotetext[#1]{#2}}}
4862
4863
4864 \def\bidi@p@xfootnote[#1]{%
4865 \begingroup
4866 \csname c@\@mpfn\endcsname #1\relax
4867 \unrestored@protected@xdef\@thefnmark{\thempfn}%
4868 \endgroup
4869 \footnotemark\bidi@p@xftntext[#1]}
4870
4871
4872 \def\bidi@p@xLTRfootnote[#1]{%
4873 \begingroup
4874 \csname c@\@mpfn\endcsname #1\relax
4875 \unrestored@protected@xdef\@thefnmark{\thempfn}%
4876 \endgroup
4877 \footnotemark\bidi@p@xLTRftntext[#1]}
4878

```



```

4879 \def\bidi@p@xRTLfootnote[#1]{%
4880   \begingroup
4881     \csname c@\@mpfn\endcsname #1\relax
4882     \unrestored@protected@xdef\@thefnmark{\thempfn}%
4883   \endgroup
4884   \footnotemark\bidi@p@xRTLftntext[#1]}
4885
4886
4887 \def\xfloat #1[#2]{%
4888   \nodocument
4889   \def \capttype{#1}%
4890   \def \fps{#2}%
4891   \onelevel@sanitize \fps
4892   \def \reserved@b{!}%
4893   \ifx \reserved@b \fps
4894     \fpsadddefault
4895   \else
4896     \ifx \fps \empty
4897       \fpsadddefault
4898     \fi
4899   \fi
4900   \ifhmode
4901     \bsphack
4902     \floatpenalty -\Mii
4903   \else
4904     \floatpenalty-\Miii
4905   \fi
4906   \ifinner
4907     \parmoderr\floatpenalty\z@
4908   \else
4909     \next\currbox\freelist
4910   \%
4911     \tempcnta\sixt@n
4912     \expandafter \tfor \expandafter \reserved@a
4913       \expandafter :\expandafter =\fps
4914       \do
4915       \%
4916       \if \reserved@a h%
4917         \ifodd \tempcnta
4918           \else
4919             \advance \tempcnta \one
4920           \fi
4921         \fi
4922         \if \reserved@a t%
4923           \setfpsbit \tw@
4924         \fi
4925         \if \reserved@a b%
4926           \setfpsbit 4%
4927         \fi
4928         \if \reserved@a p%
4929           \setfpsbit 8%
4930         \fi
4931         \if \reserved@a !%
4932           \ifnum \tempcnta>15

```



```

4933           \advance\@tempcnta -\sixt@n\relax
4934           \fi
4935           \fi
4936       }%
4937       \@tempcntb \csname ftype@\@captype \endcsname
4938       \multiply \@tempcntb \@xxxii
4939       \advance \@tempcnta \@tempcntb
4940       \global \count\currbox \@tempcnta
4941   }%
4942   \@fltofv
4943 \fi
4944 \global \setbox\currbox
4945   \color\vbox
4946     \normalcolor
4947     \vbox \bgroup
4948       \let\@footnotetext\bidi@p@ftntext
4949       \let\@LTRfootnotetext\bidi@p@LTRftntext
4950       \let\@RTLfootnotetext\bidi@p@RTLftntext
4951       \let\@xfootnotenext\bidi@p@xftntext
4952       \let\@xfootnote\bidi@p@xfootnote
4953       \let\@xLTRfootnotenext\bidi@p@xLTRftntext
4954       \let\@xLTRfootnote\bidi@p@xLTRfootnote
4955       \let\@xRTLfootnotenext\bidi@p@xRTLftntext
4956       \let\@xRTLfootnote\bidi@p@xRTLfootnote
4957       \hsize\columnwidth
4958     \parboxrestore
4959   \floatboxreset
4960 }
4961 \def \@endfloatbox{%
4962   \par\vskip\z@skip      %% \par\vskip\z@ added 15 Dec 87
4963   \minipagefalse
4964   \outer@nobreak
4965   \egroup          %% end of vbox
4966   \global\bidi@p@ftn\expandafter{\expandafter}\the\bidi@p@ftn
4967   \color@endbox
4968 }

```

## 50 File `bidimoderncv.cls`

```

4969 \NeedsTeXFormat{LaTeX2e}
4970 \ProvidesClass{bidimoderncv}
4971 \newif\if@DEBUG\@DEBUGfalse
4972 \DeclareOption{a4paper}{
4973   \setlength\paperheight{297mm}
4974   \setlength\paperwidth{210mm}}
4975 \DeclareOption{a5paper}{
4976   \setlength\paperheight{210mm}
4977   \setlength\paperwidth{148mm}}
4978 \DeclareOption{b5paper}{
4979   \setlength\paperheight{250mm}
4980   \setlength\paperwidth{176mm}}
4981 \DeclareOption{letterpaper}{
4982   \setlength\paperheight{11in}
4983   \setlength\paperwidth{8.5in}}

```



```

4984 \DeclareOption{legalpaper}{
4985   \setlength{\paperheight}{14in}
4986   \setlength{\paperwidth}{8.5in}
4987 \DeclareOption{executivepaper}{
4988   \setlength{\paperheight}{10.5in}
4989   \setlength{\paperwidth}{7.25in}}
4990 \DeclareOption{landscape}{
4991   \setlength{\tempdima}{\paperheight}
4992   \setlength{\paperheight}{\paperwidth}
4993   \setlength{\paperwidth}{\tempdima}}
4994 \newcommand{\ptsizes}{}
4995 \DeclareOption{10pt}{\renewcommand{\ptsizes}{0}}
4996 \DeclareOption{11pt}{\renewcommand{\ptsizes}{1}}
4997 \DeclareOption{12pt}{\renewcommand{\ptsizes}{2}}
4998 \DeclareOption{draft}{\setlength{\overfullrule}{5pt}}
4999 \DeclareOption{final}{\setlength{\overfullrule}{0pt}}
5000 \newif\if@colour\@colourtrue
5001 \DeclareOption{nocolour}{\@colourfalse}
5002 \ExecuteOptions{a4paper,11pt,colour,final}
5003 \ProcessOptions\relax
5004 \input{size1\@ptsizes.clo}
5005 \RequirePackage{color}
5006 \RequirePackage{graphicx}
5007 \RequirePackage{ifthen}
5008 \RequirePackage{marvosym}
5009 \addtolength{\oddsidemargin}{-54pt}
5010 \addtolength{\textwidth}{109pt}
5011 \addtolength{\topmargin}{-70pt}
5012 \addtolength{\textheight}{122pt}
5013 \addtolength{\marginparsep}{-5pt}
5014 \addtolength{\marginparwidth}{-10pt}
5015 \RequirePackage{url}
5016 \RequirePackage{hyperref}
5017 \hypersetup{%
5018   breaklinks,
5019   baseurl      = http://,%
5020   pdfborder    = 0 0 0,%
5021   pdfpagemode = UseNone,%%
5022   pdfstartpage = 1}
5023 \AtEndOfClass{%
5024   \AtBeginDocument{%
5025     \hypersetup{%
5026       pdfauthor    = \@firstname~\@familyname,%%
5027       pdftitle     = \@title,%%
5028       pdfsubject   = \@firstname~\@familyname,%%
5029       pdfkeywords  = \@resumename~\@firstname~\@familyname}}}
5030 \urlstyle{tt}
5031 \RequirePackage{fancyhdr}
5032 \fancypagestyle{plain}{%
5033   \renewcommand{\headrulewidth}{0pt}
5034   \renewcommand{\footrulewidth}{0pt}
5035   \fancyhf{}}
5036 \pagestyle{plain}
5037 \setlength{\lineskip}{1\p@}

```



```

5038 \setlength{\normallineskip{1\p@}}
5039 \renewcommand{\baselinestretch{}}
5040 \setlength{\parindent}{0pt}
5041 \setlength{\parskip}{0pt}
5042 \setlength{\columnsep{10\p@}}
5043 \setlength{\columnseprule{0\p@}}
5044 \pagestyle{empty}
5045 \pagenumbering{arabic}
5046 \raggedbottom
5047 \onecolumn
5048 \providecommand*{\listitemsymbol}{\textbullet}
5049 \providecommand*{\addresssymbol}{}
5050 \providecommand*{\mobilesymbol}{\Mobilefone}
5051 \providecommand*{\phonesymbol}{\Telefon}
5052 \providecommand*{\faxsymbol}{\FAX}
5053 \providecommand*{\emailsymbol}{\Letter}
5054 \definecolor{firstnamecolor}{rgb}{0,0,0}
5055 \def\firstnamecolour#1{\gdef\@firstnamecolour{\addfontfeature{Color=#1}}}
5056 \def\familynamecolour#1{\gdef\@familynamecolour{\addfontfeature{Color=#1}}}
5057 \def\titlecolour#1{\gdef\@titlecolour{\addfontfeature{Color=#1}}}
5058 \def\addresscolour#1{\gdef\@addresscolour{\addfontfeature{Color=#1}}}
5059 \def\quotecolour#1{\gdef\@quotecolour{\addfontfeature{Color=#1}}}
5060 \def\sectiontitlecolour#1{\gdef\@sectiontitlecolour{\addfontfeature{Color=#1}}}
5061 \definecolor{sectionrectanglecolor}{rgb}{0,0,0}
5062 \def\subsectioncolour#1{\gdef\@subsectioncolour{\addfontfeature{Color=#1}}}
5063 \def\hintcolour#1{\gdef\@hintcolour{\addfontfeature{Color=#1}}}
5064 \providecommand*{\firstnamefont}{}
5065 \providecommand*{\familynamefont}{}
5066 \providecommand*{\titlefont}{}
5067 \providecommand*{\addressfont}{}
5068 \providecommand*{\quotefont}{}
5069 \providecommand*{\sectionfont}{}
5070 \providecommand*{\subsectionfont}{}
5071 \providecommand*{\hintfont}{\small}
5072 \providecommand*{\firstnamestyle}[1]{{\firstnamefont\@firstnamecolour#1}}
5073 \providecommand*{\familynamestyle}[1]{{\familynamefont\@familynamecolour#1}}
5074 \providecommand*{\titlestyle}[1]{{\titlefont\@titlecolour#1}}
5075 \providecommand*{\addressstyle}[1]{{\addressfont\@addresscolour#1}}
5076 \providecommand*{\quotestyle}[1]{{\quotefont\@quotecolour#1}}
5077 \providecommand*{\sectionstyle}[1]{{\sectionfont\@sectiontitlecolour#1}}
5078 \providecommand*{\subsectionstyle}[1]{{\subsectionfont\@subsectioncolour#1}}
5079 \providecommand*{\hintstyle}[1]{{\hintfont\@hintcolour#1}}
5080 \newcommand*{\cvtheme}[2][]{%
5081   \def\@cvtheme{#2}
5082   \def\@cvthemedoptions{#1}
5083   \cvtheme{bidi-casual}
5084   \AtBeginDocument{\RequirePackage[\@cvthemedoptions]{cvtheme\@cvtheme}}
5085   \newcommand*{\resumename}[1]{\def\@resumename{#1}}
5086   \newcommand*{\firstname}[1]{\def\@firstname{#1}}
5087   \newcommand*{\familynname}[1]{\def\@familynname{#1}}
5088   \renewcommand*{\title}[1]{\def\@title{#1}}
5089   \newcommand*{\address}[1]{\def\@address{#1}}
5090   \newcommand*{\mobile}[1]{\def\@mobile{#1}}
5091   \newcommand*{\phone}[1]{\def\@phone{#1}}

```



```

5092 \renewcommand*{\fax}[1]{\def\@fax{\#1}}
5093 \newcommand*{\email}[1]{\def\@email{\#1}}
5094 \newcommand*{\extrainfo}[1]{\def\@extrainfo{\#1}}
5095 \def\@photowidth{0pt}
5096 \newcommand*{\photo}[2][64pt]{\def\@photowidth{\#1}\def\@photo{\#2}}
5097 \newcommand*{\quote}[1]{\def\@quote{\#1}}
5098 \newlength{\quotewidth}
5099 \newlength{\hintscolumnwidth}
5100 \newlength{\separatorcolumnwidth}
5101 \setlength{\separatorcolumnwidth}{0.025\textwidth}
5102 \newlength{\maincolumnwidth}
5103 \newlength{\doubleitemmaincolumnwidth}
5104 \newlength{\listitemsymbolwidth}
5105 \setlength{\listitemsymbolwidth}{\listitemsymbol{}~}
5106 \newlength{\listitemmaincolumnwidth}
5107 \newlength{\listdoubleitemmaincolumnwidth}
5108 \newcommand*{\recomputethemelengths}={}
5109 \newcommand*{\recomputelengths}{%
5110 \setlength{\quotewidth}{0.65\textwidth}%
5111 \setlength{\maincolumnwidth}{\textwidth}%
5112 \addtolength{\maincolumnwidth}{-\separatorcolumnwidth}%
5113 \addtolength{\maincolumnwidth}{-\hintscolumnwidth}%
5114 \setlength{\listitemmaincolumnwidth}{\maincolumnwidth}%
5115 \addtolength{\listitemmaincolumnwidth}{-\listitemsymbolwidth}%
5116 \setlength{\doubleitemmaincolumnwidth}{\maincolumnwidth}%
5117 \addtolength{\doubleitemmaincolumnwidth}{-\hintscolumnwidth}%
5118 \addtolength{\doubleitemmaincolumnwidth}{-\separatorcolumnwidth}%
5119 \setlength{\doubleitemmaincolumnwidth}{0.5\doubleitemmaincolumnwidth}%
5120 \setlength{\listdoubleitemmaincolumnwidth}{\maincolumnwidth}%
5121 \addtolength{\listdoubleitemmaincolumnwidth}{-\listitemsymbolwidth}%
5122 \setlength{\listdoubleitemmaincolumnwidth}{0.475\listdoubleitemmaincolumnwidth}%
5123 \renewcommand{\headwidth}{\textwidth}%
5124 \recomputethemelengths}
5125 \setlength{\hintscolumnwidth}{0.15\textwidth}
5126 \recomputelengths
5127 \title{}
5128 \renewcommand*{\maketitle}={}
5129 \newcommand*{\section}[1]{%
5130 \vspace*{2.5ex} \oplus 1ex \ominus .2ex}%
5131 \phantomsection{}%
5132 \addcontentsline{toc}{part}{\#1}%
5133 \parbox[m]{\hintscolumnwidth}{\bidi@raggedleft\hintfont{\leavevmode\color{sectionrectangle}%
5134 \hspace{\separatorcolumnwidth}}%
5135 \parbox[m]{\maincolumnwidth}{\sectionstyle{\#1}}\,\,\,[1ex]}%
5136 \newcommand*{\subsection}[1]{%
5137 \cvline[0.45em]{}{\subsectionstyle{\#1}}}%
5138 \newcommand*{\cvline}[3][.25em]{%
5139 \begin{tabular}{@{}p{\hintscolumnwidth}@{\hspace{\separatorcolumnwidth}}p{\maincolumnwidth}%
5140 \bidi@raggedleft\hintfont{\#2} & \#3}%
5141 \end{tabular}\,\,\,[#1]}%
5142 \newcommand*{\cvdoubleitem}[4]{%
5143 \cvline{\#1}{\begin{minipage}[t]{\doubleitemmaincolumnwidth}\#2\end{minipage}}% 
5144 \hfill% 
5145 \begin{minipage}[t]{\hintscolumnwidth}\bidi@raggedleft\hintfont{\#3}\end{minipage}\hspace*{%

```



```

5146 \newcommand*{\cvlistitem}[2]{\listitemsymbol{}{%
5147   \cvline[Opt]{}{#1~\begin{minipage}[t]{\listitemmaincolumnwidth}\#2\end{minipage}}}
5148 \newcommand*{\cvlistdoubleitem}[3]{\listitemsymbol{}{%
5149   \cvline[Opt]{}{#1~\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}\#2\end{minipage}}%
5150   \hfill%
5151   \ifthenelse{\equal{#3}{}}{%
5152     {}%
5153     {#1~\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}\#3\end{minipage}}}%
5154 \newcommand*{\cventry}[6]{%
5155   \cvline{#1}{%
5156     {\bfseries#2}%
5157     \ifx#3\else{, \slshape#3}\fi%
5158     \ifx#4\else{, #4}\fi%
5159     \ifx#5\else{, #5}\fi%
5160     .%
5161     \ifx#6\else{\newline{}\begin{minipage}[t]{\linewidth}\small#6\end{minipage}}\fi%
5162   }%
5163 \newcommand*{\cvlanguage}[3]{%
5164   \cvline{#1}{\begin{minipage}[t]{.225\maincolumnwidth}\textbf{#2}\end{minipage}\hfill\begin{minipage}[t]{.775\maincolumnwidth}#3\end{minipage}}%
5165 \newcommand*{\cvcomputer}[4]{%
5166   \cvdoubleitem{#1}{\small#2}{#3}{\small#4}%
5167 \newcommand*{\link}[2]{%
5168   \ifthenelse{\equal{#1}{}}{%
5169     {\ href{#2}{#2}}%
5170     {\ href{#2}{#1}}}
5171 \newcommand*{\httplink}[2]{%
5172   \ifthenelse{\equal{#1}{}}{%
5173     {\ href{http://#2}{#2}}%
5174     {\ href{http://#2}{#1}}}
5175 \newcommand*{\emaillink}[2]{%
5176   \ifthenelse{\equal{#1}{}}{%
5177     {\ href{mailto:#2}{#2}}%
5178     {\ href{mailto:#2}{#1}}}
5179 \newif\if@displaypagenumbers\@displaypagenumberstrue
5180 \newcommand*{\nopagenumbers}{\@displaypagenumbersfalse}
5181 \AtBeginDocument{%
5182   \if@displaypagenumbers%
5183     \@ifundefined{r@lastpage}{}{%
5184       \ifthenelse{\pageref{lastpage} > 1}{%
5185         \fancypagestyle{plain}{%
5186           \fancyfoot[r]{\begin{address}\color{quotecolour}\footnotesize\thepage\end{address}}%
5187           \pagestyle{plain}}{}%
5188       \AtEndDocument{\label{lastpage}}%
5189     }%
5190   \newlength{\bibindent}%
5191   \setlength{\bibindent}{1.5em}%
5192 \newcommand*{\bibliographyitemlabel}{\includegraphics{bidi-bibitem.pdf}}%
5193 \newenvironment{thebibliography}[1]{%
5194   {%
5195     \section{\refname}%
5196     \small%
5197     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
5198     \bidi@\thebibliography@font@hook%
5199     \begin{list}{\bibliographyitemlabel}}%

```



```

5200      {%
5201      \setlength{\topsep}{0pt}%
5202      \setlength{\labelwidth}{\hintscolumnwidth}%
5203      \setlength{\labelsep}{\separatorcolumnwidth}%
5204      \leftmargin\labelwidth%
5205      \advance\leftmargin\labelsep%
5206      \@openbib@code%
5207      \usecounter{enumiv}%
5208      \let\p@enumiv\@empty%
5209      \renewcommand{\theenumiv{\@arabic\c@enumiv}}%
5210      \sloppy\clubpenalty4000\widowpenalty4000%
5211  }%
5212  {%
5213  \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
5214  \end{list}%
5215  }
5216 \newcommand{\newblock}{\hskip .11em\@plus.33em\@minus.07em}
5217 \let\@openbib@code\@empty

```

## 51 File bidi-perpage.sty

```

5218 \NeedsTeXFormat{LaTeX2e}
5219 \ProvidesPackage{bidi-perpage}[2018/10/04 v0.4 Reset counter(s) on every page]
5220 \newcount\bidi@page@count
5221 \bidi@page@count\one
5222 \newcommand*{\ResetCounterPerPage}[2][\z@]{%
5223   \if@bidi@csundef{\bidi@stepcounterhook@#2}{%
5224     \expandafter\gdef\csname bidi@stepcounterhook@#2\endcsname{}%
5225   }{%
5226     \if@bidi@csundef{\if@bidi@reset@#2@rerun}{%
5227       \expandafter\newif\csname if@bidi@reset@#2@rerun\endcsname
5228     }{%
5229       \if@bidi@csundef{\bidi@#2@count}{%
5230         \expandafter\newcount\csname bidi@#2@count\endcsname
5231       }{%
5232         \csname bidi@#2@count\endcsname\z@
5233         \if@bidi@csundef{\bidi@previous@page@#2@count}{%
5234           \expandafter\newcount\csname
5235             \bidi@previous@page@#2@count\endcsname
5236         }{%
5237           \csname bidi@previous@page@#2@count\endcsname\z@
5238           \if@bidi@csundef{\bidi@reset@#2@perpage}{%
5239             \bidi@AfterEndDocumentCheckLabelsRerun{%
5240               \csname if@bidi@reset@#2@rerun\endcsname
5241               \PackageWarningNoLine{bidi-perpage}{%
5242                 Counter '#2' may not have been reset per page.
5243                 Rerun to reset counter '#2' per page%
5244               }%
5245             \fi
5246           }{%
5247             \expandafter\gdef\csname bidi@reset@#2@perpage\endcsname{%
5248               \global\advance\csname bidi@#2@count\endcsname\@ne
5249               \if@filesw
5250

```



```

5251     \edef\@tempa{%
5252         \write\@auxout{%
5253             \string\bidi@counter@page{#2}%
5254             {\number\csname bidi@#2@count\endcsname}%
5255             {\noexpand\number\noexpand\bidi@page@count}%
5256         }%
5257     }%
5258     \@tempa
5259     \fi
5260 \begingroup\expandafter\expandafter\expandafter\endgroup
5261 \expandafter\ifx\csname bidi@#2@@number\csname
5262 bidi@#2@count\endcsname\endcsname\relax
5263     \global\csname @bidi@reset@#2@reruntrue\endcsname
5264 \else
5265     \global\csname @bidi@reset@#2@rerunfalse\endcsname
5266     \expandafter\@tempcnta\csname bidi@#2@@number
5267     \csname bidi@#2@count\endcsname\endcsname\relax
5268     \ifnum\@tempcnta=\csname
5269     bidi@previous@page@@#2@count\endcsname
5270     \else
5271         \global\csname
5272         bidi@previous@page@@#2@count\endcsname\@tempcnta
5273         \global\csname c@#2\endcsname#1\relax
5274     \fi
5275 \fi
5276 }%
5277 \expandafter\bidi@gappto\csname
5278 bidi@stepcounterhook@@#2\endcsname{%
5279     \csname bidi@reset@#2@perpage\endcsname
5280 }%
5281 }
5282 \def\bidi@counter@page#1#2#3{\bidi@namegdef{bidi@#1@@#2}{#3}}
5283 \bidi@AtEndOutputPage{%
5284     \global\advance\bidi@page@count@ne
5285 }

```

## 52 File `biditools.sty`

```

5286 \NeedsTeXFormat{LaTeX2e}
5287 \ProvidesPackage{biditools}[2024/12/07 v2.4 Programming tools for bidi package]
5288 \providecommand{\@bidi@saveprimitive}[2]{\begingroup\escapechar`\\relax
5289     \edef\@tempa{\string#1}\edef\@tempb{\meaning#1}%
5290     \ifx\@tempa\@tempb \global\let#2#1%
5291     \else
5292         \edef\@tempb{\meaning#2}%
5293         \ifx\@tempa\@tempb
5294             \else
5295                 \@latex@error{Unable to properly define \string#2; primitive
5296                 \noexpand#1no longer primitive}\@eha
5297             \fi
5298         \fi
5299     \endgroup}
5300 \newtoks\@bidi@envbody
5301 \newtoks\@bidi@emptytoks

```



```

5302 \def\bidi@addto@envbody#1{\global\@bidi@envbody\expandafter{\the\@bidi@envbody#1}}
5303 \def\bidi@collect@body#1{%
5304   \@bidi@envbody{\expandafter#1\expandafter{\the\@bidi@envbody}}%
5305   \edef\bidi@process@envbody{\the\@bidi@envbody\noexpand\end{\currenvir}}%
5306   \@bidi@envbody\@bidi@emptytoks \def\begin@bidi@stack{b}%
5307   \begingroup
5308   \expandafter\let\csname\currenvir\endcsname\bidi@collect@@body
5309   \edef\bidi@process@envbody{\expandafter\noexpand\csname\currenvir\endcsname}%
5310   \bidi@process@envbody
5311 }
5312 \def\bidi@push@begins#1\begin#2{%
5313   \ifx\end#2\else b\expandafter\bidi@push@begins\fi
5314 }
5315 \def\bidi@collect@@body#1\end#2{%
5316   \edef\begin@bidi@stack{\bidi@push@begins#1\begin\end \expandafter@gobble\begin@bidi@stack}
5317   \ifx\@empty\begin@bidi@stack
5318     \endgroup
5319     \checkend{#2}%
5320     \bidi@addto@envbody{#1}%
5321   \else
5322     \bidi@addto@envbody{#1\end{#2}}%
5323   \fi
5324   \bidi@process@envbody % A little tricky! Note the grouping
5325 }
5326 \long\def\bidi@addto@long@envbody#1{\global\@bidi@envbody\expandafter{\the\@bidi@envbody#1}}
5327 \long\def\bidi@collect@long@body#1{%
5328   \@bidi@envbody{\expandafter#1\expandafter{\the\@bidi@envbody}}%
5329   \edef\bidi@process@envbody{\the\@bidi@envbody\noexpand\end{\currenvir}}%
5330   \@bidi@envbody\@bidi@emptytoks \def\begin@bidi@stack{b}%
5331   \begingroup
5332   \expandafter\let\csname\currenvir\endcsname\bidi@collect@long@@body
5333   \edef\bidi@process@envbody{\expandafter\noexpand\csname\currenvir\endcsname}%
5334   \bidi@process@envbody
5335 }
5336 \long\def\bidi@push@long@begins#1\begin#2{%
5337   \ifx\end#2\else b\expandafter\bidi@push@long@begins\fi
5338 }
5339 \long\def\bidi@collect@long@@body#1\end#2{%
5340   \edef\begin@bidi@stack{\bidi@push@long@begins#1\begin\end \expandafter@gobble\begin@bidi@stack}
5341   \ifx\@empty\begin@bidi@stack
5342     \endgroup
5343     \checkend{#2}%
5344     \bidi@addto@long@envbody{#1}%
5345   \else
5346     \bidi@addto@long@envbody{#1\end{#2}}%
5347   \fi
5348   \bidi@process@envbody % A little tricky! Note the grouping
5349 }
5350 \long\def\bidi@new@ifnextchar#1#2#3{%
5351   \let\reserved@d= #1%
5352   \def\reserved@a{#2}\def\reserved@b{#3}%
5353   \futurelet@\let@token\bidi@new@ifnch
5354 }
5355 \def\bidi@new@ifnch{%

```



```

5356   \ifx\@let@token\reserved@d \let\reserved@b\reserved@a \fi
5357   \reserved@b
5358 }
5359 \def\bidi@matrix@check#1{%
5360   \expandafter\ifx\csname@currenvir\endcsname#1%
5361   \else\bidi@matrix@error#1%
5362   \expandafter\@gobble
5363 \fi
5364 }
5365 \def\bidi@matrix@error#1{%
5366   \PackageError{biditools}{%
5367 Old form `#1' should be \string\begin{\expandafter\@gobble\string#1}%
5368 }{%
5369 `#1{...}' is old bidi package syntax whose use is
5370 ill-advised in the old versions of bidi package.%}
5371 }%
5372 }
5373 \def\@tagsextension{clo}
5374 \def\@definitionfileextension{def}
5375 \def\@texfileextension{tex}
5376 \def\@iftagsloaded{\@ifl@aded\@tagsextension}
5377 \def\@ifdefinitionfileloaded{\@ifl@aded\@definitionfileextension}
5378 \def\@iftexfileloaded{\@ifl@aded\@texfileextension}
5379 \def\eqnewif#1#2{%
5380   \count@\escapechar \escapechar\m@ne
5381   \let#1\iffalse
5382   \let#2\iffalse
5383   \eq@if#1#2\iftrue
5384   \eq@if#1#2\iffalse
5385   \escapechar\count@}
5386 \def\eq@if#1#2#3{%
5387   \expandafter\def\csname\expandafter\gobbletwo\string#1%
5388   \expandafter\@gobbletwo\string#3\endcsname
5389   {\let#1#3%
5390   \let#2#3%}
5391 \expandafter\def\csname\expandafter\gobbletwo\string#2%
5392   \expandafter\@gobbletwo\string#3\endcsname
5393   {\let#2#3%
5394   \let#1#3}}
5395 \def\noteqnewif#1#2{%
5396   \count@\escapechar \escapechar\m@ne
5397   \let#1\iffalse
5398   \let#2\iffalse
5399   \not@eq@if#1#2\iftrue\iffalse
5400   \escapechar\count@}
5401 \def\not@eq@if#1#2#3#4{%
5402   \expandafter\def\csname\expandafter\gobbletwo\string#1%
5403   \expandafter\@gobbletwo\string#3\endcsname
5404   {\let#1#3%
5405   \let#2#4%}
5406 \expandafter\def\csname\expandafter\gobbletwo\string#1%
5407   \expandafter\@gobbletwo\string#4\endcsname
5408   {\let#1#4%
5409   \let#2#3%}

```



```

5410 \expandafter\def\csname\expandafter@\gobbletwo\string#2%
5411     \expandafter@\gobbletwo\string#3\endcsname
5412         {\let#2#3%
5413          \let#1#4}%
5414 \expandafter\def\csname\expandafter@\gobbletwo\string#2%
5415     \expandafter@\gobbletwo\string#4\endcsname
5416         {\let#2#4%
5417          \let#1#3}%
5418 \newcommand*{\SetBoolean}[2]{%
5419   \lowercase{\def\@tempa{#2}}%
5420   \@ifundefined{\@tempswa\@tempa}{%
5421     {\PackageError{biditools}%
5422       {You can only set a boolean to `true' or `false'}\@ehc}%
5423     {\@ifundefined{#1\@tempa}{%
5424       {\PackageError{biditools}{Boolean #1 undefined}\@ehc}%
5425       {\csname#1\@tempa\endcsname}}}%
5426 \newcommand*{\GlobalSetBoolean}[2]{%
5427   \lowercase{\def\@tempa{#2}}%
5428   \@ifundefined{\@tempswa\@tempa}{%
5429     {\PackageError{biditools}%
5430       {You can only set a boolean to `true' or `false'}\@ehc}%
5431     {\@ifundefined{#1\@tempa}{%
5432       {\PackageError{biditools}{Boolean #1 undefined}\@ehc}%
5433       {\global\csname#1\@tempa\endcsname}}}%
5434 \newcommand*{\SetatBoolean}[2]{%
5435   \lowercase{\def\@tempa{#2}}%
5436   \@ifundefined{\@tempswa\@tempa}{%
5437     {\PackageError{biditools}%
5438       {You can only set a boolean to `true' or `false'}\@ehc}%
5439     {\@ifundefined{@#1\@tempa}{%
5440       {\PackageError{biditools}{Boolean @#1 undefined}\@ehc}%
5441       {\csname @#1\@tempa\endcsname}}}%
5442 \newcommand*{\GlobalSetatBoolean}[2]{%
5443   \lowercase{\def\@tempa{#2}}%
5444   \@ifundefined{\@tempswa\@tempa}{%
5445     {\PackageError{biditools}%
5446       {You can only set a boolean to `true' or `false'}\@ehc}%
5447     {\@ifundefined{@#1\@tempa}{%
5448       {\PackageError{biditools}{Boolean @#1 undefined}\@ehc}%
5449       {\global\csname @#1\@tempa\endcsname}}}%
5450 \def@\bidi@removefromreset#1#2{%
5451   \expandafter\let\csname c@#1\endcsname\bidi@removefromreset
5452   \def@\elt##1{%
5453     \expandafter\ifx\csname c@##1\endcsname\bidi@removefromreset
5454     \else
5455       \noexpand\@elt{##1}%
5456     \fi}%
5457   \expandafter\xdef\csname cl@#2\endcsname{%
5458     \csname cl@#2\endcsname}}%
5459 \newcommand*{\ifRtoL}{%
5460   \if@RTL
5461     \expandafter\@firstoftwo
5462   \else
5463     \expandafter\@secondoftwo

```



```

5464   \fi}
5465 \newcommand*{\ifLtoR}{%
5466   \if@RTL
5467     \expandafter\@secondoftwo
5468   \else
5469     \expandafter\@firstoftwo
5470   \fi}
5471 \newcommand*{\ifRtoLtable}{%
5472   \if@RTLtab
5473     \expandafter\@firstoftwo
5474   \else
5475     \expandafter\@secondoftwo
5476   \fi}
5477 \newcommand*{\ifLtoRtable}{%
5478   \if@RTLtab
5479     \expandafter\@secondoftwo
5480   \else
5481     \expandafter\@firstoftwo
5482   \fi}
5483 \newcommand*{\ifRtoLhboxconstruct}{%
5484   \if@hboxRconstruct
5485     \expandafter\@firstoftwo
5486   \else
5487     \expandafter\@secondoftwo
5488   \fi}
5489 \newcommand*{\ifLtoRhboxconstruct}{%
5490   \if@hboxRconstruct
5491     \expandafter\@secondoftwo
5492   \else
5493     \expandafter\@firstoftwo
5494   \fi}
5495 \newcommand*{\iflatin}{%
5496   \if@nonlatin
5497     \expandafter\@secondoftwo
5498   \else
5499     \expandafter\@firstoftwo
5500   \fi}
5501 \newcommand*{\ifnonlatin}{%
5502   \if@nonlatin
5503     \expandafter\@firstoftwo
5504   \else
5505     \expandafter\@secondoftwo
5506   \fi}
5507
5508 \newcommand*{\bidi@@convert@dimen@t@unit}[2]{%
5509   \strip@pt\dimexpr #1*65536/\dimexpr 1#2\relax #2}
5510
5511 \newcommand*{\bidi@@convert@dimen@t@opt}[1]{%
5512   \dimexpr #1*65536/\dimexpr 1pt\relax}
5513
5514 \newcommand*{\if@bidi@csdef}[1]{%
5515   \ifcsname#1\endcsname
5516     \expandafter\@firstoftwo
5517   \else

```



```

5518     \expandafter\@secondoftwo
5519   \fi}
5520 \newcommand*{\if@bidi@csundef}[1]{%
5521   \ifcsname#1\endcsname
5522     \expandafter\ifx\csname#1\endcsname\relax
5523       \expandafter\expandafter
5524       \expandafter\@firstoftwo
5525     \else
5526       \expandafter\expandafter
5527       \expandafter\@secondoftwo
5528     \fi
5529   \else
5530     \expandafter\@firstoftwo
5531   \fi}
5532 \newcommand{\if@bidi@def}[1]{%
5533   \ifdefined#1%
5534     \expandafter\@firstoftwo
5535   \else
5536     \expandafter\@secondoftwo
5537   \fi}
5538 \newcommand{\if@bidi@undef}[1]{%
5539   \ifdefined#1%
5540     \ifx#1\relax
5541       \expandafter\expandafter
5542       \expandafter\@firstoftwo
5543     \else
5544       \expandafter\expandafter
5545       \expandafter\@secondoftwo
5546     \fi
5547   \else
5548     \expandafter\@firstoftwo
5549   \fi}
5550 \newcommand{\if@bidi@blank}[1]{% from url.sty
5551   \bidi@ifblank@i#1&&\@secondoftwo\@firstoftwo:}
5552 \long\def\bidi@ifblank@i#1#2#3#4#5:{#4}
5553 \newcommand{\bidi@notblank}[1]{%
5554   \bidi@ifblank@i#1&&\@firstoftwo\@secondoftwo:}
5555 \newcommand{\if@bidi@defmacro}{}%
5556 \long\edef\if@bidi@defmacro#1{%
5557   \noexpand\expandafter\noexpand\bidi@ifdefmacro
5558   \noexpand\meaning#1\detokenize{macro}:&%
5559 \edef\bidi@ifdefmacro{%
5560   \def\noexpand\bidi@ifdefmacro##1\detokenize{macro}:##2&%
5561 \bidi@ifdefmacro{\bidi@notblank{#2}}%
5562 \newcommand*{\if@bidi@csmacro}[1]{%
5563   \if@bidi@csdef{#1}%
5564     {\expandafter\if@bidi@defmacro\csname#1\endcsname}%
5565     {\@secondoftwo}%
5566 \newcommand{\if@bidi@defprimitive}[1]{%
5567   \ifprimitive#1%
5568     \expandafter\@firstoftwo
5569   \else
5570     \expandafter\@secondoftwo
5571   \fi}

```



```

5572 \newcommand{\if@bidi@csprimitive}[1]{%
5573   \begingroup\expandafter\expandafter\expandafter\endgroup%
5574   \expandafter\ifprimitive\csname#1\endcsname%
5575   \expandafter\@firstoftwo
5576   \else
5577   \expandafter\@secondoftwo
5578   \fi}
5579 \newcommand*{\bidi@csdefcs}[2]{%
5580 \expandafter\@ifdefinable \csname#1\endcsname{%
5581 \expandafter\def\csname#1\expandafter\endcsname{\csname#2\endcsname}}}
5582 \newcommand*{\bidi@csletcs}[2]{%
5583 \expandafter\@ifdefinable \csname#1\endcsname{%
5584 \expandafter\let\csname#1\expandafter\endcsname\csname#2\endcsname}}
5585 \newcommand*{\bidi@cslet}[2]{%
5586 \expandafter\@ifdefinable \csname#1\endcsname{%
5587 \expandafter\let\csname#1\endcsname#2}}
5588 \newcommand{\bidi@namelongdef}[1]{%
5589   \long\expandafter\def\csname #1\endcsname}
5590 \newcommand{\bidi@namelonggdef}[1]{%
5591   \long\expandafter\gdef\csname #1\endcsname}
5592 \newcommand{\bidi@namelongedef}[1]{%
5593   \long\expandafter\edef\csname #1\endcsname}
5594 \newcommand{\bidi@namelongxdef}[1]{%
5595   \long\expandafter\xdef\csname #1\endcsname}
5596 \def\bidi@ensure@newcommand{\@star@or@long\bidi@ensure@new@command}
5597 \def\bidi@ensure@new@command#1{%
5598   \begingroup \escapechar\m@ne\xdef\@gtempa{\{\string#1\}}\endgroup
5599   \expandafter\if@bidi@csundef\@gtempa
5600   {\new@command#1}{\relax}
5601   \let\@ifdefinable\@rc@ifdefinable%
5602   \new@command#1}
5603 \def\bidi@ensure@newlength#1{\if@bidi@undef#1{\newskip#1}{}}
5604
5605 \protected\def\bidi@error{\PackageError{bidi}{}}
5606 \protected\def\bidi@warning{\PackageWarning{bidi}}
5607 \protected\def\bidi@warningnoline{\PackageWarningNoLine{bidi}}
5608 \protected\def\bidi@info{\PackageInfo{bidi}}
5609
5610 \def\bidi@pos#1#2#3#4{\bidi@namegdef{bidi@#1pos@#2@#3}{#4}}
5611
5612 \newcount\bidi@poscount
5613
5614 \newcommand*{\WriteStartXPostoaux}{%
5615   \global\advance\bidi@poscount\@ne
5616   \edef\@tempa{%
5617     \write\@auxout{%
5618       \string\bidi@pos{x}{start}{\number\bidi@poscount}{\noexpand\number\noexpand\pdflastx
5619     }%
5620   }%
5621   \ifvmode
5622     \leavevmode
5623   \fi
5624   \if@RTL
5625     \if@files

```



```

5626      \@tempa
5627  \fi
5628  \pdfsavepos
5629  \else
5630  \pdfsavepos
5631  \if@filesw
5632      \@tempa
5633  \fi
5634  \fi
5635  \if@bidi@csundef{bidi@xpos@@start@\number\bidi@poscount}{%
5636      \PackageWarningNoLine{biditools}{%
5637          The start x position `\\number\\bidi@poscount' is not known yet.
5638          Rerun to get this x position%
5639      }%
5640  }{}%
5641 }
5642
5643 \newcommand*{\WriteEndXPostoaux}{%
5644     \edef\@tempa{%
5645         \write\@auxout{%
5646             \string\bidi@pos{x}{end}{\number\bidi@poscount}{\noexpand\number\noexpand\pdflastx
5647             }%
5648         }%
5649     \if@RTL
5650         \if@filesw
5651             \@tempa
5652         \fi
5653         \pdfsavepos
5654     \else
5655         \pdfsavepos
5656     \if@filesw
5657         \@tempa
5658     \fi
5659     \fi
5660     \if@bidi@csundef{bidi@xpos@@end@\number\bidi@poscount}{%
5661         \PackageWarningNoLine{biditools}{%
5662             The end x position `\\number\\bidi@poscount' is not known yet.
5663             Rerun to get this x position%
5664         }%
5665     }{}%
5666 }
5667
5668 \newcommand*{\WriteStartYPostoaux}{%
5669     \global\advance\bidi@poscount\@ne
5670     \edef\@tempa{%
5671         \write\@auxout{%
5672             \string\bidi@pos{y}{start}{\number\bidi@poscount}{\noexpand\number\noexpand\pdflasty
5673             }%
5674         }%
5675     \ifvmode
5676         \leavevmode
5677     \fi
5678 \if@RTL
5679     \if@filesw

```



```

5680      \@tempa
5681  \fi
5682  \pdfsavepos
5683  \else
5684  \pdfsavepos
5685  \if@filesw
5686      \@tempa
5687  \fi
5688  \fi
5689  \if@bidi@csundef{bidi@ypos@@start@\number\bidi@poscount}{%
5690      \PackageWarningNoLine{biditools}{%
5691          The start y position `\\number\\bidi@poscount' is not known yet.
5692          Rerun to get this y position%
5693      }%
5694  }{}%
5695 }
5696
5697 \newcommand*{\WriteEndYPostoaux}{%
5698     \edef\@tempa{%
5699         \write\@auxout{%
5700             \string\bidi@pos{y}{end}{\number\bidi@poscount}{\noexpand\number\noexpand\pdflastx
5701             }%
5702         }%
5703     \if@RTL
5704         \if@filesw
5705             \@tempa
5706         \fi
5707         \pdfsavepos
5708     \else
5709         \pdfsavepos
5710     \if@filesw
5711         \@tempa
5712     \fi
5713     \fi
5714     \if@bidi@csundef{bidi@ypos@@end@\number\bidi@poscount}{%
5715         \PackageWarningNoLine{biditools}{%
5716             The end y position `\\number\\bidi@poscount' is not known yet.
5717             Rerun to get this y position%
5718         }%
5719     }{}%
5720 }
5721
5722 \newcommand*{\WriteStartXYPostoaux}{%
5723     \global\advance\bidi@poscount\@ne
5724     \edef\@tempa{%
5725         \write\@auxout{%
5726             \string\bidi@pos{x}{start}{\number\bidi@poscount}{\noexpand\number\noexpand\pdflastx
5727             }%
5728         \write\@auxout{%
5729             \string\bidi@pos{y}{start}{\number\bidi@poscount}{\noexpand\number\noexpand\pdflastx
5730             }%
5731     }%
5732     \ifvemode
5733         \leavevemode

```



```

5734     \fi
5735 \if@RTL
5736     \if@files w
5737     \tempa
5738 \fi
5739 \pdfsavepos
5740 \else
5741 \pdfsavepos
5742 \if@files w
5743 \tempa
5744 \fi
5745 \fi
5746 \if@bidi@csundef{bidi@xpos@@start@{\number\bidi@poscount}}{%
5747     \PackageWarningNoLine{biditools}{%
5748         The start x position `{\number\bidi@poscount}' is not known yet.
5749         Rerun to get this x position%
5750     }%
5751 }{%
5752 \if@bidi@csundef{bidi@ypos@@start@{\number\bidi@poscount}}{%
5753     \PackageWarningNoLine{biditools}{%
5754         The start y position `{\number\bidi@poscount}' is not known yet.
5755         Rerun to get this y position%
5756     }%
5757 }{%
5758 }
5759 \newcommand*{\WriteEndXYPostiaux}{%
5760     \edef\tempa{%
5761         \write\auxout{%
5762             \string\bidi@pos{x}{end}{\number\bidi@poscount}{\noexpand\number\noexpand\noexpand\pdflastx
5763             }%
5764             \write\auxout{%
5765                 \string\bidi@pos{y}{end}{\number\bidi@poscount}{\noexpand\number\noexpand\noexpand\pdflasty
5766                 }%
5767             }%
5768     }%
5769 \if@RTL
5770     \if@files w
5771     \tempa
5772 \fi
5773 \pdfsavepos
5774 \else
5775 \pdfsavepos
5776 \if@files w
5777 \tempa
5778 \fi
5779 \fi
5780 \if@bidi@csundef{bidi@xpos@@end@{\number\bidi@poscount}}{%
5781     \PackageWarningNoLine{biditools}{%
5782         The end x position `{\number\bidi@poscount}' is not known yet.
5783         Rerun to get this x position%
5784     }%
5785 }{%
5786 \if@bidi@csundef{bidi@ypos@@end@{\number\bidi@poscount}}{%
5787     \PackageWarningNoLine{biditools}{%

```



```

5788      The end y position `\\number\\bidi@poscount' is not known yet.
5789      Rerun to get this y position%
5790      }%
5791  }{%
5792 }%
5793
5794 \\newcommand*{\\currentposxwidth}{%
5795   \\if@bidi@csundefined{bidi@xpos@@end@\\number\\bidi@poscount}{\\z@}
5796   {%
5797     \\ifnum\\csname bidi@xpos@@start@\\number\\bidi@poscount
5798       \\endcsname < \\csname    bidi@xpos@@end@\\number\\bidi@poscount
5799       \\endcsname
5800     \\dimexpr \\csname bidi@xpos@@end@\\number\\bidi@poscount
5801     \\endcsname sp - \\csname    bidi@xpos@@start@\\number\\bidi@poscount
5802     \\endcsname sp\\relax
5803   \\else
5804     \\dimexpr \\csname bidi@xpos@@start@\\number\\bidi@poscount
5805     \\endcsname sp - \\csname    bidi@xpos@@end@\\number\\bidi@poscount
5806     \\endcsname sp\\relax
5807   \\fi
5808 }%
5809 }%
5810
5811 \\newcommand*{\\currentposyheight}{%
5812   \\if@bidi@csundefined{bidi@ypos@@end@\\number\\bidi@poscount}{\\z@}
5813   {%
5814     \\dimexpr \\csname bidi@ypos@@start@\\number\\bidi@poscount
5815     \\endcsname sp - \\csname    bidi@ypos@@end@\\number\\bidi@poscount
5816     \\endcsname sp\\relax
5817   }%
5818 }%
5819
5820
5821
5822 \\newcommand*{\\setbaselineskip}[1]{%
5823   \\linespread{\\strip@pt\\dimexpr\\numexpr\\dimexpr#1\\relax*65536\\dimexpr\\baselineskip\\relax\\
5824   \\selectfont
5825 }%
5826
5827
5828 \\newcommand*{\\bidi@newrobustcmd}{}%
5829 \\protected\\def\\bidi@newrobustcmd{\\@star@or@long\\bidi@new@command}%
5830
5831 \\def\\bidi@new@command#1{\\@testopt{\\bidi@newcommand#1}0}%
5832
5833 \\def\\bidi@newcommand#1[#2]{%
5834   \\@ifnextchar[%]
5835     {\\bidi@xargdef#1[#2]}
5836     {\\ifx\\l@ngrel@x\\relax
5837       \\let\\l@ngrel@x\\protected
5838     \\else
5839       \\protected\\def\\l@ngrel@x{\\protected\\long}%
5840     \\fi
5841     \\@argdef#1[#2]}}

```



```

5842 \long\def\bidi@xargdef#1[#2] [#3]#4{%
5843   \if definable#1{%
5844     \expandafter\protected
5845     \expandafter\def
5846     \expandafter#1%
5847     \expandafter{%
5848       \expandafter\@testopt
5849       \csname\string#1\endcsname{#3}}%
5850     \expandafter\@yargdef\csname\string#1\endcsname\tw@{#2}{#4}}}
5851
5852 \bidi@newrobustcmd*\{\bidi@renewrobustcmd}{\star@or@long\bidi@renew@command}
5853
5854 \def\bidi@renew@command#1{%
5855   \if@bidi@undef{#1}
5856     {\bidi@error{\string#1 undefined}\@ehc}
5857     {}%
5858   \let\@ifdefinable\@rc@ifdefinable
5859   \bidi@new@command#1}
5860
5861
5862
5863 \bidi@newrobustcmd*\{\bidi@providerobustcmd}{\star@or@long\bidi@provide@command}
5864
5865 \def\bidi@provide@command#1{%
5866   \if@bidi@undef{#1}
5867     {\def\reserved@a{\bidi@new@command#1}}
5868     {\def\reserved@a{\bidi@renew@command\reserved@a}}%
5869   \reserved@a}
5870
5871 \newcommand*\bidi@csuse}[1]{%
5872   \ifcsname#1\endcsname
5873     \csname#1\expandafter\endcsname
5874   \fi}
5875
5876 \newcommand{\bidi@expandonce}[1]{%
5877   \unexpanded\expandafter{#1}}
5878
5879 \def\bidi@protected{%
5880   \let\@protect\protect
5881   \let\protect\@unexpandable@protect
5882   \afterassignment\restore@protect}
5883
5884 \bidi@newrobustcmd{\bidi@appto}[2]{%
5885   \if@bidi@undef{#1}
5886     {\edef#1{\unexpanded{#2}}}
5887     {\edef#1{\bidi@expandonce#1\unexpanded{#2}}}}
5888 \bidi@newrobustcmd{\bidi@eappto}[2]{%
5889   \if@bidi@undef{#1}
5890     {\edef#1{\#2}}
5891     {\edef#1{\bidi@expandonce#1#2}}}
5892 \bidi@newrobustcmd{\bidi@gappto}[2]{%
5893   \if@bidi@undef{#1}
5894     {\xdef#1{\unexpanded{#2}}}
5895 }
```



```

5896      {\xdef#1{\bidi@expandonce#1\unexpanded{#2}}}
5897 \bidi@newrobustcmd{\bidi@xappto}[2]{%
5898   \if@bidi@undef{#1}
5899     {\xdef#1{#2}}
5900   {\xdef#1{\bidi@expandonce#1#2}}}
5901
5902 \bidi@newrobustcmd*{\bidi@protected@eappto}{\bidi@protected\bidi@eappto}
5903 \bidi@newrobustcmd*{\bidi@protected@xappto}{\bidi@protected\bidi@xappto}
5904
5905
5906
5907 \bidi@newrobustcmd{\bidi@preto}[2]{%
5908   \if@bidi@undef{#1}
5909     {\edef#1{\unexpanded{#2}}}
5910     {\edef#1{\unexpanded{#2}\bidi@expandonce#1}}}
5911 \bidi@newrobustcmd{\bidi@epreto}[2]{%
5912   \if@bidi@undef{#1}
5913     {\edef#1{#2}}
5914     {\edef#1{#2\bidi@expandonce#1}}}
5915 \bidi@newrobustcmd{\bidi@gpreto}[2]{%
5916   \if@bidi@undef{#1}
5917     {\xdef#1{\unexpanded{#2}}}
5918     {\xdef#1{\unexpanded{#2}\bidi@expandonce#1}}}
5919 \bidi@newrobustcmd{\bidi@xpreto}[2]{%
5920   \if@bidi@undef{#1}
5921     {\xdef#1{#2}}
5922     {\xdef#1{#2\bidi@expandonce#1}}}
5923
5924 \bidi@newrobustcmd*{\bidi@protected@epreto}{\bidi@protected\bidi@epreto}
5925 \bidi@newrobustcmd*{\bidi@protected@xpreto}{\bidi@protected\bidi@xpreto}
5926
5927
5928
5929 \bidi@newrobustcmd*{\bidi@csappto}[1]{\expandafter\bidi@appto\csname#1\endcsname}
5930 \bidi@newrobustcmd*{\bidi@cseappto}[1]{\expandafter\bidi@eappto\csname#1\endcsname}
5931 \bidi@newrobustcmd*{\bidi@csgappto}[1]{\expandafter\bidi@gappto\csname#1\endcsname}
5932 \bidi@newrobustcmd*{\bidi@csxappto}[1]{\expandafter\bidi@xappto\csname#1\endcsname}
5933 \bidi@newrobustcmd*{\bidi@protected@cseappto}{\bidi@protected\bidi@cseappto}
5934 \bidi@newrobustcmd*{\bidi@protected@csxappto}{\bidi@protected\bidi@csxappto}
5935
5936
5937
5938 \bidi@newrobustcmd*{\bidi@cspreto}[1]{\expandafter\bidi@preto\csname#1\endcsname}
5939 \bidi@newrobustcmd*{\bidi@csepreto}[1]{\expandafter\bidi@epreto\csname#1\endcsname}
5940 \bidi@newrobustcmd*{\bidi@csgpreto}[1]{\expandafter\bidi@gpreto\csname#1\endcsname}
5941 \bidi@newrobustcmd*{\bidi@csxpreto}[1]{\expandafter\bidi@xpreto\csname#1\endcsname}
5942 \bidi@newrobustcmd*{\bidi@protected@csepreto}{\bidi@protected\bidi@csepreto}
5943 \bidi@newrobustcmd*{\bidi@protected@csxpreto}{\bidi@protected\bidi@csxpreto}
5944
5945
5946
5947 \bidi@newrobustcmd{\if@bidi@patchable}{%
5948   \bidi@dbg@trce\if@bidi@patchable
5949   \begingroup

```



```

5950  \@makeother\#%
5951  \@ifstar\bidi@ifpatchable@i\bidi@ifpatchable}
5952
5953 \long\def\bidi@ifpatchable#1#2{%
5954  \endgroup
5955  \bidi@dbg@init#1%
5956  \if@bidi@undef{#1}
5957    {\bidi@dbg@fail{def}\@secondoftwo}
5958    {\bidi@dbg@info{def}%
5959      \if@bidi@defmacro{#1}
5960        {\bidi@dbg@info{mac}%
5961          \bidi@ifscanable{#1}
5962            {\bidi@ifhashcheck{#2}
5963              {\bidi@dbg@info{tok}%
5964                \bidi@ifpattern#1{#2}
5965                  {\bidi@dbg@info{pat}%
5966                    \bidi@dbg@info{pos}\@firstoftwo}
5967                    {\bidi@dbg@fail{pat}\@secondoftwo}}
5968                    {\bidi@dbg@fail{hsh}\@secondoftwo}}
5969                  {\bidi@dbg@fail{tok}\@secondoftwo}}
5970                  {\bidi@dbg@fail{mac}\@secondoftwo}}}
5971
5972 \long\def\bidi@ifpatchable@i#1{%
5973  \endgroup
5974  \bidi@dbg@init#1%
5975  \if@bidi@undef{#1}
5976    {\bidi@dbg@fail{def}\@secondoftwo}
5977    {\bidi@dbg@info{def}%
5978      \if@bidi@defmacro{#1}
5979        {\bidi@dbg@info{mac}%
5980          \if@bidi@defparam{#1}
5981            {\bidi@dbg@info{prm}%
5982              \bidi@ifscanable{#1}
5983                  {\bidi@dbg@info{tok}%
5984                    \bidi@dbg@info{pos}\@firstoftwo}
5985                    {\bidi@dbg@fail{tok}\@secondoftwo}}
5986                  {\bidi@dbg@info{prl}%
5987                    \if@bidi@defprotected{#1}
5988                      {\bidi@dbg@info{pro}%
5989                        {}%
5990                          \bidi@dbg@info{pos}\@firstoftwo}}
5991                      {\bidi@dbg@fail{mac}\@secondoftwo}}}
5992
5993 \bidi@newrobustcmd*\bidi@patchcmd{%
5994  \bidi@dbg@trce\bidi@patchcmd
5995  \begingroup
5996  \@makeother\#%
5997  \bidi@@patchcmd}
5998
5999 \newcommand{\bidi@@patchcmd}[4] [#####1]{%
6000  \bidi@ifpatchable#2{#3}
6001    {\bidi@dbg@succ{ret}%
6002      \begingroup
6003        \edef\bidi@resrvda{%

```



```

6004 \def\noexpand\bidi@resrvda####1\detokenize{macro:}####2->####3&{%
6005     #1\def\string\bidi@resrvda\space####2{\noexpand\bidi@resrvdb####3&}}%
6006 \def\noexpand\bidi@resrvdb####1\detokenize{#3}####2&{%
6007     ####1\detokenize{#4}####2}%
6008 \edef\noexpand\bidi@resrvda{%
6009     \noexpand\bidi@resrvda\meaning#2&}}%
6010 \bidi@resrvda
6011 \bidi@patchcmd@scantoks\bidi@resrvda
6012 \let#2\bidi@resrvda
6013 \bidi@undef\bidi@resrvda
6014 \o@firstoftwo}
6015 {\o@secondoftwo}

6016
6017 \def\bidi@patchcmd@scantoks#1{%
6018     \edef\bidi@resrvda{\endgroup
6019         \unexpanded{\makeatletter\scantokens}{#1}%
6020         \catcode\number`@=\the\catcode`\@relax}%
6021 \bidi@resrvda}
6022
6023 \newcommand\bidi@isloaded[2][]{%
6024     \expandafter\ifx\csname if@bidi@#2loaded@\endcsname\relax
6025         \expandafter\newif\csname if@bidi@#2loaded@\endcsname
6026     \fi
6027     \o@ifpackageloaded{#2}
6028     {\csname @bidi@#2loaded@true\endcsname #1}
6029     {\csname @bidi@#2loaded@false\endcsname}}
6030
6031 \protected\def\bidi@ifscanable#1{%
6032     \begingroup
6033     \edef\bidi@resrvda{%
6034         \def\noexpand\bidi@resrvda####1\detokenize{macro:}####2->####3&{%
6035             ####1\def\string\bidi@resrvda####2{####3}}%
6036         \edef\noexpand\bidi@resrvda{\noexpand\bidi@resrvda\meaning#1&}}%
6037 \bidi@resrvda
6038 \makeatletter
6039 \scantokens\expandafter{\bidi@resrvda}%
6040 \expandafter\endgroup\ifx#1\bidi@resrvda
6041     \expandafter\o@firstoftwo
6042 \else
6043     \expandafter\o@secondoftwo
6044 \fi}
6045
6046
6047 \protected\long\def\bidi@ifhashcheck#1{%
6048     \begingroup
6049     \edef\bidi@resrvda{\detokenize{#1}}%
6050     \expandafter\endgroup
6051     \expandafter\bidi@ifhashcheck@i\meaning\bidi@resrvda&}
6052
6053 \edef\bidi@ifhashcheck@i#1&{%
6054     \noexpand\expandafter
6055     \noexpand\bidi@ifhashcheck@ii
6056     \noexpand\strip@prefix#1\string#\string##&}
6057

```



```

6058 \edef\bidi@ifhashcheck@ii{%
6059   \def\noexpand\bidi@ifhashcheck@ii##1\string#\string##2&%
6060 \bidi@ifhashcheck@ii{\if@bidi@blank{#2}}%
6061
6062
6063 \protected\long\def\bidi@ifpattern#1#2{%
6064   \begingroup
6065   \edef\bidi@resrvda{%
6066     \def\noexpand\bidi@resrvda####1\detokenize{#2}####2&{%
6067       \endgroup\noexpand\noexpand\noexpand\if@bidi@blank{####2}}%
6068   \edef\noexpand\bidi@resrvda{\noexpand\bidi@resrvda
6069     \expandafter\strip@prefix\meaning#1\detokenize{#2}&}%
6070   \noexpand\bidi@resrvda}
6071 \bidi@resrvda\@secondoftwo\@firstoftwo}
6072
6073
6074 \newcommand{\if@bidi@defparam}{}%
6075 \long\edef\if@bidi@defparam#1{%
6076   \noexpand\expandafter\noexpand\bidi@ifdefparam
6077   \noexpand\meaning#1\detokenize{macro}:->&}%
6078 \edef\bidi@ifdefparam{%
6079   \def\noexpand\bidi@ifdefparam##1\detokenize{macro}:##2->##3&}%
6080 \bidi@ifdefparam{\bidi@notblank{#2}}%
6081
6082
6083 \newcommand{\if@bidi@defprotected}{}%
6084 \long\edef\if@bidi@defprotected#1{%
6085   \noexpand\expandafter\noexpand\bidi@ifdefprotected
6086   \noexpand\meaning#1\string\protected&}%
6087 \edef\bidi@ifdefprotected{%
6088   \def\noexpand\bidi@ifdefprotected##1\string\protected##2&}%
6089 \bidi@ifdefprotected{\bidi@notblank{#2}}%
6090
6091
6092 \bidi@newrobustcmd{\bidi@undef}[1]{\let#1\bidi@undefined}
6093 \bidi@newrobustcmd{\bidi@csundef}[1]{%
6094   \expandafter\let\csname #1\endcsname\bidi@undefined
6095 }
6096
6097 \let\bidi@dbg@trce\@gobble
6098 \let\bidi@dbg@init\@gobble
6099 \let\bidi@dbg@info\@gobble
6100 \let\bidi@dbg@succ\@gobble
6101 \let\bidi@dbg@fail\@gobble
6102
6103
6104
6105 \bidi@newrobustcmd*\bidi@apptocmd}{%
6106   \bidi@dbg@trce\bidi@apptocmd
6107   \begingroup
6108   \makeother\#%
6109   \bidi@hooktocmd\bidi@append}
6110
6111

```



```

6112 \bidi@newrobustcmd*\{\bidi@pretocmd\}{%
6113   \bidi@dbg@trce\bidi@pretocmd
6114   \begingroup
6115   \makeother\#%
6116   \bidi@hooktocmd\bidi@prepend}
6118
6119 \long\def\bidi@hooktocmd#1#2#3{%
6120   \endgroup
6121   \bidi@dbg@init#2%
6122   \if@bidi@undef{#2}
6123     {\bidi@dbg@fail{def}\@secondoftwo}
6124     {\bidi@dbg@info{def}\%
6125      \if@bidi@defmacro{#2}
6126        {\bidi@dbg@info{mac}\%
6127          \if@bidi@defparam{#2}
6128            {\bidi@dbg@info{prm}\%
6129              \bidi@ifscanable{#2}
6130                {\bidi@ifhashcheck{#3}
6131                  {\bidi@dbg@info{tok}\%
6132                    \bidi@dbg@succ{ret}\%
6133                    \bidi@hooktocmd@i#1#2{#3}\%
6134                    \@firstoftwo}
6135                  {\bidi@dbg@fail{hsh}\@secondoftwo}}
6136                  {\bidi@dbg@fail{tok}\@secondoftwo}}
6137                  {\bidi@dbg@info{prl}\%
6138                    \if@bidi@defprotected{#2}
6139                      {\bidi@dbg@info{pro}\%
6140                        \bidi@dbg@succ{red}\%
6141                        \protected}
6142                      {\bidi@dbg@succ{red}\%}
6143                      \edef#2{\bidi@expandonce#2{\unexpanded{#3}}}\%
6144                      \@firstoftwo}
6145                    {\bidi@dbg@fail{mac}\@secondoftwo}}}
6146
6147 \long\def\bidi@hooktocmd@i#1#2#3{%
6148   \begingroup
6149   \edef\bidi@resrvda{%
6150     \def\noexpand\bidi@resrvda####1\detokenize{macro}:\####2->\####3&{%
6151       ####1\def\string\bidi@resrvda\space####2{#1{####3}{\detokenize{#3}}}}\%
6152     \edef\noexpand\bidi@resrvda{%
6153       \noexpand\bidi@resrvda\meaning#2\&}}\%
6154     \bidi@resrvda
6155     \bidi@patchcmd@scantoks\bidi@resrvda
6156     \let#2\bidi@resrvda
6157     \bidi@undef\bidi@resrvda}
6158
6159 \long\def\bidi@append#1#2{#1#2}
6160 \long\def\bidi@prepend#1#2{#2#1}
6161
6162 %\bidi@newrobustcmd*\{\bidi@AtEndPreamble\}{\bidi@gappto\bidi@endpreamblehook}
6163 %\newcommand*\{\bidi@endpreamblehook\}{}
6164
6165 \bidi@newrobustcmd*\{\bidi@AtEndPreamble\}{\AddToHook{begindocument/before}}%

```



```

6166 \bidi@newrobustcmd*{\bidi@BeforeOutputPageShipOut}{\bidi@gappto\bidi@beforeoutputpageshipout}
6167 \newcommand*{\bidi@beforeoutputpageshipouthook}{}%
6169
6170 \bidi@newrobustcmd*{\bidi@BeforeHeader}{\bidi@gappto\bidi@beforeheaderhook}%
6171 \newcommand*{\bidi@beforeheaderhook}{}%
6172
6173 \bidi@newrobustcmd*{\bidi@BeforeOutputBoxOutputPage}{\bidi@gappto\bidi@beforeoutputboxoutputpa}
6174 \newcommand*{\bidi@beforeoutputboxoutputpagehook}{}%
6175
6176 \bidi@newrobustcmd*{\bidi@AfterOutputBoxOutputPage}{\bidi@gappto\bidi@afteroutputboxoutputpa}
6177 \newcommand*{\bidi@afteroutputboxoutputpagehook}{}%
6178
6179 \bidi@newrobustcmd*{\bidi@BeforeFooter}{\bidi@gappto\bidi@beforefooterhook}%
6180 \newcommand*{\bidi@beforefooterhook}{}%
6181
6182 \bidi@newrobustcmd*{\bidi@AfterFooter}{\bidi@gappto\bidi@afterfooterhook}%
6183 \newcommand*{\bidi@afterfooterhook}{}%
6184
6185
6186 \bidi@newrobustcmd*{\bidi@AfterOutputPageShipOut}{\bidi@gappto\bidi@afteroutputpageshipoutha}
6187 \newcommand*{\bidi@afteroutputpageshipouthook}{}%
6188
6189 \bidi@newrobustcmd*{\bidi@AtEndOutputPage}{\bidi@gappto\bidi@atendoutputpagehook}%
6190 \newcommand*{\bidi@atendoutputpagehook}{}%
6191
6192 %\bidi@preto\document{%
6193 % \endgroup
6194 % \let\bidi@AtEndPreamble\@firstofone
6195 % \bidi@endpreamblehook
6196 % \protected\def\bidi@AtEndPreamble{\@notprerr\@gobble}%
6197 % \bidi@undef\bidi@endpreamblehook
6198 % \begingroup}
6199
6200 \bidi@newrobustcmd*{\bidi@AfterPreamble}{\AtBeginDocument}
6201 \bidi@AtEndPreamble{\let\bidi@AfterPreamble\@firstofone}
6202
6203 %\bidi@newrobustcmd*{\bidi@AfterEndPreamble}{\bidi@gappto\bidi@afterendpreamblehook}%
6204 %\newcommand*{\bidi@afterendpreamblehook}{}%
6205
6206 \bidi@newrobustcmd*{\bidi@AfterEndPreamble}{\AddToHook{begindocument/end}}%
6207
6208 %\bidi@appto\document{%
6209 % \let\bidi@AfterEndPreamble\@firstofone
6210 % \bidi@afterendpreamblehook
6211 % \protected\def\bidi@AfterEndPreamble{\@notprerr\@gobble}%
6212 % \bidi@undef\bidi@afterendpreamblehook
6213 % \ignorespaces}
6214
6215 \bidi@newrobustcmd*{\bidi@AfterEndDocumentCheckLabelsRerun}{\bidi@gappto\bidi@afterenddocume}
6216 \newcommand*{\bidi@afterenddocumentchecklabelsrerunhook}{}%
6217
6218 \bidi@patchcmd\enddocument
6219 {\fi}

```



```

6220  {\let\bidi@AfterEndDocumentCheckLabelsRerun\@firstofone
6221    \bidi@afterenddocumentchecklabelsrerunhook
6222    \fi}
6223  {}
6224  {\PackageWarning{biditools}{Patching `\\string\\enddocument' failed}}
6225
6226 \AtEndDocument{\let\bidi@AfterEndPreamble\@gobble}
6227
6228 \bidi@newrobustcmd*{\bidi@AfterLastShipout}{\bidi@gappto\bidi@afterlastshipouthook}
6229 \newcommand*{\bidi@afterlastshipouthook}={}
6230
6231 \bidi@patchcmd\enddocument
6232  {\clearpage}
6233  {\clearpage
6234    \let\bidi@AfterLastShipout\@firstofone
6235    \bidi@afterlastshipouthook}
6236  {}
6237  {\let\bidi@clearpage\clearpage
6238  \def\clearpage{%
6239    \bidi@clearpage
6240    \let\bidi@AfterLastShipout\@firstofone
6241    \bidi@afterlastshipouthook}}
6242
6243 \% \bidi@newrobustcmd*{\bidi@AfterEndDocument}{\bidi@gappto\bidi@afterenddocumenthook}
6244 \% \newcommand*{\bidi@afterenddocumenthook}={}
6245
6246 \bidi@newrobustcmd*{\bidi@AfterEndDocument}{\AddToHook{\enddocument/end}}%
6247
6248 \% \bidi@patchcmd\enddocument
6249 \%  {\deadcycles}
6250 \%  {\let\bidi@AfterEndDocument\@firstofone
6251 \%  \bidi@afterenddocumenthook
6252 \%  \deadcycles}
6253 \%  {}
6254 \%  {\let\bidi@@end\@@end
6255 \%  \def\@@end{%
6256 \%    \let\bidi@AfterEndDocument\@firstofone
6257 \%    \bidi@afterenddocumenthook
6258 \%    \bidi@@end}}
6259
6260 \bidi@newrobustcmd{\bidi@AtBeginEnvironment}[1]{%
6261  \bidi@csgappto{\bidi@begin@#1@hook}}
6262
6263 % Patch \begin<space> and \end<space> in newer LaTeX releases
6264 % \begin and \end in older ones.
6265 \expandafter\bidi@patchcmd\csname begin\ifcsname begin \endcsname\space\fi\endcsname
6266  {\csname #1\endcsname}
6267  {\bidi@csuse{\bidi@begin@#1@hook}}%
6268  {\csname #1\endcsname}
6269  {}
6270  {\bidi@warning{%
6271    Patching `\\string\\begin' failed!\\MessageBreak
6272    `\\string\\bidi@AtBeginEnvironment' will not work\\gobble}}}
6273

```



```

6274
6275
6276 \bidi@newrobustcmd{\bidi@AtEndEnvironment}[1]{%
6277   \bidi@csgappto{\bidi@end@#1@hook}}
6278
6279 \expandafter\bidi@patchcmd\csname end\ifcsname end \endcsname\space\fi\endcsname
6280 {\csname end#1\endcsname}
6281 {\bidi@csuse{@bidi@end@#1@hook}%
6282   \csname end#1\endcsname}
6283 {}
6284 {\bidi@warning{%
6285   Patching '\string\end' failed!\MessageBreak
6286   '\string\bidi@AtEndEnvironment' will not work\gobble}}
6287
6288
6289
6290 \bidi@newrobustcmd{\bidi@BeforeBeginEnvironment}[1]{%
6291   \bidi@csgappto{\bidi@beforebegin@#1@hook}}
6292
6293 \expandafter\bidi@pretocmd\csname begin\ifcsname begin \endcsname\space\fi\endcsname
6294 {\bidi@csuse{@bidi@beforebegin@#1@hook}}
6295 {}
6296 {\bidi@warning{%
6297   Patching '\string\begin' failed!\MessageBreak
6298   '\string\bidi@BeforeBeginEnvironment' will not work\gobble}}
6299
6300 \bidi@newrobustcmd{\bidi@AfterEndEnvironment}[1]{%
6301   \bidi@csgappto{\bidi@afterend@#1@hook}}
6302
6303 \expandafter\bidi@patchcmd\csname end\ifcsname end \endcsname\space\fi\endcsname
6304 {\if@ignore}
6305 {\bidi@csuse{@bidi@afterend@#1@hook}%
6306   \if@ignore}
6307 {}
6308 {\bidi@warning{%
6309   Patching '\string\end' failed!\MessageBreak
6310   '\string\bidi@AfterEndEnvironment' will not work\gobble}}
6311
6312 \def\bidi@namedef#1{\expandafter\def\csname #1\endcsname}
6313 \def\bidi@namegdef#1{\expandafter\gdef\csname #1\endcsname}
6314 \def\bidi@nameedef#1{\expandafter\edef\csname #1\endcsname}
6315 \def\bidi@namexdef#1{\expandafter\xdef\csname #1\endcsname}
6316
6317 % From David Carlisle:
6318 % The \cstpelt redefinition below belongs to Heiko Oberdiek
6319 % See also https://github.com/ho-tex/oberdiek/issues/26
6320
6321 \let\bidi@stepcounter\stepcounter
6322 \let\bidi@\cstpelt\cstpelt
6323
6324 \def\cstpelt#1{%
6325   \ifcsname bidi@reset@#1@perpage\endcsname
6326     \begingroup
6327       \let\stepcounter\bidi@stepcounter

```



```

6328      \@bidi@@stpelt{#1}%
6329      \endgroup
6330      \expandafter\@gobbletwo
6331  \fi
6332  \@bidi@@stpelt{#1}%
6333 }
6334
6335 \bidi@pretocmd\stepcounter
6336 {%
6337   \if@bidi@csundef{bidi@stepcounterhook@@#1}{}{%
6338     \csname bidi@stepcounterhook@@#1\endcsname
6339   }%
6340 }{%
6341 {\PackageWarning{biditools}{Patching `\\string\stepcounter' failed}}
6342
6343 \chardef\bidi@backslash`\\
6344 \def\bidics#1{\texttt{\{\\char\bidi@backslash#1\}}}
6345
6346 % anonymous control sequences
6347 \newcount\bidi@tempcountb
6348 \newtoks\bidi@temptoksa
6349 \newtoks\bidi@temptoksb
6350
6351 % Catcode (re)storing
6352 %
6353 \def\bidi@storecatcode#1%
6354   {\escapechar\m@ne
6355   \bidi@csarg\edef{bidi@restorecatcode\string#1}%
6356   {\catcode`\string#=
6357     \the\catcode\expandafter`\string#1}%
6358   \catcode\expandafter`\string#1=12\relax
6359   \escapechar`\\relax}
6360 \def\bidi@restorecatcode#1%
6361   {\escapechar\m@ne
6362   \csname bidi@restorecatcode\string#1\endcsname
6363   \escapechar`\\relax}
6364
6365 % Construct a control sequence inside \edef
6366 %
6367 \def\bidi@csname#1{\expandafter\noexpand\csname#1\endcsname}
6368
6369 % Construct a control sequence out of #2, and give it to #1
6370 %
6371 \def\bidi@csarg#1#2{\expandafter#1\csname#2\endcsname}
6372
6373 % Pick an escapecharacter
6374 % this presumes that its argument is a character.
6375 %
6376 \def\bidi@pickescape#1{\ifnum`#1=\escapechar\else#1\fi}
6377
6378 % Equality of strings.
6379 % the fast approach: does not work in expansion-only environment.
6380 %
6381 \def\bidi@EqualString#1#2{00\fi\def\bidi@eqs@a{#1}\def\bidi@eqs@b{#2}%

```



```

6382      \ifx\bidi@eqs@a\bidi@eqs@b}
6383
6384 % Test by expansion only
6385 %
6386 \def\bidi@EqualStringX#1#2{00\fi
6387     \csname if@\bidi@EqualStringX#1##2##\endcsname}
6388 \def\bidi@EqualStringX#1##2##4${\ifx#1#3%
6389     \ifx#1&true\else\bidi@hop@ES@\bidi@EqualStringX#2##4%\fi
6390     \else false\fi}
6391 \def\bidi@hop@ES#1#2\fi#2\fi{\fi\fi#1}
6392
6393 % Lexicographic ordering
6394 % note the use of \def
6395 % also note the characters 0,127,255 that are used,
6396 % these are not supposed to appear in the strings
6397 %
6398 {\catcode0=12 \catcode255=12 \catcode127=12
6399 \gdef\bidi@StringBeforeNC#1#2{00\fi
6400     \bidi@CharsBefore#1^^@^^?#2^^ff^^?}
6401 \gdef\bidi@CharsBeforeNC#1#2^^?#3#4^^?{%
6402     \ifcat#1\relax\def\bidi@next{\bidi@CharsBefore#2^^@^^?#3#4^^ff^^?}%
6403     \else\ifcat#3\relax\def\bidi@next{\bidi@CharsBefore#1#2^^@^^?#4^^ff^^?}%
6404     \else\ifnum\lccode`#1<\lccode`#3
6405         \def\bidi@next{\csname iftrue\endcsname}%
6406         \else\ifnum\lccode`#1>\lccode`#3
6407             \def\bidi@next{\csname ifffalse\endcsname}%
6408             \else\def\bidi@next{\bidi@CharsBefore#2^^?#4^^?}%
6409     \fi \fi \fi
6410     \bidi@next}
6411 \gdef\bidi@StringBefore#1#2{00\fi
6412     \bidi@CharsBefore#1^^@^^?#2^^ff^^?}
6413 \gdef\bidi@CharsBefore#1#2^^?#3#4^^?{%
6414     \ifnum`#1<`#3
6415         \def\bidi@next{\csname iftrue\endcsname}%
6416     \else\ifnum`#1>`#3
6417         \def\bidi@next{\csname ifffalse\endcsname}%
6418         \else\def\bidi@next{\bidi@CharsBefore#2^^?#4^^?}%
6419     \fi\fi
6420     \bidi@next}
6421 }
6422
6423 % Null argument test
6424 %
6425 \def\bidi@empty{}
6426 \def\bidi@ifempty#1{00\fi\expandafter\ifx\csname bidi@#1@null\endcsname\bidi@@null}
6427 \def\bidi@ifEmptyX#1{\expandafter\ifx\csname bidi@#1@null\endcsname\bidi@@null}
6428 %\def\bidi@ifEmpty#1{\def\bidi@cs@a{#1}\ifx\bidi@cs@a\bidi@empty}
6429 \def\bidi@IsEmptyList#1{00\fi\def\bidi@cs@a{#1}\ifx\cs@a\bidi@empty}
6430
6431 % Next character test
6432 %
6433 \def\bidi@NextChar#1#2#3{00\fi
6434     \let\bidi@nxt@ch#1\def\bidi@nxt@a{#2}\def\bidi@nxt@b{#3}%
6435     \futurelet\bidi@nxt@c\@bidi@ifnxtc}

```



```

6436 \def\bidi@ifNextChar#1#2#3{%
6437   \let\bidi@nxt@ch#1\def\bidi@nxt@a{#2}\def\bidi@nxt@b{#3}%
6438   \futurelet\bidi@nxt@c\@bidi@ifnxtc}
6439 \def@\bidi@ifnxtc{\ifx\bidi@nxt@ch\bidi@nxt@c \expandafter\bidi@nxt@a
6440   \else \expandafter\bidi@nxt@b \fi}
6441
6442 % Test for defined-ness of string as control sequence.
6443 % works inside \edef
6444 %
6445 \def\bidi@undefinedcs#1{00\fi\bidi@csarg\ifx{#1}\relax}
6446
6447 % Define uniquely defined dummy macros,
6448 % usually to serve as bumper blocks at the end of a list
6449 %
6450 \newcount\bidi@dummies
6451 \def\DefNewDummy#1{
6452   \if\bidi@undefinedcs{#1}\bidi@csarg\edef{#1}{\bidi@dum\the\bidi@dummies}
6453     \advance\bidi@dummies\one
6454   \else
6455     \bidi@error{Attempt at second definition of `#1'}
6456   \fi}
6457
6458 % string case statement
6459 % use: \bidi@switch \iftest{...} in:
6460 %       item1 action1
6461 %       ...
6462 %       itemn actionn
6463 %       default defaultaction [optional]
6464 %       \endbidi@switch
6465 % inspired by Jonathan Fine: Some Basic Control Macros
6466 % Tugboat 12 #4
6467 %
6468 \let\@bidi@fi\fi \let\endbidi@switch\relax \DefNewDummy{\bidi@default}
6469 \def\bidi@switch@exit #1 \@bidi@fi #2 \endbidi@switch {\fi #1}
6470 \def\bidi@switch #1#2#3{\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@fi
6471   #1{#2}\bidi@switch@exit #3 \@bidi@fi
6472   \bidi@switch {#1}}
6473 }
6474 % this version puts the test object in {}
6475 \def\bidi@oswitch #1 in: #2 #3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@fi
6476   #1{#2}\bidi@switch@exit #3 \@bidi@fi
6477   \bidi@switch #1 in:
6478 }
6479 % this version assumes that the test object is just one character
6480 \def\bidi@csswitch #1 in: #2 #3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@fi
6481   #1#2\bidi@switch@exit #3 \@bidi@fi
6482   \bidi@csswitch #1 in:
6483 }
6484 % this version assumes that the test object can have an optional space
6485 \def\bidi@bswitch #1 in: #2 #3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@fi
6486   #1#2 \bidi@switch@exit #3 \@bidi@fi
6487   \bidi@bswitch #1 in:
6488 }
6489 % this version can cope with significant spaces at the start of #3;

```



```

6490 % #2 is macro argument
6491 \def\bidi@mswitch #1 in: #2:#3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi
6492   #1{#2}\bidi@switch@exit #3 \@bidi@fi
6493   \bidi@mswitch #1 in:
6494 }
6495 % idem; #2 does not have to be enclosed in braces
6496 \def\bidi@fswitch #1 in: #2:#3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi
6497   #1#2 \bidi@switch@exit #3 \@bidi@fi
6498   \bidi@fswitch #1 in:
6499 }
6500
6501 % Routines for taking the value of a string:
6502 % if the string is defined as control sequence
6503 % take the value of that, otherwise take the string itself
6504
6505 % String or value of control sequence
6506 %
6507 \def\bidi@w@w#1{\if\bidi@undefinedcs{#1}#1\else \the\csname#1\endcsname\fi}
6508
6509 % String or control sequence
6510 %
6511 \def\bidi@ww#1{\if\bidi@undefinedcs{#1}#1\else \csname#1\endcsname \fi}
6512
6513 % String or \noexpand-ed control sequence;
6514 % for use in \edef
6515 %
6516 \newif\ifbidi@in@label
6517 \def\bidi@w@w#1{\if\bidi@undefinedcs{#1}#1\else
6518   \ifbidi@in@label\noexpand\protect\fi \bidi@csname{#1}\fi}
6519 \newtoks\bidi@are@these@correct
6520 \def\bidi@t@w@w#1%
6521   \if\bidi@undefinedcs{#1}#1%
6522     \ifdefining\bidi@append@to@list\bidi@are@these@correct{#1 }\fi
6523   \else
6524     \ifin@label\noexpand\protect\fi \bidi@csname{#1}\fi}
6525
6526 % List Manipulation .....
6527 % this assumes that #1 is a list of tokens, #2 is the name of a list
6528 %
6529 % Names of lists (and of items to pop into) are given as strings;
6530 % not as control sequences.
6531 %
6532 \newtoks\bidi@toks@lista \newtoks\bidi@toks@listb
6533 % basic append/prepend macro
6534 \long\def\bidi@append@to@cslist#1#2#3{\begingroup\bidi@toks@lista=#2{#3}%
6535   \global#1=\expandafter\expandafter\expandafter{\expandafter\the\expandafter#1\the\bidi@tok
6536 \long\def\bidi@prepend@to@cslist#1#2#3{\begingroup\bidi@toks@lista=#2{#3}%
6537   \global#1=\expandafter\expandafter\expandafter{\expandafter\the\expandafter\bidi@toks@list
6538 \def\bidi@append@to@list{\bidi@csarg\@bidi@append@to@cslist}
6539 \def\bidi@prepend@to@list{\bidi@csarg\@bidi@prepend@to@cslist}
6540 % variations:
6541 \long\def\bidi@append@to@list#1#2{\@bidi@append@to@list{#1}{}{#2}}
6542 \long\def\bidi@prepend@to@list#1#2{\@bidi@prepend@to@list{#1}{}{#2}}
6543 \def\bidi@append@list@to@list#1#2{%

```





```

6598 % two cs arguments
6599 \def\bidi@pop@cs@into#1#2{\edef\bidi@cs@e
6600   {\noexpand\@@bidi@popinto\noexpand#1\noexpand#2\the#2\noexpand\@@bidi@pop}\bidi@cs@e}
6601 % two string arguments
6602 \def\bidi@pop@into#1#2{\edef\bidi@cs@e
6603   {\noexpand\@@bidi@popinto\bidi@csname{#1}\bidi@csname{#2}\bidi@csarg\the{#2}\noexpand\@@bidi@pop}}
6604 \long\def\@@bidi@popinto#1#2\\#3#4\@@bidi@pop{#1{#3}#2{#4}}
6605 \def\bidi@copy@stacktop#1#2{%
6606   \edef\bidi@cs@ef{\noexpand\bidi@copy@stacktop
6607   {#1}\bidi@csarg\the{#2}\noexpand\@@bidi@pop}%
6608   \bidi@cs@e}
6609 \def\@bidi@copy@stacktop#1\\#2#3\@@bidi@pop{\csname#1\endcsname#2\relax}
6610 \newcount\bidi@stack@length \newtoks\bidi@empty@stack \bidi@empty@stack{\{}}
6611 \def\bidi@length@of@stack#1{\bidi@csarg\bidi@length@of@csstack{#1}}
6612 \def\bidi@length@of@csstack#1{\def\@##1{\advance\bidi@stack@length\@ne}%
6613   \bidi@stack@length\m@ne \the#1}
6614 % turn a stack upside down
6615 \def\bidi@invert@csstack#1{\bidi@length@of@csstack{#1}%
6616   \bidi@tempcountb\z@ \bidi@temptoksa\bidi@empty@stack
6617   \loop\ifnum\bidi@tempcountb<\bidi@stack@length
6618     \bidi@pop@cs@into\bidi@temptoksb#1\advance\bidi@stack@length\m@ne
6619     \bidi@push@cs@onto@cs\bidi@temptoksa\bidi@temptoksb
6620 %   \bidi@append@cslist@to@cslist\bidi@temptoksb\bidi@temptoksa% append a to b
6621 %   \bidi@temptoksa\bidi@temptoksb
6622     \repeat% copy b to a
6623 #1\bidi@temptoksa \bidi@temptoksa\bidi@empty@toks}
6624 % invert a stack into a list
6625 \def\bidi@x@stack@to@list#1{\bidi@length@of@stack{#1}%
6626   \bidi@tempcountb\z@ \bidi@temptoksa\bidi@empty@toks
6627   \loop\ifnum\bidi@tempcountb<\bidi@stack@length
6628     \bidi@pop@into\bidi@temptoksb{#1}\advance\bidi@stack@length\m@ne
6629     \bidi@append@list@to@list{\bidi@temptoksb}{\bidi@temptoksa}\repeat
6630   \csname#1\endcsname\bidi@temptoksa \bidi@temptoksa\bidi@empty@toks}
6631
6632
6633 % General loop macro:
6634 % \looprepeat
6635 %   \forvariable{<var>} \fromvalue{<start>} \bystep{<step>} \tovalue{<end>} \downtovalue{<end>}
6636 %           \untilcondition{<cond>} \whilecondition{<cond>}
6637 %   \doloopbody { <loop body> }
6638 % where all control sequences in between \looprepeat and \doloopbody are optional.
6639 %
6640 % var: characters to form a control sequence;
6641 %       after \forvariable{index} you can access the loop counter as \index.
6642 %       This is a count register; to print it use \number\index.
6643 % start,step,end: integers with obvious relations to the loop counter;
6644 %       start and step have a default value of 1
6645 % cond: (sequence of commands ending in) any TeX \if... test.
6646 %
6647 % Count down instead of up with \downtovalue; the increment given in \bystep
6648 % is always positive, and is added or subtracted accordingly.
6649 %
6650 % Tests: \untilcondition is evaluated at the end of the loop body; \whilecondition
6651 % at the beginning of the loop body.

```



```

6652 %
6653 % Exit from middle of loop: \breaklooprepeat
6654 % use this at any place in the loop; in case of a conditional use
6655 %   \ifsomething ... \expandafter \breaklooprepeat \fi
6656 %
6657 % Note that the line ends do not cause spaces in the output.
6658 %
6659 % Technical details:
6660 % The loop body is not executed in a group: the braces are those
6661 % of a token list.
6662 % The `forvariable' variable is \let to a \count register.
6663
6664
6665
6666 % Auxiliary stuff
6667 \def\bidi@looprepeat@csarg#1#2{\expandafter#1\csname#2\endcsname}
6668 \def\bidi@looprepeat@csromannumerical#1{\csname #1\romannumeral\bidi@looprepeat@depth\endcsname}
6669 \def\bidi@looprepeat@csargromannumerical#1#2{\expandafter#1\csname#2\romannumeral\bidi@looprepeat@depth\endcsname}
6670
6671 \newcount\bidi@looprepeat@depth
6672 \let\endlooprepeat\relax \def\bidi@csprotect(){}
6673 % Trace switches may later be defined by PAC_utils
6674 \let\bidi@looprepeat@traceinit\relax \let\bidi@looprepeat@traceexit\relax
6675
6676 % Main repeatloop macro
6677 % - go to next level and allocate unique counter/toks if this is the
6678 %   first time we visit this level
6679 % - setup: gather bounds and termination conditions
6680 % - scoop up body in token list; after the assignment define and
6681 %   execute body
6682 \def\looprepeat#1\doloopbody{\bidi@looprepeat@traceinit % exit in \breakrepeatloop
6683   \advance\bidi@looprepeat@depth@ne\relax
6684   \bidi@looprepeat@csargromannumerical\ifx\bidi@looprepeat@count\relax
6685     \bidi@looprepeat@csargromannumerical{\csname newcount\expandafter\endcsname}{\bidi@looprepeat@depth}
6686     \bidi@looprepeat@csargromannumerical{\csname newtoks\expandafter\endcsname}{\bidi@looprepeat@count}
6687     \bidi@looprepeat@csargromannumerical{\csname newtoks\expandafter\endcsname}{\bidi@looprepeat@depth}
6688     \bidi@looprepeat@csargromannumerical{\csname newtoks\expandafter\endcsname}{\bidi@looprepeat@count}
6689   \fi \bidi@looprepeat@zero \def\bidi@looprepeat@sign{}\def\bidi@looprepeat@comp{>}\bidi@looprepeat@body
6690   \edef\bidi@looprepeat@tmp
6691     {\def\bidi@looprepeat@csargromannumerical\noexpand{\bidi@looprepeat@looprepeat}{\bidi@looprepeat@body}}
6692   \afterassignment\bidi@looprepeat@dxbody\bidi@looprepeat@csromannumerical{\bidi@looprepeat@toks}
6693
6694 % Define and execute loop body
6695 % This is done with an \edef to construct the actual sequence
6696 \def\bidi@looprepeat@dxbody{\bidi@looprepeat@csargromannumerical\edef{\bidi@looprepeat@body}{%
6697   \bidi@looprepeat@csargromannumerical{\the{\bidi@looprepeat@wtest}}%
6698   \noexpand\the\bidi@looprepeat@csargromannumerical\noexpand{\bidi@looprepeat@toks}}%
6699   \bidi@looprepeat@csargromannumerical{\the{\bidi@looprepeat@utest}}%
6700   \global\bidi@looprepeat@csargromannumerical\advance{\bidi@looprepeat@count} by \bidi@looprepeat@depth
6701   \noexpand\endlooprepeat
6702   \bidi@looprepeat@csargromannumerical\noexpand{\bidi@looprepeat@looprepeat}}%
6703 \bidi@looprepeat@csromannumerical{\bidi@looprepeat@body}\ignorespaces}
6704
6705 % Stop test

```



```

6706 %% In order to stop, issue a
6707 % \breaklooprepeat which scoops up the rest of the body and exits
6708 \def\breaklooprepeat#1\endlooprepeat{\bidi@looprepeat@zero\bidi@looprepeat@csargromannumerical
6709   \advance\bidi@looprepeat@depth\m@ne \bidi@looprepeat@traceexit
6710 }
6711
6712
6713 % Setup
6714 % gather bounds and termination conditions
6715 \def\bidi@looprepeat@setup#1{%
6716   \begingroup
6717     \def\forvariable##1{%
6718       \edef\bidi@looprepeat@tmp{%
6719         \global\let\bidi@looprepeat@csarg\noexpand{\##1}\bidi@looprepeat@csromannumerical{bidi@looprepeat@tmp}%
6720       }%
6721       \def\fromvalue##1{\bidi@looprepeat@csargromannumerical\global{bidi@looprepeat@count}##1\ignorespaces}%
6722       \def\tovalue##1{%
6723         \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumerical\noexpand{bidi@looprepeat@count}\bidi@looprepeat@tmp}%
6724         \bidi@looprepeat@csargromannumerical\the{bidi@looprepeat@wtest}%
6725         \noexpand\ifnum\bidi@looprepeat@csargromannumerical\noexpand{bidi@looprepeat@count}<1\ignorespaces}%
6726         \noexpand\expandafter \noexpand\breaklooprepeat
6727         \noexpand\fi\ignorespaces}%
6728       \bidi@looprepeat@tmp}%
6729     \def\downtovalue##1{%
6730       \gdef\bidi@looprepeat@sign{-}\gdef\bidi@looprepeat@comp{<}\tovalue{\##1}\ignorespaces}%
6731     \def\bystep##1{\ifnum##1<0 \bidi@error{LOOPREPEAT: increment has to be a positive value}%
6732       \bidi@looprepeat@csargromannumerical\gdef{bidi@looprepeat@inc}{-##1}\else
6733       \bidi@looprepeat@csargromannumerical\gdef{bidi@looprepeat@inc}{##1}\fi\ignorespaces}%
6734     \def\untilcondition##1{%
6735       \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumerical\noexpand{bidi@looprepeat@tmp}}%
6736       \noexpand##1\relax
6737       \noexpand\expandafter \noexpand\breaklooprepeat \noexpand\fi\ignorespaces}%
6738       \bidi@looprepeat@tmp}%
6739     \def\whilecondition##1{%
6740       \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumerical\noexpand{bidi@looprepeat@tmp}}%
6741       \noexpand##1\relax \noexpand\else
6742       \noexpand\expandafter \noexpand\breaklooprepeat \noexpand\fi\ignorespaces}%
6743       \bidi@looprepeat@tmp}%
6744       \fromvalue{\@ne}\bystep{\@ne}#1%
6745     \endgroup
6746 \def\bidi@looprepeat@zero
6747   {\bidi@looprepeat@csromannumerical{bidi@looprepeat@toks}{}\bidi@looprepeat@csromannumerical{bidi@looprepeat@body}{}}
6748
6749
6750 %\tracingmacros2
6751 %\newcount\tmpcount % used in some examples below
6752
6753 %\looprepeat \forvariable{i}
6754 %           \bystep{2}
6755 %   \doloopbody {%
6756 %     \ifnum\i=13 \expandafter\breaklooprepeat \fi
6757 %     \number\i{} %
6758 %}%
6759

```



```

6760 \%looprepeat \forvariable{iii}
6761 %           \tovalue{8}
6762 %   \doloopbody {}
6763 %After loop: \number\iii%
6764
6765 \%looprepeat \forvariable{i}
6766 %           \fromvalue{10}
6767 %           \bystep{2}
6768 %           \downtovalue{0}
6769 %   \doloopbody {\number\i{} }
6770
6771 \%looprepeat \forvariable{x} \whilecondition{\ifnum\x<7}
6772 %   \doloopbody {\number\x{} }
6773
6774 \%looprepeat \tovalue{3} \doloopbody {Hello world! }
6775
6776 \%looprepeat \forvariable{j}
6777 %           \untilcondition{\tmpcount\j \divide\tmpcount by 37 \noexpand\ifnum\tmpcount=1}
6778 %   \doloopbody {\number\j{} }
6779
6780 \%looprepeat \forvariable{i} \bystep{2} \tovalue{10} \doloopbody
6781 % {\looprepeat \forvariable{j} \fromvalue{\i} \bystep{3} \tovalue{18}}
6782 %   \doloopbody {(\number\i.\number\j) }
6783 %
6784
6785 % infinite loop
6786 \%looprepeat \doloopbody {}
6787
6788 \renewcommand{\InputIfFileExists}[2]{%
6789   \begingroup\expandafter\expandafter\expandafter\endgroup
6790   \expandafter\ifx\csname #1-\@bidi@alias\endcsname\relax
6791     \expandafter\@secondoftwo
6792   \else
6793     \@bidi@replacefile@msg{\csname #1-\@bidi@alias\endcsname}{#1}%
6794     \expandafter\@firstoftwo
6795   \fi
6796   {%
6797     \expandafter\InputIfFileExists\expandafter{\csname
6798       #1-\@bidi@alias\endcsname}{#2}%
6799   }%
6800   {\@IfExists{#1}{%
6801     \@bidi@load@hook{before}{#1}%
6802     #2\@addtofilelist{#1}%
6803     \@@input \@filef@und
6804     \@bidi@load@hook{after}{#1}%
6805   }{}}%
6806 }
6807
6808 \newcommand*\@bidi@loadwithoptions(){}
6809 \newcommand*\@bidi@loadwithoptions{}{}
6810 \let\bidi@loadwithoptions\@loadwithoptions
6811
6812 \renewcommand*\@loadwithoptions[3]{%
6813   \begingroup\expandafter\expandafter\expandafter\endgroup

```



```

6814 \expandafter\ifx\csname #3.#1-@bidi@aliasname\endcsname\relax
6815   \def\bidi@@loadwithoptions{\bidi@loadwithoptions{#1}{#2}{#3}}%
6816 \else
6817   \bidi@replacefile@msg{\csname #3.#1-@bidi@aliasname\endcsname.#1}{#3.#1}%
6818   \def\bidi@@loadwithoptions{%
6819     \loadwithoptions{#1}{#2}{\csname #3.#1-@bidi@aliasname\endcsname}%
6820   }%
6821 \fi
6822 \bidi@@loadwithoptions
6823 }
6824
6825 \newcommand*{\bidi@onefilewithoptions}{}%
6826 \let\bidi@onefilewithoptions\@onefilewithoptions
6827 \def\@onefilewithoptions#1[#2][#3]{%
6828   \begingroup\expandafter\expandafter\expandafter\endgroup
6829   \expandafter\ifx\csname #1.#4-@bidi@aliasname\endcsname\relax
6830     \def\bidi@onefilewithoptions{\bidi@onefilewithoptions{#1}}%
6831   \else
6832     \bidi@replacefile@msg{\csname #1.#4-@bidi@aliasname\endcsname.#4}{#1.#4}%
6833     \edef\bidi@@onefilewithoptions{%
6834       \noexpand\@onefilewithoptions{\csname #1.#4-@bidi@aliasname\endcsname}}%
6835   \fi
6836 \bidi@@onefilewithoptions[{#2}][{#3}]{#4}%
6837 \bidi@load@hook{lateafter}{#1.#4}}%
6838 }
6839
6840 \newcommand*{\bidi@ReplaceInput}[2]{%
6841   \expandafter\edef\csname #1-@bidi@alias\endcsname{#2}}%
6842 }
6843
6844 \newcommand*{\bidi@UnReplaceInput}[1]{%
6845   \ifcsname #1-@bidi@alias\endcsname
6846     \expandafter\let\csname #1-@bidi@alias\endcsname\relax
6847   \fi
6848 }
6849
6850 \newcommand*{\@bidi@replacefilewithext}[3]{%
6851   \expandafter\edef\csname #1.#3-@bidi@aliasname\endcsname{#2}}%
6852 }
6853 \newcommand*{\bidi@ReplacePackage}[2]{%
6854   \@bidi@replacefilewithext{#1}{#2}\@pkgextension
6855 }
6856 \newcommand*{\bidi@ReplaceClass}[2]{%
6857   \@bidi@replacefilewithext{#1}{#2}\@clsextension
6858 }
6859 \newcommand*{\@bidi@unreplacefilewithext}[2]{%
6860   \ifcsname #1.#2-@bidi@aliasname\endcsname
6861     \expandafter\let\csname #1.#2-@bidi@aliasname\endcsname\relax
6862   \fi
6863 }
6864 \newcommand*{\bidi@UnReplacePackage}[1]{%
6865   \@bidi@unreplacefilewithext{#1}\@pkgextension
6866 }
6867 \newcommand*{\bidi@UnReplaceClass}[1]{%

```



```

6868  \@bidi@unreplacefilewithext{\#1}\@clsextension
6869 }
6870 \newcommand*{\bidi@replacefile@msg}[2]{%
6871   \PackageInfo{biditools}{inputing '#1' instead of '#2'}%
6872 }
6873
6874 \newcommand*{\bidi@load@hook}[2]{%
6875   \@ifundefined{\#2-\#1}{}{%
6876     \cnameuse{\#2-\#1}%
6877     \expandafter\let\csname #2-\#1\endcsname=\relax}%
6878 \newcommand*{\bidi@set@load@hook}[2]{%
6879   \@ifundefined{\#2-\#1}{\cnamedef{\#2-\#1}{}{}}{%
6880     \expandafter\g@addto@macro\csname #2-\#1\endcsname}%
6881 \newcommand*{\bidi@BeforeFile}{\bidi@set@load@hook{before}}%
6882 \newcommand*{\bidi@AfterFile}{\bidi@set@load@hook{after}}%
6883 \newcommand*{\bidi@BeforeClass}[1]{%
6884   \bidi@set@load@hook{before}{\#1.\@clsextension}}%
6885 \newcommand*{\bidi@AfterClass}{%
6886   \@ifstar {\s@bidi@AfterClass}{%
6887     \@ifnextchar +\@@bidi@AfterClass{%
6888       \@ifnextchar !\@@@bidi@AfterClass\@bidi@AfterClass
6889     }%
6890   }%
6891 }
6892
6893 \newcommand*{\@@@bidi@AfterClass}[2]{%
6894   \begingroup\ifx\csname #2.\@clsextension-h@@k\endcsname\relax
6895     \aftergroup@s@bidi@AfterClass
6896   \else
6897     \aftergroup\bidi@AfterAtEndOfClass
6898   \fi
6899   \endgroup{\#2}%
6900 }
6901
6902 \newcommand*{\bidi@AfterAtEndOfClass}[1]{%
6903   \bidi@set@load@hook{lateafter}{\#1.\@clsextension}}%
6904 \newcommand*{\@@bidi@AfterClass}[2]{%
6905   \begingroup
6906     \expandafter\ifx\csname #2.\@clsextension-h@@k\endcsname\relax
6907       \aftergroup@s@bidi@AfterClass
6908     \else
6909       \aftergroup@\bidi@AfterClass
6910     \fi
6911   \endgroup{\#2}%
6912 }
6913
6914 \newcommand*{\@bidi@AfterClass}[1]{%
6915   \bidi@set@load@hook{after}{\#1.\@clsextension}}%
6916 \newcommand*{\s@bidi@AfterClass}[1]{%
6917   \begingroup
6918     \@ifclassloaded{\#1}{%
6919       \aftergroup@\secondoftwo
6920     }{%
6921       \aftergroup\@bidi@AfterClass

```



```

6922      }%
6923  \endgroup
6924 {#1}%
6925 }
6926
6927
6928 \newcommand*{\bidi@BeforePackage}[1]{%
6929   \bidi@set@load@hook{before}{#1.\@pkgextension}}
6930 \newcommand*{\bidi@AfterPackage}{%
6931   \@ifstar {\@s@bidi@AfterPackage}{%
6932     \@ifnextchar +\@bidi@AfterPackage{%
6933       \@ifnextchar !\@@@bidi@AfterPackage\@bidi@AfterPackage
6934     }%
6935   }%
6936 }
6937 \newcommand*{\@@@bidi@AfterPackage}[2]{%
6938   \begingroup\ifx\csname #2.\@pkgextension-h@k\endcsname\relax
6939     \aftergroup\@s@bidi@AfterPackage
6940   \else
6941     \aftergroup\bidi@AfterAtEndOfPackage
6942   \fi
6943   \endgroup{#2}%
6944 }
6945 \newcommand*{\bidi@AfterAtEndOfPackage}[1]{%
6946   \bidi@set@load@hook{lateafter}{#1.\@pkgextension}}
6947 \newcommand*{\@@@bidi@AfterPackage}[2]{%
6948   \begingroup
6949     \expandafter\ifx\csname #2.\@pkgextension-h@k\endcsname\relax
6950       \aftergroup\@s@bidi@AfterPackage
6951     \else
6952       \aftergroup\@bidi@AfterPackage
6953     \fi
6954   \endgroup{#2}%
6955 }
6956 \newcommand*{\@bidi@AfterPackage}[1]{%
6957   \bidi@set@load@hook{after}{#1.\@pkgextension}}
6958 \newcommand*{\@s@bidi@AfterPackage}[1]{%
6959   \begingroup
6960     \@ifpackageloaded{#1}{%
6961       \aftergroup\@secondoftwo
6962     }{%
6963       \aftergroup\@bidi@AfterPackage
6964     }%
6965   \endgroup
6966 {#1}%
6967 }
6968
6969 \newcommand*{\bidi@excludedpackages}{}%
6970 \let\bidi@excludedpackages\empty
6971 \newcommand*{\bidi@saved@RequirePackage}{}%
6972 \newcommand*{\bidi@PreventPackageFromLoading}{%
6973   \@ifstar{\@bidi@PreventPackageFromLoading\PackageInfo}{%
6974     \@bidi@PreventPackageFromLoading\PackageWarning}%
6975 }

```



```

6976 \newcommand*{\@bidi@PreventPackageFromLoading}[1]{%
6977   \@ifnextchar [%]
6978   {\@bidi@PreventPackageFromLoading#1}{\@bidi@PreventPackageFromLoading[]}%
6979 }
6980 \newcommand*{\@bidi@PreventPackageFromLoading}{}%
6981
6982 \def\@bidi@PreventPackageFromLoading[#1][#2][#3]{%
6983   \edef\reserved@b`zap@space#3 \@empty}%
6984   \ifx \reserved@b \@empty
6985     #1{biditools}{%
6986       \string\bidi@PreventPackageFromLoading\space with empty packages\MessageBreak
6987       argument ignored}%
6988     }%
6989 \else
6990   \ifx\bidi@excludedpackages\empty
6991     \let\bidi@saved@RequirePackage\RequirePackage
6992     \let\RequirePackage\bidi@RequirePackage
6993     \def\reserved@a##1##{%
6994       \@latex@error
6995       {\noexpand \usepackage before \string\documentclass}%
6996       {\noexpand \usepackage may only appear in the document
6997         preamble, i.e.,\MessageBreak
6998         between \noexpand\documentclass and
6999         \string\begin{document}.}%
7000       \@gobble}%
7001     \ifx\reserved@a\usepackage\else
7002       \ifx\usepackage\bidi@saved@RequirePackage\else
7003         \PackageWarning{biditools}{%
7004           Maybe serious problem: unexpected definition of\MessageBreak
7005           \string\usepackage
7006         }%
7007         \fi
7008         \let\usepackage\RequirePackage
7009       \fi
7010     \fi
7011     \expandafter\@for \expandafter\reserved@a\expandafter:\expandafter=%
7012     \reserved@b\do {%
7013       \ifx\reserved@a\empty
7014         #1{biditools}{%
7015           empty package argument for
7016           \string\bidi@PreventPackageFromLoading\MessageBreak
7017           ignored}%
7018         }%
7019     \else
7020       \expandafter\@ifpackageloaded\expandafter{\reserved@a}{%
7021         #1{biditools}{%
7022           package `'\reserved@a' already loaded.\MessageBreak
7023           Cannot prevent it from being loaded}%
7024         }%
7025       }{%
7026         \edef\bidi@excludedpackages{\bidi@excludedpackages,%
7027           \reserved@a}%
7028         \if\relax\detokenize{#2}\relax\else
7029           \@ifundefined{bidi@exclude@package@\reserved@a}{%

```



```

7030           \@namedef{bidi@exclude@package@\reserved@a @do}{\}%
7031           \}{}%
7032           \expandafter\def
7033           \csname bidi@exclude@package@\reserved@a
7034           @do\expandafter\expandafter\expandafter\endcsname
7035           \expandafter\expandafter\expandafter\%%
7036           \csname bidi@exclude@package@\reserved@a @do\endcsname
7037           #2%
7038           }%
7039           \fi
7040           }%
7041           \fi
7042       }%
7043       \ifx\bidi@excludedpackages\@empty
7044           \bidi@ResetPreventPackageFromLoading
7045       \fi
7046   \fi
7047 }
7048
7049 \@onlypreamble\bidi@PreventPackageFromLoading
7050 \newcommand*{\bidi@ResetPreventPackageFromLoading}{%
7051   \let\bidi@excludedpackages\@empty
7052   \ifx\RequirePackage\bidi@RequirePackage
7053     \ifx\usepackage\RequirePackage
7054       \let\usepackage\bidi@sav@RequirePackage
7055     \fi
7056     \let\RequirePackage\bidi@sav@RequirePackage
7057   \fi
7058 }
7059 \@onlypreamble\bidi@ResetPreventPackageFromLoading
7060 \newcommand*{\bidi@StorePreventPackageFromLoading}[1]{%
7061   \let#1\bidi@excludedpackages
7062 }
7063 \@onlypreamble\bidi@StorePreventPackageFromLoading
7064 \newcommand*{\bidi@UnPreventPackageFromLoading}{%
7065   \@ifstar {\@tempswatrue\bidi@UnPreventPackageFromLoading}%
7066     {\@tempswafalse\bidi@UnPreventPackageFromLoading}%
7067 }
7068
7069 \newcommand*{\@bidi@UnPreventPackageFromLoading}[1]{%
7070   \edef\reserved@b{\zap@space#1 \@empty}%
7071   \if@tempswa
7072     \qfor\reserved@a:=\reserved@b\do {%
7073       \ifx\reserved@a\@empty \else
7074         \ifcsname bidi@exclude@package@\reserved@a @do\endcsname
7075           \expandafter\let
7076           \csname bidi@exclude@package@\reserved@a @do\endcsname
7077           \undefined
7078         \fi
7079       \fi
7080     }%
7081   \fi
7082   \ifcsname bidi@excludedpackages\endcsname
7083     \let\reserved@a\bidi@excludedpackages

```



```

7084 \let\bidi@excludedpackages\@empty
7085 \expandafter\@for\expandafter\reserved@c
7086 \expandafter:\expandafter=\reserved@a
7087 \do{%
7088   \ifx\reserved@c\@empty\else
7089     \@expandtwoargs\in@\,\reserved@c,\,\reserved@b,}%
7090   \ifin@
7091   \else
7092     \edef\bidi@excludedpackages{%
7093       \bidi@excludedpackages,\reserved@c
7094     }%
7095   \fi
7096   \fi
7097 }%
7098 \ifx\bidi@excludedpackages\@empty\bidi@ResetPreventPackageFromLoading\fi
7099 \fi
7100 }%
7101
7102
7103 \newcommand*\bidi@RequirePackage[2][]{%
7104   \let\reserved@c\@empty
7105   \let\reserved@d\@empty
7106   \edef\reserved@b{\zap@space#2\@empty}%
7107   \expandafter\@for\expandafter\reserved@b\expandafter:\expandafter=\reserved@c\do{%
7108     \begingroup
7109       \tempswattrue
7110       \if@reserved@a=\bidi@excludedpackages\do{%
7111         \ifx\reserved@a\reserved@b
7112           \tempswafalse
7113         \fi
7114       }%
7115       \if@tempswa
7116         \xdef\reserved@c{\reserved@c,\reserved@b}%
7117       \else
7118         \ifx\reserved@b\@empty\else
7119           \PackageInfo{biditools}{Excluding package `'\reserved@b`\MessageBreak
7120             from loading}%
7121           \ifundefined{bidi@exclude@package@\reserved@c}{%
7122             \expandafter\g@addto@macro\expandafter\reserved@d
7123             \csname bidi@exclude@package@\reserved@c\do\endcsname
7124           }%
7125           \fi
7126         \fi
7127       \fi
7128     \endgroup
7129   }%
7130   \ifx\reserved@c\@empty
7131     \let\reserved@a\bidi@gobbleopt
7132   \else
7133     \edef\reserved@a{\noexpand\bidi@saved@RequirePackage[#1]{%
7134       \expandafter\@gobble\reserved@c\@empty}}%
7135   \fi
7136 \expandafter\reserved@c

```



```

7138   \reserved@a
7139 }
7140
7141 \newcommand{\bidi@gobbleopt}[1][]{}
7142 \AtEndDocument{%
7143   \let\bidi@saved@checkend=\@checkend
7144   \renewcommand*{\@checkend}[1]{%
7145     \def\reserved@a{\#1}\def\reserved@b{document}%
7146     \bidi@saved@checkend{\#1}%
7147     \ifx\reserved@a\reserved@b
7148       \let\bidi@saved@clearpage=\clearpage
7149       \renewcommand*{\clearpage}{\bidi@saved@clearpage
7150         \bidi@hook@bcma
7151         \bidi@restore@newpage
7152         \let\clearpage=\bidi@saved@clearpage}%
7153       \fi%
7154     \let\bidi@saved@dofilelist@\dofilelist
7155     \def@\dofilelist{%
7156       \bidi@hook@acma
7157       \let@\dofilelist\bidi@saved@dofilelist
7158       \bidi@saved@dofilelist
7159     }%
7160   }%
7161 }
7162
7163
7164 \newcommand*{\bidi@saved@checkend}{}%
7165 \newcommand*{\bidi@saved@dofilelist}{}%
7166 \newcommand*{\bidi@ redefine@newpage}{}%
7167 \let\bidi@saved@newpage\newpage
7168 \def\bidi@restore@newpage{%
7169   \renewcommand*{\newpage}{%
7170     \PackageWarningNoLine{%
7171       biditools%
7172     }%
7173     \string\newpage\space at main aux file!\MessageBreak
7174     You have output material at the main aux file.\MessageBreak
7175     Note, that the \string\bidi@BeforeClosingMainAux\space commands\MessageBreak
7176     are processed before the output from aux file%
7177   }%
7178   \let\newpage\bidi@saved@newpage
7179   \newpage
7180 }%
7181 }%
7182 \renewcommand*{\newpage}{%
7183   \PackageError{%
7184     biditools%
7185   }{%
7186     \string\newpage\space at \string\bidi@BeforeClosingMainAux
7187   }{%
7188     You should never use \string\newpage\space or
7189     \string\clear(double)page or other output material at the\MessageBreak
7190     argument of \string\bidi@BeforeClosingMainAux!\MessageBreak
7191     If you'll continue, the \string\newpage\space will be ignored to

```



```

7192     avoid corruption of \MessageBreak
7193     every prior use of \string\bidi@BeforeClosingMainAux.
7194   }%
7195 }%
7196 }
7197
7198 \newcommand*{\bidi@restore@newpage}{}%
7199 \newcommand*{\bidi@hook@bcma}{}%
7200 \newcommand*{\bidi@hook@acma}{}%
7201 \newcommand*{\bidi@BeforeClosingMainAux}{%
7202   \ifx\bidi@hook@bcma\empty
7203     \gdef\bidi@hook@bcma{%
7204       \renewcommand*{\bidi@BeforeClosingMainAux}[1]{####1}%
7205       \let\protected@write\bidi@protected@immediate@write
7206       \bidi@ redefine@newpage
7207     }%
7208   \fi
7209   \g@addto@macro\bidi@hook@bcma%
7210 }
7211
7212 \newcommand*{\bidi@AfterReadingMainAux}{%
7213   \ifx\bidi@hook@acma\empty
7214     \gdef\bidi@hook@acma{%
7215       \renewcommand*{\bidi@AfterReadingMainAux}[1]{####1}%
7216       \let\protected@write\bidi@protected@immediate@write
7217     }%
7218   \fi
7219   \g@addto@macro\bidi@hook@acma%
7220 }
7221
7222 \long\def\bidi@protected@immediate@write#1#2#3{%
7223   \begingroup
7224     #2%
7225   \let\protect\@unexpandable@protect
7226   \edef\reserved@a{\immediate\write#1{#3}}%
7227   \reserved@a
7228 \endgroup
7229 \if@nobreak\ifvmode\nobreak\fi\fi
7230 }
7231
7232 \def\bidi@patch@counter{0}%
7233 \if@bidi@csundef{numexpr}{%
7234   \def\bidi@patch@stepcounter{%
7235     \begingroup
7236       \count@\bidi@patch@counter\relax
7237       \advance\count@\@ne\relax
7238       \edef\x{\endgroup
7239         \noexpand\def\noexpand\bidi@patch@counter{\the\count@}%
7240     }%
7241     \x
7242   }%
7243 }{%
7244   \def\bidi@patch@stepcounter{%
7245     \edef\bidi@patch@counter{%

```



```

7246      \the\numexpr\bidi@patch@counter+\@ne\relax
7247      }%
7248  }%
7249 }
7250 \def\bidi@patch@list{%
7251 \def\bidi@patch@Add{%
7252   \bidi@appto\bidi@patch@list
7253 }
7254 \def\bidi@patch@AfterPackage#1{%
7255   \@ifpackageloaded{#1}{%
7256     \@firstofone
7257   }{%
7258     \bidi@patch@AfterPackage{#1}%
7259   }%
7260 }
7261 \def\@bidi@patch@AfterPackage#1{%
7262   \edef\bidi@patch@temp{#1}%
7263   \bidi@patch@stepcounter
7264   \expandafter\bidi@patch@@AfterPackage
7265   \csname @bidi@patch@\bidi@patch@counter\expandafter\endcsname{%
7266     \bidi@patch@temp
7267   }%
7268 }
7269 \def\bidi@patch@@AfterPackage#1#2#3{%
7270   \begingroup
7271     \toks@{#3}%
7272     \xdef\bidi@patch@gtemp{%
7273       \noexpand\@ifpackageloaded{#2}{%
7274         \noexpand\let\noexpand#1\noexpand\relax
7275         \the\toks@
7276       }{%
7277     }%
7278   \endgroup
7279   \let#1\bidi@patch@gtemp
7280   \bidi@patch@Add#1%
7281   \bidi@patch@try{\bidi@AfterPackage}{#2}{#1}%
7282 }
7283
7284 \def\bidi@patch@try#1#2#3{%
7285   \if@bidi@csundef{#1}{}{%
7286     \csname #1\endcsname{#2}{#3}%
7287   }%
7288 }
7289
7290 \AtBeginDocument{\bidi@patch@list}
7291
7292 \bidi@AtEndPreamble{\bidi@patch@list}%
7293
7294 \bidi@AfterEndPreamble{%
7295   \let\bidi@patch@OrgIfPackageLoaded\@ifpackageloaded
7296   \let\bidi@patch@OrgIfPackageLater\@ifpackagelater
7297   \let\bidi@patch@OrgIfClassLoaded\@ifclassloaded
7298   \let\bidi@patch@OrgIfClassLater\@ifclasslater
7299   \bidi@patch@list

```



```

7300 \let\@ifpackageloaded\bidi@patch@OrgIfPackageLoaded
7301 \let\@ifpackagelater\bidi@patch@OrgIfPackageLater
7302 \let\@ifclassloaded\bidi@patch@OrgIfClassLoaded
7303 \let\@ifclasslater\bidi@patch@OrgIfClassLater
7304 }%

```

### 53 File `budituftefloat.sty`

```

7305 \NeedsTeXFormat{LaTeX2e}
7306 \ProvidesPackage{budituftefloat}[2017/05/19 v0.2
7307 bidi implementation of tufte float]
7308 \RequirePackage{xifthen}
7309 \newcommand{\@budituftefloat@pkgnname}{budituftefloat}
7310 \newcommand{\budituftefloatError}[2]{\PackageError{\@budituftefloat@pkgnname}{#1}{#2}}
7311 \newcommand{\budituftefloatDebugInfoNL}[1]{\ifthenelse{\boolean{@budituftefloat@debug}}{\budituftefloatDebugInfoNL@#1}{\budituftefloatDebugInfoNL@#1\@gobble}}
7312 \newcommand{\budituftefloatInfoNL}[1]{\PackageInfo{\@budituftefloat@pkgnname}{#1\@gobble}}
7313 \newboolean{@budituftefloat@reversegeometry}
7314 \setboolean{@budituftefloat@reversegeometry}{false}
7315 \DeclareOption{reversegeometry}{\setboolean{@budituftefloat@reversegeometry}{true}}
7316 \newboolean{@budituftefloat@afourpaper}
7317 \DeclareOption{a4paper}{\setboolean{@budituftefloat@afourpaper}{true}}
7318 \newboolean{@budituftefloat@bfivepaper}
7319 \DeclareOption{b5paper}{\setboolean{@budituftefloat@bfivepaper}{true}}
7320 \newboolean{@budituftefloat@symmetric}
7321 \newboolean{@budituftefloat@twoside}
7322 \DeclareOption{twoside}{%
7323   \twosidetrue \mparswitchtrue%
7324   \setboolean{@budituftefloat@twoside}{true}%
7325   \setboolean{@budituftefloat@symmetric}{true}%
7326 }
7327 \DeclareOption{oneside}{%
7328   \twosidefalse \mparswitchfalse%
7329   \setboolean{@budituftefloat@twoside}{false}%
7330   \setboolean{@budituftefloat@symmetric}{false}%
7331 }
7332 \@ifclassloaded{book}{\ExecuteOptions{twoside}{}}
7333 \newboolean{@budituftefloat@debug}
7334 \newcommand*\@budituftefloat@caption@justification{\@budituftefloat@justification@autodete
7335 \ProcessOptions
7336 %% Globally sets the length
7337 \newcommand*\gsetlength[2]{%
7338   \setlength{#1}{#2}%
7339   \global#1=\#1\relax%
7340 }
7341 %% Set the font sizes and baselines to match budituftefloat's books
7343 \renewcommand\normalsize{%
7344   \setfontsize\normalsize\@xpt{14}%
7345   \abovedisplayskip 10\p@ \plus2\p@ \minus5\p@
7346   \abovedisplayshortskip \z@ \plus3\p@
7347   \belowdisplayshortskip 6\p@ \plus3\p@ \minus3\p@
7348   \belowdisplayskip \abovedisplayskip
7349   \let\@listi\@listI}
7350 \normalbaselineskip=14pt

```



```

7351 \normalsize
7352 \renewcommand\footnotesize{%
7353   \@setfontsize\footnotesize\@viiipt{10}%
7354   \abovedisplayskip 6\p@ \oplus2\p@ \ominus4\p@
7355   \abovedisplayshortskip \z@ \oplus\p@
7356   \belowdisplayshortskip 3\p@ \oplus\p@ \ominus2\p@
7357   \def\@listi{\leftmargin\leftmargini
7358     \topsep 3\p@ \oplus\p@ \ominus\p@
7359     \parsep 2\p@ \oplus\p@ \ominus\p@
7360     \itemsep \parsep}%
7361   \belowdisplayskip \abovedisplayskip
7362 }
7363 %% Paragraph indentation and separation for marginal text
7364 \newcommand{\@bidituftefloat@margin@par}{%
7365   \setlength{\RaggedRightParindent}{0.5pc}%
7366   \setlength{\JustifyingParindent}{0.5pc}%
7367   \setlength{\parindent}{0.5pc}%
7368   \setlength{\parskip}{0pt}%
7369 }
7370 \RequirePackage{ragged2e}
7371 \ifthenelse{\boolean{@bidituftefloat@reversegeometry}}{%
7372 \RequirePackage[letterpaper,right=1in,top=1in,headsep=2\baselineskip, textwidth=26pc, marginpa
7373 \ifthenelse{\boolean{@bidituftefloat@afourpaper}}
7374   {\geometry{a4paper,right=24.8mm,top=27.4mm,headsep=2\baselineskip, textwidth=107mm, marginpa
7375   {}}
7376 \ifthenelse{\boolean{@bidituftefloat@bfivepaper}}
7377   {\geometry{paperwidth=176mm,paperheight=250mm,right=14.66mm,top=13.88mm, textwidth=102.66mm,
7378   {}}{}%
7379 \RequirePackage[letterpaper, left=1in,top=1in,headsep=2\baselineskip, textwidth=26pc, marginpa
7380 \ifthenelse{\boolean{@bidituftefloat@afourpaper}}
7381   {\geometry{a4paper, left=24.8mm,top=27.4mm,headsep=2\baselineskip, textwidth=107mm, marginpa
7382   {}}
7383 \ifthenelse{\boolean{@bidituftefloat@bfivepaper}}
7384   {\geometry{paperwidth=176mm,paperheight=250mm, left=14.66mm,top=13.88mm, textwidth=102.66mm,
7385   {}}
7386 \ifthenelse{\boolean{@bidituftefloat@symmetric}}
7387   {}
7388   {\geometry{asymmetric}}% forces internal LaTeX `twoside'
7389 \setlength\marginparpush{10pt}
7390 %% Font for margin items
7391 \newcommand{\@bidituftefloat@marginfont}{\normalfont\footnotesize}
7392 \newcommand*\@bidituftefloat@caption@font{\@bidituftefloat@marginfont}
7393 \newcommand*\setcaptionfont[1]{\renewcommand*\@bidituftefloat@caption@font{#1}}
7394 \newcommand{\@bidituftefloat@justification}{\justify}%
7395 \setlength\abovedisplayskip{6pt plus 2pt minus 4pt}
7396 \setlength\belowdisplayskip{6pt plus 2pt minus 4pt}
7397 \newboolean{@bidituftefloat@changepage}
7398 \IfFileExists{changepage.sty}{%
7399   \bidituftefloatDebugInfoNL{Found changepage.sty}
7400   \RequirePackage[strict]{changepage}
7401   \setboolean{@bidituftefloat@changepage}{true}
7402 }{%
7403   \bidituftefloatDebugInfoNL{Found chngpage.sty}
7404   \RequirePackage[strict]{chngpage}

```



```

7405   \setboolean{@bidituftefloat@changepage}{false}
7406 }
7407 \newboolean{@bidituftefloat@odd@page}
7408 \setboolean{@bidituftefloat@odd@page}{true}
7409 \newcommand*\@bidituftefloat@checkoddpage}{%
7410   \checkoddpage%
7411   \ifthenelse{\boolean{@bidituftefloat@changepage}}{%
7412     \ifoddpage%
7413       \setboolean{@bidituftefloat@odd@page}{true}%
7414     \else%
7415       \setboolean{@bidituftefloat@odd@page}{false}%
7416     \fi%
7417   }{%
7418     \ifcpoddpage%
7419       \setboolean{@bidituftefloat@odd@page}{true}%
7420     \else%
7421       \setboolean{@bidituftefloat@odd@page}{false}%
7422     \fi%
7423   }%
7424 }
7425 \newlength{\@bidituftefloat@overhang}{ used by the fullwidth environment and the running hea
7426 \newlength{\@bidituftefloat@fullwidth}
7427 \newlength{\@bidituftefloat@caption@fill}
7428 \newcommand{\bidituftefloatRecalculate}{%
7429   \setlength{\@bidituftefloat@overhang}{\marginparwidth}
7430   \addtolength{\@bidituftefloat@overhang}{\marginparsep}
7431
7432   \setlength{\@bidituftefloat@fullwidth}{\textwidth}
7433   \addtolength{\@bidituftefloat@fullwidth}{\marginparsep}
7434   \addtolength{\@bidituftefloat@fullwidth}{\marginparwidth}
7435
7436   \setlength{\@bidituftefloat@caption@fill}{\textwidth}
7437   \addtolength{\@bidituftefloat@caption@fill}{\marginparsep}
7438 }
7439 \AtBeginDocument{\bidituftefloatRecalculate}
7440 \RequirePackage{optparams}%
7441 \ProvideTextCommand{\placeins}{}
7442 \newsavebox{\@bidituftefloat@margin@floatbox}
7443 \newenvironment{\bidituftefloat@margin@float}[2]{[-1.2ex]}{%
7444   {\FloatBarrier% process all floats before this point so the figure/table numbers stay in o
7445   \begin{lrbox}{\@bidituftefloat@margin@floatbox}%
7446   \begin{minipage}{\marginparwidth}%
7447     \@bidituftefloat@caption@font%
7448     \def\@capttype{\#2}%
7449     \hbox{}\vspace*{\#1}%
7450     \@bidituftefloat@caption@justification%
7451     \@bidituftefloat@margin@par%
7452     \noindent%
7453   }%
7454   \end{minipage}%
7455   \end{lrbox}%
7456   \marginpar{\usebox{\@bidituftefloat@margin@floatbox}}%
7457 }
7458 \newenvironment{marginfigure}[1]{[-1.2ex]}{%

```



```

7459  {\begin{@bidituftefloat@margin@float}[#1]{figure}}
7460  {\end{@bidituftefloat@margin@float}}
7461 \newenvironment{marginable}[1] [-1.2ex]%
7462  {\begin{@bidituftefloat@margin@float}[#1]{table}}
7463  {\end{@bidituftefloat@margin@float}}
7464 \newcommand*{\@bidituftefloat@justification@autodetect}{\justifying}%
7465
7466 \newcommand{\@bidituftefloat@float@debug@info}{}% contains debug info generated as the float
7467 \newcommand{\@bidituftefloat@float@debug}[1]{}% adds debug info to the queue for output
7468 \ifthenelse{\equal{\@bidituftefloat@float@debug@info}{}}
7469   {\def{\@bidituftefloat@float@debug@info}{#1}}%
7470   {\g@addto@macro{\@bidituftefloat@float@debug@info}{\MessageBreak#1}}%
7471 }
7472 \newcommand{\floatalignment}{x}% holds the current float alignment (t, b, h, p)
7473 \newcommand{\setfloatalignment}[1]{\global\def\floatalignment{#1}\@bidituftefloat@float@debug}
7474 \newboolean{@bidituftefloat@float@recto}
7475 \newcommand{\forcecorrectoffloat}{\GlobalSetBoolean{@bidituftefloat@float@recto}{true}\@bidituftefloat@float@debug}
7476 \newcommand{\forceversoffloat}{\GlobalSetBoolean{@bidituftefloat@float@recto}{false}\@bidituftefloat@float@debug}
7477 \newsavebox{\@bidituftefloat@figure@box}
7478 \newsavebox{\@bidituftefloat@caption@box}
7479 \let{\@bidituftefloat@orig@float}{\float@origin}
7480 \let{\@bidituftefloat@orig@endfloat}{\float@origin}
7481 \newlength{\@bidituftefloat@caption@vertical@offset}
7482 \setlength{\@bidituftefloat@caption@vertical@offset}{0pt}
7483 \newcommand{\@bidituftefloat@stored@shortcaption}{}%
7484 \newcommand{\@bidituftefloat@stored@caption}{}%
7485 \newcommand{\@bidituftefloat@stored@label}{}%
7486 \long\def{\@bidituftefloat@caption[#1][#2]}#3{%
7487   \ifthenelse{\isempty{#1}}%
7488     {\gdef{\@bidituftefloat@stored@shortcaption}{#3}}%
7489     {\gdef{\@bidituftefloat@stored@shortcaption}{#1}}%
7490   \gsetlength{\@bidituftefloat@caption@vertical@offset}{-#2}% we want a positive offset to line up
7491   \gdef{\@bidituftefloat@stored@caption}{#3}%
7492 }
7493 \newcommand{\@bidituftefloat@label}[1]{%
7494   \gdef{\@bidituftefloat@stored@label}{#1}%
7495 }
7496 \newcommand{\@bidituftefloat@fps}{}%
7497 \newboolean{@bidituftefloat@float@star}
7498 \newlength{\@bidituftefloat@float@contents@width}
7499 \newenvironment{@bidituftefloat@float}[3][htbp]%
7500  {%
7501    % begin @bidituftefloat@float
7502    % Should this float be full-width or just text-width?
7503    \ifthenelse{\equal{#3}{star}}%
7504      {\GlobalSetBoolean{@bidituftefloat@float@star}{true}}%
7505      {\GlobalSetBoolean{@bidituftefloat@float@star}{false}}%
7506    % Check page side (recto/verso) and store detected value -- can be overriden in environment
7507    \@bidituftefloat@checkoddpage%
7508    \ifthenelse{\boolean{@bidituftefloat@odd@page}}%
7509      {\GlobalSetBoolean{@bidituftefloat@float@recto}{true}\@bidituftefloat@float@debug{Detected odd page}}%
7510      {\GlobalSetBoolean{@bidituftefloat@float@recto}{false}\@bidituftefloat@float@debug{Detected even page}}%
7511    % If the float placement specifier is 'b' and only 'b', then bottom-align the mini-pages
7512    \renewcommand{\@bidituftefloat@fps}{#1}%
7513    \g@addto@macro{\@bidituftefloat@float@debug}{Allowed positions: [#1]}%

```



```

7513 \ifthenelse{\equal{#1}{b}\OR\equal{#1}{B}}%
7514   {\renewcommand{\floatalignment}{b}\@bidituftefloat@float@debug{Presumed position: [bot]}
7515   {\renewcommand{\floatalignment}{t}\@bidituftefloat@float@debug{Presumed position: [top]
7516 % Capture the contents of the \caption and \label commands to use later
7517 \global\let\@bidituftefloat@orig@caption\caption%
7518 \global\let\@bidituftefloat@orig@label\label%
7519 \renewcommand{\caption}{\optparams{\@bidituftefloat@caption}{}[] [0pt]}%
7520 \renewcommand{\label}[1]{\@bidituftefloat@label{##1}}%
7521 % Handle subfigure package compatibility
7522 \ifthenelse{\boolean{@bidituftefloat@packages@subfigure}}{%
7523   \bidi@patchcmd{\subfigure}{%
7524     \let\subfig@oldlabel=\label
7525   }{%
7526     \let\subfig@oldlabel=\@bidituftefloat@orig@label
7527   }
7528   {}%
7529   {}%
7530   \let\subtable=\subfigure
7531 }{}% subfigure package is not loaded
7532 \@bidituftefloat@orig@float{#2}[#1]%
7533 \ifthenelse{\boolean{@bidituftefloat@float@star}}{%
7534   {\setlength{\@bidituftefloat@float@contents@width}{\@bidituftefloat@fullwidth}}%
7535   {\setlength{\@bidituftefloat@float@contents@width}{\textwidth}}%
7536 \begin{lrbox}{\@bidituftefloat@figure@box}%
7537   \begin{minipage}[\floatalignment]{\@bidituftefloat@float@contents@width}\hbox{}%
7538 }{}% end @bidituftefloat@float
7539   \par\hbox{}\vspace{-\baselineskip}\ifthenelse{\prevdepth>0}{\vspace{-\prevdepth}}{}%
7540   \end{minipage}%
7541 \end{lrbox}%
7542 % build the caption box
7543 \begin{lrbox}{\@bidituftefloat@caption@box}%
7544   \begin{minipage}[\floatalignment]{\marginparwidth}\hbox{}%
7545   \ifthenelse{\NOT\equal{\@bidituftefloat@stored@caption}{}{\@bidituftefloat@orig@cap
7546   \ifthenelse{\NOT\equal{\@bidituftefloat@stored@label}{}{\@bidituftefloat@orig@label
7547     \par\vspace{-\prevdepth}%% TODO: DOUBLE-CHECK FOR SAFETY
7548   \end{minipage}%
7549 \end{lrbox}%
7550 % now typeset the stored boxes
7551 \begin{fullwidth}%
7552   \begin{minipage}[\floatalignment]{\ linewidth}%
7553   \ifthenelse{\boolean{@bidituftefloat@float@star}}{%
7554     {\@bidituftefloat@float@fullwidth[\@bidituftefloat@caption@vertical@offset]{\@bid
7555     {\@bidituftefloat@float@textwidth[\@bidituftefloat@caption@vertical@offset]{\@bid
7556   \end{minipage}%
7557 \end{fullwidth}%
7558 \@bidituftefloat@orig@endfloat% end original LaTeX float environment
7559 % output debug info
7560 \ifthenelse{\boolean{@bidituftefloat@debug}}{%
7561   \typeout{^^J-- bidituftefloat package float information -----}%
7562   \ifthenelse{\equal{\@bidituftefloat@stored@label}{}{}}{%
7563     {\typeout{Warning: Float unlabeled!}}%
7564     {\typeout{Float label: [\@bidituftefloat@stored@label]}}%
7565   \typeout{Page number: [\thepage]}%
7566   \def\MessageBreak{^^J}%

```



```

7567 \typeout{\@bidituftefloat@float@debug@info}%
7568 \ifthenelse{\boolean{@bidituftefloat@symmetric}}{%
7569   {\typeout{Symmetric: [true]}%}
7570   {\typeout{Symmetric: [false]}%}
7571   \typeout{-----^~J~~J}%
7572 }{%
7573 % reset commands and temp boxes and captions
7574 \gdef\@bidituftefloat@float@debug@info{}%
7575 \let\caption\@bidituftefloat@orig@caption%
7576 \let\label\@bidituftefloat@orig@label%
7577 \begin{lrbox}{\@bidituftefloat@figure@box}\hbox{}\end{lrbox}%
7578 \begin{lrbox}{\@bidituftefloat@caption@box}\hbox{}\end{lrbox}%
7579 \gdef\@bidituftefloat@stored@shortcaption{}%
7580 \gdef\@bidituftefloat@stored@caption{}%
7581 \gdef\@bidituftefloat@stored@label{}%
7582 \gsetlength{\@bidituftefloat@caption@vertical@offset}{0pt}% reset caption offset
7583 }
7584 \newcommand{\@bidituftefloat@float@textwidth}[3][0pt]{%
7585 \ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}\OR\boolean{@bidituftefloat@float@recto}}{%
7586 % asymmetric or page is odd, so caption is on the right
7587 \hbox{%
7588   \usebox{#2}%
7589   \hspace{\marginparsep}%
7590   \smash{\raisebox{#1}{\usebox{#3}}}%
7591 }
7592 \@bidituftefloat@float@debug{Caption position: [right]}%
7593 }{%
7594 % symmetric pages and page is even, so caption is on the left
7595 \hbox{%
7596   \smash{\raisebox{#1}{\usebox{#3}}}%
7597   \hspace{\marginparsep}%
7598   \usebox{#2}%
7599 }
7600 \@bidituftefloat@float@debug{Caption position: [left]}%
7601 }%
7602 \newcommand{\@bidituftefloat@float@fullwidth}[3][0pt]{%
7603 \ifthenelse{\equal{\floatalignment}{b}}{%
7604   \% place caption above figure
7605   \ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}\OR\boolean{@bidituftefloat@float@recto}}{%
7606     {\hfill\smash{\raisebox{#1}{\usebox{#3}}}\par\usebox{#2}\@bidituftefloat@float@debug}%
7607     {\smash{\raisebox{#1}{\usebox{#3}}}\hfill\par\usebox{#2}\@bidituftefloat@float@debug}%
7608   }{%
7609     \% place caption below figure
7610     \ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}\OR\boolean{@bidituftefloat@float@recto}}{%
7611       {\usebox{#2}\par\hfill\smash{\raisebox{#1}{\usebox{#3}}}\@bidituftefloat@float@debug}%
7612       {\usebox{#2}\par\smash{\raisebox{#1}{\usebox{#3}}}\hfill\@bidituftefloat@float@debug}%
7613     }%
7614 }
7615 \renewenvironment{figure}[1][htbp]{%
7616   \ifvmode\else\unskip\fi\begin{@bidituftefloat@float}{#1}{figure}{}%
7617 }{\end{@bidituftefloat@float}%
7618 \renewenvironment{table}[1][htbp]{%
7619   \ifvmode\else\unskip\fi\begin{@bidituftefloat@float}{#1}{table}{}%
7620 }{\end{@bidituftefloat@float}%
7621 \renewenvironment{figure*}[1][htbp]{%

```



```

7621  {\ifvmode\else\unskip\fi\begin{@bidituftefloat@float}[\#1]{figure}{star}}
7622  {\end{@bidituftefloat@float}}
7623 \renewenvironment{table*}[1][htbp]%
7624  {\ifvmode\else\unskip\fi\begin{@bidituftefloat@float}[\#1]{table}{star}}
7625  {\end{@bidituftefloat@float}}
7626 \newenvironment{fullwidth}
7627  {\ifthenelse{\boolean{@bidituftefloat@symmetric}}%
7628   {\ifthenelse{\boolean{@bidituftefloat@changepage}}{\begin{adjustwidth*}{}{-\@bidituftefloat@overhang}}%
7629   {\begin{adjustwidth*}{}{-\@bidituftefloat@overhang}}%
7630 }%
7631 {\ifthenelse{\boolean{@bidituftefloat@symmetric}}%
7632 {\ifthenelse{\boolean{@bidituftefloat@changepage}}{\end{adjustwidth*}}{\end{adjustwidth*}}%
7633 {\end{adjustwidth}}%
7634 }%
7635 \long\def\@caption{\#1[\#2]\#3{%
7636  \par%
7637  \addcontentsline{\csname ext@#1\endcsname}{#1}%
7638  {\protect\numberline{\csname the#1\endcsname}\ignorespaces #2}}%
7639 \begingroup%
7640  \@parboxrestore%
7641  \if@minipage%
7642   \setminipage%
7643  \fi%
7644  \@bidituftefloat@caption@font\@bidituftefloat@caption@justification%
7645  \noindent\csname fnum@\#1\endcsname: \ignorespaces#3\par%
7646  \%@\makecaption{\csname fnum@\#1\endcsname}\ignorespaces#3\par
7647 \endgroup}
7648 %%%
7649 % Turns newlines into spaces. Based on code from the `titlesec' package.
7650 \DeclareRobustCommand{\@biditufteheading@newline@space}{%
7651  \@ifstar{\@biditufteheading@newline@space@i}{\@biditufteheading@newline@space@i}%
7652 }%
7653 \def\@biditufteheading@newline@space@i{%
7654  \ifdim\lastskip>\z@\else\space\fi
7655  \ignorespaces%
7656 }%
7657 \DeclareRobustCommand{\newline@space}[1]{%
7658  \let\@biditufteheading@orig@cr\\% save the original meaning of \\
7659  \def\\{\@biditufteheading@newline@space}% turn \\ and \\* into \space
7660  \let\newline\\% turn \newline into \space
7661  #1%
7662  \let\\{\@biditufteheading@orig@cr}% revert to original meaning of \\
7663 }%
7664 \RequirePackage{fancyhdr}
7665 \pagestyle{fancy}
7666 \AtBeginDocument{%
7667  \ifthenelse{\boolean{@bidituftefloat@symmetric}}%
7668   {\fancyhf[LE,RO]{\@bidituftefloat@overhang}}%
7669   {\fancyhf[RE,RO]{\@bidituftefloat@overhang}}%
7670 }%
7671 % The running heads/feet don't have rules
7672 \renewcommand{\headrulewidth}{0pt}
7673 \renewcommand{\footrulewidth}{0pt}
7674 % The 'fancy' page style is the default style for all pages.

```



```

7675 \fancyhf{} % clear header and footer fields
7676   \ifthenelse{\boolean{@bidituftefloat@symmetric}}
7677     {\fancyhead[LE]{\thepage\quad\textsl{\newlinetospace{\plainauthor}}}}%
7678     \fancyhead[RO]{\textsl{\newlinetospace{\plaintitle}}\quad\thepage}}%
7679     {\fancyhead[RE,RO]{\textsl{\newlinetospace{\plaintitle}}\quad\thepage}}%
7680 % The `plain' page style is used on chapter opening pages.
7681 % In Tufte's /Beautiful Evidence/ he never puts page numbers at the
7682 % bottom of pages -- the folios are unexpressed.
7683 \fancypagestyle{plain}{%
7684   \fancyhf{} % clear header and footer fields
7685   % Uncomment the following five lines of code if you want the opening page
7686   % of the chapter to express the folio in the lower outside corner.
7687   % \ifthenelse{\boolean{@bidituftefloat@symmetric}}
7688   % {\fancyfoot[LE,RO]{\thepage}}
7689   % {\fancyfoot[RE,RO]{\thepage}}
7690 }
7691 % The `empty' page style suppresses all headers and footers.
7692 % It's used on title pages and `intentionally blank' pages.
7693 \fancypagestyle{empty}{%
7694   \fancyhf{} % clear header and footer fields
7695 }
7696 \def\morefloats{%
7697   \ifthenelse{\isundefined{\bx@S}}{%
7698     \bidituftefloatDebugInfoNL{Adding 34 more float slots.}%
7699     \newinsert\bx@S
7700     \newinsert\bx@T
7701     \newinsert\bx@U
7702     \newinsert\bx@V
7703     \newinsert\bx@W
7704     \newinsert\bx@X
7705     \newinsert\bx@Y
7706     \newinsert\bx@Z
7707     \newinsert\bx@a
7708     \newinsert\bx@b
7709     \newinsert\bx@c
7710     \newinsert\bx@d
7711     \newinsert\bx@e
7712     \newinsert\bx@f
7713     \newinsert\bx@g
7714     \newinsert\bx@h
7715     \newinsert\bx@i
7716     \newinsert\bx@j
7717     \newinsert\bx@k
7718     \newinsert\bx@l
7719     \newinsert\bx@m
7720     \newinsert\bx@n
7721     \newinsert\bx@o
7722     \newinsert\bx@p
7723     \newinsert\bx@q
7724     \newinsert\bx@r
7725     \newinsert\bx@s
7726     \newinsert\bx@t
7727     \newinsert\bx@u
7728     \newinsert\bx@v

```



```

7729   \newinsert\bx@w
7730   \newinsert\bx@x
7731   \newinsert\bx@y
7732   \newinsert\bx@z
7733 \gdef\@freelist{\@elt\bx@A\@elt\bx@B\@elt\bx@C\@elt\bx@D\@elt\bx@E
7734   \@elt\bx@F\@elt\bx@G\@elt\bx@H\@elt\bx@I\@elt\bx@J
7735   \@elt\bx@K\@elt\bx@L\@elt\bx@M\@elt\bx@N
7736   \@elt\bx@O\@elt\bx@P\@elt\bx@Q\@elt\bx@R
7737   \@elt\bx@S\@elt\bx@T\@elt\bx@U\@elt\bx@V
7738   \@elt\bx@W\@elt\bx@X\@elt\bx@Y\@elt\bx@Z
7739   \@elt\bx@a\@elt\bx@b\@elt\bx@c\@elt\bx@d\@elt\bx@e
7740   \@elt\bx@f\@elt\bx@g\@elt\bx@h\@elt\bx@i\@elt\bx@j
7741   \@elt\bx@k\@elt\bx@l\@elt\bx@m\@elt\bx@n
7742   \@elt\bx@o\@elt\bx@p\@elt\bx@q\@elt\bx@r
7743   \@elt\bx@s\@elt\bx@t\@elt\bx@u\@elt\bx@v
7744   \@elt\bx@w\@elt\bx@x\@elt\bx@y\@elt\bx@z}%
7745 }% we've already added another 34 floats, so we'll add 26 more, but that's it!
7746 \ifthenelse{\isundefined{\bx@AA}}{%
7747     \bidituftefloatDebugInfoNL{Adding 26 more float slots.}
7748     \newinsert\bx@AA
7749     \newinsert\bx@BB
7750     \newinsert\bx@CC
7751     \newinsert\bx@DD
7752     \newinsert\bx@EE
7753     \newinsert\bx@FF
7754     \newinsert\bx@GG
7755     \newinsert\bx@HH
7756     \newinsert\bx@II
7757     \newinsert\bx@JJ
7758     \newinsert\bx@KK
7759     \newinsert\bx@LL
7760     \newinsert\bx@MM
7761     \newinsert\bx@NN
7762     \newinsert\bx@OO
7763     \newinsert\bx@PP
7764     \newinsert\bx@QQ
7765     \newinsert\bx@RR
7766     \newinsert\bx@SS
7767     \newinsert\bx@TT
7768     \newinsert\bx@UU
7769     \newinsert\bx@VV
7770     \newinsert\bx@WW
7771     \newinsert\bx@XX
7772     \newinsert\bx@YY
7773     \newinsert\bx@ZZ
7774 \gdef\@freelist{\@elt\bx@A\@elt\bx@B\@elt\bx@C\@elt\bx@D\@elt\bx@E
7775   \@elt\bx@F\@elt\bx@G\@elt\bx@H\@elt\bx@I\@elt\bx@J
7776   \@elt\bx@K\@elt\bx@L\@elt\bx@M\@elt\bx@N
7777   \@elt\bx@O\@elt\bx@P\@elt\bx@Q\@elt\bx@R
7778   \@elt\bx@S\@elt\bx@T\@elt\bx@U\@elt\bx@V
7779   \@elt\bx@W\@elt\bx@X\@elt\bx@Y\@elt\bx@Z
7780   \@elt\bx@a\@elt\bx@b\@elt\bx@c\@elt\bx@d\@elt\bx@e
7781   \@elt\bx@f\@elt\bx@g\@elt\bx@h\@elt\bx@i\@elt\bx@j
7782   \@elt\bx@k\@elt\bx@l\@elt\bx@m\@elt\bx@n

```



```

7783     \@elt\bx@o\@elt\bx@p\@elt\bx@q\@elt\bx@r
7784     \@elt\bx@s\@elt\bx@t\@elt\bx@u\@elt\bx@v
7785     \@elt\bx@w\@elt\bx@x\@elt\bx@y\@elt\bx@z
7786     \@elt\bx@AA\@elt\bx@BB\@elt\bx@CC\@elt\bx@DD\@elt\bx@EE
7787     \@elt\bx@FF\@elt\bx@GG\@elt\bx@HH\@elt\bx@II\@elt\bx@JJ
7788     \@elt\bx@KK\@elt\bx@LL\@elt\bx@MM\@elt\bx@NN
7789     \@elt\bx@OO\@elt\bx@PP\@elt\bx@QQ\@elt\bx@RR
7790     \@elt\bx@SS\@elt\bx@TT\@elt\bx@UU\@elt\bx@VV
7791     \@elt\bx@WW\@elt\bx@XX\@elt\bx@YY\@elt\bx@ZZ}%
7792 }{%
7793     \bidituftefloatError{You may only call \string\morefloats\space twice. See the\Message}
7794     {There are already 78 float slots allocated. Try using \string\FloatBarrier\space or}
7795 }%
7796 }%
7797 }%
7798 \newboolean{@bidituftefloat@packages@subfigure}
7799 \setboolean{@bidituftefloat@packages@subfigure}{false}
7800 \AtBeginDocument{%
7801   \@ifpackageloaded{subfigure}
7802     {\GlobalSetBoolean{@bidituftefloat@packages@subfigure}{true}}
7803     {\GlobalSetBoolean{@bidituftefloat@packages@subfigure}{false}}%
7804 }
7805 \AtBeginDocument{%
7806   \@ifpackageloaded{float}{%
7807     % Save the redefined float environment (instead of the LaTeX float environment)
7808     \let\@bidituftefloat@orig@float\@float
7809     \let\@bidituftefloat@orig@endfloat\end@float
7810
7811     % Define Tuftian float styles (with the caption in the margin)
7812     \newcommand{\floatc@bidituftefloatplain}[2]{%
7813       \begin{lrbox}{\@bidituftefloat@caption@box}%
7814         \begin{minipage}[\floatalignment]{\marginparwidth}\hbox{}%
7815           \@bidituftefloat@caption@font{\@fs@cfont #1} #2\par%
7816         \end{minipage}%
7817       \end{lrbox}%
7818       \smash{\hspace{\@bidituftefloat@caption@fill}\usebox{\@bidituftefloat@caption@box}}%
7819     }
7820     \newcommand{\fs@bidituftefloatplain}{%
7821       \def\@fs@cfont{\@bidituftefloat@caption@font}%
7822       \let\@fs@capt\floatc@bidituftefloatplain%
7823       \def\@fs@pref{}%
7824       \def\@fs@post{}%
7825       \def\@fs@mid{}%
7826       \let\@fs@iftopcapt\iftrue%
7827     }
7828     \let\fs@bidituftefloatplaintop=\fs@bidituftefloatplain
7829     \let\floatc@bidituftefloatplaintop=\floatc@bidituftefloatplain
7830     \newcommand\floatc@bidituftefloatruled[2]{%
7831       {\@fs@cfont #1} #2\par%
7832     }
7833     \newcommand\fs@bidituftefloatruled{%
7834       \def\@fs@cfont{\@bidituftefloat@caption@font}%
7835       \let\@fs@capt\floatc@bidituftefloatplain%
7836       \def\@fs@pref{\hrule height.8pt depth0pt width\textwidth \kern2pt}%

```



```

7837 \def\@fs@post{\kern2pt\hrule width\textwidth\relax}%
7838 \def\@fs@mid{}%
7839 \let\@fs@iftopcapt\iftrue%
7840 }
7841 \newcommand\fs@bidituftefloatboxed{%
7842   \def\@fs@cfont{}%
7843   \let\@fs@capt\floatac@bidituftefloatplain%
7844   \def\@fs@pre{%
7845     \setbox\@currbox\vbox{\hbadness10000
7846     \moveleft3.4pt\vbox{\advance\hsize by6.8pt
7847       \hrule\hbox to\hsize{\vrule\kern3pt
7848         \vbox{\kern3pt\box\@currbox\kern3pt}\kern3pt\vrule}\hrule}}}
7849   }%
7850   \def\@fs@mid{\kern2pt}%
7851   \def\@fs@post{}%
7852   \let\@fs@iftopcapt\iftrue%
7853 }
7854 }{%
7855   % Nothing to do
7856 }
7857 }
7858 \AtBeginDocument{%
7859   \@ifpackageloaded{algorithm}{%
7860     % Set the float style to the Tuftian version
7861     \ifthenelse{\equal{\ALG@floatstyle}{plain}}{\OR\equal{\ALG@floatstyle}{ruled}}{\OR\equal{\ALG@floatstyle}{MessageBreak}}
7862     \bidituftefloatInfoNL{Switching algorithm float style from \ALG@floatstyle\MessageBreak}
7863     \floatstyle{bidituftefloat\ALG@floatstyle}%
7864     \restylefloat{algorithm}%
7865   }{}%
7866 }{%
7867   % Nothing to do
7868 }
7869 }
7870 \PassOptionsToPackage{caption=false}{subfig}

```

## 54 File `bidituftesidenote.sty`

```

7871 \NeedsTeXFormat{LaTeX2e}
7872 \ProvidesPackage{bidituftesidenote}[2017/08/09 v0.4
7873 bidi implementation of tufte sidenote]
7874 \RequirePackage{xifthen}
7875 \RequirePackage{ragged2e}
7876 \RequirePackage{setspace}
7877 \RequirePackage{biditools}
7878 \def\bidituftesidenotemarginpar{%
7879   \ifhmode
7880     \@bsphack
7881     \@floatpenalty -\@Mii
7882   \else
7883     \@floatpenalty-\@Miii
7884   \fi
7885   \ifinner
7886     \@parmoderr
7887     \@floatpenalty\z@

```



```

7888 \else
7889   \@next\@currbox\@freelist{}{}%
7890   \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
7891     {\@floatpenalty\z@
7892       \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
7893 \fi
7894 \@ifnextchar [\@bidituftesidenotexmpar\@bidituftesidenoteypar}
7895 \long\def\@bidituftesidenotexmpar[#1]#2{%
7896   \@bidituftesidenotesavemarbox\@marbox{#1}%
7897   \@bidituftesidenotesavemarbox\@currbox{#2}%
7898   \@xypar}
7899 \long\def\@bidituftesidenoteypar#1{%
7900   \@bidituftesidenotesavemarbox\@marbox{#1}%
7901   \global\setbox\@currbox\copy\@marbox
7902   \@xypar}
7903 \long\def \@bidituftesidenotesavemarbox #1#2{%
7904   \global\setbox #1%
7905   \color@vbox
7906   \vtop{%
7907     \hsize\marginparwidth
7908     \parboxrestore
7909     \@bidituftesidenotemarginparreset
7910     #2%
7911     \@minipagefalse
7912     \outer@nobreak
7913     }%
7914   \color@endbox
7915 }
7916 \def \@bidituftesidenotemarginparreset {%
7917   \reset@font
7918   \normalsize
7919   \@minipagetrue
7920   \everypar{\@minipagefalse\everypar{}\if@RTL@footnote\beginR\else\beginL\fi}%
7921 }
7922 \def\LTRbidituftesidenotemarginpar{%
7923   \ifhmode
7924     \@bsphack
7925     \@floatpenalty -\@Mii
7926   \else
7927     \@floatpenalty-\@Miii
7928   \fi
7929   \ifinner
7930     \parmoderr
7931     \@floatpenalty\z@
7932   \else
7933     \@next\@currbox\@freelist{}{}%
7934     \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
7935       {\@floatpenalty\z@
7936         \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
7937   \fi
7938   \@ifnextchar [\@LTRbidituftesidenotexmpar\@LTRbidituftesidenoteypar}
7939 \long\def\@LTRbidituftesidenotexmpar[#1]#2{%
7940   \@LTRbidituftesidenotesavemarbox\@marbox{#1}%
7941   \@LTRbidituftesidenotesavemarbox\@currbox{#2}%

```



```

7942  \@xympar}
7943 \long\def\@LTRbidituftesidenoteypar#1{%
7944  \@LTRbidituftesidenotesavemarbox\@marbox{#1}%
7945  \global\setbox\@currbox\copy\@marbox
7946  \@xympar}
7947 \long\def\@LTRbidituftesidenotesavemarbox #1#2{%
7948  \global\setbox #1%
7949  \color@vbox
7950  \vtop{%
7951   \hsize\marginparwidth
7952   \parboxrestore
7953   \@LTRbidituftesidenotemarginparreset
7954   #2%
7955   \@minipagetrue
7956   \outer@nobreak
7957   }%
7958  \color@endbox
7959 }
7960 \def\@LTRbidituftesidenotemarginparreset {%
7961  \reset@font
7962  \normalsize
7963  \@minipagetrue
7964  \everypar{\@minipagetrue\everypar{}{\beginL}}%
7965 }
7966 \def\RTLbidituftesidenotemarginpar{%
7967  \ifhmode
7968   \bsphack
7969   \@floatpenalty -\Mii
7970  \else
7971   \@floatpenalty-\Miii
7972  \fi
7973  \ifinner
7974   \parmodeerr
7975   \@floatpenalty\z@
7976  \else
7977   \next@\currbox\@freelist{}{}%
7978   \next@\marbox\@freelist{\global\count\marbox\mone}%
7979   {\@floatpenalty\z@
7980   \@fltof\def\currbox{\tempboxa}\def\marbox{\tempboxa}%
7981  \fi
7982  \ifnextchar [\@RTLbidituftesidenotexmpar\@RTLbidituftesidenoteypar]
7983 \long\def\RTLbidituftesidenotexmpar[#1]#2{%
7984  \@RTLbidituftesidenotesavemarbox\@marbox{#1}%
7985  \@RTLbidituftesidenotesavemarbox\@currbox{#2}%
7986  \@xympar}
7987 \long\def\@RTLbidituftesidenoteypar#1{%
7988  \@RTLbidituftesidenotesavemarbox\@marbox{#1}%
7989  \global\setbox\@currbox\copy\@marbox
7990  \@xympar}
7991 \long\def\@RTLbidituftesidenotesavemarbox #1#2{%
7992  \global\setbox #1%
7993  \color@vbox
7994  \vtop{%
7995   \hsize\marginparwidth

```



```

7996      \parboxrestore
7997      \RTLbidituftesidenotemarginparreset
7998      #2%
7999      \minipagefalse
8000      \outer@nobreak
8001      }%
8002      \color@endbox
8003 }
8004 \def \RTLbidituftesidenotemarginparreset {%
8005     \reset@font
8006     \normalsize
8007     \minipagetrue
8008     \everypar{\minipagefalse\everypar{}\beginR}%
8009 }
8010 \newcommand*{\bidituftesidenote@marginfont}{\normalfont\footnotesize}
8011 \newcommand*{\bidituftesidenote@LTRmarginfont}{\normalfont\footnotesize}
8012 \newcommand*{\bidituftesidenote@RTLmarginfont}{\normalfont\footnotesize}
8013 \newcommand*{\bidituftesidenote@sidenote@font}{\bidituftesidenote@marginfont}
8014 \newcommand*{\bidituftesidenote@LTrsidenote@font}{\bidituftesidenote@LTRmarginfont}
8015 \newcommand*{\bidituftesidenote@RTLsidenote@font}{\bidituftesidenote@RTLmarginfont}
8016 \newcommand*{\bidituftesidenote@marginnote@font}{\bidituftesidenote@marginfont}
8017 \newcommand*{\bidituftesidenote@LTRmarginnote@font}{\bidituftesidenote@LTRmarginfont}
8018 \newcommand*{\bidituftesidenote@RTLmarginnote@font}{\bidituftesidenote@RTLmarginfont}
8019 \newcommand*{\bidituftesidenote@citation@font}{\bidituftesidenote@marginfont}
8020 \newcommand*{\bidituftesidenote@LTRcitation@font}{\bidituftesidenote@LTRmarginfont}
8021 \newcommand*{\bidituftesidenote@RTLcitation@font}{\bidituftesidenote@RTLmarginfont}
8022 \newcommand*{\setsidenotefont}[1]{\renewcommand*{\bidituftesidenote@sidenote@font}{#1}}
8023 \newcommand*{\setLTrsidenotefont}[1]{\renewcommand*{\bidituftesidenote@LTrsidenote@font}{#1}}
8024 \newcommand*{\setRTLsidenotefont}[1]{\renewcommand*{\bidituftesidenote@RTLsidenote@font}{#1}}
8025 \newcommand*{\setmarginnotefont}[1]{\renewcommand*{\bidituftesidenote@marginnote@font}{#1}}
8026 \newcommand*{\setLTRmarginnotefont}[1]{\renewcommand*{\bidituftesidenote@LTRmarginnote@font}{#1}}
8027 \newcommand*{\setRTLmarginnotefont}[1]{\renewcommand*{\bidituftesidenote@RTLmarginnote@font}{#1}}
8028 \newcommand*{\setcitationfont}[1]{\renewcommand*{\bidituftesidenote@citation@font}{#1}}
8029 \newcommand*{\setLTRcitationfont}[1]{\renewcommand*{\bidituftesidenote@LTRcitation@font}{#1}}
8030 \newcommand*{\setRTLcitationfont}[1]{\renewcommand*{\bidituftesidenote@RTLcitation@font}{#1}}
8031 \newcommand*{\bidituftesidenote@sidenote@justification}{\bidituftesidenote@justification@a}
8032 \newcommand*{\bidituftesidenote@marginnote@justification}{\bidituftesidenote@justification@b}
8033 \newcommand*{\bidituftesidenote@citation@justification}{\bidituftesidenote@justification@c}
8034 \newcommand*{\bidituftesidenote@justification@autodetect}{\justifying}%
8035 \newcommand{\bidituftesidenote@margin@par}{%
8036   \setlength{\RaggedRightParindent}{0.5pc}%
8037   \setlength{\JustifyingParindent}{0.5pc}%
8038   \setlength{\parindent}{0.5pc}%
8039   \setlength{\parskip}{0pt}%
8040 }
8041 %% 
8042 % Globally sets the length
8043 \ifundefined{gsetlength}{%
8044 \newcommand*{\gsetlength}[2]{%
8045   \setlength{#1}{#2}%
8046   \global#1=#1\relax%
8047 }%
8048 }{}%
8049

```



```

8050 %%
8051 % A function that removes leading and trailing spaces from the supplied macro.
8052 % Based on code written by Michael Downes (See ``Around the Bend'', #15.)
8053 % Executing \@bidituftesidenote@trim@spaces\xyzzy will result in the contents of \xyzzy
8054 % being trimmed of leading and trailing white space.
8055 \catcode`\Q=3
8056 \def\@bidituftesidenote@trim@spaces#1{%
8057   % Use grouping to emulate a multi-token afterassignment queue
8058   \begingroup%
8059   % Put `\'toks 0 f' into the afterassignment queue
8060   \aftergroup\toks\aftergroup0\aftergroup{%
8061   % Apply \trimb to the replacement text of #1, adding a leading
8062   % \noexpand to prevent brace stripping and to serve another purpose
8063   % later.
8064   \expandafter\@bidituftesidenote@trim@b\expandafter\noexpand#1Q Q}%
8065   % Transfer the trimmed text back into #1.
8066   \edef#1{\the\toks0}%
8067 }
8068 % \trimb removes a trailing space if present, then calls \@bidituftesidenote@trim@c to
8069 % clean up any leftover bizarre Qs, and trim a leading space. In
8070 % order for \trimc to work properly we need to put back a Q first.
8071 \def\@bidituftesidenote@trim@c#1 Q{\@bidituftesidenote@trim@c#1Q}
8072 % Execute \vfuzz assignment to remove leading space; the \noexpand
8073 % will now prevent unwanted expansion of a macro or other expandable
8074 % token at the beginning of the trimmed text. The \endgroup will feed
8075 % in the \aftergroup tokens after the \vfuzz assignment is completed.
8076 \def\@bidituftesidenote@trim@c#2{\afterassignment\endgroup \vfuzz\the\vfuzz#1}
8077 \catcode`\Q=11
8078 %%
8079 % Citations should go in the margin as sidenotes
8080
8081 \RequirePackage{natbib}
8082 \RequirePackage{bibentry}           % allows bibitems to be typeset outside thebibliography environment
8083 % Redefine the \BR@b@bibitem command to fix a bug with bibentry+chicago style
8084 \renewcommand\BR@b@bibitem[2][]{%
8085   \ifthenelse{\isempty{#1}}{%
8086     {\BR@bibitem{#2}}%
8087     {\BR@bibitem[#1]{#2}}%
8088   \BR@c@bibitem{#2}%
8089 }
8090 \bidi@AtEndPreamble{\nobibliography*}                                % pre-loads the bibliography keys
8091 %%
8092 % Normal \cite behavior
8093 \newcounter{\@bidituftesidenote@num@bibkeys}%
8094 \newcommand{\@bidituftesidenote@normal@cite}[2][0pt]{%
8095   % Snag the last bibentry in the list for later comparison
8096   \let\@temp@last@bibkey\empty%
8097   \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
8098   \sidenote[] [#1]{%
8099     % Loop through all the bibentries, separating them with semicolons and spaces
8100     \normalsize\normalfont\@bidituftesidenote@citation@font%
8101     \setcounter{\@bidituftesidenote@num@bibkeys}{0}%
8102     \@for\@temp@bibkeyx:=#2\do{%
8103       \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}{%

```



```

8104      {\ifthenelse{\equal{\value{@bidiutfesidenote@num@bibkeys}}{0}}{}{and\ }%
8105          \@bidiutfesidenote@trim@spaces@\temp@bibkeyx% trim spaces around bibkey
8106          \bibentry{\@temp@bibkeyx}%
8107      {\@bidiutfesidenote@trim@spaces@\temp@bibkeyx% trim spaces around bibkey
8108          \bibentry{\@temp@bibkeyx};\ }%
8109      \stepcounter{@bidiutfesidenote@num@bibkeys}%
8110  }%
8111 }%
8112 }%
8113 \newcommand{\@bidiutfteLTRsidenote@normal@cite}[2] [0pt]{%
8114 % Snag the last bibentry in the list for later comparison
8115 \let\@temp@last@bibkey\empty%
8116 \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
8117 \LTRsidenote[] [#1]{%
8118     % Loop through all the bibentries, separating them with semicolons and spaces
8119     \normalsize\normalfont\bidiutfesidenote@LTRcitation@font%
8120     \setcounter{@bidiutfesidenote@num@bibkeys}{0}%
8121     \@for\@temp@bibkeyx:=#2\do{%
8122         \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}{%
8123             {\ifthenelse{\equal{\value{@bidiutfesidenote@num@bibkeys}}{0}}{}{and\ }%
8124                 \@bidiutfesidenote@trim@spaces@\temp@bibkeyx% trim spaces around bibkey
8125                 \bibentry{\@temp@bibkeyx}%
8126             {\@bidiutfesidenote@trim@spaces@\temp@bibkeyx% trim spaces around bibkey
8127                 \bibentry{\@temp@bibkeyx};\ }%
8128             \stepcounter{@bidiutfesidenote@num@bibkeys}%
8129         }%
8130     }%
8131 }%
8132 \newcommand{\@bidiutfteRTLsidenote@normal@cite}[2] [0pt]{%
8133 % Snag the last bibentry in the list for later comparison
8134 \let\@temp@last@bibkey\empty%
8135 \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
8136 \RTLsidenote[] [#1]{%
8137     % Loop through all the bibentries, separating them with semicolons and spaces
8138     \normalsize\normalfont\bidiutfesidenote@citation@font%
8139     \setcounter{@bidiutfesidenote@num@bibkeys}{0}%
8140     \@for\@temp@bibkeyx:=#2\do{%
8141         \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}{%
8142             {\ifthenelse{\equal{\value{@bidiutfesidenote@num@bibkeys}}{0}}{}{and\ }%
8143                 \@bidiutfesidenote@trim@spaces@\temp@bibkeyx% trim spaces around bibkey
8144                 \bibentry{\@temp@bibkeyx}%
8145             {\@bidiutfesidenote@trim@spaces@\temp@bibkeyx% trim spaces around bibkey
8146                 \bibentry{\@temp@bibkeyx};\ }%
8147             \stepcounter{@bidiutfesidenote@num@bibkeys}%
8148         }%
8149     }%
8150 }%
8151 }%
8152 % Macros for holding the list of cite keys until after the \sidenote
8153 \gdef\@bidiutfesidenote@citations{}% list of cite keys
8154 \newcommand\@bidiutfesidenote@add@citation[1]{\relax% adds a new bibkey to the list of cite
8155     \ifx\@bidiutfesidenote@citations\empty\else
8156         \g@addto@macro\@bidiutfesidenote@citations{,}% separate by commas
8157     \fi

```



```

8158   \g@addto@macro{\bidiutfesidenote@citations{#1}
8159 }
8160 \newcommand{\bidiutfesidenote@print@citations}[1][0pt]{% puts the citations in a margin no
8161 % Snag the last bibentry in the list for later comparison
8162 \let\@temp@last@bibkey\empty%
8163 \for{\@temp@bibkey:=\bidiutfesidenote@citations\do{\let\@temp@last@bibkey\@temp@bibkey}%
8164 \marginpar{%
8165   \hbox{}\vspace*{#1}%
8166   \bidiutfesidenote@citation@font%
8167   \bidiutfesidenote@citation@justification%
8168   \bidiutfesidenote@margin@par% use parindent and parskip settings for marginal text
8169   \vspace*{-1\baselineskip}%
8170 % Loop through all the bibentries, separating them with semicolons and spaces
8171 \setcounter{\bidiutfesidenote@num@bibkeys}{0}%
8172 \for{\@temp@bibkeyx:=\bidiutfesidenote@citations\do{%
8173   \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}{%
8174     \ifthenelse{\equal{\value{\bidiutfesidenote@num@bibkeys}}{0}}{}{and\ }%
8175     \bidiutfesidenote@trim@spaces{\@temp@bibkeyx}% trim spaces around bibkey
8176     \bibentry{\@temp@bibkeyx}}%
8177     {\bidiutfesidenote@trim@spaces{\@temp@bibkeyx}% trim spaces around bibkey
8178     \bibentry{\@temp@bibkeyx};\ }%
8179   \stepcounter{\bidiutfesidenote@num@bibkeys}%
8180 }%
8181 }%
8182 }%
8183 %%%
8184 % \cite behavior when executed within a sidenote
8185 \newcommand{\bidiutfesidenote@sidenote@citations}{}% contains list of \cites in sidenote
8186 \newcommand{\bidiutfesidenote@infofootnote@cite}[1]{%
8187   \bidiutfesidenote@add@citation{#1}%
8188 }%
8189 %%%
8190 % Set the default \cite style. This is set and reset by the \sidenote command.
8191 \let\cite{\bidiutfesidenote@normal@cite}
8192 \let\LTRcite{\bidiutfetLTRsidenote@normal@cite}
8193 \let\RTLcite{\bidiutfetRTLsidenote@normal@cite}
8194 %%%
8195 % Transform existing \footnotes into \sidenotes
8196 % Sidenote: ``Where God meant footnotes to go.'' ---bidiutfesidenote
8197 \RequirePackage{optparams}% for our new sidenote commands -- provides multiple optional arguments
8198 \providecommand{\footnotelayout}{\bidiutfesidenote@sidenote@font\bidiutfesidenote@sidenote}
8199 \renewcommand{\footnotelayout}{\bidiutfesidenote@sidenote@font\bidiutfesidenote@sidenote}
8200 % Override footmisc's definition to set the sidenote marks (numbers) inside the
8201 % sidenote's text block.
8202 \bidi@patch@AfterPackage{bidi}{\long\def\makefntext#1{\textsuperscript{\bidiutfesidenote}}
8203 % Set the in-text footnote mark in the same typeface as the body text itself.
8204 \bidi@patch@AfterPackage{bidi}{\def\makefnmark{\hbox{\textsuperscript{\normalfont\footnote{}}}}}
8205 \providecommand*{\multiplefootnotemarker}{3sp}
8206 \providecommand*{\multfootsep}{,}
8207 \bidi@patch@AfterPackage{bidi}{%
8208 \renewcommand{\footnotemark}{%
8209   \leavevmode%
8210   \ifhmode%
8211     \edef\x@sf{\the\spacefactor}%

```



```

8212     \@bidituftesidenote@check@multiple@sidenotes%
8213     \nobreak%
8214     \fi%
8215     \@makefnmark%
8216     \ifhmode\spacefactor\@x@sf\fi%
8217     \relax%
8218 }%
8219 }
8220 \newcommand{\@bidituftesidenote@check@multiple@sidenotes}{%
8221   \ifdim\lastkern=\multiplefootnotemarker\relax%
8222     \edef\@x@sf{\the\spacefactor}%
8223     \unkern%
8224     \textsuperscript{\multfootsep}%
8225     \spacefactor\@x@sf\relax%
8226   \fi
8227 }
8228 \bidi@patch@AfterPackage{bidi}{%
8229 \renewcommand{\footnotetext[2][0pt]}{%
8230   \bidituftesidenotemarginpar{%
8231     \hbox{}\vspace*{\#1}%
8232     \def\baselinestretch {\setspace@singlespace}%
8233     \reset@font%
8234     \bidi@@footnotetext@font% \reset@font\footnotesize%
8235     \bidi@footnotetext@margin@par% use parindent and parskip settings for marginal text
8236     \vspace*{-1\baselineskip}\noindent%
8237     \protected@edef{\currentlabel{%
8238       \csname p@footnote\endcsname\@thefnmark}%
8239     }%
8240     \color@begingroup%
8241       \makefntext{%
8242         \ignorespaces#2%
8243       }%
8244     \color@endgroup%
8245   }%
8246 }%
8247 \renewcommand{\LTRfootnotetext[2][0pt]}{%
8248   \LTRbidituftesidenotemarginpar{%
8249     \hbox{}\vspace*{\#1}%
8250     \def\baselinestretch {\setspace@singlespace}%
8251     \reset@font%
8252     \bidi@LTRfootnotetext@font% \reset@font\footnotesize%
8253     \bidi@footnotetext@margin@par% use parindent and parskip settings for marginal text
8254     \vspace*{-1\baselineskip}\noindent%
8255     \protected@edef{\currentlabel{%
8256       \csname p@footnote\endcsname\@thefnmark}%
8257     }%
8258     \color@begingroup%
8259       \makefntext{%
8260         \ignorespaces#2%
8261       }%
8262     \color@endgroup%
8263   }%
8264 }%
8265 \renewcommand{\RTLfootnotetext[2][0pt]}{%

```



```

8266 \RTLbidituftesidenotemarginpar{%
8267   \hbox{} \vspace*{#1}%
8268   \def\baselinestretch {\setspace@singlespace}%
8269   \reset@font%
8270   \bidi@RTLfootnotetext@font% \reset@font\footnotesize%
8271   \bidi@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
8272   \vspace*{-1\baselineskip}\noindent%
8273   \protected@edef\@currentlabel{%
8274     \csname p@footnote\endcsname\@thefnmark%
8275   }%
8276   \color@begingroup%
8277     \makefntext{%
8278       \ignorespaces#2%
8279     }%
8280   \color@endgroup%
8281 }%
8282 }%
8283 }%
8284 %
8285 % Define \sidenote command. Can handle \cite.
8286 \newlength{\@bidituftesidenote@sidenote@vertical@offset}
8287 \setlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}
8288 % #1 = footnote num, #2 = vertical offset, #3 = footnote text
8289 \long\def\@bidituftesidenote@sidenote[#1][#2][#3]{%
8290   \let\cite\@bidituftesidenote@infofootnote@cite% use the in-sidenote \cite command
8291   \gdef\@bidituftesidenote@citations{}% clear out any old citations
8292   \ifthenelse{\NOT\isempty{#2}}{%
8293     \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{#2}%
8294   }{%
8295     \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}%
8296   }%
8297   \ifthenelse{\isempty{#1}}{%
8298     % no specific footnote number provided
8299     \stepcounter\@mpfn%
8300     \protected@xdef\@thefnmark{\thempfn}%
8301     \footnotemark\footnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
8302   }{%
8303     % specific footnote number provided
8304     \begin{group}%
8305       \csname c@\@mpfn\endcsname #1\relax%
8306       \unrestored@protected@xdef\@thefnmark{\thempfn}%
8307     \end{group}%
8308     \footnotemark\footnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
8309   }%
8310   \@bidituftesidenote@print@citations% print any citations
8311   \let\cite\@bidituftesidenote@normal@cite% go back to using normal in-text \cite command
8312   \let\LTRcite\@biditufteLTRsidenote@normal@cite% go back to using normal in-text \LTRcite
8313   \let\RTLcite\@biditufteRTLsidenote@normal@cite% go back to using normal in-text \RTLcite
8314   \unskip\ignorespaces% remove extra white space
8315   \kern-\multiplefootnotemarker% remove \kern left behind by sidenote
8316   \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
8317 }%
8318 \long\def\@LTRbidituftesidenote@sidenote[#1][#2][#3]{%
8319   \let\cite\@bidituftesidenote@infofootnote@cite% use the in-sidenote \cite command

```



```

8320 \gdef\@bidituftesidenote@citations{}%           clear out any old citations
8321 \ifthenelse{\NOT\isempty{#2}}{%
8322   \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{#2}%
8323 }{%
8324   \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}%
8325 }%
8326 \ifthenelse{\isempty{#1}}{%
8327   % no specific footnote number provided
8328   \stepcounter\@mpfn%
8329   \protected@xdef\@thefnmark{\thempfn}%
8330   \footnotemark\@LTRfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
8331 }{%
8332   % specific footnote number provided
8333   \begingroup%
8334     \csname c@\@mpfn\endcsname #1\relax%
8335     \unrestored@protected@xdef\@thefnmark{\thempfn}%
8336   \endgroup%
8337   \footnotemark\@LTRfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
8338 }%
8339 \@bidituftesidenote@print@citations%           print any citations
8340 \let\cite\@bidituftesidenote@normal@cite%       go back to using normal in-text \cite command
8341 \let\LTRcite\@biditufteLTRsidenote@normal@cite% go back to using normal in-text \LTRcite
8342 \let\RTLcite\@biditufteRTLsidenote@normal@cite% go back to using normal in-text \RTLcite
8343 \unskip\ignorespaces%                         remove extra white space
8344 \kern-\multiplefootnotemarker%               remove \kern left behind by sidenote
8345 \kern\multiplefootnotemarker\relax%          add new \kern here to replace the one we yanked
8346 }%
8347 \long\def\@RTLbidituftesidenote@sidenote[#1][#2]{%
8348   \let\cite\@bidituftesidenote@infofootnote@cite% use the in-sidenote \cite command
8349   \gdef\@bidituftesidenote@citations{}%           clear out any old citations
8350 \ifthenelse{\NOT\isempty{#2}}{%
8351   \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{#2}%
8352 }{%
8353   \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}%
8354 }%
8355 \ifthenelse{\isempty{#1}}{%
8356   % no specific footnote number provided
8357   \stepcounter\@mpfn%
8358   \protected@xdef\@thefnmark{\thempfn}%
8359   \footnotemark\@RTLfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
8360 }{%
8361   % specific footnote number provided
8362   \begingroup%
8363     \csname c@\@mpfn\endcsname #1\relax%
8364     \unrestored@protected@xdef\@thefnmark{\thempfn}%
8365   \endgroup%
8366   \footnotemark\@RTLfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
8367 }%
8368 \@bidituftesidenote@print@citations%           print any citations
8369 \let\cite\@bidituftesidenote@normal@cite%       go back to using normal in-text \cite command
8370 \let\LTRcite\@biditufteLTRsidenote@normal@cite% go back to using normal in-text \LTRcite
8371 \let\RTLcite\@biditufteRTLsidenote@normal@cite% go back to using normal in-text \RTLcite
8372 \unskip\ignorespaces%                         remove extra white space
8373 \kern-\multiplefootnotemarker%               remove \kern left behind by sidenote

```



```

8374 \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
8375 }
8376 \newcommand{\sidenote}{\optparams{@bidiutfesidenote@sidenote}{}[] [0pt]}
8377 \newcommand{\LTRsidenote}{\optparams{@LTRbidiutfesidenote@sidenote}{}[] [0pt]}
8378 \newcommand{\RTLsidenote}{\optparams{@RTLbidiutfesidenote@sidenote}{}[] [0pt]}
8379 \bidi@patch@AfterPackage{bidi}{%
8380 \renewcommand{\footnote}{\optparams{@bidiutfesidenote@sidenote}{}[] [0pt]}%
8381 \renewcommand{\LTRfootnote}{\optparams{@LTRbidiutfesidenote@sidenote}{}[] [0pt]}%
8382 \renewcommand{\RTLfootnote}{\optparams{@RTLbidiutfesidenote@sidenote}{}[] [0pt]}}%
8383 }%
8384 %%%
8385 % Sidenote without the footnote mark
8386 \newcommand\marginnote[2][0pt]{%
8387 \let\cite@bidiutfesidenote@infofootnote@cite% use the in-sidenote \cite command
8388 \gdef@bidiutfesidenote@citations{}% clear out any old citations
8389 \bidiutfesidenotemarginpar{\hbox{}\vspace*{#1}\@bidiutfesidenote@marginnote@font@\bidiut
8390 \bidiutfesidenote@print@citations% print any citations
8391 \let\cite@bidiutfesidenote@normal@cite% go back to using normal in-text \cite comm
8392 \let\LTRcite@bidiutfetLTRsidenote@normal@cite% go back to using normal in-text \LTR
8393 \let\RTLcite@bidiutfetRTLsidenote@normal@cite% go back to using normal in-text \RTL
8394 }%
8395 \newcommand\LTRmarginnote[2][0pt]{%
8396 \let\cite@bidiutfesidenote@infofootnote@cite% use the in-sidenote \cite command
8397 \gdef@bidiutfesidenote@citations{}% clear out any old citations
8398 \LTRbidiutfesidenotemarginpar{\hbox{}\vspace*{#1}\@bidiutfesidenote@LTRmarginnote@font@\bidiut
8399 \bidiutfesidenote@print@citations% print any citations
8400 \let\cite@bidiutfesidenote@normal@cite% go back to using normal in-text \cite comm
8401 \let\LTRcite@bidiutfetLTRsidenote@normal@cite% go back to using normal in-text \LTR
8402 \let\RTLcite@bidiutfetRTLsidenote@normal@cite% go back to using normal in-text \RTL
8403 }%
8404 \newcommand\RTLmarginnote[2][0pt]{%
8405 \let\cite@bidiutfesidenote@infofootnote@cite% use the in-sidenote \cite command
8406 \gdef@bidiutfesidenote@citations{}% clear out any old citations
8407 \RTLbidiutfesidenotemarginpar{\hbox{}\vspace*{#1}\@bidiutfesidenote@RTLmarginnote@font@\bidiut
8408 \bidiutfesidenote@print@citations% print any citations
8409 \let\cite@bidiutfesidenote@normal@cite% go back to using normal in-text \cite comm
8410 \let\LTRcite@bidiutfetLTRsidenote@normal@cite% go back to using normal in-text \LTR
8411 \let\RTLcite@bidiutfetRTLsidenote@normal@cite% go back to using normal in-text \RTL
8412 }%

```

## 55 File `bidiutfetoc.sty`

```

8413 \NeedsTeXFormat{LaTeX2e}
8414 \ProvidesPackage{bidiutfetoc}[2011/06/17 v0.1
8415 bidi implementation of tufte toc]
8416 \RequirePackage{titlesec,titletoc,xifthen,biditools}
8417 \newcommand{@bidiutfetoc@pkgname}{bidiutfetoc}
8418 \newcommand{\bidiutfetocError}[2]{\PackageError{@bidiutfetoc@pkgname}{#1}{#2}}
8419 %%%
8420 % Turn off section numbering
8421 \setcounter{secnumdepth}{-1}
8422 \newboolean{@bidiutfetoc@toc}
8423 \setboolean{@bidiutfetoc@toc}{true}
8424 \DeclareOption{notoc}{\setboolean{@bidiutfetoc@toc}{false}}

```



```

8425 \DeclareOption{toc}{\setboolean{@bidituftetoc@toc}{true}}
8426 \ProcessOptions
8427 %%
8428 % Make Tuftian-style section headings and TOC formatting
8429 \bidi@patch@AfterPackage{bidi}{%
8430 \titleformat{\chapter}%
8431 [display]%
8432 {\relax\ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}}{\begin{fullwidth}}{}% format
8433 {\itshape\huge\thechapter}%
8434 {0pt}%
8435 horizontal separation between label and title body
8436 {\huge\rmfamily\itshape}%
8437 {\ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}}{\end{fullwidth}}{}% after the title
8438 \titleformat{\section}%
8439 [hang]%
8440 {\normalfont\Large\itshape}%
8441 {\thesection}%
8442 {1em}%
8443 horizontal separation between label and title body
8444 {}%
8445 before the title body
8446 []%
8447 after the title body
8448 \titleformat{\subsection}%
8449 [hang]%
8450 {\normalfont\large\itshape}%
8451 {\thesubsection}%
8452 {1em}%
8453 horizontal separation between label and title body
8454 {}%
8455 before the title body
8456 []%
8457 after the title body
8458 \titlespacing*{\chapter}{0pt}{50pt}{40pt}
8459 \titlespacing*{\section}{0pt}{3.5ex plus 1ex minus .2ex}{2.3ex plus .2ex}
8460 \titlespacing*{\subsection}{0pt}{3.25ex plus 1ex minus .2ex}{1.5ex plus .2ex}
8461 }
8462 % Subsubsection and following section headings shouldn't be used.
8463 % See Bringhurst's The Elements of Typography, section 4.2.2.
8464 \renewcommand\subsubsection{%
8465 \bidituftetocError{\noexpand\subsubsection is undefined by this class.%}
8466 \MessageBreak See Robert Bringhurst's The Elements of
8467 \MessageBreak Typographic Style, section 4.2.2.
8468 \MessageBreak \noexpand\subsubsection was used}
8469 {From Bringhurst's The Elements of Typographic Style, section 4.2.2: Use as
8470 \MessageBreak many levels of headings as you need, no more and no fewer. Also see the m
8471 \MessageBreak related threads on Ask E.T. at http://www.edwardbidituftetoc.com/.
8472 }
8473 \renewcommand\subparagraph{%
8474 \bidituftetocError{\noexpand\subparagraph is undefined by this class.%}
8475 \MessageBreak See Robert Bringhurst's The Elements of
8476 \MessageBreak Typographic Style, section 4.2.2.
8477 \MessageBreak \noexpand\subparagraph was used}
8478 {From Bringhurst's The Elements of Typographic Style, section 4.2.2: Use as

```



```

8479     \MessageBreak many levels of headings as you need, no more and no fewer. Also see the m
8480     \MessageBreak related threads on Ask E.T. at http://www.edwardbiditufetoc.com/.}
8481 }
8482 % Formatting for main TOC (printed in front matter)
8483 % {section} [left] {above} {before w/label} {before w/o label} {filler + page} [after]
8484 \ifthenelse{\boolean{bidi@patch@AfterPackage}{bidi}}{%
8485   \bidi@patch@AfterPackage{bidi}{%
8486     \titlecontents{part}%
8487       [0em] % distance from left margin
8488       {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global form
8489       {\contentslabel{2em}} % before w/label (label = ``II'')
8490       {} % before w/o label
8491       {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
8492       [\end{fullwidth}] % after
8493     \titlecontents{chapter}%
8494       [0em] % distance from left margin
8495       {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global form
8496       {\hspace*{0em}\contentslabel{2em}} % before w/label (label = ``2'')
8497       {\hspace*{0em}} % before w/o label
8498       {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
8499       [\end{fullwidth}] % after
8500     \titlecontents{section}%
8501       [0em] % distance from left margin
8502       {\vspace{0\baselineskip}\begin{fullwidth}\Large\rmfamily\itshape} % above (global format
8503       {\hspace*{2em}\contentslabel{2em}} % before w/label (label = ``2.6'')
8504       {\hspace*{2em}} % before w/o label
8505       {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
8506       [\end{fullwidth}] % after
8507     \titlecontents{subsection}%
8508       [0em] % distance from left margin
8509       {\vspace{0\baselineskip}\begin{fullwidth}\large\rmfamily\itshape} % above (global format
8510       {\hspace*{4em}\contentslabel{4em}} % before w/label (label = ``2.6.1'')
8511       {\hspace*{4em}} % before w/o label
8512       {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
8513       [\end{fullwidth}] % after
8514     \titlecontents{paragraph}%
8515       [0em] % distance from left margin
8516       {\vspace{0\baselineskip}\begin{fullwidth}\normalsize\rmfamily\itshape} % above (global f
8517       {\hspace*{6em}\contentslabel{2em}} % before w/label (label = ``2.6.0.0.1'')
8518       {\hspace*{6em}} % before w/o label
8519       {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
8520       [\end{fullwidth}] % after
8521 }%
8522 }{%
8523 %%
8524 % Format lists of figures/tables
8525 \renewcommand{\listoffigures}{%
8526   \@ifundefined{chapter}{%
8527     {\section*{\listfigurename}}%
8528     {\chapter*{\listfigurename}}%
8529   }%
8530   \begin{fullwidth}%
8531     \starttoc{lof}%
8532   \end{fullwidth}%
}

```



```

8533 \renewcommand\listoftables{%
8534   \@ifundefined{chapter}%
8535     {\section*\{\listtablename}\}%
8536     {\chapter*\{\listtablename}\}%
8537 % \begin{fullwidth}%
8538   \starttoc{lot}%
8539 % \end{fullwidth}%
8540 }%
8541 \newcommand{\@bidituftetoc@lof@line}[2]{%
8542   % #1 is the figure/table number and its caption text
8543   % #2 is the page number on which the figure/table appears
8544   \leftskip 0.0em
8545   \rightskip 0em
8546   \parfillskip 0em plus 1fil
8547   \parindent 0.0em
8548   \@afterindenttrue
8549   \interlinepenalty\@M
8550   \leavevmode
8551   \tempdima 2.0em
8552   \if@RTL\advance\rightskip\tempdima\else\advance\leftskip\tempdima\fi
8553   \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi
8554   {#1}\nobreak\qquad\nobreak#2%
8555   \par%
8556 }%
8557 \renewcommand*\l@figure{\@bidituftetoc@lof@line}
8558 \let\l@table\l@figure

```

## 56 File bidituftegeneralstructure.sty

```

8559 \NeedsTeXFormat{LaTeX2e}
8560 \ProvidesPackage{bidituftegeneralstructure}[2011/06/18 v0.1
8561 bidi implementation of tufte general structure]
8562 \renewcommand\small{%
8563   \@setfontsize\small\@ixpt{12}%
8564   \abovedisplayskip 8.5\p@ \plus3\p@ \minus4\p@
8565   \abovedisplayshortskip \z@ \plus2\p@
8566   \belowdisplayshortskip 4\p@ \plus2\p@ \minus2\p@
8567   \def\@listi{\leftmargin\leftmargini
8568     \topsep 4\p@ \plus2\p@ \minus2\p@
8569     \parsep 2\p@ \plus\p@ \minus\p@
8570     \itemsep \parsep}%
8571   \belowdisplayskip \abovedisplayskip
8572 }%
8573 \renewcommand\scriptsize{\@setfontsize\scriptsize\@viiipt\@viiipt}
8574 \renewcommand\tiny{\@setfontsize\tiny\@vpt\@vpt}
8575 \renewcommand\large{\@setfontsize\large\@xiipt{15}}
8576 \renewcommand\Large{\@setfontsize\Large\@xiipt{16}}
8577 \renewcommand\LARGE{\@setfontsize\LARGE\@xivpt{18}}
8578 \renewcommand\huge{\@setfontsize\huge\@xxpt{30}}
8579 \renewcommand\Huge{\@setfontsize\Huge\@xxpt{36}}
8580 \setlength\leftmargini {1pc}
8581 \setlength\leftmarginii {1pc}
8582 \setlength\leftmarginiii {1pc}
8583 \setlength\leftmarginiv {1pc}

```



```

8584 \setlength{\leftmargini} {1pc}
8585 \setlength{\leftmarginii} {1pc}
8586 \setlength{\labelsep} {0.5pc}
8587 \setlength{\labelwidth}{\leftmargini}
8588 \addtolength{\labelwidth}{-\labelsep}
8589 \setlength{\parindent}{1.0pc}%
8590 \setlength{\parskip}{0pt}%
8591 \RequirePackage{ragged2e}
8592 \setlength{\RaggedRightRightskip}{\z@ plus 0.08\hsize}
8593 % Paragraph indentation and separation for normal text
8594 \newcommand{\@bidituftegeneralstructure@reset@par}{%
8595   \setlength{\RaggedRightParindent}{1.0pc}%
8596   \setlength{\JustifyingParindent}{1.0pc}%
8597   \setlength{\parindent}{1pc}%
8598   \setlength{\parskip}{0pt}%
8599 }
8600 \@bidituftegeneralstructure@reset@par
8601 % Require paralist package for tighter lists
8602 \RequirePackage{paralist}
8603 % Add rightmargin to compactenum
8604 \def\@compactenum@f{%
8605   \expandafter\list\csname label\@enumctr\endcsname{%
8606     \usecounter{\@enumctr}%
8607     \rightmargin=2em% added this
8608     \parsep\plparsep
8609     \itemsep\plitemsep
8610     \topsep\pltopsep
8611     \partopsep\plpartopsep
8612     \def\makelabel##1{\hss\llap{##1}}}
8613 %%%
8614 % An environment for paragraph-style section
8615 \providecommand{\newthought}[1]{%
8616   \addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}%
8617   \noindent\textbf{#1}%
8618 }
8619 %%%
8620 % Redefine the display environments (quote, quotation, etc.)
8621 \renewenvironment{verse}
8622   {\let\\@centercr
8623    \list{}{\itemsep \z@
8624      \itemindent -1pc%
8625      \listparindent\itemindent
8626      \rightmargin \leftmargin
8627      \advance\leftmargin 1pc}%
8628      \small%
8629      \item\relax
8630    \endlist}
8631 \renewenvironment{quotation}
8632   {\list{}{\listparindent 1pc%
8633     \itemindent \listparindent
8634     \rightmargin \leftmargin
8635     \parsep \z@ \oplus \p@}%
8636     \small%
8637     \item\relax\noindent\ignorespaces}

```



```

8638          {\endlist}
8639 \renewenvironment{quote}
8640     {\list{}{\rightmargin\leftmargin}%
8641      \small%
8642      \item\relax
8643      {\endlist}
8644 % Italicize description run-in headings (instead of the default bold)
8645 \renewcommand*\descriptionlabel[1]{\hspace\labelsep\normalfont\em #1}
8646 %%
8647 % Redefine \bibsection to not mark the running heads.
8648 % (Code modified from natbib.sty.)
8649 \@ifundefined{chapter}%
8650   {\renewcommand\bibsection{\section*\{\refname\}}}
8651   {\@ifundefined{NAT@sectionbib}%
8652     {\renewcommand\bibsection{\chapter{\bibname\}}}
8653     {\renewcommand\bibsection{\section*\{\bibname\}}}}
8654 \RequirePackage{multicol}
8655 \renewenvironment{theindex}%
8656 \@ifundefined{chapter}%
8657   {\section*\{\indexname\}\%}
8658   {\chapter{\indexname}\%}
8659   \begin{fullwidth}%
8660     \small%
8661     \parskip0pt%
8662     \parindent0pt%
8663     \let\item\idxitem%
8664     \begin{multicols}{3}%
8665   }{%
8666   \end{multicols}%
8667   \end{fullwidth}%
8668 }
8669 \AtBeginDocument{%
8670 \renewcommand@\idxitem{\par\hangindent \if@RTL-\fi2em}%
8671 \renewcommand\subitem{\par\hangindent \if@RTL-\fi3em\hspace*{1em}}%
8672 \renewcommand\subsubitem{\par\hangindent \if@RTL-\fi4em\hspace*{2em}}%
8673 \renewcommand\indexspace{\par\addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}\relax}%
8674 \newcommand{\lettergroup}[1]{% swallow the letter heading in the index

```

## 57 File bidituftehyperref.sty

```

8675 \NeedsTeXFormat{LaTeX2e}
8676 \ProvidesPackage{bidituftehyperref}[2011/06/18 v0.1
8677 bidi implementation of tufte hyperref]
8678 %%
8679 % Color
8680 \RequirePackage[usenames,dvipsnames,svgnames]{xcolor}%
8681 \newboolean{@bidituftehyperref@loadhyper}
8682 \setboolean{@bidituftehyperref@loadhyper}{true}
8683 \DeclareOption{hyper}{\setboolean{@bidituftehyperref@loadhyper}{true}}
8684 \DeclareOption{nohyper}{\setboolean{@bidituftehyperref@loadhyper}{false}}
8685 \ProcessOptions
8686 %% Loads the hyperref package and sets some default options.
8687 \newcommand{\bidituftehyperrefLoadHyperref}{%
8688 \RequirePackage[hyperfootnotes=false,colorlinks=true]{hyperref}

```



```

8689 \hypersetup{%
8690   bookmarksdepth = section,
8691   citecolor = DarkGreen,
8692   linkcolor = DarkBlue,
8693 %   pagecolor = DarkBlue,
8694   urlcolor = DarkGreen,
8695 }%
8696 }
8697 \ifthenelse{\boolean{@bidituftehyperref@loadhyper}}{%
8698   \bidituftehyperrefLoadHyperref%
8699 }{%
8700   \PassOptionsToPackage{hyperfootnotes=false}{hyperref}%
8701 }

```

## 58 File bidituftetitle.sty

```

8702 \NeedsTeXFormat{LaTeX2e}
8703 \ProvidesPackage{bidituftetitle}[2011/06/18 v0.1
8704 bidi implementation of tufte title]
8705 \RequirePackage{biditoools}
8706 %%
8707 % `titlepage' option -- creates a full title page with \maketitle
8708 \newboolean{@bidituftetitle@titlepage}
8709 \DeclareOption{titlepage}{\setboolean{@bidituftetitle@titlepage}{true}}
8710 \DeclareOption{notitlepage}{\setboolean{@bidituftetitle@titlepage}{false}}
8711 % Default `book' and `handout' options
8712 \@ifclassloaded{book}{%
8713   \ExecuteOptions{titlepage}{%
8714     \ifclassloaded{article}{%
8715       \ExecuteOptions{notitlepage}{%
8716     }%
8717   }%
8718 %%%
8719 % Modified \title, \author, and \date commands. These store the
8720 % (footnote-less) values in \plaintitle, \plainauthor, and \thedate, respectively.
8721 \newcommand{\plaintitle}{}% plain-text-only title
8722 \newcommand{\plainauthor}{}% plain-text-only author
8723 \newcommand{\plainpublisher}{}% plain-text-only publisher
8724 \newcommand{\thanklesstitle}{}% full title text minus \thanks{}
8725 \newcommand{\thanklessauthor}{}% full author text minus \thanks{}
8726 \newcommand{\thanklesspublisher}{}% full publisher minus \thanks{}
8727 \newcommand{\@publisher}{}% full publisher with \thanks{}
8728 \newcommand{\thedate}{\today}
8729 \bidi@patch@AfterPackage{bidi}{%
8730   \renewcommand{\thanks}[1]{\footnote{\#1}}
8731   \renewcommand{\LTRthanks}[1]{\LTRfootnote{\#1}}
8732   \renewcommand{\RTLthanks}[1]{\RTLfootnote{\#1}}
8733 }%
8734 \renewcommand{\title}[2][]{%
8735   \gdef\@title{\#2}%
8736   \begingroup%
8737     % TODO store contents of \thanks command
8738     \renewcommand{\thanks}[1]{\swallow{\thanks{}}}
8739     \renewcommand{\LTRthanks}[1]{\swallow{\LTRthanks{}}}

```



```

8740   \renewcommand{\RTLthanks}[1]{\% swallow \RTLthanks contents
8741   \protected@xdef\thankless{#2}\%
8742 \endgroup%
8743 \ifthenelse{\isempty{#1}}%
8744   {\renewcommand{\plaintitle}{\thankless}\% use thankless title
8745   {\renewcommand{\plaintitle}{#1}\% use provided plain-text title
8746 \ifundefined{hypersetup}\%
8747   {}% hyperref is not loaded; do nothing
8748   {\hypersetup{pdftitle=\plaintitle}}% set the PDF metadata title
8749 }
8750 \let\@author\empty% suppress default latex.ltx ``no author'' warning
8751 \renewcommand{\author}[2][]{%
8752   \ifthenelse{\isempty{#2}}{\gdef\@author{#2}\%
8753 \begingroup%
8754   % TODO store contents of \thanks command
8755   \renewcommand{\thanks}[1]{\% swallow \thanks contents
8756   \renewcommand{\LTRthanks}[1]{\% swallow \LTRthanks contents
8757   \renewcommand{\RTLthanks}[1]{\% swallow \RTLthanks contents
8758   \protected@xdef\thanklessauthor{#2}\%
8759 \endgroup%
8760 \ifthenelse{\isempty{#1}}%
8761   {\renewcommand{\plainauthor}{\thanklessauthor}\% use thankless author
8762   {\renewcommand{\plainauthor}{#1}\% use provided plain-text author
8763 \ifundefined{hypersetup}\%
8764   {}% hyperref is not loaded; do nothing
8765   {\hypersetup{pdfauthor=\plainauthor}}% set the PDF metadata author
8766 }
8767 \renewcommand{\date}[1]{%
8768   \gdef\@date{#1}\%
8769 \begingroup%
8770   % TODO store contents of \thanks command
8771   \renewcommand{\thanks}[1]{\% swallow \thanks contents
8772   \renewcommand{\LTRthanks}[1]{\% swallow \LTRthanks contents
8773   \renewcommand{\RTLthanks}[1]{\% swallow \RTLthanks contents
8774   \protected@xdef\thedate{#1}\%
8775 \endgroup%
8776 }
8777 %%%
8778 % Provides a \publisher command to set the publisher
8779 \newcommand{\publisher}[2][]{%
8780   \gdef\@publisher{#2}\%
8781 \begingroup%
8782   \renewcommand{\thanks}[1]{\% swallow \thanks contents
8783   \renewcommand{\LTRthanks}[1]{\% swallow \LTRthanks contents
8784   \renewcommand{\RTLthanks}[1]{\% swallow \RTLthanks contents
8785   \protected@xdef\thanklesspublisher{#2}\%
8786 \endgroup%
8787 \ifthenelse{\isempty{#1}}%
8788   {\renewcommand{\plainpublisher}{\thanklesspublisher}\% use thankless publisher
8789   {\renewcommand{\plainpublisher}{#1}\% use provided plain-text publisher
8790 }
8791 %%%
8792 % Produces a full title page
8793 \newcommand{\maketitlepage}[0]{%

```



```

8794 \cleardoublepage%
8795 {%
8796 \bfseries%
8797 \begin{fullwidth}%
8798 \fontsize{18}{20}\selectfont\par\noindent\thanklessauthor%
8799 \vspace{11.5pc}%
8800 \fontsize{36}{40}\selectfont\par\noindent\thanklesstitle%
8801 \vfill%
8802 \fontsize{14}{16}\selectfont\par\noindent\thanklesspublisher%
8803 \end{fullwidth}%
8804 }
8805 \thispagestyle{empty}%
8806 \clearpage%
8807 }
8808 %%
8809 % Title block
8810 \bidi@AfterEndPreamble{%
8811 \renewcommand{\maketitle}{%
8812 \newpage%
8813 \global\@topnum\z@% prevent floats from being placed at the top of the page
8814 \begingroup%
8815 \setlength{\parindent}{0pt}%
8816 \setlength{\parskip}{4pt}%
8817 \let\@title\@empty%
8818 \let\@author\@empty%
8819 \let\@date\@empty%
8820 \gdef\@title{\LARGE\itshape\@title\par}%
8821 \gdef\@author{\Large\itshape\@author\par}%
8822 \gdef\@date{\Large\itshape\@date\par}%
8823 \@@title%
8824 \@@author%
8825 \@@date%
8826 \endgroup%
8827 \thispagestyle{plain}% suppress the running head
8828 }%
8829 }
8830 %%
8831 % Title page (if the `titlepage' option was passed to the biditufetitle-handout
8832 % class.)
8833 \bidi@AfterEndPreamble{%
8834 \ifthenelse{\boolean{biditufetitle@titlepage}}%
8835 {\renewcommand{\maketitle}{\maketitlepage}}%
8836 {}%
8837 }
8838 %%
8839 % When \cleardoublepage is called, produce a blank (empty) page -- i.e.,
8840 % without headers and footers
8841 \def\cleardoublepage{\clearpage\if@twoside\ifodd\c@page\else
8842 \hbox{}%
8843 \vspace*{\fill}%
8844 \begin{center}%
8845 % This page intentionally contains only this sentence.
8846 \end{center}%
8847 \vspace{\fill}%

```



```

8848 \thispagestyle{empty}
8849 \newpage
8850 \if@twocolumn\hbox{} \newpage\fi\fi\fi

```

## 59 File `buditufte-handout.cls`

```

8851 \NeedsTeXFormat{LaTeX2e}[1994/06/01]
8852 \ProvidesClass{buditufte-handout}[2011/06/18 v0.1 biditufte-handout class]
8853 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{article}}
8854 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{budituftefloat}}
8855 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{budituftetoc}}
8856 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{budituftehyperref}}
8857 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{budituftetitle}}
8858 \ProcessOptions\relax
8859 \LoadClass{article}
8860 \RequirePackage{budituftefloat}
8861 \RequirePackage{budituftesidenote}
8862 \RequirePackage{budituftetoc}
8863 \RequirePackage{budituftegeneralstructure}
8864 \RequirePackage{budituftehyperref}
8865 \RequirePackage{budituftetitle}
8866 \renewenvironment{abstract}
8867 {\begin{quotation}}
8868 {\end{quotation}}
8869 \AtBeginDocument{%
8870 \IfFileExists{buditufte-handout.cfg}%
8871 {\input{buditufte-handout.cfg}%
8872 \ClassInfo{buditufte-handout}{Loading biditufte-handout configuration file \@gobble}%
8873 {}%
8874 }

```

## 60 File `buditufte-book.cls`

```

8875 \NeedsTeXFormat{LaTeX2e}[1994/06/01]
8876 \ProvidesClass{buditufte-book}[2011/06/18 v0.1 biditufte-book class]
8877 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{book}}
8878 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{budituftefloat}}
8879 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{budituftetoc}}
8880 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{budituftehyperref}}
8881 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{budituftetitle}}
8882 \ProcessOptions\relax
8883 \LoadClass{book}
8884 \RequirePackage{budituftefloat}
8885 \RequirePackage{budituftesidenote}
8886 \RequirePackage{budituftetoc}
8887 \RequirePackage{budituftegeneralstructure}
8888 \RequirePackage{budituftehyperref}
8889 \RequirePackage{budituftetitle}
8890 %%
8891 % Set up any book-specific stuff now
8892 %%%
8893 % The front matter in Tufte's /Beautiful Evidence/ contains everything up
8894 % to the opening page of Chapter 1. The running heads, when they appear,
8895 % contain only the (arabic) page number in the outside corner.

```



```

8896 \%newif\if@mainmatter \@mainmattertrue
8897 \renewcommand\frontmatter{%
8898   \cleardoublepage%
8899   \@mainmatterfalse%
8900   \pagenumbering{arabic}%
8901   \%pagestyle{plain}%
8902   \fancyhf{}%
8903   \ifthenelse{\boolean{@bidituftefloat@twoside}}{%
8904     {\fancyhead[LE,RO]{\thepage}}%
8905     {\fancyhead[RE,RO]{\thepage}}%
8906   }%
8907 %%%
8908 % The main matter in Tufte's /Beautiful Evidence/ doesn't restart the page
8909 % numbering---it continues where it left off in the front matter.
8910 \renewcommand\mainmatter{%
8911   \cleardoublepage%
8912   \@mainmattertrue%
8913   \fancyhf{}%
8914   \ifthenelse{\boolean{@bidituftefloat@twoside}}{%
8915     \renewcommand\chaptermark[1]{\markboth{\#\#1}{}}%
8916     \fancyhead[LE]{\thepage\quad\smallcaps{\newline\newlinetospace{\plaintitle}}}%
8917     \fancyhead[RO]{\smallcaps{\newline\newlinetospace{\leftmark}}\quad\thepage}%
8918     \fancyhead[RE,RO]{\smallcaps{\newline\newlinetospace{\plaintitle}}\quad\thepage}%
8919   }%
8920 %%%
8921 % The back matter contains appendices, indices, glossaries, endnotes,
8922 % bibliographies, list of contributors, illustration credits, etc.
8923 \renewcommand\backmatter{%
8924   \if@openright%
8925     \cleardoublepage%
8926   \else%
8927     \clearpage%
8928   \fi%
8929   \@mainmatterfalse%
8930 }%
8931 %%%
8932 % Only show the chapter titles in the table of contents
8933 \setcounter{tocdepth}{0}
8934 \AtBeginDocument{%
8935 \IfFileExists{biditufte-book.cfg}{%
8936   {\input{biditufte-book.cfg}}%
8937   \ClassInfo{biditufte-book}{Loading biditufte-book configuration file \gobble}%
8938   {}%
8939 }

```

## 61 File `bidipoem.sty`

```

8940 \NeedsTeXFormat{LaTeX2e}
8941 \ProvidesPackage{bidipoem}%
8942 [2019/03/03 v1.0 Environments for typesetting Persian traditional and modern poems]
8943
8944 % Usage:
8945 %
8946 % \Setversedim #1#2 % define the layout (within a group):

```



```

8947 % #1 = length of both half-verses
8948 % #2 = separation distance = length of a connection, if present
8949 % Variant:
8950 % \Setversedim #1[#2]#3 % for half-verses of unequal length
8951 % #1 = length of first (=right) half-verse
8952 % #2 = length of second (=left) half-verse
8953 % #3 = separation distance = length of a connection, if present
8954 %
8955 % \traditionalhalfverses #1#2 % typeset two separated half-verses
8956 % #1 = text of first (=right) half-verse
8957 % #2 = text of second (=left) half-verse
8958 % Variant:
8959 % \traditionalhalfverses #1[#2]#3 % typeset two connected half-verses
8960 % #1 = text of first (=right) half-verse
8961 % #2 = text of connection
8962 % #3 = text of second (=left) half-verse
8963 %
8964 % Alternative (if preferred):
8965 %
8966 % \traditionalconnverses #1#2#3 % = \traditionalhalfverses #1[#2]#3
8967
8968
8969 \newcommand*{\bidipoem@spreadbox}[2]{\hbox to #1{#2}}
8970
8971 % define the layout, verses will be centered
8972
8973 \newdimen \bidipoem@hvlen \newdimen \bidipoem@hvsep
8974 \newdimen \bidipoem@hvind \newdimen \bidipoem@hvlen
8975
8976 \newcommand*{\Setversedim}[2]{% set lengths of half-verse, [separation]
8977 \bidipoem@hvind \textwidth
8978 \bidipoem@hvlen #1\relax \advance \bidipoem@hvind -\bidipoem@hvlen
8979 \ifx [#2]\def \bidipoem@next {\bidipoem@set@verseI []}\else
8980 \bidipoem@hvlen \bidipoem@hvlen \def \bidipoem@next {\bidipoem@set@@verse {#2}}\fi \bidipoem@hvlen
8981
8982 \def \bidipoem@set@verseI [#1]{% optional parameter
8983 \bidipoem@hvlen #1\relax \bidipoem@set@@verse }
8984
8985 \newcommand*{\bidipoem@set@@verse}[1]{% separation
8986 \advance \bidipoem@hvind -\bidipoem@hvlen \bidipoem@hvsep #1\relax
8987 \advance \bidipoem@hvind -\bidipoem@hvsep \divide \bidipoem@hvind 2 }
8988
8989 \newcommand*{\traditionalconnverses}[3]{% first half-verse, connection, second half-verse
8990 \ifdim 0pt > \bidipoem@hvind %
8991 \bidipoem@spreadbox \bidipoem@hvlen {#1}\\\hfill % first block
8992 \else
8993 \noindent \hskip \bidipoem@hvind \relax \bidipoem@spreadbox \bidipoem@hvlen {#1}\fi
8994 \bidipoem@spreadbox \bidipoem@hvsep {#2}% separator
8995 \bidipoem@spreadbox \bidipoem@hvlen {#3}% second block
8996 \par }
8997
8998 % macro for two half verses
8999 \newcommand*{\traditionalhalfverses}[2]{% optional parameter?
9000 \ifx [#2]\def \bidipoem@half@verses@next{\bidipoem@half@verses {#1}}[]%

```



```

9001 \else\def\bidipoem@half@verses@next{\bidipoem@half@verses {#1}[\hfill]{#2}}\fi%
9002 \bidipoem@half@verses@next}
9003
9004 \def \bidipoem@half@verses #1[#2]#3{%
9005   first[mid]second
9006   traditionalconnverses {#1}{#2}{#3}}
9007
9008 {\catcode`^^M=\active % these lines must end with %
9009   \gdef\traditionalpoem@obeylines{\catcode`^^M\active \let^^M\traditionalpoem@par}%
9010   \global\let^^M\traditionalpoem@par} % this is in case ^^M appears in a \write
9011 {\catcode`^^M=\active % these lines must end with %
9012   \gdef\modernpoem@obeylines{\catcode`^^M\active \let^^M\modernpoem@par}%
9013   \global\let^^M\modernpoem@par} % this is in case ^^M appears in a \write
9014 \def\poemcolsepskip{.1\versewidth plus .1\versewidth minus .05\versewidth}
9015 \def\poemmarginskip{1em plus 1fil minus 1em}
9016 \def\poemextrabaselineskip{0\baselineskip}
9017 \def\poemskip{\medskip}
9018 \newcommand{\bidipoem@openbox}{\leavevmode
9019   \hbox to .77778em{%
9020     \hfil\vrule
9021     \vbox to .675em{\hrule width.6em\vfil\hrule}%
9022     \vrule\hfil}}
9023 \def\poemblocksep{\quad\hbox{\bidipoem@openbox}}
9024 \newdimen\versewidth
9025 \newtoks\bidipoem@p@ftn
9026 \def\poem@verse#1{%
9027   \ifdim\wd#1>\new@poem@width
9028     \xdef\new@poem@width{\the\wd#1}%
9029   \ifdim\new@poem@width>\poem@width
9030     \xdef\poem@width{\new@poem@width}%
9031   \global\let\poem@needrun\relax
9032   \fi
9033   \fi
9034   \hbox to\poem@width{\unhbox#1}%
9035   \global\bidipoem@p@ftn\expandafter{\expandafter}\the\bidipoem@p@ftn%
9036 }
9037 \def\poem@linebegin{\vadjust{}\hskip\@flushglue\hskip\poemmarginskip\relax}
9038 \def\poem@lineend{\nobreak\hskip\poemmarginskip\hskip\@flushglue\vadjust{}}
9039 \def\poem@lineversesep{%
9040 \nobreak
9041 \hspace{z@ plus 1filll}%
9042 \penalty600%
9043 \hspace{\poemcolsepskip}
9044 \hspace{z@ plus -2filll}%
9045 \vadjust{}%
9046 \nobreak
9047 \hspace{z@ plus 1filll}%
9048 }
9049 \def\poem@lineparsebegin{%
9050 \halign\bgroup
9051 \global\setbox\verse@i=\hbox{%
9052 \let\@footnotetext\bidipoem@p@ftntext%
9053 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
9054 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%

```



```

9055 \let\@xfootnotenext\bidipoem@p@xftntext%
9056 \let\@xfootnote\bidipoem@p@xfootnote%
9057 \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
9058 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
9059 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
9060 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
9061 \ignorespaces##\unskip} &&
9062 \global\setbox\verse@ii=\hbox{%
9063 \let\@footnotetext\bidipoem@p@ftntext%
9064 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
9065 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
9066 \let\@xfootnotenext\bidipoem@p@xftntext%
9067 \let\@xfootnote\bidipoem@p@xfootnote%
9068 \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
9069 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
9070 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
9071 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
9072 \ignorespaces##\unskip}
9073 \cr
9074 }
9075 \def\poem@lineparseend{%
9076 \crcr\egroup
9077 \vskip-\baselineskip
9078 }
9079 \def\traditionalpoem@cr{%
9080   \cr\poem@line
9081 }
9082 \newbox\verse@i
9083 \newbox\verse@ii
9084 \newif\ifpoem@started
9085
9086 \def\poem@line{%
9087 \poem@lineparseend
9088 \ifdim\wd\verse@i>\z@\global\poem@startedtrue\fi
9089 \ifdim\wd\verse@ii>\z@\global\poem@startedtrue\fi
9090 \ifpoem@started
9091   \ifdim\wd\verse@ii>\z@\else
9092     \nopagebreak[3]
9093   \fi
9094   \leavevmode
9095   \poem@linebegin
9096   \poem@verse\verse@i
9097   \ifdim\wd\verse@ii>\z@
9098   \poem@lineversesep
9099   \poem@verse\verse@ii
9100   \fi
9101   \poem@lineend
9102 %   \nopagebreak
9103   \par
9104   \vskip\poemextrabaselineskip
9105 \fi
9106 \poem@lineparsebegin
9107 }
9108 \def\@traditionalpoem{%

```



```

9109 \stepcounter{poem@no}
9110     \ifnum\max@poem@no<\number\c@poem@no%
9111 \xdef\poem@width{\z@}%
9112     \else
9113 \xdef\poem@width{\poem@prop{poem@width}}%
9114 \fi
9115 \xdef\new@poem@width{\z@}%
9116 \global\versewidth=\poem@width
9117 \poemskip\par
9118 \begingroup
9119 \tabskip=\z@
9120 \parskip=\z@
9121 \parindent=\z@
9122 \parfillskip=\z@
9123 \rightskip=\z@
9124 \leftskip=\z@
9125 \widowpenalty=10000% No break between verses of the same line.
9126 \clubpenalty=10000% Same as above. Not really needed.
9127 \def\newblock{\hfil\poemblocksep\hfil\null}%
9128 \def\traditionalpoem@par{\traditionalpoem@cr}%
9129 \def\\{\global\poem@startedtrue\traditionalpoem@cr}%
9130 \global\poem@startedfalse
9131 \csname poem@obeylines\endcsname
9132 \let\poem@obeylines\relax
9133 \poem@lineparsebegin
9134 }
9135 \def\@endtraditionalpoem{%
9136 \cr
9137 \ifdim\wd\verse@i>\z@\poem@line\else\ifdim\wd\verse@ii>\z@\poem@line\else
9138 \noalign{%
9139 \skip0=\poemextrabaselineskip
9140 \vskip-\skip0
9141 \vskip-\baselineskip
9142 }%
9143 \fi\fi
9144 \poem@lineparseend
9145 \endgroup
9146 \par
9147 \vskip\baselineskip
9148 \poemskip
9149 \ifdim\new@poem@width<\poem@width
9150 \global\let\poem@needrun\relax
9151 \fi
9152     \poem@write@aux{poem@width@\romannumeral\c@poem@no}{\new@poem@width}%
9153 \ifx\AtEndDocument\undefined\poem@finish\fi
9154 \endparenv
9155 }
9156
9157 \long\def\bidipoem@p@ftntext#1{%
9158     \edef\@tempx{\the\bidoem@p@ftn\noexpand\footnotetext[\the\csname c@\ompfn\endcsname]}%
9159     \global\bidoem@p@ftn\expandafter{\@tempx{#1}}%
9160 \long\def\bidoem@p@LTRftntext#1{%
9161     \edef\@tempxi{\the\bidoem@p@ftn\noexpand\LTRfootnotetext[\the\csname c@\ompfn\endcsname]{#1}}%
9162     \global\bidoem@p@ftn\expandafter{\@tempxi}%

```



```

9163 \global\bidipoem@p@ftn\expandafter{\@tempxi{#1}}%
9164 \long\def\bidipoem@p@RTLftntext#1{%
9165 \edef\@tempxi{\the\bidoem@p@ftn\noexpand\RTLfootnotetext[\the\csname c@\@mpfn\endcsname{%
9166 \global\bidipoem@p@ftn\expandafter{\@tempxi{#1}}}%}
9167
9168 \long\def\bidipoem@p@xftntext [#1]#2{%
9169 \global\bidipoem@p@ftn\expandafter{\the\bidoem@p@ftn\footnotetext[#1]{#2}}}
9170
9171 \long\def\bidipoem@p@xLTRftntext [#1]#2{%
9172 \global\bidipoem@p@ftn\expandafter{\the\bidoem@p@ftn\LTRfootnotetext[#1]{#2}}}
9173
9174 \long\def\bidipoem@p@xRTLftntext [#1]#2{%
9175 \global\bidipoem@p@ftn\expandafter{\the\bidoem@p@ftn\RTLfootnotetext[#1]{#2}}}
9176
9177 \def\bidipoem@p@xfootnote [#1]{%
9178 \begingroup
9179 \csname c@\@mpfn\endcsname #1\relax
9180 \unrestored@protected@xdef\@thefnmark{\thempfn}%
9181 \endgroup
9182 \footnotemark\bidipoem@p@xftntext [#1]}
9183
9184 \def\bidipoem@p@xLTRfootnote [#1]{%
9185 \begingroup
9186 \csname c@\@mpfn\endcsname #1\relax
9187 \unrestored@protected@xdef\@thefnmark{\thempfn}%
9188 \endgroup
9189 \footnotemark\bidipoem@p@xLTRftntext [#1]}
9190
9191 \def\bidipoem@p@xRTLfootnote [#1]{%
9192 \begingroup
9193 \csname c@\@mpfn\endcsname #1\relax
9194 \unrestored@protected@xdef\@thefnmark{\thempfn}%
9195 \endgroup
9196 \footnotemark\bidipoem@p@xRTLftntext [#1]}
9197
9198
9199
9200 \newenvironment{traditionalpoem}{\@traditionalpoem}{\@endtraditionalpoem}
9201 \expandafter\def\csname traditionalpoem*\endcsname{\let\poem@obeylines=\traditionalpoem@obey}
9202 \expandafter\def\csname endtraditionalpoem*\endcsname{\endtraditionalpoem}
9203 \def\poem@finish{%
9204 \poem@write@aux{max@poem@no}{\number\c@poem@no}%
9205 \ifx\poem@needrun\relax
9206 \PackageWarning{bidipoem}{Unjustified poem. Rerun XeLaTeX to get poem right}%
9207 \global\let\poem@needrun\undefined
9208 \fi
9209 }
9210 \ifx\AtEndDocument\undefined\else\AtEndDocument\poem@finish\fi
9211 \newcounter{poem@no}\setcounter{poem@no}{\z@}
9212 \ifx\max@poem@no\undefined
9213 \def\max@poem@no{0}%
9214 \fi
9215 \newcommand{\poem@prop}[1]{\nameuse{#1@\romannumeral\c@poem@no}}
9216 \newcommand{\poem@write@aux}[2]{%

```



```

9217      \def\@x{\immediate\write\auxout{\global\noexpand\@namedef{#1}{#2}}}\%
9218      \@x
9219 }
9220 \def\@modernpoem{%
9221 \par
9222 \begingroup
9223 \parskip=\z@
9224 \parindent=\z@
9225 \def\[{\@settab\@tabplus\ignorespaces}%
9226 \def\]{{\@tabminus\ignorespaces}%
9227 \def\newblock{\poemblocksep}%
9228 \let\newpoem\tabcr\@tabcr
9229 \def\modernpoem@par{\% Redefine \par for possible \obeylines
9230   \ifpoem@started\else
9231     \ifdim\wd\@curline>\z@\global\poem@startedtrue\else
9232       \@stopfield
9233     \ifdim\wd\@curfield>\z@\global\poem@startedtrue\fi
9234       \contfield
9235   \fi
9236   \fi
9237   \ifpoem@started\newpoem@tabcr\fi}%
9238 \def\@tabcr{\global\poem@startedtrue\newpoem@tabcr}%
9239 \global\poem@startedfalse
9240 \csname poem@obeylines\endcsname
9241 \let\poem@obeylines\relax
9242 \begin{tabbing}%
9243 }
9244 \def\@endmodernpoem{%
9245 \global\poem@startedfalse
9246 \ifdim\wd\@curline>\z@\global\poem@startedtrue\else
9247   \@stopfield
9248   \ifdim\wd\@curfield>\z@\global\poem@startedtrue\fi
9249   \contfield
9250 \fi
9251 \ifpoem@started\else\let\stopline\stopfield\fi
9252 \end{tabbing}%
9253 \endgroup
9254 \par
9255   \if@nopallist \else
9256     \ifdim\lastskip >\z@
9257       \tempskipa\lastskip \vskip -\lastskip
9258       \advance\tempskipa\parskip \advance\tempskipa -\outerparskip
9259       \vskip\tempskipa
9260     \fi
9261   \endparenv
9262   \fi
9263 }
9264 \newenvironment{modernpoem}{\@modernpoem}{\@endmodernpoem}
9265 \expandafter\def\csname modernpoem*\endcsname{\let\poem@obeylines=\modernpoem@obeylines\modernpoem@startfield\@modernpoem}
9266 \expandafter\def\csname endmodernpoem*\endcsname{\endmodernpoem}
9267 \gdef\@startfield{%
9268 \global\setbox\@curfield\hbox\bgroup}%
9269 \let\footnotetext\bidipoem@p@ftntext%
9270 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%

```



```

9271 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
9272 \let\@xfootnotenext\bidipoem@p@xftntext%
9273 \let\@xfootnote\bidipoem@p@xfootnote%
9274 \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
9275 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
9276 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
9277 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
9278 \color@begingroup}
9279 \gdef\@stopfield{%
9280   \color@endgroup\egroup\global\bidipoem@p@ftn\expandafter{\expandafter}\the\bidipoem@p@ftn}%
9281 \gdef\@contfield{%
9282   \global\setbox\@curfield\hbox\bgroup%
9283   \let\@footnotetext\bidipoem@p@ftntext%
9284   \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
9285   \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
9286   \let\@xfootnotenext\bidipoem@p@xftntext%
9287   \let\@xfootnote\bidipoem@p@xfootnote%
9288   \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
9289   \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
9290   \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
9291   \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
9292 \color@begingroup\unhbox\@curfield}

```

## 62 File boek3-xetex-bidi.def

```

9293 \ProvidesFile{boek3-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for boek3 class for XeT
9294 \renewenvironment{theindex}{%
9295   \if@twocolumn
9296     \restonecolfalse
9297   \else
9298     \restonecoltrue
9299   \fi
9300   \columnseprule \z@
9301   \columnsep 35\p@
9302   \twocolumn[\makeschapterhead{\indexname}]%
9303   \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
9304   \thispagestyle{plain}\parindent\z@
9305   \parskip\z@ \relax .3\p@\relax
9306   \let\item\@idxitem
9307 }{%
9308   \if@restonecol\onecolumn\else\clearpage\fi}
9309 \renewcommand*\head@style{%
9310   \interlinepenalty \OM
9311   \hyphenpenalty=\OM \exhyphenpenalty=\OM
9312   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
9313 \renewcommand*\@regtocline[3]{%
9314   \ifnum #1>\c@tocdepth
9315   \else
9316     \vskip\z@\relax .2\p@
9317     \hangindent\z@ \cafterindenttrue \interlinepenalty\OM
9318     \if@RTL\rightskip\else\leftskip\fi\unitindent
9319     \if@RTL\leftskip\else\rightskip\fi\unitindent\relax
9320     \parfillskip\z@
9321     \tempdima\unitindent

```



```

9322     \parindent\z@
9323     \leavevmode
9324     \hbox{} \hskip -\if@RTL\rightskip\else\leftskip\fi \relax#2\nobreak
9325     \hskip 1em \nobreak{\slshape #3}\par
9326     }%
9327   \fi}
9328 \if@oldtoc
9329 \renewcommand*\l@part[2]{%
9330   \ifnum \c@tocdepth >-2\relax
9331     \addpenalty{-\@highpenalty}%
9332     \addvspace{2.25em \oplus \p@}%
9333     \begingroup
9334       \setlength{\tempdima{3em}}%
9335       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
9336       \parfillskip -\pnumwidth
9337       \leavevmode
9338         \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
9339         \nobreak
9340         \global\@nobreaktrue
9341         \everypar{\global\@nobreakfalse\everypar{} }%
9342     \endgroup
9343   \fi}
9344 \else
9345   \renewcommand*\l@part{%
9346     \ifnum \c@tocdepth >-2\relax
9347     \addpenalty{-\@highpenalty}%
9348     \addvspace{2.25em \oplus \p@}%
9349     \regtocline{0}%
9350   \fi}
9351 \fi
9352 \if@oldtoc
9353 \renewcommand*\l@chapter[2]{%
9354   \addpenalty{-\@highpenalty}%
9355   \vskip 1.0em \oplus \p@%
9356   \setlength{\tempdima{1.5em}}%
9357   \begingroup
9358     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
9359     \parfillskip -\pnumwidth
9360     \leavevmode \bfseries
9361     \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
9362     \hskip -\if@RTL\rightskip\else\leftskip\fi
9363     #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
9364     \penalty\@highpenalty
9365   \endgroup
9366 \else
9367   \renewcommand*\l@chapter{\regtocline{0}}
9368 \fi
9369 \renewenvironment{abstract}{%
9370   \titlepage
9371   \null\vfil
9372   \section*{\SectFont \abstractname}
9373   \noindent\ignorespaces
9374   {\par\vfil\null\endtitlepage}
9375 \renewenvironment{thebibliography}[1]

```



```

9376      {\chapter*{\bibname}%
9377        \OMkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
9378        \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
9379        \bidi@thebibliography@font@hook}%
9380        \list{\@biblabel{\@arabic\c@enumiv}}%
9381          {\settowidth\labelwidth{\@biblabel{#1}}%
9382            \leftmargin\labelwidth
9383            \advance\leftmargin\labelsep
9384            \openbib@code
9385            \usecounter{enumiv}%
9386            \let\p@enumiv\empty
9387            \renewcommand*\theenumiv{\@arabic\c@enumiv}%
9388            \sloppy\clubpenalty4000\widowpenalty4000%
9389            \sfcodes`.\@m}
9390          {\def\@noitemerr
9391            {\@latex@warning{Empty `thebibliography' environment}}%
9392            \endlist}
9393 \renewcommand*\left@footnoterule{%
9394   \kern-3\p@
9395   \kern.5\baselineskip
9396   \hrule\@width\unitindent
9397   \kern.4\baselineskip
9398 }
9399 \renewcommand*\right@footnoterule{%
9400   \kern-3\p@
9401   \kern.5\baselineskip
9402   \hbox to \columnwidth{\hspace{\dimexpr\columnwidth-\unitindent}\relax \hrulefill }
9403   \kern.4\baselineskip}
9404 \renewcommand*\thesection{\thechapter \@SepMark \@arabic\c@section}
9405 \renewcommand*\thesubsection{\thesection \@SepMark \@arabic\c@section}
9406 \renewcommand*\thesubsubsection{\thesubsection \@SepMark \@arabic\c@section}
9407 \renewcommand*\theparagraph{\thesubsubsection \@SepMark \@arabic\c@paragraph}
9408 \renewcommand*\thesubparagraph{\theparagraph \@SepMark \@arabic\c@subparagraph}
9409 \renewcommand*\theequation{%
9410   \ifnum \c@chapter>\z@ \thechapter \@SepMark \fi \@arabic\c@equation}
9411 \renewcommand*\thefigure{%
9412   \ifnum \c@chapter>\z@ \thechapter \@SepMark \fi \@arabic\c@figure}
9413 \renewcommand*\thetable{%
9414   \ifnum \c@chapter>\z@ \thechapter \@SepMark \fi \@arabic\c@table}
9415 \renewcommand*\maketitle{%
9416   \begin{titlepage}%
9417     \let\footnotesize\small
9418     \let\right@footnoterule\relax
9419     \let\left@footnoterule\relax
9420     \let\textwidth@footnoterule\relax
9421     \let \footnote \thanks
9422     \long\def\@makefntext##1{\par\indent\z@
9423       \def\labelitemi{\textendash}\@revlabeltrue
9424       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
9425     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
9426     \if@compatibility\setcounter{page}{0}\fi
9427     \null\vfil
9428     \vskip 60\p@
9429     \begin{center}%

```



```

9430   \TitleFont
9431   {\LARGE \def\\{\penalty -\OM}
9432     \if@allcaps
9433       \expandafter\uc@nothanks\@title\thanks\relax
9434     \else
9435       \@title
9436       \fi\par}%
9437   \vskip 3em%
9438   {\large
9439     \lineskip .75em \parindent\z@
9440     \begin{tabular}[t]{c}%
9441       \if@allcaps
9442         \expandafter\uc@authornothanks\@author\and\relax
9443       \else
9444         \@author
9445         \fi
9446         \end{tabular}\par}%
9447   \vskip 1.5em%
9448   {\large
9449     \if@allcaps
9450       \uppercase\expandafter{\@date}%
9451     \else
9452       \@date
9453       \fi\par}%
9454     \end{center}\par
9455   \@thanks
9456   \vfil\null
9457   \end{titlepage}%
9458   \setcounter{footnote}{0}%
9459   \global\let\thanks\relax
9460   \global\let\maketitle\relax
9461   \global\let\@thanks\@empty
9462   \global\let\@author\@empty
9463   \global\let\@title\@empty
9464   \global\let\@date\@empty
9465   \global\let\title\relax
9466   \global\let\author\relax
9467   \global\let\date\relax
9468   \global\let\and\relax
9469 }

```

## 63 File boek-xetex-bidi.def

```

9470 \ProvidesFile{boek-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for boek class for XeTeX]
9471 \renewenvironment{theindex}{%
9472   \if@twocolumn
9473     \restonecolfalse
9474   \else
9475     \restonecoltrue
9476   \fi
9477   \columnseprule \z@
9478   \columnsep 35\p@
9479   \twocolumn[\@makeschapterhead{\indexname}]%
9480   \OMkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%

```



```

9481  \thispagestyle{plain}\parindent\z@
9482  \parskip\z@ \@plus .3\p@\relax
9483  \let\item\@idxitem
9484  }%
9485  \if@restonecol\onecolumn\else\clearpage\fi}
9486 \renewcommand*\head@style{%
9487   \interlinepenalty \OM
9488   \hyphenpenalty=\OM \exhyphenpenalty=\OM
9489   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
9490 \renewcommand*\@regtocline[3]{%
9491   \ifnum #1>\c@tocdepth
9492   \else
9493     \vskip\z@\@plus.2\p@
9494     {\hangindent\z@ \cafterindenttrue \interlinepenalty\OM
9495       \if@RTL\rightskip\else\leftskip\fi\unitindent
9496       \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
9497       \parfillskip\z@
9498       \tempdima\unitindent
9499       \parindent\z@
9500       \leavevmode
9501       \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
9502       \hskip 1em \nobreak{\slshape #3}\par
9503     }%
9504   \fi}
9505 \if@oldtoc
9506 \renewcommand*\l@part [2]{%
9507   \ifnum \c@tocdepth >-2\relax
9508     \addpenalty{-\@highpenalty}%
9509     \addvspace{2.25em \@plus\p@}%
9510     \begingroup
9511       \setlength\tempdima{3em}%
9512       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi\relax \pnumwidth
9513       \parfillskip -\pnumwidth
9514       \leavevmode
9515       \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
9516       \nobreak
9517       \global\nobreaktrue
9518       \everypar{\global\nobreakfalse\everypar{}%}
9519     \endgroup
9520   \fi}
9521 \else
9522   \renewcommand*\l@part{%
9523     \ifnum \c@tocdepth >-2\relax
9524       \addpenalty{-\@highpenalty}%
9525       \addvspace{2.25em \@plus \p@}%
9526       \regtocline{0}%
9527     \fi}
9528 \fi
9529 \if@oldtoc
9530 \renewcommand*\l@chapter[2]{%
9531   \addpenalty{-\@highpenalty}%
9532   \vskip 1.0em \@plus\p@%
9533   \setlength\tempdima{1.5em}%
9534   \begingroup

```



```

9535   \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \c@pnumwidth
9536   \parfillskip -\c@pnumwidth
9537   \leavevmode \bfseries
9538   \advance\if@RTL\rightskip\else\leftskip\fi\c@tempdima
9539   \hskip -\if@RTL\rightskip\else\leftskip\fi
9540   #1\nobreak\hfil \nobreak\hb@xt@\c@pnumwidth{\hss #2}\par
9541   \penalty\c@highpenalty
9542   \endgroup}
9543 \else
9544   \renewcommand*\l@chapter{\@regtocline{0}}
9545 \fi
9546 \renewcommand*\left@footnoterule{%
9547   \kern-3\p@
9548   \kern.5\baselineskip
9549   \hrule\c@width\unitindent
9550   \kern.4\baselineskip
9551 }
9552 \renewcommand*\right@footnoterule{%
9553   \kern-3\p@
9554   \kern.5\baselineskip
9555   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
9556   \kern.4\baselineskip}
9557 \renewenvironment{abstract}{%
9558   \titlepage
9559   \null\vfil
9560   \section*{\SectFont \abstractname}
9561   \noindent\ignorespaces
9562   {\par\vfil\null\endtitlepage}
9563 \renewenvironment{thebibliography}[1]
9564   {\chapter*{\bibname}%
9565     \omkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
9566     \if@RTL\if@LTrbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi\fi
9567     \bidi@thebibliography@font@hook%
9568     \list{\@biblabel{\@arabic\c@enumiv}}%
9569       {\settowidth\labelwidth{\@biblabel{#1}}%
9570         \leftmargin\labelwidth
9571         \advance\leftmargin\labelsep
9572         \openbib@code
9573         \usecounter{enumiv}%
9574         \let\p@enumiv\empty
9575         \renewcommand*\theenumiv{\@arabic\c@enumiv}%
9576         \sloppy\clubpenalty4000\widowpenalty4000%
9577         \sfcodes`.\. \c@m}
9578       {\def\@noitemerr
9579         {\@latex@warning{Empty `thebibliography' environment}}%
9580       \endlist}
9581 \renewcommand*\thesection{\thechapter\c@arabic\c@section}
9582 \renewcommand*\thesubsection{\thesection\c@arabic\c@section}
9583 \renewcommand*\thesubsubsection{\thesubsection\c@arabic\c@subsection}
9584 \renewcommand*\theparagraph{\thesubsubsection\c@arabic\c@paragraph}
9585 \renewcommand*\thesubparagraph{\theparagraph\c@arabic\c@subparagraph}
9586 \renewcommand*\theequation{%
9587   \ifnum \c@chapter>\z@ \thechapter\c@SepMark\fi\c@arabic\c@equation}
9588 \renewcommand*\thefigure{%

```



```

9589 \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}%
9590 \renewcommand*\thetable{%
9591 \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}%
9592 \renewcommand*\maketitle{%
9593 \begin{titlepage}%
9594 \let\footnotesize\small
9595 \let\right@footnoterule\relax
9596 \let\left@footnoterule\relax
9597 \let\textwidth@footnoterule\relax
9598 \let \footnote \thanks
9599 \long\def\@makefntext##1{\par\indent\z@
9600 \def\labelitemi{\textendash}\@revlabeltrue
9601 \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
9602 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
9603 \if@compatibility\setcounter{page}{0}\fi
9604 \null\vfil
9605 \vskip 60\p@
9606 \begin{center}%
9607 \TitleFont
9608 {\LARGE \def\{\penalty -\@M}%
9609 \if@allcaps
9610 \expandafter\uc@nothanks\@title\thanks\relax
9611 \else
9612 \@title
9613 \fi\par}%
9614 \vskip 3em%
9615 {\large
9616 \lineskip .75em \par\indent\z@
9617 \begin{tabular}[t]{c}%
9618 \if@allcaps
9619 \expandafter\uc@authornothanks\@author\and\relax
9620 \else
9621 \@author
9622 \fi
9623 \end{tabular}\par}%
9624 \vskip 1.5em%
9625 {\large
9626 \if@allcaps
9627 \uppercase\expandafter{\@date}%
9628 \else
9629 \@date
9630 \fi\par}%
9631 \end{center}\par
9632 \@thanks
9633 \vfil\null
9634 \end{titlepage}%
9635 \setcounter{footnote}{0}%
9636 \global\let\thanks\relax
9637 \global\let\maketitle\relax
9638 \global\let\@thanks\empty
9639 \global\let\@author\empty
9640 \global\let\@title\empty
9641 \global\let\@date\empty
9642 \global\let\title\relax

```



```

9643 \global\let\author\relax
9644 \global\let\date\relax
9645 \global\let\and\relax
9646 }

```

## 64 File bookest-xetex-bidi.def

```

9647 \ProvidesFile{bookest-xetex-bidi.def}[2010/07/25 v0.4 bidi adaptations for bookest class for
9648 \def\@makechapterhead#1{%
9649   \vspace*{20\p@}
9650   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
9651     \ifnum \c@secnumdepth >\m@ne
9652       \if@mainmatter
9653         {\colorA\huge\scshape \chapapp\space \thechapter}
9654         \par\nobreak
9655         \vskip 10\p@
9656       \fi
9657     \fi
9658     \interlinepenalty\@M
9659     {\colorB\hrule}
9660     \vskip 15\p@
9661     \if@RTL\begin{flushleft}\else\begin{flushright}\fi
9662       {\colorA\Huge\bfseries #1}\par\nobreak
9663       \if@RTL\end{flushleft}\else\end{flushright}\fi
9664     \vskip 5\p@
9665     {\colorB\hrule}
9666     \vskip 30\p@
9667   }}
9668 \def\@makeschapterhead#1{%
9669   \vspace*{20\p@}
9670   {\parindent \z@ \raggedright \normalfont
9671     {\colorB\hrule}
9672     \vskip 15\p@
9673     \begin{center}
9674       {\colorA\Huge\bfseries #1}\par\nobreak
9675     \end{center}
9676     \vskip 5\p@
9677     {\colorB\hrule}
9678     \vskip 30\p@
9679   } }

```

## 65 File book-xetex-bidi.def

```

9680 \ProvidesFile{book-xetex-bidi.def}[2017/06/09 v1.0 bidi adaptations for standard book class
9681 \renewenvironment{theindex}
9682   {\if@twocolumn
9683     \restonecolfalse
9684   \else
9685     \restonecoltrue
9686   \fi
9687   \columnseprule \z@
9688   \columnsep 35\p@
9689   \twocolumn[\@makeschapterhead{\indexname}]%
9690   \mkboth{\MakeUppercase\indexname}%

```



```

9691           {\MakeUppercase\indexname}%
9692           \thispagestyle{plain}\parindent\z@
9693           \parskip\z@ \relax .3\p@\relax
9694           \let\item\@idxitem
9695           {\if@restonecol\onecolumn\else\clearpage\fi}
9696 \@ifclassloaded{bookest}{}{%
9697   \if@titlepage
9698     \renewcommand\maketitle{\begin{titlepage}%
9699       \let\footnotesize\small
9700       \let\right@footnoterule\relax
9701       \let\left@footnoterule\relax
9702       \let\textwidth@footnoterule\relax
9703       \let \footnote \thanks
9704       \let \LTRfootnote \LTRthanks
9705       \let \RTLfootnote \RTLthanks
9706       \null\vfil
9707       \vskip 60\p@
9708     \begin{center}%
9709       {\LARGE \@title \par}%
9710       \vskip 3em%
9711       {\large
9712         \lineskip .75em%
9713         \begin{tabular}[t]{c}%
9714           \author
9715         \end{tabular}\par}%
9716       \vskip 1.5em%
9717       {\large \@date \par}%
9718     \end{center}\par
9719   \thanks
9720   \vfil\null
9721   \end{titlepage}%
9722   \setcounter{footnote}{0}%
9723   \global\let\thanks\relax
9724   \global\let\LTRthanks\relax
9725   \global\let\RTLthanks\relax
9726   \global\let\maketitle\relax
9727   \global\let\@thanks\empty
9728   \global\let\author\empty
9729   \global\let\@date\empty
9730   \global\let\@title\empty
9731   \global\let\title\relax
9732   \global\let\author\relax
9733   \global\let\date\relax
9734   \global\let\and\relax
9735 }
9736 \else
9737 \renewcommand\maketitle{\par
9738   \begingroup
9739     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
9740     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
9741     \long\def\@makefntext##1{\parindent 1em\noindent
9742       \hb@xt@1.8em{%
9743         \hss\@textsuperscript{\normalfont\@thefnmark}##1}%
9744     \if@twocolumn

```



```

9745     \ifnum \col@number=\@ne
9746         \@maketitle
9747     \else
9748         \twocolumn[\@maketitle]%
9749     \fi
9750 \else
9751     \newpage
9752     \global\@topnum\z@    % Prevents figures from going at top of page.
9753     \@maketitle
9754 \fi
9755     \thispagestyle{plain}\@thanks
9756 \endgroup
9757 \setcounter{footnote}{0}%
9758 \global\let\thanks\relax
9759 \global\let\LTRthanks\relax
9760 \global\let\RTLthanks\relax
9761 \global\let\maketitle\relax
9762 \global\let@\maketitle\relax
9763 \global\let@\thanks\@empty
9764 \global\let@\author\@empty
9765 \global\let@\date\@empty
9766 \global\let@\title\@empty
9767 \global\let\title\relax
9768 \global\let\author\relax
9769 \global\let\date\relax
9770 \global\let\and\relax
9771 }
9772 \def\@maketitle{%
9773     \newpage
9774     \null
9775     \vskip 2em%
9776     \begin{center}%
9777         \let \footnote \thanks
9778         \let \LTrfootnote \LTRthanks
9779         \let \RTLfootnote \RTLthanks
9780         {\LARGE \title \par}%
9781         \vskip 1.5em%
9782         {\large
9783             \lineskip .5em%
9784             \begin{tabular}[t]{c}%
9785                 \author
9786             \end{tabular}\par}%
9787         \vskip 1em%
9788         {\large \date}%
9789     \end{center}%
9790     \par
9791     \vskip 1.5em}
9792 \fi}
9793 \renewcommand*\l@part[2]{%
9794     \ifnum \c@tocdepth >-2\relax
9795         \addpenalty{-\highpenalty}%
9796         \addvspace{2.25em \plus\p@}%
9797         \setlength\tempdima{3em}%
9798     \begingroup

```



```

9799 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \c@pnumwidth
9800 \parfillskip -\c@pnumwidth
9801 {\leavevmode
9802 \large \bfseries #1\hfil \hb@xt@\c@pnumwidth{\hss #2}\par
9803 \nobreak
9804 \global\@nobreaktrue
9805 \everypar{\global\@nobreakfalse\everypar{}}
9806 \endgroup
9807 \fi}
9808 \renewcommand*\l@chapter[2]{%
9809 \ifnum \c@tocdepth >\m@ne
9810 \addpenalty{-\@highpenalty}%
9811 \vskip 1.0em \oplus\p@
9812 \setlength\tempdima{1.5em}%
9813 \begingroup
9814 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \c@pnumwidth
9815 \parfillskip -\c@pnumwidth
9816 \leavevmode \bfseries
9817 \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
9818 \hskip -\if@RTL\rightskip\else\leftskip\fi
9819 #1\nobreak\hfil \nobreak\hb@xt@\c@pnumwidth{\hss #2}\par
9820 \penalty\@highpenalty
9821 \endgroup
9822 \fi}
9823 \renewcommand\left@footnoterule{%
9824 \kern-3\p@
9825 \hrule\c@width.4\columnwidth
9826 \kern2.6\p@}
9827 \renewcommand\right@footnoterule{%
9828 \kern-3\p@
9829 \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
9830 \kern2.6\p@}
9831 \renewcommand\theequation
9832 {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic\c@equation}
9833 \renewcommand\thefigure
9834 {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic\c@figure}
9835 \renewcommand\thetable
9836 {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic\c@table}
9837 \renewcommand\thechapter {\arabic\c@chapter}
9838 \renewcommand\thesection {\thechapter\SepMark\arabic\c@section}
9839 \renewcommand\thesubsection {\thesection\SepMark\arabic\c@subsection}
9840 \renewcommand\thesubsubsection{\thesubsection\SepMark\arabic\c@subsubsection}
9841 \renewcommand\theparagraph {\thesubsubsection\SepMark\arabic\c@paragraph}
9842 \renewcommand\thesubparagraph {\theparagraph\SepMark\arabic\c@subparagraph}
9843 \def\makechapterhead#1{%
9844 \vspace*{50\p@}%
9845 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
9846 \ifnum \c@secnumdepth >\m@ne
9847 \if@mainmatter
9848 \huge\bfseries \chapapp\space \thechapter
9849 \par\nobreak
9850 \vskip 20\p@
9851 \fi
9852 \fi

```



```

9853     \interlinepenalty\@M
9854     \Huge \bfseries #1\par\nobreak
9855     \vskip 40\p@
9856   }
9857 \def\@makeschapterhead#1{%
9858   \vspace*{50\p@}%
9859   {\parindent \z@\if@RTL\raggedleft\else\raggedright\fi
9860     \normalfont
9861     \interlinepenalty\@M
9862     \Huge \bfseries #1\par\nobreak
9863     \vskip 40\p@
9864   }
9865 \renewcommand\backmatter{%
9866   \if@openright
9867     \cleardoublepage
9868   \else
9869     \clearpage
9870   \fi
9871   \@mainmatterfalse}
9872 \renewenvironment{thebibliography}[1]
9873   {\chapter*{\bibname}%
9874     \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
9875     \if@RTL\if@LTrbitems@\RTLfalse\else\fi\else\if@RTLbitems@\RTLtrue\else\fi\fi
9876     \bidi@thebibliography@font@hook%
9877     \list{\@biblabel{\@arabic\c@enumiv}}%
9878       {\settowidth\labelwidth{\@biblabel{\#1}}%
9879         \leftmargin\labelwidth
9880         \advance\leftmargin\labelsep
9881         \openbib@code
9882         \usecounter{enumiv}%
9883         \let\p@enumiv\empty
9884         \renewcommand\theenumiv{\@arabic\c@enumiv}%
9885         \sloppy
9886         \clubpenalty4000
9887         \clubpenalty \clubpenalty
9888         \widowpenalty4000%
9889         \sfcode`\. \c@enumiv
9890       \def\@noitemerr
9891         {\@latex@warning{Empty `thebibliography' environment}}%
9892       \endlist}

```

## 66 File breqn-xetex-bidi.def

```

9893 \ProvidesFile{breqn-xetex-bidi.def}[2016/09/12 v0.2 bidi adaptations for breqn package for Xe
9894 \def\@dmath[#1]{\if@RTL\@RTLfalse\fi%
9895   \everydisplay\expandafter{\the\everydisplay \display@setup}%
9896   \if@noskipsec \leavevmode \fi
9897   \if@inlabel \leavevmode \global\@inlabelfalse \fi
9898   \if\eq@group\else\eq@prelim\fi
9899   \setkeys{breqn}{#1}%
9900   \the\eqstyle
9901   \eq@setnumber
9902   \begingroup
9903   \eq@setup@a

```



```

9904   \eq@startup
9905 }
9906 \def\@dgroup[#1]{\if@RTL\@RTLfalse\fi%
9907   \let\eq@group\@True \global\let\eq@GRP@first@dmath\@True
9908   \global\GRP@queue\emptytoks \global\setbox\GRP@box\box\voidb@x
9909   \global\let\GRP@label\empty
9910   \global\grp@wdL\z@\global\grp@wdR\z@\global\grp@wdT\z@
9911   \global\grp@linewidth\z@\global\grp@wdNum\z@
9912   \global\let\grp@eqs@numbered\@False
9913   \global\let\grp@aligned\@True
9914   \global\let\grp@shiftnumber\@False
9915   \eq@prelim
9916   \setkeys{breqn}{#1}%
9917   \if\grp@hasNumber \grp@setnumber \fi
9918 }
9919 \def\@dseries[#1]{\if@RTL\@RTLfalse\fi%
9920   \let\display@setup\dseries@display@setup
9921 % Question: should this be the default for dseries???
9922   \global\eq@wdCond\z@
9923   \global\@dmath[layout={M},#1]%
9924   \mathsurround\z@\@@math \penalty\@Mi
9925   \let\endmath\ends@math
9926   \def\premath{%
9927     \ifdim\lastskip<.3em \unskip
9928     \else\ifnum\lastpenalty<\@M \dquad\fi\fi
9929   }%
9930   \def\postmath{\unpenalty\eq@addpunct \penalty\intermath@penalty \dquad \ignorespaces}%
9931   \ignorespaces
9932 }
9933 \def\eqnumform#1{\if@nonlatin\beginR\@RTLtrue\fi(#1\@italiccorr)\if@nonlatin\endR\fi}
9934 \renewenvironment{dsuspend}{%
9935   \global\setbox\EQ@box\vbox\bgroup\if@nonlatin\@RTLtrue\fi \parboxrestore
9936   \parshape 1 \displayindent \displaywidth\relax
9937   \hsize=\columnwidth \noindent\ignorespaces
9938 }{%
9939   \par\egroup
9940   \global\setbox\GRP@box\vbox{%
9941     \hbox{\copy\EQ@box\vtop{\unvbox\EQ@box}}%
9942     \unvbox\GRP@box
9943   }%
9944   \global\GRP@queue\exp{\the\GRP@queue
9945     \@elt{\let\eq@isIntertext\@True}%
9946   }%
9947 }

```

## 67 File cals-xetex-bidi.def

```

9948 \ProvidesFile{cals-xetex-bidi.def}[2016/11/30 v0.4 bidi adaptations for cals package for XeT
9949 \renewcommand\cals@setup@alignment[1]{%
9950 \if c#1\relax \cals@vfillAdd \leftskip \cals@vfillAdd \rightskip \fi
9951 \if l#1\relax \cals@vfillDrop\leftskip \cals@vfillDrop\rightskip \fi
9952 \if r#1\relax \cals@vfillAdd \leftskip \cals@vfillDrop\rightskip \fi
9953 }
9954 \renewcommand\cals@table@alignment{\if@RTLtab r\else l\fi}

```



```

9955 \renewenvironment{calstable}[1][\cals@table@alignment]{%
9956 \if@RTLtab\cals@activate@rtl\fi
9957 \let\cals@thead@tokens=\relax
9958 \let\cals@tfoot@tokens=\relax
9959 \let\cals@tbreak@tokens=\relax
9960 \cals@tfoot@height=0pt \relax
9961 \let\cals@last@context=n%
9962 \let\cals@current@context=b%
9963 \parindent=0pt \relax%
9964 \cals@setup@alignment{\#1}%
9965 \cals@setpadding{A}\cals@setcellprevdepth{A}\cals@set@tohsize%
9966 %% Alignment inside is independent on center/flushright outside
9967 \parfillskip=0pt plus1fil\relax
9968 \let\cals@borderL=\relax
9969 \let\cals@borderR=\relax
9970 \let\cals@borderT=\relax
9971 \let\cals@borderB=\relax
9972 \setbox\cals@backup@row=\box\voidb@x\relax
9973 \cals@AtBeginTable
9974 }{%
9975 \cals@tfoot@tokens\lastrule\cals@AtEndTable}
9976 \renewcommand\alignL{%
9977 \if@RTLtab
9978   \cals@vfillAdd\cals@paddingL
9979 \else
9980   \cals@vfillDrop\cals@paddingL
9981 \fi
9982 \cals@vfillDrop\cals@paddingR}
9983 \renewcommand\alignR{%
9984 \if@RTLtab
9985   \cals@vfillDrop\cals@paddingL
9986 \else
9987   \cals@vfillAdd\cals@paddingL
9988 \fi
9989 \cals@vfillDrop\cals@paddingR}

```

## 68 File caption-xetex-bidi.def

```

9990 \ProvidesFile{caption-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for caption package f
9991 \let\makcaption\caption\makcaption

```

## 69 File caption3-xetex-bidi.def

```

9992 \ProvidesFile{caption3-xetex-bidi.def}[2013/04/01 v0.1 bidi adaptations for caption3 package
9993 \renewcommand*\caption@par{%
9994   \parindent\caption@parindent\hangindent\if@RTL-\fi\caption@hangindent}%

```

## 70 File colortbl-xetex-bidi.def

```

9995 \ProvidesFile{colortbl-xetex-bidi.def}[2012/06/10 v0.2 bidi adaptations for colortbl package
9996 \def\CT@setup{%
9997   \tempdime\col@sep
9998   \tempdimc\col@sep
9999 \def\CT@color{%

```



```

10000     \global\let\CT@do@color\CT@@do@color
10001     \bidicolor}}
10002 \def\@classz{\@classx
10003   \tempcnta \count@
10004   \prepnext@tok
10005 \expandafter\CT@extract\the\toks\tempcnta\columncolor!\@nil
10006   \addtopreamble{\if@RTLtab\beginL\fi%
10007   \setbox\z@\hbox\bgroup\bgroup\if@RTLtab\beginR\fi
10008   \ifcase \@chnum
10009     \hskip\stretch{.5}\kern\z@
10010     \d@llarbegin
10011     \insert@column
10012     \d@llarend\hskip\stretch{.5}\or
10013     \d@llarbegin \insert@column \d@llarend \hfill \or
10014     \hfill\kern\z@ \d@llarbegin \insert@column \d@llarend \or
10015   $ \vcenter
10016   \startpbox{\@nextchar}\insert@column \endpbox $ \or
10017   \vtop \startpbox{\@nextchar}\insert@column \endpbox \or
10018   \vbox \startpbox{\@nextchar}\insert@column \endpbox
10019 \fi
10020 \if@RTLtab\endR\fi\egroup\egroup
10021 \begingroup
10022   \CT@setup
10023   \CT@column@color
10024   \CT@row@color
10025   \CT@cell@color
10026   \CT@do@color
10027 \endgroup
10028   \tempdima\ht\z@
10029   \advance\tempdima\minrowclearance
10030   \vrule\@height\tempdima\@width\z@
10031   \unhbox\z@\if@RTLtab\endL\fi}%
10032 \prepnext@tok}

```

## 71 File color-xetex-bidi.def

```
10033 \ProvidesFile{color-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for color package for XeLaTeX]
10034 \long\def\color@b@x#1#2#3{%
10035   \leavevmode\ifmmode\else\if@RTL\beginL\fi\fi
10036   \setbox\z@\hbox{\kern\fboxsep\set@color\if@RTL\beginR\fi#3\if@RTL\endR\fi}\kern\fboxsep}%
10037   \dimen@\ht\z@\advance\dimen@\fboxsep\ht\z@\dimen@%
10038   \dimen@\dp\z@\advance\dimen@\fboxsep\dp\z@\dimen@%
10039 {#1{#2\color@block{\wd\z@}{\ht\z@}{\dp\z@}}%
10040   \box\z@}}\ifmmode\else\if@RTL\endL\fi\fi}
10041 \def\normalcolor{\let\current@color\default@color\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi}
10042 \DeclareRobustCommand\color{%
10043   \ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\c@ifnextchar[\@undeclaredcolor\@declaredcolor}%
10044 \def\@declaredcolor#1{%
10045   \c@ifundefined{\string\color @#1}%
10046   {\c@lor\c@error{'#1'}}%
10047   {\expandafter\let\expandafter\current@color%
10048     \csname\string\color @#1\endcsname%
10049     \set@color}%
10050 \ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
```



```

10051 \def\@undeclaredcolor[#1]#2{%
10052   \ifundefined{color@#1}%
10053     {\color@error{model `#1'}}%
10054     {\csname color@#1\endcsname\current@color{#2}}%
10055     \set@color}%
10056 \ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
10057 \DeclareRobustCommand\bidi@color{%
10058   \ifnextchar[\@bidiundeclaredcolor@\bidideclaredcolor}%
10059 \def\@bidiundeclaredcolor[#1]#2{%
10060   \ifundefined{color@#1}%
10061     {\color@error{model `#1'}}%
10062     {\csname color@#1\endcsname\current@color{#2}}%
10063     \set@color}%
10064   \ignorespaces}
10065 \def\@bidideclaredcolor#1{%
10066   \ifundefined{\string\color @#1}%
10067     {\color@error{'#1'}}%
10068     {\expandafter\let\expandafter\current@color
10069       \csname\string\color @#1\endcsname
10070       \set@color}%
10071   \ignorespaces}
10072 \def\color@box#1#2{\color@b@x\relax{\bidicolor#1{#2}}}
10073 \def\color@fbox#1#2#3{%
10074   \color@b@x{\fboxsep\z@\bidicolor#1{#2}\fbox}{\bidicolor#1{#3}}}
10075 \def\color@setgroup{\begingroup\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmod

```

## 72 File combine-xetex-bidi.def

```

10076 \ProvidesFile{combine-xetex-bidi.def}[2011/09/23 v0.1 bidi adaptations for combine class for XeT
10077 \renewcommand{\c@ll@chapsecii}[2]{%
10078   \if@RTL\advance\rightskip\@tempdima\else\advance\leftskip\@tempdima\fi
10079   \if@RTL\hskip -\rightskip\else\hskip -\leftskip\fi
10080   #1\nobreak\hfil \nobreak\hb@xt@0\pnumwidth{\hss #2}\par
10081 }
10082 \renewcommand{\c@ll@chapsecii}{%
10083   \setlength\@tempdima{0em}%
10084   \begingroup
10085     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
10086     \parfillskip -\pnumwidth
10087     \leavevmode
10088 }
10089 \renewenvironment{tocindent}[1]{%
10090   \hangindent \if@RTL-\fi#1 \hangafter -100\relax}{}%

```

## 73 File crop-xetex-bidi.def

```

10091 \ProvidesFile{crop-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for crop package for XeT
10092 \renewcommand*\CROP@@ulc{%
10093   \if@RTLmain%
10094     \begin{picture}(0,0)
10095       \unitlength\p@\thinlines
10096       \put(-40,0){\circle{10}}
10097       \put(-30,-5){\line(0,1){10}}
10098       \put(-35,0){\line(1,0){30}}%

```



```

10099      \put(-10,30){\circle{10}}
10100      \put(-5,30){\line(1,0){10}}
10101      \put(0,35){\line(0,-1){30}}
10102  \end{picture}%
10103 \else%
10104  \begin{picture}(0,0)
10105      \unitlength\p@\thinlines
10106      \put(-30,0){\circle{10}}
10107      \put(-30,-5){\line(0,1){10}}
10108      \put(-35,0){\line(1,0){30}}
10109      \put(0,30){\circle{10}}
10110      \put(-5,30){\line(1,0){10}}
10111      \put(0,35){\line(0,-1){30}}
10112  \end{picture}%
10113 \fi%
10114 }
10115 \renewcommand*\CROP@curc{%
10116  \if@RTLmain%
10117  \begin{picture}(0,0)
10118      \unitlength\p@\thinlines
10119      \put(20,0){\circle{10}}
10120      \put(30,-5){\line(0,1){10}}
10121      \put(35,0){\line(-1,0){30}}
10122      \put(-10,30){\circle{10}}
10123      \put(-5,30){\line(1,0){10}}
10124      \put(0,35){\line(0,-1){30}}
10125  \end{picture}%
10126 \else%
10127  \begin{picture}(0,0)
10128      \unitlength\p@\thinlines
10129      \put(30,0){\circle{10}}
10130      \put(30,-5){\line(0,1){10}}
10131      \put(35,0){\line(-1,0){30}}
10132      \put(0,30){\circle{10}}
10133      \put(-5,30){\line(1,0){10}}
10134      \put(0,35){\line(0,-1){30}}
10135  \end{picture}%
10136 \fi%
10137 }
10138 \renewcommand*\CROP@llc{%
10139  \if@RTLmain%
10140  \begin{picture}(0,0)
10141      \unitlength\p@\thinlines
10142      \put(-40,0){\circle{10}}
10143      \put(-30,-5){\line(0,1){10}}
10144      \put(-35,0){\line(1,0){30}}
10145      \put(-10,-30){\circle{10}}
10146      \put(-5,-30){\line(1,0){10}}
10147      \put(0,-35){\line(0,1){30}}
10148  \end{picture}%
10149 \else%
10150  \begin{picture}(0,0)
10151      \unitlength\p@\thinlines
10152      \put(-30,0){\circle{10}}

```



```

10153      \put(-30,-5){\line(0,1){10}}
10154      \put(-35,0){\line(1,0){30}}
10155      \put(0,-30){\circle{10}}
10156      \put(-5,-30){\line(1,0){10}}
10157      \put(0,-35){\line(0,1){30}}
10158  \end{picture}%
10159  \fi%
10160 }
10161 \renewcommand*\CROP@@lrc{%
10162   \if@RTLmain%
10163     \begin{picture}(0,0)
10164       \unitlength\p@\thinlines
10165       \put(20,0){\circle{10}}
10166       \put(30,-5){\line(0,1){10}}
10167       \put(35,0){\line(-1,0){30}}
10168       \put(-10,-30){\circle{10}}
10169       \put(-5,-30){\line(1,0){10}}
10170       \put(0,-35){\line(0,1){30}}
10171   \end{picture}%
10172   \else%
10173     \begin{picture}(0,0)
10174       \unitlength\p@\thinlines
10175       \put(30,0){\circle{10}}
10176       \put(30,-5){\line(0,1){10}}
10177       \put(35,0){\line(-1,0){30}}
10178       \put(0,-30){\circle{10}}
10179       \put(-5,-30){\line(1,0){10}}
10180       \put(0,-35){\line(0,1){30}}
10181   \end{picture}%
10182   \fi%
10183 }
10184 \@ifpackagewith{crop}{cam}%
10185 \CROP@execopt{cam}%
10186 }{}
```

## 74 File `cutwin-xetex-bidi.def`

```

10187 \ProvidesFile{cutwin-xetex-bidi.def}[2011/11/12 v0.1 bidi adaptations for cutwin package for
10188 \renewcommand*{\c@twcompctr}[2]{%
10189   \def\c@twffirst{1}
10190   \loop\advance\c@twwinlines\m@ne
10191   \setbox\c@twslicea=\vsplit#1 to\baselineskip
10192   \setbox\c@twsliceb=\vsplit#1 to\baselineskip
10193   \c@twprune{\c@twslicea}{\c@twlfstside}%
10194   \c@twprune{\c@twsliceb}{\c@twrtside}%
10195   \ifnum\c@twffirst=\@ne
10196     \setbox#2=\vbox{\unvbox#2\hbox
10197       to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\pageinwindow\hfil\if@RTL\box\c@twslicea\else\box\c@twsliceb\fi}%
10198   \else
10199     \setbox#2=\vbox{\unvbox#2\hbox
10200       to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\if@RTL\box\c@twslicea\else\box\c@twsliceb\fi}%
10201   \fi
10202   \def\c@twffirst{2}
10203   \ifnum\c@twwinlines>\z@\repeat}
```



```

10204 \renewcommand*{\c@twcompodctr}[2]{%
10205   \def\c@twrounds{1}
10206   \def\c@twfirst{1}
10207   \c@for\c@twlspec:=\c@twb\do{%
10208     \ifnum\c@twrounds=1
10209       \setbox\c@twslicea=\vsplit#1 to\baselineskip % first of pair
10210       \c@twprune{\c@twslicea}{\c@twlspec}%
10211       \def\c@twrounds{2}
10212     \else
10213       \setbox\c@twsliceb=\vsplit#1 to\baselineskip % second of pair
10214       \c@twprune{\c@twsliceb}{\c@twlspec}%
10215       \ifnum\c@twfirst=1
10216         \setbox#2=\vbox{\unvbox#2\hbox
10217           to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\picinwindow\hfil\if@RTL\box\c@twslicea\else\box\c@twsliceb\fi\hfil}
10218         \def\c@twfirst{2}
10219       \else
10220         \setbox#2=\vbox{\unvbox#2\hbox
10221           to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\if@RTL\box\c@twslicea\else\box\c@twsliceb\fi\hfil}
10222       \fi
10223       \def\c@twrounds{1}
10224     \fi}}

```

## 75 File `cuted-xetex-bidi.def`

```
10225 \ProvidesFile{cuted-xetex-bidi.def}[2022/02/18 v0.7 bidi adaptations for cuted package for XeLaTeX]
10226
10227 \def\RTL@outputdblcol{%
10228   \if@firstcolumn
10229     \global\@firstcolumnfalse
10230     \global\setbox\@leftcolumn\copy\@outputbox
10231     \splitmaxdepth\maxdimen
10232     \vbadness\maxdimen
10233     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
10234     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
10235     \toks@\expandafter{\topmark}%
10236     \xdef\@firstcoltopmark{\the\toks@}%
10237     \toks@\expandafter{\splitfirstmark}%
10238     \xdef\@firstcolfirstmark{\the\toks@}%
10239     \ifx\@firstcolfirstmark\empty
10240       \global\let\@setmarks\relax
10241     \else
10242       \gdef\@setmarks{%
10243         \let\firstmark\@firstcolfirstmark
10244         \let\topmark\@firstcoltopmark}%
10245     \fi
10246   \else
10247     \global\@firstcolumntrue
10248     \setbox\@outputbox\vbox{%
10249       \hb@xt@\textwidth{%
10250         \hskip \columnwidth
10251         \hfil
10252         {\normalcolor\vrule width\columnseprule}%
10253         \hfil
10254         \hb@xt@\columnwidth{%
```



```

10255      \bidi@firstcolumn@status@write%
10256      \box@\leftcolumn \hss}%
10257      \hskip -\textwidth
10258      \hb@xt@\columnwidth{%
10259      \bidi@lastcolumn@status@write%
10260      \box@\outputbox \hss}%
10261      \hskip \columnsep
10262      \hskip \columnwidth }}%
10263 \ifvoid\hold@viper
10264 \else
10265     \setbox\outputbox \vbox to\textheight{%
10266         \box\hold@viper
10267         \box\outputbox
10268         \vss
10269     }%
10270     \fi
10271 \@combinedblfloats
10272   \setmarks
10273   \outputpage
10274   \begingroup
10275     \dblfloatplacement
10276     \startdblcolumn
10277     \whilesw\if@fcolmade \fi{\outputpage
10278     \startdblcolumn}%
10279     \ifvoid\@viper
10280     \else
10281       \global\setbox\@viper\vbox{%
10282           \vskip-\stripsep
10283           \unvbox\@viper
10284       }%
10285       \viperoutput
10286     \fi
10287   \endgroup
10288 \fi}%
10289
10290 \def\LTR@outputdblcol{%
10291   \if@firstcolumn
10292     \global\@firstcolumnfalse
10293     \global\setbox\leftcolumn\copy\outputbox
10294     \splitmaxdepth\maxdimen
10295     \vbadness\maxdimen
10296     \setbox\outputbox\vbox{\unvbox\outputbox\unskip}%
10297     \setbox\outputbox\vsplit\outputbox to\maxdimen
10298     \toks@\expandafter{\topmark}%
10299     \xdef\@firstcoltopmark{\the\toks@}%
10300     \toks@\expandafter{\splitfirstmark}%
10301     \xdef\@firstcolfirstmark{\the\toks@}%
10302     \ifx\@firstcolfirstmark\empty
10303       \global\let\@setmarks\relax
10304     \else
10305       \gdef\@setmarks{%
10306         \let\firstmark\@firstcolfirstmark
10307         \let\topmark\@firstcoltopmark}%
10308   \fi

```



```

10309 \else
10310   \global\@firstcolumntrue
10311   \setbox\@outputbox\vbox{%
10312     \hb@xt@\textwidth{%
10313       \hb@xt@\columnwidth{%
10314         \bidi@firstcolumn@status@write%
10315         \box\@leftcolumn \hss}%
10316         \hfil
10317         {\normalcolor\vrule \@width\columnsep}%
10318         \hfil
10319       \hb@xt@\columnwidth{%
10320         \bidi@lastcolumn@status@write%
10321         \box\@outputbox \hss}}}}%
10322 \ifvoid\hold@viper
10323 \else
10324   \setbox\@outputbox \vbox to\textheight{%
10325     \box\hold@viper
10326     \box\@outputbox
10327     \vss
10328   }%
10329 \fi
10330 \@combinedblfloats
10331   \setmarks
10332   \outputpage
10333   \begin{group}
10334     \dblfloatplacement
10335     \startdblcolumn
10336     \whilesw\if@fcollmade \fi{\outputpage
10337     \startdblcolumn}%
10338     \ifvoid\@viper
10339     \else
10340       \global\setbox\@viper\vbox{%
10341         \vskip-\stripsep
10342         \unvbox\@viper
10343       }%
10344     \viperoutput
10345   \fi
10346   \endgroup
10347 \fi}%
10348
10349 \def\@addviper{%
10350   \insertfalse
10351   \def\var@@thecol@num{2}%
10352   \if@firstcolumn
10353     \def\var@@thecol@num{1}%
10354     \reqcolroom=.5\pageht
10355     \ht@viper=\reqcolroom
10356     \advance\reqcolroom by\ht\@viper
10357     \advance\reqcolroom by\stripsep
10358   \else
10359     \reqcolroom=\colht
10360     \advance\reqcolroom by\pageht
10361     \ht@viper.5\reqcolroom
10362     \reqcolroom=\ht\@viper

```



```

10363   \advance\@reqcolroom by\ht\@viper
10364   \advance\@reqcolroom by\stripsep
10365   \global\setbox\@holdpg\vbox{%
10366     \setbox\cuted@@tempbox@a\vbox{%
10367       \aftergroup\unvbox
10368       \unvcopy\@leftcolumn
10369       \unskip\unkern\unpenalty
10370       \setbox\@tempboxa\lastbox
10371       \ifdim\dimexpr\ht\@tempboxa+\wd\@tempboxa+\dp\@tempboxa>\z@
10372         %% keeps lastbox
10373         \aftergroup\@leftcolumn
10374     \else
10375       %% removes lastbox
10376       \aftergroup\cuted@@tempbox@a
10377     \fi
10378   }%
10379   \unskip\unkern\unpenalty
10380   \on@stripcols@break
10381   \the\At@ViperColsBreak
10382   \unvbox\@holdpg
10383 }%
10384 \global\At@ViperColsBreak{}%
10385 \ht@viper=.5\ht\@holdpg
10386 \ifdim\ht@viper>\@colht
10387   \ht@viper=\@colht
10388 \fi
10389 \fi
10390 %%
10391 %% calculations for breaking
10392 %%
10393 \ifvoid\hold@viper
10394   \ht@hold@viper=\z@
10395 \else
10396   \ht@hold@viper=\ht\hold@viper
10397 \fi
10398 \cuted@@tempdim@b\ht@viper
10399 \set@split@topskip@to\topskip
10400 \loop
10401   \xdef\saved@tempdimb{\the\cuted@@tempdim@b}%
10402   \setbox\cuted@@varbox@a\copy\@holdpg
10403   \setbox\cuted@@tempbox@a\vsplit\cuted@@varbox@a to\cuted@@tempdim@b
10404   %% set leftcolumn boxes
10405   \setbox\cuted@@tempbox@c\vbox{\unvbox\cuted@@tempbox@a}%
10406   \setbox\cuted@@tempbox@a\vbox to\cuted@@tempdim@b{\unvcopy\cuted@@tempbox@c}%
10407   \xdef\var@leftcolumn@badness{\the\badness}%
10408   %% set rightcolumn boxes
10409   \setbox\cuted@@varbox@c\vbox{\unvbox\cuted@@varbox@a}%
10410   \setbox\cuted@@varbox@a\vbox to\cuted@@tempdim@b{\unvcopy\cuted@@varbox@c}%
10411   \xdef\var@rightcolumn@badness{\the\badness}%
10412   %% analyzing split goodness
10413   \cuted@@tempdim@spread=\ht\cuted@@tempbox@c
10414   \advance\cuted@@tempdim@spread by\dp\cuted@@tempbox@c
10415   \advance\cuted@@tempdim@spread by-\ht\cuted@@varbox@c
10416   \advance\cuted@@tempdim@spread by-\dp\cuted@@varbox@c

```



```

10417 \cuted@@wlog@debug{CUTED [----]%
10418     ^^JLeft: \the\ht\cuted@@tempbox@c
10419     +\the\dp\cuted@@tempbox@c\space/\var@leftcolumn@badness
10420     ^^JRight: \the\ht\cuted@@varbox@c
10421     +\the\dp\cuted@@varbox@c\space/\var@rightcolumn@badness
10422     ^^JSplit: \the\cuted@@tempdim@b
10423     ^^JExtra height: \the\cuted@@tempdim@spread
10424 }
10425 \ifnum\var@leftcolumn@badness<\cuted@@column@badness
10426     \ifnum\var@rightcolumn@badness<\cuted@@column@badness
10427         \cuted@@tempdim@spread=\z@
10428     \fi
10429 \fi
10430 \ifdim\cuted@@tempdim@spread<\z@
10431     \if@left@column@spread
10432         \if@right@column@shrink
10433             \ifdim\dimexpr\cuted@@tempdim@spread+\pageshrink>\z@
10434                 \cuted@@tempdim@a=\dimexpr\ht\cuted@@tempbox@c-0.5\cuted@@tempdim@sp
10435             \else
10436                 \cuted@@tempdim@a=-\dimexpr\cuted@@tempdim@spread+.5\pageshrink\rela
10437             \fi
10438 \setbox\cuted@@varbox@a\vbox to\cuted@@tempdim@a{\unvcopy\cuted@@tempbox@c
10439 \ifnum\badness<\cuted@@column@badness
10440     \cuted@@tempdim@b=\cuted@@tempdim@a
10441     \cuted@@tempdim@spread=\z@
10442 \fi
10443 \cuted@@wlog@debug{CUTED [leftcolumn badness]: \number\badness\space on
10444 \setbox\cuted@@varbox@a\vbox to\cuted@@tempdim@a{\unvcopy\cuted@@varbox@c
10445 \cuted@@wlog@debug{CUTED [rightcolumn badness]: \number\badness\space on
10446 \else
10447     \setbox\cuted@@varbox@a\vbox to\ht\cuted@@varbox@c{%
10448         \unvcopy\cuted@@tempbox@c
10449     }%
10450 \ifnum\badness<\cuted@@column@badness
10451     \atempdimb=\ht\cuted@@varbox@c
10452     \cuted@@tempdim@spread=\z@
10453 \fi
10454 \cuted@@wlog@debug{CUTED [leftcolumn badness]: \number\badness on \the\h
10455 \setbox\cuted@@varbox@a\vbox to\ht\cuted@@varbox@c{%
10456         \unvcopy\cuted@@varbox@c
10457     }%
10458 \cuted@@wlog@debug{CUTED [rightcolumn badness]: \number\badness on \the\h
10459     \fi
10460 \else
10461     \if@right@column@shrink
10462         \ifdim\dimexpr\cuted@@tempdim@spread+\pageshrink<\z@
10463     \else
10464         \cuted@@tempdim@b=\ht\cuted@@tempbox@c
10465         \cuted@@tempdim@spread=\z@
10466     \fi
10467     \fi
10468 \fi
10469 \else
10470     \ifdim\cuted@@tempdim@spread>\z@

```



```

10471           \ifdim\dimexpr\@tempdimb+\p@>\relax>\@colht
10472               \cuted@@tempdim@b=\@colht
10473               \cuted@@tempdim@spread=\z@
10474       \fi
10475   \fi
10476 \ifdim\cuted@@tempdim@spread<\z@
10477     \advance\cuted@@tempdim@b 1\p@
10478 \repeat
10479 \wlog{CUTED [- LAST -]%
10480   ^~JExtra skip:\the\cuted@@tempdim@spread
10481   ^~JLeft:\the\ht\cuted@@tempbox@c/\the\dp\cuted@@tempbox@c
10482   ^~JRight:\the\ht\cuted@@varbox@c/\the\dp\cuted@@varbox@c
10483   ^~JSplit: \saved@tempdimb
10484   ^~JOutput:\the\cuted@@tempdim@b
10485   ^~JPageshrink: \the\pageshrink
10486   ^~JPagestretch: \the\pagestretch
10487   ^~J@colht:\the\@colht
10488 }%
10489 %%
10490 %% final construction of the cuted page above strip
10491 %%
10492 \setbox\cuted@@tempbox@c\vsplit\@holdpg to\saved@tempdimb
10493 \setbox\cuted@@tempbox@a\vbox to\cuted@@tempdim@b{%
10494   \cuted@@tempdim@a=\dimexpr
10495     \cuted@@tempdim@b-\ht\cuted@@tempbox@c
10496     \relax
10497   \cuted@@tempdim@spread=\dp\cuted@@tempbox@c
10498   \unvbox\cuted@@tempbox@c
10499   \ifdim\cuted@@tempdim@spread>\dp\strutbox
10500     \else
10501       \vskip-\cuted@@tempdim@spread
10502   \fi
10503   \prevdepth\z@
10504   \hrule\@height\cuted@@page@rule width\textwidth
10505   \vskip-\cuted@@page@rule
10506   \ifdim\cuted@@tempdim@a>\z@
10507     \if@left@column@spread
10508     \else
10509       \vss
10510     \fi
10511   \else
10512     \ifdim\cuted@@tempdim@a<\z@
10513       \if@left@column@shrink
10514       \else
10515         \vss
10516       \fi
10517     \fi
10518   \fi
10519 }%
10520 \wlog{CUTED [output]: \the\cuted@@tempdim@b
10521   ^~JCUTED [leftcolumn badness]: \number\badness
10522 }%
10523 \setbox\cuted@@varbox@a\vbox to\cuted@@tempdim@b{%

```



```

10525   \cuted@@tempdim@a=\dimexpr
10526     \cuted@@tempdim@b-\ht\@holdpg
10527     \relax
10528   \unvbox\@holdpg
10529   \ifdim\cuted@@tempdim@a>\z@
10530     \if@right@column@spread
10531     \else
10532       \vss
10533     \fi
10534   \else
10535     \ifdim\cuted@@tempdim@a<\z@
10536       \if@right@column@shrink
10537       \else
10538         \vss
10539       \fi
10540     \fi
10541   \fi
10542 }
10543 \wlog{CUTED [rightcolumn badness]: \number\badness}%
10544 \setbox\cuted@@tempbox@var\vbox{%
10545   \hb@xt@\textwidth{%
10546     \if@RTLmain
10547       \hskip \columnwidth
10548       \hfil
10549       {\normalcolor\vrule \@width\columnseprule}%
10550       \hfil
10551       \hb@xt@\columnwidth{%
10552         \vbox to\ht@viper{\box\cuted@@tempbox@a\vss}%
10553         \hss
10554       }%
10555       \hskip -\textwidth
10556       \hb@xt@\columnwidth{%
10557         \vbox to\ht@viper{\box\cuted@@varbox@a\vss}%
10558         \hss
10559       }%
10560       \hskip \columnsep
10561       \hskip \columnwidth
10562     \else
10563       \hb@xt@\columnwidth{%
10564         \vbox to\ht@viper{\box\cuted@@tempbox@a\vss}%
10565         \hss
10566       }%
10567       \hfil
10568       {\normalcolor\vrule \@width\columnseprule}%
10569       \hfil
10570       \hb@xt@\columnwidth{%
10571         \vbox to\ht@viper{\box\cuted@@varbox@a\vss}%
10572         \hss
10573       }%
10574     \fi
10575   }%
10576 }%
10577 %% finalize cuted page

```



```

10579    %%%
10580    \ifvoid\hold@viper
10581        \global\setbox\hold@viper\vbox{%
10582            \unvbox\cuted@@tempbox@var
10583            \penalty\interlinepenalty
10584            \vskip\stripsep
10585            \the\preCutedStrip
10586            \ifnum\outputpenalty<-\@Mii
10587                \vskip -\parskip
10588            \fi
10589            \outputpenalty\z@
10590        }%
10591    \else
10592        \global\setbox\hold@viper\vbox{%
10593            \unvbox\hold@viper
10594            \cuted@@tempbox@var
10595            \penalty\interlinepenalty
10596            \vskip\stripsep
10597            \the\preCutedStrip
10598            \ifnum\outputpenalty<-\@Mii
10599                \vskip -\parskip
10600            \fi
10601            \outputpenalty\z@
10602        }%
10603    \fi
10604    \ifdim@\colht>\@reqcolroom
10605        \global\setbox\hold@viper\vbox{%
10606            \unvbox\hold@viper
10607            \box@\viper
10608            \penalty\interlinepenalty
10609            \the\postCutedStrip
10610            \vskip\stripsep
10611            \ifnum\outputpenalty<-\@Mii
10612                \vskip -\parskip
10613            \fi
10614            \outputpenalty\z@
10615        }%
10616        \@inserttrue
10617        \global\@firstcolumntrue
10618        \advance\ht@hold@viper by-\ht\hold@viper
10619        \global\advance\@colht by\ht\hold@viper
10620        \ifdim\@colht<2.5\baselineskip
10621            \@latex@warning@no@line {Optional argument of \noexpand\twocolumn
10622                                too tall on page \thepage (\var@@thecol@num column)}%
10623            \@emptycol
10624            \if@firstcolumn
10625            \else
10626                \@emptycol
10627            \fi
10628            \global\@lastvipertrue
10629        \else
10630            \global\vsiz@\@colht
10631            \global\@colroom\@colht
10632            \check@floats\cuted@@tempdim@a

```



```

10633     \ifdim\cuted@@tempdim@a>\z@
10634         \global\advance\@colroom by-\cuted@@tempdim@a
10635     \fi
10636     \ifdim\@colroom<\z@
10637         \global\@colroom1\p@
10638         \ifdim\cuted@@tempdim@a>\@colht
10639             \@latex@warning@no@line{TOP and/or BOT FLOAT's
10640                 to large on \thepage (\var@@thecol@num column)}%
10641         \fi
10642         \emptycol
10643         \if@firstcolumn
10644         \else
10645             \emptycol
10646         \fi
10647         \global\@lastvipertrue
10648     \fi
10649     \fi
10650 \fi
10651 \if@insert
10652 \else
10653     \advance\ht@hold@viper by-\ht\hold@viper
10654     \global\advance\@colht by\ht@hold@viper
10655     \global\setbox\hold@viper\vbox{%
10656         \unvbox\hold@viper
10657         \set@split@topskip@to{\z@ plus2\p@}%
10658         \vsplit@\viper to\@colht
10659         \vss
10660     }%
10661     \vbox{}%
10662     \global\@firstcolumnfalse
10663     \newpage
10664 \fi
10665 }

```

## 76 File `cvthemedibicasual.sty`

```

10666 \NeedsTeXFormat{LaTeX2e}
10667 \ProvidesPackage{cvthemedibicasual}
10668 \DeclareOption{blue}{}
10669 \newif\if@colourorange\@colourorangefalse
10670 \DeclareOption{orange}{\@colourorangeltrue}
10671 \newif\if@colourgreen\@colourgreenfalse
10672 \DeclareOption{green}{\@colourgreentrue}
10673 \newif\if@colourred\@colourredfalse
10674 \DeclareOption{red}{\@colourredtrue}
10675 \newif\if@colourgrey\@colourgreyfalse
10676 \DeclareOption{grey}{\@colourgreytrue}
10677 \DeclareOption*{
10678     \PackageWarning{cvthemedibicasual}{Unknown option '\CurrentOption'}
10679 \ExecuteOptions{colour}
10680 \ProcessOptions\relax
10681 \renewcommand*\listitemsymbol{\textbullet}
10682 \definecolor{firstnamecolor}{rgb}{0.65,0.65,0.65}
10683 \familynamecolour{808080}

```



```

10684 \firstnamecolour{A9A9A9}
10685 \quotecolour{696969}
10686 \addresscolour{696969}
10687 \definecolor{sectionrectanglecolor}{rgb}{0.25,0.50,0.75}
10688 \sectiontitlecolour{1E90FF}
10689 \subsectioncolour{4682B4}
10690 \definecolor{rulecolour}{gray}{0.6}
10691 \definecolor{footersymbolcolour}{rgb}{0.25,0.50,0.75}
10692 \definecolor{footersymbolcolor}{rgb}{0.25,0.50,0.75}
10693 \if@colourorange
10694   \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
10695   \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
10696   \sectiontitlecolour{FF8C00}
10697   \subsectioncolour{FF8C00}
10698   \definecolor{footersymbolcolour}{rgb}{0.95,0.55,0.15}
10699   \definecolor{footersymbolcolor}{rgb}{0.95,0.55,0.15}\fi
10700 \if@colourgreen
10701   \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
10702   \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
10703   \sectiontitlecolour{008000}
10704   \subsectioncolour{008000}
10705   \definecolor{footersymbolcolour}{rgb}{0.30,0.65,0.15}
10706   \definecolor{footersymbolcolor}{rgb}{0.30,0.65,0.15}\fi
10707 \if@coloured
10708   \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
10709   \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
10710   \sectiontitlecolour{FF0000}
10711   \subsectioncolour{FF0000}
10712   \definecolor{footersymbolcolour}{rgb}{0.95,0.20,0.20}
10713   \definecolor{footersymbolcolor}{rgb}{0.95,0.20,0.20}\fi
10714 \if@colourey
10715   \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
10716   \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
10717   \sectiontitlecolour{808080}
10718   \subsectioncolour{808080}
10719   \definecolor{footersymbolcolour}{rgb}{0.35,0.35,0.35}
10720   \definecolor{footersymbolcolor}{rgb}{0.35,0.35,0.35}\fi
10721 \renewcommand*{\ttdefault}{pcr}
10722 \renewcommand*{\firstnamefont}{\fontsize{38}{40}\mdseries\upshape}
10723 \renewcommand*{\familynamefont}{\firstnamefont}
10724 \renewcommand*{\addressfont}{\normalsize\mdseries\slshape}
10725 \renewcommand*{\quotefont}{\large\slshape}
10726 \renewcommand*{\sectionfont}{\Large\mdseries\upshape}
10727 \renewcommand*{\subsectionfont}{\large\mdseries\upshape}
10728 \renewcommand*{\maketitle}{%
10729   {%
10730     \ifthenelse{\isundefined{\@photo}}{%
10731       {}%
10732       {{\color{firstnamecolor}\framebox{\includegraphics[width=\@photowidth]{\@photo}}}}%
10733       \hfill%
10734       \bidi@raggedleft{\firstnamestyle{\@firstname}~\familynamestyle{\@familyname}}\\[-.35em]%
10735       {\color{firstnamecolor}\rule{\textwidth}{.25ex}}\\[2.5em]%
10736     \ifthenelse{\isundefined{\@quote}}{%
10737       {}%

```



```

10738     {\centering{\begin{minipage}{\quotewidth}\centering\quotestyle{@quote}\end{minipage}}}\%
10739   }%
10740 \newif\if@firstfooterelement\@firstfooterelementtrue
10741 \providecommand*{\footersymbol}{}
10742 \renewcommand*{\footersymbol}{%
10743   \if@firstfooterelement%
10744   \else%
10745     { \color{footersymbolcolor}\textbullet~~}\fi}
10746 \providecommand*{\makefooter}{}
10747 \renewcommand*{\makefooter}{%
10748   \fancypagestyle{plain}{%
10749     \fancyfoot[c]{%
10750       \parbox{0.8\textwidth}{%
10751         \centering%
10752         \addressfont\@addresscolour%
10753         \ifthenelse{\isundefined{\@address}}{}{%
10754           \addresssymbol~\@address\%%
10755           \if@firstfooterelementfalse\%%
10756           \ifthenelse{\isundefined{\@mobile}}{}{%
10757             \ifthenelse{\isundefined{\@phone}}{}{%
10758               \ifthenelse{\isundefined{\@fax}}{}{%
10759                 \ifthenelse{\isundefined{\@email}}{}{%
10760                   \ifthenelse{\isundefined{\@extrainfo}}{}{%
10761                     \ifthenelse{\isundefined{\@footersymbol\@extrainfo}}{}{%
10762                       \pagestyle{plain}%
10763 \AtBeginDocument{\makefooter}

```

## 77 File cvthemedibidiclassic.sty

```

10764 \NeedsTeXFormat{LaTeXe}
10765 \ProvidesPackage{cvthemedibidiclassic}
10766 \DeclareOption{blue}{}
10767 \newif\if@colourorange\@colourorangefalse
10768 \DeclareOption{orange}{\@colourorangeltrue}
10769 \newif\if@colourgreen\@colourgreenfalse
10770 \DeclareOption{green}{\@colourgreentrue}
10771 \newif\if@coloured\@colouredfalse
10772 \DeclareOption{red}{\@colouredtrue}
10773 \newif\if@colourgrey\@colourgreyfalse
10774 \DeclareOption{grey}{\@colourgreytrue}
10775 \DeclareOption*{%
10776   \PackageWarning{cvthemedibidiclassic}{Unknown option '\CurrentOption'}}%
10777 \ExecuteOptions{colour}
10778 \ProcessOptions\relax
10779 \renewcommand*{\listitemsymbol}{\textbullet}
10780 \firstnamecolour{%
10781 \familynamecolour{%
10782 \titlecolour{808080}%
10783 \quotecolour{696969}%
10784 \addresscolour{696969}%
10785 \definecolor{sectionrectanglecolour}{rgb}{0.25,0.50,0.75}%
10786 \definecolor{sectionrectanglecolor}{rgb}{0.25,0.5,0.75}%
10787 \sectontitlecolour{1E90FF}%
10788 \subsectioncolour{4682B4}%

```



```

10789 \if@colourorange
10790   \addresscolour{FF8C00}
10791   \definecolor{sectionrectanglecolour}{rgb}{1.00,0.65,0.20}
10792   \definecolor{sectionrectanglecolor}{rgb}{1,0.65,0.20}
10793   \sectiontitlecolour{FF8C00}
10794   \subsectioncolour{FF8C00}\fi
10795 \if@colourgreen
10796   \addresscolour{008000}
10797   \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
10798   \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
10799   \sectiontitlecolour{008000}
10800   \subsectioncolour{008000}\fi
10801 \if@coloured
10802   \addresscolour{FF0000}
10803   \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
10804   \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
10805   \sectiontitlecolour{FF0000}
10806   \subsectioncolour{FF0000}\fi
10807 \if@colourgrey
10808   \addresscolour{808080}
10809   \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
10810   \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
10811   \sectiontitlecolour{808080}
10812   \subsectioncolour{808080}\fi
10813 \renewcommand*{\ttdefault}{pcr}
10814 \renewcommand*{\firstnamefont}{\fontsize{34}{36}\mdseries\upshape}
10815 \renewcommand*{\titlefont}{\LARGE\mdseries\slshape}
10816 \renewcommand*{\addressfont}{\normalsize\mdseries\slshape}
10817 \renewcommand*{\familynamefont}{\firstnamefont}
10818 \renewcommand*{\quotefont}{\large\slshape}
10819 \renewcommand*{\sectionfont}{\Large\mdseries\upshape}
10820 \renewcommand*{\subsectionfont}{\large\mdseries\upshape}
10821 \newlength{\maketitlenamemaxwidth}
10822 \setlength{\maketitlenamemaxwidth}{.525\textwidth}
10823 \newlength{\maketitlenamefullwidth}
10824 \setwidth{\maketitlenamefullwidth}{\firstnamestyle{@firstname~}\familynamestyle{@family~}}
10825 \newlength{\maketitlenamewidth}
10826 \ifnum\maketitlenamemaxwidth<\maketitlenamefullwidth\setlength{\maketitlenamewidth}{\maketitlenamemaxwidth}
10827 \newlength{\maketitlepicturewidth}
10828 \setlength{\maketitlepicturewidth}{\photowidth}
10829 \newlength{\maketitledetailswidth}
10830 \renewcommand*{\recomputethemelengths}{%
10831   \setlength{\maketitledetailswidth}{\textwidth}%
10832   \addtolength{\maketitledetailswidth}{-\maketitlenamewidth}%
10833   \addtolength{\maketitledetailswidth}{-\separatorcolumnwidth}%
10834   \addtolength{\maketitledetailswidth}{-\maketitlepicturewidth}}%
10835 \recomputethemelengths
10836 \newif\if@firstdetailselement\@firstdetailselementtrue
10837 \newcommand*{\maketitledetailsnewline}{%
10838   \if@firstdetailselement%
10839     \@firstdetailselementfalse%
10840   \else%
10841     \\\[.2em]\fi}
10842 \renewcommand*{\maketitle}{%

```



```

10843 % name and title
10844 \begin{minipage}[b]{\maketitlenamewidth}%
10845   \firstnamestyle{\@firstname}\familynamestyle{\@familyname}%
10846   \ifthenelse{\equal{\@title}{}}{}{\vphantom{[1.25em]}\titlesyle{\@title}}%
10847 \end{minipage}%
10848 % optional data
10849 \begin{minipage}[b]{\maketitledetailswidth}%
10850   \bidi@raggedleft\addressfont\addresscolour%
10851   \ifthenelse{\isundefined{\@address}}{}{%
10852     \maketitledetailsnewline%
10853     \addresssymbol~\@address}%
10854   \ifthenelse{\isdefined{\@mobile}}{}{\maketitledetailsnewline\mobilesymbol~\@mobile}%
10855   \ifthenelse{\isdefined{\@phone}}{}{\maketitledetailsnewline\phonesymbol~\@phone}%
10856   \ifthenelse{\isdefined{\@fax}}{}{\maketitledetailsnewline\faxsymbol~\@fax}%
10857   \ifthenelse{\isdefined{\@email}}{}{\maketitledetailsnewline\emailsymbol~\emaillink{\@email}}%
10858   \ifthenelse{\isdefined{\@extrainfo}}{}{\maketitledetailsnewline\extrainfo}%
10859 \end{minipage}%
10860 % optional photo
10861 \ifthenelse{\isundefined{\@photo}}{}{%
10862   {}%
10863   {\hspace*{\separatorcolumnwidth}\color{firstnamecolor}\framebox{\includegraphics[width=\@width]{\@photo}}}%
10864 % optional quote
10865 \ifthenelse{\isundefined{\@quote}}{}{%
10866   {}%
10867   {\centering\begin{minipage}{\quotewidth}\centering\quotestyle{\@quote}\end{minipage}}}}%
10868 }

```

## 78 File dblfnote-xetex-bidi.def

```

10869 \ProvidesFile{dblfnote-xetex-bidi.def}[2012/12/12 v0.3 bidi adaptations for dblfnote package]
10870 \let\autofootnoterule\relax
10871 \let\rightfootnoterule\relax
10872 \let\leftfootnoterule\relax
10873 \let\textwidthfootnoterule\relax
10874 \let\LRfootnoterule\relax
10875 \def\footnoterule{\kern-3\p@
10876   \hrule \width \DFNcolumnwidth \kern 2.6\p@}%
10877 \AtBeginDocument{\let\dfn@latex@footnotetext\footnotetext
10878 \let\@footnotetext\dfn@footnotetext}
10879 \long\def\dfn@LTRfootnotetext{\setbox\dfn@boxa\vbox{%
10880   \let\insert\dfn@gobble
10881   \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
10882   \def\@makefnmark{\smash{\dfn@makefnmark}}
10883   \dfn@latex@LTRfootnotetext\par \boxmaxdepth\dfn@fnmaxdp}%
10884   \dfn@dima\ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
10885   \ifdim\dfn@dima>z@\else
10886     \dfn@dima1sp\relax
10887     \setbox\dfn@boxa\vbox{\vbox to1sp{\unvbox\dfn@boxa\vfil}}\fi
10888   \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
10889     \ifvoid\dfn@ins\else
10890       \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
10891       \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
10892   \setbox\dfn@boxa\copy\dfn@ins
10893   \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep

```



```

10894 \advance\@tempdima\@tempdimb \@tempdimb\@tempdima
10895 \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdimb
10896 \insert\footins{\floatingpenalty\@MM \vbox to\@tempdima{}%}
10897 \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}
10898 \AtBeginDocument{\let\dfn@latex@LTRfootnotetext\@LTRfootnotetext
10899 \let\@LTRfootnotetext\dfn@LTRfootnotetext
10900 \long\def\dfn@RTLfootnotetext#1{\setbox\dfn@boxa\vbox{
10901 \let\insert\dfn@gobble
10902 \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
10903 \def\@makefnmark{\smash{\dfn@makefnmark}}
10904 \dfn@latex@RTLfootnotetext{#1}\par \boxmaxdepth\dfn@fnmaxdp}%
10905 \dfn@dima\ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
10906 \ifdim\dfn@dima>\z@\else
10907 \dfn@dima1sp\relax
10908 \setbox\dfn@boxa\vbox{\vbox to1sp{\unvbox\dfn@boxa\vfil}}\fi
10909 \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
10910 \ifvoid\dfn@ins\else
10911 \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
10912 \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
10913 \setbox\dfn@boxa\copy\dfn@ins
10914 \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
10915 \advance\@tempdima\@tempdimb \@tempdimb\@tempdima
10916 \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdimb
10917 \insert\footins{\floatingpenalty\@MM \vbox to\@tempdima{}%}
10918 \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}
10919 \AtBeginDocument{\let\dfn@latex@RTLfootnotetext\@RTLfootnotetext
10920 \let\@RTLfootnotetext\dfn@RTLfootnotetext}
10921 \def\dfn@RTLmakecol{\ifvoid\footins\else
10922 \dfn@dima\ht\footins
10923 \atempcnta\z@ \dfn@countins
10924 \atempdima\z@ \let\@elt\dfn@elt@getht
10925 \dfn@list@nil
10926 \ifdim\@tempdima=\z@\else
10927 \dfn@split\atempdima\dfn@ins\dfn@boxa\z@\z@
10928 \global\setbox\dfn@ins\box\dfn@ins
10929 \atempswatru
10930 \ifdfn@trysingle
10931 \setbox\dfn@boxb\vbox{\unvcopy\cclv}\atempdima@colroom
10932 \advance\atempdima-\ht\dfn@boxb \advance\atempdima-\dp\dfn@boxb
10933 \advance\atempdima-\skip\footins
10934 \advance\atempdima-\ht\dfn@boxa
10935 \ifdim\@tempdima<\z@\else \atempswafalse
10936 \global\setbox\footins\vbox{\boxmaxdepth\dfn@fnmaxdp
10937 \footnoterule \unvbox\dfn@boxa}\fi\fi
10938 \if@tempswa
10939 \dfn@split{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
10940 \global\setbox\footins\vbox{\hbox{%
10941 \hskip \DFNcolumnwidth
10942 \hskip\DFNcolumnsep
10943 \hbox to\DFNcolumnwidth{\vbox to\@tempdima{\footnoterule
10944 \unvbox\dfn@boxb\vss}\hss}
10945 \hskip -\textwidth
10946 \hbox to\DFNcolumnwidth{\ifvoid\dfn@boxa\else
10947 \vbox to\@tempdima{
```



```

10948   \setbox\@tempboxa\vbox{\footnoterule}
10949   \ifdfn@ruleboth \unvbox\@tempboxa
10950   \else \@tempdima\ht\@tempboxa
10951       \advance\@tempdima\dp\@tempboxa
10952           \vskip\@tempdima
10953               \prevdepth\dp\@tempboxa \fi
10954   \unvbox\dfn@boxa\vss}\fi\hss}
10955   \hskip \DFNcolumnsep
10956       \hskip \DFNcolumnwidth}}\fi\fi
10957 \global\dfn@fnht\z@
10958 \ifx\dfn@list\@empty\else
10959     \let\@elt\dfn@elt@adjust \dfn@dima\z@ \dfn@dimb\z@
10960     \dfn@list \global\advance\dfn@fnht\dfn@dimb
10961     \let\@elt\relax
10962     \ifdim\dfn@dimb>\z@
10963         \xdef\dfn@list{\@elt{0}{\number\dfn@dimb}\dfn@list}%
10964         \insert\footins{\floatingpenalty\@MM
10965             \vbox to\dfn@dimb{} }\fi
10966     \ifdim\dfn@fnht>\@tempdima
10967         \atempdimb\atempdima \advance\atempdimb-\dfn@fnht
10968         \global\dfn@fnht\atempdima
10969         \xdef\dfn@list{\dfn@list\@elt{0}{\number\atempdimb}}%
10970         \xdef\dfn@afteroutput{\insert\footins{
10971             \floatingpenalty\@MM
10972                 \vbox to\number\atempdimb sp{}}%
10973             \global\let\noexpand\dfn@afteroutput\relax}%
10974         \fi\fi
10975     \fi}%
10976     \let\footnoterule\relax \dfn@latex@makecol
10977     \let\footnoterule\dfn@footnoterule}
10978 \def\dfn@LTRemakecol{\ifvoid\footins\else
10979     \dfn@dima\ht\footins
10980     \atempcpta\z@ \dfn@countins
10981     \atempdima\z@ \let\@elt\dfn@elt@getht
10982     \dfn@list@nil
10983     \ifdim\atempdima=\z@\else
10984     \dfn@split\atempdima\dfn@ins\dfn@boxa\z@\z@
10985     \global\setbox\dfn@ins\box\dfn@ins
10986     \atempswatru
10987     \ifdfn@trysingle
10988         \setbox\dfn@boxb\vbox{\unvcopy\@cclv}\atempdima\@colroom
10989         \advance\atempdima-\ht\dfn@boxb \advance\atempdima-\dp\dfn@boxb
10990         \advance\atempdima-\skip\footins
10991         \advance\atempdima-\ht\dfn@boxa
10992         \ifdim\atempdima<\z@\else \atempswafalse
10993             \global\setbox\footins\vbox{\boxmaxdepth\dfn@fnmaxdp
10994                 \footnoterule \unvbox\dfn@boxa}\fi\fi
10995     \if@tempswa
10996     \dfn@split{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
10997     \global\setbox\footins\vbox{\hbox{%
10998         \hbox to\DFNcolumnwidth{\vbox to\atempdima{\footnoterule
10999             \unvbox\dfn@boxb\vss}\hss}\hskip\DFNcolumnsep
11000         \hbox to\DFNcolumnwidth{\ifvoid\dfn@boxa\else
11001             \vbox to\atempdima{
```



```

11002 \setbox\@tempboxa\vbox{\footnoterule}
11003 \ifdfn@ruleboth \unvbox\@tempboxa
11004 \else \atempdima\ht\atempboxa
11005 \advance\atempdima\dp\atempboxa
11006 \vskip\atempdima
11007 \prevdepth\dp\atempboxa \fi
11008 \unvbox\dfn@boxa\vss}}\fi\hss}}}\fi\fi
11009 \global\dfn@fnht\z@
11010 \ifx\dfn@list\empty\else
11011 \let\elt\dfn@elt\adjust \dfn@dima\z@ \dfn@dimb\z@
11012 \dfn@list \global\advance\dfn@fnht\dfn@dimb
11013 \let\elt\relax
11014 \ifdim\dfn@dimb>\z@
11015 \xdef\dfn@list{\elt{0}{\number\dfn@dimb}\dfn@list}%
11016 \insert\footins{\floatingpenalty\MM
11017 \vbox to\dfn@dimb{} }\fi
11018 \ifdim\dfn@fnht>\atempdima
11019 \atempdimb\atempdima \advance\atempdimb-\dfn@fnht
11020 \global\dfn@fnht\atempdima
11021 \xdef\dfn@list{\dfn@list\elt{0}{\number\atempdimb}}%
11022 \xdef\dfn@afteroutput{\insert\footins{
11023 \floatingpenalty\MM
11024 \vbox to\number\atempdimb sp{} }%
11025 \global\let\noexpand\dfn@afteroutput\relax}%
11026 \fi\fi
11027 \fi}%
11028 \let\footnoterule\relax \dfn@latex@makecol
11029 \let\footnoterule\dfn@footnoterule}
11030 \renewcommand{\dfn@makecol}{\if@RTLmain\dfn@RTLmakecol\else\dfn@LTRmakecol\fi}
11031 \newcommand{\RTLdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@RTLmakecol}}
11032 \newcommand{\LTRdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@LTRmakecol}}
11033 \DFN@alwaysdouble

```

## 79 File diagbox-xetex-bidi.def

```

11034 \ProvidesFile{diagbox-xetex-bidi.def}[2017/12/30 v0.2 bidi adaptations for diagbox package f
11035 \bidi@patchcmd{\diagbox@double}{%
11036 \begin{tabular}{@{\hspace{\diagbox@insep1}}>{\diagbox@font}l@{}}
11037 }{\bidi@@diagbox@double@ii}{}}
11038 \bidi@patchcmd{\diagbox@double}{%
11039 \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insep2}}}
11040 }{\bidi@@diagbox@double@iii}{}}
11041 \newcommand*\bidi@@diagbox@double@ii{%
11042 \if@RTL
11043 \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insep1}}}
11044 \else
11045 \begin{tabular}{@{\hspace{\diagbox@insep1}}>{\diagbox@font}l@{}}
11046 \fi
11047 }
11048 \newcommand*\bidi@@diagbox@double@iii{%
11049 \if@RTL
11050 \begin{tabular}{@{\hspace{\diagbox@insep2}}>{\diagbox@font}l@{}}
11051 \else
11052 \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insep2}}}

```



```

11053   \fi
11054 }
11055 \bidi@patchcmd{\diagbox@triple@setbox@NW}{%
11056   \begin{tabular}{@{\hspace{\diagbox@insep1}}>{\diagbox@font}l@{}}
11057 }{\bidi@@diagbox@triple@setbox@NW@tabular@i@ii}{\t@{}}
11058 \bidi@patchcmd{\diagbox@triple@setbox@NW}{%
11059   \begin{tabular}{@{\hspace{\diagbox@insep1}}>{\diagbox@font}l@{}}
11060 }{\bidi@@diagbox@triple@setbox@NW@tabular@i@ii}{\t@{}}
11061 \bidi@patchcmd{\diagbox@triple@setbox@NW}{%
11062   \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepr}}}}
11063 }{\bidi@@diagbox@triple@setbox@NW@tabular@iii}{\t@{}}
11064 \newcommand*{\bidi@@diagbox@triple@setbox@NW@tabular@i@ii}{%
11065   \if@RTL
11066     \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insep1}}}}
11067   \else
11068     \begin{tabular}{@{\hspace{\diagbox@insep1}}>{\diagbox@font}l@{}}
11069   \fi}
11070 \newcommand*{\bidi@@diagbox@triple@setbox@NW@tabular@iii}{%
11071   \if@RTL
11072     \begin{tabular}{@{\hspace{\diagbox@insepr}}>{\diagbox@font}l@{}}
11073   \else
11074     \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepr}}}}
11075   \fi}
11076 \let\diagbox@triple@setbox@SW\diagbox@triple@setbox@NW
11077 \bidi@patchcmd{\diagbox@triple@setbox@SE}{%
11078   \begin{tabular}{@{\hspace{\diagbox@insep1}}l@{}}
11079 }{\bidi@@diagbox@triple@setbox@SE@tabular@i}{\t@{}}
11080 \bidi@patchcmd{\diagbox@triple@setbox@SE}{%
11081   \begin{tabular}{@{}r@{\hspace{\diagbox@insepr}}}}
11082 }{\bidi@@diagbox@triple@setbox@SE@tabular@ii@iii}{\t@{}}
11083 \bidi@patchcmd{\diagbox@triple@setbox@SE}{%
11084   \begin{tabular}{@{}r@{\hspace{\diagbox@insepr}}}}
11085 }{\bidi@@diagbox@triple@setbox@SE@tabular@ii@iii}{\t@{}}
11086 \newcommand*{\bidi@@diagbox@triple@setbox@SE@tabular@i}{%
11087   \if@RTL
11088     \begin{tabular}{@{}r@{\hspace{\diagbox@insep1}}}}
11089   \else
11090     \begin{tabular}{@{\hspace{\diagbox@insep1}}l@{}}
11091   \fi
11092 }
11093 \newcommand*{\bidi@@diagbox@triple@setbox@SE@tabular@ii@iii}{%
11094   \if@RTL
11095     \begin{tabular}{@{\hspace{\diagbox@insepr}}l@{}}
11096   \else
11097     \begin{tabular}{@{}r@{\hspace{\diagbox@insepr}}}}
11098   \fi
11099 }
11100 \let\diagbox@triple@setbox@NE\diagbox@triple@setbox@SE
11101 \bidi@patchcmd{\diagbox@double@pict@SE}{%
11102   \diagbox@setlinecolor
11103   \Line(0,\strip@pt\diagbox@ht)(\strip@pt\diagbox@wd,0)%
11104 }{%
11105   {\diagbox@setlinecolor
11106   \Line(0,\strip@pt\diagbox@ht)(\strip@pt\diagbox@wd,0)}%

```



```

11107 }{}{%
11108 \let\diagbox@double@pict@NW\diagbox@double@pict@SE
11109 \bidi@patchcmd{\diagbox@double@pict@NE}{%
11110   \diagbox@setlinecolor
11111   \Line(0,0)(\strip@pt\diagbox@wd,\strip@pt\diagbox@ht)%
11112 }{%
11113   {\diagbox@setlinecolor
11114   \Line(0,0)(\strip@pt\diagbox@wd,\strip@pt\diagbox@ht)}%
11115 }{}{%
11116 \let\diagbox@double@pict@SW\diagbox@double@pict@NE
11117 \bidi@patchcmd{\diagbox@triple@pict@NW}{%
11118   \diagbox@setlinecolor
11119   \Line(0,\yym)(\x,0)
11120   \Line(\xm,\y)(\x,0)%
11121 }{%
11122   {\diagbox@setlinecolor
11123   \Line(0,\yym)(\x,0)
11124   \Line(\xm,\y)(\x,0)}%
11125 }{}{%
11126 \bidi@patchcmd{\diagbox@triple@pict@NE}{%
11127   \diagbox@setlinecolor
11128   \Line(0,0)(\xxm,\y)
11129   \Line(0,0)(\x,\yym)%
11130 }{%
11131   {\diagbox@setlinecolor
11132   \Line(0,0)(\xxm,\y)
11133   \Line(0,0)(\x,\yym)}%
11134 }{}{%
11135 \bidi@patchcmd{\diagbox@triple@pict@SW}{%
11136   \diagbox@setlinecolor
11137   \Line(0,\yym)(\x,\y)
11138   \Line(\xm,0)(\x,\y)%
11139 }{%
11140   {\diagbox@setlinecolor
11141   \Line(0,\yym)(\x,\y)
11142   \Line(\xm,0)(\x,\y)}%
11143 }{}{%
11144 \bidi@patchcmd{\diagbox@triple@pict@SE}{%
11145   \diagbox@setlinecolor
11146   \Line(0,\y)(\xxm,0)
11147   \Line(0,\y)(\x,\yym)%
11148 }{%
11149   {\diagbox@setlinecolor
11150   \Line(0,\y)(\xxm,0)
11151   \Line(0,\y)(\x,\yym)}%
11152 }{}{%

```

## 80 File `draftwatermark-xetex-bidi.def`

```

11153 \ProvidesFile{draftwatermark-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for draftwater
11154 \renewcommand\SetWatermarkText[1]{%
11155   \def\sc@wm@text{\if@RTLmain\beginR\fi#1\if@RTLmain\endR\fi}%

```



## 81 File `eso-pic-xetex-bidi.def`

```
11156 \ProvidesFile{eso-pic-xetex-bidi.def}[2022/02/18 v0.4 bidi adaptations for eso-pic package f
11157 \renewcommand\AtPageLowerLeft[1]{\AtPageUpperLeft{%
11158   \put(\if@RTLmain\paperwidth\else 0\fi,-\paperheight){#1}}}
11159
11160 \ESO@isMEMOIR{%
11161   \renewcommand\AtTextUpperLeft[1]{%
11162     \begingroup
11163       \ifodd\c@page
11164         \if@RTLmain
11165           \ESO@tempdima=\paperwidth
11166           \advance\ESO@tempdima-\textwidth
11167           \advance\ESO@tempdima-\spinemargin
11168         \else
11169           \ESO@tempdima=\spinemargin
11170         \fi
11171       \else
11172         \if@RTLmain
11173           \ESO@tempdima=\spinemargin
11174         \else
11175           \ESO@tempdima=\paperwidth
11176           \advance\ESO@tempdima-\textwidth
11177           \advance\ESO@tempdima-\spinemargin
11178         \fi
11179       \fi
11180       \ESO@tempdimb=-\uppermargin
11181       \AtPageUpperLeft{%
11182         \put(\if@RTLmain-\textwidth-\fi\ESO@tempdima,\ESO@tempdimb){#1}%
11183       }%
11184     \endgroup
11185   }
11186 }{%
11187   \renewcommand\AtTextUpperLeft[1]{%
11188     \begingroup
11189       \ESO@tempdima=1in\relax
11190       \if@twoside
11191         \ifodd\c@page
11192           \if@RTLmain
11193             \advance\ESO@tempdima\evensidemargin
11194           \else
11195             \advance\ESO@tempdima\oddsidemargin
11196           \fi
11197         \else
11198           \if@RTLmain
11199             \advance\ESO@tempdima\oddsidemargin
11200           \else
11201             \advance\ESO@tempdima\evensidemargin
11202           \fi
11203         \fi
11204       \else
11205         \advance\ESO@tempdima\oddsidemargin
11206       \fi
11207     \ESO@tempdimb=-1in\relax

```



```

11208     \advance\ESO@tempdimb-\topmargin
11209     \advance\ESO@tempdimb-\headheight
11210     \advance\ESO@tempdimb-\headsep
11211     \AtPageUpperLeft{%
11212         \put(\if@RTLmain-\textwidth\fi\ESO@tempdima,\ESO@tempdimb){#1}%
11213     }%
11214     \endgroup
11215 }
11216 }

```

## 82 File empheq-xetex-bidi.def

```

11217 \ProvidesFile{empheq-xetex-bidi.def}[2018/01/08 v0.2 bidi adaptations for empheq package for
11218 \MHInternalSyntaxOn
11219 \def\EQ_tag_plus_endmark:{%
11220     \iftagsleft@
11221         \gdef\maketag@@@##1{%
11222             \hfuzz\displaywidth
11223             \if@RTL\makebox[\widthof{##1}][r]{%
11224                 \hbox to \displaywidth{\m@th\normalfont##1\hss
11225                     \raisebox{-\dp\EQ_mathdisplay_box}{%
11226                         -\depthof{\EQ_outerbox:{{}}}
11227                         {\PotEndMark{\hss}}}}%
11228             \else\makebox[\widthof{##1}][l]{%
11229                 \hbox to \displaywidth{\m@th\normalfont##1\hss
11230                     \raisebox{-\dp\EQ_mathdisplay_box}{%
11231                         -\depthof{\EQ_outerbox:{{}}}
11232                         {\PotEndMark{\hss}}}}\fi}%
11233 \MH_else:
11234     \gdef\maketag@@@##1{%
11235         \hbox{\m@th\normalfont##1\llap{\hss\PotEndMark{%
11236             \settoheight{\@tempdima}{\nameuse{\InTheoType Symbol}}%
11237             \MH_addtolength:dn \@tempdima
11238             {\g_EQ_bottomtag_depth_dim+\mintagvsep}
11239             \setlength{\@tempdimb}
11240             {\g_EQ_bottomrow_depth_dim+\depthof{\EQ_outerbox:{{}}}
11241                 +\depthof{\EQ_innerbox:{{}}}}
11242             \MH_if_dim:w \@tempdima>\@tempdimb
11243                 \MH_setlength:dn \@tempdima{-\dp\EQ_mathdisplay_box
11244                     -\@tempdima+\g_EQ_bottomrow_depth_dim}
11245                     \addtolength{\@tempdima}{\depthof{\EQ_innerbox:{{}}}}%
11246                     \def\EQ_next:{\raisebox{\@tempdima}{%
11247                         \MH_else:
11248                             \def\EQ_next:{%
11249                                 \raisebox{-\dp\EQ_mathdisplay_box}{%
11250                                     -\depthof{\EQ_outerbox:{{}}}}%
11251                                 \MH_fi:\EQ_next:}}}}%
11252     \MH_fi:}%
11253 \def\EQ_post_process:{%
11254     \EQ_initialize:
11255     \EQ_begin_equation:
11256     \MH_if_boolean:nT {outer_mult}{%
11257         \setkeys{\MT_options_name:}{%
11258             firstline-afterskip=Opt,

```



```

11259     lastline-preskip=0pt,
11260     multlined-width=0pt,
11261 }
11262 \ifodd \l_EQ_alignmentmode_int
11263   \setkeys{\MT_options_name:}{multlined-pos=b}
11264 \MH_else:
11265   \setkeys{\MT_options_name:}{multlined-pos=t}
11266 \MH_fi:
11267   \g@addto@macro\EQ_complete_mathdisplay:{%
11268     \begin{MTmultlined}\relax
11269   }%
11270 \g@addto@macro\EQ_complete_mathdisplay:\EQ_mathbody:
11271 \MH_if_boolean:nT {outer_mult}%
11272   \g@addto@macro\EQ_complete_mathdisplay:{\end{MTmultlined}}
11273 }%
11274 \EQ_end_equation:
11275 \edef\EQ_hyperref_link_fint{\number\Hy@linkcounter}
11276 \savecounters@
11277 \EQ_typeset_tags:
11278 \edef\l_EQ_equation_fint{\number\c@equation}
11279 \restorecounters@
11280 \Hy@linkcounter=\EQ_hyperref_link_fint
11281 \settowidth\l_EQ_totalwidth_dim{%
11282   $ \EQ_left_side:\EQ_innerbox:{} \EQ_right_side:$}%
11283 \MH_if_boolean:nTF {outer_mult}%
11284   { \def\EQ_next:{_mult} }%
11285   { \def\EQ_next:{} }%
11286 \nameuse{EQ_modify_linewidth_%
11287   \romannumeral\l_EQ_equationtype_int\EQ_next: :}%
11288 \EQ_typeset_display:
11289 \nameuse{EQ_find_displaywidth_%
11290   \romannumeral\l_EQ_equationtype_int\EQ_next: :}%
11291 \MH_addtolength:dn
11292   \l_EQ_totalwidth_dim{\l_EQ_displaywidth_dim}
11293 \savebox\EQ_mathdisplay_box[\l_EQ_totalwidth_dim][c]{%
11294   \$ \EQ_left_side:
11295   \EQ_innerbox:{%
11296     \MH_if_case:w \l_EQ_alignmentmode_int\MH_or:
11297       \makebox[\l_EQ_displaywidth_dim][c]%
11298         {\usebox{\EQ_mathdisplay_box}}%
11299     \MH_or:
11300       \makebox[\l_EQ_displaywidth_dim][c]%
11301         {\usebox{\EQ_mathdisplay_box}}%
11302   \MH_or:
11303     \if@RTL\makebox[\l_EQ_displaywidth_dim][r]{%
11304       \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
11305         \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
11306           \kern-\@mathmargin
11307           \MH_fi:
11308           \MH_fi:
11309             \usebox{\EQ_mathdisplay_box}}%
11310           \else\makebox[\l_EQ_displaywidth_dim][1]{%
11311             \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
11312               \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:

```



```

11313           \kern-\@mathmargin
11314           \MH_fi:
11315           \MH_fi:
11316           \usebox{\EQ_mathdisplay_box}\fi%
11317           \MH_or:
11318           \if@RTL\makebox[\l_EQ_displaywidth_dim][r]{%
11319               \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
11320                   \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
11321                       \kern-\@mathmargin
11322                           \MH_fi:
11323                               \MH_fi:
11324                                   \usebox{\EQ_mathdisplay_box}
11325                                   \else\makebox[\l_EQ_displaywidth_dim][l]{%
11326                                       \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
11327                                           \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
11328                                               \kern-\@mathmargin
11329                                                   \MH_fi:
11330                                                       \MH_fi:
11331                                                       \usebox{\EQ_mathdisplay_box}\fi%
11332           \MH_fi:}%
11333           \EQ_right_side:$}%
11334           \begin{AmS equation*}
11335           \nameuse{EQ_place_display_
11336               \romannumeral\l_EQ_equationtype_int\EQ_next: :}
11337           \MH_if_dim:w \g_EQ_widesttag_dim>\z@
11338           \MH_set_boolean_T:n {show_manual_tags}
11339               \MH_if_case:w \l_EQ_alignmentmode_int
11340                   \MH_or: \if@RTL\EQ_place_tag:N 1\else\EQ_place_tag:N r\fi %%1
11341                   \MH_or: \if@RTL\EQ_place_tag:N r\else\EQ_place_tag:N l\fi %%2
11342                   \MH_or: \if@RTL\EQ_place_tag:N 1\else\EQ_place_tag:N r\fi %%3
11343                   \MH_or: \if@RTL\EQ_place_tag:N r\else\EQ_place_tag:N l\fi %%4
11344                       \MH_fi:
11345           \MH_fi:
11346           \end{AmS equation*}
11347           \global\c@equation=\l_EQ_equation_fint\relax
11348       }
11349       \AtBeginDocument{%
11350           \ifpackage{fancybox}{%
11351               \ifpackage{color}{\definecolor{shadowcolor}{rgb}{0,0,0}}{%
11352                   \renewcommand*\textcolor[2]{\normalcolor{#2}}{}}%
11353                   \renewcommand*\shadowbox{%
11354                       \ifstar{\MH_set_boolean_T:n {shadowbox_star}
11355                           \VerbBox\EQ_shadowbox:n
11356                               \MH_set_boolean_F:n {shadowbox_star}
11357                                   \VerbBox\EQ_shadowbox:n}
11358                       \def\EQ_shadowbox:n #1{%
11359                           \sbox{\z@\fbox{#1}}%
11360                           \MH_if_boolean:nTF {shadowbox_star}{%
11361                               \MH_setlength:dn \tempdima{\z@}%
11362                               }{%
11363                                   \MH_setlength:dn \tempdima{\dp\z@+\shadowsize}%
11364                               }
11365                           \raisebox{\tempdima}{%
11366                               \if@RTL\makebox[\z@][r]{%

```



```

11367     \kern\shadowsize \textcolor{shadowcolor}{%
11368         \rule[-\dp\z@-\shadowsize]{\wd\z@}{\shadowsize}}%
11369     }%
11370     \else\makebox[\z@][1]{%
11371         \kern\shadowsize \textcolor{shadowcolor}{%
11372             \rule[-\dp\z@-\shadowsize]{\wd\z@}{\shadowsize}}%
11373     }\fi%
11374     \usebox\z@\textcolor{shadowcolor}{%
11375         \rule[-\dp\z@-\shadowsize]{\shadowsize}{\ht\z@+\dp\z@}}}}}%
11376 }{}%
11377 }
11378 \MHInternalSyntaxOff

```

## 83 File extarticle-xetex-bidi.def

```

11379 \ProvidesFile{extarticle-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for extarticle class]
11380 \renewcommand*\l@section[2]{%
11381   \ifnum \c@tocdepth >\z@
11382     \addpenalty\@secpenalty
11383     \addvspace{1.0em \@plus\p@}%
11384     \setlength\@tempdima{1.5em}%
11385     \begin{group}
11386       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \z@ \pnumwidth
11387       \parfillskip -\z@ \pnumwidth
11388       \leavevmode \bfseries
11389       \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
11390       \hskip -\if@RTL\rightskip\else\leftskip\fi
11391       #1\nobreak\hfil \nobreak\hb@xt@{\pnumwidth}{\hss #2}\par
11392     \endgroup
11393   \fi}
11394   \renewcommand*\l@part[2]{%
11395     \ifnum \c@tocdepth >-2\relax
11396       \addpenalty\@secpenalty
11397       \addvspace{2.25em \@plus\p@}%
11398       \begin{group}
11399         \setlength\@tempdima{3em}%
11400         \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \z@ \pnumwidth
11401         \parfillskip -\z@ \pnumwidth
11402         \leavevmode
11403         \large \bfseries #1\hfil \hb@xt@{\pnumwidth}{\hss #2}\par
11404         \nobreak
11405       \endgroup
11406     \fi}
11407   \def\@part[#1]#2{%
11408     \ifnum \c@secnumdepth >\m@ne
11409       \refstepcounter{part}%
11410       \addcontentsline{toc}{part}{\the\part\hskip{1em}#1}%
11411     \else
11412       \addcontentsline{toc}{part}{#1}%
11413     \fi
11414     {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
11415     \interlinepenalty \z@M
11416     \normalfont
11417     \ifnum \c@secnumdepth >\m@ne

```



```

11418      \Large\bfseries \partname~\thepart
11419      \par\nobreak
11420      \fi
11421      \huge \bfseries #2%
11422      \markboth{}{}\par}%
11423      \nobreak
11424      \vskip 3ex
11425      \o@afterheading}
11426 \def\@spart#1{%
11427     {\parindent \z@\if@RTL\raggedleft\else\raggedright\fi
11428     \interlinepenalty \OM
11429     \normalfont
11430     \huge \bfseries #1\par}%
11431     \nobreak
11432     \vskip 3ex
11433     \o@afterheading}
11434 \renewenvironment{thebibliography}[1]
11435     {\section*{\refname
11436         \o@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}}%
11437         \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
11438         \bidi@thebibliography\font@hook%
11439         \list{\@biblabel{\@arabic\c@enumiv}}%
11440         {\settowidth\labelwidth{\@biblabel{#1}}%
11441             \leftmargin\labelwidth
11442             \advance\leftmargin\labelsep
11443             \openbib@code
11444             \usecounter{enumiv}}%
11445             \let\p@enumiv\empty
11446             \renewcommand{\theenumiv{\@arabic\c@enumiv}}%
11447             \sloppy\clubpenalty4000\widowpenalty4000%
11448             \sfcode`.\@m}
11449             {\def\@noitemerr
11450                 {\@latex@warning{Empty `thebibliography' environment}}%
11451             \endlist}
11452 \renewcommand{\left@footnoterule}{%
11453     \kern-3\p@
11454     \hrule\@width.4\columnwidth
11455     \kern2.6\p@}
11456 \renewcommand{\right@footnoterule}{%
11457     \kern-3\p@
11458     \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
11459     \kern2.6\p@}
11460     \if@titlepage
11461     \renewcommand{\maketitle}{\begin{titlepage}%
11462     \let\footnotesize\small
11463     \let\right@footnoterule\relax
11464     \let\left@footnoterule\relax
11465     \let\textwidth@footnoterule\relax
11466     \let \footnote \thanks
11467     \null\vfil
11468     \vskip 60\p@
11469     \begin{center}%
11470         {\LARGE \o@title \par}%
11471         \vskip 3em%

```



```

11472   {\large
11473     \lineskip .75em%
11474     \begin{tabular}[t]{c}%
11475       @author
11476     \end{tabular}\par}%
11477     \vskip 1.5em%
11478   {\large \@date \par}%
11479   % Set date in \large size.
11480 \end{center}\par
11481 @thanks
11482 \vfil\null
11483 \end{titlepage}%
11484 \setcounter{footnote}{0}%
11485 \global\let\thanks\relax
11486 \global\let\maketitle\relax
11487 \global\let@\thanks{\empty}
11488 \global\let@\author{\empty}
11489 \global\let@\title{\empty}
11490 \global\let\title\relax
11491 \global\let\author\relax
11492 \global\let\date\relax
11493 \global\let\and\relax
11494 }
11495 \else
11496 \renewcommand\maketitle{\par
11497   \begingroup
11498     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
11499     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
11500     \long\def\@makefntext##1{\par\indent 1em\noindent
11501       \hb@xt@1.8em{%
11502         \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
11503     \if@twocolumn
11504       \ifnum \col@number=\@ne
11505         \@maketitle
11506       \else
11507         \twocolumn[\@maketitle]%
11508       \fi
11509     \else
11510       \newpage
11511       \global\@topnum\z@    % Prevents figures from going at top of page.
11512       \@maketitle
11513     \fi
11514     \thispagestyle{plain}\@thanks
11515   \endgroup
11516   \setcounter{footnote}{0}%
11517   \global\let\thanks\relax
11518   \global\let\maketitle\relax
11519   \global\let\@maketitle\relax
11520   \global\let@\thanks{\empty}
11521   \global\let@\author{\empty}
11522   \global\let@\date{\empty}
11523   \global\let@\title{\empty}
11524   \global\let\title\relax
11525   \global\let\author\relax

```



```

11526 \global\let\date\relax
11527 \global\let\and\relax
11528 }
11529 \def\@maketitle{%
11530 \newpage
11531 \null
11532 \vskip 2em%
11533 \begin{center}%
11534 \let \footnote \thanks
11535 {\LARGE \@title \par}%
11536 \vskip 1.5em%
11537 {\large
11538 \lineskip .5em%
11539 \begin{tabular}[t]{c}%
11540 \author
11541 \end{tabular}\par}%
11542 \vskip 1em%
11543 {\large \date}%
11544 \end{center}%
11545 \par
11546 \vskip 1.5em}
11547 \fi
11548 \renewcommand\thesubsection {\thesection \@SepMark @arabic \c@section}
11549 \renewcommand\thesubsubsection{\thesubsection \@SepMark @arabic \c@section}
11550 \renewcommand\theparagraph {\thesubsubsection \@SepMark @arabic \c@paragraph}
11551 \renewcommand\thesubparagraph {\theparagraph \@SepMark @arabic \c@subparagraph}%%

```

## 84 File extbook-xetex-bidi.def

```

11552 \ProvidesFile{extbook-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for extbook class for
11553 \if@titlepage
11554 \renewcommand\maketitle{\begin{titlepage}%
11555 \let\footnotesize\small
11556 \let\right@footnoterule\relax
11557 \let\left@footnoterule\relax
11558 \let\textwidth@footnoterule\relax
11559 \let \footnote \thanks
11560 \let \LTRfootnote \LTRthanks
11561 \let \RTLfootnote \RTLthanks
11562 \null\vfil
11563 \vskip 60\p@
11564 \begin{center}%
11565 {\LARGE \@title \par}%
11566 \vskip 3em%
11567 {\large
11568 \lineskip .75em%
11569 \begin{tabular}[t]{c}%
11570 \author
11571 \end{tabular}\par}%
11572 \vskip 1.5em%
11573 {\large \date \par}%
11574 \end{center}\par
11575 \thanks
11576 \vfil\null
11577 % Set date in \large size.
11578
11579
11580
11581
11582
11583
11584
11585
11586
11587
11588
11589
11590
11591
11592
11593
11594
11595
11596
11597
11598
11599
11600
11601
11602
11603
11604
11605
11606
11607
11608
11609
11610
11611
11612
11613
11614
11615
11616
11617
11618
11619
11620
11621
11622
11623
11624
11625
11626
11627
11628
11629
11630
11631
11632
11633
11634
11635
11636
11637
11638
11639
11640
11641
11642
11643
11644
11645
11646
11647
11648
11649
11650
11651
11652
11653
11654
11655
11656
11657
11658
11659
11660
11661
11662
11663
11664
11665
11666
11667
11668
11669
11670
11671
11672
11673
11674
11675
11676
11677
11678
11679
11680
11681
11682
11683
11684
11685
11686
11687
11688
11689
11690
11691
11692
11693
11694
11695
11696
11697
11698
11699
11700
11701
11702
11703
11704
11705
11706
11707
11708
11709
11710
11711
11712
11713
11714
11715
11716
11717
11718
11719
11720
11721
11722
11723
11724
11725
11726
11727
11728
11729
11730
11731
11732
11733
11734
11735
11736
11737
11738
11739
11740
11741
11742
11743
11744
11745
11746
11747
11748
11749
11750
11751
11752
11753
11754
11755
11756
11757
11758
11759
11760
11761
11762
11763
11764
11765
11766
11767
11768
11769
11770
11771
11772
11773
11774
11775
11776
11777
11778
11779
11780
11781
11782
11783
11784
11785
11786
11787
11788
11789
11790
11791
11792
11793
11794
11795
11796
11797
11798
11799
11800
11801
11802
11803
11804
11805
11806
11807
11808
11809
11810
11811
11812
11813
11814
11815
11816
11817
11818
11819
11820
11821
11822
11823
11824
11825
11826
11827
11828
11829
11830
11831
11832
11833
11834
11835
11836
11837
11838
11839
11840
11841
11842
11843
11844
11845
11846
11847
11848
11849
11850
11851
11852
11853
11854
11855
11856
11857
11858
11859
11860
11861
11862
11863
11864
11865
11866
11867
11868
11869
11870
11871
11872
11873
11874
11875
11876
11877
11878
11879
11880
11881
11882
11883
11884
11885
11886
11887
11888
11889
11890
11891
11892
11893
11894
11895
11896
11897
11898
11899
11900
11901
11902
11903
11904
11905
11906
11907
11908
11909
11910
11911
11912
11913
11914
11915
11916
11917
11918
11919
11920
11921
11922
11923
11924
11925
11926
11927
11928
11929
11930
11931
11932
11933
11934
11935
11936
11937
11938
11939
11940
11941
11942
11943
11944
11945
11946
11947
11948
11949
11950
11951
11952
11953
11954
11955
11956
11957
11958
11959
11960
11961
11962
11963
11964
11965
11966
11967
11968
11969
11970
11971
11972
11973
11974
11975
11976
11977
11978
11979
11980
11981
11982
11983
11984
11985
11986
11987
11988
11989
11990
11991
11992
11993
11994
11995
11996
11997
11998
11999
11999
12000
12001
12002
12003
12004
12005
12006
12007
12008
12009
120010
120011
120012
120013
120014
120015
120016
120017
120018
120019
120020
120021
120022
120023
120024
120025
120026
120027
120028
120029
120030
120031
120032
120033
120034
120035
120036
120037
120038
120039
120040
120041
120042
120043
120044
120045
120046
120047
120048
120049
120050
120051
120052
120053
120054
120055
120056
120057
120058
120059
120060
120061
120062
120063
120064
120065
120066
120067
120068
120069
120070
120071
120072
120073
120074
120075
120076
120077
120078
120079
120080
120081
120082
120083
120084
120085
120086
120087
120088
120089
120090
120091
120092
120093
120094
120095
120096
120097
120098
120099
120099
1200100
1200101
1200102
1200103
1200104
1200105
1200106
1200107
1200108
1200109
1200110
1200111
1200112
1200113
1200114
1200115
1200116
1200117
1200118
1200119
1200120
1200121
1200122
1200123
1200124
1200125
1200126
1200127
1200128
1200129
1200130
1200131
1200132
1200133
1200134
1200135
1200136
1200137
1200138
1200139
1200140
1200141
1200142
1200143
1200144
1200145
1200146
1200147
1200148
1200149
1200150
1200151
1200152
1200153
1200154
1200155
1200156
1200157
1200158
1200159
1200160
1200161
1200162
1200163
1200164
1200165
1200166
1200167
1200168
1200169
1200170
1200171
1200172
1200173
1200174
1200175
1200176
1200177
1200178
1200179
1200180
1200181
1200182
1200183
1200184
1200185
1200186
1200187
1200188
1200189
1200190
1200191
1200192
1200193
1200194
1200195
1200196
1200197
1200198
1200199
1200199
1200200
1200201
1200202
1200203
1200204
1200205
1200206
1200207
1200208
1200209
1200210
1200211
1200212
1200213
1200214
1200215
1200216
1200217
1200218
1200219
1200220
1200221
1200222
1200223
1200224
1200225
1200226
1200227
1200228
1200229
1200230
1200231
1200232
1200233
1200234
1200235
1200236
1200237
1200238
1200239
1200240
1200241
1200242
1200243
1200244
1200245
1200246
1200247
1200248
1200249
1200250
1200251
1200252
1200253
1200254
1200255
1200256
1200257
1200258
1200259
1200260
1200261
1200262
1200263
1200264
1200265
1200266
1200267
1200268
1200269
1200270
1200271
1200272
1200273
1200274
1200275
1200276
1200277
1200278
1200279
1200280
1200281
1200282
1200283
1200284
1200285
1200286
1200287
1200288
1200289
1200290
1200291
1200292
1200293
1200294
1200295
1200296
1200297
1200298
1200299
1200299
1200300
1200301
1200302
1200303
1200304
1200305
1200306
1200307
1200308
1200309
1200310
1200311
1200312
1200313
1200314
1200315
1200316
1200317
1200318
1200319
1200320
1200321
1200322
1200323
1200324
1200325
1200326
1200327
1200328
1200329
1200330
1200331
1200332
1200333
1200334
1200335
1200336
1200337
1200338
1200339
1200340
1200341
1200342
1200343
1200344
1200345
1200346
1200347
1200348
1200349
1200350
1200351
1200352
1200353
1200354
1200355
1200356
1200357
1200358
1200359
1200360
1200361
1200362
1200363
1200364
1200365
1200366
1200367
1200368
1200369
1200370
1200371
1200372
1200373
1200374
1200375
1200376
1200377
1200378
1200379
1200380
1200381
1200382
1200383
1200384
1200385
1200386
1200387
1200388
1200389
1200390
1200391
1200392
1200393
1200394
1200395
1200396
1200397
1200398
1200399
1200399
1200400
1200401
1200402
1200403
1200404
1200405
1200406
1200407
1200408
1200409
1200410
1200411
1200412
1200413
1200414
1200415
1200416
1200417
1200418
1200419
1200420
1200421
1200422
1200423
1200424
1200425
1200426
1200427
1200428
1200429
1200430
1200431
1200432
1200433
1200434
1200435
1200436
1200437
1200438
1200439
1200440
1200441
1200442
1200443
1200444
1200445
1200446
1200447
1200448
1200449
1200450
1200451
1200452
1200453
1200454
1200455
1200456
1200457
1200458
1200459
1200460
1200461
1200462
1200463
1200464
1200465
1200466
1200467
1200468
1200469
1200470
1200471
1200472
1200473
1200474
1200475
1200476
1200477
1200478
1200479
1200480
1200481
1200482
1200483
1200484
1200485
1200486
1200487
1200488
1200489
1200490
1200491
1200492
1200493
1200494
1200495
1200496
1200497
1200498
1200499
1200499
1200500
1200501
1200502
1200503
1200504
1200505
1200506
1200507
1200508
1200509
1200510
1200511
1200512
1200513
1200514
1200515
1200516
1200517
1200518
1200519
1200520
1200521
1200522
1200523
1200524
1200525
1200526
1200527
1200528
1200529
1200530
1200531
1200532
1200533
1200534
1200535
1200536
1200537
1200538
1200539
1200540
1200541
1200542
1200543
1200544
1200545
1200546
1200547
1200548
1200549
1200550
1200551
1200552
1200553
1200554
1200555
1200556
1200557
1200558
1200559
1200560
1200561
1200562
1200563
1200564
1200565
1200566
1200567
1200568
1200569
1200570
1200571
1200572
1200573
1200574
1200575
1200576
1200577
1200578
1200579
1200580
1200581
1200582
1200583
1200584
1200585
1200586
1200587
1200588
1200589
1200589
1200590
1200591
1200592
1200593
1200594
1200595
1200596
1200597
1200598
1200599
1200599
1200600
1200601
1200602
1200603
1200604
1200605
1200606
1200607
1200608
1200609
1200610
1200611
1200612
1200613
1200614
1200615
1200616
1200617
1200618
1200619
1200620
1200621
1200622
1200623
1200624
1200625
1200626
1200627
1200628
1200629
1200630
1200631
1200632
1200633
1200634
1200635
1200636
1200637
1200638
1200639
1200640
1200641
1200642
1200643
1200644
1200645
1200646
1200647
1200648
1200649
1200650
1200651
1200652
1200653
1200654
1200655
1200656
1200657
1200658
1200659
1200660
1200661
1200662
1200663
1200664
1200665
1200666
1200667
1200668
1200669
1200669
1200670
1200671
1200672
1200673
1200674
1200675
1200676
1200677
1200678
1200679
1200680
1200681
1200682
1200683
1200684
1200685
1200686
1200687
1200688
1200689
1200689
1200690
1200691
1200692
1200693
1200694
1200695
1200696
1200697
1200698
1200699
1200699
1200700
1200701
1200702
1200703
1200704
1200705
1200706
1200707
1200708
1200709
1200710
1200711
1200712
1200713
1200714
1200715
1200716
1200717
1200718
1200719
1200720
1200721
1200722
1200723
1200724
1200725
1200726
1200727
1200728
1200729
1200730
1200731
1200732
1200733
1200734
1200735
1200736
1200737
1200738
1200739
1200740
1200741
1200742
1200743
1200744
1200745
1200746
1200747
1200748
1200749
1200750
1200751
1200752
1200753
1200754
1200755
1200756
1200757
1200758
1200759
1200759
1200760
1200761
1200762
1200763
1200764
1200765
1200766
1200767
1200768
1200769
1200769
1200770
1200771
1200772
1200773
1200774
1200775
1200776
1200777
1200778
1200779
1200779
1200780
1200781
1200782
1200783
1200784
1200785
1200786
1200787
1200788
1200789
1200789
1200790
1200791
1200792
1200793
1200794
1200795
1200796
1200797
1200798
1200799
1200799
1200800
1200801
1200802
1200803
1200804
1200805
1200806
1200807
1200808
1200809
1200810
1200811
1200812
1200813
1200814
1200815
1200816
1200817
1200818
1200819
1200819
1200820
1200821
1200822
1200823
1200824
1200825
1200826
1200827
1200828
1200829
1200830
1200831
1200832
1200833
1200834
1200835
1200836
1200837
1200838
1200839
1200839
1200840
1200841
1200842
1200843
1200844
1200845
1200846
1200847
1200848
1200849
1200849
1200850
1200851
1200852
1200853
1200854
1200855
1200856
1200857
1200858
1200859
1200859
1200860
1200861
1200862
1200863
1200864
1200865
1200866
1200867
1200868
1200869
1200869
1200870
1200871
1200872
1200873
1200874
1200875
1200876
1200877
1200878
1200879
1200879
1200880
1200881
1200882
1200883
1200884
1200885
1200886
1200887
1200888
1200889
1200889
1200890
1200891
1200892
1200893
1200894
1200895
1200896
1200897
1200898
1200899
1200899
1200900
1200901
1200902
1200903
1200904
1200905
1200906
1200907
1200908
1200909
1200910
1200911
1200912
1200913
1200914
1200915
1200916
1200917
1200918
1200919
1200919
1200920
1200921
1200922
1200923
1200924
1200925
1200926
1200927
1200928
1200929
1200929
1200930
1200931
1200932
1200933
1200934
1200935
1200936
1200937
1200938
1200939
1200939
1200940
1200941
1200942
1200943
1200944
1200945
1200946
1200947
1200948
1200949
1200949
1200950
1200951
1200952
1200953
1200954
1200955
1200956
1200957
1200958
1200959
1200959
120
```

```

11577 \end{titlepage}%
11578 \setcounter{footnote}{0}%
11579 \global\let\thanks\relax
11580 \global\let\LTRthanks\relax
11581 \global\let\RTLthanks\relax
11582 \global\let\maketitle\relax
11583 \global\let{@thanks}{\empty}
11584 \global\let{@author}{\empty}
11585 \global\let{@date}{\empty}
11586 \global\let{@title}{\empty}
11587 \global\let\title\relax
11588 \global\let\author\relax
11589 \global\let\date\relax
11590 \global\let\and\relax
11591 }
11592 \else
11593 \renewcommand{\maketitle}{\par
11594 \begingroup
11595 \renewcommand{\thefootnote}{\fnsymbol{c}\footnote}%
11596 \def{\makefnmark}{\rlap{\textsuperscript{\normalfont\thefnmark}}}%
11597 \long\def{\makefntext}{\parindent 1em\noindent
11598 \hb@xt@1.8em{%
11599 \hss\textsuperscript{\normalfont\thefnmark}}\#1}%
11600 \if@twocolumn
11601 \ifnum\col@number=\@one
11602 \maketitle
11603 \else
11604 \twocolumn[\maketitle]%
11605 \fi
11606 \else
11607 \newpage
11608 \global\topnum=0 % Prevents figures from going at top of page.
11609 \maketitle
11610 \fi
11611 \thispagestyle{plain}\@thanks
11612 \endgroup
11613 \setcounter{footnote}{0}%
11614 \global\let\thanks\relax
11615 \global\let\LTRthanks\relax
11616 \global\let\RTLthanks\relax
11617 \global\let\maketitle\relax
11618 \global\let{\maketitle}\relax
11619 \global\let{@thanks}{\empty}
11620 \global\let{@author}{\empty}
11621 \global\let{@date}{\empty}
11622 \global\let{@title}{\empty}
11623 \global\let\title\relax
11624 \global\let\author\relax
11625 \global\let\date\relax
11626 \global\let\and\relax
11627 }
11628 \def{\maketitle}{%
11629 \newpage
11630 \null

```



```

11631 \vskip 2em%
11632 \begin{center}%
11633 \let \footnote \thanks
11634 \let \LTrfootnote \LTrthanks
11635 \let \RTLfootnote \RTLthanks
11636 {\LARGE \@title \par}%
11637 \vskip 1.5em%
11638 {\large
11639 \lineskip .5em%
11640 \begin{tabular}[t]{c}%
11641 \author
11642 \end{tabular}\par}%
11643 \vskip 1em%
11644 {\large \date}%
11645 \end{center}%
11646 \par
11647 \vskip 1.5em}
11648 \fi
11649 \renewcommand*\l@part[2]{%
11650 \ifnum \c@tocdepth >-2\relax
11651 \addpenalty{-\highpenalty}%
11652 \addvspace{2.25em \plus\p@}%
11653 \begingroup
11654 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
11655 \parfillskip -\pnumwidth
11656 {\leavevmode
11657 \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}}\par
11658 \nobreak
11659 \global\nobreaktrue
11660 \everypar{\global\nobreakfalse\everypar{} }%
11661 \endgroup
11662 \fi}
11663 \renewcommand\theequation
11664 {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic\c@equation}
11665 \renewcommand \thefigure
11666 {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic\c@figure}
11667 \renewcommand \thetable
11668 {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic\c@table}
11669 \renewcommand \thechapter {\arabic\c@chapter}
11670 \renewcommand \thesection {\thechapter\SepMark\arabic\c@section}
11671 \renewcommand \thesubsection {\thesection\SepMark\arabic\c@subsection}
11672 \renewcommand \thesubsubsection {\thesubsection\SepMark\arabic\c@subsubsection}
11673 \renewcommand \theparagraph {\thesubsubsection\SepMark\arabic\c@paragraph}
11674 \renewcommand \thesubparagraph {\theparagraph\SepMark\arabic\c@subparagraph}
11675 \def\makechapterhead#1{%
11676 \vspace*{50\p@}%
11677 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
11678 \ifnum \c@secnumdepth >\m@ne
11679 \if@mainmatter
11680 \huge\bfseries \chapapp\space \thechapter
11681 \par\nobreak
11682 \vskip 20\p@
11683 \fi
11684 \fi

```



```

11685     \interlinepenalty\@M
11686     \Huge \bfseries #1\par\nobreak
11687     \vskip 40\p@
11688 }
11689
11690 \def\@makeschapterhead#1{%
11691   \vspace*{50\p@}%
11692   {\parindent \z@\if@RTL\raggedleft\else\raggedright\fi
11693     \normalfont
11694     \interlinepenalty\@M
11695     \Huge \bfseries #1\par\nobreak
11696     \vskip 40\p@
11697   }%
11698 \renewcommand\backmatter{%
11699   \if@openright
11700     \cleardoublepage
11701   \else
11702     \clearpage
11703   \fi
11704   \mainmatterfalse}
11705 \renewenvironment{thebibliography}[1]
11706   {\chapter*{\bibname
11707     \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}%
11708     \if@RTL\if@LTrbibitems@\RTLfalse\else\fi\else\if@RTLbibitems@\RTLtrue\else\fi\fi
11709     \bidi@@thebibliography@font@hook%
11710     \list{\@biblabel{\@arabic\c@enumiv}}%
11711       {\settowidth\labelwidth{\@biblabel{#1}}%
11712         \leftmargin\labelwidth
11713         \advance\leftmargin\labelsep
11714         \openbib@code
11715         \usecounter{enumiv}%
11716         \let\p@enumiv\empty
11717           \renewcommand\theenumiv{\@arabic\c@enumiv}%
11718         \sloppy
11719         \clubpenalty4000
11720         \clubpenalty \clubpenalty
11721         \widowpenalty4000%
11722         \sfcodes`.\.\@m}%
11723   {\def\@noitemerr
11724     {\@latex@warning{Empty `thebibliography' environment}}%
11725   \endlist}

```

## 85 File extletter-xetex-bidi.def

```

11726 \ProvidesFile{extletter-xetex-bidi.def}[2015/11/14 v0.2 bidi adaptations for extletter class
11727 \renewcommand*{\opening}[1]{\ifx\empty\fromaddress
11728   \thispagestyle{firstpage}%
11729   {\if@RTL\raggedright\else\raggedleft\fi\@date\par}%
11730 \else % home address
11731   \thispagestyle{empty}%
11732   {\if@RTL\raggedright\begin{tabular}{r@{} }\else\raggedleft\begin{tabular}{l@{} }\fi\ignore
11733     \fromaddress \\*[2\parskip]%
11734     \@date \end{tabular}\par}%
11735 \fi

```



```

11736 \vspace{2\parskip}%
11737 {\if@RTL\raggedleft\else\raggedright\fi \toname \\ \toaddress \par}%
11738 \vspace{2\parskip}%
11739 #1\par\nobreak}
11740 \renewcommand{\closing}[1]{\par\nobreak\vspace{\parskip}%
11741 \stopbreaks
11742 \noindent
11743 \ifx\empty\fromaddress\else
11744 \hspace*{\longindentation}\fi
11745 \parbox{\indentedwidth}{\if@RTL\raggedleft\else\raggedright\fi
11746 \ignorespaces #1\\[6\medskipamount]%
11747 \ifx\empty\fromsig
11748 \fromname
11749 \else \fromsig \fi\strut}%
11750 \par}
11751 \renewcommand{\left@footnoterule}{%
11752 \kern-\p@
11753 \hrule \width .4\columnwidth
11754 \kern .6\p@}
11755 \renewcommand{\right@footnoterule}{%
11756 \kern-\p@
11757 \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }%
11758 \kern .6\p@}

```

## 86 File extrafootnotefeatures-xetex-bidi.def

```

11759 \ProvidesFile{extrafootnotefeatures-xetex-bidi.def}[2023/08/02 v2.6 bidi extra footnote fea-
11760 \newdimen\bidi@columnwidth
11761 \def\bidi@floathook{%
11762 \bidi@columnwidth\columnwidth
11763 }
11764 \newcommand*{\@bidi@before@Hy@hyperfootnotes}{%
11765 \if@bidi@csundef{ifHy@hyperfootnotes}{}{%
11766 \if@bidi@csundef{HLTR@@LTRfootnotetext}{}{%
11767 \ifHy@hyperfootnotes
11768 \let\@@H@@footnotetext\@footnotetext
11769 \let\@@HLTR@@LTRfootnotetext\@LTRfootnotetext
11770 \let\@@HRTL@@RTLfootnotetext\@RTLfootnotetext
11771 \let\@@H@@mpfootnotetext\@mpfootnotetext
11772 \let\@@HLTR@@mpLTRfootnotetext\@mpLTRfootnotetext
11773 \let\@@HRTL@@mpRTLfootnotetext\@mpRTLfootnotetext
11774 \fi
11775 }%
11776 }%
11777 }
11778 \newcommand*{\@bidi@after@Hy@hyperfootnotes}{%
11779 \if@bidi@csundef{ifHy@hyperfootnotes}{}{%
11780 \if@bidi@csundef{HLTR@@LTRfootnotetext}{}{%
11781 \ifHy@hyperfootnotes
11782 \let\H@@footnotetext\@footnotetext
11783 \let\@footnotetext\@@H@@footnotetext
11784 \let\HLTR@@LTRfootnotetext\@LTRfootnotetext
11785 \let\@LTRfootnotetext\@@HLTR@@LTRfootnotetext
11786 \let\HRTL@@RTLfootnotetext\@RTLfootnotetext

```



```

11787 \let\@RTLfootnotetext\@@HRTL\@RTLfootnotetext
11788 \let\H@mpfootnotetext\mpfootnotetext
11789 \let\mpfootnotetext\@@H\@mpfootnotetext
11790 \let\HLTR\@mpLTRfootnotetext\mpLTRfootnotetext
11791 \let\mpLTRfootnotetext\@@HLTR\@mpLTRfootnotetext
11792 \let\HRTL\@mpRTLfootnotetext\mpRTLfootnotetext
11793 \let\mpRTLfootnotetext\@@HRTL\@mpRTLfootnotetext
11794 \fi
11795 }%
11796 }%
11797 }
11798 \let\autofootnoterule\relax
11799 \let\rightfootnoterule\relax
11800 \let\leftfootnoterule\relax
11801 \let\textwidthfootnoterule\relax
11802 \let\LRfootnoterule\relax
11803 \def\footnoterule{\kern-3\p@
11804   \hrule \width \columnwidth \kern 2.6\p@}
11805 \newcommand{\@preamnormalfmt}{%
11806   \parindent 1em%
11807   \noindent
11808 }
11809 \newcommand{\@normalfootfmt}[1]{%
11810   \@preamnormalfmt
11811   \footfootmark
11812   \rule{z@\footnotesep\ignorespaces{\foottextfont #1}}%
11813   \finalstrut\strutbox
11814 }
11815 \newcommand{\@normalRTLfootfmt}[1]{%
11816   \@preamnormalfmt
11817   \RTLfootfootmark
11818   \rule{z@\footnotesep\ignorespaces{\RTLfoottextfont #1}}%
11819   \finalstrut\strutbox
11820 }
11821 \newcommand{\@normalLTRfootfmt}[1]{%
11822   \@preamnormalfmt
11823   \LTRfootfootmark
11824   \rule{z@\footnotesep\ignorespaces{\LTRfoottextfont #1}}%
11825   \finalstrut\strutbox
11826 }
11827 \renewcommand{\@footnotetext}[1]{%
11828   \insert\footins{%
11829     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
11830     \def\baselinestretch{\m@m@footnote@spacing}%
11831     \reset@font
11832     \foottextfont
11833     \preamfntext
11834     \hsize\columnwidth
11835     \protected@edef\@currentlabel{%
11836       \csname p@footnote\endcsname\@thefnmark}%
11837     \color@begingroup
11838     \@normalfootfmt{#1}%
11839     \color@endgroup}%
11840     \m@mff@prepare}

```



```

11841 \newcommand{\bidi@bidiold@footnotetext}[1]{%
11842   \bidi@step@absolutefootnote@count
11843   \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
11844   \insert\footins{%
11845     \if@RTL@footnote@\RTLtrue\else@\RTLfalse\fi%
11846     \def\baselinestretch{\m@m@footnote@spacing}%
11847     \reset@font
11848     \foottextfont
11849     \preamfntext
11850     \hsize\columnwidth
11851     \protected@edef\@currentlabel{%
11852       \csname p@footnote\endcsname\@thefnmark}%
11853     \color@begingroup
11854       \normalfootfmt{#1}%
11855     \color@endgroup}%
11856     \m@mff@prepare
11857 }
11858 \renewcommand{\@RTLfootnotetext}[1]{%
11859   \insert\footins{%
11860     \RTLtrue%
11861     \def\baselinestretch{\m@m@footnote@spacing}%
11862     \reset@font
11863     \RTLfoottextfont
11864     \preamfntext
11865     \hsize\columnwidth
11866     \protected@edef\@currentlabel{%
11867       \csname p@footnote\endcsname\@thefnmark}%
11868     \color@begingroup
11869       \normalRTLfootfmt{#1}%
11870     \color@endgroup}%
11871     \m@mff@prepare}
11872 \newcommand{\bidi@bidiold@RTLfootnotetext}[1]{%
11873   \bidi@step@absolutefootnote@count
11874   \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
11875   \insert\footins{%
11876     \RTLtrue%
11877     \def\baselinestretch{\m@m@footnote@spacing}%
11878     \reset@font
11879     \RTLfoottextfont
11880     \preamfntext
11881     \hsize\columnwidth
11882     \protected@edef\@currentlabel{%
11883       \csname p@footnote\endcsname\@thefnmark}%
11884     \color@begingroup
11885       \normalRTLfootfmt{#1}%
11886     \color@endgroup}%
11887     \m@mff@prepare
11888 }
11889 \renewcommand{\@LTRfootnotetext}[1]{%
11890   \insert\footins{%
11891     \RTLfalse%
11892     \def\baselinestretch{\m@m@footnote@spacing}%
11893     \reset@font
11894     \LTRfoottextfont

```



```

11895   \@preamfntext
11896   \hsize\columnwidth
11897   \protected@edef\@currentlabel{%
11898     \csname p@footnote\endcsname\@thefnmark}%
11899   \color@begingroup
11900     \normalLTRfootfmt{\#1}%
11901   \color@endgroup%
11902     \m@mmf@prepare}
11903 \renewcommand{\@mpfootnotetext}[1]{%
11904   \global\setbox\@mpfootins\vbox{%
11905     \unvbox\@mpfootins
11906     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
11907     \def\baselinestretch{\m@m@footnote@spacing}%
11908     \reset@font%
11909     \foottextfont \hsize\columnwidth \parboxrestore
11910     \protected@edef\@currentlabel{%
11911       \csname p@mpfootnote\endcsname\@thefnmark}%
11912   \color@begingroup
11913     \normalfootfmt{\#1}%
11914   \color@endgroup}}
11915 \newcommand{\bidi@bidiold@mpfootnotetext}[1]{%
11916   \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
11917   \global\setbox\@mpfootins\vbox{%
11918     \unvbox\@mpfootins
11919     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
11920     \def\baselinestretch{\m@m@footnote@spacing}%
11921     \reset@font%
11922     \foottextfont \hsize\columnwidth \parboxrestore
11923     \protected@edef\@currentlabel{%
11924       \csname p@mpfootnote\endcsname\@thefnmark}%
11925   \color@begingroup
11926     \normalfootfmt{\#1}%
11927   \color@endgroup}}
11928 \renewcommand{\@mpLTRfootnotetext}[1]{%
11929   \global\setbox\@mpfootins\vbox{%
11930     \unvbox\@mpfootins
11931     \if@RTLfalse
11932     \def\baselinestretch{\m@m@footnote@spacing}%
11933     \reset@font%
11934     \LTRfoottextfont \hsize\columnwidth \parboxrestore
11935     \protected@edef\@currentlabel{%
11936       \csname p@mpfootnote\endcsname\@thefnmark}%
11937   \color@begingroup
11938     \normalLTRfootfmt{\#1}%
11939   \color@endgroup}}
11940 \renewcommand{\@mpRTLfootnotetext}[1]{%
11941   \global\setbox\@mpfootins\vbox{%
11942     \unvbox\@mpfootins
11943     \if@RTLtrue
11944     \def\baselinestretch{\m@m@footnote@spacing}%
11945     \reset@font%
11946     \RTLfoottextfont \hsize\columnwidth \parboxrestore
11947     \protected@edef\@currentlabel{%
11948       \csname p@mpfootnote\endcsname\@thefnmark}%

```



```

11949   \color@begingroup
11950     \normalRTLfootfmt{#1}%
11951   \color@endgroup}%
11952 \newcommand{\bidi@bidiold@mpRTLfootnotetext}[1]{%
11953   \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
11954   \global\setbox\@mpfootins\vbox{%
11955     \unvbox\@mpfootins
11956     \RTLtrue
11957     \def\baselinestretch{\m@m@footnote@spacing}%
11958     \reset@font%
11959     \RTLfoottextfont \hsize\columnwidth \parboxrestore
11960     \protected@edef\@currentlabel{%
11961       \csname p@mpfootnote\endcsname\@thefnmark}%
11962   \color@begingroup
11963     \normalRTLfootfmt{#1}%
11964   \color@endgroup}%
11965 \let\m@mold@footnotetext\footnotetext
11966 \let\m@mold@LTRfootnotetext\@LTRfootnotetext
11967 \let\m@mold@RTLfootnotetext\@RTLfootnotetext
11968 \let\m@mold@mpfootnotetext\@mpfootnotetext
11969 \let\m@mold@mpLTRfootnotetext\@mpLTRfootnotetext
11970 \let\m@mold@mpRTLfootnotetext\@mpRTLfootnotetext
11971 \bidi@ensure@newcommand{\normalfootnotes}{%
11972   \bidi@before@Hy@hyperfootnotes
11973   \let\footnotetext\m@mold@footnotetext
11974   \let\@LTRfootnotetext\m@mold@LTRfootnotetext
11975   \let\@RTLfootnotetext\m@mold@RTLfootnotetext
11976   \let\@mpfootnotetext\m@mold@mpfootnotetext
11977   \let\@mpLTRfootnotetext\m@mold@mpLTRfootnotetext
11978   \let\@mpRTLfootnotetext\m@mold@mpRTLfootnotetext
11979   \bidi@after@Hy@hyperfootnotes
11980   \ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
11981 }
11982 \ifclassloaded{memoir}{\let\plainfootnotes\normalfootnotes}{}%
11983 \bidi@ensure@newcommand*\setSingleSpace[1]{%
11984   \def\m@m@singlespace{#1}%
11985   \def\m@m@footnote@spacing{#1}%
11986   \def\m@m@float@spacing{#1} %
11987 }
11988 \setSingleSpace{1}
11989 \bidi@ensure@newcommand*\multiplefootnotemarker{3sp}
11990 \bidi@ensure@newcommand*\m@mmf@prepare{%
11991   \kern-\multiplefootnotemarker
11992   \kern\multiplefootnotemarker\relax}
11993 \bidi@ensure@newlength{\footmarkwidth}
11994 \bidi@ensure@newcommand*\footmarkstyle[1]{\def\footscript##1{#1}}
11995 \bidi@ensure@newcommand*\LTRfootmarkstyle[1]{\def\LTRfootscript##1{#1}}
11996 \bidi@ensure@newcommand*\RTLfootmarkstyle[1]{\def\RTLfootscript##1{#1}}
11997 \bidi@ensure@newcommand{\footfootmark}{%
11998   \ifdim\footmarkwidth < \z@
11999     \llap{\hb@xt@ -\footmarkwidth{%
12000       \hss\normalfont\footscript{\@thefnmark}}%
12001       \hspace{-\footmarkwidth}}}%
12002 \else

```



```

12003   \ifdim\footmarkwidth = \z@%
12004     {\normalfont\footscript{\@thefnmark}}%
12005   \else%
12006     \hb@xt@\footmarkwidth{\hss\normalfont\footscript{\@thefnmark}}%
12007   \fi%
12008 \fi}%
12009 \bidi@ensure@newcommand{\LTRfootfootmark}{%
12010   \ifdim\footmarkwidth < \z@%
12011     \llap{\hb@xt@ -\footmarkwidth{%
12012       \hss\normalfont\LTRfootscript{\@thefnmark}}%%
12013       \hskip*{-\footmarkwidth}}%%
12014   \else%
12015     \ifdim\footmarkwidth = \z@%
12016       {\normalfont\LTRfootscript{\@thefnmark}}%
12017     \else%
12018       \hb@xt@\footmarkwidth{\hss\normalfont\LTRfootscript{\@thefnmark}}%
12019     \fi%
12020   \fi}%
12021 \bidi@ensure@newcommand{\RTLfootfootmark}{%
12022   \ifdim\footmarkwidth < \z@%
12023     \llap{\hb@xt@ -\footmarkwidth{%
12024       \hss\normalfont\RTLfootscript{\@thefnmark}}%%
12025       \hskip*{-\footmarkwidth}}%%
12026   \else%
12027     \ifdim\footmarkwidth = \z@%
12028       {\normalfont\RTLfootscript{\@thefnmark}}%
12029     \else%
12030       \hb@xt@\footmarkwidth{\hss\normalfont\RTLfootscript{\@thefnmark}}%
12031     \fi%
12032   \fi}%
12033 \footmarkstyle{\textsuperscript{\#1}}%
12034 \LTRfootmarkstyle{\textsuperscript{\#1}}%
12035 \RTLfootmarkstyle{\textsuperscript{\#1}}%
12036 \newcommand*{\bidi@normal@footmarkwidth}{%
12037   \setlength{\footmarkwidth}{1em plus .3em minus .3em}%
12038 }%
12039 \newcommand*{\bidi@star@footmarkwidth}{%
12040   \setlength{\footmarkwidth}{0em plus .3em minus .3em}%
12041 }%
12042 \bidi@normal@footmarkwidth%
12043 \bidi@ensure@newcommand{\m@ndoextrafeet}{\extrafeetins}%
12044 \bidi@ensure@newcommand*{\extrafeetins}{%
12045   \bidi@joinfootnotes\footinsv@r\@footstartv@r\@footgroupv@r%
12046   \bidi@joinfootnotes\footinsv@l\@footstartv@l\@LTRfootgroupv@l%
12047   \bidi@joinfootnotes\@bidi@copyins@{}{\unvbox\@bidi@copyins@}%
12048   \extrafeetinshook}%
12049 \bidi@ensure@newcommand{\extrafeetinshook}{}%
12050 \bidi@ensure@newcommand{\foottextfont}{\footnotesize}%
12051 \bidi@ensure@newcommand{\LTRfoottextfont}{\footnotesize}%
12052 \bidi@ensure@newcommand{\RTLfoottextfont}{\footnotesize}%
12053 \bidi@ensure@newlength{\footinsdim}%
12054   \setlength{\footinsdim}{8in} % standard for \dimen\footins%
12055 \bidi@ensure@newcommand{\@preamfntext}{%
12056   \interlinepenalty\interfootnotelinepenalty

```



```

12057   \floatingpenalty \@MM
12058   \splittopskip=\footnotesep
12059   \splitmaxdepth=\dp\strutbox
12060   \@parboxrestore}
12061 \def\bidi@ifmulticol#1#2{\@tempswafalse
12062   \ifnum\col@number>\@ne
12063     \ifnum\count\footins>1999 \@tempswatrue \fi
12064   \fi
12065   \if@tempswa #1\else #2\fi
12066 }
12067 \def\bidi@joinfootnotes#1#2#3{%
12068   \ifvoid#1
12069   \else
12070     \@tempskipa\skip#1%
12071     \bidi@ifmulticol{\divide\@tempskipa\col@number}{\relax}%
12072     \edef\bidi@footskip{\vskip\the\@tempskipa\relax}%
12073     \bidi@removexfootskip
12074     \ifvoid\footins
12075       \global\setbox\footins\vbox{\#2#3}%
12076     \else
12077       \global\setbox\footins\vbox{%
12078         \unvbox\footins
12079         \bidi@footskip
12080         \#2#3%
12081       }%
12082     \fi
12083   \fi
12084 }
12085 \def\bidi@reinsertfootnote#1#2#3{%
12086   \ifvoid#1%
12087   \else
12088     \insert\footins{\#2#3}%
12089   \fi
12090 }
12091 \def\bidi@joinmpfootnotes#1#2#3{%
12092   \ifvoid#1
12093   \else
12094     \@tempskipa\skip#1%
12095     \bidi@ifmulticol{\divide\@tempskipa\col@number}{\relax}%
12096     \edef\bidi@footskip{\vskip\the\@tempskipa\relax}%
12097     \bidi@removexfootskip
12098     \ifvoid\@mpfootins
12099       \global\setbox\@mpfootins\vbox{\#2#3}%
12100     \else
12101       \global\setbox\@mpfootins\vbox{%
12102         \unvbox\@mpfootins
12103         \bidi@footskip
12104         \#2#3%
12105       }%
12106     \fi
12107   \fi
12108 }
12109 \newcount\bidi@absolutepage@count
12110 \bidi@absolutepage@count\@ne

```



```

12111 \newcount\bidi@absolutefootnote@count
12112 \bidi@AfterOutputBoxOutputPage{%
12113   \if@files
12114     \edef\@tempa{%
12115       \write\@auxout{%
12116         \string\bidi@finalfootnoteperpage%
12117         {\noexpand\number\noexpand\bidi@absolutepage@count}%
12118         {\noexpand\number\noexpand\bidi@absolutefootnote@count}%
12119       }%
12120     }%
12121     \@tempa
12122   \fi
12123 }
12124 \bidi@AtEndOutputPage{%
12125   \global\advance\bidi@absolutepage@count\@ne
12126 }
12127 \newcommand*{\bidi@finalfootnoteperpage}[2]{%
12128   \expandafter\gdef\csname bidi@currentpagefinalfootnote@@#1\endcsname{#2}%
12129 }
12130 \newif\if\bidi@finalfootnoteperpage
12131 \newcommand{\bidi@ifafterfinalfootnoteperpage}[2]{%
12132   \if\bidi@csundefined{bidi@currentpagefinalfootnote@@\number\bidi@absolutepage@count}{%
12133     \global\@bidi@finalfootnoteperpagetrue
12134   }{%
12135     \global\@bidi@finalfootnoteperpagefalse
12136     \ifnum\bidi@absolutefootnote@count=\bidi@csuse{bidi@currentpagefinalfootnote@@\number\bidi@absolutepage@count}{%
12137       #1%
12138     } \else
12139       #2%
12140     \fi
12141   }%
12142 }
12143 \newcommand{\bidi@reinsertfinalfootnoteperpage}[3]{%
12144   \bidi@ifafterfinalfootnoteperpage{%
12145     \bidi@reinsertfootnote{#1}{#2}{#3}%
12146   }{%
12147   }%
12148 }
12149 \newcommand*{\bidi@step@absolutefootnote@count}{%
12150   \global\advance\bidi@absolutefootnote@count\@ne
12151 }
12152 \bidi@AfterEndDocumentCheckLabelsRerun{%
12153   \if\bidi@finalfootnoteperpage
12154     \PackageWarningNoLine{bidi}{%
12155       The absolute final footnote is not
12156       known on every page of your
12157       document. Rerun TeX to get the
12158       absolute final footnote on every page
12159       of your document%
12160     }%
12161   \fi
12162 }
12163 \bidi@ensure@newcommand{\m@ndoextrafeetmini}{%
12164   \extrafeetminihook}

```



```

12165 \bidi@ensure@newcommand{\extrafeetendmini}{%
12166 \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r
12167 \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
12168 \extrafeetendminihook}
12169 \bidi@ensure@newcommand{\extrafeetendminihook}{}%
12170 \bidi@ensure@newcommand{\m@mdoextrafeetendmini}{\extrafeetendmini}
12171 \def\endminipage{%
12172 \par
12173 \unskip
12174 \m@mdoextrafeetendmini
12175 \ifvoid\@mpfootins
12176 \else
12177 \vskip\skip\@mpfootins
12178 \normalcolor
12179 \footnoterule
12180 \unvbox\@mpfootins
12181 \fi
12182 \ominipagefalse
12183 \color@endgroup
12184 \egroup
12185 \expandafter\@iiiparbox\@mpargs{\unvbox\@tempboxa}}
12186 \bidi@ensure@newcommand{\m@make@footstart}[1]{%
12187 \namedef{@footstart#1}{%
12188 \leftskip=\z@
12189 \rightskip=\z@
12190 \parindent=\z@
12191 }%
12192 }
12193 \newinsert\footinsv@r
12194 \skip\footinsv@r\skip\footins
12195 \count\footinsv@r=1000 % no magnification
12196 \dimen\footinsv@r=\footinsdim
12197 \m@make@footstart{v@r}
12198 \newinsert\footinsv@l
12199 \skip\footinsv@l\skip\footins
12200 \count\footinsv@l=1000 % no magnification
12201 \dimen\footinsv@l=\footinsdim
12202 \m@make@footstart{v@l}
12203 \bidi@ensure@newcommand{\@footgroupv@r}{}%
12204 \newinsert\@mpfootinsv@r
12205 \skip\@mpfootinsv@r\skip\@mpfootins
12206 \newinsert\@mpfootinsv@l
12207 \skip\@mpfootinsv@l\skip\@mpfootins
12208 \bidi@ensure@newcommand{\mp@footgroupv@r}{}%
12209 \newcount\m@m@k \newdimen\m@m@h
12210 \bidi@ensure@newcommand*{\m@mrigidbalance}[3]{\setbox0=\box#1 \m@m@k=#2 \m@m@h=#3
12211 \@@@line{\beginR\splittopskip=\m@m@h \vbadness=\@M \hfilneg
12212 \valign{##\vfill\cr\m@mdosplits}\endR}}
12213 \newcommand*{\bidi@LT R rigidbalance}[3]{\setbox0=\box#1 \m@m@k=#2 \m@m@h=#3
12214 \@@@line{\beginL\splittopskip=\m@m@h \vbadness=\@M \hfilneg
12215 \valign{##\vfill\cr\m@mdosplits}\endL}}
12216 \bidi@ensure@newcommand*{\m@mdosplits}{\ifnum\m@m@k>0 \noalign{\hfil}\m@msplitoff
12217 \global\advance\m@m@k-1\cr\m@mdosplits\fi}
12218 \bidi@ensure@newcommand*{\m@mmsplitoff}{\dimen0=\ht0

```



```

12219  \divide\dimen0 by\m@m@k \advance\dimen0 by\m@m@h
12220  \setbox2 \vsplit0 to \dimen0
12221  \unvbox2 }
12222 \bidi@ensure@newcommand{\twocolumnfootnotes}{%
12223  \@namedef{foottextfontv@r}{\foottextfont}%
12224  \@namedef{foottextfontv@l}{\LTRfoottextfont}%
12225  \@bidi@before@Hy@hyperfootnotes
12226  \let\@footnotetext\@twocolfootnotetext
12227  \let\@LTRfootnotetext\@twocolLTRfootnotetext
12228  \let\@RTLfootnotetext\@twocolRTLfootnotetext
12229  \dimen\footinsv@r=2\footinsdim
12230  \count\footinsv@r=500\relax
12231  \m@make@twocol@footgroup{v@r}%
12232  \let\@footgroupv@r\@twocol@footgroupv@r
12233  \dimen\footinsv@l=2\footinsdim
12234  \count\footinsv@l=500\relax
12235  \bidi@make@twocol@LTRfootgroup{v@l}%
12236  \let\@LTRfootgroupv@l\@twocol@LTRfootgroupv@l
12237  \let\@mpfootnotetext\@mptwocolfootnotetext
12238  \let\@mpLTRfootnotetext\@mptwocolLTRfootnotetext
12239  \let\@mpRTLfootnotetext\@mptwocolRTLfootnotetext
12240  \@bidi@after@Hy@hyperfootnotes
12241  \m@make@mptwocol@footgroup{v@r}%
12242  \let\mp@footgroupv@r\@mptwocol@footgroupv@r
12243  \bidi@make@mptwocol@LTRfootgroup{v@l}%
12244  \let\mp@LTRfootgroupv@l\@mptwocol@LTRfootgroupv@l
12245  \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
12246 }
12247 \newcommand{\TwoColumnFootnotes}{%
12248  \@namedef{foottextfontv@r}{\foottextfont}%
12249  \@namedef{foottextfontv@l}{\LTRfoottextfont}%
12250  \@bidi@before@Hy@hyperfootnotes
12251  \let\@footnotetext\@TwoColfootnotetext
12252  \let\@LTRfootnotetext\@TwoColLTRfootnotetext
12253  \let\@RTLfootnotetext\@TwoColRTLfootnotetext
12254  \dimen\footinsv@r=2\footinsdim
12255  \count\footinsv@r=500\relax
12256  \m@make@twocol@footgroup{v@r}%
12257  \let\@footgroupv@r\@twocol@footgroupv@r
12258  \dimen\footinsv@l=2\footinsdim
12259  \count\footinsv@l=500\relax
12260  \bidi@make@twocol@LTRfootgroup{v@l}%
12261  \let\@LTRfootgroupv@l\@twocol@LTRfootgroupv@l
12262  \let\@mpfootnotetext\@mpTwoColfootnotetext
12263  \let\@mpLTRfootnotetext\@mpTwoColLTRfootnotetext
12264  \let\@mpRTLfootnotetext\@mpTwoColRTLfootnotetext
12265  \@bidi@after@Hy@hyperfootnotes
12266  \m@make@mptwocol@footgroup{v@r}%
12267  \let\mp@footgroupv@r\@mptwocol@footgroupv@r
12268  \bidi@make@mptwocol@LTRfootgroup{v@l}%
12269  \let\mp@LTRfootgroupv@l\@mptwocol@LTRfootgroupv@l
12270  \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
12271 }
12272 \bidi@ensure@newcommand{\@twocolfootnotetext}[1]{\insert

```



```

12273   \if@RTL@footnote
12274     \footinsv@r
12275   \else
12276     \footinsv@l
12277   \fi
12278 {\if@RTL@footnote@\RTLtrue\else@\RTLfalse\fi%
12279   \def\baselinestretch{\m@m@footnote@spacing}%
12280   \reset@font\foottextfont
12281   \preamfntext
12282   \protected@edef\@currentlabel{%
12283     \csname p@footnote\endcsname\@thefnmark}%
12284   \color@begingroup
12285     \c@twocolfootfmt{#1}%
12286   \color@endgroup}%
12287   \m@mmf@prepare}
12288 \newcommand{\@TwoColfootnotetext}[1]{%
12289   \bidi@step@absolutefootnote@count
12290   \if@RTL@footnote
12291     \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
12292   \else
12293     \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
12294   \fi
12295   \global\setbox
12296   \if@RTL@footnote
12297     \footinsv@r
12298   \else
12299     \footinsv@l
12300   \fi
12301 \vbox{%
12302   \unvbox
12303   \if@RTL@footnote
12304     \footinsv@r
12305   \else
12306     \footinsv@l
12307   \fi
12308   \if@RTL@footnote@\RTLtrue\else@\RTLfalse\fi
12309   \def\baselinestretch{\m@m@footnote@spacing}%
12310   \reset@font\foottextfont
12311   \preamfntext
12312   \protected@edef\@currentlabel{%
12313     \csname p@footnote\endcsname\@thefnmark}%
12314   \color@begingroup
12315     \c@twocolfootfmt{#1}%
12316   \color@endgroup}%
12317   \m@mmf@prepare
12318   \if@RTL@footnote
12319     \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
12320   \else
12321     \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
12322   \fi
12323 }
12324 \bidi@ensure@newcommand{\@twocollTRfootnotetext}[1]{\insert\footinsv@l{\if@RTLfalse{%
12325   \def\baselinestretch{\m@m@footnote@spacing}%
12326   \reset@font\LTRfoottextfont

```



```

12327  \@preamfntext
12328  \protected@edef{\currentlabel}{%
12329    \csname p@footnote\endcsname\thefnmark}%
12330  \color@begingroup
12331    \twocollTRfootfmt{#1}%
12332  \color@endgroup}%
12333  \m@mmf@prepare}
12334 \newcommand{\@TwoCollTRfootnotetext}[1]{%
12335  \bidi@step@absolutefootnote@count
12336 \bidi@reinsertfootnote\footinsv@r\footstartv@r\footgroupv@r
12337  \global\setbox\footinsv@l\vbox{%
12338  \unvbox\footinsv@l
12339  \RTLfalse
12340  \def\baselinestretch{\m@m@footnote@spacing}%
12341  \reset@font\LTRfoottextfont
12342  \@preamfntext
12343  \protected@edef{\currentlabel}{%
12344    \csname p@footnote\endcsname\thefnmark}%
12345  \color@begingroup
12346    \twocollTRfootfmt{#1}%
12347  \color@endgroup}%
12348  \m@mmf@prepare
12349  \bidi@reinsertfinalfootnoteperpage\footinsv@l\footstartv@l\LTRfootgroupv@l
12350 }
12351 \bidi@ensure@newcommand{\@twocolRTLfootnotetext}[1]{\insert\footinsv@r{\RTLtrue{%
12352  \def\baselinestretch{\m@m@footnote@spacing}%
12353  \reset@font\RTLfoottextfont
12354  \@preamfntext
12355  \protected@edef{\currentlabel}{%
12356    \csname p@footnote\endcsname\thefnmark}%
12357  \color@begingroup
12358    \twocolRTLfootfmt{#1}%
12359  \color@endgroup}%
12360  \m@mmf@prepare}
12361 \newcommand{\@TwoColRTLfootnotetext}[1]{%
12362  \bidi@step@absolutefootnote@count
12363 \bidi@reinsertfootnote\footinsv@l\footstartv@l\LTRfootgroupv@l
12364  \global\setbox\footinsv@r\vbox{%
12365  \unvbox\footinsv@r
12366  \RTLtrue
12367  \def\baselinestretch{\m@m@footnote@spacing}%
12368  \reset@font\RTLfoottextfont
12369  \@preamfntext
12370  \protected@edef{\currentlabel}{%
12371    \csname p@footnote\endcsname\thefnmark}%
12372  \color@begingroup
12373    \twocolRTLfootfmt{#1}%
12374  \color@endgroup}%
12375  \m@mmf@prepare
12376  \bidi@reinsertfinalfootnoteperpage\footinsv@r\footstartv@r\footgroupv@r
12377 }
12378 \bidi@ensure@newcommand{\@preamtwofmt}{%
12379  \hsize .45\hsize
12380  \parindent=\z@
```



```

12381   \tolerance=5000\relax
12382   \leavevmode}
12383 \bidi@ensure@newcommand{\@twocolfootfmt}[1]{%
12384   \preamtwofmt
12385   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
12386 \bidi@ensure@newcommand{\@twocolLTRfootfmt}[1]{%
12387   \preamtwofmt
12388   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
12389 \bidi@ensure@newcommand{\@twocolRTLfootfmt}[1]{%
12390   \preamtwofmt
12391   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
12392 \bidi@ensure@newcommand{\@mpTwoColFootnoteText}[1]{%
12393   \global\setbox
12394   \if@RTL@footnote
12395   \ompfootinsv@r
12396   \else
12397   \ompfootinsv@l
12398   \fi
12399   \vbox{%
12400     \unvbox
12401     \if@RTL@footnote
12402     \ompfootinsv@r
12403   \else
12404     \ompfootinsv@l
12405   \fi
12406   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
12407   \def\baselinestretch{\m@m@footnote@spacing}%
12408   \reset@font\foottextfont
12409   \hsize\columnwidth \parboxrestore
12410   \protected@edef\@currentlabel{%
12411     \csname p@mpfootnote\endcsname\@thefnmark}%
12412   \color@begingroup
12413   \ompTwoColFootnoteText{#1}%
12414   \color@endgroup}%
12415   \m@mmf@prepare}
12416 \newcommand{\@mpTwoColFootnoteText}[1]{%
12417   \if@RTL@footnote
12418   \bidi@joinmpfootnotes\ompfootinsv@l\footstartv@l\mp@LTRfootgroupv@l
12419   \else
12420   \bidi@joinmpfootnotes\ompfootinsv@r\footstartv@r\mp@footgroupv@r
12421   \fi
12422   \global\setbox
12423   \if@RTL@footnote
12424   \ompfootinsv@r
12425   \else
12426   \ompfootinsv@l
12427   \fi
12428   \vbox{%
12429     \unvbox
12430     \if@RTL@footnote
12431     \ompfootinsv@r
12432   \else
12433     \ompfootinsv@l
12434   \fi

```



```

12435 \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
12436   \def\baselinestretch{\m@m@footnote@spacing}%
12437   \reset@font\foottextfont
12438   \hsize\columnwidth \parboxrestore
12439   \protected@edef\@currentlabel{%
12440     \csname p@mpfootnote\endcsname\@thefnmark}%
12441   \color@begingroup
12442     \two@footfmt{#1}%
12443   \color@endgroup}%
12444   \m@mmf@prepare}
12445 \bidi@ensure@newcommand{\@mp@two@collTRfootnotetext}[1]{%
12446   \global\setbox\@mpfootinsv@l\vbox{%
12447     \unvbox\@mpfootinsv@l
12448     \@RTLfalse
12449     \def\baselinestretch{\m@m@footnote@spacing}%
12450     \reset@font\LTRfoottextfont
12451     \hsize\columnwidth \parboxrestore
12452     \protected@edef\@currentlabel{%
12453       \csname p@mpfootnote\endcsname\@thefnmark}%
12454     \color@begingroup
12455       \two@collLTRfootfmt{#1}%
12456     \color@endgroup}%
12457     \m@mmf@prepare}
12458 \newcommand{\@mp@Two@CollTRfootnotetext}[1]{%
12459   \bidi@joinmpfootnotes\@mpfootinsv@r\footstartv@r\mp@footgroupv@r
12460   \global\setbox\@mpfootinsv@l\vbox{%
12461     \unvbox\@mpfootinsv@l
12462     \@RTLfalse
12463     \def\baselinestretch{\m@m@footnote@spacing}%
12464     \reset@font\LTRfoottextfont
12465     \hsize\columnwidth \parboxrestore
12466     \protected@edef\@currentlabel{%
12467       \csname p@mpfootnote\endcsname\@thefnmark}%
12468     \color@begingroup
12469       \two@collLTRfootfmt{#1}%
12470     \color@endgroup}%
12471     \m@mmf@prepare}
12472 \bidi@ensure@newcommand{\@mp@two@colRTLfootnotetext}[1]{%
12473   \global\setbox\@mpfootinsv@r\vbox{%
12474     \unvbox\@mpfootinsv@r
12475     \@RTLtrue
12476     \def\baselinestretch{\m@m@footnote@spacing}%
12477     \reset@font\RTLfoottextfont
12478     \hsize\columnwidth \parboxrestore
12479     \protected@edef\@currentlabel{%
12480       \csname p@mpfootnote\endcsname\@thefnmark}%
12481     \color@begingroup
12482       \two@colRTLfootfmt{#1}%
12483     \color@endgroup}%
12484     \m@mmf@prepare}
12485 \newcommand{\@mp@Two@ColRTLfootnotetext}[1]{%
12486   \bidi@joinmpfootnotes\@mpfootinsv@l\footstartv@l\mp@LTRfootgroupv@l
12487   \global\setbox\@mpfootinsv@r\vbox{%
12488     \unvbox\@mpfootinsv@r

```



```

12489   \oRTLtrue
12490   \def\baselinestretch{\m@m@footnote@spacing}%
12491   \reset@font\RTLfoottextfont
12492   \hsize\columnwidth \parboxrestore
12493   \protected@edef@\currentlabel{%
12494     \csname p@mpfootnote\endcsname\@thefnmark}%
12495   \color@begingroup
12496     \two@RTLfootfmt{#1}%
12497   \color@endgroup}%
12498   \m@mmf@prepare}
12499 \bidi@ensure@newcommand{\m@make@twocol@footgroup}[1]{%
12500   \namedef{@twocol@footgroup#1}{%
12501     \def\baselinestretch{\m@m@footnote@spacing}%
12502     \hsize\bidi@columnwidth
12503     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12504     \m@mrigidbalance{\nameuse{footins#1}}{\tw@}{\splittopskip}}}%
12505 \newcommand{\bidi@make@twocol@LTRfootgroup}[1]{%
12506   \namedef{@twocol@LTRfootgroup#1}{%
12507     \def\baselinestretch{\m@m@footnote@spacing}%
12508     \hsize\bidi@columnwidth
12509     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12510     \bidi@LTrrigidbalance{\nameuse{footins#1}}{\tw@}{\splittopskip}}}%
12511 \bidi@ensure@newcommand{\m@make@mptwocol@footgroup}[1]{%
12512   \namedef{@mptwocol@footgroup#1}{%
12513     \def\baselinestretch{\m@m@footnote@spacing}%
12514     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12515     \m@mrigidbalance{\nameuse{@mpfootins#1}}{\tw@}{\splittopskip}}}%
12516 \newcommand{\bidi@make@mptwocol@LTRfootgroup}[1]{%
12517   \namedef{@mptwocol@LTRfootgroup#1}{%
12518     \def\baselinestretch{\m@m@footnote@spacing}%
12519     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12520     \bidi@LTrrigidbalance{\nameuse{@mpfootins#1}}{\tw@}{\splittopskip}}}%
12521 \bidi@ensure@newcommand{\threecolumnfootnotes}{%
12522   \namedef{foottextfontv@r}{\foottextfont} \% [RS]
12523   \namedef{foottextfontv@l}{\LTRfoottextfont}%
12524   \bidi@before@Hy@hyperfootnotes
12525   \let\@footnotetext\threecolfootnotetext
12526   \let\@LTrfootnotetext\threecolLTRfootnotetext
12527   \let\@RTLfootnotetext\threecolRTLfootnotetext
12528   \dimen\footinsv@r=3\footinsdim
12529   \count\footinsv@r=333\relax
12530   \m@make@threecol@footgroup{v@r}%
12531   \let\@footgroupv@r\threecol@footgroupv@r
12532   \dimen\footinsv@l=3\footinsdim
12533   \count\footinsv@l=333\relax
12534   \bidi@make@threecol@LTRfootgroup{v@l}%
12535   \let\@LTrfootgroupv@l\threecol@LTRfootgroupv@l
12536   \let\@mpfootnotetext\mpthreecolfootnotetext
12537   \let\@mpLTRfootnotetext\mpthreecolLTRfootnotetext
12538   \let\@mpRTLfootnotetext\mpthreecolRTLfootnotetext
12539   \bidi@after@Hy@hyperfootnotes
12540   \m@make@mpthreecol@footgroup{v@r}%
12541   \let\mp@footgroupv@r\mpthreecol@footgroupv@r
12542   \bidi@make@mpthreecol@LTRfootgroup{v@l}%

```



```

12543   \let\mp@LTRfootgroupv@l\@mpthreeecol@LTRfootgroupv@l
12544   \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
12545 }
12546 \newcommand{\ThreeColumnFootnotes}{%
12547   \@namedef{foottextfontv@r}{\foottextfont}%
12548   \@namedef{foottextfontv@l}{\LTRfoottextfont}%
12549   \bidi@before@Hy@hyperfootnotes
12550   \let\@footnotetext\@ThreeColfootnotetext
12551   \let\@LTRfootnotetext\@ThreeColLTRfootnotetext
12552   \let\@RTLfootnotetext\@ThreeColRTLfootnotetext
12553   \dimen\footinsv@r=3\footinsdim
12554   \count\footinsv@r=333\relax
12555   \m@make@threecol@footgroup{v@r}%
12556   \let\@footgroupv@r\@threecol@footgroupv@r
12557   \dimen\footinsv@l=3\footinsdim
12558   \count\footinsv@l=333\relax
12559   \bidi@make@threecol@LTRfootgroup{v@l}%
12560   \let\@LTRfootgroupv@l\@threecol@LTRfootgroupv@l
12561   \let\@mpfootnotetext\@mpThreeColfootnotetext
12562   \let\@mpLTRfootnotetext\@mpThreeColLTRfootnotetext
12563   \let\@mpRTLfootnotetext\@mpThreeColRTLfootnotetext
12564   \bidi@after@Hy@hyperfootnotes
12565   \m@make@mpthreeecol@footgroup{v@r}%
12566   \let\mp@footgroupv@r\@mpthreeecol@footgroupv@r
12567   \bidi@make@mpthreeecol@LTRfootgroup{v@l}%
12568   \let\mp@LTRfootgroupv@l\@mpthreeecol@LTRfootgroupv@l
12569   \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
12570 }
12571 \bidi@ensure@newcommand{\@threecolfootnotetext}[1]{\insert
12572   \if@RTL@footnote
12573     \footinsv@r
12574   \else
12575     \footinsv@l
12576   \fi
12577   {\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi}%
12578   \def\baselinestretch{\m@tfootnote@spacing}%
12579   \reset@font\foottextfont
12580   \preamfntext
12581   \protected@edef\currentlabel{%
12582     \csname p@footnote\endcsname\@thefnmark}%
12583   \color@begingroup
12584     \threecolfootfmt{#1}%
12585   \color@endgroup}\m@mmf@prepare}
12586 \newcommand{\@ThreeColfootnotetext}[1]{%
12587   \bidi@step@absolutefootnote@count
12588   \if@RTL@footnote
12589     \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
12590   \else
12591     \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
12592   \fi
12593   \global\setbox
12594   \if@RTL@footnote
12595     \footinsv@r
12596   \else

```



```

12597     \footinsv@l
12598   \fi
12599 \vbox{%
12600   \unvbox
12601   \if@RTL@footnote
12602     \footinsv@r
12603   \else
12604     \footinsv@l
12605   \fi
12606   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
12607   \def\baselinestretch{\m@m@footnote@spacing}%
12608   \reset@font\foottextfont
12609   \preamfntext
12610   \protected@edef\@currentlabel{%
12611     \csname p@footnote\endcsname\@thefnmark}%
12612   \color@begingroup
12613     \@threecolfootfmt{#1}%
12614   \color@endgroup\m@mmf@prepare
12615   \if@RTL@footnote
12616     \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
12617   \else
12618     \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
12619   \fi
12620 }
12621 \bidi@ensure@newcommand{\@threecollTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse}%
12622   \def\baselinestretch{\m@m@footnote@spacing}%
12623   \reset@font\LTRfoottextfont
12624   \preamfntext
12625   \protected@edef\@currentlabel{%
12626     \csname p@footnote\endcsname\@thefnmark}%
12627   \color@begingroup
12628     \@threecollTRfootfmt{#1}%
12629   \color@endgroup\m@mmf@prepare}
12630 \newcommand{\@ThreeColLTRfootnotetext}[1]{%
12631   \bidi@step@absolutefootnote@count
12632   \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
12633   \global\setbox\footinsv@l\vbox{%
12634     \unvbox\footinsv@l
12635     \@RTLfalse
12636     \def\baselinestretch{\m@m@footnote@spacing}%
12637     \reset@font\LTRfoottextfont
12638     \preamfntext
12639     \protected@edef\@currentlabel{%
12640       \csname p@footnote\endcsname\@thefnmark}%
12641     \color@begingroup
12642       \@threecollTRfootfmt{#1}%
12643     \color@endgroup\m@mmf@prepare
12644     \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
12645 }
12646 \bidi@ensure@newcommand{\@threecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue}%
12647   \def\baselinestretch{\m@m@footnote@spacing}%
12648   \reset@font\RTLfoottextfont
12649   \preamfntext
12650   \protected@edef\@currentlabel{%

```



```

12651      \csname p@footnote\endcsname\@thefnmark}%
12652      \color@begingroup
12653      \@threecolRTLfootfmt{#1}%
12654      \color@endgroup}\m@mmf@prepare}
12655 \newcommand{\@ThreeColRTLfootnotetext}[1]{%
12656   \bidi@step@absolutefootnote@count
12657   \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
12658   \global\setbox\footinsv@r\vbox{%
12659     \unvbox\footinsv@r
12660     \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
12661     \def\baselinestretch{\m@m@footnote@spacing}%
12662     \reset@font\RTLfoottextfont
12663     \preamfntext
12664     \protected@edef\@currentlabel{%
12665       \csname p@footnote\endcsname\@thefnmark}%
12666       \color@begingroup
12667       \@threecolRTLfootfmt{#1}%
12668       \color@endgroup}\m@mmf@prepare
12669       \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
12670   }
12671 \bidi@ensure@newcommand{\@preamthreefmt}{%
12672   \hsize .3\hsize
12673   \parindent=\z@
12674   \tolerance=5000\relax
12675   \leavevmode}
12676 \bidi@ensure@newcommand{\@threecolfootfmt}[1]{%
12677   \preamthreefmt
12678   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
12679 \bidi@ensure@newcommand{\@threecollTRfootfmt}[1]{%
12680   \preamthreefmt
12681   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
12682 \bidi@ensure@newcommand{\@threecolRTLfootfmt}[1]{%
12683   \preamthreefmt
12684   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
12685 \bidi@ensure@newcommand{\@mpthreecolfootnotetext}[1]{%
12686   \global\setbox
12687   \if@RTL@footnote
12688   \ompfootinsv@r
12689   \else
12690   \ompfootinsv@l
12691   \fi
12692   \vbox{%
12693     \unvbox
12694     \if@RTL@footnote
12695     \ompfootinsv@r
12696   \else
12697     \ompfootinsv@l
12698   \fi
12699   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
12700   \def\baselinestretch{\m@m@footnote@spacing}%
12701   \reset@font\foottextfont
12702   \hsize\columnwidth \parboxrestore
12703   \protected@edef\@currentlabel{%
12704     \csname p@mpfootnote\endcsname\@thefnmark}%

```



```

12705  \color@begingroup
12706    \@threecolfootfmt{#1}%
12707  \color@endgroup\m@mmf@prepare}
12708 \newcommand{\@mpThreeColfootnotetext}[1]{%
12709   \if@RTL@footnote
12710     \bidi@joinmpfootnotes\ompfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
12711   \else
12712     \bidi@joinmpfootnotes\ompfootinsv@r\@footstartv@r\mp@footgroupv@r
12713   \fi
12714   \global\setbox
12715     \if@RTL@footnote
12716       \ompfootinsv@r
12717     \else
12718       \ompfootinsv@l
12719     \fi
12720   \vbox{%
12721     \unvbox
12722     \if@RTL@footnote
12723       \ompfootinsv@r
12724     \else
12725       \ompfootinsv@l
12726     \fi
12727     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
12728     \def\baselinestretch{\m@m@footnote@spacing}%
12729     \reset@font\foottextfont
12730     \hsize\columnwidth \parboxrestore
12731     \protected@edef\@currentlabel{%
12732       \csname p@mpfootnote\endcsname\@thefnmark}%
12733   \color@begingroup
12734     \@threecolfootfmt{#1}%
12735   \color@endgroup\m@mmf@prepare}
12736 \bidi@ensure@newcommand{\@mpthreecolLTRfootnotetext}[1]{%
12737   \global\setbox\ompfootinsv@l\vbox{%
12738     \unvbox\ompfootinsv@l
12739     \if@RTLfalse
12740       \def\baselinestretch{\m@m@footnote@spacing}%
12741       \reset@font\LTRfoottextfont
12742       \hsize\columnwidth \parboxrestore
12743       \protected@edef\@currentlabel{%
12744         \csname p@mpfootnote\endcsname\@thefnmark}%
12745   \color@begingroup
12746     \@threecollTRfootfmt{#1}%
12747   \color@endgroup\m@mmf@prepare}
12748 \newcommand{\@mpThreeCollTRfootnotetext}[1]{%
12749   \bidi@joinmpfootnotes\ompfootinsv@r\@footstartv@r\mp@footgroupv@r
12750   \global\setbox\ompfootinsv@l\vbox{%
12751     \unvbox\ompfootinsv@l
12752     \if@RTLfalse
12753       \def\baselinestretch{\m@m@footnote@spacing}%
12754       \reset@font\LTRfoottextfont
12755       \hsize\columnwidth \parboxrestore
12756       \protected@edef\@currentlabel{%
12757         \csname p@mpfootnote\endcsname\@thefnmark}%
12758   \color@begingroup

```



```

12759      \@threecolLTRfootfmt{#1}%
12760  \color@endgroup\m@mmf@prepare}
12761 \bidi@ensure@newcommand{\@mpthreecolRTLfootnotetext}[1]{%
12762  \global\setbox\@mpfootinsv@r\vbox{%
12763      \unvbox\@mpfootinsv@r
12764      \RTLtrue
12765      \def\baselinestretch{\m@m@footnote@spacing}%
12766      \reset@font\RTLfoottextfont
12767      \hsize\columnwidth \parboxrestore
12768      \protected@edef\@currentlabel{%
12769          \csname p@mpfootnote\endcsname\@thefnmark}%
12770  \color@begingroup
12771      \@threecolRTLfootfmt{#1}%
12772  \color@endgroup\m@mmf@prepare}
12773 \newcommand{\@mpThreeColRTLfootnotetext}[1]{%
12774  \bidi@joinmpfootnotes\@mpfootinsv@l\footstartv@l\mp@LTRfootgroupv@l
12775  \global\setbox\@mpfootinsv@r\vbox{%
12776      \unvbox\@mpfootinsv@r
12777      \RTLtrue
12778      \def\baselinestretch{\m@m@footnote@spacing}%
12779      \reset@font\RTLfoottextfont
12780      \hsize\columnwidth \parboxrestore
12781      \protected@edef\@currentlabel{%
12782          \csname p@mpfootnote\endcsname\@thefnmark}%
12783  \color@begingroup
12784      \@threecolRTLfootfmt{#1}%
12785  \color@endgroup\m@mmf@prepare}
12786 \bidi@ensure@newcommand{\m@make@threecol@footgroup}[1]{%
12787 \namedef{@threecol@footgroup#1}{%
12788  \def\baselinestretch{\m@m@footnote@spacing}%
12789  \hsize\bidi@columnwidth
12790  \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12791  \m@mrigidbalance{\nameuse{footins#1}\thr@@{\splittopskip}}}}
12792 \newcommand{\bidi@make@threecol@LTRfootgroup}[1]{%
12793 \namedef{@threecol@LTRfootgroup#1}{%
12794  \def\baselinestretch{\m@m@footnote@spacing}%
12795  \hsize\bidi@columnwidth
12796  \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12797  \bidi@LT Rigidbalance{\nameuse{footins#1}\thr@@{\splittopskip}}}
12798 \bidi@ensure@newcommand{\m@make@mpthreecol@footgroup}[1]{%
12799 \namedef{@mpthreecol@footgroup#1}{%
12800  \def\baselinestretch{\m@m@footnote@spacing}%
12801  \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12802  \m@mrigidbalance{\nameuse{@mpfootins#1}\thr@@{\splittopskip}}}
12803 \newcommand{\bidi@make@mpthreecol@LTRfootgroup}[1]{%
12804 \namedef{@mpthreecol@LTRfootgroup#1}{%
12805  \def\baselinestretch{\m@m@footnote@spacing}%
12806  \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12807  \bidi@LT Rigidbalance{\nameuse{@mpfootins#1}\thr@@{\splittopskip}}}
12808 \bidi@ensure@newcommand{\fourcolumnfootnotes}{%
12809  \namedef{foottextfontv@r}{\foottextfont}%
12810  \namedef{foottextfontv@l}{\LTRfoottextfont}%
12811  \bidi@before@Hy@hyperfootnotes
12812  \let\footnotetext\fourcolfootnotetext

```



```

12813 \let\@LTRfootnotetext\@fourcolLTRfootnotetext
12814 \let\@RTLfootnotetext\@fourcolRTLfootnotetext
12815 \dimen\footinsv@r=4\footinsdim
12816 \count\footinsv@r=250\relax
12817 \m@make@fourcol@footgroup{v@r}%
12818 \let\@footgroupv@r\@fourcol@footgroupv@r
12819 \dimen\footinsv@l=4\footinsdim
12820 \count\footinsv@l=250\relax
12821 \bidi@m@make@fourcol@LTRfootgroup{v@l}%
12822 \let\@LTRfootgroupv@l\@fourcol@LTRfootgroupv@l
12823 \let\@mpfootnotetext\@mpfourcolfootnotetext
12824 \let\@mpLTRfootnotetext\@mpfourcollTRfootnotetext
12825 \let\@mpRTLfootnotetext\@mpfourcolRTLfootnotetext
12826 \bidi@after@Hy@hyperfootnotes
12827 \m@make@mpfourcol@footgroup{v@r}%
12828 \let\mp@footgroupv@r\@mpfourcol@footgroupv@r
12829 \bidi@m@make@mpfourcol@LTRfootgroup{v@l}%
12830 \let\mp@LTRfootgroupv@l\@mpfourcol@LTRfootgroupv@l
12831 \c@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
12832 }
12833 \newcommand{\FourColumnFootnotes}{%
12834 \c@namedef{foottextfontv@r}{\foottextfont}%
12835 \c@namedef{foottextfontv@l}{\LTrfoottextfont}%
12836 \bidi@before@Hy@hyperfootnotes
12837 \let\@footnotetext\@FourColfootnotetext
12838 \let\@LTRfootnotetext\@FourCollTRfootnotetext
12839 \let\@RTLfootnotetext\@FourColRTLfootnotetext
12840 \dimen\footinsv@r=4\footinsdim
12841 \count\footinsv@r=250\relax
12842 \m@make@fourcol@footgroup{v@r}%
12843 \let\@footgroupv@r\@fourcol@footgroupv@r
12844 \dimen\footinsv@l=4\footinsdim
12845 \count\footinsv@l=250\relax
12846 \bidi@m@make@fourcol@LTRfootgroup{v@l}%
12847 \let\@LTRfootgroupv@l\@fourcol@LTRfootgroupv@l
12848 \let\@mpfootnotetext\@mpFourColfootnotetext
12849 \let\@mpLTRfootnotetext\@mpFourCollTRfootnotetext
12850 \let\@mpRTLfootnotetext\@mpFourColRTLfootnotetext
12851 \bidi@after@Hy@hyperfootnotes
12852 \m@make@mpfourcol@footgroup{v@r}%
12853 \let\mp@footgroupv@r\@mpfourcol@footgroupv@r
12854 \bidi@m@make@mpfourcol@LTRfootgroup{v@l}%
12855 \let\mp@LTRfootgroupv@l\@mpfourcol@LTRfootgroupv@l
12856 \c@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
12857 }
12858 \bidi@ensure@newcommand{\@fourcolfootnotetext}[1]{\insert
12859 \if@RTL@footnote
12860   \footinsv@r
12861 \else
12862   \footinsv@l
12863 \fi
12864 {\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi}%
12865 \def\baselinestretch{\m@m@footnote@spacing}%
12866 \reset@font\foottextfont

```



```

12867  \@preamfntext
12868  \protected@edef{\currentlabel}{%
12869    \csname p@footnote\endcsname\thefnmark}%
12870  \color@begingroup
12871    \fourcolfootfmt{#1}%
12872  \color@endgroup}%
12873  \m@mmf@prepare}
12874 \newcommand{\@FourColfootnotetext}[1]{%
12875   \bidi@step@absolutefootnote@count
12876   \if@RTL@footnote
12877     \bidi@reinsertfootnote\footinsv@l\footstartv@l\footgroupv@l
12878   \else
12879     \bidi@reinsertfootnote\footinsv@r\footstartv@r\footgroupv@r
12880   \fi
12881   \global\setbox
12882   \if@RTL@footnote
12883     \footinsv@r
12884   \else
12885     \footinsv@l
12886   \fi
12887 \vbox{%
12888   \unvbox
12889   \if@RTL@footnote
12890     \footinsv@r
12891   \else
12892     \footinsv@l
12893   \fi
12894   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
12895   \def\baselinestretch{\m@mmf@footnote@spacing}%
12896   \reset@font\foottextfont
12897   \@preamfntext
12898   \protected@edef{\currentlabel}{%
12899     \csname p@footnote\endcsname\thefnmark}%
12900   \color@begingroup
12901     \fourcolfootfmt{#1}%
12902   \color@endgroup}%
12903   \m@mmf@prepare
12904   \if@RTL@footnote
12905     \bidi@reinsertfinalfootnoteperpage\footinsv@r\footstartv@r\footgroupv@r
12906   \else
12907     \bidi@reinsertfinalfootnoteperpage\footinsv@l\footstartv@l\footgroupv@l
12908   \fi
12909 }
12910 \bidi@ensure@newcommand{\@fourcolLTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse{%
12911   \def\baselinestretch{\m@mmf@footnote@spacing}%
12912   \reset@font\LTRfoottextfont
12913   \@preamfntext
12914   \protected@edef{\currentlabel}{%
12915     \csname p@footnote\endcsname\thefnmark}%
12916   \color@begingroup
12917     \fourcolLTRfootfmt{#1}%
12918   \color@endgroup}%
12919   \m@mmf@prepare}}
12920 \newcommand{\@FourColLTRfootnotetext}[1]{%

```



```

12921 \bidi@step@absolutefootnote@count
12922 \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
12923 \global\setbox\footinsv@l\vbox{%
12924 \unvbox\footinsv@l
12925 \@RTLfalse%
12926 \def\baselinestretch{\m@m@footnote@spacing}%
12927 \reset@font\LTRfoottextfont
12928 \preamfntext
12929 \protected@edef\@currentlabel{%
12930   \csname p@footnote\endcsname\@thefnmark}%
12931 \color@begingroup
12932   \fourcollTRfootfmt{#1}%
12933 \color@endgroup}%
12934 \m@mmf@prepare
12935 \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
12936 }
12937 \bidi@ensure@newcommand{\fourcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
12938 \def\baselinestretch{\m@m@footnote@spacing}%
12939 \reset@font\RTLfoottextfont
12940 \preamfntext
12941 \protected@edef\@currentlabel{%
12942   \csname p@footnote\endcsname\@thefnmark}%
12943 \color@begingroup
12944   \fourcolRTLfootfmt{#1}%
12945 \color@endgroup}%
12946 \m@mmf@prepare}
12947 \newcommand{\FourColRTLfootnotetext}[1]{%
12948 \bidi@step@absolutefootnote@count
12949 \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
12950 \global\setbox\footinsv@r\vbox{%
12951 \unvbox\footinsv@r
12952 \@RTLtrue
12953 \def\baselinestretch{\m@m@footnote@spacing}%
12954 \reset@font\RTLfoottextfont
12955 \preamfntext
12956 \protected@edef\@currentlabel{%
12957   \csname p@footnote\endcsname\@thefnmark}%
12958 \color@begingroup
12959   \fourcolRTLfootfmt{#1}%
12960 \color@endgroup}%
12961 \m@mmf@prepare
12962 \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
12963 }
12964 \bidi@ensure@newcommand{\preamfourfmt}{%
12965 \hsize .25\hsize
12966 \parindent=\z@
12967 \tolerance=5000\relax
12968 \leavevmode}
12969 \bidi@ensure@newcommand{\fourcolfootfmt}[1]{%
12970 \preamfourfmt
12971 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
12972 \bidi@ensure@newcommand{\fourcollTRfootfmt}[1]{%
12973 \preamfourfmt
12974 {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}

```



```

12975 \bidi@ensure@newcommand{\fourcolRTLfootfmt}[1]{%
12976   \preamble
12977   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
12978 \bidi@ensure@newcommand{\mpfourcolfootnotetext}[1]{%
12979   \global\setbox
12980     \if@RTL@footnote
12981       \mpfootinsv@r
12982     \else
12983       \mpfootinsv@l
12984     \fi
12985   \vbox{%
12986     \unvbox
12987     \if@RTL@footnote
12988       \mpfootinsv@r
12989     \else
12990       \mpfootinsv@l
12991     \fi
12992     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
12993     \def\baselinestretch{\m@m@footnote@spacing}%
12994     \reset@font\foottextfont
12995     \hsize\columnwidth \parboxrestore
12996     \protected@edef\@currentlabel{%
12997       \csname p@mpfootnote\endcsname\@thefnmark}%
12998   \color@begingroup
12999     \fourcolfootfmt{#1}%
13000   \color@endgroup}%
13001   \m@mmf@prepare}
13002 \newcommand{\mpFourColfootnotetext}[1]{%
13003   \if@RTL@footnote
13004     \bidi@joinmpfootnotes\mpfootinsv@l\footstartv@l\mp@LTRfootgroupv@l
13005   \else
13006     \bidi@joinmpfootnotes\mpfootinsv@r\footstartv@r\mp@footgroupv@r
13007   \fi
13008   \global\setbox
13009     \if@RTL@footnote
13010       \mpfootinsv@r
13011     \else
13012       \mpfootinsv@l
13013     \fi
13014   \vbox{%
13015     \unvbox
13016     \if@RTL@footnote
13017       \mpfootinsv@r
13018     \else
13019       \mpfootinsv@l
13020     \fi
13021     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
13022     \def\baselinestretch{\m@m@footnote@spacing}%
13023     \reset@font\foottextfont
13024     \hsize\columnwidth \parboxrestore
13025     \protected@edef\@currentlabel{%
13026       \csname p@mpfootnote\endcsname\@thefnmark}%
13027   \color@begingroup
13028     \fourcolfootfmt{#1}%

```



```

13029   \color@endgroup}%
13030   \m@mmf@prepare}
13031 \bidi@ensure@newcommand{\@mpfourcollTRfootnotetext}[1]{%
13032   \global\setbox\@mpfootinsv@l\vbox{%
13033     \unvbox\@mpfootinsv@l
13034     \RTLfalse
13035     \def\baselinestretch{\m@m@footnote@spacing}%
13036     \reset@font\LTRfoottextfont
13037     \hsize\columnwidth \parboxrestore
13038     \protected@edef\@currentlabel{%
13039       \csname p@mpfootnote\endcsname\@thefnmark}%
13040   \color@begingroup
13041     \@fourcollTRfootfmt{#1}%
13042   \color@endgroup}%
13043   \m@mmf@prepare}
13044 \newcommand{\@mpFourCollTRfootnotetext}[1]{%
13045   \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r
13046   \global\setbox\@mpfootinsv@l\vbox{%
13047     \unvbox\@mpfootinsv@l
13048     \RTLfalse
13049     \def\baselinestretch{\m@m@footnote@spacing}%
13050     \reset@font\LTRfoottextfont
13051     \hsize\columnwidth \parboxrestore
13052     \protected@edef\@currentlabel{%
13053       \csname p@mpfootnote\endcsname\@thefnmark}%
13054   \color@begingroup
13055     \@fourcollTRfootfmt{#1}%
13056   \color@endgroup}%
13057   \m@mmf@prepare}
13058 \bidi@ensure@newcommand{\@mpfourcolRTLfootnotetext}[1]{%
13059   \global\setbox\@mpfootinsv@r\vbox{%
13060     \unvbox\@mpfootinsv@r
13061     \RTLtrue
13062     \def\baselinestretch{\m@m@footnote@spacing}%
13063     \reset@font\RTLfoottextfont
13064     \hsize\columnwidth \parboxrestore
13065     \protected@edef\@currentlabel{%
13066       \csname p@mpfootnote\endcsname\@thefnmark}%
13067   \color@begingroup
13068     \@fourcolRTLfootfmt{#1}%
13069   \color@endgroup}%
13070   \m@mmf@prepare}
13071 \newcommand{\@mpFourColRTLfootnotetext}[1]{%
13072   \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
13073   \global\setbox\@mpfootinsv@r\vbox{%
13074     \unvbox\@mpfootinsv@r
13075     \RTLtrue
13076     \def\baselinestretch{\m@m@footnote@spacing}%
13077     \reset@font\RTLfoottextfont
13078     \hsize\columnwidth \parboxrestore
13079     \protected@edef\@currentlabel{%
13080       \csname p@mpfootnote\endcsname\@thefnmark}%
13081   \color@begingroup
13082     \@fourcolRTLfootfmt{#1}%

```



```

13083   \color@endgroup}%
13084   \m@mmf@prepare}
13085 \bidi@ensure@newcommand{\m@make@fourcol@footgroup}[1]{%
13086   \namedef{@fourcol@footgroup#1}{{}}
13087   \def\baselinestretch{\m@m@footnote@spacing}%
13088   \hsize\bidi@columnwidth
13089   \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13090   \m@mrigidbalance{\nameuse{footins#1}{4}{\splittopskip}}}%
13091 \newcommand{\bidi@make@fourcol@LTRfootgroup}[1]{%
13092   \namedef{@fourcol@LTRfootgroup#1}{{}}
13093   \def\baselinestretch{\m@m@footnote@spacing}%
13094   \hsize\bidi@columnwidth
13095   \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13096   \bidi@LTTrigidbalance{\nameuse{footins#1}{4}{\splittopskip}}}%
13097 \bidi@ensure@newcommand{\m@make@mpfourcol@footgroup}[1]{%
13098   \namedef{@mpfourcol@footgroup#1}{{}}
13099   \def\baselinestretch{\m@m@footnote@spacing}%
13100   \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13101   \m@mrigidbalance{\nameuse{@mpfootins#1}{4}{\splittopskip}}}%
13102 \newcommand{\bidi@make@mpfourcol@LTRfootgroup}[1]{%
13103   \namedef{@mpfourcol@LTRfootgroup#1}{{}}
13104   \def\baselinestretch{\m@m@footnote@spacing}%
13105   \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13106   \bidi@LTTrigidbalance{\nameuse{@mpfootins#1}{4}{\splittopskip}}}%
13107 \bidi@ensure@newcommand{\fivecolumnfootnotes}{%
13108   \namedef{foottextfont@r}{\foottextfont}%
13109   \namedef{foottextfont@l}{\LTrfoottextfont}%
13110   \bidi@before@Hy@hyperfootnotes
13111   \let\footnotetext\fivecolfootnotetext
13112   \let\LTfootnotetext\fivecolLTRfootnotetext
13113   \let\RTLfootnotetext\fivecolRTLfootnotetext
13114   \dimen\footinsv@r=5\footinsdim
13115   \count\footinsv@r=200\relax
13116   \m@make@fivecol@footgroup{v@r}%
13117   \let\footgroupv@r\fivecol@footgroupv@r
13118   \dimen\footinsv@l=5\footinsdim
13119   \count\footinsv@l=200\relax
13120   \bidi@make@fivecol@LTRfootgroup{v@l}%
13121   \let\LTfootgroupv@l\fivecol@LTRfootgroupv@l
13122   \let\mpfootnotetext\mpfivecolfootnotetext
13123   \let\mpLTRfootnotetext\mpfivecolLTRfootnotetext
13124   \let\mpRTLfootnotetext\mpfivecolRTLfootnotetext
13125   \bidi@after@Hy@hyperfootnotes
13126   \m@make@mpfivecol@footgroup{v@r}%
13127   \let\mp@footgroupv@r\mpfivecol@footgroupv@r
13128   \bidi@make@mpfivecol@LTRfootgroup{v@l}%
13129   \let\mp@LTRfootgroupv@l\mpfivecol@LTRfootgroupv@l
13130   \ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
13131 }
13132 \newcommand{\FiveColumnFootnotes}{%
13133   \namedef{foottextfont@r}{\foottextfont}%
13134   \namedef{foottextfont@l}{\LTrfoottextfont}%
13135   \bidi@before@Hy@hyperfootnotes
13136   \let\footnotetext\FiveColfootnotetext

```



```

13137 \let\@LTRfootnotetext\@FiveColLTRfootnotetext
13138 \let\@RTLfootnotetext\@FiveColRTLfootnotetext
13139 \dimen\footinsv@r=5\footinsdim
13140 \count\footinsv@r=200\relax
13141 \m@make@fivecol@footgroup{v@r}%
13142 \let\@footgroupv@r\@fivecol@footgroupv@r
13143 \dimen\footinsv@l=5\footinsdim
13144 \count\footinsv@l=200\relax
13145 \bidi@m@make@fivecol@LTRfootgroup{v@l}%
13146 \let\@LTRfootgroupv@l\@fivecol@LTRfootgroupv@l
13147 \let\@mpfootnotetext\@mpFiveColfootnotetext
13148 \let\@mpLTRfootnotetext\@mpFiveColLTRfootnotetext
13149 \let\@mpRTLfootnotetext\@mpFiveColRTLfootnotetext
13150 \bidi@after@Hy@hyperfootnotes
13151 \m@make@mpfivecol@footgroup{v@r}%
13152 \let\mp@footgroupv@r\@mpfivecol@footgroupv@r
13153 \bidi@m@make@mpfivecol@LTRfootgroup{v@l}%
13154 \let\mp@LTRfootgroupv@l\@mpfivecol@LTRfootgroupv@l
13155 \c@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
13156 }
13157 \bidi@ensure@newcommand{\@fivecolfootnotetext}[1]{\insert
13158   \if@RTL@footnote
13159     \footinsv@r
13160   \else
13161     \footinsv@l
13162   \fi
13163 {\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi}%
13164 \def\baselinestretch{\m@m@footnote@spacing}%
13165 \reset@font\foottextfont
13166 \preamfntext
13167 \protected@edef\@currentlabel{%
13168   \csname p@footnote\endcsname\@thefnmark}%
13169 \color@begingroup
13170   \@fivecolfootfmt{\#1}%
13171 \color@endgroup%
13172 \m@mmf@prepare}
13173 \newcommand{\@FiveColfootnotetext}[1]{%
13174   \bidi@step@absolutefootnote@count
13175   \if@RTL@footnote
13176     \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
13177   \else
13178     \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
13179   \fi
13180   \global\setbox
13181   \if@RTL@footnote
13182     \footinsv@r
13183   \else
13184     \footinsv@l
13185   \fi
13186 \vbox{%
13187   \unvbox
13188   \if@RTL@footnote
13189     \footinsv@r
13190   \else

```



```

13191     \footinsv@l
13192     \fi
13193     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
13194     \def\baselinestretch{\m@m@footnote@spacing}%
13195     \reset@font\foottextfont
13196     \preamfntext
13197     \protected@edef\@currentlabel{%
13198         \csname p@footnote\endcsname\@thefnmark}%
13199     \color@begingroup
13200         \fivocolfootfmt{#1}%
13201     \color@endgroup}%
13202     \m@mmf@prepare
13203     \if@RTL@footnote
13204         \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
13205     \else
13206         \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
13207     \fi
13208 }
13209 \bidi@ensure@newcommand{\fivecollTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse%
13210     \def\baselinestretch{\m@m@footnote@spacing}%
13211     \reset@font\LTRfoottextfont
13212     \preamfntext
13213     \protected@edef\@currentlabel{%
13214         \csname p@footnote\endcsname\@thefnmark}%
13215     \color@begingroup
13216         \fivecollTRfootfmt{#1}%
13217     \color@endgroup}%
13218     \m@mmf@prepare}
13219 \newcommand{\@FiveCollTRfootnotetext}[1]{%
13220     \bidi@step@absolutefootnote@count
13221     \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
13222     \global\setbox\footinsv@l\vbox{%
13223         \unvbox\footinsv@l
13224     \RTLfalse
13225     \def\baselinestretch{\m@m@footnote@spacing}%
13226     \reset@font\LTRfoottextfont
13227     \preamfntext
13228     \protected@edef\@currentlabel{%
13229         \csname p@footnote\endcsname\@thefnmark}%
13230     \color@begingroup
13231         \fivecollTRfootfmt{#1}%
13232     \color@endgroup}%
13233     \m@mmf@prepare
13234     \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
13235 }
13236 \bidi@ensure@newcommand{\fivecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
13237     \def\baselinestretch{\m@m@footnote@spacing}%
13238     \reset@font\RTLfoottextfont
13239     \preamfntext
13240     \protected@edef\@currentlabel{%
13241         \csname p@footnote\endcsname\@thefnmark}%
13242     \color@begingroup
13243         \fivecolRTLfootfmt{#1}%
13244     \color@endgroup}%

```



```

13245   \m@mmf@prepare}
13246 \newcommand{\@FiveColRTLfootnotetext}[1]{%
13247   \bidi@step@absolutefootnote@count
13248   \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
13249   \global\setbox\footinsv@r\vbox{%
13250   \unvbox\footinsv@r
13251   \bidi@true
13252   \def\baselinestretch{\m@m@footnote@spacing}%
13253   \reset@font\RTLfoottextfont
13254   \bidi@preamfntext
13255   \protected@edef\@currentlabel{%
13256     \csname p@footnote\endcsname\@thefnmark}%
13257   \color@begingroup
13258     \bidi@fivecolRTLfootfmt{#1}%
13259   \color@endgroup}%
13260   \m@mmf@prepare
13261   \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
13262 }
13263 \bidi@ensure@newcommand{\@preamfivefmt}{%
13264   \hsize .2\hsize
13265   \parindent=\z@
13266   \tolerance=5000\relax
13267   \leavevmode}
13268 \bidi@ensure@newcommand{\@fivecolfootfmt}[1]{%
13269   \bidi@preamfivefmt
13270   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
13271 \bidi@ensure@newcommand{\@fivecolLTRfootfmt}[1]{%
13272   \bidi@preamfivefmt
13273   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
13274 \bidi@ensure@newcommand{\@fivecolRTLfootfmt}[1]{%
13275   \bidi@preamfivefmt
13276   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
13277 \bidi@ensure@newcommand{\@mpfivecolfootnotetext}[1]{%
13278   \global\setbox
13279   \if@RTL@footnote
13280     \mpfootinsv@r
13281   \else
13282     \mpfootinsv@l
13283   \fi
13284   \vbox{%
13285     \unvbox
13286     \if@RTL@footnote
13287       \mpfootinsv@r
13288     \else
13289       \mpfootinsv@l
13290     \fi
13291     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
13292     \def\baselinestretch{\m@m@footnote@spacing}%
13293     \reset@font\foottextfont
13294     \hsize\columnwidth \parboxrestore
13295     \protected@edef\@currentlabel{%
13296       \csname p@mpfootnote\endcsname\@thefnmark}%
13297     \color@begingroup
13298     \bidi@fivecolfootfmt{#1}%

```



```

13299  \color@endgroup}%
13300  \m@mmf@prepare}
13301 \newcommand{\@mpFiveColfootnotetext}[1]{%
13302   \if@RTL@footnote
13303     \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
13304   \else
13305     \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r
13306   \fi
13307   \global\setbox
13308     \if@RTL@footnote
13309       \@mpfootinsv@r
13310     \else
13311       \@mpfootinsv@l
13312     \fi
13313   \vbox{%
13314     \unvbox
13315     \if@RTL@footnote
13316       \@mpfootinsv@r
13317     \else
13318       \@mpfootinsv@l
13319     \fi
13320     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
13321     \def\baselinestretch{\m@m@footnote@spacing}%
13322     \reset@font\foottextfont
13323     \hsize\columnwidth \parboxrestore
13324     \protected@edef\@currentlabel{%
13325       \csname p@mpfootnote\endcsname\@thefnmark}%
13326     \color@begingroup
13327       \@fivecolfootfmt{#1}%
13328     \color@endgroup}%
13329   \m@mmf@prepare}
13330 \bidi@ensure@newcommand{\@mpfivecolLTRfootnotetext}[1]{%
13331   \global\setbox\@mpfootinsv@l\vbox{%
13332     \unvbox\@mpfootinsv@l
13333     \if@RTLfalse
13334       \def\baselinestretch{\m@m@footnote@spacing}%
13335       \reset@font\LTRfoottextfont
13336       \hsize\columnwidth \parboxrestore
13337       \protected@edef\@currentlabel{%
13338         \csname p@mpfootnote\endcsname\@thefnmark}%
13339     \color@begingroup
13340       \@fivecolLTRfootfmt{#1}%
13341     \color@endgroup}%
13342   \m@mmf@prepare}
13343 \newcommand{\@mpFiveColLTRfootnotetext}[1]{%
13344   \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r
13345   \global\setbox\@mpfootinsv@l\vbox{%
13346     \unvbox\@mpfootinsv@l
13347     \if@RTLfalse
13348       \def\baselinestretch{\m@m@footnote@spacing}%
13349       \reset@font\LTRfoottextfont
13350       \hsize\columnwidth \parboxrestore
13351       \protected@edef\@currentlabel{%
13352         \csname p@mpfootnote\endcsname\@thefnmark}%

```



```

13353 \color@begingroup
13354   \@fivecollTRfootfmt{#1}%
13355 \color@endgroup}%
13356 \m@mmf@prepare}
13357 \bidi@ensure@newcommand{\@mpfivecolRTLfootnotetext}[1]{%
13358   \global\setbox\@mpfootinsv@r\vbox{%
13359     \unvbox\@mpfootinsv@r
13360     \@RTLtrue
13361     \def\baselinestretch{\m@m@footnote@spacing}%
13362     \reset@font\RTLfoottextfont
13363     \hsize\columnwidth \parboxrestore
13364     \protected@edef\@currentlabel{%
13365       \csname p@mpfootnote\endcsname\@thefnmark}%
13366 \color@begingroup
13367   \@fivecolRTLfootfmt{#1}%
13368 \color@endgroup}%
13369 \m@mmf@prepare}
13370 \newcommand{\@mpFiveColRTLfootnotetext}[1]{%
13371   \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
13372   \global\setbox\@mpfootinsv@r\vbox{%
13373     \unvbox\@mpfootinsv@r
13374     \@RTLtrue
13375     \def\baselinestretch{\m@m@footnote@spacing}%
13376     \reset@font\RTLfoottextfont
13377     \hsize\columnwidth \parboxrestore
13378     \protected@edef\@currentlabel{%
13379       \csname p@mpfootnote\endcsname\@thefnmark}%
13380 \color@begingroup
13381   \@fivecolRTLfootfmt{#1}%
13382 \color@endgroup}%
13383 \m@mmf@prepare}
13384 \bidi@ensure@newcommand{\m@make@fivecol@footgroup}[1]{%
13385   \namedef{@fivecol@footgroup#1}{%
13386     \def\baselinestretch{\m@m@footnote@spacing}%
13387     \hsize\bidi@columnwidth
13388     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13389     \m@mrigidbalance{\nameuse{footins#1}{5}{\splittopskip}}}%
13390 \newcommand{\bidi@make@fivecol@LTRfootgroup}[1]{%
13391   \namedef{@fivecol@LTRfootgroup#1}{%
13392     \def\baselinestretch{\m@m@footnote@spacing}%
13393     \hsize\bidi@columnwidth
13394     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13395     \bidi@LTTrigidbalance{\nameuse{footins#1}{5}{\splittopskip}}}%
13396 \bidi@ensure@newcommand{\m@make@mpfivecol@footgroup}[1]{%
13397   \namedef{@mpfivecol@footgroup#1}{%
13398     \def\baselinestretch{\m@m@footnote@spacing}%
13399     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13400     \m@mrigidbalance{\nameuse{@mpfootins#1}{5}{\splittopskip}}}%
13401 \newcommand{\bidi@make@mpfivecol@LTRfootgroup}[1]{%
13402   \namedef{@mpfivecol@LTRfootgroup#1}{%
13403     \def\baselinestretch{\m@m@footnote@spacing}%
13404     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13405     \bidi@LTTrigidbalance{\nameuse{@mpfootins#1}{5}{\splittopskip}}}%
13406 \bidi@ensure@newcommand{\sixcolumnfootnotes}{%

```



```

13407  \@namedef{foottextfontv@r}{\foottextfont}%
13408  \@namedef{foottextfontv@l}{\LTrfoottextfont}%
13409  \@bidi@before@Hy@hyperfootnotes
13410  \let\@footnotetext\@sixcolfootnotetext
13411  \let\@LTRfootnotetext\@sixcolLTRfootnotetext
13412  \let\@RTLfootnotetext\@sixcolRTLfootnotetext
13413  \dimen\footinsv@r=6\footinsdim
13414  \count\footinsv@r=166\relax
13415  \m@make@sixcol@footgroup{v@r}%
13416  \let\@footgroupv@r\@sixcol@footgroupv@r
13417  \dimen\footinsv@l=6\footinsdim
13418  \count\footinsv@l=166\relax
13419  \bidi@make@sixcol@LTRfootgroup{v@l}%
13420  \let\@LTRfootgroupv@l\@sixcol@LTRfootgroupv@l
13421  \let\@mpfootnotetext\@mpsixcolfootnotetext
13422  \let\@mpLTRfootnotetext\@mpsixcolLTRfootnotetext
13423  \let\@mpRTLfootnotetext\@mpsixcolRTLfootnotetext
13424  \@bidi@after@Hy@hyperfootnotes
13425  \m@make@mpsixcol@footgroup{v@r}%
13426  \let\mp@footgroupv@r\@mpsixcol@footgroupv@r
13427  \bidi@make@mpsixcol@LTRfootgroup{v@l}%
13428  \let\mp@LTRfootgroupv@l\@mpsixcol@LTRfootgroupv@l
13429  \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
13430 }
13431 \newcommand{\SixColumnFootnotes}{%
13432  \@namedef{foottextfontv@r}{\foottextfont}%
13433  \@namedef{foottextfontv@l}{\LTrfoottextfont}%
13434  \@bidi@before@Hy@hyperfootnotes
13435  \let\@footnotetext\@SixColfootnotetext
13436  \let\@LTRfootnotetext\@SixColLTRfootnotetext
13437  \let\@RTLfootnotetext\@SixColRTLfootnotetext
13438  \dimen\footinsv@r=6\footinsdim
13439  \count\footinsv@r=166\relax
13440  \m@make@sixcol@footgroup{v@r}%
13441  \let\@footgroupv@r\@sixcol@footgroupv@r
13442  \dimen\footinsv@l=6\footinsdim
13443  \count\footinsv@l=166\relax
13444  \bidi@make@sixcol@LTRfootgroup{v@l}%
13445  \let\@LTRfootgroupv@l\@sixcol@LTRfootgroupv@l
13446  \let\@mpfootnotetext\@mpSixColfootnotetext
13447  \let\@mpLTRfootnotetext\@mpSixColLTRfootnotetext
13448  \let\@mpRTLfootnotetext\@mpSixColRTLfootnotetext
13449  \@bidi@after@Hy@hyperfootnotes
13450  \m@make@mpsixcol@footgroup{v@r}%
13451  \let\mp@footgroupv@r\@mpsixcol@footgroupv@r
13452  \bidi@make@mpsixcol@LTRfootgroup{v@l}%
13453  \let\mp@LTRfootgroupv@l\@mpsixcol@LTRfootgroupv@l
13454  \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
13455 }
13456 \bidi@ensure@newcommand{\@sixcolfootnotetext}[1]{\insert
13457  \if@RTL@footnote
13458    \footinsv@r
13459  \else
13460    \footinsv@l

```



```

13461   \fi
13462 {\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
13463   \def\baselinestretch{\m@m@footnote@spacing}%
13464   \reset@font\foottextfont
13465   \@preamfntext
13466   \protected@edef\@currentlabel{%
13467     \csname p@footnote\endcsname\@thefnmark}%
13468   \color@begingroup
13469     \c@sixcolfootfmt{\#1}%
13470   \color@endgroup}%
13471   \m@mmf@prepare}
13472 \newcommand{\@SixColfootnotetext}[1]{%
13473   \bidi@step@absolutefootnote@count
13474   \if@RTL@footnote
13475     \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
13476   \else
13477     \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
13478   \fi
13479   \global\setbox
13480   \if@RTL@footnote
13481     \footinsv@r
13482   \else
13483     \footinsv@l
13484   \fi
13485 \vbox{%
13486   \unvbox
13487   \if@RTL@footnote
13488     \footinsv@r
13489   \else
13490     \footinsv@l
13491   \fi
13492   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
13493   \def\baselinestretch{\m@m@footnote@spacing}%
13494   \reset@font\foottextfont
13495   \@preamfntext
13496   \protected@edef\@currentlabel{%
13497     \csname p@footnote\endcsname\@thefnmark}%
13498   \color@begingroup
13499     \c@sixcolfootfmt{\#1}%
13500   \color@endgroup}%
13501   \m@mmf@prepare
13502   \if@RTL@footnote
13503     \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
13504   \else
13505     \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
13506   \fi
13507 }
13508 \bidi@ensure@newcommand{\@sixcolLTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse%
13509   \def\baselinestretch{\m@m@footnote@spacing}%
13510   \reset@font\LTRfoottextfont
13511   \@preamfntext
13512   \protected@edef\@currentlabel{%
13513     \csname p@footnote\endcsname\@thefnmark}%
13514   \color@begingroup

```



```

13515     \@sixcolLTRfootfmt{#1}%
13516     \color@endgroup}%
13517     \m@mmf@prepare}%
13518 \newcommand{\@SixCollTRfootnotetext}[1]{%
13519   \bidi@step@absolutefootnote@count
13520   \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
13521   \global\setbox\footinsv@l\vbox{%
13522     \unvbox\footinsv@l
13523     \RTLfalse
13524     \def\baselinestretch{\m@m@footnote@spacing}%
13525     \reset@font\LTRfoottextfont
13526     \preamfntext
13527     \protected@edef\@currentlabel{%
13528       \csname p@footnote\endcsname\@thefnmark}%
13529     \color@begingroup
13530       \@sixcolLTRfootfmt{#1}%
13531     \color@endgroup}%
13532     \m@mmf@prepare
13533     \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
13534   }%
13535 \bidi@ensure@newcommand{\@sixcolRTLfootnotetext}[1]{\insert\footinsv@r{\RTLtrue}%
13536   \def\baselinestretch{\m@m@footnote@spacing}%
13537   \reset@font\RTLfoottextfont
13538   \preamfntext
13539   \protected@edef\@currentlabel{%
13540     \csname p@footnote\endcsname\@thefnmark}%
13541   \color@begingroup
13542     \@sixcolRTLfootfmt{#1}%
13543   \color@endgroup}%
13544   \m@mmf@prepare}%
13545 \newcommand{\@SixColRTLfootnotetext}[1]{%
13546   \bidi@step@absolutefootnote@count
13547   \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
13548   \global\setbox\footinsv@r\vbox{%
13549     \unvbox\footinsv@r
13550     \RTLtrue
13551     \def\baselinestretch{\m@m@footnote@spacing}%
13552     \reset@font\RTLfoottextfont
13553     \preamfntext
13554     \protected@edef\@currentlabel{%
13555       \csname p@footnote\endcsname\@thefnmark}%
13556     \color@begingroup
13557       \@sixcolRTLfootfmt{#1}%
13558     \color@endgroup}%
13559     \m@mmf@prepare
13560     \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
13561   }%
13562 \bidi@ensure@newcommand{\@preamsixfmt}{%
13563   \hsize .16\hsize
13564   \parindent=\z@
13565   \tolerance=5000\relax
13566   \leavevmode}%
13567 \bidi@ensure@newcommand{\@sixcolfootfmt}[1]{%
13568   \preamsixfmt

```



```

13569   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
13570 \bidi@ensure@newcommand{\@sixcolLTRfootfmt}[1]{%
13571   \@preamsixfmt
13572   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
13573 \bidi@ensure@newcommand{\@sixcolRTLfootfmt}[1]{%
13574   \@preamsixfmt
13575   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
13576 \bidi@ensure@newcommand{\@mpsixcolfootnotetext}[1]{%
13577   \global\setbox
13578     \if@RTL@footnote
13579       \@mpfootinsv@r
13580     \else
13581       \@mpfootinsv@l
13582     \fi
13583   \vbox{%
13584     \unvbox
13585     \if@RTL@footnote
13586       \@mpfootinsv@r
13587     \else
13588       \@mpfootinsv@l
13589     \fi
13590     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
13591     \def\baselinestretch{\m@m@footnote@spacing}%
13592     \reset@font\foottextfont
13593     \hsize\columnwidth \parboxrestore
13594     \protected@edef\@currentlabel{%
13595       \csname p@mpfootnote\endcsname\@thefnmark}%
13596     \color@begingroup
13597       \@sixcolfootfmt{#1}%
13598     \color@endgroup}%
13599     \m@mmf@prepare}
13600 \newcommand{\@mpSixColfootnotetext}[1]{%
13601   \if@RTL@footnote
13602     \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
13603   \else
13604     \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r
13605   \fi
13606   \global\setbox
13607     \if@RTL@footnote
13608       \@mpfootinsv@r
13609     \else
13610       \@mpfootinsv@l
13611     \fi
13612   \vbox{%
13613     \unvbox
13614     \if@RTL@footnote
13615       \@mpfootinsv@r
13616     \else
13617       \@mpfootinsv@l
13618     \fi
13619     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
13620     \def\baselinestretch{\m@m@footnote@spacing}%
13621     \reset@font\foottextfont
13622     \hsize\columnwidth \parboxrestore

```



```

13623   \protected@edef{\currentlabel}{%
13624     \csname p@mpfootnote\endcsname\@thefnmark}%
13625   \color@begingroup
13626     \@sixcolfootfmt{#1}%
13627   \color@endgroup}%
13628   \m@mmf@prepare}
13629 \bidi@ensure@newcommand{\@mpsixcollTRfootnotetext}[1]{%
13630   \global\setbox\@mpfootinsv@l\vbox{%
13631     \unvbox\@mpfootinsv@l
13632     \RTLfalse
13633     \def\baselinestretch{\m@m@footnote@spacing}%
13634     \reset@font\LTRfoottextfont
13635     \hsize\columnwidth \parboxrestore
13636     \protected@edef{\currentlabel}{%
13637       \csname p@mpfootnote\endcsname\@thefnmark}%
13638     \color@begingroup
13639       \@sixcollTRfootfmt{#1}%
13640     \color@endgroup}%
13641     \m@mmf@prepare}
13642 \newcommand{\@mpSixCollTRfootnotetext}[1]{%
13643   \bidi@joinmpfootnotes\@mpfootinsv@r\footstartv@r\mp@footgroupv@r
13644   \global\setbox\@mpfootinsv@l\vbox{%
13645     \unvbox\@mpfootinsv@l
13646     \RTLfalse
13647     \def\baselinestretch{\m@m@footnote@spacing}%
13648     \reset@font\LTRfoottextfont
13649     \hsize\columnwidth \parboxrestore
13650     \protected@edef{\currentlabel}{%
13651       \csname p@mpfootnote\endcsname\@thefnmark}%
13652     \color@begingroup
13653       \@sixcollTRfootfmt{#1}%
13654     \color@endgroup}%
13655     \m@mmf@prepare}
13656 \bidi@ensure@newcommand{\@mpsixcolRTLfootnotetext}[1]{%
13657   \global\setbox\@mpfootinsv@r\vbox{%
13658     \unvbox\@mpfootinsv@r
13659     \RTLtrue
13660     \def\baselinestretch{\m@m@footnote@spacing}%
13661     \reset@font\RTLfoottextfont
13662     \hsize\columnwidth \parboxrestore
13663     \protected@edef{\currentlabel}{%
13664       \csname p@mpfootnote\endcsname\@thefnmark}%
13665     \color@begingroup
13666       \@sixcolRTLfootfmt{#1}%
13667     \color@endgroup}%
13668     \m@mmf@prepare}
13669 \newcommand{\@mpSixColRTLfootnotetext}[1]{%
13670   \bidi@joinmpfootnotes\@mpfootinsv@l\footstartv@l\mp@LTRfootgroupv@l
13671   \global\setbox\@mpfootinsv@r\vbox{%
13672     \unvbox\@mpfootinsv@r
13673     \RTLtrue
13674     \def\baselinestretch{\m@m@footnote@spacing}%
13675     \reset@font\RTLfoottextfont
13676     \hsize\columnwidth \parboxrestore

```



```

13677   \protected@edef{\currentlabel}{%
13678     \csname p@mpfootnote\endcsname\@thefnmark}%
13679   \color@begingroup
13680     \@sixcolRTLfootfmt{#1}%
13681   \color@endgroup}%
13682   \m@mmf@prepare}
13683 \bidi@ensure@newcommand{\m@make@sixcol@footgroup}[1]{%
13684   \namedef{@sixcol@footgroup#1}{{%
13685     \def\baselinestretch{\m@m@footnote@spacing}%
13686     \hsize\bidi@columnwidth
13687       \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13688         \m@mrigidbalance{\nameuse{footins#1}{6}{\splittopskip}}}%
13689 \newcommand{\bidi@make@sixcol@LTRfootgroup}[1]{%
13690   \namedef{@sixcol@LTRfootgroup#1}{{%
13691     \def\baselinestretch{\m@m@footnote@spacing}%
13692     \hsize\bidi@columnwidth
13693       \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13694         \bidi@LT Rigidbalance{\nameuse{footins#1}{6}{\splittopskip}}}%
13695 \bidi@ensure@newcommand{\m@make@mpsixcol@footgroup}[1]{%
13696   \namedef{@mpsixcol@footgroup#1}{{%
13697     \def\baselinestretch{\m@m@footnote@spacing}%
13698     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13699       \m@mrigidbalance{\nameuse{@mpfootins#1}{6}{\splittopskip}}}%
13700 \newcommand{\bidi@make@mpsixcol@LTRfootgroup}[1]{%
13701   \namedef{@mpsixcol@LTRfootgroup#1}{{%
13702     \def\baselinestretch{\m@m@footnote@spacing}%
13703       \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13704         \bidi@LT Rigidbalance{\nameuse{@mpfootins#1}{6}{\splittopskip}}}%
13705 \bidi@ensure@newcommand{\sevencolumnfootnotes}{{%
13706   \namedef{foottextfontv@r}{\foottextfont} \% [RS]
13707   \namedef{foottextfontv@l}{\LTRfoottextfont}%
13708   \bidi@before@Hy@hyperfootnotes
13709   \let\@footnotetext\@sevencolfootnotetext
13710   \let\@LTRfootnotetext\@sevencolLTRfootnotetext
13711   \let\@RTLfootnotetext\@sevencolRTLfootnotetext
13712   \dimen\footinsv@r=7\footinsdim
13713   \count\footinsv@r=142\relax
13714   \m@make@sevencol@footgroup{v@r}%
13715   \let\@footgroupv@r\@sevencol@footgroupv@r
13716   \dimen\footinsv@l=7\footinsdim
13717   \count\footinsv@l=142\relax
13718   \bidi@make@sevencol@LTRfootgroup{v@l}%
13719   \let\@LTRfootgroupv@l\@sevencol@LTRfootgroupv@l
13720   \let\@mpfootnotetext\@mpsevencolfootnotetext
13721   \let\@mpLTRfootnotetext\@mpsevencolLTRfootnotetext
13722   \let\@mpRTLfootnotetext\@mpsevencolRTLfootnotetext
13723   \bidi@after@Hy@hyperfootnotes
13724   \m@make@mpsevencol@footgroup{v@r}%
13725   \let\mp@footgroupv@r\@mpsevencol@footgroupv@r
13726   \bidi@make@mpsevencol@LTRfootgroup{v@l}%
13727   \let\mp@LTRfootgroupv@l\@mpsevencol@LTRfootgroupv@l
13728   \ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
13729 }
13730 \newcommand{\SevenColumnFootnotes}{%

```



```

13731  \@namedef{foottextfontv@r}{\foottextfont}%
13732  \@namedef{foottextfontv@l}{\LTRfoottextfont}%
13733  \bidi@before@Hy@hyperfootnotes
13734  \let\@footnotetext\@SevenColfootnotetext
13735  \let\@LTRfootnotetext\@SevenCollTRfootnotetext
13736  \let\@RTLfootnotetext\@SevenColRTLfootnotetext
13737  \dimen\footinsv@r=7\footinsdim
13738  \count\footinsv@r=142\relax
13739  \m@make@sevencol@footgroup{v@r}%
13740  \let\@footgroupv@r\@sevencol@footgroupv@r
13741  \dimen\footinsv@l=7\footinsdim
13742  \count\footinsv@l=142\relax
13743  \bidi@make@sevencol@LTRfootgroup{v@l}%
13744  \let\@LTRfootgroupv@l\@sevencol@LTRfootgroupv@l
13745  \let\@mpfootnotetext\@mpSevenColfootnotetext
13746  \let\@mpLTRfootnotetext\@mpSevenCollTRfootnotetext
13747  \let\@mpRTLfootnotetext\@mpSevenColRTLfootnotetext
13748  \bidi@after@Hy@hyperfootnotes
13749  \m@make@mpsevencol@footgroup{v@r}%
13750  \let\mp@footgroupv@r\@mpsevencol@footgroupv@r
13751  \bidi@make@mpsevencol@LTRfootgroup{v@l}%
13752  \let\mp@LTRfootgroupv@l\@mpsevencol@LTRfootgroupv@l
13753  \ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
13754 }
13755 \bidi@ensure@newcommand{\@sevencolfootnotetext}[1]{\insert
13756   \if@RTL@footnote
13757     \footinsv@r
13758   \else
13759     \footinsv@l
13760   \fi
13761 {\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi}%
13762   \def\baselinestretch{\m@m@footnote@spacing}%
13763   \reset@font\foottextfont
13764   \preamfntext
13765   \protected@edef\@currentlabel{%
13766     \csname p@footnote\endcsname\@thefnmark}%
13767   \color@begingroup
13768     \@sevencolfootfmt{\#1}%
13769   \color@endgroup}%
13770   \m@mmf@prepare}
13771 \newcommand{\@SevenColfootnotetext}[1]{%
13772   \bidi@step@absolutefootnote@count
13773   \if@RTL@footnote
13774     \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
13775   \else
13776     \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
13777   \fi
13778   \global\setbox
13779   \if@RTL@footnote
13780     \footinsv@r
13781   \else
13782     \footinsv@l
13783   \fi
13784 \vbox{%

```



```

13785 \unvbox
13786 \if@RTL@footnote
13787   \footinsv@r
13788 \else
13789   \footinsv@l
13790 \fi
13791 \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
13792 \def\baselinestretch{\m@m@footnote@spacing}%
13793 \reset@font\foottextfont
13794 \@preamfntext
13795 \protected@edef\@currentlabel{%
13796   \csname p@footnote\endcsname\@thefnmark}%
13797 \color@begingroup
13798   \@sevencolfootfmt{#1}%
13799 \color@endgroup}%
13800 \m@mmf@prepare
13801 \if@RTL@footnote
13802   \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
13803 \else
13804   \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
13805 \fi
13806 }
13807 \bidi@ensure@newcommand{\@sevencollTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse{%
13808   \def\baselinestretch{\m@m@footnote@spacing}%
13809   \reset@font\LTRfoottextfont
13810   \@preamfntext
13811   \protected@edef\@currentlabel{%
13812     \csname p@footnote\endcsname\@thefnmark}%
13813   \color@begingroup
13814     \@sevencollTRfootfmt{#1}%
13815   \color@endgroup}%
13816   \m@mmf@prepare}
13817 \newcommand{\@SevenCollTRfootnotetext}[1]{%
13818   \bidi@step@absolutefootnote@count
13819   \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
13820   \global\setbox\footinsv@l\vbox{%
13821   \unvbox\footinsv@l
13822   \@RTLfalse
13823   \def\baselinestretch{\m@m@footnote@spacing}%
13824   \reset@font\LTRfoottextfont
13825   \@preamfntext
13826   \protected@edef\@currentlabel{%
13827     \csname p@footnote\endcsname\@thefnmark}%
13828   \color@begingroup
13829     \@sevencollTRfootfmt{#1}%
13830   \color@endgroup}%
13831   \m@mmf@prepare
13832   \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
13833 }
13834 \bidi@ensure@newcommand{\@sevencolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue{%
13835   \def\baselinestretch{\m@m@footnote@spacing}%
13836   \reset@font\RTLfoottextfont
13837   \@preamfntext
13838   \protected@edef\@currentlabel{%

```



```

13839      \csname p@footnote\endcsname\@thefnmark}%
13840      \color@begingroup
13841      \c@sevencolRTLfootfmt{#1}%
13842      \color@endgroup}%
13843      \m@mmf@prepare}
13844 \newcommand{\c@SevenColRTLfootnotetext}[1]{%
13845   \bidi@step@absolutefootnote@count
13846   \bidi@reinsertfootnote\footinsv@l\c@footstartv@l\c@LTRfootgroupv@l
13847   \global\setbox\footinsv@r\vbox{%
13848     \unvbox\footinsv@r
13849     \c@RTLtrue
13850     \def\baselinestretch{\m@m@footnote@spacing}%
13851     \reset@font\RTLfoottextfont
13852     \c@preamfntext
13853     \protected@edef\c@currentlabel{%
13854       \csname p@footnote\endcsname\@thefnmark}%
13855       \color@begingroup
13856       \c@sevencolRTLfootfmt{#1}%
13857       \color@endgroup}%
13858       \m@mmf@prepare
13859       \bidi@reinsertfinalfootnoteperpage\footinsv@r\c@footstartv@r\c@footgroupv@r
13860     }%
13861   \bidi@ensure@newcommand{\c@preamsevenfmt}{%
13862     \hsize .142\hsize
13863     \parindent=\z@
13864     \tolerance=5000\relax
13865     \leavevmode}%
13866   \bidi@ensure@newcommand{\c@sevencolfootfmt}[1]{%
13867     \c@preamsevenfmt
13868     {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}%
13869 \bidi@ensure@newcommand{\c@sevencolLTRfootfmt}[1]{%
13870   \c@preamsevenfmt
13871   {\c@LTRfootfootmark\strut {\c@LTRfoottextfont #1}\strut\par}\allowbreak}%
13872 \bidi@ensure@newcommand{\c@sevencolRTLfootfmt}[1]{%
13873   \c@preamsevenfmt
13874   {\c@RTLfootfootmark\strut {\c@RTLfoottextfont #1}\strut\par}\allowbreak}%
13875 \bidi@ensure@newcommand{\c@mpsevencolfootnotetext}[1]{%
13876   \global\setbox
13877     \if@RTL@footnote
13878     \c@mpfootinsv@r
13879     \else
13880     \c@mpfootinsv@l
13881   \fi
13882   \vbox{%
13883     \unvbox
13884     \if@RTL@footnote
13885     \c@mpfootinsv@r
13886     \else
13887     \c@mpfootinsv@l
13888   \fi
13889   \if@RTL@footnote\c@RTLtrue\else\c@RTLfalse\fi
13890   \def\baselinestretch{\m@m@footnote@spacing}%
13891   \reset@font\foottextfont
13892   \hsize\columnwidth \c@parboxrestore

```



```

13893   \protected@edef{\currentlabel}{%
13894     \csname p@mpfootnote\endcsname\@thefnmark}%
13895   \color@begingroup
13896     \sevencolfootfmt{#1}%
13897   \color@endgroup}%
13898   \m@mmf@prepare}
13899 \newcommand{\@mpSevenColfootnotetext}[1]{%
13900   \if@RTL@footnote
13901     \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
13902   \else
13903     \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r
13904   \fi
13905   \global\setbox
13906     \if@RTL@footnote
13907       \@mpfootinsv@r
13908     \else
13909       \@mpfootinsv@l
13910     \fi
13911   \vbox{%
13912     \unvbox
13913       \if@RTL@footnote
13914         \@mpfootinsv@r
13915       \else
13916         \@mpfootinsv@l
13917     \fi
13918       \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
13919       \def\baselinestretch{\m@m@footnote@spacing}%
13920       \reset@font\foottextfont
13921       \hsize\columnwidth \parboxrestore
13922       \protected@edef{\currentlabel}{%
13923         \csname p@mpfootnote\endcsname\@thefnmark}%
13924       \color@begingroup
13925         \sevencolfootfmt{#1}%
13926       \color@endgroup}%
13927       \m@mmf@prepare}
13928 \bidi@ensure\newcommand{\@mpsevencollTRfootnotetext}[1]{%
13929   \global\setbox\@mpfootinsv@l\vbox{%
13930     \unvbox\@mpfootinsv@l
13931     \if@RTLfalse
13932       \def\baselinestretch{\m@m@footnote@spacing}%
13933       \reset@font\LTRfoottextfont
13934       \hsize\columnwidth \parboxrestore
13935       \protected@edef{\currentlabel}{%
13936         \csname p@mpfootnote\endcsname\@thefnmark}%
13937       \color@begingroup
13938         \sevencollTRfootfmt{#1}%
13939       \color@endgroup}%
13940       \m@mmf@prepare}
13941 \newcommand{\@mpSevenCollTRfootnotetext}[1]{%
13942   \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r
13943   \global\setbox\@mpfootinsv@l\vbox{%
13944     \unvbox\@mpfootinsv@l
13945     \if@RTLfalse
13946       \def\baselinestretch{\m@m@footnote@spacing}%

```



```

13947   \reset@font\LTRfoottextfont
13948   \hsize\columnwidth \parboxrestore
13949   \protected@edef\@currentlabel{%
13950     \csname p@mpfootnote\endcsname\@thefnmark}%
13951   \color@begingroup
13952     \sevencollTRfootfmt{#1}%
13953   \color@endgroup}%
13954   \m@mmf@prepare}
13955 \bidi@ensure@newcommand{\mpsevencolRTLfootnotetext}[1]{%
13956   \global\setbox\mpfootinsv@r\vbox{%
13957     \unvbox\mpfootinsv@r
13958     \RTLtrue
13959     \def\baselinestretch{\m@m@footnote@spacing}%
13960     \reset@font\RTLfoottextfont
13961     \hsize\columnwidth \parboxrestore
13962     \protected@edef\@currentlabel{%
13963       \csname p@mpfootnote\endcsname\@thefnmark}%
13964   \color@begingroup
13965     \sevencolRTLfootfmt{#1}%
13966   \color@endgroup}%
13967   \m@mmf@prepare}
13968 \newcommand{\mpSevenColRTLfootnotetext}[1]{%
13969   \bidi@joinmpfootnotes\mpfootinsv@l\footstartv@l\mp@LTRfootgroupv@l
13970   \global\setbox\mpfootinsv@r\vbox{%
13971     \unvbox\mpfootinsv@r
13972     \RTLtrue
13973     \def\baselinestretch{\m@m@footnote@spacing}%
13974     \reset@font\RTLfoottextfont
13975     \hsize\columnwidth \parboxrestore
13976     \protected@edef\@currentlabel{%
13977       \csname p@mpfootnote\endcsname\@thefnmark}%
13978   \color@begingroup
13979     \sevencolRTLfootfmt{#1}%
13980   \color@endgroup}%
13981   \m@mmf@prepare}
13982 \bidi@ensure@newcommand{\m@make@sevencol@footgroup}[1]{%
13983   \namedef{@sevencol@footgroup#1}{%
13984     \def\baselinestretch{\m@m@footnote@spacing}%
13985     \hsize\bidi@columnwidth
13986     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13987     \m@rigidbalance{\nameuse{footins#1}{7}{\splittopskip}}}%
13988 \newcommand{\bidi@make@sevencol@LTRfootgroup}[1]{%
13989   \namedef{@sevencol@LTRfootgroup#1}{%
13990     \def\baselinestretch{\m@m@footnote@spacing}%
13991     \hsize\bidi@columnwidth
13992     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13993     \bidi@LTRrigidbalance{\nameuse{footins#1}{7}{\splittopskip}}}%
13994 \bidi@ensure@newcommand{\m@make@mpsevencol@footgroup}[1]{%
13995   \namedef{@mpsevencol@footgroup#1}{%
13996     \def\baselinestretch{\m@m@footnote@spacing}%
13997     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13998     \m@rigidbalance{\nameuse{@mpfootins#1}{7}{\splittopskip}}}%
13999 \newcommand{\bidi@make@mpsevencol@LTRfootgroup}[1]{%
14000   \namedef{@mpsevencol@LTRfootgroup#1}{%

```



```

14001 \def\baselinestretch{\m@m@footnote@spacing}%
14002 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
14003 \bidi@LT Rrigidbalance{\@nameuse{@mpfootins#1}{\{7\}\{ \splittopskip\}}}
14004 \bidi@ensure@newcommand{\eightcolumnfootnotes}{%
14005 \@namedef{foottextfontv@r}{\foottextfont} \% [RS]
14006 \@namedef{foottextfontv@l}{\LTRfoottextfont}%
14007 \@bidi@before@Hy@hyperfootnotes
14008 \let\@footnotetext\@eightcolfootnotetext
14009 \let\@LTRfootnotetext\@eightcolLTRfootnotetext
14010 \let\@RTLfootnotetext\@eightcolRTLfootnotetext
14011 \dimen\footinsv@r=8\footinsdim
14012 \count\footinsv@r=125\relax
14013 \m@make@eightcol@footgroup{v@r}%
14014 \let\@footgroupv@r\@eightcol@footgroupv@r
14015 \dimen\footinsv@l=8\footinsdim
14016 \count\footinsv@l=125\relax
14017 \bidi@make@eightcol@LTRfootgroup{v@l}%
14018 \let\@LTRfootgroupv@l\@eightcol@LTRfootgroupv@l
14019 \let\@mpfootnotetext\@mpeightcolfootnotetext
14020 \let\@mpLTRfootnotetext\@mpeightcolLTRfootnotetext
14021 \let\@mpRTLfootnotetext\@mpeightcolRTLfootnotetext
14022 \@bidi@after@Hy@hyperfootnotes
14023 \m@make@mpeightcol@footgroup{v@r}%
14024 \let\mp@footgroupv@r\@mpeightcol@footgroupv@r
14025 \bidi@make@mpeightcol@LTRfootgroup{v@l}%
14026 \let\mp@LTRfootgroupv@l\@mpeightcol@LTRfootgroupv@l
14027 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
14028 }
14029 \newcommand{\EightColumnFootnotes}{%
14030 \@namedef{foottextfontv@r}{\foottextfont} \% [RS]
14031 \@namedef{foottextfontv@l}{\LTRfoottextfont}%
14032 \@bidi@before@Hy@hyperfootnotes
14033 \let\@footnotetext\@EightColfootnotetext
14034 \let\@LTRfootnotetext\@EightColLTRfootnotetext
14035 \let\@RTLfootnotetext\@EightColRTLfootnotetext
14036 \dimen\footinsv@r=8\footinsdim
14037 \count\footinsv@r=125\relax
14038 \m@make@eightcol@footgroup{v@r}%
14039 \let\@footgroupv@r\@eightcol@footgroupv@r
14040 \dimen\footinsv@l=8\footinsdim
14041 \count\footinsv@l=125\relax
14042 \bidi@make@eightcol@LTRfootgroup{v@l}%
14043 \let\@LTRfootgroupv@l\@eightcol@LTRfootgroupv@l
14044 \let\@mpfootnotetext\@mpEightColfootnotetext
14045 \let\@mpLTRfootnotetext\@mpEightColLTRfootnotetext
14046 \let\@mpRTLfootnotetext\@mpEightColRTLfootnotetext
14047 \@bidi@after@Hy@hyperfootnotes
14048 \m@make@mpeightcol@footgroup{v@r}%
14049 \let\mp@footgroupv@r\@mpeightcol@footgroupv@r
14050 \bidi@make@mpeightcol@LTRfootgroup{v@l}%
14051 \let\mp@LTRfootgroupv@l\@mpeightcol@LTRfootgroupv@l
14052 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
14053 }
14054 \bidi@ensure@newcommand{\@eightcolfootnotetext}[1]{\insert

```



```

14055   \if@RTL@footnote
14056     \footinsv@r
14057   \else
14058     \footinsv@l
14059   \fi
14060 { \if@RTL@footnote \o@RTLtrue \else \o@RTLfalse \fi %
14061   \def\baselinestretch{\m@m@footnote@spacing}%
14062   \reset@font\foottextfont
14063   \o@preamfntext
14064   \protected@edef\@currentlabel{%
14065     \csname p@footnote\endcsname\o@thefnmark}%
14066   \color@begingroup
14067     \o@eightcolfootfmt{\#1}%
14068   \color@endgroup}%
14069   \m@mmf@prepare}
14070 \newcommand{\o@EightColfootnotetext}[1]{%
14071   \bidi@step@absolutefootnote@count
14072   \if@RTL@footnote
14073     \bidi@reinsertfootnote\footinsv@l\o@footstartv@l\o@LTRfootgroupv@l
14074   \else
14075     \bidi@reinsertfootnote\footinsv@r\o@footstartv@r\o@footgroupv@r
14076   \fi
14077   \global\setbox
14078   \if@RTL@footnote
14079     \footinsv@r
14080   \else
14081     \footinsv@l
14082   \fi
14083 \vbox{%
14084   \unvbox
14085   \if@RTL@footnote
14086     \footinsv@r
14087   \else
14088     \footinsv@l
14089   \fi
14090   \if@RTL@footnote \o@RTLtrue \else \o@RTLfalse \fi
14091   \def\baselinestretch{\m@m@footnote@spacing}%
14092   \reset@font\foottextfont
14093   \o@preamfntext
14094   \protected@edef\@currentlabel{%
14095     \csname p@footnote\endcsname\o@thefnmark}%
14096   \color@begingroup
14097     \o@eightcolfootfmt{\#1}%
14098   \color@endgroup}%
14099   \m@mmf@prepare
14100   \if@RTL@footnote
14101     \bidi@reinsertfinalfootnoteperpage\footinsv@r\o@footstartv@r\o@footgroupv@r
14102   \else
14103     \bidi@reinsertfinalfootnoteperpage\footinsv@l\o@footstartv@l\o@LTRfootgroupv@l
14104   \fi
14105 }
14106 \bidi@ensure@newcommand{\o@EightcolLTRfootnotetext}[1]{\insert\footinsv@l{\o@RTLfalse}%
14107   \def\baselinestretch{\m@m@footnote@spacing}%
14108   \reset@font\LTRfoottextfont

```



```

14109  \@preamfntext
14110  \protected@edef{\currentlabel}{%
14111    \csname p@footnote\endcsname\thefnmark}%
14112  \color@begingroup
14113    \eightcollTRfootfmt{#1}%
14114  \color@endgroup}%
14115  \m@mmf@prepare}
14116 \newcommand{\@EightCollTRfootnotetext}[1]{%
14117  \bidi@step@absolutefootnote@count
14118  \bidi@reinsertfootnote\footinsv@r\footstartv@r\footgroupv@r
14119  \global\setbox\footinsv@l\vbox{%
14120    \unvbox\footinsv@l
14121    \RTLfalse
14122    \def\baselinestretch{\m@m@footnote@spacing}%
14123    \reset@font\LTRfoottextfont
14124  \@preamfntext
14125  \protected@edef{\currentlabel}{%
14126    \csname p@footnote\endcsname\thefnmark}%
14127  \color@begingroup
14128    \eightcollTRfootfmt{#1}%
14129  \color@endgroup}%
14130  \m@mmf@prepare
14131  \bidi@reinsertfinalfootnoteperpage\footinsv@l\footstartv@l\LTRfootgroupv@l
14132 }
14133 \bidi@ensure@newcommand{\@eightcolRTLfootnotetext}[1]{\insert\footinsv@r{\RTLtrue}%
14134  \def\baselinestretch{\m@m@footnote@spacing}%
14135  \reset@font\RTLfoottextfont
14136  \@preamfntext
14137  \protected@edef{\currentlabel}{%
14138    \csname p@footnote\endcsname\thefnmark}%
14139  \color@begingroup
14140    \eightcolRTLfootfmt{#1}%
14141  \color@endgroup}%
14142  \m@mmf@prepare}
14143 \newcommand{\@EightColRTLfootnotetext}[1]{%
14144  \bidi@step@absolutefootnote@count
14145  \bidi@reinsertfootnote\footinsv@l\footstartv@l\LTRfootgroupv@l
14146  \global\setbox\footinsv@r\vbox{%
14147    \unvbox\footinsv@r
14148    \RTLtrue%
14149    \def\baselinestretch{\m@m@footnote@spacing}%
14150    \reset@font\RTLfoottextfont
14151  \@preamfntext
14152  \protected@edef{\currentlabel}{%
14153    \csname p@footnote\endcsname\thefnmark}%
14154  \color@begingroup
14155    \eightcolRTLfootfmt{#1}%
14156  \color@endgroup}%
14157  \m@mmf@prepare
14158  \bidi@reinsertfinalfootnoteperpage\footinsv@r\footstartv@r\footgroupv@r
14159 }
14160 \bidi@ensure@newcommand{\@preambleightfmt}{%
14161  \hsize .125\hsize
14162  \parindent=\z@
```



```

14163   \tolerance=5000\relax
14164   \leavevmode}
14165 \bidi@ensure@newcommand{\@eightcolfootfmt}[1]{%
14166   \preameightfmt
14167   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
14168 \bidi@ensure@newcommand{\@eightcollTRfootfmt}[1]{%
14169   \preameightfmt
14170   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
14171 \bidi@ensure@newcommand{\@eightcolRTLfootfmt}[1]{%
14172   \preameightfmt
14173   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
14174 \bidi@ensure@newcommand{\@mpheightcolfootnotetext}[1]{%
14175   \global\setbox
14176   \if@RTL@footnote
14177   \ompfootinsv@r
14178   \else
14179   \ompfootinsv@l
14180   \fi
14181   \vbox{%
14182     \unvbox
14183     \if@RTL@footnote
14184     \ompfootinsv@r
14185   \else
14186     \ompfootinsv@l
14187   \fi
14188   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
14189   \def\baselinestretch{\m@m@footnote@spacing}%
14190   \reset@font\foottextfont
14191   \hsize\columnwidth \parboxrestore
14192   \protected@edef\@currentlabel{%
14193     \csname p@mpfootnote\endcsname\@thefnmark}%
14194   \color@begingroup
14195   \@eightcolfootfmt{#1}%
14196   \color@endgroup}%
14197   \m@mmf@prepare}
14198 \newcommand{\@mpEightColfootnotetext}[1]{%
14199   \if@RTL@footnote
14200   \bidi@joinmpfootnotes\ompfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
14201   \else
14202   \bidi@joinmpfootnotes\ompfootinsv@r\@footstartv@r\mp@footgroupv@r
14203   \fi
14204   \global\setbox
14205   \if@RTL@footnote
14206   \ompfootinsv@r
14207   \else
14208   \ompfootinsv@l
14209   \fi
14210   \vbox{%
14211     \unvbox
14212     \if@RTL@footnote
14213     \ompfootinsv@r
14214   \else
14215     \ompfootinsv@l
14216   \fi

```



```

14217   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
14218   \def\baselinestretch{\m@m@footnote@spacing}%
14219   \reset@font\foottextfont
14220   \hsize\columnwidth \parboxrestore
14221   \protected@edef\@currentlabel{%
14222     \csname p@mpfootnote\endcsname\@thefnmark}%
14223   \color@begingroup
14224     \eightcolfootfmt{\#1}%
14225   \color@endgroup}%
14226   \m@mmf@prepare}
14227 \bidi@ensure@newcommand{\@mpEightcollTRfootnotetext}[1]{%
14228   \global\setbox\@mpfootinsv@l\vbox{%
14229     \unvbox\@mpfootinsv@l
14230     \@RTLfalse
14231     \def\baselinestretch{\m@m@footnote@spacing}%
14232     \reset@font\LTRfoottextfont
14233     \hsize\columnwidth \parboxrestore
14234     \protected@edef\@currentlabel{%
14235       \csname p@mpfootnote\endcsname\@thefnmark}%
14236     \color@begingroup
14237       \eightcollTRfootfmt{\#1}%
14238     \color@endgroup}%
14239   \m@mmf@prepare}
14240 \newcommand{\@mpEightCollTRfootnotetext}[1]{%
14241   \bidi@joinmpfootnotes\@mpfootinsv@r\footstartv@r\mp@footgroupv@r
14242   \global\setbox\@mpfootinsv@l\vbox{%
14243     \unvbox\@mpfootinsv@l
14244     \@RTLfalse
14245     \def\baselinestretch{\m@m@footnote@spacing}%
14246     \reset@font\LTRfoottextfont
14247     \hsize\columnwidth \parboxrestore
14248     \protected@edef\@currentlabel{%
14249       \csname p@mpfootnote\endcsname\@thefnmark}%
14250     \color@begingroup
14251       \eightcollTRfootfmt{\#1}%
14252     \color@endgroup}%
14253   \m@mmf@prepare}
14254 \bidi@ensure@newcommand{\@mpEightcolRTLfootnotetext}[1]{%
14255   \global\setbox\@mpfootinsv@r\vbox{%
14256     \unvbox\@mpfootinsv@r
14257     \@RTLtrue
14258     \def\baselinestretch{\m@m@footnote@spacing}%
14259     \reset@font\RTLfoottextfont
14260     \hsize\columnwidth \parboxrestore
14261     \protected@edef\@currentlabel{%
14262       \csname p@mpfootnote\endcsname\@thefnmark}%
14263     \color@begingroup
14264       \eightcolRTLfootfmt{\#1}%
14265     \color@endgroup}%
14266   \m@mmf@prepare}
14267 \newcommand{\@mpEightColRTLfootnotetext}[1]{%
14268   \bidi@joinmpfootnotes\@mpfootinsv@l\footstartv@l\mp@LTRfootgroupv@l
14269   \global\setbox\@mpfootinsv@r\vbox{%
14270     \unvbox\@mpfootinsv@r

```



```

14271   \ORTLtrue
14272   \def\baselinestretch{\m@m@footnote@spacing}%
14273   \reset@font\RTLfoottextfont
14274   \hsize\columnwidth \parboxrestore
14275   \protected@edef@\currentlabel{%
14276     \csname p@mpfootnote\endcsname\@thefnmark}%
14277   \color@begingroup
14278   \eightcolRTLfootfmt{#1}%
14279   \color@endgroup%
14280   \m@mmf@prepare}
14281 \bidi@ensure@newcommand{\m@make@eightcol@footgroup}[1]{%
14282   \namedef{@eightcol@footgroup#1}{{%
14283     \def\baselinestretch{\m@m@footnote@spacing}%
14284     \hsize\bidi@columnwidth
14285     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
14286     \m@mrigidbalance{\nameuse{footins#1}{8}{\splittopskip}}}{}}
14287 \newcommand{\bidi@make@eightcol@LTRfootgroup}[1]{%
14288   \namedef{@eightcol@LTRfootgroup#1}{{%
14289     \def\baselinestretch{\m@m@footnote@spacing}%
14290     \hsize\bidi@columnwidth
14291     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
14292     \bidi@LTrrigidbalance{\nameuse{footins#1}{8}{\splittopskip}}}{}}
14293 \bidi@ensure@newcommand{\m@make@mpeightcol@footgroup}[1]{%
14294   \namedef{@mpeightcol@footgroup#1}{{%
14295     \def\baselinestretch{\m@m@footnote@spacing}%
14296     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
14297     \m@mrigidbalance{\nameuse{@mpfootins#1}{8}{\splittopskip}}}{}}
14298 \newcommand{\bidi@make@mpeightcol@LTRfootgroup}[1]{%
14299   \namedef{@mpeightcol@LTRfootgroup#1}{{%
14300     \def\baselinestretch{\m@m@footnote@spacing}%
14301     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
14302     \bidi@LTrrigidbalance{\nameuse{@mpfootins#1}{8}{\splittopskip}}}{}}
14303 \bidi@ensure@newcommand{\ninecolumnfootnotes}{{%
14304   \namedef{foottextfontv@r}{\foottextfont} \% [RS]
14305   \namedef{foottextfontv@l}{\LTRfoottextfont}%
14306   \bidi@before@Hy@hyperfootnotes
14307   \let\footnotetext\@ninecolfootnotetext
14308   \let\@LTFootnotetext\@ninecolLTRfootnotetext
14309   \let\@RTLfootnotetext\@ninecolRTLfootnotetext
14310   \dimen\footinsv@r=9\footinsdim
14311   \count\footinsv@r=111\relax
14312   \m@make@ninecol@footgroup{v@r}%
14313   \let\@footgroupv@r\@ninecol@footgroupv@r
14314   \dimen\footinsv@l=9\footinsdim
14315   \count\footinsv@l=111\relax
14316   \bidi@make@ninecol@LTRfootgroup{v@l}%
14317   \let\@LTFootgroupv@l\@ninecol@LTRfootgroupv@l
14318   \let\@mpfootnotetext\@mpninecolfootnotetext
14319   \let\@mpLTRfootnotetext\@mpninecolLTRfootnotetext
14320   \let\@mpRTLfootnotetext\@mpninecolRTLfootnotetext
14321   \bidi@after@Hy@hyperfootnotes
14322   \m@make@mpninecol@footgroup{v@r}%
14323   \let\mp@footgroupv@r\@mpninecol@footgroupv@r
14324   \bidi@make@mpninecol@LTRfootgroup{v@l}%

```



```

14325  \let\mp@LTRfootgroupv@l\@mpninecol@LTRfootgroupv@
14326  \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
14327 }
14328 \newcommand{\NineColumnFootnotes}{%
14329  \@namedef{foottextfontv@r}{\foottextfont}%
14330  \@namedef{foottextfontv@l}{\LTRfoottextfont}%
14331  \@bidi@before@Hy@hyperfootnotes
14332  \let\@footnotetext\@NineColfootnotetext
14333  \let\@LTRfootnotetext\@NineColLTRfootnotetext
14334  \let\@RTLfootnotetext\@NineColRTLfootnotetext
14335  \dimen\footinsv@r=9\footinsdim
14336  \count\footinsv@r=111\relax
14337  \m@make@ninecol@footgroup{v@r}%
14338  \let\@footgroupv@r\@ninecol@footgroupv@r
14339  \dimen\footinsv@l=9\footinsdim
14340  \count\footinsv@l=111\relax
14341  \bidi@make@ninecol@LTRfootgroup{v@l}%
14342  \let\@LTRfootgroupv@l\@ninecol@LTRfootgroupv@l
14343  \let\@mpfootnotetext\@mpNineColfootnotetext
14344  \let\@mpLTRfootnotetext\@mpNineColLTRfootnotetext
14345  \let\@mpRTLfootnotetext\@mpNineColRTLfootnotetext
14346  \@bidi@after@Hy@hyperfootnotes
14347  \m@make@mpninecol@footgroup{v@r}%
14348  \let\mp@footgroupv@r\@mpninecol@footgroupv@r
14349  \bidi@make@mpninecol@LTRfootgroup{v@l}%
14350  \let\mp@LTRfootgroupv@l\@mpninecol@LTRfootgroupv@l
14351  \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
14352 }
14353 \bidi@ensure@newcommand{\@ninecolfootnotetext}[1]{\insert
14354  \if@RTL@footnote
14355  \footinsv@r
14356  \else
14357  \footinsv@l
14358  \fi
14359 {\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi}%
14360  \def\baselinestretch{\m@tfootnote@spacing}%
14361  \reset@font\foottextfont
14362  \preamfntext
14363  \protected@edef\currentlabel{%
14364   \csname p@footnote\endcsname\@thefnmark}%
14365  \color@begingroup
14366  \@ninecolfootfmt{\#1}%
14367  \color@endgroup}%
14368  \m@mmf@prepare}
14369 \newcommand{\@NineColfootnotetext}[1]{%
14370  \bidi@step@absolutefootnote@count
14371  \if@RTL@footnote
14372  \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
14373  \else
14374  \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
14375  \fi
14376  \global\setbox
14377  \if@RTL@footnote
14378  \footinsv@r

```



```

14379    \else
14380      \footinsv@l
14381    \fi
14382 \vbox{%
14383   \unvbox
14384   \if@RTL@footnote
14385     \footinsv@r
14386   \else
14387     \footinsv@l
14388   \fi
14389   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
14390   \def\baselinestretch{\m@m@footnote@spacing}%
14391   \reset@font\foottextfont
14392   \preamfntext
14393   \protected@edef\@currentlabel{%
14394     \csname p@footnote\endcsname\@thefnmark}%
14395   \color@begingroup
14396     \@ninecolfootfmt{#1}%
14397   \color@endgroup}%
14398   \m@mmf@prepare
14399   \if@RTL@footnote
14400     \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
14401   \else
14402     \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
14403   \fi
14404 }
14405 \bidi@ensure@newcommand{\@NinecolLTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse%
14406   \def\baselinestretch{\m@m@footnote@spacing}%
14407   \reset@font\LTRfoottextfont
14408   \preamfntext
14409   \protected@edef\@currentlabel{%
14410     \csname p@footnote\endcsname\@thefnmark}%
14411   \color@begingroup
14412     \@ninecolLTRfootfmt{#1}%
14413   \color@endgroup}%
14414   \m@mmf@prepare}
14415 \newcommand{\@NineColLTRfootnotetext}[1]{%
14416   \bidi@step@absolutefootnote@count
14417   \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
14418   \global\setbox\footinsv@l\vbox{%
14419     \unvbox\footinsv@l
14420     \RTLfalse
14421     \def\baselinestretch{\m@m@footnote@spacing}%
14422     \reset@font\LTRfoottextfont
14423     \preamfntext
14424     \protected@edef\@currentlabel{%
14425       \csname p@footnote\endcsname\@thefnmark}%
14426     \color@begingroup
14427       \@ninecolLTRfootfmt{#1}%
14428     \color@endgroup}%
14429     \m@mmf@prepare
14430     \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
14431 }
14432 \bidi@ensure@newcommand{\@NinecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%

```



```

14433 \def\baselinestretch{\m@m@footnote@spacing}%
14434 \reset@font\RTLfoottextfont
14435 \@preamfntext
14436 \protected@edef\@currentlabel{%
14437   \csname p@footnote\endcsname\@thefnmark}%
14438 \color@begingroup
14439   \c@ninecolRTLfootfmt{\#1}%
14440 \color@endgroup}%
14441 \m@mmf@prepare}
14442 \newcommand{\@NineColRTLfootnotetext}[1]{%
14443   \bidi@step@absolutefootnote@count
14444   \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
14445   \global\setbox\footinsv@r\vbox{%
14446     \unvbox\footinsv@r
14447     \b@RTLtrue
14448     \def\baselinestretch{\m@m@footnote@spacing}%
14449     \reset@font\RTLfoottextfont
14450     \@preamfntext
14451     \protected@edef\@currentlabel{%
14452       \csname p@footnote\endcsname\@thefnmark}%
14453     \color@begingroup
14454       \c@ninecolRTLfootfmt{\#1}%
14455     \color@endgroup}%
14456     \m@mmf@prepare
14457     \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
14458 }
14459 \bidi@ensure@newcommand{\@preamninefmt}{%
14460   \hsize .1\hsize
14461   \parindent=\z@
14462   \tolerance=5000\relax
14463   \leavevmode}
14464 \bidi@ensure@newcommand{\@ninecolfootfmt}[1]{%
14465   \preamninefmt
14466   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
14467 \bidi@ensure@newcommand{\@ninecolLTRfootfmt}[1]{%
14468   \preamninefmt
14469   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
14470 \bidi@ensure@newcommand{\@ninecolRTLfootfmt}[1]{%
14471   \preamninefmt
14472   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
14473 \bidi@ensure@newcommand{\@mpninecolfootnotetext}[1]{%
14474   \global\setbox
14475     \if@RTL@footnote
14476       \ompfootinsv@r
14477     \else
14478       \ompfootinsv@l
14479     \fi
14480   \vbox{%
14481     \unvbox
14482     \if@RTL@footnote
14483       \ompfootinsv@r
14484     \else
14485       \ompfootinsv@l
14486     \fi

```



```

14487   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
14488   \def\baselinestretch{\m@m@footnote@spacing}%
14489   \reset@font\foottextfont
14490   \hsize\columnwidth \parboxrestore
14491   \protected@edef\@currentlabel{%
14492     \csname p@mpfootnote\endcsname\@thefnmark}%
14493   \color@begingroup
14494     \ninecolfootfmt{#1}%
14495   \color@endgroup}%
14496   \m@mmf@prepare}
14497 \newcommand{\@mpNineColfootnotetext}[1]{%
14498   \if@RTL@footnote
14499     \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
14500   \else
14501     \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r
14502   \fi
14503   \global\setbox
14504     \if@RTL@footnote
14505       \@mpfootinsv@r
14506     \else
14507       \@mpfootinsv@l
14508     \fi
14509   \vbox{%
14510     \unvbox
14511     \if@RTL@footnote
14512       \@mpfootinsv@r
14513     \else
14514       \@mpfootinsv@l
14515     \fi
14516     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
14517     \def\baselinestretch{\m@m@footnote@spacing}%
14518     \reset@font\foottextfont
14519     \hsize\columnwidth \parboxrestore
14520     \protected@edef\@currentlabel{%
14521       \csname p@mpfootnote\endcsname\@thefnmark}%
14522     \color@begingroup
14523       \ninecolfootfmt{#1}%
14524     \color@endgroup}%
14525   \m@mmf@prepare}
14526 \bidi@ensure@newcommand{\@mpninecolLTRfootnotetext}[1]{%
14527   \global\setbox\@mpfootinsv@l\vbox{%
14528     \unvbox\@mpfootinsv@l
14529     \if@RTLfalse
14530       \def\baselinestretch{\m@m@footnote@spacing}%
14531       \reset@font\LTRfoottextfont
14532       \hsize\columnwidth \parboxrestore
14533       \protected@edef\@currentlabel{%
14534         \csname p@mpfootnote\endcsname\@thefnmark}%
14535       \color@begingroup
14536         \ninecolLTRfootfmt{#1}%
14537       \color@endgroup}%
14538     \m@mmf@prepare}
14539 \newcommand{\@mpNineColLTRfootnotetext}[1]{%
14540   \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r

```



```

14541 \global\setbox\@mpfootinsv@l\vbox{%
14542   \unvbox\@mpfootinsv@l
14543   \@RTLfalse
14544   \def\baselinestretch{\m@m@footnote@spacing}%
14545   \reset@font\LTRfoottextfont
14546   \hsize\columnwidth \parboxrestore
14547   \protected@edef\@currentlabel{%
14548     \csname p@mpfootnote\endcsname\@thefnmark}%
14549   \color@begingroup
14550     \c@ninecolLTRfootfmt{#1}%
14551   \color@endgroup}%
14552   \m@mmf@prepare}
14553 \bidi@ensure@newcommand{\@mpninecolRTLfootnotetext}[1]{%
14554   \global\setbox\@mpfootinsv@r\vbox{%
14555     \unvbox\@mpfootinsv@r
14556     \@RTLtrue
14557     \def\baselinestretch{\m@m@footnote@spacing}%
14558     \reset@font\RTLfoottextfont
14559     \hsize\columnwidth \parboxrestore
14560     \protected@edef\@currentlabel{%
14561       \csname p@mpfootnote\endcsname\@thefnmark}%
14562     \color@begingroup
14563       \c@ninecolRTLfootfmt{#1}%
14564     \color@endgroup}%
14565   \m@mmf@prepare}
14566 \newcommand{\@mpNineColRTLfootnotetext}[1]{%
14567   \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
14568   \global\setbox\@mpfootinsv@r\vbox{%
14569     \unvbox\@mpfootinsv@r
14570     \@RTLtrue
14571     \def\baselinestretch{\m@m@footnote@spacing}%
14572     \reset@font\RTLfoottextfont
14573     \hsize\columnwidth \parboxrestore
14574     \protected@edef\@currentlabel{%
14575       \csname p@mpfootnote\endcsname\@thefnmark}%
14576     \color@begingroup
14577       \c@ninecolRTLfootfmt{#1}%
14578     \color@endgroup}%
14579   \m@mmf@prepare}
14580 \bidi@ensure@newcommand{\m@make@ninecol@footgroup}[1]{%
14581   \c@namedef{\c@ninecol@footgroup#1}{%
14582     \def\baselinestretch{\m@m@footnote@spacing}%
14583     \hsize\bidi@columnwidth
14584     \c@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
14585     \m@mrigidbalance{\c@nameuse{footins#1}}{9}{\splittopskip}}}
14586 \newcommand{\bidi@make@ninecol@LTRfootgroup}[1]{%
14587   \c@namedef{\c@ninecol@LTRfootgroup#1}{%
14588     \def\baselinestretch{\m@m@footnote@spacing}%
14589     \hsize\bidi@columnwidth
14590     \c@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
14591     \bidi@LT Rigidbalance{\c@nameuse{footins#1}}{9}{\splittopskip}}}
14592 \bidi@ensure@newcommand{\m@make@mpninecol@footgroup}[1]{%
14593   \c@namedef{\c@mpninecol@footgroup#1}{%
14594     \def\baselinestretch{\m@m@footnote@spacing}}}

```



```

14595  \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
14596  \m@mrigidbalance{\nameuse{@mpfootins#1}{9}{\splittopskip}}}
14597 \newcommand{\bidi@make@mpninecol@LTRfootgroup}[1]{%
14598 \namedef{@mpninecol@LTRfootgroup#1}{{%
14599 \def\baselinestretch{\m@m@footnote@spacing}%
14600 \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
14601 \bidi@LT Rigidbalance{\nameuse{@mpfootins#1}{9}{\splittopskip}}}}
14602 \bidi@ensure@newcommand{\tencolumnfootnotes}{%
14603 \namedef{foottextfontv@r}{\foottextfont}%
14604 \namedef{foottextfontv@l}{\LTRfoottextfont}%
14605 \bidi@before@Hy@hyperfootnotes
14606 \let\@footnotetext\tencolfootnotetext
14607 \let\@LTRfootnotetext\tencollTRfootnotetext
14608 \let\@RTLfootnotetext\tencolRTLfootnotetext
14609 \dimen\footinsv@r=10\footinsdim
14610 \count\footinsv@r=100\relax
14611 \m@make@tencol@footgroup{v@r}%
14612 \let\@footgroupv@r\@tencol@footgroupv@r
14613 \dimen\footinsv@l=10\footinsdim
14614 \count\footinsv@l=100\relax
14615 \bidi@make@tencol@LTRfootgroup{v@l}%
14616 \let\@LTRfootgroupv@l\@tencol@LTRfootgroupv@l
14617 \let\@mpfootnotetext\@mp@tencolfootnotetext
14618 \let\@mpLTRfootnotetext\@mp@tencollTRfootnotetext
14619 \let\@mpRTLfootnotetext\@mp@tencolRTLfootnotetext
14620 \bidi@after@Hy@hyperfootnotes
14621 \m@make@mp@tencol@footgroup{v@r}%
14622 \let\mp@footgroupv@r\@mp@tencol@footgroupv@r
14623 \bidi@make@mp@tencol@LTRfootgroup{v@l}%
14624 \let\mp@LTRfootgroupv@l\@mp@tencol@LTRfootgroupv@l
14625 \cifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
14626 }
14627 \newcommand{\TenColumnFootnotes}{%
14628 \namedef{foottextfontv@r}{\foottextfont}%
14629 \namedef{foottextfontv@l}{\LTRfoottextfont}%
14630 \bidi@before@Hy@hyperfootnotes
14631 \let\@footnotetext\tencolfootnotetext
14632 \let\@LTRfootnotetext\tencollTRfootnotetext
14633 \let\@RTLfootnotetext\tencolRTLfootnotetext
14634 \dimen\footinsv@r=10\footinsdim
14635 \count\footinsv@r=100\relax
14636 \m@make@tencol@footgroup{v@r}%
14637 \let\@footgroupv@r\@tencol@footgroupv@r
14638 \dimen\footinsv@l=10\footinsdim
14639 \count\footinsv@l=100\relax
14640 \bidi@make@tencol@LTRfootgroup{v@l}%
14641 \let\@LTRfootgroupv@l\@tencol@LTRfootgroupv@l
14642 \let\@mpfootnotetext\@mp@TenColfootnotetext
14643 \let\@mpLTRfootnotetext\@mp@TenCollTRfootnotetext
14644 \let\@mpRTLfootnotetext\@mp@TenColRTLfootnotetext
14645 \bidi@after@Hy@hyperfootnotes
14646 \m@make@mp@tencol@footgroup{v@r}%
14647 \let\mp@footgroupv@r\@mp@tencol@footgroupv@r
14648 \bidi@make@mp@tencol@LTRfootgroup{v@l}%

```



```

14649  \let\mp@LTRfootgroupv@l\@ptencol@LTRfootgroupv@l
14650  \c@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
14651 }
14652 \bidi@ensure@newcommand{\@tencolfootnotetext}[1]{\insert
14653  \if@RTL@footnote
14654    \footinsv@r
14655  \else
14656    \footinsv@l
14657  \fi
14658 {\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
14659  \def\baselinestretch{\m@m@footnote@spacing}%
14660  \reset@font\foottextfont
14661  \preamfntext
14662  \protected@edef\@currentlabel{%
14663    \csname p@footnote\endcsname\@thefnmark}%
14664  \color@begingroup
14665    \tencolfootfmt{\#1}%
14666  \color@endgroup}%
14667  \m@mmf@prepare}
14668 \newcommand{\@TenColfootnotetext}[1]{%
14669  \bidi@step@absolutefootnote@count
14670  \if@RTL@footnote
14671    \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
14672  \else
14673    \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
14674  \fi
14675  \global\setbox
14676  \if@RTL@footnote
14677    \footinsv@r
14678  \else
14679    \footinsv@l
14680  \fi
14681 \vbox{%
14682  \unvbox
14683  \if@RTL@footnote
14684    \footinsv@r
14685  \else
14686    \footinsv@l
14687  \fi
14688  \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
14689  \def\baselinestretch{\m@m@footnote@spacing}%
14690  \reset@font\foottextfont
14691  \preamfntext
14692  \protected@edef\@currentlabel{%
14693    \csname p@footnote\endcsname\@thefnmark}%
14694  \color@begingroup
14695    \tencolfootfmt{\#1}%
14696  \color@endgroup}%
14697  \m@mmf@prepare
14698  \if@RTL@footnote
14699    \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
14700  \else
14701    \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
14702  \fi

```



```

14703 }
14704 \bidi@ensure@newcommand{\@tencollTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse%
14705   \def\baselinestretch{\m@m@footnote@spacing}%
14706   \reset@font\LTRfoottextfont
14707   \@preamfntext
14708   \protected@edef\@currentlabel{%
14709     \csname p@footnote\endcsname\@thefnmark}%
14710   \color@begingroup
14711     \@tencollTRfootfmt{#1}%
14712   \color@endgroup}%
14713   \m@mff@prepare}
14714 \newcommand{\@TenCollTRfootnotetext}[1]{%
14715   \bidi@step@absolutefootnote@count
14716   \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
14717   \global\setbox\footinsv@l\vbox{%
14718     \unvbox\footinsv@l
14719     \@RTLfalse%
14720     \def\baselinestretch{\m@m@footnote@spacing}%
14721     \reset@font\LTRfoottextfont
14722     \@preamfntext
14723     \protected@edef\@currentlabel{%
14724       \csname p@footnote\endcsname\@thefnmark}%
14725     \color@begingroup
14726       \@tencollTRfootfmt{#1}%
14727     \color@endgroup}%
14728     \m@mff@prepare
14729     \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
14730   }%
14731 \bidi@ensure@newcommand{\@tencolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
14732   \def\baselinestretch{\m@m@footnote@spacing}%
14733   \reset@font\RTLfoottextfont
14734   \@preamfntext
14735   \protected@edef\@currentlabel{%
14736     \csname p@footnote\endcsname\@thefnmark}%
14737   \color@begingroup
14738     \@tencolRTLfootfmt{#1}%
14739   \color@endgroup}%
14740   \m@mff@prepare}
14741 \newcommand{\@TenColRTLfootnotetext}[1]{%
14742   \bidi@step@absolutefootnote@count
14743   \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
14744   \global\setbox\footinsv@r\vbox{%
14745     \unvbox\footinsv@r
14746     \@RTLtrue%
14747     \def\baselinestretch{\m@m@footnote@spacing}%
14748     \reset@font\RTLfoottextfont
14749     \@preamfntext
14750     \protected@edef\@currentlabel{%
14751       \csname p@footnote\endcsname\@thefnmark}%
14752     \color@begingroup
14753       \@tencolRTLfootfmt{#1}%
14754     \color@endgroup}%
14755     \m@mff@prepare
14756     \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r

```



```

14757 }
14758 \bidi@ensure@newcommand{\@preamtenfmt}{%
14759   \hsize .1\hsize
14760   \parindent=\z@
14761   \tolerance=5000\relax
14762   \leavevmode}
14763 \bidi@ensure@newcommand{\@tencolfootfmt}[1]{%
14764   \@preamtenfmt
14765   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
14766 \bidi@ensure@newcommand{\@tencollTRfootfmt}[1]{%
14767   \@preamtenfmt
14768   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
14769 \bidi@ensure@newcommand{\@tencolRTLfootfmt}[1]{%
14770   \@preamtenfmt
14771   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
14772 \bidi@ensure@newcommand{\@mpTencolfootnotetext}[1]{%
14773   \global\setbox
14774     \if@RTL@footnote
14775       \ompfootinsv@r
14776     \else
14777       \ompfootinsv@l
14778     \fi
14779   \vbox{%
14780     \unvbox
14781     \if@RTL@footnote
14782       \ompfootinsv@r
14783     \else
14784       \ompfootinsv@l
14785     \fi
14786     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
14787     \def\baselinestretch{\m@m@footnote@spacing}%
14788     \reset@font\foottextfont
14789     \hsize\columnwidth \parboxrestore
14790     \protected@edef\@currentlabel{%
14791       \csname p@mpfootnote\endcsname\@thefnmark}%
14792     \color@begingroup
14793       \@tencolfootfmt{#1}%
14794     \color@endgroup}%
14795   \m@mif@prepare}
14796 \newcommand{\@mpTenColfootnotetext}[1]{%
14797   \if@RTL@footnote
14798     \bidi@joinmpfootnotes\ompfootinsv@l\footstartv@l\mp@LTRfootgroupv@l
14799   \else
14800     \bidi@joinmpfootnotes\ompfootinsv@r\footstartv@r\mp@footgroupv@r
14801   \fi
14802   \global\setbox
14803     \if@RTL@footnote
14804       \ompfootinsv@r
14805     \else
14806       \ompfootinsv@l
14807     \fi
14808   \vbox{%
14809     \unvbox
14810     \if@RTL@footnote

```



```

14811     \ompfootinsv@r
14812 \else
14813     \ompfootinsv@l
14814 \fi
14815     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
14816     \def\baselinestretch{\m@m@footnote@spacing}%
14817     \reset@font\foottextfont
14818     \hsize\columnwidth \parboxrestore
14819     \protected@edef\@currentlabel{%
14820         \csname p@mpfootnote\endcsname\@thefnmark}%
14821     \color@begingroup
14822         \tencolfootfmt{#1}%
14823     \color@endgroup}%
14824 \m@mmf@prepare}
14825 \bidi@ensure@newcommand{\@mpTenCollTRfootnotetext}[1]{%
14826     \global\setbox\@mpfootinsv@l\vbox{%
14827         \unvbox\@mpfootinsv@l
14828         \if@RTLfalse
14829             \def\baselinestretch{\m@m@footnote@spacing}%
14830             \reset@font\LTRfoottextfont
14831             \hsize\columnwidth \parboxrestore
14832             \protected@edef\@currentlabel{%
14833                 \csname p@mpfootnote\endcsname\@thefnmark}%
14834             \color@begingroup
14835                 \tencollTRfootfmt{#1}%
14836             \color@endgroup}%
14837 \m@mmf@prepare}
14838 \newcommand{\@mpTenCollLTRfootnotetext}[1]{%
14839     \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r
14840     \global\setbox\@mpfootinsv@l\vbox{%
14841         \unvbox\@mpfootinsv@l
14842         \if@RTLfalse
14843             \def\baselinestretch{\m@m@footnote@spacing}%
14844             \reset@font\LTRfoottextfont
14845             \hsize\columnwidth \parboxrestore
14846             \protected@edef\@currentlabel{%
14847                 \csname p@mpfootnote\endcsname\@thefnmark}%
14848             \color@begingroup
14849                 \tencollLTRfootfmt{#1}%
14850             \color@endgroup}%
14851 \m@mmf@prepare}
14852 \bidi@ensure@newcommand{\@mpTenColRTLfootnotetext}[1]{%
14853     \global\setbox\@mpfootinsv@r\vbox{%
14854         \unvbox\@mpfootinsv@r
14855         \if@RTLtrue
14856             \def\baselinestretch{\m@m@footnote@spacing}%
14857             \reset@font\RTLfoottextfont
14858             \hsize\columnwidth \parboxrestore
14859             \protected@edef\@currentlabel{%
14860                 \csname p@mpfootnote\endcsname\@thefnmark}%
14861             \color@begingroup
14862                 \tencolRTLfootfmt{#1}%
14863             \color@endgroup}%
14864 \m@mmf@prepare}

```



```

14865 \newcommand{\@mpTenColRTLfootnotetext}[1]{%
14866   \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
14867   \global\setbox\@mpfootinsv@r\vbox{%
14868     \unvbox\@mpfootinsv@r
14869     \oRTLtrue
14870     \def\baselinestretch{\m@m@footnote@spacing}%
14871     \reset@font\RTLfoottextfont
14872     \hsize\columnwidth \parboxrestore
14873     \protected@edef\@currentlabel{%
14874       \csname p@\mpfootnote\endcsname\@thefnmark}%
14875     \color@begingroup
14876     \c@tencolRTLfootfmt{#1}%
14877     \color@endgroup}%
14878     \m@mmf@prepare}
14879 \bidi@ensure@newcommand{\m@make@tencol@footgroup}[1]{%
14880   \c@namedef{\c@tencol@footgroup#1}{%
14881     \def\baselinestretch{\m@m@footnote@spacing}%
14882     \hsize\bidi@columnwidth
14883     \c@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
14884     \m@mrigidbalance{\c@nameuse{footins#1}}{10}{\splittopskip}}}%
14885 \newcommand{\bidi@make@tencol@LTRfootgroup}[1]{%
14886   \c@namedef{\c@tencol@LTRfootgroup#1}{%
14887     \def\baselinestretch{\m@m@footnote@spacing}%
14888     \hsize\bidi@columnwidth
14889     \c@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
14890     \bidi@LTrrigidbalance{\c@nameuse{footins#1}}{10}{\splittopskip}}}%
14891 \bidi@ensure@newcommand{\m@make@mptencol@footgroup}[1]{%
14892   \c@namedef{\c@mptencol@footgroup#1}{%
14893     \def\baselinestretch{\m@m@footnote@spacing}%
14894     \c@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
14895     \m@mrigidbalance{\c@nameuse{\c@mpfootins#1}}{10}{\splittopskip}}}%
14896 \newcommand{\bidi@make@mptencol@LTRfootgroup}[1]{%
14897   \c@namedef{\c@mptencol@LTRfootgroup#1}{%
14898     \def\baselinestretch{\m@m@footnote@spacing}%
14899     \c@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
14900     \bidi@LTrrigidbalance{\c@nameuse{\c@mpfootins#1}}{10}{\splittopskip}}}%
14901 \bidi@ensure@newcommand{\m@m@unvhx}[1]{%
14902   \setbox0=\vbox{\unvbox#1%
14903     \global\setbox1=\lastbox}%
14904   \unhbox1
14905   \unskip
14906   \unskip
14907   \unpenalty
14908   \hskip\m@mipn@skip}
14909 \bidi@ensure@newcommand{\m@mungebox}{%
14910   \setbox0=\hbox{\m@m@unvhx0}%
14911   \dp0=\z@
14912   \ht0=\footfudgefactor\wd0
14913   \box0
14914   \penalty0}
14915 \newskip\m@mipn@skip
14916 \bidi@ensure@newcommand*\{\m@minterparanote glue}[1]{%
14917   {\foottextfont\global\m@mipn@skip=#1\relax}}
14918 \m@minterparanote glue{1em plus .3em minus .3em}

```



```

14919 \bidi@ensure@newcommand*{\m@mmakehboxofhboxes}{%
14920   \setbox0=\hbox{}}%
14921   \loop
14922     \unpenalty
14923     \setbox2=\lastbox
14924   \ifhbox2
14925     \setbox0=\hbox{\box2\unhbox0}
14926   \repeat}
14927 \bidi@ensure@newcommand*{\m@mremovehboxes}{\setbox0=\lastbox
14928   \ifhbox0{\m@mremovehboxes}\unhbox0 \fi}
14929 \newcommand*\AddExtraParaSkip[1]{%
14930   \def\bidi@xparaskip{\advance\@tempdima#1\relax}%
14931 }
14932 \let\bidi@xparaskip\relax
14933 \onlypreamble\AddExtraParaSkip
14934 \onlypreamble\bidi@xparaskip
14935 \def\bidi@startparafootskip#1{%
14936   \global\advance\skip#1\bidi@paraskip
14937 }
14938 \onlypreamble\bidi@startparafootskip
14939 \bidi@ensure@newcommand{\paragraphfootnotes}{%
14940   \cnamedef{foottextfontv@r}{\foottextfont}%
14941   \cnamedef{foottextfontv@l}{\LTrfoottextfont}%
14942   \bidi@before@Hy@hyperfootnotes
14943   \let\footnotetext\parafootnotetext
14944   \let\LTRfootnotetext\paraLTRfootnotetext
14945   \let\RTLfootnotetext\paraRTLfootnotetext
14946   \dimen\footinsv@r=\footinsdim
14947   \count\footinsv@r=1000\relax
14948   \let\bidi@removexfootskip\bidi@removexparafootskip
14949   \m@make@para@footgroup{v@r}%
14950   \m@make@para@footstart{v@r}%
14951   \let\footgroupv@r\para@footgroupv@r
14952   \let\footstartv@r\para@footstartv@r
14953   \dimen\footinsv@l=\footinsdim
14954   \count\footinsv@l=1000\relax
14955   \bidi@make@para@LTRfootgroup{v@l}%
14956   \m@make@para@footstart{v@l}%
14957   \let\LTRfootgroupv@l\para@LTRfootgroupv@l
14958   \let\footstartv@l\para@footstartv@l
14959   \let\mpfootnotetext\mpparafootnotetext
14960   \let\mpLTRfootnotetext\mpparaLTRfootnotetext
14961   \let\mpRTLfootnotetext\mpparaRTLfootnotetext
14962   \bidi@after@Hy@hyperfootnotes
14963   \m@make@mppara@footgroup{v@r}%
14964   \bidi@make@mppara@LTRfootgroup{v@l}%
14965   \let\mp@footgroupv@r\mppara@footgroupv@r
14966   \let\mp@LTRfootgroupv@l\mppara@LTRfootgroupv@l
14967   \g@addto@macro\bidi@floathook{%
14968     \begingroup
14969       \foottextfont \tempdima\normalbaselineskip
14970       \multiply \tempdima \cclvi
14971       \tempdimb \columnwidth
14972       \divide \tempdimb \cclvi

```



```

14973     \divide \tempdima \tempdimb
14974     \xdef\footfudgefactor{\strip@pt\tempdima}%
14975   \endgroup
14976 }
14977 \AtBeginDocument{%
14978   \begingroup
14979     \foottextfont
14980     \tempdima\footnotesep
14981     \advance\tempdima -\ht\strutbox
14982     \ifdim\tempdima<\z@ \tempdima\z@ \fi
14983     \advance\tempdima.5\normalbaselineskip
14984     \bidi@xparaskip
14985     \xdef\bidi@paraskip{\the\tempdima\relax}%
14986   \endgroup
14987   \bidi@startparafootskip\footinsv@r
14988   \bidi@startparafootskip\footinsv@l
14989 }
14990 \ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
14991 }
14992 \newcommand{\ParagraphFootnotes}{%
14993   \namedef{foottextfontv@r}{\foottextfont}%
14994   \namedef{foottextfontv@l}{\LTRfoottextfont}%
14995   \bidi@before@Hy@hyperfootnotes
14996   \let\footnotetext\Parafootnotetext
14997   \let\CLTRfootnotetext\ParaLTRfootnotetext
14998   \let\RTLfootnotetext\ParaRTLfootnotetext
14999   \dimen\footinsv@r=\footinsdim
15000   \count\footinsv@r=1000\relax
15001   \let\bidi@removexfootskip\bidi@removexparafootskip
15002   \m@make@para@footgroup{v@r}%
15003   \m@make@para@footstart{v@r}%
15004   \let\footgroupv@r\para@footgroupv@r
15005   \let\footstartv@r\para@footstartv@r
15006   \dimen\footinsv@l=\footinsdim
15007   \count\footinsv@l=1000\relax
15008   \bidi@make@para@LTRfootgroup{v@l}%
15009   \m@make@para@footstart{v@l}%
15010   \let\CLTRfootgroupv@l\para@LTRfootgroupv@l
15011   \let\footstartv@l\para@footstartv@l
15012   \let\mpfootnotetext\mpParafootnotetext
15013   \let\mpLTRfootnotetext\mpParaLTRfootnotetext
15014   \let\mpRTLfootnotetext\mpParaRTLfootnotetext
15015   \bidi@after@Hy@hyperfootnotes
15016   \m@make@mppara@footgroup{v@r}%
15017   \bidi@make@mppara@LTRfootgroup{v@l}%
15018   \let\mp@footgroupv@r\mppara@footgroupv@r
15019   \let\mp@LTRfootgroupv@l\mppara@LTRfootgroupv@l
15020   \g@addto@macro\bidi@floathook{%
15021     \begingroup
15022       \foottextfont \tempdima\normalbaselineskip
15023       \multiply \tempdima \cclvi
15024       \tempdimb \columnwidth
15025       \divide \tempdimb \cclvi
15026       \divide \tempdima \tempdimb

```



```

15027     \xdef\footfudgefactor{\strip@pt\@tempdima}%
15028     \endgroup
15029 }
15030 \AtBeginDocument{%
15031   \begingroup
15032     \foottextfont
15033     \tempdima\footnotesep
15034     \advance\tempdima -\ht\strutbox
15035     \ifdim\tempdima<\z@ \tempdima\z@ \fi
15036     \advance\tempdima.5\normalbaselineskip
15037     \bidi@xparaskip
15038     \xdef\bidi@paraskip{\the\tempdima\relax}%
15039   \endgroup
15040   \bidi@startparafootskip\footinsv@r
15041   \bidi@startparafootskip\footinsv@l
15042 }
15043   \ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
15044 }
15045 \newcommand{\normalRTLparaLTRfootnotes}{%
15046   \namedef{foottextfont@l}{\LTRfoottextfont}%
15047   \bidi@before@Hy@hyperfootnotes
15048   \if@RTL@footnote
15049     \let\footnotetext\m@mold@footnotetext
15050   \else
15051     \let\footnotetext\@parafootnotetext
15052   \fi
15053   \let\@LTRfootnotetext\@paraLTRfootnotetext
15054   \let\@RTLfootnotetext\m@mold@RTLfootnotetext
15055   \dimen\footinsv@l=\footinsdim
15056   \count\footinsv@l=1000\relax
15057   \let\bidi@removexfootskip\bidi@removexparafootskip
15058   \bidi@make@para@LTRfootgroup{v@l}%
15059   \m@make@para@footstart{v@l}%
15060   \let\@LTRfootgroupv@l\@para@LTRfootgroupv@l
15061   \let\@footstartv@l\@para@footstartv@l
15062   \if@RTL@footnote
15063     \let\mpfootnotetext\m@mold@mpfootnotetext
15064   \else
15065     \let\mpfootnotetext\@mpparafootnotetext
15066   \fi
15067   \let\@mpLTRfootnotetext\@mpparaLTRfootnotetext
15068   \let\@mpRTLfootnotetext\m@mold@mpRTLfootnotetext
15069   \bidi@after@Hy@hyperfootnotes
15070   \bidi@make@mppara@LTRfootgroup{v@l}%
15071   \let\mp@LTRfootgroupv@l\@mppara@LTRfootgroupv@l
15072   \g@addto@macro\bidi@floathook{%
15073     \begingroup
15074       \LTRfoottextfont \tempdima\normalbaselineskip
15075       \multiply\tempdima \cclvi
15076       \tempdimb \columnwidth
15077       \divide\tempdimb \cclvi
15078       \divide\tempdima \tempdimb
15079       \xdef\footfudgefactor{\strip@pt\tempdima}%
15080   \endgroup

```



```

15081   }
15082   \AtBeginDocument{%
15083     \begingroup
15084       \LTRfoottextfont
15085       \tempdima\footnotesep
15086       \advance\tempdima -\ht\strutbox
15087       \ifdim\tempdima<\z@ \tempdima\z@ \fi
15088       \advance\tempdima.5\normalbaselineskip
15089       \bidi@xparaskip
15090       \xdef\bidi@paraskip{\the\tempdima\relax}%
15091     \endgroup
15092     \bidi@startparafootskip\footinsv@l
15093   }
15094   \ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
15095 }
15096 \newcommand{\NormalRTLParaLTRFootnotes}{%
15097   \namedef{foottextfont@l}{\LTRfoottextfont}%
15098   \bidi@before@Hy@hyperfootnotes
15099   \if@RTL@footnote
15100     \let\footnotetext\bidi@bidiold@footnotetext
15101   \else
15102     \let\footnotetext\Parafootnotetext
15103   \fi
15104   \let\CLTRfootnotetext@\ParaLTRfootnotetext
15105   \let\RTLfootnotetext\bidi@bidiold@RTLfootnotetext
15106   \dimen\footinsv@l=\footinsdim
15107   \count\footinsv@l=1000\relax
15108   \let\bidi@removexfootskip\bidi@removexparafootskip
15109   \bidi@make@para@LTRfootgroup{v@l}%
15110   \m@make@para@footstart{v@l}%
15111   \let\CLTRfootgroupv@l\@para@LTRfootgroupv@l
15112   \let\footstartv@l\@para@footstartv@l
15113   \if@RTL@footnote
15114     \let\mpfootnotetext\bidi@bidiold@mpfootnotetext
15115   \else
15116     \let\mpfootnotetext\mpParafootnotetext
15117   \fi
15118   \let\mpLTRfootnotetext\mpParaLTRfootnotetext
15119   \let\mpRTLfootnotetext\bidi@bidiold@mpRTLfootnotetext
15120   \bidi@after@Hy@hyperfootnotes
15121   \bidi@make@mppara@LTRfootgroup{v@l}%
15122   \let\mp@LTRfootgroupv@l\@mppara@LTRfootgroupv@l
15123   \g@addto@macro\bidi@floathook{%
15124     \begingroup
15125       \LTRfoottextfont \tempdima\normalbaselineskip
15126       \multiply\tempdima \cclvi
15127       \tempdimb \columnwidth
15128       \divide\tempdimb \cclvi
15129       \divide\tempdima \tempdimb
15130       \xdef\footfudgefactor{\strip@pt\tempdima}%
15131     \endgroup
15132   }
15133   \AtBeginDocument{%
15134     \begingroup

```



```

15135      \LTRfoottextfont
15136      \tempdima\footnotesep
15137      \advance\tempdima -\ht\strutbox
15138      \ifdim\tempdima<\z@ \tempdima\z@ \fi
15139      \advance\tempdima.5\normalbaselineskip
15140      \bidi@xparaskip
15141      \xdef\bidi@paraskip{\the\tempdima\relax}%
15142      \endgroup
15143      \bidi@startparafootskip\footinsv@l
15144  }
15145  \ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
15146 }
15147 \bidi@ensure@newcommand{\@parafootnotetext}[1]{\insert
15148   \if@RTL@footnote
15149     \footinsv@r
15150   \else
15151     \footinsv@l
15152   \fi
15153   {%
15154   \let\bidi@RTL@everypar\empty%
15155   \def\baselinestretch{\m@m@footnote@spacing}%
15156   \reset@font\foottextfont
15157   \preamfntext
15158   \protected@edef\currentlabel{%
15159     \csname p@footnote\endcsname\thefnmark}%
15160   \setbox0=\vbox{\hsize=\maxdimen
15161     \color@begingroup
15162       \noindent \pafont{\#1}%
15163     \color@endgroup}%
15164   \m@mungebox}\m@mff@prepare}
15165 \newcommand{\@Parafootnotetext}[1]{%
15166   \bidi@step@absolutefootnote@count
15167   \if@RTL@footnote
15168     \bidi@reinsertfootnote\footinsv@l\footstartv@l\LTRfootgroupv@l
15169   \else
15170     \bidi@reinsertfootnote\footinsv@r\footstartv@r\footgroupv@r
15171   \fi
15172   \global\setbox
15173   \if@RTL@footnote
15174     \footinsv@r
15175   \else
15176     \footinsv@l
15177   \fi
15178   \vbox{%
15179     \unvbox
15180     \if@RTL@footnote
15181       \footinsv@r
15182     \else
15183       \footinsv@l
15184     \fi
15185     \let\bidi@RTL@everypar\empty%
15186     \def\baselinestretch{\m@m@footnote@spacing}%
15187     \reset@font\foottextfont
15188     \preamfntext

```



```

15189 \protected@edef{\currentlabel}{%
15190   \csname p@footnote\endcsname\@thefnmark}%
15191 \setbox0=\vbox{\hsize=\maxdimen
15192   \color@begingroup
15193     \noindent \@parafootfmt{#1}%
15194   \color@endgroup}%
15195 \m@mungebox}\m@mmf@prepare
15196 \if@RTL@footnote
15197   \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
15198 \else
15199   \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
15200 \fi
15201 }
15202 \bidi@ensure@newcommand{\@paraLTRfootnotetext}[1]{\insert\footinsv@l{%
15203   \let\bidi@RTL@everypar\empty%
15204   \def\baselinestretch{\m@m@footnote@spacing}%
15205   \reset@font\LTRfoottextfont
15206   \preamfntext
15207   \protected@edef{\currentlabel}{%
15208     \csname p@footnote\endcsname\@thefnmark}%
15209   \setbox0=\vbox{\hsize=\maxdimen
15210     \color@begingroup
15211       \noindent \@paraLTRfootfmt{#1}%
15212     \color@endgroup}%
15213   \m@mungebox}\m@mmf@prepare}
15214 \newcommand{\@ParaLTRfootnotetext}[1]{%
15215   \bidi@step@absolutefootnote@count
15216   \bidi@reinsertfootnote\footinsv@r\@footstartv@r\@footgroupv@r
15217   \global\setbox\footinsv@l\vbox{%
15218     \unvbox\footinsv@l
15219     \let\bidi@RTL@everypar\empty%
15220     \def\baselinestretch{\m@m@footnote@spacing}%
15221     \reset@font\LTRfoottextfont
15222     \preamfntext
15223     \protected@edef{\currentlabel}{%
15224       \csname p@footnote\endcsname\@thefnmark}%
15225     \setbox0=\vbox{\hsize=\maxdimen
15226       \color@begingroup
15227         \noindent \@paraLTRfootfmt{#1}%
15228       \color@endgroup}%
15229     \m@mungebox}\m@mmf@prepare
15230     \bidi@reinsertfinalfootnoteperpage\footinsv@l\@footstartv@l\@LTRfootgroupv@l
15231   }
15232 \bidi@ensure@newcommand{\@paraRTLfootnotetext}[1]{\insert\footinsv@r{%
15233   \let\bidi@RTL@everypar\empty%
15234   \def\baselinestretch{\m@m@footnote@spacing}%
15235   \reset@font\RTLfoottextfont
15236   \preamfntext
15237   \protected@edef{\currentlabel}{%
15238     \csname p@footnote\endcsname\@thefnmark}%
15239     \setbox0=\vbox{\hsize=\maxdimen
15240       \color@begingroup
15241         \noindent \@paraRTLfootfmt{#1}%
15242       \color@endgroup}%

```



```

15243   \m@mungebox}\m@mmf@prepare}
15244 \newcommand{\@ParaRTLfootnotetext}[1]{%
15245   \bidi@step@absolutefootnote@count
15246   \bidi@reinsertfootnote\footinsv@l\@footstartv@l\@LTRfootgroupv@l
15247   \global\setbox\footinsv@r\vbox{%
15248   \unvbox\footinsv@r
15249   \let\bidi@RTL@everypar\@empty%
15250   \def\baselinestretch{\m@m@footnote@spacing}%
15251   \reset@font\RTLfoottextfont
15252   \preamfntext
15253   \protected@edef\@currentlabel{%
15254     \csname p@footnote\endcsname\@thefnmark}%
15255   \setbox0=\vbox{\hsize=\maxdimen
15256     \color@begingroup
15257     \noindent \@paraRTLfootfmt{#1}%
15258     \color@endgroup}%
15259   \m@mungebox}\m@mmf@prepare
15260   \bidi@reinsertfinalfootnoteperpage\footinsv@r\@footstartv@r\@footgroupv@r
15261 }
15262 \bidi@ensure@newcommand{\@parafootfmt}[1]{%
15263   \parindent=\z@
15264   \parfillskip=0pt \oplus 1fil
15265   {\footfootmark\strut {\foottextfont #1}\penalty-10}}
15266 \bidi@ensure@newcommand{\@paraLTRfootfmt}[1]{%
15267   \parindent=\z@
15268   \parfillskip=0pt \oplus 1fil
15269   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\penalty-10}}
15270 \bidi@ensure@newcommand{\@paraRTLfootfmt}[1]{%
15271   \parindent=\z@
15272   \parfillskip=0pt \oplus 1fil
15273   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\penalty-10}}
15274 \bidi@ensure@newcommand{\@mpparafootnotetext}[1]{%
15275   \global\setbox
15276   \if@RTL@footnote
15277     \ompfootinsv@r
15278   \else
15279     \ompfootinsv@l
15280   \fi
15281   \vbox{%
15282     \unvbox
15283     \if@RTL@footnote
15284       \ompfootinsv@r
15285     \else
15286       \ompfootinsv@l
15287     \fi
15288     \let\bidi@RTL@everypar\@empty
15289     \def\baselinestretch{\m@m@footnote@spacing}%
15290     \reset@font\foottextfont
15291     \hsize\columnwidth \parboxrestore
15292     \protected@edef\@currentlabel{%
15293       \csname p@mpfootnote\endcsname\@thefnmark}%
15294     \setbox0=\vbox{\hsize=\maxdimen
15295       \color@begingroup
15296       \noindent \@parafootfmt{#1}%

```



```

15297      \color@endgroup}%
15298  \m@mungebox}\m@mmf@prepare}
15299 \newcommand{\@mpParafootnotetext}[1]{%
15300   \if@RTL@footnote
15301     \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
15302   \else
15303     \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r
15304   \fi
15305   \global\setbox
15306   \if@RTL@footnote
15307     \@mpfootinsv@r
15308   \else
15309     \@mpfootinsv@l
15310   \fi
15311   \vbox{%
15312     \unvbox
15313     \if@RTL@footnote
15314       \@mpfootinsv@r
15315     \else
15316       \@mpfootinsv@l
15317     \fi
15318     \let\bidi@RTL@everypar\@empty
15319     \def\baselinestretch{\m@m@footnote@spacing}%
15320     \reset@font\foottextfont
15321     \hsize\columnwidth \parboxrestore
15322     \protected@edef\@currentlabel{%
15323       \csname p@mpfootnote\endcsname\@thefnmark}%
15324     \setbox0=\vbox{\hsize=\maxdimen
15325       \color@begingroup
15326       \noindent \parafootfmt{#1}%
15327       \color@endgroup}%
15328   \m@mungebox}\m@mmf@prepare}
15329 \bidi@ensure@newcommand{\@mparaLTRfootnotetext}[1]{%
15330   \global\setbox\@mpfootinsv@l\vbox{%
15331     \unvbox\@mpfootinsv@l
15332     \let\bidi@RTL@everypar\@empty
15333     \def\baselinestretch{\m@m@footnote@spacing}%
15334     \reset@font\LTRfoottextfont
15335     \hsize\columnwidth \parboxrestore
15336     \protected@edef\@currentlabel{%
15337       \csname p@mpfootnote\endcsname\@thefnmark}%
15338     \setbox0=\vbox{\hsize=\maxdimen
15339       \color@begingroup
15340       \noindent \paraLTRfootfmt{#1}%
15341       \color@endgroup}%
15342   \m@mungebox}\m@mmf@prepare}
15343 \newcommand{\@mpParaLTRfootnotetext}[1]{%
15344   \bidi@joinmpfootnotes\@mpfootinsv@r\@footstartv@r\mp@footgroupv@r
15345   \global\setbox\@mpfootinsv@l\vbox{%
15346     \unvbox\@mpfootinsv@l
15347     \let\bidi@RTL@everypar\@empty
15348     \def\baselinestretch{\m@m@footnote@spacing}%
15349     \reset@font\LTRfoottextfont
15350     \hsize\columnwidth \parboxrestore

```



```

15351 \protected@edef{\currentlabel}{%
15352   \csname p@mpfootnote\endcsname\@thefnmark}%
15353 \setbox0=\vbox{\hsize=\maxdimen
15354   \color@begingroup
15355   \noindent \paraLTRfootfmt{#1}%
15356   \color@endgroup}%
15357 \m@mungebox}\m@mmf@prepare}
15358 \bidi@ensure@newcommand{\@mparaRTLfootnotetext}[1]{%
15359   \global\setbox\@mpfootinsv@r\vbox{%
15360     \unvbox\@mpfootinsv@r
15361     \let\bidi@RTL@everypar\empty
15362     \def\baselinestretch{\m@m@footnote@spacing}%
15363     \reset@font\RTLfoottextfont
15364     \hsize\columnwidth \parboxrestore
15365     \protected@edef{\currentlabel}{%
15366       \csname p@mpfootnote\endcsname\@thefnmark}%
15367     \setbox0=\vbox{\hsize=\maxdimen
15368       \color@begingroup
15369       \noindent \paraRTLfootfmt{#1}%
15370       \color@endgroup}%
15371     \m@mungebox}\m@mmf@prepare}
15372 \newcommand{\@mpParaRTLfootnotetext}[1]{%
15373   \bidi@joinmpfootnotes\@mpfootinsv@l\@footstartv@l\mp@LTRfootgroupv@l
15374   \global\setbox\@mpfootinsv@r\vbox{%
15375     \unvbox\@mpfootinsv@r
15376     \let\bidi@RTL@everypar\empty
15377     \def\baselinestretch{\m@m@footnote@spacing}%
15378     \reset@font\RTLfoottextfont
15379     \hsize\columnwidth \parboxrestore
15380     \protected@edef{\currentlabel}{%
15381       \csname p@mpfootnote\endcsname\@thefnmark}%
15382     \setbox0=\vbox{\hsize=\maxdimen
15383       \color@begingroup
15384       \noindent \paraRTLfootfmt{#1}%
15385       \color@endgroup}%
15386     \m@mungebox}\m@mmf@prepare}
15387 \bidi@ensure@newcommand{\m@make@para@footgroup}[1]{%
15388 \namedef{@para@footgroup#1}{%
15389   \unvbox\@nameuse{footins#1}
15390   \RTLtrue
15391   \m@makehboxofhboxes
15392   \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
15393   \hsize\bidi@columnwidth
15394   \parboxrestore
15395   \def\baselinestretch{\m@m@footnote@spacing}%
15396   \nameuse{foottextfont#1}%
15397   \noindent\unhbox0\par}}
15398 \bidi@ensure@newcommand{\bidi@make@para@LTRfootgroup}[1]{%
15399 \namedef{@para@LTRfootgroup#1}{%
15400   \unvbox\@nameuse{footins#1}
15401   \RTLfalse
15402   \m@makehboxofhboxes
15403   \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
15404   \hsize\bidi@columnwidth

```



```

15405  \parboxrestore
15406  \def\baselinestretch{\m@m@footnote@spacing}%
15407  \nameuse{foottextfont#1}%
15408  \noindent\unhbox0\par}
15409 \newcommand{\bidi@removexparafootskip}{%
15410  \advance\tempskipa -\bidi@paraskip
15411  \edef\bidi@footskip{\vskip\the\tempskipa\relax}%
15412 }
15413 \let\bidi@removexfootskip\relax
15414 \bidi@ensure@newcommand{\m@make@mppara@footgroup}[1]{%
15415 \namedef{@mpara@footgroup#1}{%
15416  \unvbox\nameuse{@mpfootins#1}%
15417  \RTLtrue
15418  \m@makehboxofhboxes
15419  \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
15420  \def\baselinestretch{\m@m@footnote@spacing}%
15421  \nameuse{foottextfont#1}%
15422  \noindent\unhbox0\par}}
15423 \bidi@ensure@newcommand{\bidi@make@mppara@LTRfootgroup}[1]{%
15424 \namedef{@mpara@LTRfootgroup#1}{%
15425  \unvbox\nameuse{@mpfootins#1}%
15426  \RTLfalse
15427  \m@makehboxofhboxes
15428  \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
15429  \def\baselinestretch{\m@m@footnote@spacing}%
15430  \nameuse{foottextfont#1}%
15431  \noindent\unhbox0\par}}
15432 \bidi@ensure@newcommand{\m@make@para@footstart}[1]{%
15433 \namedef{@para@footstart#1}{%
15434  \leftskip=\z@%
15435  \rightskip=\z@%
15436  \parindent=\z@%
15437 }%
15438 }
15439 \bidi@ensure@newcommand*{\m@m@makecolfloats}{%
15440  \xdef\@freelist{\@freelist@\midlist}%
15441  \global\let\midlist\empty
15442  \combinefloats}
15443 \bidi@ensure@newcommand*{\m@m@makecoltext}{%
15444  \ifvbox\kludgeins
15445   \makespecialcolbox
15446  \else
15447   \setbox\outputbox\vbox to\colht{%
15448    \texttop
15449    \dimen@\dp\outputbox
15450    \unvbox\outputbox
15451    \vskip-\dimen@
15452    \textbottom}%
15453  \fi}
15454 \bidi@ensure@newcommand*{\m@m@makecolintro}{}
15455 \bidi@ensure@newcommand*{\m@mopfootnote}{\setbox\outputbox\vbox{%
15456  \boxmaxdepth\maxdepth
15457  \tempdima\dp\cclv
15458  \unvbox\cclv

```



```

15459  \vskip-\@tempdima
15460  \bidi@mopfn@bottom
15461  \vskip \skip\footins
15462  \color@begingroup
15463    \normalcolor
15464    \footnoterule
15465    \unvbox \footins
15466  \color@endgroup
15467  }%
15468 }
15469 \newcommand*{\bidi@mopfootnotebf}{%
15470  \setbox\@outputbox \vbox{%
15471  \boxmaxdepth\@maxdepth
15472  \unvbox\@outputbox
15473  \bidi@mopfn@bottom
15474  \vskip\skip\footins
15475  \color@begingroup
15476    \normalcolor
15477    \footnoterule
15478    \unvbox \footins
15479  \color@endgroup
15480  }%
15481 }
15482 \gdef\mem@makecol{%
15483  \m@m@makecolintro
15484  \m@m@mdoextrafeet
15485  \ifvoid\footins
15486    \setbox\@outputbox \box\@cclv
15487  \else
15488    \m@m@mopfootnote
15489  \fi
15490  \m@m@makecolfloats
15491  \m@m@makecoltext
15492  \global \maxdepth \@maxdepth}
15493 \gdef\bidi@makecolbf{%
15494  \m@m@makecolintro
15495  \m@m@mdoextrafeet
15496  \setbox\@outputbox \box\@cclv
15497  \m@m@makecolfloats
15498  \ifvoid\footins
15499  \else
15500    \bidi@mopfootnotebf
15501  \fi
15502  \m@m@makecoltext
15503  \global \maxdepth \@maxdepth}
15504 \newcommand{\FeetAboveFloat}{\gdef\@makecol{\mem@makecol}}
15505 \newcommand{\FeetBelowFloat}{\gdef\@makecol{\bidi@makecolbf}}
15506 \newcommand{\FeetAtBottom}{\def\bidi@mopfn@bottom{\vfill\relax}}
15507 \newcommand{\FeetBelowRagged}{\let\bidi@mopfn@bottom\relax}
15508 \FeetAboveFloat
15509 \FeetBelowRagged
15510 \def\bidi@reinserts#1{\ifvoid#1\else
15511   \ifnum\count\@currbox>\z@
15512     \advance\@pageht \ht#1%

```



```

15513     \advance\@pageht \skip#1%
15514     \advance\@pageht \dp#1%
15515     \fi
15516     \insert#1{\unvbox#1}%
15517   \fi
15518 }
15519 \def\bidi@init@multi@footins#1{%
15520   \multiply\count#1\col@number
15521   \multiply\skip#1\col@number
15522 }
15523 \def\bidi@reinsert@footnotes#1{\ifvoid#1\else
15524   \insert#1{}\fi}
15525 \AtBeginDocument{%
15526   \bidi@preto\@doclearpage\m@mdoextrafeet
15527   \g@addto@macro\@reinserts{%
15528     \bidi@reinserts\footinsv@r
15529     \bidi@reinserts\footinsv@l
15530   }
15531   \bidi@floathook
15532   \g@addto@macro\@floatplacement{%
15533     \bidi@ifmulticol{}{\bidi@floathook}%
15534   }%
15535   \if@bidi@csundef{multi@column@out}{%
15536     \onlypreamble\bidi@init@multi@footins
15537     \let\bidi@ifmulticol\@secondoftwo
15538   }{%
15539     \bidi@preto\multi@column@out\m@mdoextrafeet
15540     \g@addto@macro\@init@mult@footins{%
15541       \bidi@init@multi@footins\footinsv@r
15542       \bidi@init@multi@footins\footinsv@l
15543     }%
15544     \g@addto@macro\@reinsert@footnotes{%
15545       \bidi@reinsert@footnotes\footinsv@r
15546       \bidi@reinsert@footnotes\footinsv@l
15547     }%
15548   }%
15549 }

```

## 87 File extreport-xetex-bidi.def

```

15550 \ProvidesFile{extreport-xetex-bidi.def}[2017/06/09 v0.3 bidi adaptations for extreport class]
15551 \renewcommand*\l@part[2]{%
15552   \ifnum \c@tocdepth >-2\relax
15553     \addpenalty{-\@highpenalty}%
15554     \addvspace{2.25em \@plus\p@}%
15555     \begingroup
15556       \setlength\@tempdima{3em}%
15557       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \c@pnumwidth
15558       \parfillskip -\c@pnumwidth
15559       {\leavevmode
15560         \large \bfseries #1\hfil \hb@xt@\c@pnumwidth{\hss #2}\par
15561         \nobreak
15562           \global\@nobreaktrue
15563           \everypar{\global\@nobreakfalse\everypar{}}%

```



```

15564     \endgroup
15565   \fi}
15566 \renewcommand*\l@chapter[2]{%
15567   \ifnum \c@tocdepth >\m@ne
15568     \addpenalty{-\@highpenalty}%
15569     \vskip 1.0em \oplus\p@
15570     \setlength\@tempdima{1.5em}%
15571   \begingroup
15572     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
15573     \parfillskip -\pnumwidth
15574     \leavevmode \bfseries
15575     \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
15576     \hskip -\if@RTL\rightskip\else\leftskip\fi
15577     #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
15578     \penalty\@highpenalty
15579   \endgroup
15580 \fi}
15581 \def\@makechapterhead#1{%
15582   \vspace*{50\p@}%
15583   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
15584     \ifnum \c@secnumdepth >\m@ne
15585       \huge\bfseries \chapapp\space \thechapter
15586     \par\nobreak
15587     \vskip 20\p@
15588   \fi
15589   \interlinepenalty\@M
15590   \Huge\bfseries #1\par\nobreak
15591   \vskip 40\p@
15592 }
15593 \def\@makeschapterhead#1{%
15594   \vspace*{50\p@}%
15595   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
15596     \normalfont
15597     \interlinepenalty\@M
15598     \Huge\bfseries #1\par\nobreak
15599     \vskip 40\p@
15600 }
15601 \renewcommand\left@footnoterule{%
15602   \kern-3\p@
15603   \hrule\@width.4\columnwidth
15604   \kern2.6\p@}
15605 \renewcommand\right@footnoterule{%
15606   \kern-3\p@
15607   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
15608   \kern2.6\p@}
15609 \renewenvironment{thebibliography}[1]
15610   {\chapter*{\bibname
15611     \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}%
15612     \if@RTL\if@LTrbibitems@\RTLfalse\else\fi\else\if@RTLbibitems@\RTLtrue\else\fi\fi
15613     \bidi@thebibliography@font@hook%
15614     \list{\@biblabel{\arabic\c@enumiv}}%
15615     {\settowidth\labelwidth{\@biblabel{#1}}%
15616       \leftmargin\labelwidth
15617       \advance\leftmargin\labelsep

```



```

15618     \openbib@code
15619     \usecounter{enumiv}%
15620     \let\p@enumiv\empty
15621     \renewcommand{\theenumiv}{\arabic{enumiv}}%
15622     \sloppy\clubpenalty4000\widowpenalty4000%
15623     \sfcodes`.\@m}
15624     {\def\@noitemerr
15625       {\@latex@warning{Empty `thebibliography' environment}}%
15626     \endlist}
15627   \if@titlepage
15628     \renewcommand{\maketitle}{\begin{titlepage}%
15629       \let\footnotesize\small
15630       \let\right@footnoterule\relax
15631       \let\left@footnoterule\relax
15632       \let\textwidth@footnoterule\relax
15633       \let\footnote\thanks
15634       \null\vfil
15635       \vskip 60\p@
15636       \begin{center}%
15637         {\LARGE \title \par}%
15638         \vskip 3em%
15639         {\large
15640           \lineskip .75em%
15641           \begin{tabular}[t]{c}%
15642             \author
15643           \end{tabular}\par}%
15644           \vskip 1.5em%
15645           {\large \date \par}%
15646           % Set date in \large size.
15647         \end{center}\par
15648       \thanks
15649       \vfildnull
15650       \end{titlepage}%
15651       \setcounter{footnote}{0}%
15652       \global\let\thanks\relax
15653       \global\let\maketitle\relax
15654       \global\let\@thanks\empty
15655       \global\let\@author\empty
15656       \global\let\@date\empty
15657       \global\let\title\empty
15658       \global\let\author\relax
15659       \global\let\date\relax
15660       \global\let\and\relax
15661     }
15662   \else
15663   \renewcommand{\maketitle}{\par
15664     \begingroup
15665       \renewcommand{\thefootnote}{\fnsymbol{footnote}}%
15666       \def\@makefnmark{\rlap{\textsuperscript{\normalfont\thefnmark}}\%}
15667       \long\def\@makefntext##1{\par\indent 1em\noindent
15668         \hb@xt@1.8em{%
15669           \hss\textsuperscript{\normalfont\thefnmark}\#1}\%
15670       \if@twocolumn
15671         \ifnum\col@number=\one

```



```

15672      \@maketitle
15673      \else
15674          \twocolumn[\@maketitle]%
15675      \fi
15676  \else
15677      \newpage
15678      \global\@topnum\z@    % Prevents figures from going at top of page.
15679      \@maketitle
15680      \fi
15681      \thispagestyle{plain}\@thanks
15682  \endgroup
15683  \setcounter{footnote}{0}%
15684  \global\let\thanks\relax
15685  \global\let\maketitle\relax
15686  \global\let\@maketitle\relax
15687  \global\let\@thanks\@empty
15688  \global\let\@author\@empty
15689  \global\let\@date\@empty
15690  \global\let\@title\@empty
15691  \global\let\title\relax
15692  \global\let\author\relax
15693  \global\let\date\relax
15694  \global\let\and\relax
15695 }
15696 \def\@maketitle{%
15697     \newpage
15698     \null
15699     \vskip 2em%
15700     \begin{center}%
15701     \let \footnote \thanks
15702         {\LARGE \@title \par}%
15703     \vskip 1.5em%
15704         {\large
15705             \lineskip .5em%
15706             \begin{tabular}[t]{c}%
15707                 \author
15708             \end{tabular}\par}%
15709     \vskip 1em%
15710     {\large \@date}%
15711 \end{center}%
15712 \par
15713 \vskip 1.5em}
15714 \fi
15715 \renewcommand\thesection{\thechapter\@SepMark\@arabic\c@section}
15716 \renewcommand\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
15717 \renewcommand\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
15718 \renewcommand\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
15719 \renewcommand\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
15720 \renewcommand\theequation{%
15721     \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
15722 \renewcommand\thefigure{%
15723     \ifnum \c@chapter>\z@\thechapter\@SepMark\fi \@arabic\c@figure}
15724 \renewcommand\thetable{%
15725     \ifnum \c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}

```



## 88 File fancybox-xetex-bidi.def

```
15726 \ProvidesFile{fancybox-xetex-bidi.def}[2013/05/01 v0.1 bidi adaptations for fancybox package]
15727 \def\fancy@oval#1#2#3{%
15728   \boxmaxdepth \maxdimen
15729   \ifovttrue \c@ovbtrue \c@ovltrue \c@ovrtrue
15730   \c@tfor\c@tempa :=#3\do{\csname \c@ov\c@tempa false\endcsname}%
15731   \c@ovxx#1\relax
15732   \advance\c@ovxx-\c@wholewidth
15733   \c@ovyy#2\relax
15734   \advance\c@ovyy-\c@wholewidth
15735   \c@tempdimb \ifdim \c@ovyy >\c@ovxx \c@ovxx\else \c@ovyy \fi
15736   \advance\c@tempdimb-2\p@
15737   \ifdim\c@tempdimb>\the\c@cornersize\relax
15738     \c@tempdimb=\the\c@cornersize
15739   \fi
15740   \c@getcirc\c@tempdimb
15741   \c@ovro\ht\c@tempboxa \c@ovri\dp\c@tempboxa
15742   \c@ovdx\c@ovxx \advance\c@ovdx-\c@tempdima \divide\c@ovdx \tw@%
15743   \c@ovdy\c@ovyy \advance\c@ovdy-\c@tempdima \divide\c@ovdy \tw@%
15744   \c@circlefont
15745   \setbox\c@tempboxa\hbox{\beginL%
15746     \if@ovr \c@ovvert32\kern -\c@tempdima \fi
15747     \if@ovl \kern \c@ovxx \c@ovvert01\kern -\c@tempdima \kern -\c@ovxx \fi
15748     \if@ovt \c@ovhorz \kern -\c@ovxx \fi
15749     \if@ovb \raise \c@ovyy \c@ovhorz \fi\endL}%
15750   \advance\c@ovdx\c@ovro
15751   \advance\c@ovdy\c@ovro
15752   \advance\c@ovxx\c@wholewidth
15753   \wd\c@tempboxa=\c@ovxx
15754   \dp\c@tempboxa=\z@}
```

## 89 File fancyhdr-xetex-bidi.def

```
15755 \ProvidesFile{fancyhdr-xetex-bidi.def}[2024/12/07 v0.8 bidi adaptations for fancyhdr package]
15756
15757 \let\f@nch@everypar\everypar
15758
15759 \bidi@patchcmd\f@nch@head\raggedright\bidi@raggedright
15760 {}{\bidi@warningnoline{Oops! patching `\\string\\f@nch@head' failed}}
15761 \bidi@patchcmd\f@nch@head\raggedleft\bidi@raggedleft
15762 {}{\bidi@warningnoline{Oops! patching `\\string\\f@nch@head' failed}}
15763
15764 \bidi@patchcmd\f@nch@foot\raggedright\bidi@raggedright
15765 {}{\bidi@warningnoline{Oops! patching `\\string\\f@nch@foot' failed}}
15766 \bidi@patchcmd\f@nch@foot\raggedleft\bidi@raggedleft
15767 {}{\bidi@warningnoline{Oops! patching `\\string\\f@nch@foot' failed}}
15768
```

## 90 File fix2col-xetex-bidi.def

```
15769 \ProvidesFile{fix2col-xetex-bidi.def}[2017/05/06 v0.4 bidi adaptations for fix2col package]
15770 \def\RTL@outputdblcol{%
15771   \if@firstcolumn
```



```

15772 \global\@firstcolumnfalse
15773 \global\setbox\@leftcolumn\copy\@outputbox
15774 \splitmaxdepth\maxdimen
15775 \vbadness\maxdimen
15776 \setbox\@outputbox\vsplit\@outputbox to\maxdimen
15777 \toks@\expandafter{\topmark}%
15778 \xdef\@firstcoltopmark{\the\toks@}%
15779 \toks@\expandafter{\splitfirstmark}%
15780 \xdef\@firstcolfirstmark{\the\toks@}%
15781 \ifx\@firstcolfirstmark\@empty
15782     \global\let\@setmarks\relax
15783 \else
15784     \gdef\@setmarks{%
15785         \let\firstmark\@firstcolfirstmark
15786         \let\topmark\@firstcoltopmark}%
15787     \fi
15788 \else \global\@firstcolumntrue
15789 \setbox\@outputbox \vbox {\hbox to\textwidth {%
15790 \hskip \columnwidth
15791 \hfil \vrule width\columnseprule \hfil
15792 \hbox to\columnwidth {%
15793 \bidi@firstcolumn@status@write%
15794 \box\@leftcolumn \hss}%
15795 \hskip -\textwidth
15796 \hbox to\columnwidth{%
15797 \bidi@lastcolumn@status@write%
15798 \box\@outputbox \hss}%
15799 \hskip \columnsep
15800 \hskip \columnwidth }}%
15801 \@combinedblfloats \@setmarks \@outputpage
15802 \begingroup \@dblfloatplacement \@startdblcolumn
15803 \@whilew\if@fcolmade \fi
15804 {\@outputpage \@startdblcolumn }\endgroup
15805 \fi}
15806 \def\LTR@outputdblcol{%
15807     \if@firstcolumn
15808         \global\@firstcolumnfalse
15809         \global\setbox\@leftcolumn\copy\@outputbox
15810         \splitmaxdepth\maxdimen
15811         \vbadness\maxdimen
15812         \setbox\@outputbox\vsplit\@outputbox to\maxdimen
15813         \toks@\expandafter{\topmark}%
15814         \xdef\@firstcoltopmark{\the\toks@}%
15815         \toks@\expandafter{\splitfirstmark}%
15816         \xdef\@firstcolfirstmark{\the\toks@}%
15817         \ifx\@firstcolfirstmark\@empty
15818             \global\let\@setmarks\relax
15819         \else
15820             \gdef\@setmarks{%
15821                 \let\firstmark\@firstcolfirstmark
15822                 \let\topmark\@firstcoltopmark}%
15823             \fi
15824         \else
15825             \global\@firstcolumntrue

```



```

15826 \setbox\@outputbox\vbox{%
15827   \hb@xt@\textwidth{%
15828     \hb@xt@\columnwidth{%
15829       \bidi@firstcolumn@status@write{%
15830         \box\@leftcolumn \hss}%
15831       \hfil
15832       \vrule \width\columnseprule
15833       \hfil
15834       \hb@xt@\columnwidth{%
15835         \bidi@lastcolumn@status@write{%
15836           \box\@outputbox \hss}}}}}}%
15837 \combinedblfloats
15838   \setmarks
15839   \outputpage
15840   \begingroup
15841     \dblfloatplacement
15842     \startdblcolumn
15843     \whilesw\if@fcolmade \fi{\outputpage\startdblcolumn}%
15844   \endgroup
15845 \fi}

```

## 91 File fleqn-xetex-bidi.def

```

15846 \ProvidesFile{fleqn-xetex-bidi.def}[2024/12/07 v0.2 bidi adaptations for fleqn tag for XeTeX]
15847 \DeclareRobustCommand\relax
15848   \ifmmode\badmath
15849   \else
15850     \begin{trivlist}%
15851       \begin{parpenalty}\predisplaypenalty
15852       \end{parpenalty}\postdisplaypenalty
15853       \item[]\leavevmode
15854       \hb@xt@\linewidth\bgroup \beginL$ \m@th\displaystyle %$
15855       \hskip\mathindent\bgroup
15856     \fi}
15857 \DeclareRobustCommand\relax
15858   \ifmmode
15859     \egroup $ \hfil $ %
15860     \endL\egroup
15861     \end{trivlist}%
15862   \else \badmath
15863   \fi}
15864 \renewenvironment{equation}%
15865   {\begin{parpenalty}\predisplaypenalty
15866   \end{parpenalty}\postdisplaypenalty
15867   \refstepcounter{equation}%
15868   \trivlist \item[]\leavevmode
15869   \hb@xt@\linewidth\bgroup\beginL $ \m@th% $ %
15870   \displaystyle
15871   \hskip\mathindent}%
15872   {$ \hfil $ %
15873   \displaywidth\linewidth\hbox{\eqnnum}%
15874   \endL\egroup
15875 \endtrivlist}

```



## 92 File float-xetex-bidi.def

```
15876 \ProvidesFile{float-xetex-bidi.def}[2013/04/04 v0.2 bidi adaptations for float package for XeLaTeX]
15877 \renewcommand\floatc@plain[2]{\setbox@\tempboxa\hbox{\{\@fs@cfont #1:\} #2}%
15878   \ifdim\wd\@tempboxa\hsize {\@fs@cfont #1:\} #2\par
15879   \else\hbox to\hsize{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}\fi}
15880 \def\floate@newx#1[#2]{\@ifundefined{c@#1}{\newcounter{#1}[#2]%
15881   \expandafter\edef\csname the#1\endcsname{\%
15882     \expandafter\noexpand\csname
15883       the#2\endcsname\@SepMark\noexpand\arabic{#1}}\}%
15884   {\PackageWarning{float}{Can't redefine counter variable for #1.}}}}
```

## 93 File floatrow-xetex-bidi.def

```
15885 \ProvidesFile{floatrow-xetex-bidi.def}[2013/04/08 v0.1 bidi adaptations for floatrow package]
15886 \renewcommand\flnew@within[1]{\addtoreset{\FB@capttype}{#1}%
15887   \expandafter\edef\csname the\FB@capttype\endcsname{\%
15888     \expandafter\noexpand\csname
15889       the#1\endcsname\@SepMark\noexpand\arabic{\FB@capttype}}}
```

## 94 File flowfram-xetex-bidi.def

```
15890 \ProvidesFile{flowfram-xetex-bidi.def}[2018/09/29 v0.5 bidi adaptations for flowfram package]
15891 \def\@outputdblcol{%
15892   \nxtcol=\c@thisframe
15893   \c@curpg=\c@page
15894   \g@tnextcol{\nxtcol}%
15895   \if@ff@nwpg % next flow frame starts on new page
15896     \global\@firstcolumntrue
15897     \setcolbox\c@thisframe
15898     \if@specialpage
15899       \global\@specialpagefalse
15900       \nameuse{ps@\@specialstyle}\relax
15901     \fi
15902     \if@twoside
15903       \ifodd\count\z@%
15904         \let\@thehead\@oddhead
15905         \let\@tfoot\@oddfoot
15906       \else
15907         \let\@thehead\@evenhead
15908         \let\@tfoot\@evenfoot
15909       \fi
15910     \else
15911       \let\@thehead\@oddhead
15912       \let\@tfoot\@oddfoot
15913     \fi
15914     \begindvi
15915     \dodynamicthehead\dodynamicthefoot
15916     \vbadness=\@M
15917     \setbox\@outputbox\vbox{\hbox to \textwidth{\offdo@allframes}}%
15918     \combinedblfloats
15919     \outputpage
15920     \advance\c@curpg by -\c@page\relax
15921     \whiledo{\c@curpg>0}{\advance\c@curpg by -1\relax}
```



```

15922 \setbox\@outputbox\vbox{\hbox to \textwidth{\offd@o@allframes}}%
15923 \@outputpage}
15924 \begingroup
15925 \dblfloatplacement
15926 \startdblcolumn
15927 \whilesw \if@fcolmade \fi
15928 {\@outputpage \startdblcolumn }\endgroup
15929 \resetst@tics
15930 \resetdyn@mics
15931 \else % still on same page, save contents of box255
15932 \global\firstcolumnfalse
15933 \setcolbox{c@thisframe}
15934 \fi
15935 \global\c@thisframe=\nxtcol
15936 \setcol{\c@thisframe}\relax
15937 \global\colht\vsiz
15938 }
15939 \def\@outputpage{%
15940 \begingroup
15941 \let\protect\noexpand
15942 \resetactivechars
15943 \global\let\@if@newlist\if@newlist
15944 \global\@newlistfalse\parboxrestore
15945 \global\let\bidi@BeforeOutputPageShipOut\firstofone
15946 \bidi@beforeoutputpageshipouthook
15947 \shipout\vbox{\set@typeset@protect
15948 \aftergroup
15949 \endgroup
15950 \aftergroup
15951 \set@typeset@protect
15952 \reset@font\normalsize
15953 \bidi@font@outputpage
15954 \normalsfcodes
15955 \let\label@gobble
15956 \let\index@gobble
15957 \let\glossary@gobble
15958 \baselineskip{z@skip
15959 \lineskip{z@skip
15960 \lineskiplimit{z@
15961 \vskip\topmargin\overright\themargin
15962 \vbox{%
15963 \global\let\bidi@BeforeHeader\firstofone
15964 \bidi@beforeheaderhook
15965 \vskip\headheight
15966 \vskip\headsep
15967 \global\let\bidi@BeforeOutputBoxOutputPage\firstofone
15968 \bidi@beforeoutputboxoutputpagehook
15969 \box@outputbox
15970 \global\let\bidi@AfterOutputBoxOutputPage\firstofone
15971 \bidi@afteroutputboxoutputpagehook
15972 }}%
15973 \global\let\bidi@AfterOutputPageShipOut\firstofone
15974 \bidi@afteroutputpageshipouthook
15975 \global\let\if@newlist\@if@newlist

```



```

15976 \stepcounter{page}%
15977 \setcounter{displayedframe}{0}%
15978 \let\firstmark\botmark
15979 \global\let\bidi@AtEndOutputPage\@firstofone
15980 \bidi@atendoutputpagehook
15981 }
15982
15983 \newcommand*\bidi@s@tfftextcol{\ifthenelse{\equal{\ff@txtcol}{}}{}{%
15984 \expandafter\bidi@color\ff@txtcol}}
15985
15986 \newcommand{\bidi@ff@box}[3]{{\@ffbackground{\vbox to#2
15988 {\hb@xt@ #1{\hss{\bidi@s@tfftextcol #3}\hss}\vss\kern\z@}}}}
15989
15990 \renewcommand*{\@docolbox}[1]{%
15991 \edef\ff@frametype{%
15992 \csname @ff@frametype@\romannumeral#1\endcsname}%
15993 \edef\ff@col{\csname @ff@col@\romannumeral#1\endcsname}%
15994 \edef\ff@txtcol{\csname @ff@txtcol@\romannumeral#1\endcsname}%
15995 \edef\ff@backcol{\csname @ff@backcol@\romannumeral#1\endcsname}%
15996 \edef\ff@setoffset{\#1}%
15997 \rotateframe{\csname @ff@angle@\romannumeral#1\endcsname}{%
15998 \ifthenelse{\boolean{columnframe}\romannumeral#1}{%
15999 \Cff@fbox{\csname colwidth\romannumeral#1\endcsname}{%
16000 {\csname colheight\romannumeral#1\endcsname}{%
16001 \expandafter\box\csname column\romannumeral#1\endcsname}{%
16002 \csname\ff@frametype\endcsname}{%
16003 }{%
16004 }{%
16005 \bidi@ff@box{\csname colwidth\romannumeral#1\endcsname}{%
16006 {\csname colheight\romannumeral#1\endcsname}{%
16007 \expandafter\box\csname column\romannumeral#1\endcsname}{%
16008 }}}}
16009 \ifclassloaded{book}{%
16010 \renewcommand\theequation
16011 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic\c@equation}
16012 \renewcommand\thefigure
16013 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic\c@figure}
16014 \renewcommand\thetable
16015 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic\c@table}
16016 \renewcommand\thechapter {\arabic\c@chapter}
16017 \renewcommand\thesection {\thechapter\@SepMark\arabic\c@section}
16018 \renewcommand\thesubsection {\thesection\@SepMark\arabic\c@subsection}
16019 \renewcommand\thesubsubsection{\thesubsection \@SepMark\arabic\c@subsubsection}
16020 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic\c@paragraph}
16021 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic\c@subparagraph}{}
16022 \ifclassloaded{report}{%
16023 \renewcommand\theequation
16024 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic\c@equation}
16025 \renewcommand\thefigure
16026 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic\c@figure}
16027 \renewcommand\thetable
16028 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic\c@table}
16029 \renewcommand\thechapter {\arabic\c@chapter}

```



```

16030 \renewcommand \thesection {\thechapter \@SepMark @arabic c@section}
16031 \renewcommand \thesubsection {\thesection \@SepMark @arabic c@subsection}
16032 \renewcommand \thesubsubsection {\thesubsection \@SepMark @arabic c@subsubsection}
16033 \renewcommand \theparagraph {\thesubsubsection \@SepMark @arabic c@paragraph}
16034 \renewcommand \thesubparagraph {\theparagraph \@SepMark @arabic c@subparagraph}{}}
16035 \renewcommand {\rotateframe}[2]{\if@RTL\beginL\fi#2\if@RTL\endL\fi}%
16036 \rotatebox{\#1}{\if@RTL\beginL\fi#2\if@RTL\endL\fi}%
16037 \else
16038 #2\relax
16039 \fi}

```

## 95 File footnote-xetex-bidi.def

```

16040 \ProvidesFile{footnote-xetex-bidi.def}[2024/12/14 v1.3 bidi footnote macros for XeTeX engine]
16041 \if@RTLmain@\RTL@footnotetrue\else@\RTL@footnotefalse\fi
16042 \newif\ifbidi@autofootnoterule
16043 \def\bidi@mpfootnoterule{\footnoterule}
16044 \newcounter{footdir@label}
16045 \renewcommand*{\thefootdir@label}{footdir@\the\value{footdir@label}}
16046 \newcommand*{\footdir@write}{%
16047   \stepcounter{footdir@label}%
16048   \zref@labelbyprops{\thefootdir@label}{abspage}%
16049 }
16050 \newcommand*{\debugfootnotedirection}{\footdir@debugtrue}
16051 \newtoks\footdir@toks
16052 \newcommand*{\footdir@debug}[1]{%
16053   \iffootdir@debug
16054     \typeout{[footdir] #1}%
16055   \fi
16056 }
16057 %\c@ifpackagelater{zref-abspage}{2012/10/27}{%
16058 % \newcommand*{\footdir@LeftRightElse}{%
16059 %   \ltx@ifundefined{footdir@\the\value{zabspage}}{%
16060 %     \footdir@debug{abspage} \the\value{zabspage}: else}%
16061 %   \ltx@thirdofthree
16062 % }
16063 %   \if\csname footdir@\the\value{zabspage}\endcsname L%
16064 %     \footdir@debug{abspage} \the\value{zabspage}: left}%
16065 %   \expandafter\ltx@firstofthree
16066 % \else
16067 %   \footdir@debug{abspage} \the\value{zabspage}: right}%
16068 %   \expandafter\ltx@secondofthree
16069 % \fi
16070 % }
16071 % }
16072 %}%
16073 \providecommand*{\c@zabspage}{\c@abspage}%
16074 \newcommand*{\footdir@LeftRightElse}{%
16075   \footdir@write
16076   \zifrefundefined{\thefootdir@label}{%
16077     \footdir@debug{abspage} ??: else}%
16078   \ltx@thirdofthree
16079 }
16080 \edef\footdir@abspage{%

```



```

16081      \zref@extractdefault{\thefootdir@label}{abspage}{0}%
16082  }%
16083  \ltx@ifundefined{footdir@\footdir@abspage}{%
16084      \footdir@debug{\footdir@abspage: else}%
16085      \ltx@thirdofthree
16086  }{%
16087      \if\csname footdir@\footdir@abspage\endcsname L%
16088          \footdir@debug{\footdir@abspage: left}%
16089          \expandafter\ltx@firstofthree
16090      \else
16091          \footdir@debug{\footdir@abspage: right}%
16092          \expandafter\ltx@secondofthree
16093      \fi
16094  }%
16095 }%
16096 }%
16097 }%
16098 \newcommand*{\footdir@fntext}[1]{%
16099  \zifrefundefined{\thefootdir@label}{%
16100  }{%
16101      \edef\footdir@name{%
16102          \zref@extractdefault{\thefootdir@label}{abspage}{0}%
16103      }%
16104      \c@ifundefined{\footdir@name}{%
16105          \expandafter\gdef\csname footdir@name\endcsname{#1}%
16106      }{%
16107  }%
16108 }%
16109 \newcommand*{\footdir@temp}[3]{%
16110  \c@ifdefinable{#1}{%
16111      \let#1#2%
16112      \renewcommand{#2}[1]{%
16113          \footdir@write
16114          \footdir@fntext{#3}%
16115          \stepcounter{footdir@label}%
16116          \footdir@fntext{#3}%
16117          \footdir@toks{##1}%
16118          \footdir@toks\expandafter{%
16119              \the\expandafter\footdir@toks
16120              \expandafter
16121              \zref@labelbyprops\expandafter{\thefootdir@label}{abspage}%
16122          }%
16123          \expandafter#1\expandafter{\the\footdir@toks}%
16124      }%
16125  }%
16126 }%
16127 }%
16128 \def\right@footnoterule{%
16129  \kern-3\p@
16130  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }%
16131  \kern2.6\p@}
16132 \def\left@footnoterule{\kern-3\p@
16133 \hrule \width .4\columnwidth \kern 2.6\p@}
16134

```



```

16135 \def\textwidth@footnoterule{\kern-3\p@
16136   \hrule \width \columnwidth \kern 2.6\p@}
16137 \def\leftfootnoterule{%
16138 \bidi@autofootnoterulefalse%
16139 \def\footnoterule{\left@footnoterule}}
16140 \let\LRfootnoterule=\leftfootnoterule
16141 \def\rightfootnoterule{%
16142 \bidi@autofootnoterulefalse%
16143 \def\footnoterule{\right@footnoterule}}
16144 \def\textwidthfootnoterule{%
16145 \bidi@autofootnoterulefalse%
16146 \def\footnoterule{\textwidth@footnoterule}}
16147
16148
16149 \def\auto@footnoterule{%
16150 \footdir@LeftRightElse%
16152 \left@footnoterule%
16153 \right@footnoterule%
16154 \left@footnoterule%
16155 }
16156
16157
16158 \def\autofootnoterule{%
16159 \bidi@autofootnoteruletrue%
16160 \def\footnoterule{\auto@footnoterule}%
16162 }
16163
16164 \newcommand*\SplitFootnoteRule{%
16165   \gdef\split@prev{0}
16166   \let\pagefootnoterule\footnoterule
16167   \let\mpfootnoterule\footnoterule
16168   \def\splitfootnoterule{\kern-3\p@ \hrule \kern2.6\p@}
16169   \def\footnoterule{\relax
16170     \ifx \listdepth\mplistdepth
16171       \mpfootnoterule
16172     \else
16173       \ifnum\split@prev=\z@
16174         \pagefootnoterule
16175       \else
16176         \splitfootnoterule
16177       \fi
16178       \xdef\split@prev{\the\insertpenalties}%
16179     \fi
16180   }%
16181 }
16182
16183
16184
16185
16186 \def\RTLfootnote{\ifnextchar[\@xRTLfootnote{\stepcounter{\mpfn
16187   \protected@xdef\@thefnmark{\thempfn}%
16188   \footnotemark\@RTLfootnotetext}}}

```



```

16189 \def\@xRTLfootnote[#1]{%
16190   \begingroup
16191     \csname c@\@mpfn\endcsname #1\relax
16192     \unrestored@protected\xdef\@thefnmark{\thempfn}%
16193   \endgroup
16194   \footnotemark[\@RTLfootnotetext]
16195 \def\LTRfootnote{\@ifnextchar[\@xLTRfootnote{\stepcounter\@mpfn
16196   \protected\xdef\@thefnmark{\thempfn}%
16197   \footnotemark[\@LTRfootnotetext]}}
16198 \def\@xLTRfootnote[#1]{%
16199   \begingroup
16200     \csname c@\@mpfn\endcsname #1\relax
16201     \unrestored@protected\xdef\@thefnmark{\thempfn}%
16202   \endgroup
16203   \footnotemark[\@LTRfootnotetext]
16204
16205
16206 \def\setfootnoteRL{\@RTL@footnotetrue}
16207 \def\unsetfootnoteRL{\@RTL@footnotefalse}
16208 \def\setfootnoteLR{\unsetfootnoteRL}
16209
16210 \newcommand*{\bidi@@footnotetext@font}{\footnotesize}
16211 \newcommand*{\bidi@LTRfootnotetext@font}{\footnotesize}
16212 \newcommand*{\bidi@RTLfootnotetext@font}{\footnotesize}
16213
16214 \long\def\@footnotetext#1{\insert\footins{%
16215   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
16216   \reset@font%
16217   \bidi@@footnotetext@font% \reset@font\footnotesize
16218   \interlinepenalty\interfootnotelinepenalty
16219   \splittopskip\footnotesep
16220   \splitmaxdepth \dp\strutbox \floatingpenalty \OMM
16221   \hsize\columnwidth \parboxrestore
16222   \protected\edef\@currentlabel{%
16223     \csname p@footnote\endcsname\@thefnmark
16224   }%
16225   \color\begin{group}
16226     \makefntext{%
16227       \rule{z@footnotesep}{\ignorespaces#1\finalstrut}\strutbox}%
16228   \color\endgroup}%
16229
16230
16231 \long\def\@RTLfootnotetext#1{\insert\footins{%
16232   \@RTLtrue%
16233   \reset@font%
16234   \bidi@RTLfootnotetext@font% \reset@font\footnotesize
16235   \interlinepenalty\interfootnotelinepenalty
16236   \splittopskip\footnotesep
16237   \splitmaxdepth \dp\strutbox \floatingpenalty \OMM
16238   \hsize\columnwidth \parboxrestore
16239   \protected\edef\@currentlabel{%
16240     \csname p@footnote\endcsname\@thefnmark
16241   }%
16242   \color\begin{group}

```



```

16243     \@makefntext{%
16244         \rule{z@\footnotesep}{\ignorespaces#1\@finalstrut\strutbox}%
16245     \color@endgroup}%
16246
16247 \long\def\@LTRfootnotetext#1{\insert\footins{%
16248     \ifRTLfalse%
16249     \reset@font%
16250     \bidi@LTRfootnotetext@font% \reset@font\footnotesize
16251     \interlinepenalty\interfootnotelinepenalty
16252     \splittopskip\footnotesep
16253     \splitmaxdepth \dp\strutbox \floatingpenalty \MM
16254     \hsize\columnwidth \parboxrestore
16255     \protected@edef\@currentlabel{%
16256         \csname p@footnote\endcsname\@thefnmark
16257     }%
16258     \color@begingroup
16259     \@makefntext{%
16260         \rule{z@\footnotesep}{\ignorespaces#1\@finalstrut\strutbox}%
16261     \color@endgroup}%
16262
16263 \AtBeginDocument{%
16264 \if@RTL@footnote
16265   \newcommand*{\bidi@footdir@footnote}{R}
16266 \else
16267   \newcommand*{\bidi@footdir@footnote}{L}
16268 \fi%
16269 }
16270
16271 \footdir@temp\footdir@ORG@bidi@footnotetext\@footnotetext{\bidi@footdir@footnote}%
16272 \footdir@temp\footdir@ORG@bidi@RTLfootnotetext\@RTLfootnotetext{R}%
16273 \footdir@temp\footdir@ORG@bidi@LTRfootnotetext\@LTRfootnotetext{L}%
16274
16275 \long\def\@mpRTLfootnotetext#1{%
16276   \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\right@footno
16277   \global\setbox\@mpfootins\vbox{%
16278     \unvbox\@mpfootins
16279     \ifRTLtrue
16280     \reset@font%
16281     \bidi@RTLfootnotetext@font% \reset@font\footnotesize
16282     \hsize\columnwidth
16283     \parboxrestore
16284     \protected@edef\@currentlabel
16285       {\csname p@mpfootnote\endcsname\@thefnmark}%
16286   \color@begingroup
16287   \@makefntext{%
16288     \rule{z@\footnotesep}{\ignorespaces#1\@finalstrut\strutbox}%
16289   \color@endgroup}%
16290 \long\def\@mpLTRfootnotetext#1{%
16291   \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\left@footno
16292   \global\setbox\@mpfootins\vbox{%
16293     \unvbox\@mpfootins
16294     \ifRTLfalse
16295     \reset@font%
16296     \bidi@LTRfootnotetext@font% \reset@font\footnotesize

```



```

16297   \hsize\columnwidth
16298   \@parboxrestore
16299   \protected@edef{\currentlabel
16300     {\csname p@mpfootnote\endcsname\thefnmark}%
16301   \color@begingroup
16302     \makemfntext{%
16303       \rule{z@\footnotesep}{\ignorespaces#1\finalstrut\strutbox}%
16304     \color@endgroup}}
16305 \long\def{\mpfootnotetext{#1}%
16306   \ifbidi@autofootnoterule\ifnum\c@mpfootnote=1\if@RTL@footnote\global\let\bidi@mpfootnote
16307     \global\setbox\@mpfootins\vbox{%
16308       \unvbox\@mpfootins
16309       \if@RTL@footnote\if@RTLtrue\else\if@RTLfalse\fi
16310         \reset@font%
16311       \bidi@footnotetext@font\reset@font\footnotesize
16312       \hsize\columnwidth
16313     \@parboxrestore
16314     \protected@edef{\currentlabel
16315       {\csname p@mpfootnote\endcsname\thefnmark}%
16316     \color@begingroup
16317       \makemfntext{%
16318         \rule{z@\footnotesep}{\ignorespaces#1\finalstrut\strutbox}%
16319       \color@endgroup}}
16320 \def{\iiiminipage{#1}{#2}{#3}{#4}{%
16321   \leavevmode
16322   \pboxswfalse
16323   \if@hboxRconstruct\ifbidi@list@minipage@parbox@not@nobtrue\fi
16324   \if@RTL\if#1t\ifbidi@list@minipage@parboxtrue\else\if#1b\ifbidi@list@minipage@parboxtrue\fi\fi
16325   \setlength{\tempdima}{#4}%
16326   \def{\mpargs{{#1}{#2}{#3}{#4}}{%
16327     \setbox\@tempboxa\vbox\bgroup
16328       \color@begingroup
16329         \hsize\tempdima
16330         \textwidth\hsize\columnwidth\hsize
16331       \@parboxrestore
16332       \def{\mpfn{mpfootnote}\def{\thempfn{\thempfootnote}\c@mpfootnote}{z@}}{%
16333         \let{\footnotetext}{\mpfootnotetext}
16334         \let{\@LTRfootnotetext}{\mpLTRfootnotetext}
16335         \let{\@RTLfootnotetext}{\mpRTLfootnotetext}
16336         \let{\@listdepth}{\mplistdepth}\@listdepth\z@
16337       \ominipagerestore
16338       \setminipage{%
16339 \def{\endminipage}{%
16340   \par
16341   \unskip
16342   \ifvoid\@mpfootins\else
16343     \vskip\skip\@mpfootins
16344     \normalcolor
16345     \bidi@mpfootnoterule
16346     \unvbox\@mpfootins
16347   \fi
16348   \minipagetrue %% added 24 May 89
16349 \color@endgroup
16350 \egroup

```



```

16351 \expandafter\@iiparbox\@mpargs{\unvbox\@tempboxa}
16352 \def\LTRthanks#1{\footnotemark
16353     \protected@xdef\@thanks{\@thanks
16354         \protect\LTRfootnotetext[\the\c@footnote]{#1}}%
16355 }
16356 \def\LTRfootnotetext{%
16357     \@ifnextchar [\@xLTRfootnotenext
16358         {\protected@xdef\@thefnmark{\thempfn}%
16359         \@LTRfootnotetext}}%
16360 \def\@xLTRfootnotenext[#1]{%
16361     \begingroup
16362         \csname c@\@mpfn\endcsname #1\relax
16363         \unrestored@protected@xdef\@thefnmark{\thempfn}%
16364     \endgroup
16365     \@LTRfootnotetext}
16366 \def\RTLthanks#1{\footnotemark
16367     \protected@xdef\@thanks{\@thanks
16368         \protect\RTLfootnotetext[\the\c@footnote]{#1}}%
16369 }
16370 \let\@thanks\empty
16371 \def\RTLfootnotetext{%
16372     \@ifnextchar [\@xRTLfootnotenext
16373         {\protected@xdef\@thefnmark{\thempfn}%
16374         \@RTLfootnotetext}}%
16375 \def\@xRTLfootnotenext[#1]{%
16376     \begingroup
16377         \csname c@\@mpfn\endcsname #1\relax
16378         \unrestored@protected@xdef\@thefnmark{\thempfn}%
16379     \endgroup
16380     \@RTLfootnotetext}
16381 \leftfootnoterule

```

## 96 File footnotebackref-xetex-bidi.def

```

16382 \ProvidesFile{footnotebackref-xetex-bidi.def}[2022/02/18 v0.1 bidi adaptations for footnotebackref]
16383 \LetLtxMacro{\BHFN@OldLTRFootnote}{\LTRfootnote}
16384 \LetLtxMacro{\BHFN@OldRTLFootnote}{\RTLfootnote}
16385
16386 \renewcommand*\LTRfootnote{%
16387     \refstepcounter{BackrefHyperFootnoteCounter}%
16388     \edef\BackrefFootnoteTag{bhfn:\theBackrefHyperFootnoteCounter}%
16389     \label{\BackrefFootnoteTag}%
16390     \@ifnextchar [ \Backref@OptLTHyperFootnote\Backref@HyperLTFootnote}%
16391
16392 \renewcommand*\RTLfootnote{%
16393     \refstepcounter{BackrefHyperFootnoteCounter}%
16394     \edef\BackrefFootnoteTag{bhfn:\theBackrefHyperFootnoteCounter}%
16395     \label{\BackrefFootnoteTag}%
16396     \@ifnextchar [ \Backref@OptRTLHyperFootnote\Backref@HyperRTLFootnote}%
16397 \newcommand\Backref@HyperLTRFootnote[1]{%
16398     \BHFN@OldLTRFootnote{\Backref@HyperSymbol#1}}%
16399
16400 \newcommand\Backref@HyperRTLFootnote[1]{%
16401     \BHFN@OldRTLFootnote{\Backref@HyperSymbol#1}}

```



```

16402
16403 \newcommand\Backref@OptHyperLTFootnote[2] [{}]{%
16404     \BHFN@OldLTFootnote[#1]{\Backref@HyperSymbol#2}}
16405
16406 \newcommand\Backref@OptHyperRTLFootnote[2] [{}]{%
16407     \BHFN@OldRTLFootnote[#1]{\Backref@HyperSymbol#2}}
16408
16409 \bidi@AfterFile{extrafootnotefeatures-xetex-bidi.def}{%
16410 \ifFootnoteBackref@numberlinked
16411 \renewcommand{\footfootmark}{%
16412     \ifdim\footmarkwidth < \z@%
16413         \llap{\hb@xt@ -\footmarkwidth{%
16414             \hss\normalfont\footscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}}%
16415             \hspace*{-\footmarkwidth}}}}%
16416 \else
16417     \ifdim\footmarkwidth = \z@
16418         {\normalfont\footscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}}%
16419 \else
16420     \hb@xt@\footmarkwidth{\hss\normalfont\footscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}}%
16421 \fi
16422 \fi}
16423 \renewcommand{\LTRfootfootmark}{%
16424 \ifdim\footmarkwidth < \z@
16425     \llap{\hb@xt@ -\footmarkwidth{%
16426         \hss\normalfont\LTRfootscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}}%
16427             \hspace*{-\footmarkwidth}}}}%
16428 \else
16429     \ifdim\footmarkwidth = \z@
16430         {\normalfont\LTRfootscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}}%
16431 \else
16432     \hb@xt@\footmarkwidth{\hss\normalfont\LTRfootscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}}%
16433 \fi
16434 \fi}
16435 \renewcommand{\RTLfootfootmark}{%
16436 \ifdim\footmarkwidth < \z@
16437     \llap{\hb@xt@ -\footmarkwidth{%
16438         \hss\normalfont\RTLfootscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}}%
16439             \hspace*{-\footmarkwidth}}}}%
16440 \else
16441     \ifdim\footmarkwidth = \z@
16442         {\normalfont\RTLfootscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}}%
16443 \else
16444     \hb@xt@\footmarkwidth{\hss\normalfont\RTLfootscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}}%
16445 \fi
16446 \fi}
16447 \fi
16448 }

```

## 97 File framed-xetex-bidi.def

```

16449 \ProvidesFile{framed-xetex-bidi.def}[2012/06/05 v0.3 bidi adaptations for framed package for
16450 \renewcommand\TitleBarFrame[3] {}{\begingroup
16451 \ifx\delimiter#1\delimiter
16452     \let\TF@conlab\empty

```



```

16453 \else
16454   \def\TF@conlab{\% continuation label
16455     \nointerlineskip
16456     \smash{\rlap{\kern\wd\@tempboxa\kern\fboxrule\kern\fboxsep #1}}}\%
16457 \fi
16458 \% \let\TF@savecolor\current@color
16459 \textcolor{TFFrameColor}{%
16460 \CustomFBox
16461   {\TF@Title{#2}\{\TF@conlab\}%
16462   \fboxrule\fboxrule\fboxrule\fboxrule
16463   \% \let\current@color\TF@savecolor\set@color #3\%
16464   {\normalcolor #3}\%
16465 }\endgroup
16466 }
16467 \renewenvironment{titled-frame}[1]{%
16468   \def\FrameCommand{\fboxsep8pt\fboxrule2pt
16469     \TitleBarFrame{\textbf{#1}}}\%
16470   \def\FirstFrameCommand{\fboxsep8pt\fboxrule2pt
16471     \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi$]\{\textbf{#1}}}\%
16472   \def\MidFrameCommand{\fboxsep8pt\fboxrule2pt
16473     \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi$]\{\textbf{#1}\ (cont)\}}\%
16474   \def\LastFrameCommand{\fboxsep8pt\fboxrule2pt
16475     \TitleBarFrame{\textbf{#1}\ (cont)}}\%
16476   \MakeFramed{\advance\hsize-20pt \FrameRestore}\}%
16477 \% note: 8 + 2 + 8 + 2 = 20. Don't use \width because the frame title
16478 \% could interfere with the width measurement.
16479 {\endMakeFramed}
16480 \chardef\FrameRestore=\catcode`\| % for debug
16481 \catcode`\|= \catcode`\% % (debug: insert space after backslash)
16482 \def\fb@put@frame#1#2{\relax
16483 \ifdim\pagegoal=\maxdimen \pagegoal\vsiz \fi
16484 | \message{===== Entering putframe =====^J
16485 | \pagegoal=\the\pagegoal, \pagetotal=\the\pagetotal. }%
16486 \ifinner
16487   \fb@putboxa#1%
16488   \fb@afterframe
16489 \else
16490   \dimen@\pagegoal \advance\dimen@-\pagetotal % natural space left on page
16491 \ifdim\dimen@<2\baselineskip % Too little room on page
16492 | \message{Page has only \the\dimen@\space room left; eject. }%
16493 \eject \fb@adjheight \fb@put@frame#1#2%
16494 \else % there's appreciable room left on the page
16495   \fb@sizeofframe#1%
16496 | \message{\string\pagetotal=\the\pagetotal,
16497 | \string\pagegoal=\the\pagegoal,
16498 | \string\pagestretch=\the\pagestretch,
16499 | \string\pageshrink=\the\pageshrink,
16500 | \string\fb@frh=\the\fb@frh. \space}
16501 | \message{^^JBox of size \the\ht\@tempboxa\space}\%
16502 \begingroup % temporarily set \dimen@ to be...
16503 \advance\dimen@.8\pageshrink % maximum space available on page
16504 \advance\dimen@-\fb@frh\relax % max space available for frame's contents
16505 %% LOOKS SUBTRACTED AND ADDED, SO DOUBLE ACCOUNTING!
16506 \expandafter\endgroup

```



```

16507 % expand \ifdim, then restore \dimen@ to real room left on page
16508 \ifdim\dimen@>\ht\@tempboxa % whole box does fit
16509 | \message{fits in \the\dimen@. }%
16510 % ToDo: Change this to use vsplit anyway to capture the marks
16511 % MERGE THIS WITH THE else CLAUSE!!!
16512 \fb@putboxa#1%
16513 \fb@afterframe
16514 \else % box must be split
16515 | \message{must be split to fit in \the\dimen@. }%
16516 % update frame measurement to use \FirstFrameCommand or \MidFrameCommand
16517 \fb@sizeofframe#2%
16518 \setbox\@tempboxa\vbox{\% simulate frame and flexibility of the page:
16519 \vskip \fb@frh \oplus\pagestretch \ominus.8\pageshrink
16520 \kern137sp\kern-137sp\penalty-30
16521 \unvbox\@tempboxa}%
16522 \edef\fb@resto@set{\boxmaxdepth\the\boxmaxdepth
16523 \boxmaxdepth\z@\splittopskip\the\splittopskip}%
16524 \message{^^JPadded box of size \the\ht\@tempboxa\space split to \the\dimen@}%
16525 | % Split box here
16526 \setbox\@vsplit\@tempboxa to\dimen@
16527 \toks99\expandafter{\splitfirstmark}%
16528 | \toks98\expandafter{\splitbotmark}%
16529 | \message{Marks are: \the\toks99, \the\toks98. }%
16530 | \setbox\@vbox{\unvbox\@vbox\@vbox} natural-sized
16531 | \message{Natural height of split box is \the\ht\@vbox, leaving
16532 | \the\ht\@tempboxa\space remainder. }%
16533 | % If the split-to size > (\vsize-\topskip), then set box to full size.
16534 \begingroup
16535 \advance\dimen@\topskip
16536 \expandafter\endgroup
16537 \ifdim\dimen@>\pagegoal
16538 \message{Frame is big -- Use up the full column. }%
16539 | \dimen@ii\pagegoal
16540 \advance\dimen@ii -\topskip
16541 \advance\dimen@ii \FrameHeightAdjust\relax
16542 \else % suspect this is implemented incorrectly:
16543 % If the split-to size > feasible room_on_page, rebox it smaller.
16544 \advance\dimen@.8\pageshrink
16545 \ifdim\ht\@vbox>\dimen@
16546 \message{Box too tall; rebox it to \the\dimen@. }%
16547 | \dimen@ii\dimen@
16548 \else % use natural size
16549 \dimen@ii\ht\@vbox
16550 \fi
16551 \fi
16552 % Re-box contents to desired size \dimen@ii
16553 \advance\dimen@ii -\fb@frh
16554 \setbox\@vbox to\dimen@ii \bgroup
16555 % remove simulated frame and page flexibility:
16556 \vskip -\fb@frh \oplus-\pagestretch \ominus-.8\pageshrink
16557 \unvbox\@vbox \unpenalty\unpenalty
16558 \ifdim\lastkern=-137sp % whole box went to next page
16559 \message{box split at beginning! }%
16560 |

```



```

16561      % need work here???
16562      \egroup \fb@resto@set \eject % (\vskip for frame size was discarded)
16563      \fb@adjheight
16564      \fb@put@frame#1#2% INSERTED ???
16565      \else % Got material split off at the head
16566      \egroup \fb@resto@set
16567      \ifvoid\@tempboxa % it all fit after all
16568 |        \message{box split at end! }%
16569 |        \setbox\@tempboxa\box\tw@
16570 |        \fb@putboxa#1%
16571 |        \fb@afterframe
16572      \else % it really did split
16573 |        \message{box split as expected. Its reboxed height is \the\ht\tw@. }%
16574 |        \ifdim\wd\tw@>\z@
16575 |          \wd\tw@\wd\@tempboxa
16576 |          \centerline{\#2{\hboxL{\box\tw@}}}% ??? \centerline bad idea
16577      \else
16578 |        \message{Zero width means likely blank. Don't frame it (guess)}%
16579 |        \box\tw@
16580 |        \fi
16581 |        \hrule \@height\z@ \@width\hsize
16582 |        \eject
16583 |        \fb@adjheight
16584 |        \fb@put@frame\LastFrameCommand\MidFrameCommand
16585 |        \fi\fi\fi\fi\fi
16586 }
16587 \def\fb@putboxa#1{%
16588   \ifvoid\@tempboxa
16589     \PackageWarning{framed}{Boxa is void -- discard it. }%
16590   \else
16591 |     \message{Frame and place boxa. }%
16592 |     \%{\showoutput\showbox\@tempboxa}%
16593 |     \centerline{\#1{\hboxL{\box\@tempboxa}}}% 
16594 |     \fi
16595 }
16596 \catcode`\|=FrameRestore
16597 \def\FrameRestore{%
16598   \let\ifnobreak\iffalse
16599   \let\ifnoskipsec\iffalse
16600   \let\-\@dischyp
16601   \let'@\acci\let`@\accii\let\=\@acciii
16602   % \message{FrameRestore:
16603   %   \@totallenleftmargin=\the\@totallenleftmargin,
16604   %   \rightmargin=\the\rightmargin,
16605   %   \@listdepth=\the\@listdepth. }%
16606   % Test if we are in a list (or list-like paragraph)
16607   \ifnum\ifdim\@totallenleftmargin>\z@ 1\fi
16608     \ifdim\rightmargin>\z@ 1\fi
16609     \ifnum\@listdepth>\z@ 1\fi 0>\z@
16610     % \message{In a list: \linewidth=\the\linewidth, \@totallenleftmargin=\the\@totallenleftm
16611     %   \parshape=\the\parshape, \columnwidth=\the\columnwidth, \hsize=\the\hsize,
16612     %   \labelwidth=\the\labelwidth. }%
16613     \@setminipage % snug fit around the item
16614     % Now try to propagate changes of width from \hsize to list parameters.

```



```

16615      % This is deficient, but a more advanced way to indicate modification to text
16616      % dimensions is not (yet) provided; in particular, no separate left/right
16617      % adjustment.
16618      \advance\linewidth-\columnwidth \advance\linewidth\hsize
16619      \parshape\@ne \totallmargin \linewidth
16620      \else % Not in list
16621      \linewidth=\hsize
16622      \%message{No list, set \string\linewidth=\the\hsize. }%
16623      \fi
16624      \sloppy
16625 }

```

## 98 File ftnright-xetex-bidi.def

```

16626 \ProvidesFile{ftnright-xetex-bidi.def}[2018/09/29 v0.6 bidi adaptations for ftnright package]
16627
16628 \def\prepare@bidi@copyins{%
16629   \global\bidi@rcol@copyinsskip\skip\@bidi@copyins@%
16630   \global\skip\@bidi@copyins@\z@
16631   \global\count\@bidi@copyins@\z@
16632   \global\dimen\@bidi@copyins@\textheight}
16633
16634 \newskip\bidi@rcol@copyinsskip
16635
16636 \def\LTR@outputdblcol{%
16637   \if@firstcolumn
16638     \global\@firstcolumnfalse
16639     \global\setbox\@leftcolumn\copy\@outputbox
16640     \global\count\footins\@m
16641     \global\skip\footins\rcol@footinsskip
16642     \global\count\@bidi@copyins@\@m
16643     \global\skip\@bidi@copyins@\bidi@rcol@copyinsskip
16644     \splitmaxdepth\maxdimen
16645     \vbadness\maxdimen
16646     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
16647     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
16648     \toks@\expandafter{\topmark}%
16649     \xdef\@firstcoltopmark{\the\toks@}%
16650     \toks@\expandafter{\splitfirstmark}%
16651     \xdef\@firstcolfirstmark{\the\toks@}%
16652     \ifx\@firstcolfirstmark\empty
16653       \global\let\@setmarks\relax
16654     \else
16655       \gdef\@setmarks{%
16656         \let\firstmark\@firstcolfirstmark
16657         \let\topmark\@firstcoltopmark}%
16658     \fi
16659   \else
16660     \preparefootins
16661     \prepare@bidi@copyins
16662     \global\@firstcolumntrue
16663     \setbox\@outputbox\vbox{%
16664       \hb@xt@\textwidth{%
16665         \hb@xt@\columnwidth{%

```



```

16666      \bidi@firstcolumn@status@write%
16667      \box@\leftcolumn \hss}%
16668      \hfil
16669      {\normalcolor\vrule \@width\columnseprule}%
16670      \hfil
16671      \hb@xt@\columnwidth{%
16672      \bidi@lastcolumn@status@write%
16673      \box@\outputbox \hss}}}%
16674  \combinedblfloats
16675      \setmarks
16676      \outputpage
16677      \begin{group}
16678          \dblfloatplacement
16679          \startdblcolumn
16680          \whilesw\if@fcolmade \fi{\outputpage
16681          \startdblcolumn}%
16682      \endgroup
16683  \fi}%
16684
16685 \def\RTL@outputdblcol{%
16686      \if@firstcolumn
16687          \global\firstcolumnfalse
16688          \global\setbox@\leftcolumn\copy\outputbox
16689          \global\count\footins\@m
16690          \global\skip\footins\rcol@footinsskip
16691          \global\count\@bidi@copyins\@m
16692          \global\skip\@bidi@copyins\@bidi@rcol@copyinsskip
16693          \splitmaxdepth\maxdimen
16694          \vbadness\maxdimen
16695          \setbox@\outputbox\vbox{\unvbox\outputbox\unskip}%
16696          \setbox@\outputbox\vsplit\outputbox to\maxdimen
16697          \toks@\expandafter{\topmark}%
16698          \xdef\firstcoltopmark{\the\toks@}%
16699          \toks@\expandafter{\splitfirstmark}%
16700          \xdef\firstcolfirstmark{\the\toks@}%
16701          \ifx\firstcolfirstmark\empty
16702              \global\let\@setmarks\relax
16703          \else
16704              \gdef\@setmarks{%
16705                  \let\firstmark\firstcolfirstmark
16706                  \let\topmark\firstcoltopmark}%
16707          \fi
16708      \else
16709          \preparefootins
16710          \prepare@bidi@copyins
16711          \global\firstcolumntrue
16712          \setbox@\outputbox\vbox{%
16713              \hb@xt@\textwidth{%
16714                  \hskip \columnwidth
16715                  \hfil
16716                  {\normalcolor\vrule \@width\columnseprule}%
16717                  \hfil
16718                  \hb@xt@\columnwidth{%
16719                  \bidi@firstcolumn@status@write%
```



```

16720      \box\@leftcolumn \hss}%
16721      \hskip -\textwidth
16722      \hb@xt@\columnwidth{%
16723      \bidi@lastcolumn@status@write}%
16724      \box\@outputbox \hss}%
16725      \hskip \columnsep
16726      \hskip \columnwidth }}%
16727  \c@combinedblfloats
16728      \c@setmarks
16729      \c@outputpage
16730      \begingroup
16731      \c@dblfloatplacement
16732      \c@startdblcolumn
16733      \c@whilesw\if@fcolmade \fi{\c@outputpage
16734      \c@startdblcolumn}%
16735      \endgroup
16736  \fi}%
16737
16738 \def\c@startcolumn{%
16739   \ifx\c@deferlist\empty
16740     \global\c@fcolmadefalse
16741     \global\c@colroom\c@colht
16742   \else
16743     \ifvoid\footins\else
16744       \ftn@amount\ht\footins
16745       \advance\ftn@amount\dp\footins
16746       \advance\ftn@amount\skip\footins
16747     \fi
16748     \ifvoid\c@bidi@copyins\else
16749       \bidi@copyins@amount\ht\c@bidi@copyins@
16750       \advance\bidi@copyins@amount\dp\c@bidi@copyins@
16751       \advance\bidi@copyins@amount\skip\c@bidi@copyins@
16752     \fi
16753     \global\advance\c@colht-\ftn@amount
16754     \global\advance\c@colht-\bidi@copyins@amount
16755     \global\c@colroom\c@colht
16756     \c@xstartcol
16757     \global\advance\c@colht\ftn@amount
16758     \global\advance\c@colroom\ftn@amount
16759     \global\advance\c@colht\bidi@copyins@amount
16760     \global\advance\c@colroom\bidi@copyins@amount
16761   \fi
16762   \if@fcolmade
16763     \setbox\c@cclv\box\c@outputbox
16764     \c@makecol
16765   \else
16766     \ifvoid\footins\else
16767       \insert\footins{\unvbox\footins}\fi
16768     \ifvoid\c@bidi@copyins\else
16769       \insert\c@bidi@copyins@{\unvbox\c@bidi@copyins@}\fi
16770   \fi}
16771
16772 \newdimen\bidi@copyins@amount
16773

```



```

16774 \def\@makecol{\if@firstcolumn
16775   \setbox\@outputbox\box\@cclv
16776   \if@twocolumn \else
16777     \ifvoid\footins \else
16778       \@latexerr{ftnright package
16779         used in one-column mode}%
16780       {The ftnright package was designed to
16781         work with LaTeX's standard^^Jtwocolumn
16782         option. It does *not* work with the
16783         multicol package.^^JSo please specify
16784         `twocolumn' in the
16785         \noexpand\documentclass command.}%
16786       \shipout\box\footins \fi
16787     \ifvoid\@bidi@copyins@ \else
16788       \@latexerr{ftnright package
16789         used in one-column mode}%
16790       {The ftnright package was designed to
16791         work with LaTeX's standard^^Jtwocolumn
16792         option. It does *not* work with the
16793         multicol package.^^JSo please specify
16794         `twocolumn' in the
16795         \noexpand\documentclass command.}%
16796       \shipout\box\@bidi@copyins@ \fi\fi
16797 \ifnum\insertpenalties>\z@%
16798   \@latexerr{ftnright package
16799     scrambled footnotes}%
16800   {There is too much footnote material in
16801     the first column and ftnright^^Jis
16802     unable to cope with this.^^JYou need
16803     to reduce the amount to get a properly
16804     formatted page.}%
16805 \fi
16806 \else
16807   \ifvoid\footins
16808     \ifvoid\@bidi@copyins@%
16809       \setbox\@outputbox\box\@cclv
16810     \else
16811       \setbox\@outputbox\vbox
16812       {\ifvoid\@cclv \else
16813         \unvbox\@cclv
16814         \vskip \skip\@bidi@copyins@%
16815       \fi
16816         \color@begingroup
16817         \normalcolor
16818         \unvbox \@bidi@copyins@
16819         \color@endgroup}%
16820     \fi
16821   \else
16822     \setbox\@outputbox\vbox
16823     {\ifvoid\@cclv \else
16824       \unvbox\@cclv
16825       \vskip\skip\footins\fi
16826       \color@begingroup
16827       \normalcolor

```



```

16828      \footnoterule\unvbox\footins
16829      \color@endgroup
16830      \ifvoid\@bidi@copyins@
16831      \else
16832          \vskip \skip\@bidi@copyins@
16833          \color@begingroup
16834          \normalcolor
16835          \unvbox \@bidi@copyins@
16836          \color@endgroup
16837      \fi
16838  }%
16839 \fi
16840 \fi
16841 \xdef\@freelist{\@freelist\@midlist}%
16842 \global \let \@midlist \empty
16843 \combinefloats
16844 \ifvbox\@kludgeins
16845     \makespecialcolbox
16846 \else
16847     \setbox\@outputbox\vbox to\colht
16848         {\boxmaxdepth\maxdepth
16849             \texttop
16850             \tempdima\dp\@outputbox
16851             \unvbox\@outputbox
16852             \vskip-\tempdima
16853             \textbottom}%
16854 \fi
16855 \global\maxdepth\maxdepth}
16856
16857 \let\leftfootnoterule\empty
16858 \let\rightfootnoterule\empty
16859 \let\textwidthfootnoterule\empty
16860 \let\autofootnoterule\empty
16861 \let\footnoterule\empty
16862 \long\def\makefnmark{\parindent 1em
16863     \noindent\hbox to 2em{}}%
16864     \llap{\@thefnmark\hbox{.},,\#1}
16865
16866 \setlength{\skip\@bidi@copyins@}
16867     {10pt plus 5pt minus 3pt}
16868 \AtBeginDocument{\prepare@bidi@copyins}

```

## 99 File graphicx-xetex-bidi.def

```

16869 \ProvidesFile{graphicx-xetex-bidi.def}[2017/06/17 v0.5 bidi adaptations for graphicx package]
16870 \def\Grot@box@std#1{\ifmmode\else\if@RTL\beginL\fi\fi%
16871 \Grot@setangle{#1}%
16872 \setbox\z@\hbox{\ifmmode\if@RTL\beginR\fi\if@RTL\endR\fi\else\if@RTL\beginR\fi\if@RTL\endR\fi}%
16873 \Grot@x\z@
16874 \Grot@y\z@
16875 \Grot@box\ifmmode\else\if@RTL\endL\fi\fi}
16876 \long\def\Grot@box@kv[#1]#2{\ifmmode\else\if@RTL\beginL\fi\fi%
16877 \begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi\if@RTL\endR\fi\else\if@RTL\beginR\fi\if@RTL\endR\fi}%
16878 \Grot@x\width \divide\Grot@x\tw@

```



```

16879   \Grot@y\height \advance\Grot@y-\depth \divide\Grot@y\tw@
16880   \setkeys{Grot}{#1}%
16881   \setbox\z@\box\@tempboxa
16882   \Grot@setangle{#2}%
16883   \Grot@box\ifmmode\else\if@RTL\endL\fi\fi
16884   \end@tempboxa}
16885 \long\def\Gscale@box#1[#2]#3{\ifmmode\else\if@RTL\beginL\fi\fi%
16886   \leavevmode
16887   \def\Gscale@x{#1}\def\Gscale@y{#2}%
16888   \setbox\z@\hbox{\#3}%
16889   \setbox\tw@\hbox{\Gscale@start\rlap{\copy\z@\Gscale@end}%
16890   \ifdim#2\p@<\z@
16891     \ht\tw@-#2\dp\z@
16892     \dp\tw@-#2\ht\z@
16893   \else
16894     \ht\tw@#2\ht\z@
16895     \dp\tw@#2\dp\z@
16896   \fi
16897   \ifdim#1\p@<\z@
16898     \hb@xt@-#1\wd\z@\kern-#1\wd\z@\box\tw@\hss}%
16899   \else
16900     \wd\tw@#1\wd\z@
16901     \box\tw@
16902   \fi\ifmmode\else\if@RTL\endL\fi\fi}
16903 \def\Gin@iii[#1,#2][#3,#4]#5{%
16904   \begingroup
16905   \ifmmode\else\if@RTL\beginL\fi\fi
16906   \Gin@bboxtrue
16907   \Gin@defaultbp\Gin@llx{#1}%
16908   \Gin@defaultbp\Gin@lly{#2}%
16909   \Gin@defaultbp\Gin@urx{#3}%
16910   \Gin@defaultbp\Gin@ury{#4}%
16911   \Gin@include@graphics{#5}%
16912   \ifmmode\else\if@RTL\endL\fi\fi
16913   \endgroup
16914 \def\Gin@ii[#1]#2{%
16915   \def\@tempa{}[]\def\@tempb{#2}%
16916   \ifx\@tempa\@tempb
16917     \def\@tempa{\Gin@iii[#1] []}%
16918     \expandafter\@tempa
16919   \else
16920     \begingroup
16921       \ifmmode\else\if@RTL\beginL\fi\fi
16922       \@tempswafalse
16923       \toks@{\Gin@include@graphics{#2}}%
16924       \setkeys{Gin}{#1}%
16925       \Gin@esetsize
16926       \the\toks@
16927       \ifmmode\else\if@RTL\endL\fi\fi
16928     \endgroup
16929   \fi}
16930 \def\reflectbox{\bidiGscale@box-1[1]}
16931 \long\def\bidiGscale@box#1[#2]#3{\ifmmode\else\if@RTL\beginL\fi\fi%
16932   \leavevmode

```



```

16933 \def\Gscale@x{\#1}\def\Gscale@y{\#2}%
16934 \setbox\z@\hbox{\ifmmode\if@RTL\beginR\fi\#3\if@RTL\endR\fi\else\if@RTL\beginR\fi\#3\if@RTL
16935 \setbox\tw@\hbox{\Gscale@start\rlap{\copy\z@}\Gscale@end}%
16936 \ifdim#2pt<\z@
16937   \ht\tw@-#2dp\z@
16938   \dp\tw@-#2ht\z@
16939 \else
16940   \ht\tw@#2ht\z@
16941   \dp\tw@#2dp\z@
16942 \fi
16943 \ifdim#1pt<\z@
16944   \hb@xt@-#1wd\z@\{\kern-#1wd\z@\box\tw@\hss}%
16945 \else
16946   \wd\tw@#1wd\z@
16947   \box\tw@
16948 \fi\ifmmode\else\if@RTL\endL\fi\fi}
16949 \def\scalebox#1{%
16950   \qifnextchar[\{\bidiGscale@box{\#1}\}{\bidiGscale@box{\#1}[\#1]}}
16951 \def\resizebox{%
16952   \leavevmode
16953   \qifstar{\bidiGscale@@box\totalheight}{\bidiGscale@@box\height}}
16954 \def\bidiGscale@@box#1#2#3{%
16955   \let\@tempa\Gin@exclamation
16956   \expandafter\def\expandafter\@tempb\expandafter{\string#2}%
16957   \expandafter\def\expandafter\@tempc\expandafter{\string#3}%
16958   \ifx\@tempb\@tempa
16959     \ifx\@tempc\@tempa
16960       \toks@{\mbox}%
16961     \else
16962       \toks@{\bidiGscale@box@dd{\#3}\#1}%
16963     \fi
16964   \else
16965     \ifx\@tempc\@tempa
16966       \toks@{\bidiGscale@box@dd{\#2}\width}%
16967     \else
16968       \toks@{\bidiGscale@box@dd{\#2}\width{\#3}\#1}%
16969     \fi
16970   \fi
16971   \the\toks@}
16972 \long\def\bidiGscale@box@dd#1#2#3{%
16973   \qbegin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi\#3\if@RTL\endR\fi\else\if@RTL\beginR\fi\#3\if@RTL
16974     \setlength\@tempdima{\#1}%
16975     \setlength\@tempdimb{\#2}%
16976     \Gscale@div\@tempa\@tempdima\@tempdimb
16977     \Gscale@box\@tempa[\@tempa]{\box\@tempboxa}%
16978   \qend@tempboxa}%
16979 \long\def\bidiGscale@box@ddd{\#1\#2\#3\#4\#5}{%
16980   \qbegin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi\#5\if@RTL\endR\fi\else\if@RTL\beginR\fi\#5\if@RTL
16981     \setlength\@tempdima{\#1}%
16982     \setlength\@tempdimb{\#2}%
16983     \Gscale@div\@tempa\@tempdima\@tempdimb
16984     \setlength\@tempdima{\#3}%
16985     \setlength\@tempdimb{\#4}%
16986     \Gscale@div\@tempb\@tempdima\@tempdimb

```



```

16987   \ifGin@iso
16988     \ifdim\@tempa\p@>\@tempb\p@
16989       \let\@tempa\@tempb
16990     \else
16991       \let\@tempb\@tempa
16992     \fi
16993   \fi
16994   \Gscale@box\@tempa[\@tempb]{\box\@tempboxa}%
16995 \end@tempboxa}

```

## 100 File geometry-xetex-bidi.def

```

16996 \ProvidesFile{geometry-xetex-bidi.def}[2017/01/14 v0.2 bidi adaptations for geometry package]
16997 \renewcommand*{\Gm@vrules@mpi}{%
16998 \if@RTLmain%
16999   \hb@xt@\@tempdima{\hskip-\marginparwidth\hskip-\marginparsep
17000     \llap{\Gm@vrule}\ignorespaces
17001     \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
17002     \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss}%
17003 \else%
17004   \hb@xt@\@tempdima{\llap{\Gm@vrule}\ignorespaces
17005   \hskip \textwidth\Gm@vrule\hskip \marginparsep
17006   \llap{\Gm@vrule}\hfil\Gm@vrule\fi}%
17007 \renewcommand*{\Gm@vrules@mpii}{%
17008 \if@RTLmain%
17009   \hb@xt@\@tempdima{\llap{\Gm@vrule}\ignorespaces
17010   \hskip \textwidth\Gm@vrule\hskip \marginparsep
17011   \llap{\Gm@vrule}\hfil\Gm@vrule\fi}%
17012 \else%
17013   \hb@xt@\@tempdima{\hskip-\marginparwidth\hskip-\marginparsep
17014     \llap{\Gm@vrule}\ignorespaces
17015     \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
17016     \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss\fi}%
17017 \bidi@patchcmd{\Gm@pageframes}{%
17018   \ifodd\count\z@
17019     \let\@themargin\oddsidemargin
17020   \else
17021     \let\@themargin\evensidemargin
17022   \fi
17023 }{%
17024   \ifodd\count\z@
17025     \if@RTLmain
17026       \let\@themargin\evensidemargin
17027     \else
17028       \let\@themargin\oddsidemargin
17029     \fi
17030   \else
17031     \if@RTLmain
17032       \let\@themargin\oddsidemargin
17033     \else
17034       \let\@themargin\evensidemargin
17035     \fi
17036   \fi
17037 }{}}

```



## 101 File `hfvfloat-xetex-bidi.def`

```
17038 \ProvidesFile{hfvfloat-xetex-bidi.def}[2012/04/18 v0.2 bidi adaptations for hfvfloat package f
17039 \def\do@hvFloat[#1]#2#3{%
17040   \def\hv@shortCap{#1}
17041   \def\hv@longCap{#2}
17042   \def\hv@label{#3}
17043 %\newcommand*\hvFloat[5][]{%
17044 %  [#1]: keyvalues
17045 %  #2: type figure | table | ...
17046 %  #3: float contents
17047 %  [#4]: short caption
17048 %  #5: caption
17049 %  #6: label
17050 % \setDefaults%
17051 % \def\@tempa{#1}%
17052 % \ifx\@tempa\empty\else\setkeys{hvSet}{#1}\fi% set options, only when not empty
17053 \def\@tempa{90}%
17054 \ifx\hvSet@rotAngle\@tempa \setlength{\hvMaxCapWidth}{\textheight}%
17055 \else \setlength{\hvMaxCapWidth}{\linewidth}%
17056 \fi
17057 %
17058 % First we save the object in \hvObjectBox
17059 %
17060 \ifx\hvSet@objectAngle\hv@Zero % rotate the object?
17061   \savebox{\hvObjectBox}{\ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}
17062 \else
17063   \savebox{\hvObjectBox}{%
17064     \rotatebox{\hvSet@objectAngle}{%
17065       \ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}}
17066 \fi
17067 \setlength{\hvObjectWidth}{\wd{\hvObjectBox}}
17068 %
17069 % Now we save the caption with its defined \hvCapWidth
17070 %
17071 \ifx\hvSet@capWidth\hv@Width\setlength{\hvCapWidth}{\hvObjectWidth}%
17072 \else
17073   \ifx\hvSet@capWidth\hv@Height\setlength{\hvCapWidth}{\ht{\hvObjectBox}}%
17074   \else
17075     \setlength{\hvCapWidth}{\hvObjectWidth}
17076     \ifx\hvSet@capPos\hv@Left\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
17077     \ifx\hvSet@capPos\hv@Right\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
17078     \ifdim\hvSet@capWidth<\hvMaxCapWidth
17079       \setlength{\hvCapWidth}{\hvSet@capWidth}
17080     \else
17081       \setlength{\hvCapWidth}{\hvMaxCapWidth}
17082     \fi
17083   \fi
17084 \fi
17085 %
17086 % now we have the object and the caption with the right
17087 % rotated angles saved in boxes
17088 %
17089 \def\fps@figure{\hvSet@floatPos}
```



```

17090 \ifhv@nonFloat\begin{group}% Start the nonfloat part
17091 \else \begin{\hv@floatType}% Start the floating environment
17092 \fi%
17093 \saveCaptionSkip% we put this space ourselves
17094 \ifx\hvSet@capAngle\hv@Width % need rotation?
17095 \sbox{\hvCaptionBox}{%
17096 \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
17097 \ifhv@nonFloat%
17098 \ifhv@onlyText#2%
17099 \else%
17100 \ifx\hv@floatType\hv@figure
17101 \ifx\relax#1\relax \figcaption[#2]\else\figcaption[#1]{#2}\fi%
17102 \else
17103 \ifx\relax#1\relax \tabcaption[#2]\else\tabcaption[#1]{#2}\fi%
17104 \fi
17105 \fi
17106 \else\ifx\relax\hv@shortCap\relax\caption[#2]\else\caption[#1]{#2}\fi%
17107 \fi%
17108 \label{#3}%
17109 \end{minipage}%
17110 }%
17111 \else%
17112 \sbox{\hvCaptionBox}{%
17113 \rotatebox{\hvSet@capAngle}{%
17114 \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
17115 \ifhv@nonFloat%
17116 \ifhv@onlyText#2%
17117 \else%
17118 \ifx\hv@floatType\hv@figure
17119 \ifx\relax#1\relax \figcaption[#2]\else\figcaption[#1]{#2}\fi%
17120 \else
17121 \ifx\relax#1\relax \tabcaption[#2]\else\tabcaption[#1]{#2}\fi%
17122 \fi
17123 \fi
17124 \else\ifx\relax\hv@shortCap\relax\caption[#2]\else\caption[#1]{#2}\fi%
17125 \fi%
17126 \label{#3}%
17127 \end{minipage}%
17128 }%
17129 }%
17130 \fi%
17131 %%%
17132 \restoreCaptionSkip% save old values
17133 \ifx\hvSet@objectPos\hv@Right\bidi@raggedleft%
17134 \else%
17135 \ifx\hvSet@objectPos\hv@Center
17136 \ifhv@nonFloat\hspace*\{\fill}\else\centering\fi%
17137 \fi%
17138 \fi%
17139 %
17140 % to rotate object and caption together, we save all in another box
17141 % the caption comes first, if its on the left or the top
17142 %
17143 \savebox{\@tempboxa}{%

```



```

17144 \ifx\hvSet@capPos\hv@Left % caption on left side
17145 \if@RTL%
17146 \ifx\hvSet@capVPos\hv@Center%
17147   \ifhv@fbox
17148     \fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
17149   \else
17150     \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
17151   \fi%
17152   \hspace{\hvSet@floatCapSep pt}%
17153   \ifhv@fbox
17154     \fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
17155   \else
17156     \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
17157   \fi%
17158 \else%
17159   \ifx\hvSet@capVPos\hv@Top
17160     \ifhv@fbox
17161       \fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
17162     \else
17163       \raisebox{-\height}{\usebox{\hvObjectBox}}%
17164     \fi%
17165     \hspace{\hvSet@floatCapSep pt}%
17166     \ifhv@fbox
17167       \fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
17168     \else
17169       \raisebox{-\height}{\usebox{\hvCaptionBox}}%
17170     \fi
17171   \else
17172     \ifhv@fbox
17173       \fbox{\usebox{\hvObjectBox}}%
17174     \else
17175       \usebox{\hvObjectBox}%
17176     \fi
17177     \hspace{\hvSet@floatCapSep pt}%
17178     \ifhv@fbox
17179       \fbox{\usebox{\hvCaptionBox}}%
17180     \else
17181       \usebox{\hvCaptionBox}%
17182     \fi%
17183   \fi%
17184 \fi%
17185 \else% not RTL
17186   \ifx\hvSet@capVPos\hv@Center%
17187     \ifhv@fbox\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
17188     \else      \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
17189     \fi%
17190     \hspace{\hvSet@floatCapSep pt} % capfloatsep
17191     \ifhv@fbox\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}%
17192     \else      \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}%
17193     \fi%
17194 \else%
17195   \ifx\hvSet@capVPos\hv@Top % caption at top
17196     \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
17197     \else      \raisebox{-\height}{\usebox{\hvCaptionBox}}%

```



```

17198     \fi
17199     \hskip{\hvSet@floatCapSep pt}%
17200     \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
17201     \else     \raisebox{-\height}{\usebox{\hvObjectBox}}%
17202     \fi%
17203 \else% caption on bottom
17204     \ifhv@fbox\fbox{\usebox{\hvCaptionBox}}
17205     \else\usebox{\hvCaptionBox}
17206     \fi%
17207     \hskip{\hvSet@floatCapSep pt}%
17208     \ifhv@fbox\fbox{\usebox{\hvObjectBox}}
17209     \else     \usebox{\hvObjectBox}
17210     \fi%
17211     \fi%
17212 \fi% end of RTL
17213     \fi%
17214 \else
17215     \ifx\hvSet@capPos\hv@Top
17216     \ifdim\wd\hvCaptionBox>\wd\hvObjectBox
17217         \begin{minipage}{\wd\hvCaptionBox}
17218     \else
17219         \begin{minipage}{\wd\hvObjectBox}
17220         \fi
17221         \centering
17222         \ifhv@fbox
17223             \fbox{\usebox{\hvCaptionBox}}\\[\hvBelowCaptionSkip]
17224             \fbox{\usebox{\hvObjectBox}}
17225         \else
17226             \usebox{\hvCaptionBox}\\[\hvBelowCaptionSkip]
17227             \usebox{\hvObjectBox}
17228         \fi%
17229         \end{minipage}
17230     \else
17231     \ifx\hvSet@capPos\hv@Bottom
17232     \ifdim\wd\hvCaptionBox>\wd\hvObjectBox
17233         \begin{minipage}{\wd\hvCaptionBox}
17234     \else
17235         \begin{minipage}{\wd\hvObjectBox}
17236         \fi
17237         \centering
17238         \ifhv@fbox
17239             \fbox{\usebox{\hvObjectBox}}\\[\hvAboveCaptionSkip]
17240             \fbox{\usebox{\hvCaptionBox}}
17241         \else
17242             \usebox{\hvObjectBox}\\[\hvAboveCaptionSkip]
17243             \usebox{\hvCaptionBox}
17244         \fi%
17245         \end{minipage}
17246     \else% the last option: put the caption on the right
17247 \if@RTL%
17248     \ifx\hvSet@capVPos\hv@Center%
17249     \ifhv@fbox\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
17250     \else     \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
17251     \fi%

```



```

17252   \hspace{\hvSet@floatCapSep pt}%
17253   \ifhv@fbox\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
17254   \else    \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
17255   \fi%
17256 \else%
17257   \ifx\hvSet@capVPos\hv@Top % caption at top
17258     \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
17259     \else    \raisebox{-\height}{\usebox{\hvCaptionBox}}%
17260     \fi
17261     \hspace{\hvSet@floatCapSep pt}%
17262     \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
17263     \else    \raisebox{-\height}{\usebox{\hvObjectBox}}%
17264     \fi%
17265 \else% caption on bottom
17266   \ifhv@fbox\fbox{\usebox{\hvCaptionBox}}
17267     \else\usebox{\hvCaptionBox}
17268   \fi%
17269   \hspace{\hvSet@floatCapSep pt}%
17270   \ifhv@fbox\fbox{\usebox{\hvObjectBox}}
17271   \else    \usebox{\hvObjectBox}
17272   \fi%
17273   \fi%
17274 \fi%
17275 \else% not RTL
17276   \ifx\hvSet@capVPos\hv@Center%
17277     \ifhv@fbox
17278       \fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
17279     \else
17280       \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
17281     \fi%
17282     \hspace{\hvSet@floatCapSep pt}%
17283     \ifhv@fbox
17284       \fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
17285     \else
17286       \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
17287     \fi%
17288 \else%
17289   \ifx\hvSet@capVPos\hv@Top
17290     \ifhv@fbox
17291       \fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
17292     \else
17293       \raisebox{-\height}{\usebox{\hvObjectBox}}%
17294     \fi%
17295     \hspace{\hvSet@floatCapSep pt}%
17296     \ifhv@fbox
17297       \fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
17298     \else
17299       \raisebox{-\height}{\usebox{\hvCaptionBox}}%
17300     \fi%
17301 \else
17302   \ifhv@fbox
17303     \fbox{\usebox{\hvObjectBox}}%
17304   \else
17305     \usebox{\hvObjectBox}%

```



```

17306      \fi
17307      \hspace{\hvSet@floatCapSep pt}%
17308      \ifhv@fbox
17309          \fbox{\usebox{\hvCaptionBox}}%
17310      \else
17311          \usebox{\hvCaptionBox}%
17312      \fi%
17313      \fi%
17314      \fi
17315 \fi% end of RTL
17316      \fi
17317      \fi
17318      \fi
17319  }% End savebox Object and caption
17320 %
17321 % now we rotate the object and caption, if needed
17322 %
17323 \ifx\hvSet@rotAngle\hv@Zero
17324     \usebox{\@tempboxa}
17325 \else
17326     \rotatebox{\hvSet@rotAngle}{\usebox{\@tempboxa}}
17327 \fi
17328 \ifhv@nonFloat
17329     \ifx\hvSet@objectPos\hv@Center
17330         \ifhv@nonFloat
17331             \hspace{\fill}
17332         \fi
17333     \fi
17334     \endgroup% End the nonfloat part
17335 \else
17336     \end{\hv@floatType}% End the floating environment
17337 \fi
17338 }

```

## 102 File `hyperref-xetex-bidi.def`

```

17339 \ProvidesFile{hyperref-xetex-bidi.def}[2018/11/11 v1.1 bidi adaptations for hyperref package]
17340 \AtBeginDocument{%
17341 \def\contentsline#1#2#3#4{%
17342     \ifx\\#4\\%
17343         \csname l@#1\endcsname{#2}{#3}%
17344     \else
17345         \ifcase\Hy@linktoc % none
17346             \csname l@#1\endcsname{#2}{#3}%
17347         \or % section
17348             \csname l@#1\endcsname{%
17349                 \hyper@linkstart{link}{#4}{\if@RTL\beginR\fi\#2\if@RTL\endR\fi}\hyper@linkend
17350             }{#3}%
17351         \or % page
17352             \csname l@#1\endcsname{{#2}}{%
17353                 \hyper@linkstart{link}{#4}{#3}\hyper@linkend
17354             }%
17355         \else % all
17356             \csname l@#1\endcsname{%

```



```

17357     \hyper@linkstart{link}{\#4}{\if@RTL\beginR\fi\#2\if@RTL\endR\fi}\hyper@linkend
17358     }{%
17359     \hyper@linkstart{link}{\#4}{\#3}\hyper@linkend
17360     }%
17361     \fi
17362   \fi
17363 }
17364 \ifHy@hyperfootnotes
17365   \let\H@footnotetext\@footnotetext
17366   \let\HRTL@RTLfootnotetext\@RTLfootnotetext
17367   \let\HLTR@LTRfootnotetext\@LTRfootnotetext
17368   \def\xfootnotenext[#1]{%
17369     \begingroup
17370       \csname c@\@mpfn\endcsname #1\relax
17371       \unrestored@protected@xdef\@thefnmark{\thempfn}%
17372     \endgroup
17373     \ifx\@footnotetext\@mpfootnotetext
17374       \expandafter\H@mpfootnotetext
17375     \else
17376       \expandafter\H@footnotetext
17377     \fi
17378   }%
17379   \def\xRTLfootnotenext[#1]{%
17380     \begingroup
17381       \csname c@\@mpfn\endcsname #1\relax
17382       \unrestored@protected@xdef\@thefnmark{\thempfn}%
17383     \endgroup
17384     \ifx\@RTLfootnotetext\@mpRTLfootnotetext
17385       \expandafter\HRTL@mpRTLfootnotetext
17386     \else
17387       \expandafter\HRTL@RTLfootnotetext
17388     \fi
17389   }%
17390   \def\xLTRfootnotenext[#1]{%
17391     \begingroup
17392       \csname c@\@mpfn\endcsname #1\relax
17393       \unrestored@protected@xdef\@thefnmark{\thempfn}%
17394     \endgroup
17395     \ifx\@LTRfootnotetext\@mpLTRfootnotetext
17396       \expandafter\HLTR@mpLTRfootnotetext
17397     \else
17398       \expandafter\HLTR@LTRfootnotetext
17399     \fi
17400   }%
17401   \def\xfootnotemark[#1]{%
17402     \begingroup
17403       \c@footnote #1\relax
17404       \unrestored@protected@xdef\@thefnmark{\thefootnote}%
17405     \endgroup
17406     \H@footnotemark
17407   }%
17408   \let\H@mpfootnotetext\@mpfootnotetext
17409   \let\HRTL@mpRTLfootnotetext\@mpRTLfootnotetext
17410   \let\HLTR@mpLTRfootnotetext\@mpLTRfootnotetext

```



```

17411      \long\def\@mpfootnotetext#1{%
17412      \H@@mpfootnotetext{%
17413          \ifHy@nesting
17414              \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
17415          \else
17416              \Hy@raisedlink{%
17417                  \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
17418                  }#1%
17419              \fi
17420          }%
17421      }%
17422      \long\def\@mpRTLfootnotetext#1{%
17423          \HRTL@@mpRTLfootnotetext{%
17424              \ifHy@nesting
17425                  \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
17426              \else
17427                  \Hy@raisedlink{%
17428                      \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
17429                      }#1%
17430                  \fi
17431          }%
17432      }%
17433      \long\def\@mpLTRfootnotetext#1{%
17434          \HLTR@@mpLTRfootnotetext{%
17435              \ifHy@nesting
17436                  \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
17437              \else
17438                  \Hy@raisedlink{%
17439                      \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
17440                      }#1%
17441                  \fi
17442          }%
17443      }%
17444      \long\def\@footnotetext#1{%
17445          \H@@footnotetext{%
17446              \ifHy@nesting
17447                  \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
17448              \else
17449                  \Hy@raisedlink{%
17450                      \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
17451                      }%
17452                  \let\@currentHlabel\Hy@footnote@currentHlabel
17453                  \let\@currentHref\Hy@footnote@currentHref
17454                  \let\@currentlabelname\@empty
17455                  #1%
17456                  \fi
17457          }%
17458      }%
17459      \long\def\@RTLfootnotetext#1{%
17460          \HRTL@@RTLfootnotetext{%
17461              \ifHy@nesting
17462                  \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
17463              \else
17464                  \Hy@raisedlink{%

```



```

17465           \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
17466       }%
17467       \let\@currentHlabel\Hy@footnote@currentHlabel
17468       \let\@currentHref\Hy@footnote@currentHref
17469       \let\@currentlabelname\empty
17470       #1%
17471   \fi
17472 }%
17473 }%
17474 \long\def\@LTRfootnotetext#1{%
17475   \HLTR@LTRfootnotetext{%
17476     \ifHy@nesting
17477       \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
17478     \else
17479       \Hy@raisedlink{%
17480         \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
17481       }%
17482       \let\@currentHlabel\Hy@footnote@currentHlabel
17483       \let\@currentHref\Hy@footnote@currentHref
17484       \let\@currentlabelname\empty
17485       #1%
17486     \fi
17487   }%
17488 }%
17489 \@ifpackageloaded{tabularx}{%
17490   \let\HyOrg@TX@endtabularx\TX@endtabularx
17491   \def\Hy@tabularx@hook{%
17492     \let\@footnotetext\H@@footnotetext
17493     \let\@LTRfootnotetext\HLTR@LTRfootnotetext
17494     \let\@RTLfootnotetext\HRTL@RTLfootnotetext
17495     \let\@footnotemark\H@@footnotemark
17496     \let\@mpfootnotetext\H@@mpfootnotetext
17497     \let\@mpLTRfootnotetext\HLTR@mpLTRfootnotetext
17498     \let\@mpRTLfootnotetext\HRTL@mpRTLfootnotetext
17499   }%
17500   \begingroup
17501     \toks@\expandafter{\TX@endtabularx}%
17502     \xdef\Hy@gtemp{%
17503       \noexpand\Hy@tabularx@hook
17504       \the\toks@
17505     }%
17506   \endgroup
17507   \let\TX@endtabularx\Hy@gtemp
17508 }{%
17509 \@ifpackageloaded{longtable}{%
17510   \CheckCommand*{\LT@p@LTRftntext}[1]{%
17511     \edef\@tempa{%
17512       \the\LT@p@ftn
17513       \noexpand\LTRfootnotetext[\the\c@footnote]%
17514     }%
17515     \global\LT@p@ftn\expandafter{\@tempa{#1}}%
17516   }%
17517   \long\def\LT@p@LTRftntext#1{%
17518     \edef\@tempa{%

```



```

17519   \the\LT@p@ftn
17520   \begingroup
17521     \noexpand\c@footnote=\the\c@footnote\relax
17522     \noexpand\protected@xdef\noexpand\@thefnmark{%
17523       \noexpand\thempfn
17524     }%
17525     \noexpand\Hy@LT@LTRfootnotetext{%
17526       \Hy@footnote@currentHref
17527     }%
17528   }%
17529   \global\LT@p@ftn\expandafter{%
17530     @tempa{#1}%
17531   \endgroup
17532 }%
17533 }%
17534 \long\def\Hy@LT@LTRfootnotetext#1#2{%
17535   \HLTR@LTRfootnotetext{%
17536     \ifHy@nesting
17537       \hyper@@anchor{#1}{#2}%
17538     \else
17539       \Hy@raisedlink{%
17540         \hyper@@anchor{#1}{\relax}%
17541       }%
17542       \def\@currentHref{#1}%
17543       \let\@currentlabelname\@empty
17544         #2%
17545     \fi
17546   }%
17547 }%
17548 \CheckCommand*{\LT@p@RTLftntext}[1]{%
17549   \edef\@tempa{%
17550     \the\LT@p@ftn
17551     \noexpand\RTLfootnotetext[\the\c@footnote]%
17552   }%
17553   \global\LT@p@ftn\expandafter{\@tempa{#1}}%
17554 }%
17555 \long\def\LT@p@RTLftntext#1{%
17556   \edef\@tempa{%
17557     \the\LT@p@ftn
17558   \begingroup
17559     \noexpand\c@footnote=\the\c@footnote\relax
17560     \noexpand\protected@xdef\noexpand\@thefnmark{%
17561       \noexpand\thempfn
17562     }%
17563     \noexpand\Hy@LT@RTLfootnotetext{%
17564       \Hy@footnote@currentHref
17565     }%
17566   }%
17567   \global\LT@p@ftn\expandafter{%
17568     @tempa{#1}%
17569   \endgroup
17570 }%
17571 }%
17572 \long\def\Hy@LT@RTLfootnotetext#1#2{%

```



```

17573   \HRTL@@RTLfootnotetext{%
17574     \ifHy@nesting
17575       \hyper@@anchor{\#1}{\#2}%
17576     \else
17577       \Hy@raisedlink{%
17578         \hyper@@anchor{\#1}{\relax}%
17579       }%
17580       \def\@currentHref{\#1}%
17581       \let\@currentlabelname\@empty
17582       \#2%
17583     \fi
17584   }%
17585 }%
17586 }{}}%
17587   \@ifpackageloaded{bidipoem}{%
17588     \long\def\bidiopem@p@ftntext#1{%
17589       \edef\@tempx{%
17590         \the\bidiopem@p@ftn
17591         \begingroup
17592           \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
17593           \noexpand\protected@xdef\noexpand\@thefnmark{%
17594             \noexpand\thempfn
17595           }%
17596           \noexpand\Hy@bidiopem@footnotetext{%
17597             \Hy@footnote@currentHref
17598           }%
17599         }%
17600       \global\bidiopem@p@ftn\expandafter{%
17601         \@tempx{#1}%
17602       \endgroup
17603     }%
17604   }%
17605   \long\def\Hy@bidiopem@footnotetext#1#2{%
17606     \H@@footnotetext{%
17607       \ifHy@nesting
17608         \hyper@@anchor{\#1}{\#2}%
17609       \else
17610         \Hy@raisedlink{%
17611           \hyper@@anchor{\#1}{\relax}%
17612         }%
17613         \def\@currentHref{\#1}%
17614         \let\@currentlabelname\@empty
17615         \#2%
17616       \fi
17617     }%
17618   }%
17619   \long\def\bidiopem@p@LTrftntext#1{%
17620     \edef\@tempxi{%
17621       \the\bidiopem@p@ftn
17622       \begingroup
17623         \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
17624         \noexpand\protected@xdef\noexpand\@thefnmark{%
17625           \noexpand\thempfn
17626         }%

```



```

17627     \noexpand\Hy@bidipoem@LTRfootnotetext{%
17628         \Hy@footnote@currentHref
17629     }%
17630 }%
17631 \global\bidipoem@p@ftn\expandafter{%
17632     \@tempxi{#1}%
17633     \endgroup
17634 }%
17635 }%
17636 \long\def\Hy@bidipoem@LTRfootnotetext#1#2{%
17637     \HLTR@LTRfootnotetext{%
17638         \ifHy@nesting
17639             \hyper@@anchor{#1}{#2}%
17640         \else
17641             \Hy@raisedlink{%
17642                 \hyper@@anchor{#1}{\relax}%
17643             }%
17644             \def\@currentHref{#1}%
17645             \let\@currentlabelname\empty
17646                 #2%
17647             \fi
17648         }%
17649     }%
17650     \long\def\bidipoem@p@RTLftnttext#1{%
17651         \edef\@tempxi{%
17652             \the\bidipoem@p@ftn
17653             \begingroup
17654                 \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
17655                 \noexpand\protected\xdef\noexpand\@thefnmark{%
17656                     \noexpand\thempfn
17657                 }%
17658                 \noexpand\Hy@bidipoem@RTLfootnotetext{%
17659                     \Hy@footnote@currentHref
17660                 }%
17661             }%
17662             \global\bidipoem@p@ftn\expandafter{%
17663                 \@tempxi{#1}%
17664                 \endgroup
17665             }%
17666     }%
17667     \long\def\Hy@bidipoem@RTLfootnotetext#1#2{%
17668         \HRTL@RTLfootnotetext{%
17669             \ifHy@nesting
17670                 \hyper@@anchor{#1}{#2}%
17671             \else
17672                 \Hy@raisedlink{%
17673                     \hyper@@anchor{#1}{\relax}%
17674                 }%
17675                 \def\@currentHref{#1}%
17676                 \let\@currentlabelname\empty
17677                     #2%
17678                 \fi
17679             }%
17680         }%

```



```

17681 }{%
17682 \let\HyOrg@maketitle\maketitle
17683 \def\maketitle{%
17684   \let\Hy@saved@footnotemark@\footnotemark
17685   \let\Hy@saved@footnotetext@\footnotetext
17686   \let\HyRTL@saved@RTLfootnotetext@\RTLfootnotetext
17687   \let\HyLTR@saved@LTRfootnotetext@\LTRfootnotetext
17688   \let@\footnotemark\H@@footnotemark
17689   \let@\footnotetext\H@@footnotetext
17690   \let@\RTLfootnotetext\HRTL@@RTLfootnotetext
17691   \let@\LTRfootnotetext\HLTR@@LTRfootnotetext
17692   \c@ifnextchar[\Hy@maketitle@optarg{%
17693     \HyOrg@maketitle
17694     \Hy@maketitle@end
17695   }%
17696 }%
17697 \def\Hy@maketitle@optarg[#1]{%
17698   \HyOrg@maketitle[{#1}]%
17699   \Hy@maketitle@end
17700 }%
17701 \def\Hy@maketitle@end{%
17702   \ifx\@footnotemark\H@@footnotemark
17703     \let@\footnotemark\Hy@saved@footnotemark
17704   \fi
17705   \ifx\@footnotetext\H@@footnotetext
17706     \let@\footnotetext\Hy@saved@footnotetext
17707   \fi
17708   \ifx\@RTLfootnotetext\HRTL@@RTLfootnotetext
17709     \let@\RTLfootnotetext\HyRTL@saved@RTLfootnotetext
17710   \fi
17711   \ifx\@LTRfootnotetext\HLTR@@LTRfootnotetext
17712     \let@\LTRfootnotetext\HyLTR@saved@LTRfootnotetext
17713   \fi
17714 }%
17715 \def\realfootnote{%
17716   \c@ifnextchar[\@xfootnote{%
17717     \stepcounter{\@mpfn}%
17718     \protected@xdef\@thefnmark{\thempfn}%
17719     \H@@footnotemark\H@@footnotetext
17720   }%
17721 }%
17722 \fi
17723 \def\Hy@BeginAnnot#1{%
17724   \ifmmode\else\beginL\fi%
17725   \global\advance\c@Hy@AnnotLevel\@ne
17726   \ifnum\c@Hy@AnnotLevel=\@ne
17727     #1%
17728   \fi
17729 }
17730 \def\Hy@EndAnnot{%
17731   \ifnum\c@Hy@AnnotLevel=\@ne
17732     \Hy@endcolorlink
17733     \c@pdfm@mark{eann}%
17734   \fi

```



```

17735 \global\advance\c@Hy@AnnotLevel\m@ne
17736 \ifmmode\else\endL\fi%
17737 }
17738 \def\hyper@link#1#2#3{%
17739   \hyper@linkstart{#1}{#2}\ifmmode\else\if@RTL\beginR\fi\fi\#3\ifmmode\else\if@RTL\endR\fi\fi%
17740 }
17741 \def\hyper@linkfile#1#2#3{%
17742   \leavevmode
17743   \Hy@BeginAnnot{%
17744     \def\Hy@pstringF{\#2}%
17745     \Hy@CleanupFile\Hy@pstringF
17746     \Hy@pstringdef\Hy@pstringF\Hy@pstringF
17747     \Hy@pstringdef\Hy@pstringD{\#3}%
17748     \Hy@MakeRemoteAction
17749     \pdfmark{%
17750       bann<<%
17751       /Type/Annot%
17752       /Subtype/Link%
17753       \ifHy@pdfa /F 4\fi
17754       \Hy@setpdfborder
17755       \ifx\@filebordercolor\relax
17756       \else
17757         /C[\@filebordercolor]%
17758       \fi
17759       /A<<%
17760       /S/GoToR%
17761       /F(\Hy@pstringF)%
17762       /D%
17763       \ifx\#3\%
17764         [\Hy@href@page\@pdfremotestartview]%
17765       \else
17766         (\Hy@pstringD)%
17767       \fi
17768       \Hy@SetNewWindow
17769       \Hy@href@nextactionraw
17770       >>%
17771       >>%
17772     }%
17773     \Hy@colorlink\@filecolor
17774   }%
17775 \ifmmode\else\if@RTL\beginR\fi\fi\#1\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
17776 \Hy@EndAnnot
17777 }
17778 \def\@hyper@launch run:#1\#2#3{%
17779   \leavevmode
17780   \Hy@BeginAnnot{%
17781     \Hy@pstringdef\Hy@pstringF{\#1}%
17782     \Hy@pstringdef\Hy@pstringP{\#3}%
17783     \pdfmark{%
17784       bann<<%
17785       /Type/Annot%
17786       /Subtype/Link%
17787       \ifHy@pdfa /F 4\fi
17788       \Hy@setpdfborder

```



```

17789      \ifx\@runbordercolor\relax
17790      \else
17791          /C[\@runbordercolor]%
17792      \fi
17793      /A<<%
17794          /F(\Hy@pstringF)%
17795          /S/Launch%
17796          \Hy@SetNewWindow
17797          \ifx\#3\\%
17798          \else
17799              /Win<</P(\Hy@pstringP)/F(\Hy@pstringF)>>%
17800          \fi
17801          \Hy@href@nextactionraw
17802          >>%
17803          >>%
17804      }%
17805      \Hy@colorlink\@runcolor
17806  }%
17807 \ifmmode\else\if@RTL\beginR\fi\fi#2\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
17808 \Hy@EndAnnot
17809 }
17810 \def\hyper@linkurl#1#2{%
17811     \leavevemode
17812     \Hy@BeginAnnot{%
17813         \Hy@pstringdef\Hy@pstringURI{#2}%
17814         \@pdfm@mark{%
17815             bann<<%
17816                 /Type/Annot%
17817                 /Subtype/Link%
17818                 \ifHy@pdflatex /F 4\fi
17819                 \Hy@setpdfborder
17820                 \ifx\@urlbordercolor\relax
17821                 \else
17822                     /C[\@urlbordercolor]%
17823                 \fi
17824             /A<<%
17825                 /S/URI%
17826                 /URI(\Hy@pstringURI)%
17827                 \ifHy@href@ismap
17828                     /IsMap true%
17829                 \fi
17830                 \Hy@href@nextactionraw
17831                 >>%
17832             >>%
17833         }%
17834         \Hy@colorlink\@urlcolor
17835     }%
17836 \ifmmode\else\if@RTL\beginR\fi\fi#1\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
17837 \Hy@EndAnnot
17838 }
17839 \def\Acrobatmenu#1#2{%
17840     \Hy@Acrobatmenu{#1}{#2}{%
17841         \Hy@BeginAnnot{%
17842             \EdefEscapeName\Hy@temp@menu{#1}%

```



```

17843     \@pdfm@mark{%
17844         bann<<%
17845             /Type/Annot%
17846             /Subtype/Link%
17847             \ifHy@pdfa /F 4\fi
17848             \Hy@setpdfborder
17849             \ifx\@menubordercolor\relax
17850             \else
17851                 /C[\@menubordercolor]%
17852             \fi
17853             /A<<%
17854                 /S/Named%
17855                 /N/\Hy@temp@menu
17856                 \Hy@href@nextactionraw
17857             >>%
17858             >>%
17859         }%
17860         \Hy@colorlink@\menucolor
17861     }%
17862     \ifmmode\else\if@RTL\beginR\fi\fi#2\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
17863     \Hy@EndAnnot
17864 }%
17865 }%
17866 \def\hyper@natlinkstart#1{%
17867     \Hy@backout{#1}%
17868     \hyper@linkstart{cite}{cite.#1}\if@RTL\beginR\fi%
17869     \def\hyper@nat@current{#1}%
17870 }%
17871 \def\hyper@natlinkend{%
17872     \if@RTL\endR\fi\hyper@linkend
17873 }%
17874 \def\hyper@natlinkbreak#1#2{%
17875     \if@RTL\endR\fi\hyper@linkend#1\hyper@linkstart{cite}{cite.#2}\if@RTL\beginR\fi%
17876 }%
17877 }%
17878 \pdfstringdefDisableCommands{%
17879 \let\LRE@\firstofone
17880 \let\LR@\firstofone
17881 \let\RLE@\firstofone
17882 \let\RL@\firstofone
17883 \def\xetex{\xe\tex}%
17884 \def\xelatex{\xe\latex}%
17885 }%
17886 @ifpackageloaded{longtable}{%
17887     \begingroup
17888         \def\y{\LT@array}%
17889         \@ifundefined{scr@LT@array}{}%
17890             \@ifundefined{adl@LT@array}{}{\def\y{\adl@LT@array}}%
17891         }{\def\y{\scr@LT@array}}%
17892         \long\def\x{\refstepcounter#1#2\@sharp#3#4\@nil}%
17893         \expandafter\endgroup
17894         \expandafter\def\y[##1]{\refstepcounter{##1}}%
17895         \Hyper@makecurrent{table}%
17896 }

```



```

17897      \let\Hy@LT@currentHref\@currentHref
17898      #2\@sharp#####4%
17899      }%
17900      }%
17901      \expandafter\expandafter\expandafter\x\y[{#1}]{#2}\@nil
17902      \begingroup
17903      \def\x#1\ifvoid\LT@foot#2\fi#3\@nil{%
17904      \endgroup
17905      \def\LT@start{%
17906      #1%
17907      \ifvoid\LT@foot#2\fi
17908      \let\@currentHref\Hy@LT@currentHref
17909      \Hy@raisedlink{%
17910      \hyper@anchorstart{\@currentHref}\hyper@anchorend
17911      }%
17912      #3%
17913      }%
17914      }%
17915      \expandafter\x\LT@start\@nil
17916 }{}}
17917 \bidi@patchcmd\@TextField{%
17918   \opdfm@mark
17919 }{%
17920   \if@RTL
17921     \hskip\FLd@width
17922   \fi
17923   \opdfm@mark
17924 }{}{}}
17925 \bidi@patchcmd\@TextField{%
17926   \unhbox
17927 }{%
17928   \if@RTL
17929     \hskip-\FLd@width
17930   \fi
17931   \unhbox
17932 }{}{}}
17933 \bidi@patchcmd\@@Radio{%
17934   \opdfm@mark
17935 }{%
17936   \if@RTL
17937     \hskip\FLd@width
17938   \fi
17939   \opdfm@mark
17940 }{}{}}
17941 \bidi@patchcmd\@@Radio{%
17942   \unhcopy
17943 }{%
17944   \if@RTL
17945     \hskip-\FLd@width
17946   \fi
17947   \unhcopy
17948 }{}{}}
17949 \bidi@patchcmd\@Submit{%
17950   \opdfm@mark

```



```

17951 }{%
17952   \if@RTL
17953     \null
17954     \hskip\wd\pdfm@box
17955   \fi
17956   \pdfm@mark
17957 }{}{%
17958 \bidi@patchcmd@\Submit{%
17959   \unhbox
17960 }{}{%
17961   \if@RTL
17962     \hskip-\wd\pdfm@box
17963   \fi
17964   \unhbox
17965 }{}{%
17966 \bidi@patchcmd@\Reset{%
17967   \pdfm@mark
17968 }{}{%
17969   \if@RTL
17970     \null
17971     \hskip\wd\pdfm@box
17972   \fi
17973   \pdfm@mark
17974 }{}{%
17975 \bidi@patchcmd@\Reset{%
17976   \unhbox
17977 }{}{%
17978   \if@RTL
17979     \hskip-\wd\pdfm@box
17980   \fi
17981   \unhbox
17982 }{}{%

```

## 103 File imsproc-xetex-bidi.def

```

17983 \ProvidesFile{imsproc-xetex-bidi.def}[2017/06/09 v0.1 bidi adaptations for imsproc class for
17984 \newenvironment{thebibliography}[1]{%
17985   \obtitlestyle
17986   \normalfont\bibliofont\labelsep .5em\relax
17987   \renewcommand{\theenumiv}{\arabic{enumiv}}\let\p@enumiv\empty
17988   \if@RTL\if@LTRbibitems@\RTLfalse\else\fi\else\if@RTLbibitems@\RTLtrue\else\fi\fi
17989   \bidi@@thebibliography@font@hook
17990   \list{\oblabel{\theenumiv}}{\settowidth\labelwidth{\oblabel{#1}}%
17991     \leftmargin\labelwidth \advance\leftmargin\labelsep
17992     \usecounter{enumiv}}%
17993   \sloppy \clubpenalty@M \widowpenalty\clubpenalty
17994   \sfcode`\.=\@m
17995 }{}{%
17996   \def\onitemerr{\@latex@warning{Empty `thebibliography' environment}}%
17997   \endlist
17998 }
17999
18000 \def\theindex{\restonecoltrue\if@twocolumn\restonecolfalse\fi
18001   \columnseprule\z@ \columnsep 35\p@

```



```

18002  \@inextitlestyle
18003  \thispagestyle{plain}%
18004  \let\item@\idxitem
18005  \parindent\z@ \parskip\z@ \@plus.3\p@\relax
18006  \if@RTL\raggedleft\else\raggedright\fi
18007  \hyphenpenalty\@M
18008  \footnotesize}
18009 \def\@idxitem{\par\hangindent \if@RTL-\fi 2em}
18010 \def\subitem{\par\hangindent \if@RTL-\fi 2em\hspace*{1em}}
18011 \def\subsubitem{\par\hangindent \if@RTL-\fi 3em\hspace*{2em}}
18012
18013 \def\right@footnoterule{%
18014   \kern-.4\p@
18015   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
18016   \kern11\p@\kern-\footnotesep}
18017 \def\left@footnoterule{\kern-.4\p@
18018   \hrule\@width 5pc\kern11\p@\kern-\footnotesep}
18019 \def\@makefnmark{%
18020   \leavevmode
18021   \raise.9ex\hbox{\fontsize\sf@size\z@\normalfont\@thefnmark}%
18022 }
18023
18024 \def\part{\@startsection{part}{0}%
18025   \z@\{ \linespacing\@plus\linespacing\}\,.5\linespacing\}%
18026   {\normalfont\bfseries\if@RTL\raggedleft\else\raggedright\fi}}
18027 \def\@tocline#1#2#3#4#5#6#7{\relax
18028   \ifnum #1>\c@tocdepth % then omit
18029   \else
18030     \par \addpenalty\@secpenalty\addvspace{#2}%
18031     \begingroup \hyphenpenalty\@M
18032     \@ifempty{#4}{%
18033       \tempdima\csname r@tocindent\number#1\endcsname\relax
18034     }{%
18035       \tempdima#4\relax
18036     }%
18037     \parindent\z@ \if@RTL\rightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightskip\else\leftskip\fi\tempdima\if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
18038     \if@RTL\leftskip\else\rightskip\fi\@pnumwidth #5\leavevmode\hskip-\tempdima #6\nobreak\relax
18039     \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
18040     \nobreak
18041     \endgroup
18042   \fi}
18043 \fi}
18044 \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}}
18045 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
18046 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
18047 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
18048 \def\maketitle{\par
18049   \topnum\z@ % this prevents figures from falling at the top of page 1
18050   \setcopyright
18051   \thispagestyle{firstpage} % this sets first page specifications
18052   \uppercaseonmath\shorttitle
18053   \ifx\empty\shortauthors \let\shortauthors\shorttitle
18054   \else \andify\shortauthors
18055   \fi

```



```

18056  \@maketitle@hook
18057  \begingroup
18058  \@maketitle
18059  \toks@\@xp{\shortauthors}\@temptokena\@xp{\shorttitle}%
18060  \toks4{\def\\{\ignorespaces}}% defend against questionable usage
18061  \edef\@tempa{%
18062    \c@nx\markboth{\the\toks}%
18063    \c@nx\MakeUppercase{\the\toks}{\the\@temptokena}}%
18064  \endgroup
18065  \endgroup
18066  \c@footnote\z@
18067  \c@cleartopmattertags
18068 }

```

## 104 File leqno-xetex-bidi.def

```

18069 \ProvidesFile{leqno-xetex-bidi.def}[2018/01/07 v0.2 bidi adaptations for leqno tag for XeTeX]
18070 \renewcommand*\eqnnum{\hb@xt@.01\p@{}}
18071           \rlap{\hskip -\displaywidth
18072           \normalfont\normalcolor\if@RTL\beginR\fi(\theequation)\if@RTL\endR}

```

## 105 File letter-xetex-bidi.def

```

18073 \ProvidesFile{letter-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for standard letter class]
18074 \renewcommand*\opening[1]{\ifx\empty\fromaddress
18075   \thispagestyle{firstpage}%
18076   {\if@RTL\raggedright\else\raggedleft\fi\@date\par}%
18077   \else % home address
18078   \thispagestyle{empty}%
18079   {\if@RTL\raggedright\else\raggedleft\fi\if@RTL\begin{tabular}{r@{}{}}\else\begin{tabular}{l}%
18080     \fromaddress \\*[2\parskip]%
18081     \@date \end{tabular}\par}%
18082   \fi
18083   \vspace{2\parskip}%
18084   {\if@RTL\raggedleft\else\raggedright\fi \toname \\ \toaddress \par}%
18085   \vspace{2\parskip}%
18086   #1\par\nobreak}
18087 \renewcommand\left@footnoterule{%
18088   \kern-\p@
18089   \hrule \width .4\columnwidth
18090   \kern .6\p@}
18091 \renewcommand\right@footnoterule{%
18092   \kern-\p@
18093   \hbox to \columnwidth{\hspace{.6\columnwidth}\hrulefill }%
18094   \kern .6\p@}

```

## 106 File lettrine-xetex-bidi.def

```

18095 \ProvidesFile{lettrine-xetex-bidi.def}[2024/12/08 v0.9 bidi adaptations for lettrine package]
18096 \RemoveFromHook{begindocument}[lettrine]
18097 \AtBeginDocument[lettrine]{%
18098   \if\DefaultOptionsFile\relax
18099   \else
18100     \InputIfFileExists{\DefaultOptionsFile}%

```



```

18101      {}%
18102      {\PackageWarning{lettrine.sty}%
18103          {File \DefaultOptionsFile\space not found}%
18104      }%
18105      \fi
18106      \let\ifL@RTL\if@RTL
18107 }

```

## 107 File lineno-xetex-bidi.def

```

18108 \ProvidesFile{lineno-xetex-bidi.def}[2024/12/07 v0.3 bidi adaptations for lineno package for
18109 \bidi@patchcmd{\MakeLineNo}{%
18110   \hb@xt@z@{\makeLineNumber}%
18111 }{%
18112   \hboxL to \z@{\makeLineNumber}%
18113 }{}{}}
18114
18115 \bidi@patchcmd{\makeLineNumberLeft}{\LineNumber}{%
18116   \if@RTL
18117     \hb@xt@\linenumberwidth{\LineNumber\hss}%
18118   \else
18119     \LineNumber
18120   \fi
18121 }{}{}}
18122
18123 \bidi@patchcmd{\makeLineNumberRight}{\LineNumber}{%
18124   \hb@xt@\linenumberwidth{\hss\LineNumber}%
18125 }{%
18126   \if@RTL
18127     \LineNumber
18128   \else
18129     \hb@xt@\linenumberwidth{\hss\LineNumber}%
18130   \fi
18131 }{}{}}
18132
18133 \bidi@AfterPreamble{%
18134   \if@RTLmain
18135     \rightlinenumbers*
18136   \else
18137     \leftlinenumbers*
18138   \fi
18139   \@ifpackagewith{lineno}{left}{%
18140     \leftlinenumbers*
18141   }{}%
18142   \@ifpackagewith{lineno}{right}{%
18143     \rightlinenumbers*
18144   }{}%
18145   \@ifpackagewith{lineno}{switch}{%
18146     \if@RTLmain
18147       \switchlinenumbers*%
18148     \else
18149       \switchlinenumbers
18150     \fi
18151   }{}%

```



```

18152  \@ifpackagewith{lineno}{switch*}{%
18153    \if@RTLmain
18154      \switchlinenumbers
18155    \else
18156      \switchlinenumbers*%
18157    \fi
18158  }{}
18159 }
18160

```

## 108 File `listings-xetex-bidi.def`

```

18161 \ProvidesFile{listings-xetex-bidi.def}[2018/09/15 v1.5 bidi adaptations for listings package]
18162 \lst@Key{captiondirection}{textdirection}{%
18163   \lstKV@SwitchCases{#1}%
18164   {textdirection:\\"%
18165     RTL:\chardef\bidi@lst@caption@direction\@ne\\%
18166     LTR:\chardef\bidi@lst@caption@direction\z@%
18167   }{\PackageError{Listings}{direction #1 unknown}\@ehc}}
18168
18169 \lst@Key{captionscript}{textsscript}{%
18170   \lstKV@SwitchCases{#1}%
18171   {textsscript:\\"%
18172     latin:\chardef\bidi@lst@caption@script\@ne\\%
18173     nonlatin:\chardef\bidi@lst@caption@script\z@%
18174   }{\PackageError{Listings}{direction #1 unknown}\@ehc}}
18175
18176 \newcommand*{\bidi@lst@ensure@caption@direction}[2]{%
18177   \@ifundefined{bidi@lst@caption@direction}{}{%
18178     \ifnum\bidi@lst@caption@direction=\z@%
18179       #1%
18180     \else%
18181       \ifnum\bidi@lst@caption@direction=\@ne%
18182         #2%
18183       \fi%
18184     \fi%
18185   }%
18186
18187 \newcommand*{\bidi@lst@ensure@caption@script}[2]{%
18188   \@ifundefined{bidi@lst@caption@script}{}{%
18189     \ifnum\bidi@lst@caption@script=\z@%
18190       #1%
18191     \else%
18192       \ifnum\bidi@lst@caption@script=\@ne%
18193         #2%
18194       \fi%
18195     \fi%
18196   }%
18197
18198 \long\def\bidi@lst@makecaption#1#2{%
18199   \bidi@lst@ensure@caption@script{\@nonlatintrue}{\@nonlatinfalse}%
18200   \vskip\abovecaptionskip
18201   \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
18202   \sbox\@tempboxa%

```



```

18203   \bidi@lst@ensure@caption@direction{\beginL}{\beginR}%
18204   #1: #2%
18205   \bidi@lst@ensure@caption@direction{\endL}{\endR}%
18206   }%
18207   \ifdim \wd\@tempboxa >\hsize
18208     #1: #2\par
18209   \else
18210     \global \minipagefalse
18211     \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
18212   \fi
18213   \vskip\belowcaptionskip%
18214 \def\lst@makecaption{\bidi@lst@makecaption}
18215 \def\lst@maketitle{\bidi@lst@makecaption\lst@title@dropdelim}
18216 \bidi@AtEndPreamble{%
18217 \bidi@patchcmd{\lst@MakeCaption}{%
18218   \ifx #1t%
18219     \ifx\lst@caption\empty\expandafter\lst@HRefStepCounter \else
18220       \expandafter\refstepcounter
18221     \fi \lstlisting}%
18222 }{%
18223   \ifx #1t%
18224     \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
18225     \ifx\lst@caption\empty\expandafter\lst@HRefStepCounter \else
18226       \expandafter\refstepcounter
18227     \fi \lstlisting}%
18228   \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLfalse}%
18229 }{}{%
18230 \bidi@patchcmd{\lst@MakeCaption}{%
18231   \addcontentsline{loll}{\lstlisting}%
18232   \protect\newline{\the\lstlisting}\lst@caption}%
18233 }{%
18234 \begingroup%
18235   \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
18236   \addcontentsline{loll}{\lstlisting}%
18237   \protect\newline{\the\lstlisting}\lst@caption}%
18238 \endgroup%
18239 }{}{%
18240 }%
18241 \ifpackageloaded[caption]{%
18242   \AtBeginCaption{%
18243     \bidi@lst@ensure@caption@script{\@nonlatintrue}{\@nonlatinfalse}%
18244     \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
18245 }%
18246   \let\bidi@lst@makecaption\caption@makecaption%
18247   \def\lst@makecaption{\caption@starfalse\bidi@lst@makecaption}%
18248   \def\lst@maketitle{\caption@startrue\bidi@lst@makecaption\empty}%
18249 }{%
18250 \AtBeginDocument{%
18251   \ifundefined{captionlabelfalse}{}{%
18252     \def\lst@maketitle{\captionlabelfalse\bidi@lst@makecaption\empty}%
18253   \ifundefined{caption@startrue}{}{%
18254     \def\lst@maketitle{\caption@startrue\bidi@lst@makecaption\empty}%
18255 }%
18256 }

```



```

18257 \AtBeginDocument{
18258   \@ifundefined{thechapter}{\let\lst@ifnumberbychapter\iffalse}{}%
18259   \lst@ifnumberbychapter
18260     \gdef\thelstlisting%
18261       {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic\c@lstlisting}%
18262   \else
18263     \gdef\thelstlisting{\arabic\c@lstlisting}%
18264   \fi}

```

## 109 File loadingorder-xetex-bidi.def

```

18265 \ProvidesFile{loadingorder-xetex-bidi.def}[2024/12/08 v0.99 making sure that bidi is the last
18266 \bidi@isloaded{amsmath}
18267 \bidi@isloaded{amstext}
18268 \bidi@isloaded{amsthm}
18269 \bidi@isloaded{animate}
18270 \bidi@isloaded{breqn}
18271 \bidi@isloaded{cals}
18272 \bidi@isloaded{caption}
18273 \bidi@isloaded{crop}
18274 \bidi@isloaded{cuted}
18275 \bidi@isloaded{cutwin}
18276 \bidi@isloaded{color}
18277 \bidi@isloaded{dblfnote}
18278 \bidi@isloaded{diagbox}
18279 \bidi@isloaded{xcolor}
18280 \bidi@isloaded{colortbl}
18281 \bidi@isloaded{float}
18282 \bidi@isloaded{floatrow}
18283 \bidi@isloaded{flowfram}
18284 \bidi@isloaded{framed}
18285 \bidi@isloaded{ftnright}
18286 \bidi@isloaded{xltxtra}
18287 \bidi@isloaded{xunicode}
18288 \bidi@isloaded{wrapfig}
18289 \bidi@isloaded{graphicx}
18290 \bidi@isloaded{geometry}
18291 \bidi@isloaded{hvfloat}
18292 \bidi@isloaded{mdframed}
18293 \bidi@isloaded{midfloat}
18294 \bidi@isloaded{ntheorem}
18295 \bidi@isloaded{ntheorem-hyper}
18296 \bidi@isloaded{hyperref}
18297 \bidi@isloaded{fancybox}
18298 \bidi@isloaded{fancyhdr}
18299 \bidi@isloaded{fix2col}
18300 \bidi@isloaded{draftwatermark}
18301 \bidi@isloaded{empheq}
18302 \bidi@isloaded{overpic}
18303 \bidi@isloaded{pdfpages}
18304 \bidi@isloaded{listings}
18305 \bidi@isloaded{lettrine}
18306 \bidi@isloaded{lineno}
18307 \bidi@isloaded{media9}

```



```

18308 \bidi@isloaded{pstricks}
18309 \bidi@isloaded{pgf}
18310 \bidi@isloaded{picinpar}
18311 \bidi@isloaded{quotchap}
18312 \bidi@isloaded{tikz}
18313 \bidi@isloaded{titlesec}
18314 \bidi@isloaded{titletoc}
18315 \bidi@isloaded{array}
18316 \bidi@isloaded{soul}
18317 \bidi@isloaded{stabular}
18318 \bidi@isloaded{subfig}
18319 \bidi@isloaded{subfigure}
18320 \bidi@isloaded{supertabular}
18321 \bidi@isloaded{xtab}
18322 \bidi@isloaded{longtable}
18323 \bidi@isloaded{arydshln}
18324 \bidi@isloaded{multicol}
18325 \bidi@isloaded{multienum}
18326 \bidi@isloaded{minitoc}
18327 \bidi@isloaded{natbib}
18328 \bidi@isloaded{newfloat}
18329 \bidi@isloaded{ragged2e}
18330 \bidi@isloaded{rotating}
18331 \bidi@isloaded{tbls}
18332 \bidi@isloaded{tabulary}
18333 \bidi@isloaded{tocbasic}
18334 \bidi@isloaded{tocstyle}
18335 \bidi@isloaded{tocbibind}
18336 \bidi@isloaded{fontspec}
18337 \bidi@isloaded{arabxetex}
18338 \bidi@isloaded{polyglossia}
18339 \bidi@isloaded{fancyvrb}
18340 \AtBeginDocument{
18341   \if@bidi@amsmathloaded@{\else
18342     \bidi@isloaded[{\PackageError{bidi}{Oops! you have loaded package amsmath after bidi packa
18343   \fi%
18344   \if@bidi@amstextloaded@{\else
18345     \bidi@isloaded[{\PackageError{bidi}{Oops! you have loaded package amstext after bidi pack
18346   \fi%
18347   \if@bidi@amsthmloaded@{\else
18348     \bidi@isloaded[{\PackageError{bidi}{Oops! you have loaded package amsthm after bidi packa
18349   \fi%
18350   \if@bidi@animateloaded@{\else
18351     \bidi@isloaded[{\PackageError{bidi}{Oops! you have loaded package animate after bidi pack
18352   \fi%
18353   \if@bidi@breqnloaded@{\else
18354     \bidi@isloaded[{\PackageError{bidi}{Oops! you have loaded package breqn after bidi packag
18355   \fi%
18356   \if@bidi@calsloaded@{\else
18357     \bidi@isloaded[{\PackageError{bidi}{Oops! you have loaded package cals after bidi package
18358   \fi%
18359   \if@bidi@captionloaded@{\else
18360     \bidi@isloaded[{\PackageError{bidi}{Oops! you have loaded package caption after bidi pack
18361   \fi%

```



```

18362 \if@bidi@croploaded@\else
18363   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package crop after bidi package}]
18364 \fi%
18365 \if@bidi@colorloaded@\else
18366   \ifpackageloaded{hyperref}{}{%
18367     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package color after bidi package}]
18368   \fi%
18369 \if@bidi@cutwinloaded@\else
18370   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cutwin after bidi package}]
18371 \fi%
18372   \if@bidi@cutedloaded@\else
18373     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cuted after bidi package}]
18374   \fi%
18375 \if@bidi@dblfnoteloaded@\else
18376   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package dblfnote after bidi package}]
18377   \fi%
18378 \if@bidi@diagboxloaded@\else
18379   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package diagbox after bidi package}]
18380   \fi%
18381 \if@bidi@xcolorloaded@\else
18382   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xcolor after bidi package}]
18383   \fi%
18384 \if@bidi@colortblloaded@\else
18385   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package colortbl after bidi package}]
18386   \fi%
18387 \if@bidi@floatloaded@\else
18388   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package float after bidi package}]
18389   \fi%
18390   \if@bidi@floatrowloaded@\else
18391     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package floatrow after bidi package}]
18392   \fi%
18393 \if@bidi@flowframloaded@\else
18394   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package flowfram after bidi package}]
18395   \fi%
18396 \if@bidi@framedloaded@\else
18397   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package framed after bidi package}]
18398   \fi%
18399   \if@bidi@ftnrightloaded@\else
18400     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ftnright after bidi package}]
18401   \fi%
18402 \if@bidi@xltxtalloaded@\else
18403   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xltxtal after bidi package}]
18404   \fi%
18405 \if@bidi@xunicodeloaded@\else
18406   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xunicode after bidi package}]
18407   \fi%
18408 \if@bidi@wrapfigloaded@\else
18409   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package wrapfig after bidi package}]
18410   \fi%
18411 \if@bidi@graphicxloaded@\else
18412   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package graphicx after bidi package}]
18413   \fi%
18414   \if@bidi@geometryloaded@\else
18415     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package geometry after bidi package}]

```



```

18416 \fi%
18417 \if@bidi@hvfloadloaded@\else
18418   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package hvfload after bidi packa
18419 \fi%
18420   \if@bidi@mdframedloaded@\else
18421     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package mdframed after bidi pa
18422 \fi%
18423   \if@bidi@midfloatloaded@\else
18424     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package midfloat after bidi pa
18425 \fi%
18426   \if@bidi@ntheoremloaded@\else
18427     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ntheorem after bidi pa
18428 \fi%
18429 \if@bidi@hyperrefloaded@\else
18430   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package hyperref after bidi pa
18431 \fi%
18432   \if@bidi@fancyboxloaded@\else
18433     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancybox after bidi pa
18434 \fi%
18435 \if@bidi@fancyhdrloaded@\else
18436   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancyhdr after bidi pa
18437 \fi%
18438 \if@bidi@draftwatermarkloaded@\else
18439   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package draftwatermark after bi
18440 \fi%
18441 \if@bidi@empheqloaded@\else
18442   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package empheq after bidi packa
18443 \fi%
18444   \if@bidi@overpicloaded@\else
18445     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package overpic after bidi pack
18446 \fi%
18447 \if@bidi@pdfpagesloaded@\else
18448   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pdfpages after bidi pa
18449 \fi%
18450 \if@bidi@lettrineloaded@\else
18451   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package lettrine after bidi pa
18452 \fi
18453 \if@bidi@linenoloaded@\else
18454   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package lineno after bidi packa
18455 \fi%
18456 \if@bidi@listingsloaded@\else
18457   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package listings after bidi pa
18458 \fi%
18459 \csname if@bidi@media9loaded@\endcsname\else
18460   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package media9 after bidi packa
18461 \fi%
18462 \if@bidi@pstricksloaded@\else
18463   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pstricks after bidi pa
18464 \fi%
18465 \if@bidi@pgfloaded@\else
18466   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pgf after bidi package.
18467 \fi%
18468 \if@bidi@picinparloaded@\else
18469   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package picinpar after bidi pa

```



```

18470 \fi%
18471 \if@bidi@quotchaploaded@\else
18472   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package quotchap after bidi pac}
18473 \fi%
18474 \if@bidi@tikzloaded@\else
18475   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tikz after bidi package}]
18476 \fi%
18477 \if@bidi@titlesecloaded@\else
18478   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package titlesec after bidi pac}
18479 \fi%
18480 \if@bidi@titletocloaded@\else
18481   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package titletoc after bidi pac}
18482 \fi%
18483 \if@bidi@arrayloaded@\else
18484   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package array after bidi packag}
18485 \fi%
18486 \if@bidi@stabularloaded@\else
18487   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package stabular after bidi pac}
18488 \fi%
18489 \if@bidi@soulloaded@\else
18490   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package soul after bidi package}
18491 \fi%
18492 \if@bidi@subfigloaded@\else
18493   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package subfig after bidi packa}
18494 \fi%
18495 \if@bidi@subfigureloaded@\else
18496   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package subfigure after bidi pa}
18497 \fi%
18498 \if@bidi@supertabularloaded@\else
18499   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package supertabular after bidi pa}
18500 \fi%
18501 \if@bidi@xtabloaded@\else
18502   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xtab after bidi package}
18503 \fi%
18504 \if@bidi@longtableloaded@\else
18505   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package longtable after bidi pa}
18506 \fi%
18507 \if@bidi@arydshlnloaded@\else
18508   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package arydshln after bidi pac}
18509 \fi%
18510 \if@bidi@multicolloaded@\else
18511   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package multicol after bidi pac}
18512 \fi%
18513 \if@bidi@multienumloaded@\else
18514   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package multienum after bidi pa}
18515 \fi%
18516 \if@bidi@minitocloaded@\else
18517   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package minitoc after bidi packa}
18518 \fi%
18519 \if@bidi@natbibloaded@\else
18520   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package natbib after bidi packa}
18521 \fi%
18522 \if@bidi@newfloatloaded@\else
18523   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package newfloat after bidi pac}

```



```

18524 \fi%
18525 \csname if@bidi@ragged2eloaded@\endcsname\else
18526   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ragged2e after bidi pac
18527 \fi%
18528   \if@bidi@rotatingloaded@\else
18529     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package rotating after bidi pa
18530 \fi%
18531 \if@bidi@tablsloaded@\else
18532   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tabls after bidi packag
18533 \fi%
18534 \if@bidi@tabularyloaded@\else
18535   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tabulary after bidi pac
18536 \fi%
18537 \if@bidi@tocbasicloaded@\else
18538   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocbasic after bidi pac
18539 \fi%
18540 \if@bidi@tocstyleloaded@\else
18541   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocstyle after bidi pac
18542 \fi%
18543 \if@bidi@tocbibindloaded@\else
18544   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocbibind after bidi pa
18545 \fi%
18546 \if@bidi@fontspecloaded@\else
18547   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fontspec after bidi pac
18548 \fi%
18549 \if@bidi@arabxetexloaded@\else
18550   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package arabxetex after bidi pa
18551 \fi%
18552 \if@bidi@polyglossialoaded@\else
18553   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package polyglossia after bidi
18554 \fi%
18555 \if@bidi@fancyvrbloaded@\else
18556   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancyvrb after bidi pac
18557 \fi%
18558 }

```

## 110 File longtable-xetex-bidi.def

```

18559 \ProvidesFile{longtable-xetex-bidi.def}[2022/05/20 v0.6 bidi adaptations for longtable packa
18560 \def\LT@array[#1]#2{%
18561   \refstepcounter{table}\stepcounter{LT@tables}%
18562   \if l#1%
18563     \if@RTLtab\LTleft\fill \LTright\z@\else\LTleft\z@\LTright\fill\fi
18564   \else\if r#1%
18565     \if@RTLtab\LTleft\z@\LTright\fill\else\LTleft\fill \LTright\z@\fi
18566   \else\if c#1%
18567     \LTleft\fill \LTright\fill
18568   \fi\fi\fi
18569   \let\LT@mcoll\multicolumn
18570   \let\LT@tabarray\@tabarray
18571   \let\LT@h\hline
18572   \def\@tabarray{%
18573     \let\hline\LT@@hline
18574     \LT@tabarray}%

```



```

18575 \let\\LT@tabularcr\let\tabularnewline\\%
18576 \def\newpage{\noalign{\break}}%
18577 \def\pagebreak{\noalign{\ifnum`}=0\fi\@testopt{\LT@no@pgbk-}4}%
18578 \def\nopagebreak{\noalign{\ifnum`}=0\fi\@testopt{\LT@no@pgbk4}%
18579 \let\hline\LT@hline \let\kill\LT@kill\let\caption\LT@caption
18580 \@tempdima\ht\strutbox
18581 \let\@endpbox\LT@endpbox
18582 \ifx\extrarowheight\undefined
18583   \let\@acol\@tabacol
18584   \let\@classz\@tabclassz \let\@classiv\@tabclassiv
18585   \def\@startpbox{\vtop\LT@startpbox}%
18586   \let\@@startpbox\@startpbox
18587   \let\@endpbox\@endpbox
18588   \let\LT@LL@FM@cr\@tabularcr
18589 \else
18590   \advance\@tempdima\extrarowheight
18591   \col@sep\tabcolsep
18592   \let\@startpbox\LT@startpbox\let\LT@LL@FM@cr\@arraycr
18593 \fi
18594 \setbox\@arstrutbox\hbox{\vrule
18595   \height \arraystretch \@tempdima
18596   \depth \arraystretch \dp \strutbox
18597   \width \z@}%
18598 \let\@sharp##\let\protect\relax
18599 \begingroup
18600   \mkpream{#2}%
18601   \xdef\LT@bchunk{%
18602     \global\advance\c@LT@chunks\@ne
18603     \global\LT@rows\z@\setbox\z@\vbox\bgroup
18604     \LT@setprevdepth
18605     \tabskip\LTleft\noexpand\halign to\hsize\bgroup
18606     \tabskip\z@\@arstrut \preamble \tabskip\Lright \cr}%
18607   \endgroup
18608   \expandafter\LT@nofcols\LT@bchunk&\LT@nofcols
18609   \LT@make@row
18610   \m@th\let\par\empty
18611   \everycr{}\lineskip\z@\baselineskip\z@
18612   \LT@bchunk}
18613 \def\LT@makecaption#1#2#3{%
18614   \LT@mcoll\LT@cols c{\hbox to\z@{\hss\parbox[t]\LTcapwidth{%
18615     \sbox\@tempboxaf\if@RTL\beginR\fi#1{#2: }#3\if@RTL\endR\fi}%
18616     \ifdim\wd\@tempboxa>\hsize
18617       #1{#2: }#3%
18618     \else
18619       \hbox to\hsize{\hfil\box\@tempboxa\hfil}%
18620     \fi
18621     \endgraf\vskip\baselineskip}%
18622   \hss}}}
18623 \ifpackageloaded{caption}{%
18624   \renewcommand\LT@makecaption[3]{%
18625     \caption@LT@make{%
18626       \caption@LT@settype\LTcaptype
18627       \caption@LT@setup
18628       \caption@setautoposition{\ifcase\LT@rows t\else b\fi}%

```



```

18629   \caption@startrue#1\caption@starfalse
18630   \caption@prepare@stepcounter\LTcaptype
18631   \caption@begin\LTcaptype
18632     \caption@normalsize
18633     \vskip-\ht\strutbox
18634     \caption@ifdefined\FBifcaptop{%
18635       \let\caption@belowskip\empty\{}%
18636       \caption@make@above
18637       \caption@@make{\#2}{\#3}\endgraf
18638       \caption@make@below
18639       \caption@end}%
18640 \}{}}
18641 \def\LT@startpbox#1{%
18642   \bgroup\color@begingroup
18643     \let\@footnotetext\LT@p@ftntext
18644     \let\@LTRfootnotetext\LT@p@LTRftntext
18645     \let\@RTLfootnotetext\LT@p@RTLftntext
18646     \setlength\hsize{#1}%
18647     \arrayparboxrestore
18648     \vrule \height \ht\arstrutbox \width \z@}
18649 \def\LT@p@LTRftntext#1{%
18650   \edef\@tempa{\the\LT@p@ftn\noexpand\LTRfootnotetext[\the\c@footnote]}%
18651   \global\LT@p@ftn\expandafter{\@tempa{#1}}%
18652 \def\LT@p@RTLftntext#1{%
18653   \edef\@tempa{\the\LT@p@ftn\noexpand\RTLfootnotetext[\the\c@footnote]}%
18654   \global\LT@p@ftn\expandafter{\@tempa{#1}}%
18655
18656
18657 \def\LT@output{%
18658   \ifnum\outputpenalty <-\@Mi
18659     \ifnum\outputpenalty > -\LT@end@open
18660       \LT@err{floats and marginpars not allowed in a longtable}\@ehc
18661     \else
18662       \setbox\z@\vbox{\unvbox\@cclv}%
18663       \ifdim \ht\LT@lastfoot>\ht\LT@foot
18664         \dimen@\pagegoal
18665         \advance\dimen@-\ht\LT@lastfoot
18666         \ifdim\dimen@<\ht\z@
18667           \setbox\@cclv\vbox{\unvbox\z@\copy\LT@foot\vss}%
18668           \makecol
18669           \outputpage
18670           \setbox\z@\vbox{\box\LT@head}%
18671           \fi
18672         \fi
18673       \global\@colroom\@colht
18674       \global\vsiz@\@colht
18675       \vbox
18676         {\if@RTLtab\hbox\bgroup\beginR\vbox\bgroup\fi\unvbox\z@\box\ifvoid\LT@lastfoot\LT@fo
18677       \fi
18678     \else
18679       \setbox\@cclv\vbox{\if@RTLtab\hbox\bgroup\beginR\vbox\bgroup\fi\unvbox\@cclv\copy\LT@foo
18680       \makecol
18681       \outputpage
18682       \global\vsiz@\@colroom

```



```
18683     \copy\LT@head\nobreak
18684     \fi}
```

## 111 File `lscape-xetex-bidi.def`

```
18685 \ProvidesFile{lscape-xetex-bidi.def}[2022/07/14 v0.2 bidi adaptations for lscape package for
18686 \bidi@patchcmd{\LS@rot}{\rotatebox{90}{\box\@outputbox}}{%
18687   \if@RTL
18688     \rotatebox[origin=br]{-90}{\box\@outputbox}%
18689   \else
18690     \rotatebox{90}{\box\@outputbox}%
18691   \fi
18692 }{}{%
18693   \g@addto@macro{\landscape}{%
18694     \if\bidi@csdef{bidi@columnwidth}{%
18695       \bidi@columnwidth\columnwidth
18696     }{}%
18697     \let\bidi@left@footnoterule\left@footnoterule
18698     \let\bidi@right@footnoterule\right@footnoterule
18699     \def\left@footnoterule{%
18700       \if@RTL
18701         \bidi@right@footnoterule
18702       \else
18703         \bidi@left@footnoterule
18704       \fi
18705     }%
18706   }%
18707   \def\right@footnoterule{%
18708     \if@RTL
18709       \bidi@left@footnoterule
18710     \else
18711       \bidi@right@footnoterule
18712     \fi
18713   }%
18714 }
```

## 112 File `mathtools-xetex-bidi.def`

```
18715 \ProvidesFile{mathtools-xetex-bidi.def}[2018/01/07 v0.1 bidi adaptations for mathtools package
18716 \MHInternalSyntaxOn
18717 \def\MT_define_tagform:nwnn #1[#2]#3#4{%
18718   \cnamedef{MT_tagform_#1:n}##1
18719   {\maketag@@@{\if@nonlatin\beginR\fi#3\kern\z@\ignorespaces#2##1}\unskip\citaliccorr#4}
18720 }
18721 \renewtagform{default}{(){}}
18722 \MHInternalSyntaxOff
```

## 113 File `mdframed-xetex-bidi.def`

```
18723 \ProvidesFile{mdframed-xetex-bidi.def}[2013/09/22 v0.4 bidi adaptations for mdframed package
18724 \newif\if\bidi@mdf@RTL
18725 \def\mdf@lrbbox#1{%
18726   \mdf@patchamsthm%patch amsthm
18727   \if@RTL\cnamedef{mdf@RTLtrue}\fi%
```



```

18728      \oRTLfalse%
18729      \setbox#1\vbox\bgroup%
18730      \color@begingroup%
18731      \if@bidi@mdf@RTL\oRTLtrue\fi%
18732      \mdf@horizontalmargin@equation%
18733      \columnwidth=\hsize%
18734      \textwidth=\hsize%
18735      \let\if@nobreak\iffalse%
18736      \let\if@noskipsec\iffalse%
18737      \let\par\@@par%
18738      \let-\@dischyp%
18739      \let'@\accil\let`@\acci\let=\@acciii%
18740      \parindent\z@\parskip\z@skip%
18741      \linewidth\hsize%
18742      \o@totalleftmargin\z@%
18743      \leftskip\z@skip \rightskip\z@skip \o@rightskip\z@skip%
18744      \parfillskip\o@flushglue \lineskip\normallineskip%
18745      \baselineskip\normalbaselineskip%
18746 %% \sloppy%
18747      \let\\@\normalcr%
18748      \mdf@par@local%New feature to restore parskip/parindent local in save box
18749      \ifbool{\mdf@suppressfirstparskip}{\vspace*{-\parskip}}{}%
18750      \o@afterindentfalse%
18751      \%@\o@afterheading%
18752 }
18753 \renewrobustcmd\mdfframedtitleenv[1]{%
18754     \mdf@lrbox{\mdf@frametitlebox}%
18755     \mdf@frametitlealignment%
18756     \leavevmode\color{\mdf@frametitlefontcolor}%
18757     \normalfont\mdf@frametitlefont{\#1}%
18758     \ifbool{\mdf@ignorelastdescenders}{%
18759         {%
18760             \par\strut\par
18761             \unskip\unskip\setbox0=\lastbox
18762             \vspace*{(\dimexpr\ht\strutbox-\baselineskip\relax}%
18763         }{}%
18764         \par\unskip\ifvmode\nointerlineskip\hrule \oheight\z@ \owidth\hsize\fi%
18765         \endmdf@lrbox\relax%
18766         \mdf@ignorerevbadness%
18767         \setbox\mdf@frametitlebox=\vbox{\unvbox\mdf@frametitlebox}%
18768         \mdfframetitleboxwidth=\wd\mdf@frametitlebox\relax%
18769         \mdfframetitleboxheight=\ht\mdf@frametitlebox\relax%
18770         \mdfframetitleboxdepth=\dp\mdf@frametitlebox\relax%
18771         \mdfframetitleboxtotalheight=\dimexpr
18772             \ht\mdf@frametitlebox
18773             +\dp\mdf@frametitlebox%
18774             +\mdf@frametitleaboveskip@length
18775             +\mdf@frametitlebelowskip@length
18776             \relax%
18777 }
18778
18779 \renewrobustcmd*\mdf@footnoteoutput{%
18780     \ifvoid\@mpfootins\else%
18781         \nobreak%

```



```

18782     \vskip\mdf@footenotedistance@length%
18783     \normalcolor%
18784     \bidi@mpfootnoterule%
18785     \unvbox\ompfootins%
18786     \fi%
18787 }
18788
18789 \renewrobustcmd*\mdf@footnoteinput{%
18790     \def\mpfn{mpfootnote}%
18791     \def\thempfn{\thempfootnote}%
18792     \c@mpfootnote\z@%
18793     \let\@footnotetext\@mpfootnotetext%
18794     \let\@LTRfootnotetext\@mpLTRfootnotetext%
18795     \let\@RTLfootnotetext\@mpRTLfootnotetext%
18796 }
18797 }

```

## 114 File bidi-media9.sty

```

18798 \ProvidesExplPackage{bidi-media9}{2022/02/18}{0.4}
18799 {bidi fixes for media9 package for the XeTeX engine}
18800
18801 \keys_define:nn{media9/mbtn}{%
18802   draft .code:n = {},
18803   final .code:n = {},
18804
18805   tooltip .tl_gset_x:N = \g_mix_tooltip_tl,
18806   tooltip .value_required:n = {true},
18807
18808   overface .code:n = {
18809     \sbox{\l_mix_poster_box}%
18810       \bool_if:NTF{\g_pbs_lscape_bool}{\rotatebox{90}{\#1}}{\if@RTL\beginR\fi#1\if@RTL\endR\fi}%
18811       \mix_pdfxform:n{\l_mix_poster_box}%
18812       \tl_gset:Nx\g_mix_overbtn_tl{\mix_pdflastxform:}%
18813   },
18814   overface .value_required:n = {true},
18815
18816   downface .code:n = {
18817     \sbox{\l_mix_poster_box}%
18818       \bool_if:NTF{\g_pbs_lscape_bool}{\rotatebox{90}{\#1}}{\if@RTL\beginR\fi#1\if@RTL\endR\fi}%
18819       \mix_pdfxform:n{\l_mix_poster_box}%
18820       \tl_gset:Nx\g_mix_downbtn_tl{\mix_pdflastxform:}%
18821   },
18822   downface .value_required:n = {true},
18823
18824   3Dgotoview .code:n = {
18825     \tl_set:Nx\l_tmpa_tl{\#1} %extract ref
18826     \regex_replace_once:nnN{([^\:]+)\??.*}{\1}\l_tmpa_tl
18827     \tl_trim_spaces:N\l_tmpa_tl
18828     \tl_if_exist:cTF{\ann@\l_tmpa_tl}{%
18829       \str_if_eq:eeF{\tl_use:c{\ann@\l_tmpa_tl}}{draft}{%
18830         \tl_set:Nx\l_tmpb_tl{\#1} %extract idx
18831         \regex_replace_once:nnN{[^\:]+\?}{\l_tmpb_tl}%
18832         \tl_trim_spaces:N\l_tmpb_tl

```



```

18833 \tl_if_blank:VF\l_tmpb_t1{
18834     \regex_match:nTF{^DFLNP$}\l_tmpb_t1{
18835         \tl_set:Nx\l_mix_vidx_t1{/l_tmpb_t1}
18836     }{
18837         \regex_match:nTF{^\d+$}\l_tmpb_t1{
18838             \tl_set:Nx\l_mix_vidx_t1{\l_tmpb_t1}
18839         }{
18840             \regex_replace_once:nnN{^\(\s*\){}}\l_tmpb_t1
18841             \regex_replace_once:nnN{\s*\)$}{}}\l_tmpb_t1
18842             \tl_set:Nx\l_mix_vidx_t1{~(\l_tmpb_t1)}
18843         }
18844     }
18845 }
18846 \mix_pdfobj:nnn{}{dict}{
18847     /S/JavaScript/JS~(
18848         if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
18849         if(typeof(annotRM['\l_tmpa_t1'])=='undefined'){
18850             annotRM['\l_tmpa_t1']=
18851                 this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_t1},'\l_tmpa_t1');
18852         }
18853         annotRM['\l_tmpa_t1'].activated=true;
18854     )
18855 \tl_if_blank:VF\l_tmpb_t1{
18856     /Next~<<
18857         /S/GoTo3DView
18858         /TA~\tl_use:c{ann@\l_tmpa_t1}
18859         /V\l_mix_vidx_t1
18860         >>
18861     }
18862 }
18863 \tl_gput_right:Nx\g_mix_btnactions_t1{~\mix_pdflastobj:}
18864 }
18865 }{
18866     \msg_warning:nnx{media9}{undefined-reference}{\l_tmpa_t1}
18867     \cs_if_exist:NF\g_mix_refundefwarned_t1{
18868         \tl_new:N\g_mix_refundefwarned_t1
18869         \AtEndDocument{\msg_warning:nn{media9}{undefined-references}}
18870     }
18871 }
18872 },
18873 3Dgotoview .value_required:n = {true},
18874 mediacommand .code:n = {
18875     \tl_set:Nx\l_tmpa_t1{#1}
18876     \regex_replace_once:nnN{([^-:]+):??.*}{\1}\l_tmpa_t1 %extract ref
18877     \tl_trim_spaces:N\l_tmpa_t1
18878     \tl_if_exist:cTF{ann@\l_tmpa_t1}{
18879         \str_if_eq:eeF{\tl_use:c{ann@\l_tmpa_t1}}{draft}{
18880             \tl_set:Nx\l_tmpb_t1{#1}
18881             \regex_replace_once:nnN{[^:]+:\?}{}}\l_tmpb_t1
18882             \tl_trim_spaces:N\l_tmpb_t1
18883             \regex_replace_all:nnN{^\{|}$}{}}\l_tmpb_t1
18884             \tl_set:Nx\l_mix_cmd_t1{
18885                 \exp_after:wN\mix_separate_cmd_from_actn:w\l_tmpb_t1[]\q_stop

```



```

18887   \tl_trim_spaces:N\l_mix_cmd_tl
18888   \tl_set:Nx\l_mix_arg_tl{
18889     \exp_after:wN\mix_separate_arg_from_actn:w\l_tmpb_tl[]\q_stop}
18890   \tl_trim_spaces:N\l_mix_arg_tl
18891   \mix_pdfobj:nnn{}{dict}{
18892     /S/JavaScript/JS~(
18893       if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
18894       if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
18895         annotRM['\l_tmpa_tl']=
18896           this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl},'\l_tmpa_tl');
18897       }
18898       annotRM['\l_tmpa_tl'].activated=true;
18899     )
18900   \tl_if_blank:VF\l_mix_cmd_tl{
18901     /Next-<<
18902       /S/RichMediaExecute
18903       /TA-\tl_use:c{ann@\l_tmpa_tl}
18904       /TI-\tl_use:c{main@\l_tmpa_tl}
18905       /CMD-<<
18906         /C~(\l_mix_cmd_tl)
18907         \tl_if_blank:VF\l_mix_arg_tl{
18908           /A~[\l_mix_arg_tl]
18909         }
18910       >>
18911       >>
18912     }
18913   }
18914   \tl_gput_right:Nx\g_mix_btnactions_tl{\~\mix_pdflastobj:}
18915 }
18916 }{
18917   \msg_warning:nnx{media9}{undefined~reference}{\l_tmpa_tl}
18918   \cs_if_exist:NF\g_mix_refundefwarned_tl{
18919     \tl_new:N\g_mix_refundefwarned_tl
18920     \AtEndDocument{\msg_warning:nn{media9}{undefined~references}}
18921   }
18922 }
18923 },
18924 mediacommand .value_required:n = {true},
18925
18926 jsaction .code:n = {
18927   \tl_set:Nx\l_tmpa_tl{#1}
18928   \regex_match:nVTF{^[\{:]+.*$}\l_tmpa_tl{
18929     \regex_replace_once:nnN{([^\:]+):??.*}{\1}\l_tmpa_tl %extract ref
18930     \tl_trim_spaces:N\l_tmpa_tl
18931   }{\tl_clear:N\l_tmpa_tl}
18932   \tl_set:Nx\l_tmpb_tl{#1}
18933   \tl_if_blank:VF\l_tmpa_tl{
18934     \tl_if_exist:cF{ann@\l_tmpa_tl}{

18935       \msg_warning:nnx{media9}{undefined~reference}{\l_tmpa_tl}
18936       \cs_if_exist:NF\g_mix_refundefwarned_tl{
18937         \tl_new:N\g_mix_refundefwarned_tl
18938         \AtEndDocument{\msg_warning:nn{media9}{undefined~references}}
18939     }
18940   }

```



```

18941     \regex_replace_once:nnN{[^:]+::}{\l_tmpb_tl
18942 }
18943 \tl_set:Nx\l_tmpb_tl{\exp_after:wN\use:n\l_tmpb_tl}
18944 \tl_trim_spaces:N\l_tmpb_tl
18945 \tl_if_blank:VF\l_tmpb_tl{
18946 \mix_pdfobj:nnnf}{dict}{
18947   /S/JavaScript/JS~(
18948     try{\l_tmpb_tl}catch(e){console.show();console.println(e))}}
18949 \bool_lazy_and:nnT{
18950   \tl_if_exist_p:c{ann@\l_tmpa_tl}
18951 }{
18952   !\str_if_eq_p:ee{\tl_use:c{ann@\l_tmpa_tl}}{draft}
18953 }{
18954   \mix_pdfobj:nnnf}{dict}{
18955     /S/JavaScript/JS~(
18956       if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
18957       if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
18958         annotRM['\l_tmpa_tl']=
18959           this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl},'\l_tmpa_tl');
18960       }
18961       annotRM['\l_tmpa_tl'].activated=true;
18962     )
18963   \tl_if_blank:VF\l_tmpb_tl{/Next~\mix_pdflastobj:}
18964 }
18965 }
18966 \bool_if:nT{
18967   \bool_lazy_and_p:nn{
18968     \tl_if_exist_p:c{ann@\l_tmpa_tl}
18969   }{
18970     !\str_if_eq_p:ee{\tl_use:c{ann@\l_tmpa_tl}}{draft}
18971   }
18972   || !\tl_if_blank_p:V\l_tmpb_tl
18973 }{
18974   \tl_gput_right:Nx\g_mix_btnactions_tl{\~\mix_pdflastobj:}
18975 }
18976 },
18977 jsaction .value_required:n = {true},
18978
18979 unknown .code:n = {
18980   \msg_error:nnx{media9}{unknown~option}{\l_keys_key_tl}
18981 }
18982 }
18983
18984 \RenewDocumentCommand\includemedia{O{}mm}{%#1 options, #2 text/image #3 media file
18985   \mix_urriend:
18986   \group_begin:
18987   \mix_beginLTR:
18988   \mode_leave_vertical:
18989   %empty stream as appearance dummy
18990   \cs_if_exist:NF\g_mix_appearance_tl{
18991     \hbox_set:Nn\l_mix_poster_box{\phantom{\rule{1pt}{1pt}}}
18992     \mix_pdfxform:n{\l_mix_poster_box}
18993     \tl_gset:Nx\g_mix_appearance_tl{\mix_pdflastxform:}
18994 }

```



```

18995 \mix_reset:
18996 \mix_uribegin: %treat URI characters correctly
18997 \keys_set:nn{media9/user}{#1}
18998 \mix_urriend:
18999 \tl_greplace_all:Nnn\g_mix_flashvars_tl{~&}{&}
19000 \tl_greplace_all:Nnn\g_mix_flashvars_tl{&~}{~}
19001 \tl_greplace_all:Nnn\g_mix_flashvars_tl{~=}{=}
19002 \tl_greplace_all:Nnn\g_mix_flashvars_tl{=~}{=}
19003 \tl_gtrim_spaces:N\g_mix_flashvars_tl
19004
19005 \cs_if_exist:NT\Ginput@path{\cs_set_eq:NN\input@path\Ginput@path}
19006
19007 \%hbox_set:Nn\l_mix_poster_box{\group_begin:#2\group_end:}
19008 \%hbox_set:Nn\l_mix_poster_box{#2}
19009 \sbox\l_mix_poster_box{\if@RTL\beginR\fi#2\if@RTL\endR\fi}
19010 \mix_scale:n{\l_mix_poster_box}
19011 \bool_if:nT{
19012     \dim_compare_p:n{\g_mix_tt_tl=\c_zero_dim} ||
19013     \dim_compare_p:n{\g_mix_wd_tl=\c_zero_dim}
19014 }{
19015     \tl_gset:Nn\g_mix_usrpbtn_tl{none}
19016 }
19017 \bool_if:NTF\g_mix_usrdrdraf_bool{
19018     \tl_if_empty:NF\g_mix_usrlabel_tl{
19019         \mix_keytoaux_now:nn{ann@\g_mix_usrlabel_tl}{draft}
19020     }
19021     \tl_if_blank:oTF{#2}{
19022         \mix_uribegin: %treat URI characters correctly
19023         \mix_draftbox:n{\tl_to_str:n{#3}}
19024         \mix_urriend:
19025     }{
19026         \hbox_to_wd:nn{\g_mix_wd_tl}{
19027             \vrule~width~\c_zero_dim~height~\g_mix_ht_tl~depth~\g_mix_dp_tl
19028             \box_use:N\l_mix_poster_box\hss
19029         }
19030     }
19031 }{
19032     \bool_if:nF{\str_if_eq_p:Vn\g_mix_usrpbtn_tl{none}}{
19033         %attach script that switches off play button overlay upon activation
19034         \mix_pdfobj:nnn{}{stream}{}
19035         {}{
19036             var~ocgs=host.getOCGs(host.pageNum);
19037             for(var~i=0;i<ocgs.length;i++){
19038                 if(ocgs[i].name=='MediaPlayButton\int_use:N\g_mix_rmcnt_int'){
19039                     ocgs[i].state=false;
19040                 }
19041             }
19042         }
19043     }
19044     \mix_pdfobj:nnn{}{dict}{%
19045         /Type/Filespec/EF~<</F~\mix_pdflastobj:>>/F~(bttnoff)%/UF~(bttnoff)
19046     }
19047     \tl_gset:Nx\g_mix_assets_tl{(bttnoff)~\mix_pdflastobj:}
19048     \tl_set:Nx\l_mix_scripts_tl{~\mix_pdflastobj:~}

```



```

19049    %enforce plain playbutton overlay for XeTeX
19050    \sys_if_engine_xetex:T{\tl_gset:Nn\g_mix_usrbtn_tl{plain}}
19051 }
19052 %embed main asset
19053 \mix_uribegin:
19054 \mix_embedasset:n{#3}
19055 \bool_if:nTF{
19056     \str_if_eq_p:Vn\l_mix_ext_tl{prc}||\str_if_eq_p:Vn\l_mix_ext_tl{u3d}
19057 }{
19058     \bool_gset_true:N\g_mix_iid_bool
19059     \tl_gset:Nn\g_mix_mainassetsub_tl{3D}
19060 }{
19061     \str_case_e:nnF{\l_mix_base_tl}{
19062         {APlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Sound}}
19063         {AudioPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Sound}}
19064         {VPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
19065         {VideoPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
19066         {StrobeMediaPlayback}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
19067         {\tl_gset:Nn\g_mix_mainassetsub_tl{Flash}}
19068     }
19069     \tl_gset:Nx\g_mix_mainasset_tl{\~\g_mix_lastasset_tl}
19070 \mix_urriend:
19071 %secondary assets (added by addresource)
19072 \seq_map_function:NN\g_mix_res_seq\mix_embedasset:n
19073 \seq_map_inline:Nn\g_mix_script_seq{
19074     \mix_embedasset:n{##1}
19075     \tl_put_right:Nx\l_mix_scripts_tl{\~\g_mix_lastasset_tl}
19076 }
19077 %attach 3D calculation script
19078 \bool_if:nT{\g_mix_iid_bool && \g_mix_iidcalc_bool}){
19079     \mix_embedasset:n{3Dmenu.js}
19080     \tl_put_left:Nx\l_mix_scripts_tl{\g_mix_lastasset_tl-}
19081 }
19082 %create 3D views from file (option 3Dviews)
19083 \bool_if:nT{\g_mix_iid_bool && !(\tl_if_blank_p:V\g_mix_vfile_tl)}{
19084     \tl_set:Nn\l_mix_level_tl{-1}
19085     \int_zero:N\l_mix_viewcnt_int
19086     \int_zero:N\l_mix_lineno_int
19087     \ior_open:Nn\l_mix_vfile_stream{\g_mix_vfile_tl}
19088     \ior_map_inline:Nn\l_mix_vfile_stream{
19089         \int_incr:N\l_mix_lineno_int
19090         \keys_set:nnf{media9/views}{##1} %process input line
19091     }
19092     \ior_close:N\l_mix_vfile_stream
19093 }
19094 \bool_if:nT{ %create default 3D view if required
19095     \g_mix_iid_bool &&
19096     (\g_mix_opt_iidview_bool || \tl_if_blank_p:V\l_mix_iidviewarray_tl)
19097 }{
19098     \tl_set_eq:NN\l_mix_bg_tl\g_mix_opt_bg_tl
19099     \tl_set_eq:NN\l_mix_ls_tl\g_mix_opt_ls_tl
19100     \tl_set_eq:NN\l_mix_rm_tl\g_mix_opt_rm_tl
19101     \tl_set_eq:NN\l_mix_psob_tl\g_mix_opt_psob_tl

```



```

19103   \tl_set_eq:NN\l_mix_coo_tl\g_mix_opt_coo_tl
19104   \tl_set_eq:NN\l_mix_ctoc_tl\g_mix_opt_ctoc_tl
19105   \tl_set_eq:NN\l_mix_ciiw_tl\g_mix_opt_ciiw_tl
19106
19107   \fp_set_eq:NN\l_mix_roo_fp\g_mix_opt_roo_fp
19108   \fp_set_eq:NN\l_mix_aac_fp\g_mix_opt_aac_fp
19109   \fp_set_eq:NN\l_mix_oscale_fp\g_mix_opt_oscale_fp
19110   \fp_set_eq:NN\l_mix_roll_fp\g_mix_opt_roll_fp
19111
19112   \bool_set_eq:NN\l_mix_ciiw_bool\g_mix_opt_ciiw_bool
19113   \bool_set_eq:NN\l_mix_iidortho_bool\g_mix_opt_iidortho_bool
19114   \tl_clear:N\l_mix_naarray_tl
19115
19116   \bool_if:NF\l_mix_ciiw_bool{
19117     \tl_set:Nx\l_mix_args_tl{\l_mix_coo_tl\space\l_mix_ctoc_tl\space}
19118     \exp_after:wN\mix_calc_ciiw:w\l_mix_args_tl\q_stop
19119   }
19120
19121   \tl_clear:N\l_mix_naarray_tl
19122   \tl_clear:N\l_mix_saarray_tl
19123   \tl_set_eq:NN\l_mix_nr_tl\g_mix_nrdflt_tl
19124
19125   \mix_view:n{Default}
19126   \tl_set:Nx\l_mix_dfltview_tl{\mix_pdflastobj:}
19127
19128 }
19129 \mix_pdfobj:nnn{}{dict}{
19130   /Type/RichMediaInstance
19131   /Subtype/\g_mix_mainassetsub_tl
19132   /Asset~\g_mix_mainasset_tl
19133   \bool_if:NF\g_mix_iid_bool{
19134     /Params~<<
19135       /Binding\str_if_eq:VnTF\g_mix_transp_tl{true}{
19136         /Foreground
19137       }{
19138         /Background
19139       }
19140       \tl_if_blank:VF\g_mix_flashvars_tl{
19141         /FlashVars~(\g_mix_flashvars_tl)
19142       }
19143       >>
19144     }
19145   }
19146   \tl_if_empty:NF\g_mix_usrlabel_tl{
19147     \mix_keytoaux_now:nn{main@\g_mix_usrlabel_tl}{\mix_pdflastobj:}
19148   }
19149   \mix_pdfobj:nnn{}{dict}{
19150     /Type/RichMediaConfiguration
19151     /Subtype/\g_mix_mainassetsub_tl
19152     /Instances~[\mix_pdflastobj:]
19153   }
19154   \mix_pdfobj:nnn{}{dict}{
19155     /Type/RichMediaContent
19156     /Assets~<</Names~[\g_mix_assets_tl]>>

```



```

19157     /Configurations~[\mix_pdflastobj:]
19158     \bool_if:nT{
19159         \g_mix_iid_bool && !(\tl_if_empty_p:V\l_mix_iidviewarray_tl)
19160     }{
19161         /Views~[\l_mix_iidviewarray_tl]
19162     }
19163 }
19164 \tl_set:Nx\l_mix_content_tl{\mix_pdflastobj:}
19165 \bool_if:nT{
19166     \g_mix_iid_bool && \str_if_eq_p:Vn\g_mix_playtpe_tl{Oscillating}
19167 }{
19168     \tl_gset:Nx\g_mix_playcnt_tl{\int_eval:n{\g_mix_playcnt_tl*2}}
19169 }
19170 %determine floating window size
19171 \bool_if:NT\g_mix_opt_windowed_bool{
19172     \exp_after:wN\mix_parse_winsizearg:w\g_mix_winsize_tl\q_stop
19173 }
19174 \mix_pdfobj:nnnf{}{dict}{
19175     /Activation~<<
19176         /Condition\g_mix_act_tl
19177         \bool_if:nT{
19178             \g_mix_iid_bool &&
19179                 !(\str_if_eq_p:Vn\g_mix_playtpe_tl{None})
19180             }%seems to work only with 3D content
19181             /Animation~<<
19182                 /Subtype/\g_mix_playtpe_tl
19183                 /PlayCount~\g_mix_playcnt_tl
19184                 /Speed~\g_mix_playspd_tl
19185             >>
19186         }
19187         \bool_if:nT{
19188             \g_mix_iid_bool && (
19189                 \g_mix_opt_iidview_bool || \tl_if_blank_p:V\l_mix_iidviewarray_tl
19190             )
19191         }{/View~\l_mix_dfltvview_tl}
19192     /Presentation~<<
19193         /Transparent~\g_mix_transp_tl
19194         \bool_if:NTF\g_mix_opt_windowed_bool{
19195             /Style/Windowed
19196             /Window~<<
19197                 /Width~<</Default~\tl_mix_fltwd>>
19198                 /Height~<</Default~\tl_mix_fltht>>
19199                 /Position~<<
19200                     /HOffset~0/VOffset~0
19201                     \str_case_e:nnF{\g_mix_winpos_tl}{
19202                         {tl}{/VAlign/Near/HAlign/Near}
19203                         {cl}{/VAlign/Center/HAlign/Near}
19204                         {bl}{/VAlign/Far/HAlign/Near}
19205                         {bc}{/VAlign/Far/HAlign/Center}
19206                         {br}{/VAlign/Far/HAlign/Far}
19207                         {cr}{/VAlign/Center/HAlign/Far}
19208                         {tr}{/VAlign/Near/HAlign/Far}
19209                         {tc}{/VAlign/Near/HAlign/Center}
19210                     }{/HAlign/Center/VAlign/Center}

```



```

19211          >>
19212          >>
19213      }{
19214          /Style/Embedded
19215      }
19216      \bool_if:NTF\g_mix_iid_bool{
19217          /Toolbar~\g_mix_tools_tl
19218          /NavigationPane~\g_mix_nav_tl
19219      }{
19220          /PassContextClick~\g_mix_contextclick_tl
19221      }
19222      >>
19223      \tl_if_blank:VF\l_mix_scripts_tl{/Scripts~[\l_mix_scripts_tl]}
19224      >>
19225      /Deactivation~<</Condition\g_mix_deact_tl>>
19226  }
19227  \tl_set:Nx\l_mix_settings_tl{\mix_pdflastobj:}
19228  \tl_if_empty:NF\g_mix_usrlabel_tl{
19229      \tl_gset_eq:NN\g_mix_label_tl\g_mix_usrlabel_tl
19230  }
19231  % #1:width, #2:height, #3:depth, #4:content (key-value)
19232  \mix_pdfannot:nnnn{\g_mix_wd_tl}{\g_mix_ht_tl}{\g_mix_dp_tl}{
19233      /Subtype/RichMedia
19234      /F~4
19235      /BS~<</W~0/S/S>>
19236      /Contents~(media~embedded~by~media9~[\g_mix_version_tl~(\g_mix_date_tl)])
19237      /NM~(\g_mix_label_tl)
19238      /AP~<</N~\g_mix_appearance_tl>>
19239      /RichMediaSettings~\l_mix_settings_tl
19240      /RichMediaContent~\l_mix_content_tl
19241  }
19242  \tl_if_empty:NF\g_mix_usrlabel_tl{
19243      \mix_keytoaux_now:nn{ann@\g_mix_usrlabel_tl}{\mix_pdflastann:}
19244      \mix_keytoaux_shipout:nn{page@\g_mix_usrlabel_tl}{%
19245          \noexpand\the\g@mix@page@int}
19246  }
19247  \mix_pdfobj:nnn{}{dict}{
19248      /S/JavaScript/JS~(
19249          try{
19250              if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
19251              if(typeof(annotRM['\g_mix_label_tl'])=='undefined'){
19252                  annotRM['\g_mix_label_tl']=
19253                      this.getAnnotRichMedia(this.pageNum,'\g_mix_label_tl');
19254              }
19255              \str_if_eq:eeF{\g_mix_usrpbntl}{none}{
19256                  if(typeof(ocgBtn\int_use:N\g_mix_rmcnt_int)=='undefined'){
19257                      var~ocgs=this.getOCGs(this.pageNum);
19258                      for(var~i=0;i<ocgs.length;i++){
19259                          if(ocgs[i].name=='MediaPlayButton\int_use:N\g_mix_rmcnt_int'){
19260                              var~ocgBtn\int_use:N\g_mix_rmcnt_int=ocgs[i];
19261                          }
19262                      }
19263                  }
19264                  if(

```



```

19265     !annotRM['\g_mix_label_t1'].activated&&(
19266         app.viewerType=='Reader'|||
19267         app.viewerType=='Exchange'|||
19268         app.viewerType=='Exchange-Pro'
19269         )&&app.viewerVersion>=9
19270     ){
19271         ocgBtn\int_use:N\g_mix_rmcnt_int.state=true;
19272     }
19273 }
19274 }catch(e){}
19275 this.dirty=false;
19276 )
19277 }
19278 \mix_pdfannot:nnnn{0pt}{0pt}{0pt}{}{
19279     /Subtype/Widget
19280     /FT/Btn/Ff~65537/F~2
19281     /BS~<</W~0>>
19282     /T~(fd@{g_mix_label_t1}
19283     /AA~<</P0~\mix_pdflastobj:~/PV~\mix_pdflastobj:>>
19284 }
19285 \mix_appendtofields:n{\mix_pdflastann:}
19286 \hbox_overlap_right:n{\box_use:N\l_mix_poster_box}
19287 \str_if_eq:eeTF{\g_mix_usrbtn_t1}{none}{
19288     \hbox_to_wd:nn{\g_mix_wd_t1}{
19289         \vrule~width~\c_zero_dim~height~\g_mix_ht_t1~depth~\g_mix_dp_t1\hss
19290     }
19291 }{\%insert play button overlay
19292     \mix_insert_btnocg: %create OCG
19293     \cs_gset_eq:Nc\mix_pbtn:NN{g@mix@pbtn@\g_mix_usrbtn_t1 _tl}
19294     \group_begin:
19295     \cs_if_exist:NT\textdir{\textdir TLT}
19296         \sbox\l_mix_pbtn_box{\mix_pbtn:NN\g_mix_wd_t1\g_mix_tt_t1}
19297         \box_move_down:nn{\g_mix_dp_t1}{
19298             \hbox_to_wd:nn{\g_mix_wd_t1}{
19299                 \vbox_to_ht:nn{\g_mix_tt_t1}{
19300                     \vss
19301                     \ocgbase_oc_bdc:n{\g_mix_btnocg_t1}
19302                     \box_use:N\l_mix_pbtn_box
19303                     \ocgbase_oc_emc:
19304                 }
19305             }
19306         }
19307         \group_end:
19308     }
19309     \int_gincr:N\g_mix_rmcnt_int
19310 }
19311 \mix_endLTR:
19312 \group_end:
19313 }
19314 \tl_set_eq:NN\l_mix_includemedia_t1\includemedia
19315 \tl_set:Nn\includemedia{\mix_uribegin:\l_mix_includemedia_t1}
19316
19317 \RenewDocumentCommand\mediabutton{O{}m}{%#1 options, #2 normal button text
19318     \mix_urient:

```



```

19319 \group_begin:
19320 \mix_beginLTR:
19321 \mode_leave_vertical:
19322 %reset various variables
19323 \tl_gclear:N\g_mix_overbtn_tl
19324 \tl_gclear:N\g_mix_downbtn_tl
19325 \tl_gclear:N\g_mix_btnactions_tl
19326 \tl_gclear:N\g_mix_tooltip_tl
19327 %process options
19328 \bool_gset_eq:NN\g_mix_btndraft_bool\g_mix_pkgdraft_bool
19329 \mix_uribegin: %treat URI characters correctly
19330 \keys_set:nn{media9/mbtndraft}{#1} %detect draft/final on first pass
19331 \bool_if:NF\g_mix_btndraft_bool{\keys_set:nn{media9/mbtn}{#1}}
19332 \mix_urriend:
19333 %normal button appearance
19334 \%hbox_set:Nn\l_mix_poster_box{#2}
19335 \sbox\l_mix_poster_box{\if@RTL\beginR\fi#2\if@RTL\endR\fi}
19336 \tl_set:Nx\width {\dim_use:N\box_wd:N\l_mix_poster_box}
19337 \tl_set:Nx\height{\dim_use:N\box_ht:N\l_mix_poster_box}
19338 \tl_set:Nx\depth {\dim_use:N\box_dp:N\l_mix_poster_box}
19339 \bool_if:NTF\g_mix_btndraft_bool{\box_use:N\l_mix_poster_box} {
19340   \sbox\l_mix_poster_box{\bool_if:NTF\g_pbs_lscape_bool{\rotatebox{90}}{
19341     \box_use:N\l_mix_poster_box}}{\box_use:N\l_mix_poster_box}}
19342 \mix_pdfxform:n{\l_mix_poster_box}
19343 \tl_set:Nx\g_mix_normalbtn_tl{\mix_pdflastxform:}
19344 %insert widget annotation
19345 \mix_pdfannot:nnnn{\width}{\height}{\depth}{%
19346   /Subtype/Widget
19347   /T~(mbtn@\int_use:N\g_mix_mbtncnt_int)
19348   \tl_if_empty:NF\g_mix_tooltip_tl{/TU~(\g_mix_tooltip_tl)}
19349   /FT/Btn/Ff-65536
19350   \tl_if_empty:NTF\g_mix_downbtn_tl{/H/I}{/H/P}
19351   /AP~<<
19352     /N~\g_mix_normalbtn_tl
19353     \tl_if_empty:NF\g_mix_overbtn_tl{/R~\g_mix_overbtn_tl}
19354     \tl_if_empty:NF\g_mix_downbtn_tl{/D~\g_mix_downbtn_tl}
19355   >>
19356   /MK~<<
19357     /TP~1~/IF~<</S/A/FB-true/A~[0.0~0.0]>>
19358     /I~\g_mix_normalbtn_tl
19359     \tl_if_empty:NF\g_mix_overbtn_tl{/RI~\g_mix_overbtn_tl}
19360     \tl_if_empty:NF\g_mix_downbtn_tl{/IX~\g_mix_downbtn_tl}
19361   >>
19362   /A~<<
19363     /S/JavaScript/JS~(app.focusRect=false;)
19364     %sequence of actions to perform
19365     \tl_if_empty:NF\g_mix_btnactions_tl{/Next~[\g_mix_btnactions_tl]}
19366   >>
19367 }
19368 \mix_appendtofields:n{\mix_pdflastann:}
19369 \hbox_to_wd:nn{\width}{%
19370   \vrule~width~\c_zero_dim~height~\height~depth~\depth\hss
19371 }
19372 \int_gincr:N\g_mix_mbtncnt_int

```



```

19373 }
19374 \mix_endLTR:
19375 \group_end:
19376 }
19377 \tl_set_eq:NN\l_mix_mediabutton_tl\mediabutton
19378 \tl_set:Nn\mediabutton{\mix_uribegin:\l_mix_mediabutton_t1}
19379

```

## 115 File memoir-xetex-bidi.def

```

19380 \ProvidesFile{memoir-xetex-bidi.def}[2017/06/09 v0.6 bidi adaptations for memoir class for XeLaTeX]
19381 \renewcommand{\keepthetitle}{%
19382   \@bsmtitleempty
19383   \global\let\thanks\relax
19384   \global\let\LTRthanks\relax
19385   \global\let\RTLthanks\relax
19386   \global\let\and\relax
19387   \global\let\andnext\relax
19388   \global\let\@thanks\@empty
19389   \global\let\@title\@empty
19390   \global\let\@author\@empty
19391   \global\let\@date\@empty
19392 \renewcommand{\maketitle}{\par
19393   \begingroup
19394     \@bsmarkseries
19395     \def\@makefnmark{\@textsuperscript{%
19396       \normalfont\@bstthanksheadpre \tamarck \@bstthanksheadpost}}%
19397     \long\def\@makefntext##1{\makethanksmark ##1}
19398     \if@twocolumn
19399       \ifnum \col@number=\@ne
19400         \@maketitle
19401       \else
19402         \twocolumn[\@maketitle]%
19403       \fi
19404     \else
19405       \ifdim\pagetotal>\z@
19406         \newpage
19407       \fi
19408       \global\@topnum\z@
19409       \@maketitle
19410     \fi
19411     \thispagestyle{title}\@thanks
19412   \endgroup
19413   \@bscontmark % \setcounter{footnote}{0}%
19414 }
19415 \renewcommand*{\memRTLleftskip}{\if@RTL\rightskip\else\leftskip\fi}
19416 \renewcommand*{\memRTLrightskip}{\if@RTL\leftskip\else\rightskip\fi}
19417 \renewcommand*{\memRTLvleftskip}{\if@RTL\vrightskip\else\vleftskip\fi}
19418 \renewcommand*{\memRTLvrightskip}{\if@RTL\vleftskip\else\vrightskip\fi}
19419 \renewcommand*{\memRTLraggedright}{\if@RTL\raggedleft\else\raggedright\fi}
19420 \renewcommand*{\memRTLraggedleft}{\if@RTL\raggedright\else\raggedleft\fi}
19421 \renewcommand*{\thesection}{\thechapter\@SepMark\@arabic\c@section}
19422 \renewcommand*{\thesubsection}{%
19423   \thesection\@SepMark\@arabic\c@subsection}

```



```

19424 \renewcommand*\thesubsubsection{%
19425     \thesubsection\@SepMark\@arabic\c@subsubsection}
19426 \renewcommand*\theparagraph{%
19427     \thesubsubsection\@SepMark\@arabic\c@paragraph}
19428 \renewcommand*\thesubparagraph{%
19429     \theparagraph\@SepMark\@arabic\c@subparagraph}
19430 \renewcommand{\setthesection}{\thechapter\@SepMark\Alph{section}}
19431 \renewcommand{\theequation}{%
19432     \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
19433 \renewcommand{\thefigure}{\thechapter\@SepMark\@arabic\c@figure}
19434 \renewcommand{\thetable}{\thechapter\@SepMark\@arabic\c@table}
19435 \ifartopt
19436     \chapterstyle{article}
19437     \counterwithout{figure}{chapter}
19438     \counterwithout{table}{chapter}
19439     \counterwithout{footnote}{chapter}
19440     \counterwithout{equation}{chapter}
19441     \renewcommand{\chaptername}{}
19442     \renewcommand{\maketitlehookb}{%
19443         \vskip -1.5\topsep\vskip -1.5\partopsep}
19444     \renewcommand{\maketitlehookc}{%
19445         \vskip -1.5\topsep\vskip -1.5\partopsep}
19446 \fi
19447 \long\def\makecaption#1#2{\let\@memtempa\relax
19448 \ifdim\prevdepth>-99\p@\vskip\abovecaptionskip
19449 \else \def\@memtempa{\vbox to\topskip{}}\fi
19450 \let\@contfnote\footnote \renewcommand{\footnote}[2][]{}
19451 \let\@contfmark\footnotemark \renewcommand{\footnotemark}[1][]{}
19452 \sbox{\@tempboxa{\@contfnt \#1\@contdelim \@contfnt \#2\@contfinal}}
19453 \let\footnote\@contfnote
19454 \let\footnotemark\@contfmark
19455 \ifdim\wd\@tempboxa<\linewidth \centering \fi
19456 \if@contcw
19457     \centering
19458     \parbox{\@contcwidth}{%
19459         \ifdim\wd\@tempboxa<\@contcwidth \centering \fi
19460     \fi
19461     \ifdim\wd\@tempboxa<\linewidth
19462         \@contpre
19463         {\@contfnt \#1\@contdelim}\@memtempa
19464         {\@contcshortstyle \@contfnt \#2\@contfinal\par}
19465 \else
19466     \if@conthang
19467         \sbox{\@tempboxa{\@contfnt \#1\@contdelim}}
19468         \@contpre%
19469         {\@contcstyle\hangindent=\wd\@tempboxa
19470             \noindent\box{\@tempboxa\@memtempa \@contfnt \#2\@contfinal\par}}
19471 \else
19472     \if@contindent
19473         \@contpre%
19474         {\@contfnt \#1\@contdelim}\@memtempa
19475         {\@contcstyle\hangindent=\@contindw
19476             \hangafter=\@ne\@contfnt \#2\@contfinal\par}%
19477 \else

```



```

19478      \@contpre%
19479      { \@contnfont #1 \@contdelim } \@memtempa
19480      { \@contcstyle \@conttfont #2 \@contfinal\par}
19481      \fi
19482      \fi
19483      \fi
19484      \@contpost
19485      \if@contcw
19486          \par
19487      } % end of the \parbox
19488      \fi
19489      \vskip\belowcaptionskip
19490 \@ifpackageloaded{caption}{%
19491 \AtBeginPackage{caption}{%
19492 \ClassWarningNoLine{memoir}{%
19493 You are using the caption package with the memoir \MessageBreak
19494 class. This may cause unexpected or inconsistent \MessageBreak
19495 results if you use any of memoir's captioning facilities}
19496
19497 \long\def\@makecaption##1##2{%
19498     \vskip\abovecaptionskip
19499     \sbox{\@tempboxa{ \if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi}%
19500     \ifdim \wd\@tempboxa >\hsize
19501         \if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi\par
19502     \else
19503         \global \minipagefalse
19504         \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
19505     \fi
19506     \vskip\belowcaptionskip}
19507
19508 \def\caption{%
19509     \ifx\@captype\@undefined
19510         \@latex@error{\noexpand\caption outside float}\@ehd
19511         \expandafter\@gobble
19512     \else
19513         \refstepcounter\@captype
19514         \expandafter\@firstofone
19515     \fi
19516     {\@dblarg{\@caption\@captype}}%
19517 }
19518
19519 \long\def\@caption##1[##2]##3{%
19520     \par
19521     \addcontentsline{\csname ext@##1\endcsname}{##1}{%
19522         \protect\numberline{\csname the##1\endcsname}{\ignorespaces ##2}}%
19523     \begingroup
19524         \parboxrestore
19525         \if@minipage
19526             \setminipage
19527         \fi
19528         \normalsize
19529         \makecaption{\csname fnum@##1\endcsname}{\ignorespaces ##3}\par
19530     \endgroup
19531 }{}}

```



```

19532 \renewenvironment{thebibliography}[1]{%
19533   \bibsection
19534   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
19535   \bidi@thebibliography@font@hook%
19536   \begin{bibitemlist}{#1}\end{bibitemlist}\postbibhook}

```

## 116 File `midfloat-xetex-bidi.def`

```

19537 \ProvidesFile{midfloat-xetex-bidi.def}[2017/05/06 v0.4 bidi adaptations for midfloat package]
19538 \def\RTL@outputdblcol{%
19539   \if@firstcolumn
19540     \global \firstcolumnfalse
19541     \global\setbox\leftcolumn\copy\outputbox
19542     \splitmaxdepth\maxdimen
19543     \vbadness\maxdimen
19544     \setbox\outputbox\vbox{\unvbox\outputbox\unskip}%
19545     \setbox\outputbox\vsplit\outputbox to\maxdimen
19546     \toks@\expandafter{\topmark}%
19547     \xdef\firstcoltopmark{\the\toks@}%
19548     \toks@\expandafter{\splitfirstmark}%
19549     \xdef\firstcolfirstmark{\the\toks@}%
19550     \ifx\firstcolfirstmark\empty
19551       \global\let\setmarks\relax
19552     \else
19553       \gdef\setmarks{%
19554         \let\firstmark\firstcolfirstmark
19555         \let\topmark\firstcoltopmark}%
19556       \fi
19557       \global\c@colht\colht\global\c@addvipersep\z@
19558       \ifnum\juo@sk>0
19559         \remove@strip\juo@sar
19560         \global\colht\the\juo@pr
19561         \ifdim\right@cor>\z@
19562           \global\advance\colht by\right@cor
19563         \fi
19564         \global\advance\colht by\cor@height
19565         \global\cor@height=0pt
19566       \fi
19567       \global\setbox\rightcolumn\vbox{}%
19568     \else
19569       \ifdim\c@colht>\colht
19570         \tempdima\colht
19571         \ifdim\colht>\z@
19572           \global\setbox\rightcolumn\vbox{%
19573             \unvbox\rightcolumn
19574             \vbox to\tempdima{%
19575               \vskip\c@addvipersep\unvbox\outputbox}%
19576               \vskip\stripsep
19577               \vrule height\the\juo@ht width 0pt depth 0pt
19578               \vskip\stripsep
19579             }%
19580           \global\c@addvipersep\m@addvipersep
19581         \else
19582           \global\setbox\rightcolumn\vbox{%

```



```

19583           \unvbox\@rightcolumn
19584           \vrule height\the\juo@ht width 0pt depth 0pt
19585           \vskip\stripsep
19586           }%
19587           \fi
19588           \ifnum\juo@sk>0
19589               \remove@strip\juo@sar
19590               \global\@colht\the\juo@pr
19591               \global\advance\@colht by -\ht\@rightcolumn
19592               \global\advance\@colht by \cor@height
19593               \global\cor@height=0pt
19594           \else
19595               \global\advance\c@colht by-\ht\@rightcolumn
19596               \global\@colht\c@colht
19597           \fi
19598       \else
19599           \global\@firstcolumntrue
19600           \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
19601               \unvbox\@rightcolumn
19602               \vskip\c@advipersep
19603               \unvbox\@outputbox
19604               }%
19605           \setbox\@outputbox\vbox {%
19606               \hb@xt@\textwidth{%
19607                   \hskip\columnwidth
19608                   \hfil
19609                   \vrule\@width\columnseprule
19610                   \hfil
19611                   \hb@xt@\columnwidth{%
19612                       \bidi@firstcolumn@status@write%
19613                       \box\@leftcolumn\hss}%
19614                   \hskip-\textwidth
19615                   \hb@xt@\columnwidth{%
19616                       \bidi@lastcolumn@status@write%
19617                       \box\@outputbox\hss}%
19618                   \hskip\columnwidth
19619                   \hskip\columnsep}%
19620               }%
19621           \@combinedblfloats
19622           \@setmarks
19623           \@outputpage
19624           \begingroup
19625               \@dblfloatplacement
19626               \@startdblcolumn
19627               \@whilesw\if@fcolmade \fi
19628                   {\@outputpage
19629                   \@startdblcolumn}%
19630           \endgroup
19631           \global\juo@sk=0\global\juo@sar={}%
19632           \global\cor@height\z@\global\c@advipersep\z@
19633           \fi
19634       \fi
19635   }
19636

```



```

19637
19638 \def\LTR@outputdblcol{%
19639   \if@firstcolumn
19640     \global \firstcolumnfalse
19641     \global\setbox\leftcolumn\copy\outputbox
19642     \splitmaxdepth\maxdimen
19643     \vbadness\maxdimen
19644     \setbox\outputbox\vbox{\unvbox\outputbox\unskip}%
19645     \setbox\outputbox\vsplit\outputbox to\maxdimen
19646     \toks@\expandafter{\topmark}%
19647     \xdef\firstcoltopmark{\the\toks@}%
19648     \toks@\expandafter{\splitfirstmark}%
19649     \xdef\firstcolfirstmark{\the\toks@}%
19650     \ifx\firstcolfirstmark\empty
19651       \global\let\@setmarks\relax
19652     \else
19653       \gdef\@setmarks{%
19654         \let\firstmark\firstcolfirstmark
19655         \let\topmark\firstcoltopmark}%
19656     \fi
19657     \global\c@colht\colht\global\c@addvipersep\z@
19658     \ifnum\juo@sk>0
19659       \remove@strip\juo@sar
19660       \global\colht\the\juo@pr
19661       \ifdim\right@cor>\z@
19662         \global\advance\colht by\right@cor
19663       \fi
19664       \global\advance\colht by\cor@height
19665       \global\cor@height=0pt
19666     \fi
19667     \global\setbox\rightcolumn\vbox{}%
19668   \else
19669     \ifdim\c@colht\colht
19670       \tempdima\colht
19671       \ifdim\colht>\z@
19672         \global\setbox\rightcolumn\vbox{%
19673           \unvbox\rightcolumn
19674           \vbox to\tempdima{%
19675             \vskip\c@addvipersep\unvbox\outputbox}%
19676             \vskip\stripsep
19677             \vrule height\the\juo@ht width Opt depth Opt
19678             \vskip\stripsep
19679           }%
19680         \global\c@addvipersep\m@addvipersep
19681       \else
19682         \global\setbox\rightcolumn\vbox{%
19683           \unvbox\rightcolumn
19684           \vrule height\the\juo@ht width Opt depth Opt
19685           \vskip\stripsep
19686         }%
19687       \fi
19688     \ifnum\juo@sk>0
19689       \remove@strip\juo@sar
19690       \global\colht\the\juo@pr

```



```

19691          \global\advance\@colht by -\ht\@rightcolumn
19692          \global\advance\@colht by\cor@height
19693          \global\cor@height=0pt
19694      \else
19695          \global\advance\c@colht by-\ht\@rightcolumn
19696          \global\@colht\c@colht
19697      \fi
19698  \else
19699      \global\@firstcolumntrue
19700      \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
19701          \unvbox\@rightcolumn
19702          \vskip\c@addvipersep
19703          \unvbox\@outputbox
19704          }%
19705      \setbox\@outputbox\vbox {%
19706          \hb@xt@\textwidth{%
19707              \hb@xt@\columnwidth{%
19708                  \bidi@firstcolumn@status@write%
19709                  \box\@leftcolumn \hss}%
19710                  \hfil
19711                  \vrule \c@width\columnseprule
19712                  \hfil
19713                  \hb@xt@\columnwidth{%
19714                      \bidi@lastcolumn@status@write%
19715                      \box\@outputbox \hss}%
19716                      }%
19717          }%
19718      \@combinedblfloats
19719      \@setmarks
19720      \@outputpage
19721      \begingroup
19722          \@dblfloatplacement
19723          \@startdblcolumn
19724          \c@whilesw\if@fcolmade \fi
19725          {\@outputpage
19726              \@startdblcolumn}%
19727      \endgroup
19728      \global\juo@sk=0\global\juo@sar={}%
19729      \global\cor@height\z@\global\c@addvipersep\z@
19730      \fi
19731  \fi
19732 }
19733
19734
19735 \def\@strip[#1/#2]{\global\@tempdima=#1\global\@tempdimb=#2%
19736   \global\setbox\@viper\vbox\bgroup\if@RTLmain\moveleft\dimexpr(\columnwidth+\columnsep)\fi
19737   \hsize\textwidth
19738   \parboxrestore
19739   \col@number \cne
19740   \vrule height\topskip width0pt depth0pt
19741 }
19742
19743 \def\endstrip{%
19744     \egroup\egroup

```



```

19745 \if@firstcolumn
19746     \ifdim\pagetotal>\z@
19747         \vskip\stripsep
19748         \global\ht@strip\pagegoal
19749         \global\advance\ht@strip by-\pagetotal
19750         \global\advance\ht@strip by-\stripsep
19751         \global\advance\ht@strip by-\ht@\viper
19752         \global\advance\ht@strip by-\stripsep
19753         \global\juo@ht=\ht@\viper
19754     \else
19755         \global\ht@strip\z@
19756     \fi
19757     \ifdim\ht@strip>\z@
19758         \unvbox\@viper
19759         \vskip\stripsep
19760         \add@strip{\the\pagetotal}{\the\juo@ht}{\the\tempdima}{\the\tempdimb}%
19761         \global\advance\juo@sk by1
19762     \else
19763         \@latex@error{Strip needs more place!}@\ehc
19764         \if@vihproof
19765             \framebox[\columnwidth]{??? Strip ???}%
19766         \fi
19767     \fi
19768 \else
19769     \@latex@error{Strip is used only on left column!}@\ehc
19770     \if@vihproof
19771         \framebox[\columnwidth]{??? Strip ???}%
19772     \fi
19773 \fi
19774 }

```

## 117 File `minitoc-xetex-bidi.def`

```

19775 \ProvidesFile{minitoc-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for minitoc package f
19776 \def\@undottedtocline#1#2#3#4#5{%
19777   \ifnum #1>\c@tocdepth\relax \else
19778     \vskip \z@ plus .2\p@
19779     {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \c@tocrmarg
19780     \parindent #2\relax\c@afterindenttrue
19781     \interlinepenalty\@M
19782     \leavevmode
19783     \c@tempdima #3\relax \advance\if@RTL\rightskip\else\leftskip\fi \c@tempdima \hbox{}%
19784     \hskip -\if@RTL\rightskip\else\leftskip\fi
19785     #4\nobreak\hfill \nobreak
19786     \null\par}%
19787   \fi}
19788 \def\@Undottedtocline#1#2#3#4#5{%
19789   \ifnum #1>\c@tocdepth\relax \else
19790     \vskip \z@ \c@plus .2\p@
19791     {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \c@tocrmarg
19792     \parindent #2\relax\c@afterindenttrue
19793     \interlinepenalty\@M
19794     \leavevmode
19795     \c@tempdima #3\relax

```



```

19796      \advance\if@RTL\righskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\righ
19797      {\coffee font #4}\nobreak \nobreak\null
19798      \par}%
19799  \fi}
19800 \def\@Undottedtocline#1#2#3#4#5{%
19801   \ifnum #1>\c@tocdepth\relax \else
19802     \vskip \z@ \p@{.2\p@}
19803     {\if@RTL\righskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\righskip\fi \tocrm
19804     \parindent #2\relax\afterindenttrue
19805     \interlinepenalty\OM
19806     \leavevmode
19807     \tempdima #3\relax
19808     \advance\if@RTL\righskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\righ
19809     {#4}\nobreak \hfill \nobreak\null
19810     \hb@xt@\pnumwidth{\hfil\normalfont \normalcolor #5}}%
19811     \par}%
19812  \fi}

```

## 118 File `multicol-xetex-bidi.def`

```

19813 \ProvidesFile{multicol-xetex-bidi.def}[2022/07/10 v1.4 bidi adaptations for multicol package
19814 \def\page@sofar{%
19815   \process@cols\mult@rightbox
19816   {\ifvoid\count@
19817     \setbox\count@\hbox to\hsize{}}%
19818   \else
19819     \wd\count@\hsize
19820     \fi}%
19821   \count@\col@number \advance\count@\m@ne
19822   \mult@info{z@}
19823   {Column spec: \the\full@width\space = indent
19824     + columns + sep =\MessageBreak
19825     \the\multicol@leftmargin\space
19826     + \the\col@number\space
19827     x \the\hsize\space
19828     + \the\count@\space
19829     x \the\columnsep
19830   }%
19831 \ifvmode\else\errmessage{Multicol Error}\fi
19832   \nointerlineskip
19833   \setbox{z@}\hbox{p}\global\dimen\tw@\dp{z@}
19834   \move{right}{multicol@leftmargin}
19835   \hbox to\full@width{%
19836     \bidi@multicol@align@columns
19837     \rlap{\phantom p}}%
19838   }%
19839   \prevdepth{z@}
19840   \kern-\dimen\tw@
19841   \ifdim\dimen\tw@ > \mc@gridwarn
19842     \PackageWarning{multicol}%
19843     {Very deep columns!\MessageBreak
19844       Grid alignment might be broken}%
19845 \fi
19846 }

```



```

19847 \def\LTR@column@boxes{%
19848   \process@cols\mult@firstbox{%
19849     \ifdim\dp\count@>\dimen\tw@
19850       \global\dimen\tw@\dp\count@ \fi
19851     \mc@col@status@write
19852     \box\count@
19853     \hss{\columnseprulecolor\vrule
19854       @width\columnseprule}\hss}%
19855   \ifdim\dp\mult@rightbox>\dimen\tw@
19856     \global\dimen\tw@\dp\mult@rightbox \fi
19857   \mc@lastcol@status@write
19858   \box\mult@rightbox
19859 }
19860
19861 \def\RTL@column@boxes{%
19862   \process@cols\mult@firstbox{%
19863     \hskip\hsize
19864     \hss{\columnseprulecolor\vrule
19865       @width\columnseprule}\hss
19866   }%
19867   \hskip\hsize
19868   \process@cols\mult@firstbox{%
19869     \ifdim\dp\count@>\dimen\tw@
19870       \global\dimen\tw@\dp\count@ \fi
19871     \hskip-\hsize
19872     \mc@col@status@write
19873     \box\count@
19874     \hskip-\hsize
19875     \hskip-\columnsep
19876   }%
19877   \ifdim\dp\mult@rightbox>\dimen\tw@
19878     \global\dimen\tw@\dp\mult@rightbox \fi
19879   \hskip-\hsize
19880   \mc@lastcol@status@write
19881   \box\mult@rightbox
19882   \hskip-\hsize
19883   \hskip\full@width
19884 }
19885
19886 \newcommand\RTLmulticolcolumns
19887   {\let\bidi@multicol@align@columns
19888     \RTL@column@boxes}
19889 \newcommand\LTRmulticolcolumns
19890   {\let\bidi@multicol@align@columns
19891     \LTR@column@boxes}
19892 \newcommand\bidi@multicol@align@columns
19893   {\if@RTLmain\RTL@column@boxes\else\LTR@column@boxes\fi}
19894 \bidi@AtEndPreamble{%
19895   \if@bidi@csdef{footinsv@l}{%
19896     \def\footnoterule{\kern-3\p@
19897       \hrule @width \textwidth \kern 2.6\p@}%
19898   }{}%
19899 }
19900 \def\multicols#1{\col@number#1\relax

```



```

19901 \ifnum\col@number<\tw@
19902   \PackageWarning{multicol}%
19903   {Using `\\number\\col@number'
19904     columns doesn't seem a good idea.^^J
19905     I therefore use two columns instead}%
19906   \\col@number\\tw@ \\fi
19907 \ifnum\col@number>20
19908   \PackageError{multicol}%
19909   {Too many columns}%
19910   {Current implementation doesn't
19911     support more than 20 columns.%}
19912   \\MessageBreak
19913   {I therefore use 20 columns instead}%
19914   \\col@number20 \\fi
19915   \\ifx\\@footnotetext\\mult@footnotetext
19916   \\else
19917     \\let\\orig@footnotetext\\@footnotetext
19918     \\let\\@footnotetext\\mult@footnotetext
19919   \\fi
19920   \\ifx\\@LTRfootnotetext\\mult@LTRfootnotetext
19921   \\else
19922     \\let\\orig@LTRfootnotetext\\@LTRfootnotetext
19923     \\let\\@LTRfootnotetext\\mult@LTRfootnotetext
19924   \\fi
19925   \\ifx\\@RTLfootnotetext\\mult@RTLfootnotetext
19926   \\else
19927     \\let\\orig@RTLfootnotetext\\@RTLfootnotetext
19928     \\let\\@RTLfootnotetext\\mult@RTLfootnotetext
19929   \\fi
19930 \\@ifnextchar[\\mult@cols{\\mult@cols[]}]
19931 \\long\\def\\mult@footnotetext#1{\\begingroup
19932   \\hsize\\textwidth
19933   \\columnwidth\\textwidth
19934   \\orig@footnotetext{#1}\\endgroup}
19935 \\long\\def\\mult@LTRfootnotetext#1{\\begingroup
19936   \\hsize\\textwidth
19937   \\columnwidth\\textwidth
19938   \\orig@LTRfootnotetext{#1}\\endgroup}
19939 \\long\\def\\mult@RTLfootnotetext#1{\\begingroup
19940   \\hsize\\textwidth
19941   \\columnwidth\\textwidth
19942   \\orig@RTLfootnotetext{#1}\\endgroup}
19943 \\def\\right@footnoterule{%
19944   \\kern-3\\p@
19945   \\hbox to \\textwidth{\\hskip \\dimexpr\\textwidth-.4\\columnwidth\\relax \\hrulefill }
19946   \\kern2.6\\p@}
19947 \\def\\textwidth@footnoterule{\\kern-3\\p@
19948   \\hrule \\@width \\textwidth \\kern 2.6\\p@}
19949 \\def\\bidi@leave@mult@copyins{%
19950   \\advance\\dimen@-\\skip\\@bidi@copyins@
19951   \\advance\\dimen@-\\ht\\@bidi@copyins@
19952 }
19953
19954 \\bidi@AtEndPreamble%

```



```

19955 \if@bidi@csundef{footinsv@l}{%
19956   \bidi@patchcmd{\multi@column@out}{%
19957     \ifvbox \kludgeins
19958   }{%
19959     \ifvoid\@bidi@copyins@ \else
19960       \bidi@leave@mult@copyins
19961     \fi
19962     \ifvbox \kludgeins
19963   }{}{%
19964 }{}%
19965 }
19966
19967

```

## 119 File multienum-xetex-bidi.def

```

19968 \ProvidesFile{multienum-xetex-bidi.def}[2011/04/16 v0.1 bidi adaptations for multienum packa
19969 \renewcommand{\itemx}[1]{\parbox[t]{%
19970 {\labelwidth}\hfill{\labelname}\hskip\labelsep%
19971 \parbox[t]{\remainx}{\bidi@raggedright #1}\par}\smallskip
19972 \renewcommand{\itemxx}[2]{\parbox[t]{%
19973 {\labelwidth}\hfill{\labelname}\hskip\labelsep%
19974 \parbox[t]{.5\remainxx}{\bidi@raggedright #1}\hfill\parbox[t]{%
19975 {\labelwidth}\hfill{\labelname}\hskip\labelsep%
19976 \parbox[t]{0.5\remainxx}{\bidi@raggedright #2}\smallskip}
19977 \renewcommand{\itemxxx}[3]{\parbox[t]{%
19978 {\labelwidth}\hfill{\labelname}\hskip\labelsep%
19979 \parbox[t]{.3333\remainxxx}{\bidi@raggedright #1}\hfill\parbox[t]{%
19980 {\labelwidth}\hfill{\labelname}\hskip\labelsep%
19981 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #2}\hfill\parbox[t]{%
19982 {\labelwidth}\hfill{\labelname}\hskip\labelsep%
19983 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #3}\par}\smallskip
19984 \renewcommand{\itemxxxx}[4]{\parbox[t]{%
19985 {\labelwidth}\hfill{\labelname}\hskip\labelsep%
19986 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill\parbox[t]{%
19987 {\labelwidth}\hfill{\labelname}\hskip\labelsep%
19988 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #2}\hfill%
19989 \parbox[t]{\labelwidth}\hfill{\labelname}\hskip\labelsep%
19990 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\hfill%
19991 \parbox[t]{\labelwidth}\hfill{\labelname}\hskip\labelsep%
19992 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #4}\smallskip}
19993 \renewcommand{\itemxxxxx}[5]{\parbox[t]{%
19994 {\labelwidth}\hfill{\labelname}\hskip\labelsep%
19995 \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #1}\hfill%
19996 \parbox[t]{\labelwidth}\hfill{\labelname}\hskip\labelsep%
19997 \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #2}\hfill%
19998 \parbox[t]{\labelwidth}\hfill{\labelname}\hskip\labelsep%
19999 \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #3}\hfill%
20000 \parbox[t]{\labelwidth}\hfill{\labelname}\hskip\labelsep%
20001 \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #4}\hfill%
20002 \parbox[t]{\labelwidth}\hfill{\labelname}\hskip\labelsep%
20003 \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #5}\smallskip}
20004 \renewcommand{\itemxo}[2]{\parbox[t]{%
20005 {\labelwidth}\hfill{\labelname}\hskip\labelsep%

```



```

20006 \parbox[t]{\remainxox}{\bidi@raggedright #1}\hfill%
20007 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
20008 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #2}\smallskip}
20009 \renewcommand{\itemxo}[2]{\parbox[t]%
2010 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
2011 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #1}\hfill%
2012 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
2013 \parbox[t]{\remainxox}{\bidi@raggedright #2}\smallskip}
2014 \renewcommand{\itemxxx}[3]{\parbox[t]%
2015 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
2016 \parbox[t]{\remainxox}{\bidi@raggedright #1}\hfill%
2017 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
2018 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #2}\hfill%
2019 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
2020 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\smallskip}
2021 \renewcommand{\itemxxo}[3]{\parbox[t]%
2022 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
2023 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill%
2024 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
2025 \parbox[t]{\remainxox}{\bidi@raggedright #2}\hfill%
2026 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
2027 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\smallskip}
2028 \renewcommand{\itemxxx}[3]{\parbox[t]%
2029 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
2030 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill%
2031 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
2032 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #2}\hfill%
2033 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
2034 \parbox[t]{\remainxox}{\bidi@raggedright #3}\smallskip}

```

## 120 File natbib-xetex-bidi.def

```

20035 \ProvidesFile{natbib-xetex-bidi.def}[2017/06/09 v0.2 bidi adaptations for natbib package for
20036 \renewenvironment{thebibliography}[1]{%
20037   \bibsection
20038   \parindent\z@
20039   \bibpreamble
20040   \bibfont
20041   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
20042   \bidi@thebibliography@font@hook%
20043   \list{\@biblabel{\the\c@NAT@ctr}}{\@bibsetup{\#1}\global\c@NAT@ctr\z@}%
20044   \ifNAT@openbib
20045     \renewcommand{\newblock}{\par}%
20046   \else
20047     \renewcommand{\newblock}{\hskip .11em \@plus.33em \@minus.07em}%
20048   \fi
20049   \sloppy\clubpenalty4000\widowpenalty4000
20050   \sfcode`.\@m
20051   \let\NAT@bibitem@first@sw\@firstoftwo
20052   \let\citeN\cite \let\shortcite\cite
20053   \let\citeasnoun\cite
20054 }{%
20055   \bibitem@fin
20056   \bibpostamble

```



```

20057 \def\@noitemerr{%
20058   \PackageWarning{natbib}{Empty `thebibliography' environment}%
20059 }%
20060 \endlist
20061 \bibcleanup
20062 }%

```

## 121 File `newfloat-xetex-bidi.def`

```

20063 \ProvidesFile{newfloat-xetex-bidi.def}[2013/05/22 v0.1 bidi adaptations for newfloat package]
20064 \renewcommand*\newfloat@setwithin[2]{%
20065   \ifcsname c@chapter\endcsname
20066     \removefromreset{\#1}{chapter}%
20067   \fi
20068   \removefromreset{\#1}{section}%
20069   \edef\@tempa{\#2}%
20070   \ifx\@tempa\empty
20071     \def\@tempa{none}%
20072   \fi
20073   \def\@tempb{none}%
20074   \ifx\@tempa\@tempb
20075     \ifcsname c@chapter\endcsname
20076       \chapterlistsgap@off{\#1}%
20077     \fi
20078     \newfloat@@setwithin{\#1}{}{}%
20079   \else
20080     \def\@tempb{chapter}%
20081     \ifx\@tempa\@tempb
20082       \addtoreset{\#1}{chapter}%
20083       \chapterlistsgap@on{\#1}%
20084       \newfloat@@setwithin{\#1}{\ifnum\c@chapter>\z@ \thechapter\SepMark\fi}{\theHchapter\SepMark}%
20085     \else
20086       \def\@tempb{section}%
20087       \ifx\@tempa\@tempb
20088         \addtoreset{\#1}{section}%
20089         \ifcsname c@chapter\endcsname
20090           \addtoreset{\#1}{chapter}%
20091           \chapterlistsgap@on{\#1}%
20092           \newfloat@@setwithin{\#1}{\thesection\SepMark}{\theHsection\SepMark}%
20093         \else
20094           \newfloat@@setwithin{\#1}{\ifnum\c@section>\z@ \thesection\SepMark\fi}{\theHsection\SepMark}%
20095         \fi
20096       \else
20097         \newfloat@Error{Invalid value `#2' for option `within'}%
20098       \fi
20099     \fi
20100   \fi}

```

## 122 File `nicematrix-xetex-bidi.def`

```

20101 \ProvidesFile{nicematrix-xetex-bidi.def}[2024/12/15 v0.3 bidi adaptations for nicematrix pac...
20102 \ExplSyntaxOn
20103 \bidi@patchcmd{\__nicematrix_array:n}{\@tabarray}{%
20104   \bool_if:NF \l__nicematrix_tabular_bool \RTLtabfalse

```



```

20105  \@tabarray
20106 }{}{}
20107 \ExplSyntaxOff
20108

```

### 123 File ntheorem-xetex-bidi.def

```

20109 \ProvidesFile{ntheorem-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for ntheorem package]
20110 \gdef\@thm#1#2#3{%
20111   \if@thmmarks
20112     \stepcounter{end\InTheoType ctr}%
20113   \fi
20114   \renewcommand{\InTheoType}{#1}%
20115   \if@thmmarks
20116     \stepcounter{curr#1ctr}%
20117     \setcounter{end#1ctr}{0}%
20118   \fi
20119   \refstepcounter{#2}%
20120   \theorem@prework
20121   \thm@topsepadd \theorempostskipamount % cf. latex.ltx: \@trivlist
20122   \ifvmode \advance\thm@topsepadd\partopsep\fi
20123   \trivlist
20124   \@topsep \theorempreskipamount
20125   \@topsepadd \thm@topsepadd % used by \endparenv
20126   \advance\linewidth -\theorem@indent
20127   \advance\@totalleftmargin \theorem@indent
20128   \if@RTL\parshape \@ne Opt \linewidth\else \parshape \@ne \@totalleftmargin \linewidth\fi
20129   \@ifnextchar[{\@ythm{#1}{#2}{#3}}{\@xthm{#1}{#2}{#3}}}

```

### 124 File ntheorem-hyper-xetex-bidi.def

```

20130 \ProvidesFile{ntheorem-hyper-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for ntheorem-hyper package]
20131 \gdef\@thm#1#2#3{%
20132   \if@thmmarks
20133     \stepcounter{end\InTheoType ctr}%
20134   \fi
20135   \renewcommand{\InTheoType}{#1}%
20136   \if@thmmarks
20137     \stepcounter{curr#1ctr}%
20138     \setcounter{end#1ctr}{0}%
20139   \fi
20140   \refstepcounter{#2}%
20141   \thm@topsepadd \theorempostskipamount % cf. latex.ltx: \@trivlist
20142   \ifvmode \advance\thm@topsepadd\partopsep\fi
20143   \trivlist
20144   \@topsep \theorempreskipamount
20145   \@topsepadd \thm@topsepadd % used by \endparenv
20146   \advance\linewidth -\theorem@indent
20147   \advance\@totalleftmargin \theorem@indent
20148   \if@RTL\parshape \@ne Opt \linewidth\else \parshape \@ne \@totalleftmargin \linewidth\fi
20149   \@ifnextchar[{\@ythm{#1}{#2}{#3}}{\@xthm{#1}{#2}{#3}}}

```

### 125 File overpic-xetex-bidi.def



```

20150 \ProvidesFile{overpic-xetex-bidi.def}[2015/12/07 v0.1 bidi adaptations for overpic package f
20151 \renewenvironment{overpic}[2] []{%
20152   \sbox{\z@}{\includegraphics[#1]{#2}}%
20153   \settodepth{\@tempcnta}{\usebox{\z@}}%
20154   \settoheight{\@tempcntb}{\usebox{\z@}}%
20155   \advance\@tempcntb\@tempcnta%
20156   \settowidth{\@tempcnta}{\usebox{\z@}}%
20157   \setlength{\@tempdima}{\unitlength}%
20158   \count@=\z@\Gin@gridfalse\setkeys{Gin}{#1}%
20159 %
20160   \OVP@calc%
20161 %
20162   \begin{picture}(\@tempcnta,\@tempcntb)%
20163     \if@RTL\else\put(0,0){\makebox(0,0)[bl]{\usebox{\z@}}}\fi%
20164     \ifGin@grid%
20165       \put(0,0){\normalfont\fontsize@\viiipt\selectfont}%
20166       \grid(\@tempcnta,\@tempcntb)(\count@,\count@)[0,0]%
20167     \fi\fi%
20168     % reset the graphics parameter
20169     \let\Gin@outer@scalex\relax
20170     \let\Gin@outer@scaley\relax
20171     \let\Gin@angle\relax
20172     \let\Gin@ewidth\Gin@exclamation
20173     \let\Gin@eheight\Gin@ewidth
20174     \def\Gin@scalex{1}
20175     \let\Gin@scaley\Gin@exclamation
20176   }{%
20177     \if@RTL\ifGin@grid%
20178       \put(0,0){\normalfont\fontsize@\viiipt\selectfont}%
20179       \grid(\@tempcnta,\@tempcntb)(\count@,\count@)[0,0]%
20180     \fi%
20181     \put(0,0){\makebox(0,0)[bl]{\usebox{\z@}}}\fi%
20182   }\end{picture}%
20183 }%

```

## 126 File pdfbase-xetex-bidi.def

```

20184 \ProvidesFile{pdfbase-xetex-bidi.def}[2022/02/18 v0.4 bidi adaptations for pdfbase package f
20185 \ExplSyntaxOn
20186 \cs_set_eq:NN \pbs_outputpage_orig: \outputpage
20187 \cs_set_nopar:Npn \outputpage{
20188   \int_gincr:N \g_pbs_page_int
20189   \box_if_vertical:cTF{\outputbox} {
20190     \bool_set_true:N \l_pbs_is_vertical_bool
20191   }{
20192     \bool_set_false:N \l_pbs_is_vertical_bool
20193   }
20194   \hbox_set:Nn \outputbox{
20195     %begin of page
20196     \hbox_overlap_right:n{\seq_map_inline:Nn \g_pbs_bop_seq{##1}}
20197     \box_use_drop:N \outputbox
20198     %end of page
20199     \hbox_overlap_right:n{\seq_map_inline:Nn \g_pbs_eop_seq{##1}}
20200   }

```



```

20201 \bool_if:NT\l_pbs_is_vertical_bool{
20202   \vbox_set:Nn\@outputbox{\box_use_drop:N\@outputbox}
20203 }
20204 \pbs_outputpage_orig:
20205 }
20206 \ExplSyntaxOff

```

## 127 File pdflscape-xetex-bidi.def

```

20207 \ProvidesFile{pdflscape-xetex-bidi.def}[2022/02/18 v0.1 bidi adaptations for pdflscape package]
20208 \bidi@patchcmd{\landscape}{\PLS@Rotate{90}}{%
20209   \if@RTL
20210     \PLS@Rotate{-90}%
20211   \else
20212     \PLS@Rotate{90}%
20213   \fi
20214 }{}{%

```

## 128 File pdfpages-xetex-bidi.def

```

20215 \ProvidesFile{pdfpages-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for pdfpages package]
20216 \renewcommand*{\includepdf}[2][]{%
20217   \begingroup
20218   \if@RTLfalse
20219     \let\AM@threadname\relax
20220     \AM@split@options{pdfpages}{#1}%
20221     \edef\AM@temp{\pdfpages}{\the\@temptokena}%
20222     \expandafter\setkeys\AM@temp
20223     \ifthenelse{\boolean{AM@pkg@draft} \and \boolean{AM@survey}}{%
20224       \let\AM@currentdocname\relax
20225       \renewcommand\includegraphics[2][]{Survey in draft-mode}%
20226       \def\AM@pagecount{0}%
20227     }{%
20228       \AM@findfile{#2}%
20229       \if\AM@threadname\relax
20230         \def\AM@threadname{\AM@currentdocname}%
20231       \fi
20232     }%
20233     \ifAM@survey
20234       \def\AM@pagestemp{}%
20235       \tempcnta=0
20236       \def\foo{%
20237         \ifundefined{r@\AM@xrprefix pdfpages@page\the\@tempcnta}%
20238           \let\foo\relax
20239           \expandafter\ifx\expandafter\\\AM@pagestemp\\
20240             \edef\AM@pagestemp{%
20241               \AM@pageref{\AM@xrprefix pdfpages@page\the\@tempcnta}}%
20242           \else
20243             \edef\AM@pagestemp{\AM@pagestemp,%
20244               \AM@pageref{\AM@xrprefix pdfpages@page\the\@tempcnta}}%
20245           \fi
20246           \advance\@tempcnta 1\relax
20247         }%
20248       \foo

```



```

20249      }%
2050      \foo
2051      \expandafter\ifx\expandafter\\\AM@pagestemp\\
2052          \def\AM@pagestemp{1}%
2053      \fi
2054  \fi
2055  \ifAM@output
2056      \expandafter\AM@readlist\expandafter{\AM@pagestemp}%
2057          \AM@output{#1}%
2058  \fi
2059  \AM@CheckAtEnd
2060  \endgroup
2061  \AM@ClearShipoutPicture
2062 }

```

## 129 File pgfcorescopes.code-xetex-bidi.def

```

2063 \ProvidesFile{pgfcorescopes.code-xetex-bidi.def}[2015/11/14 v0.1 bidi adaptations for pgf pa
2064 \def\pgfpicture{%
2065   \begingroup%
2066   \ifmmode\else\@RTLfalse\beginL\fi%
2067   \pgfpicturetrue%
2068   \global\advance\pgf@picture@serial@count by1\relax%
2069   \edef\pgfpictureid{\pgfid\the\pgf@picture@serial@count}%
2070   \let\pgf@nodecallback=\pgfutil@gobble%
2071   \pgf@picmaxx=-16000pt\relax%
2072   \pgf@picminx=16000pt\relax%
2073   \pgf@picmaxy=-16000pt\relax%
2074   \pgf@picminy=16000pt\relax%
2075   \pgf@relevantforpicturesizetrue%
2076   \pgf@resetpathsizes%
2077   \pgfutil@ifnextchar\bgroup\pgf@oldpicture\pgf@picture}
2078 \def\endpgfpicture{%
2079   \ifpgfrememberpicturepositiononpage%
2080     \hbox to0pt{\pgfsys@markposition{\pgfpictureid}}%
2081   \fi%
2082   % ok, now let's position the box
2083   \ifdim\pgf@picmaxx=-16000pt\relax%
2084     % empty picture. make size 0.
2085     \global\pgf@picmaxx=0pt\relax%
2086     \global\pgf@picminx=0pt\relax%
2087     \global\pgf@picmaxy=0pt\relax%
2088     \global\pgf@picminy=0pt\relax%
2089   \fi%
2090   % Shift baseline outside:
2091   \pgf@relevantforpicturesizefalse%
2092   \pgf@process{\pgf@baseline}%
2093   \xdef\pgf@shift@baseline{\the\pgf@y}%
2094   %
2095   \pgf@process{\pgf@trimleft}%
2096   \global\advance\pgf@x by-\pgf@picminx
2097   % prepare \hskip\pgf@trimleft@final.
2098   % note that \pgf@trimleft@final is also queried
2099   % by the pgf image externalization.

```



```

20300          \xdef\pgf@trimleft@final{-\the\pgf@x}%
20301          %
20302          \pgf@process{\pgf@trimright}%
20303          \global\advance\pgf@x by-\pgf@picmaxx
20304          % prepare \hskip\pgf@trimright@final.
20305          % note that \pgf@trimright@final is also queried
20306          % by the pgf image externalization.
20307          \xdef\pgf@trimright@final{\the\pgf@x}%
20308          %
20309          \pgf@remember@layerlist@globally
20310          \endgroup%
20311          \hss%
20312          \egroup%
20313          \pgf@restore@layerlist@from@global
20314          \pgf@insertlayers%
20315          \endgroup%
20316          \pgfsys@discardpath%
20317          \endgroup%
20318          \pgfsys@endscope%
20319          \pgfsys@endpicture%
20320          \endgroup%
20321          \hss
20322          \egroup%
20323          \pgfsys@typesetpicturebox\pgfpic%
20324          \ifmmode\else\endL\fi%
20325          \endgroup%
20326 }

```

## 130 File pgfsys.code-xetex-bidi.def

```

20327 \ProvidesFile{pgfsys.code-xetex-bidi.def}[2022/06/01 v0.1 bidi adaptations for pgfsys.code.t
20328 \def\pgfsys@shadingoutsidepgfpicture#1{%
20329   \begin{L}#1\end{L}%
20330 }
20331
20332

```

## 131 File picinpar-xetex-bidi.def

```

20333 \ProvidesFile{picinpar-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for picinpar package
20334 \long\def\@makewincaption#1#2{%
20335   \setbox@tempboxa\hbox{\footnotesize{\bf #1:\enspace}{#2}}%
20336   \ifdim\wd\@tempboxa>\picwd
20337     {\footnotesize{\bf #1:\enspace}{#2\par}}
20338   \else
20339     \hbox to\picwd{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}
20340   \fi}
20341 \def\endwindow{%
20342   \global\tcd=\tcdsav
20343   \egroup\vskip\parskip\parshape=0 % reset parshape; end \box\rawtext
20344   \vbadness=10000
20345   \splittopskip=0pt
20346 %
20347 % Typeset the lines above the window

```



```

20348 %
20349 \ifnum\tcd>0\setbox\holder=\vsplit\rawtext to \tcd\baselineskip
20350 \tcn=\tcd
20351 \loop\advance\tcn -1
20352 \setbox\fslice=\vsplit\holder to\baselineskip
20353 \prune\fslice\linewidth
20354 \topheight=0pt
20355 \ifnum\dp\fslice>\dp\wstrutbox
20356         \advance\topheight-\dp\fslice
20357         \advance\topheight\dp\wstrutbox
20358         \advance\topheight\ilg\fi
20359 \hbox to\linewidth{\box\fslice}
20360 \vskip-\topheight
20361 \ifdim\ht\holder>0pt\repeat
20362 \fi
20363 %
20364 % Now we build the boxes beside the window
20365 %
20366 \global\topheight=\tcl\baselineskip
20367 \ifnum\cumpartcl>0\global\tcl=\cumtcl
20368     \global\topheight=\vpic
20369 \fi
20370 \ifnum\bl>0 \ifnum\br>0 \multiply\topheight by 2\fi\fi
20371 \ifnum\bl>0\setbox\holder=\vsplit\rawtext to\topheight
20372 \else\ifnum\br>0\setbox\holder=\vsplit\rawtext to\topheight\fi\fi
20373 \tcn=\tcl \na=0 \nb=0
20374 \ifnum\bl>0 \ifnum\br>0 \multiply\tcn by 2\fi\fi
20375 \ifnum\bl>0\na=\tcn\ifnum\br>0\divide\na by 2\fi\fi
20376 \ifnum\br>0\nb=\tcn\ifnum\bl>0\divide\nb by 2\fi\fi
20377 \ifnum\na=0\ifnum\nb=0
20378     \setbox\waslice=\vbox to\vpic{\vss}
20379     \setbox\wbslice=\vbox to\vpic{\vss}
20380     \bl=1\br=1
20381     \vskip\ilg
20382 \fi\fi
20383 %
20384 % both sides
20385 %
20386 \ifnum\na>0 \ifnum\nb>0
20387 \loop\advance\nb -1
20388 \advance\na -1
20389 \if@RTL%
20390 \setbox\bslice=\vsplit\holder to\baselineskip
20391 \prune\bslice\rtside
20392 \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
20393 to\rtside{\box\bslice\hfil}}
20394 \setbox\aslice=\vsplit\holder to\baselineskip
20395 \prune\aslice\lftside
20396 \setbox\waslice=\vbox{\unvbox\waslice\hbox
20397 to\lftside{\box\aslice\hfil}}
20398 \else%
20399 \setbox\aslice=\vsplit\holder to\baselineskip
20400 \prune\aslice\lftside
20401 \setbox\waslice=\vbox{\unvbox\waslice\hbox

```



```

20402 to\lftside{\box\aslice\hfil}}
20403 \setbox\bslice=\vsplit\holder to\baselineskip
20404 \prune\bslice\rtside
20405 \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
20406 to\rtside{\box\bslice\hfil}}
20407 \fi%
20408 \ifnum\nb>0\repeat
20409 \fi\fi
20410 %
20411 % only text on the left side
20412 %
20413 \ifnum\na>0
20414     \loop\advance\na -1
20415     \setbox\aslice=\vsplit\holder to\baselineskip
20416     \prune\aslice\lftside
20417     \setbox\waslice=\vbox{\unvbox\waslice\hbox
20418     to\lftside{\box\aslice\hfil}}
20419     \ifdim\ht\holder>0pt\repeat
20420 \fi
20421 %
20422 % only text on the right side
20423 %
20424 \ifnum\nb>0
20425     \loop\advance\nb -1
20426     \setbox\bslice=\vsplit\holder to\baselineskip
20427     \prune\bslice\rtside
20428     \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
20429     to\rtside{\box\bslice\hfil}}
20430     \ifdim\ht\holder>0pt\repeat
20431 \fi
20432 %
20433 % fixing the dimensions of the window part
20434 %
20435 \ifnum\bl=0\topheight=\ht\wbslice
20436 \else\ifnum\br=0\topheight=\ht\waslice
20437     \else\ifdim\ht\waslice>\ht\wbslice\topheight=\ht\waslice
20438         \else\topheight=\ht\wbslice\fi\fi\fi
20439 %
20440 % ship out the window material to the main vertical list
20441 %
20442 \ifnum\bl>0 \ifnum\br>0 \ifdim\ht\wbslice<\topheight
20443 \setbox\wbslice=\vbox to\topheight{\box\wbslice\vfill}
20444 \fi\fi\fi
20445 \setbox>windowbox=\vbox{\hbox to\linewidth{%
20446 \ifnum\bl>0\box\waslice\hfill\fi%
20447 \vbox to\topheight{\hrule width\picwd height0pt depth0pt\vskip0pt%
20448 \vfill\unvbox\picbox%
20449 \ifnum\picwd>0\vfill\fi%
20450 \vss}\ifnum\br>0\hfill\vbox{\box\wbslice}\fi}}%
20451 \unvbox>windowbox%
20452 \loop
20453 \setbox\bslice=\vsplit\rawtext to\baselineskip
20454 \prune\bslice\linewidth
20455 \setbox\wbslice=\vbox{\hbox to\linewidth{\box\bslice\hfil}}

```



```

20456 \unvbox\wbslice
20457 \ifdim\ht\rawtext>0pt
20458 \repeat
20459 }% FINITO

```

## 132 File plain-xetex-bidi.def

```

20460 \def\TeXeTOn{\TeXeTstate=1 }
20461 \def\TeXeTOff{\TeXeTstate=0 }
20462 \TeXeTOn
20463 \def\usebox#1{\leavevmode\copy #1\relax}
20464 \def\bidi@RTL@everypar{{\setbox\z@\lastbox\if@RTL\beginR\else\beginL\fi\ifvoid\z@\else\usebo
20465     \let\bidi@o@everypar=\everypar
20466     \newtoks\bidi@n@everypar
20467     \bidi@n@everypar\expandafter{\the\bidi@o@everypar}
20468     \bidi@o@everypar{\bidi@RTL@everypar\the\bidi@n@everypar}
20469     \let\everypar=\bidi@n@everypar
20470 \def\moreLRE{\bracetext \aftergroup\endL \beginL\@RTLfalse}
20471 \def\moreRLE{\bracetext \aftergroup\endR \beginR\@RTLtrue}
20472 \protected\def\hboxR{\hbox\bgroup
20473 \everyhbox{%
20474     \aftergroup\egroup
20475 \everyhbox{}}%
20476 \beginR
20477     \hboxRconstructtrue
20478 \bgroup
20479     \aftergroup\endR
20480     \aftergroup\egroup
20481 }\hbox}
20482 \protected\def\hboxL{\hbox\bgroup
20483 \everyhbox{%
20484     \aftergroup\egroup
20485 \everyhbox{}}%
20486 \beginL
20487     \hboxRconstructfalse
20488 \bgroup
20489     \aftergroup\endL
20490     \aftergroup\egroup
20491 }\hbox}
20492 \protected\def\vboxR{\vbox\bgroup
20493 \everyvbox{%
20494     \aftergroup\egroup
20495 \everyvbox{}}%
20496 \RTLtrue
20497 \bgroup
20498     \aftergroup\egroup
20499 }\vbox}
20500 \protected\def\vboxL{\vbox\bgroup
20501 \everyvbox{%
20502     \aftergroup\egroup
20503 \everyvbox{}}%
20504 \RTLfalse
20505 \bgroup
20506     \aftergroup\egroup

```



```

20507 } \vbox}
20508 \def \LTR{\par\@RTLfalse\@RTL@footnotefalse\hsize\linewidth\parshape\z@}
20509 \def \endLTR{\par}
20510 \def \RTL{\par\@RTLtrue\@RTL@footnotetrue\hsize\linewidth\parshape\z@}
20511 \def \endRTL{\par}
20512 \def \setRTL{\@RTLtrue\@RTL@footnotetrue}
20513 \def \setLTR{\@RTLfalse\@RTL@footnotefalse}
20514 \let \unsetRTL=\setLTR
20515 \let \unsetLTR=\setRTL
20516 \let \LR=\LRE
20517 \let \RL=\RLE
20518 \def \Censure@RTL#1{\if@RTL#1\else\RLE{#1}\fi}
20519 \def \Censure@LTR#1{\if@RTL\LRE{#1}\else#1\fi}
20520 \let \Censure@RL=\Censure@RTL
20521 \let \Censure@LR=\Censure@LTR
20522 \def \Censure@dir#1{\if@RTL\RLE{#1}\else{#1}\fi}
20523 \let \Censure@mmdir=\Censure@dir
20524 \def \CRTL.{RTL}
20525 \def \CLTR.{LTR}
20526 \def \save@dir{\if@RTL\gdef \saved@@dir{RTL}\else\gdef \saved@@dir{LTR}\fi}
20527 \def \reset@dir{\ifx \saved@@dir\@RTL\setRTL\else\ifx \saved@@dir\@LTR\setLTR\else\relax\fi\fi}
20528 \let \CTeX\TeX
20529 \def \TeX{\Censure@LTR{\CTeX}}
20530 \def \pagecontents{\ifvoid \topins\else\unvbox \topins\fi
20531   \dimen@=\dp \cclv \unvbox \cclv % open up \box255
20532   \ifvoid \footins\else % footnote info is present
20533     \vskip \skip \footins
20534     \footnoterule
20535     \unvbox \footins\fi
20536   \iffr@gedbottom \kern-\dimen@ \vfil \fi
20537   \ifvoid \bidi@copyins@%
20538   \else
20539     \vskip \skip \bidi@copyins@%
20540     \unvbox \bidi@copyins@%
20541   \fi
20542 }
20543 \long\def \bidi@reflect@box#1{%
20544   \leavevemode
20545   \setbox \z@\hbox{\#1}%
20546   \setbox \tw@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy \z@}\special{x:grestore}%
20547   \hbox to \wd \z@{\kern \wd \z@ \box \tw@\hss}%
20548 }
20549 \def \XeTeX{\LR{\leavevemode$\smash{\hbox{X}\lower.5ex}
20550   \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em \TeX}}$}
20551 \let \setRL=\setRTL
20552 \let \setLR=\setLTR
20553 \let \unsetRL=\setLTR
20554 \let \bidi@saved@eqno=\eqno
20555 \let \bidi@saved@leqno=\leqno
20556 \def \eqno{\ifnum \predisplaydirection<\z@ \bidi@saved@leqno \else \bidi@saved@eqno \fi}
20557 \def \leqno{\ifnum \predisplaydirection<\z@ \bidi@saved@eqno \else \bidi@saved@leqno \fi}
20558 \def \centerline#1{\line{\hss\if@RTL\beginR\fi\#1\if@RTL\endR\fi\hss}}
20559 \def \leftline#1{\line{\if@RTL\beginR\fi\#1\if@RTL\endR\fi\hss}}
20560 \def \rightline#1{\line{\hss\if@RTL\beginR\fi\#1\if@RTL\endR\fi}}

```



### 133 File `pstricks-xetex-bidi.def`

```
20561 \ProvidesFile{pstricks-xetex-bidi.def}[2022/09/22 v0.6 bidi adaptations for pstricks package]
20562 \def\pspicture{\begingroup\ifmmode\else\@RTLfalse\beginL\f\pst@ifstar\pst@picture}
20563 \def\endpspicture{%
20564   \ifshowgrid\ifnum\showgridp@s>0
20565     \psgrid[xunit=\sh@wgridXunit,yunit=\sh@wgridYunit,style=gridstyle]\f\f%
20566     \pst@killglue
20567 % \global\pst@shift=\pst@shift% in fact of the following endgroup
20568   \endgroup
20569   \egroup
20570   \ifdim\wd\pst@hbox=\z@\else
20571     \%@pstrickserr{Extraneous space in the pspicture environment}%
20572     \%{Type \space <return> \space to proceed.}%
20573   \f
20574   \ht\pst@hbox=\pst@dimd
20575   \dp\pst@hbox=-\pst@dimb
20576   \setbox\pst@hbox=\hbox{%
20577     \kern-\pst@dima
20578 % Orig version -----
20579 \%ifx\pst@tempa\empty\else
20580 \%advance\pst@dimd-\pst@dimb
20581 \%pst@dimd=\pst@tempa\pst@dimd
20582 \%advance\pst@dimd\pst@dimb
20583 \%lower\pst@dimd
20584 \f
20585 \%---- end Orig
20586   \ifPst@shift@star%\typeout{==pstricks== old behaviour of the shift option}%
20587     \advance\pst@dimd-\pst@dimb
20588     \pst@dimd=0.5\pst@dimd
20589   \else\pst@dimd-\pst@shift\f
20590   \advance\pst@dimd\pst@dimb
20591   \lower\pst@dimd
20592   \box\pst@hbox
20593   \kern\pst@dimc}%
20594 \ifstar\setbox\pst@hbox=\hbox{\clipbox{\z@}}\f
20595 \leavevmode\ifdim\overfullrule=\z@\box\pst@hbox\else
20596 \fboxsep=0pt
20597 \fbox{\rule[-\pst@shift]{0pt}{\ht\pst@hbox}\rule{\wd\pst@hbox}{0pt}}\f
20598 \ifmmode\else\endL\f
20599 \endgroup%
20600 \psset[pstricks]{shift=0}%
20601 }%
20602
20603 \bidi@patchcmd\@@scalebox{%
20604   \special{x: bscale \pst@tempc \pst@tempd}%
20605   \hbox to \z@\{\box\pst@hbox\hss}%
20606   \special{x: escale}%
20607 }%
20608 \if@RTL
20609   \special{x: escale}%
20610 \else
20611   \special{x: bscale \pst@tempc \pst@tempd}%
20612 \f
```



```

20613 \hbox to \z@{\box\pst@hbox\hss}%
20614 \if@RTL
20615   \special{x: bscale \pst@tempc \pst@tempd}%
20616 \else
20617   \special{x: escale}%
20618 \fi
20619 }{}{%
20620 \let\ps@scalebox\@@scalebox
20621

```

### 134 File quotchap-xetex-bidi.def

```

20622 \ProvidesFile{quotchap-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for quotchap package]
20623 \renewcommand{\qauthor}[1]{%
20624   \par\smallskip
20625   {\if@RTL\raggedright\else\raggedleft\fi\upshape #1\qquad\hbox{}\par}\bigskip}
20626 \renewcommand{\@makechapterhead}[1]{\chapterheadstartvskip%
20627   {\size@chapter{\sectfont\if@RTL\raggedright\else\raggedleft\fi
20628     \chapnumfont
20629       \ifnum \c@secnumdepth >\m@ne%
20630         \if@mainmatter\thechapter%
20631           \fi\fi
20632         \par\nobreak}%
20633         {\if@RTL\raggedright\else\raggedleft\fi\advance\if@RTL\rightmargin\else\leftmargin\fi
20634         \nobreak\chapterheadendvskip}}
20635 \renewcommand*{\@printcites}{%
20636   \vbox to\z@{\leavevmode\copy\quotebox\vss}
20637   \global\let\@printcites\relax}

```

### 135 File ragged2e-xetex-bidi.def

```

20638 \ProvidesFile{ragged2e-xetex-bidi.def}[2018/10/17 v0.3 bidi adaptations for ragged2e package]
20639 \renewcommand{\Centering}{%
20640   \ifx\\@\raggedtwoe@savedcr
20641     \let\\@\centercr
20642   \fi
20643   \let\@gnewline\@raggedtwoe@gnewline
20644   \if@RTL\rightskip\else\leftskip\fi\CenteringLeftskip
20645   \@rightskip\CenteringRightskip
20646   \if@RTL\leftskip\else\rightskip\fi\@rightskip
20647   \parfillskip\CenteringParfillskip
20648   \parindent\CenteringParindent
20649   \@raggedtwoe@spaceskiptrue
20650   \@raggedtwoe@everyselectfont
20651 }
20652 \renewcommand{\RaggedLeft}{%
20653   \ifx\\@\raggedtwoe@savedcr
20654     \let\\@\centercr
20655   \fi
20656   \let\@gnewline\@raggedtwoe@gnewline
20657   \if@RTL\rightskip\else\leftskip\fi\RaggedLeftLeftskip
20658   \@rightskip\RaggedLeftRightskip
20659   \if@RTL\leftskip\else\rightskip\fi\@rightskip
20660   \parfillskip\RaggedLeftParfillskip

```



```

20661   \parindent\RaggedLeftParindent
20662   \@raggedtwoe@spaceskiptrue
20663   \@raggedtwoe@everyselectfont
20664   }
20665 \renewcommand{\RaggedRight}{%
20666   \ifx\\@\raggedtwoe@savedcr
20667     \let\\@\centercr
20668   \fi
20669   \let\@gnewline@\raggedtwoe@gnewline
20670   \if@RTL\rightskip\else\leftskip\fi\RaggedRightLeftskip
20671   \@rightskip\RaggedRightRightskip
20672   \if@RTL\leftskip\else\rightskip\fi\@rightskip
20673   \parfillskip\RaggedRightParfillskip
20674   \parindent\RaggedRightParindent
20675   \@raggedtwoe@spaceskiptrue
20676   \@raggedtwoe@everyselectfont
20677   }
20678 \renewcommand{\justifying}{%
20679   \let\\@\raggedtwoe@savedcr
20680   \let\@gnewline@\raggedtwoe@saved@gnewline
20681   \if@RTL\rightskip\else\leftskip\fi\z@
20682   \@rightskip\z@
20683   \if@RTL\leftskip\else\rightskip\fi\@rightskip
20684   \parfillskip\JustifyingParfillskip
20685   \parindent\JustifyingParindent
20686   \@raggedtwoe@spaceskipfalse
20687   \@raggedtwoe@everyselectfont
20688   }
20689 \def\@raggedtwoe@raggedrightboxes@opt{%
20690   \renewcommand{\@arrayparboxrestore}{%
20691     \let\ifnobreak\iffalse
20692     \let\ifnoskipsec\iffalse
20693     \let\par\@par
20694     \let\-\@dischyp
20695     \let'\@acci\let`@\accii\let=\@acciii
20696     \parskip\z@skip
20697     \everypar{}%
20698     \linewidth\hsize
20699     \totallftmargin\z@
20700     \if@RTL
20701       \RaggedLeft
20702     \else
20703       \RaggedRight
20704     \fi
20705     \lineskip\normallineskip
20706     \baselineskip\normalbaselineskip
20707     \sloppy}%
20708   \let\@raggedtwoe@raggedrightboxes@opt\relax
20709   }
20710 \def\@raggedtwoe@document@opt{%
20711   \AtBeginDocument{\@raggedtwoe@abdhook}%
20712   \@raggedtwoe@raggedrightboxes@opt
20713   \@raggedtwoe@footmisctrue
20714   \let\@raggedtwoe@document@opt\relax

```



```

20715   }
20716 \def\@raggedtwoe@abdhook{%
20717   \PackageInfo{ragged2e}{ABD: executing '\string\RaggedLeft' for
20718     right to left documents and '\string\RaggedRight' for left
20719     to right documents}%
20720   \if@RTL
20721     \RaggedLeft
20722   \else
20723     \RaggedRight
20724   \fi
20725   \@ifundefined{@tocrmarg}{}{\edef\@tocrmarg{\@tocrmarg plus 2em} }%
20726   \let\@raggedtwoe@abdhook\relax
20727 }
20728 \@ifpackagewith{ragged2e}{raggedrightboxes}{%
20729   \@raggedtwoe@raggedrightboxes@opt
20730 }{%
20731 \@ifpackagewith{ragged2e}{document}{%
20732   \@raggedtwoe@document@opt
20733 }{%
20734 \let\origin@RaggedLeft=\RaggedLeft
20735 \let\origin@RaggedRight=\RaggedRight
20736 \def\RaggedLeft{\if@RTL\origin@RaggedRight\else\origin@RaggedLeft\fi}
20737 \def\RaggedRight{\if@RTL\origin@RaggedLeft\else\origin@RaggedRight\fi}

```

## 136 File rapport1-xetex-bidi.def

```

20738 \ProvidesFile{rapport1-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for rapport1 class f
20739 \renewenvironment{theindex}{%
20740   \if@twocolumn
20741     \restonecolfalse
20742   \else
20743     \restonecoltrue
20744   \fi
20745   \columnseprule \z@
20746   \columnsep 35\p@
20747   \twocolumn[\makeschapterhead{\indexname}]%
20748   \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
20749   \thispagestyle{plain}\parindent\z@
20750   \parskip\z@\plus .3\p@\relax
20751   \let\item\idxitem
20752 }{%
20753   \if@restonecol\onecolumn\else\clearpage\fi}
20754 \renewcommand*\head@style{%
20755   \interlinepenalty \zM
20756   \hyphenpenalty=\zM \exhyphenpenalty=\zM
20757   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
20758 \if@titlepage
20759   \renewenvironment{abstract}{%
20760     \titlepage
20761     \null\vfil
20762     \section*{\SectFont\abstractname}%
20763     \noindent\ignorespaces
20764     {\par\vfil\null\endtitlepage}
20765 } \else

```



```

20766 \renewenvironment{abstract}{%
20767   \if@twocolumn
20768     \section*{\abstractname}%
20769   \else
20770     \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
20771     \section*{\small\SectFont\abstractname}%
20772     \noindent\ignorespaces
20773   \fi}
20774 {\if@twocolumn\else\par\egroup\fi}
20775 \fi
20776 \renewcommand*\@regtocline[3]{%
20777   \ifnum #1>\c@tocdepth
20778   \else
20779     \vskip\z@\@plus.2\p@
20780     {\hangindent\z@\@afterindenttrue \interlinepenalty\@M
20781       \if@RTL\rightskip\else\leftskip\fi\unitindent
20782       \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
20783       \parfillskip\z@
20784       \tempdima\unitindent
20785       \parindent\z@
20786       \leavevmode
20787       \hbox{} \hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
20788       \hskip 1em \nobreak{\slshape #3}\par
20789     }%
20790   \fi}
20791 \if@oldtoc
20792 \renewcommand*\l@part [2]{%
20793   \ifnum \c@tocdepth >-2\relax
20794     \addpenalty{-\@highpenalty}%
20795     \addvspace{2.25em \@plus\p@}%
20796     \begingroup
20797       \setlength\tempdima{3em}%
20798       \parindent\z@ \if@RTL\leftskip\else\rightskip\fi\tempdima \pnumwidth
20799       \parfillskip -\pnumwidth
20800       \leavevmode
20801       \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
20802       \nobreak
20803       \global\@nobreaktrue
20804       \everypar{\global\@nobreakfalse\everypar{}}%
20805     \endgroup
20806   \fi}
20807 \else
20808   \renewcommand*\l@part{%
20809     \ifnum \c@tocdepth >-2\relax
20810     \addpenalty{-\@highpenalty}%
20811     \addvspace{2.25em \@plus\p@}%
20812     \@regtocline{0}%
20813   \fi}
20814 \fi
20815 \if@oldtoc
20816 \renewcommand*\l@chapter[2]{%
20817   \addpenalty{-\@highpenalty}%
20818   \vskip 1.0em \@plus\p@
20819   \setlength\tempdima{1.5em}%

```



```

20820 \begingroup
20821 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
20822 \parfillskip -\pnumwidth
20823 \leavevmode \bfseries
20824 \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
20825 \hskip -\if@RTL\rightskip\else\leftskip\fi
20826 #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
20827 \penalty\highpenalty
20828 \endgroup}
20829 \else
20830 \renewcommand*\l@chapter{\regtocline{0}}
20831 \fi
20832 \renewcommand*\left@footnoterule{%
20833 \kern-3\p@
20834 \kern.5\baselineskip
20835 \hrule\@width\unitindent
20836 \kern.4\baselineskip
20837 }
20838 \renewcommand*\right@footnoterule{%
20839 \kern-3\p@
20840 \kern.5\baselineskip
20841 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
20842 \kern.4\baselineskip}
20843 \renewenvironment{thebibliography}[1]
20844 {\chapter*{\bibname}%
20845 \omkboth{\MakeUppercase{\bibname}}{\MakeUppercase{\bibname}}%
20846 \if@RTL\if@LTrbitems\@RTLfalse\else\fi\else\if@RTLbitems\@RTLtrue\else\fi\fi
20847 \bidi@thebibliography@font@hook%
20848 \list{\@biblabel{\@arabic\c@enumiv}}%
20849 {\settowidth\labelwidth{\@biblabel{#1}}%
20850 \leftmargin\labelwidth
20851 \advance\leftmargin\labelsep
20852 \openbib@code
20853 \usecounter{enumiv}%
20854 \let\p@enumiv\empty
20855 \renewcommand*\theenumiv{\@arabic\c@enumiv}%
20856 \slloppy\clubpenalty4000\widowpenalty4000%
20857 \sfcode`\. \om
20858 {\def\@noitemerr
20859 {\@latex@warning{Empty `thebibliography' environment}}%
20860 \endlist}
20861 \renewcommand*\thesection{\thechapter\SepMark\@arabic\c@section}
20862 \renewcommand*\thesubsection{\thesection\SepMark\@arabic\c@subsection}
20863 \renewcommand*\thesubsubsection{\thesubsection\SepMark\@arabic\c@subsubsection}
20864 \renewcommand*\theparagraph{\thesubsubsection\SepMark\@arabic\c@paragraph}
20865 \renewcommand*\thesubparagraph{\theparagraph\SepMark\@arabic\c@subparagraph}
20866 \renewcommand*\theequation{%
20867 \ifnum \c@chapter>\z@ \thechapter\SepMark\fi\@arabic\c@equation}
20868 \renewcommand*\thefigure{%
20869 \ifnum \c@chapter>\z@ \thechapter\SepMark\fi\@arabic\c@figure}
20870 \renewcommand*\thetable{%
20871 \ifnum \c@chapter>\z@ \thechapter\SepMark\fi\@arabic\c@table}
20872 \if@titlepage
20873 \renewcommand*\TitleFont{\rmfamily}

```



```

20874 \renewcommand*\maketitle{%
20875   \begin{titlepage}%
20876     \let\footnotesize\small
20877     \let\right@footnoterule\relax
20878     \let\left@footnoterule\relax
20879     \let\textwidth@footnoterule\relax
20880     \let \footnote \thanks
20881     \long\def\@makefntext##1{\par\indent\z@
20882       \def\labelitemi{\textendash}\relax\labeltrue
20883       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
20884   \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
20885   \if@compatibility\setcounter{page}{0}\fi
20886   \null\vfil
20887   \vskip 60\p@
20888   \begin{center}%
20889     \TitleFont
20890     {\LARGE \def\\{\penalty -\@M}
20891       \if@allcaps
20892         \expandafter\uc@nothanks\@title\thanks\relax
20893       \else
20894         \@title
20895       \fi\par}%
20896   \vskip 3em%
20897   {\large
20898     \lineskip .75em \par\indent\z@
20899     \begin{tabular}[t]{c}%
20900       \if@allcaps
20901         \expandafter\uc@authornothanks\@author\and\relax
20902       \else
20903         \@author
20904       \fi
20905     \end{tabular}\par}%
20906   \vskip 1.5em%
20907   {\large
20908     \if@allcaps
20909       \uppercase\expandafter{\@date}%
20910     \else
20911       \@date
20912     \fi\par}%
20913   \end{center}\par
20914   \@thanks
20915   \vfil\null
20916 \end{titlepage}%
20917 \setcounter{footnote}{0}%
20918 \global\let\thanks\relax
20919 \global\let\maketitle\relax
20920 \global\let\@thanks\@empty
20921 \global\let\@author\@empty
20922 \global\let\@title\@empty
20923 \global\let\@date\@empty
20924 \global\let\title\relax
20925 \global\let\author\relax
20926 \global\let\date\relax
20927 \global\let\and\relax

```



```

20928 }
20929 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
20930 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
20931     \futurelet\@tempa\uc@ax}
20932 \def\uc@ax{%
20933     \ifx\@tempa\relax
20934     \else
20935         \\\ andname \\ \expandafter\uc@authornothanks
20936     \fi}
20937 \def\uc@tx{\ifx\@tempa\relax
20938     \else \expandafter\uc@ty \fi}
20939 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
20940 \else
20941 \renewcommand*\maketitle{\par
20942     \begingroup
20943         \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
20944         \def\@makefnmark{\rlap{%
20945             \textsuperscript{\normalfont\@thefnmark}}}%
20946         \long\def\@makefntext{\xmakefntext{%
20947             \textsuperscript{\normalfont\@thefnmark}}}%
20948     \if@twocolumn
20949         \ifnum \col@number=\@ne
20950             \maketitle
20951         \else
20952             \twocolumn[\maketitle]%
20953         \fi
20954     \else
20955         \newpage
20956         \global\@topnum\z@
20957         \maketitle
20958     \fi
20959     \thispagestyle{plain}\@thanks
20960     \endgroup
20961     \setcounter{footnote}{0}%
20962     \global\let\thanks\relax
20963     \global\let\maketitle\relax
20964     \global\let\@maketitle\relax
20965     \global\let\@thanks\empty
20966     \global\let\@author\empty
20967     \global\let\@title\empty
20968     \global\let\@date\empty
20969     \global\let\title\relax
20970     \global\let\author\relax
20971     \global\let\date\relax
20972     \global\let\and\relax
20973 }
20974 \def\@maketitle{%
20975     \newpage
20976     \null
20977     \vskip 2em%
20978     \begin{center}%
20979         \let \footnote \thanks
20980         {\LARGE \TitleFont \@title \par}%
20981     \vskip 1.5em%

```



```

20982      {\large \TitleFont
20983          \lineskip .5em%
20984          \begin{tabular}[t]{c}%
20985              \author
20986          \end{tabular}\par}%
20987          \vskip 1em%
20988          {\large \TitleFont \date}%
20989      \end{center}%
20990      \par
20991      \vskip 1.5em}
20992 \fi

```

### 137 File rapport3-xetex-bidi.def

```

20993 \ProvidesFile{rapport3-xetex-bidi.def}[2017/06/09 v0.6 bidi adaptations for rapport3 class f
20994 \renewenvironment{theindex}{%
20995     \if@twocolumn
20996         \restonecolfalse
20997     \else
20998         \restonecoltrue
20999     \fi
21000     \columnseprule \z@
21001     \columnsep 35\p@
21002     \twocolumn [\makeschapterhead{\indexname}]%
21003     \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
21004     \thispagestyle{plain}\parindent\z@
21005     \parskip\z@ \plus .3\p@\relax
21006     \let\item\idxitem
21007 }{%
21008     \if@restonecol\onecolumn\else\clearpage\fi}
21009 \if@titlepage
21010 \renewcommand*\TitleFont{\rmfamily}
21011 \renewcommand*\maketitle{%
21012     \begin{titlepage}%
21013         \footnotesize
21014         \right@footnoterule\relax
21015         \left@footnoterule\relax
21016         \textwidth@footnoterule\relax
21017         \footnote \thanks
21018         \LTRfootnote \LTrthanks
21019         \RTLfootnote \RTLthanks
21020         \long\def\makefn#1{\parindent\z@
21021             \def\labelitemi{\textendash}\revlabeltrue
21022             \leavevmode\textsuperscript{\thefnmark}\kern1em\relax ##1}
21023         \renewcommand*\thefootnote{\fnsymbol\c@footnote}%
21024         \if@compatibility\setcounter{page}{0}\fi
21025         \null\vfil
21026         \vskip 60\p@
21027         \begin{center}%
21028             \TitleFont
21029             {\LARGE \def\penalty -\OM}
21030             \if@allcaps
21031                 \expandafter\uc\nothanks\title\thanks\relax
21032             \else

```



```

21033      \@title
21034      \fi\par}%
21035      \vskip 3em%
21036      {\large
21037          \lineskip .75em \parindent\z@
21038          \begin{tabular}[t]{c}%
21039              \if@allcaps
21040                  \expandafter\uc@authornothanks\@author\and\relax
21041              \else
21042                  \@author
21043              \fi
21044          \end{tabular}\par}%
21045      \vskip 1.5em%
21046      {\large
21047          \if@allcaps
21048              \uppercase\expandafter{\@date}%
21049          \else
21050              \@date
21051          \fi\par}%
21052      \end{center}\par
21053      \@thanks
21054      \vfil\null
21055      \end{titlepage}%
21056      \setcounter{footnote}{0}%
21057      \global\let\thanks\relax
21058      \global\let\LTRthanks\relax
21059      \global\let\RTLthanks\relax
21060      \global\let\maketitle\relax
21061      \global\let\@thanks\@empty
21062      \global\let\@author\@empty
21063      \global\let\@title\@empty
21064      \global\let\@date\@empty
21065      \global\let\title\relax
21066      \global\let\author\relax
21067      \global\let\date\relax
21068      \global\let\and\relax
21069 }
21070 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
21071 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
21072     \futurelet\@tempa\uc@ax}
21073 \def\uc@ax{%
21074     \ifx\@tempa\relax
21075     \else
21076         \\\andname \\ \expandafter\uc@authornothanks
21077     \fi}
21078 \def\uc@tx{\ifx\@tempa\relax
21079     \else \expandafter\uc@ty \fi}
21080 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
21081 \else
21082 \renewcommand*\maketitle{\par
21083     \begingroup
21084         \renewcommand*\thefootnote{\fnsymbol{c@footnote}}%
21085         \def\@makefnmark{\rlap{%
21086             \textsuperscript{\normalfont\@thefnmark}}}}%

```



```

21087 \long\def\@makefntext{\@xmakefntext{%
21088   \@textsuperscript{\normalfont\@thefnmark}}}{%
21089 \if@twocolumn
21090   \ifnum \col@number=\@ne
21091     \@maketitle
21092   \else
21093     \twocolumn[\@maketitle]{%
21094     \fi
21095   \else
21096     \newpage
21097     \global\@topnum\z@%
21098     \@maketitle
21099     \fi
21100   \thispagestyle{plain}\@thanks
21101 \endgroup
21102 \setcounter{footnote}{0}{%
21103 \global\let\thanks\relax
21104 \global\let\LTRthanks\relax
21105 \global\let\RTLthanks\relax
21106 \global\let\maketitle\relax
21107 \global\let@\maketitle\relax
21108 \global\let@\thanks@\empty
21109 \global\let@\author@\empty
21110 \global\let@\title@\empty
21111 \global\let@\date@\empty
21112 \global\let\title\relax
21113 \global\let\author\relax
21114 \global\let\date\relax
21115 \global\let\and\relax
21116 }
21117 \def\@maketitle{%
21118   \newpage
21119   \null
21120   \vskip 2em%
21121 \if@titlecentered
21122   \begin{center}%
21123     \let \footnote \thanks
21124     \let \LTRfootnote \LTRthanks
21125     \let \RTLfootnote \RTLthanks
21126     {\LARGE \TitleFont \@title \par}%
21127     \vskip 1.5em%
21128     {\large \TitleFont
21129       \lineskip .5em%
21130       \begin{tabular}[t]{c}%
21131         \author
21132       \end{tabular}\par}%
21133     \vskip 1em%
21134     {\large \TitleFont \@date}%
21135   \end{center}%
21136 \else
21137   {\LARGE \TitleFont \head@style \@title \par} \vskip 1.5em
21138   {\large \TitleFont \lineskip .5em \tabcolsep\z@
21139     \def\and{\% \begin{tabular} has already started
21140     \end{tabular}\hskip 1em plus .17fil

```



```

21141           \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi}%% \end{tabu
21142               \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi}@author\end{tabular}\v
21143   \vskip 1em {\large \TitleFont \date}
21144   \fi
21145   \par
21146   \vskip 1.5em}
21147 \fi
21148 \renewcommand*\@regtocline[3]{%
21149   \ifnum #1>\c@tocdepth
21150   \else
21151     \vskip\z@\@plus.2\p@
21152     {\hangindent\z@ \if@afterindenttrue \interlinepenalty\@M
21153       \if@RTL\rightskip\else\leftskip\fi\unitindent
21154       \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
21155       \parfillskip\z@
21156       \tempdima\unitindent
21157       \parindent\z@
21158       \leavevmode
21159       \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
21160       \hskip 1em \nobreak{\slshape #3}\par
21161     }%
21162   \fi}
21163 \if@oldtoc
21164 \renewcommand*\l@part[2]{%
21165   \ifnum \c@tocdepth >-2\relax
21166     \addpenalty{-\@highpenalty}%
21167     \addvspace{2.25em \@plus\p@}%
21168     \begingroup
21169       \setlength\tempdima{3em}%
21170       \parindent\z@ \if@RTL\leftskip\else\rightskip\fi\@pnumwidth
21171       \parfillskip -\@pnumwidth
21172       \leavevmode
21173       \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
21174       \nobreak
21175       \global\nobreaktrue
21176       \everypar{\global\nobreakfalse\everypar{}%}
21177     \endgroup
21178   \fi}
21179 \else
21180   \renewcommand*\l@part{%
21181     \ifnum \c@tocdepth >-2\relax
21182       \addpenalty{-\@highpenalty}%
21183       \addvspace{2.25em \@plus\p@}%
21184       \@regtocline{0}%
21185     \fi}
21186 \fi
21187 \if@oldtoc
21188 \renewcommand*\l@chapter[2]{%
21189   \addpenalty{-\@highpenalty}%
21190   \vskip 1.0em \@plus\p@
21191   \setlength\tempdima{1.5em}%
21192   \begingroup
21193   \parindent\z@ \if@RTL\leftskip\else\rightskip\fi\@pnumwidth
21194   \parfillskip -\@pnumwidth

```



```

21195   \leavevmode \bfseries
21196   \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
21197   \hskip -\if@RTL\rightskip\else\leftskip\fi
21198   #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
21199   \penalty\@highpenalty
21200   \endgroup}
21201 \else
21202   \renewcommand*\l@chapter{\@regtocline{0}}
21203 \fi
21204 \renewcommand*\head@style{%
21205   \interlinepenalty \OM
21206   \hyphenpenalty=\OM \exhyphenpenalty=\OM
21207   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
21208 \if@titlepage
21209   \renewenvironment{abstract}{%
21210     \titlepage
21211     \null\vfil
21212     \section*{\SectFont\abstractname}%
21213     \noindent\ignorespaces
21214     {\par\vfil\null\endtitlepage}
21215 \else
21216   \renewenvironment{abstract}{%
21217     \if@twocolumn
21218       \section*{\abstractname}%
21219     \else
21220       \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
21221       \section*{\small\SectFont\abstractname}%
21222       \noindent\ignorespaces
21223     \fi}
21224   {\if@twocolumn\else\par\egroup\fi}
21225 \fi
21226 \renewcommand*\thesection{\thechapter \@SepMark \arabic \c@section}
21227 \renewcommand*\thesubsection{\thesection \@SepMark \arabic \c@subsection}
21228 \renewcommand*\thesubsubsection{\thesubsection \@SepMark \arabic \c@subsubsection}
21229 \renewcommand*\theparagraph{\thesubsubsection \@SepMark \arabic \c@paragraph}
21230 \renewcommand*\thesubparagraph{\theparagraph \@SepMark \arabic \c@subparagraph}
21231 \renewcommand*\thefigure{%
21232   \ifnum \c@chapter > \z@ \thechapter \@SepMark \fi \arabic \c@figure}
21233 \renewcommand*\thetable{%
21234   \ifnum \c@chapter > \z@ \thechapter \@SepMark \fi \arabic \c@table}
21235 \renewcommand*\theequation{%
21236   \ifnum \c@chapter > \z@ \thechapter \@SepMark \fi \arabic \c@equation}
21237 \renewenvironment{thebibliography}[1]
21238   {\chapter*{\bibname}%
21239     \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
21240     \if@RTL\if@LTrbibitems@\RTLfalse\else\fi\else\if@RTLbibitems@\RTLtrue\else\fi\fi
21241     \bidi@thebibliography@font@hook%
21242     \list{\@biblabel{\arabic \c@enumiv}}{%
21243       \settowidth\labelwidth{\@biblabel{\#1}}%
21244       \leftmargin\labelwidth
21245       \advance\leftmargin\labelsep
21246       \openbib@code
21247       \usecounter{enumiv}%
21248       \let\p@enumiv\empty

```



```

21249      \renewcommand*\theenumiv{\@arabic\c@enumiv}%
21250      \sloppy\clubpenalty4000\widowpenalty4000%
21251      \sfcode`.\@m}
21252      {\def\@noitemerr
21253          {\@latex@warning{Empty `thebibliography' environment}}%
21254      \endlist}
21255 \renewcommand*\left@footnoterule{%
21256     \kern-3\p@
21257     \kern.5\baselineskip
21258     \hrule\@width\unitindent
21259     \kern.4\baselineskip
21260 }
21261 \renewcommand*\right@footnoterule{%
21262     \kern-3\p@
21263     \kern.5\baselineskip
21264     \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
21265     \kern.4\baselineskip}
21266 \renewcommand*\head@style{%
21267     \interlinepenalty \@M
21268     \hyphenpenalty=\@M \exhyphenpenalty=\@M
21269     \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}

```

## 138 File refrep-xetex-bidi.def

```

21270 \ProvidesFile{refrep-xetex-bidi.def}[2017/06/09 v0.5 bidi adaptations for refrep class for Xe
21271 \if@titlepage
21272     \renewcommand\maketitle{\begin{titlepage}%
21273     \let\footnotesize\small
21274     \let\right@footnoterule\relax
21275     \let\left@footnoterule\relax
21276     \let\textwidth@footnoterule\relax
21277     \let\footnote\thanks
21278     \let\LTRfootnote\LTRthanks
21279     \let\RTLfootnote\RTLthanks
21280     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
21281     \def\@makefnmark%
21282         {\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
21283     \long\def\@makefntext##1{%
21284         \qsetpar{\@par
21285             \tempdima = \hsize
21286             \advance\tempdima -1em
21287             \parshape \one 1em \tempdima}%
21288             \par\parindent 1em \noindent
21289             \hb@xt@\z@{\hss\@textsuperscript{\normalfont\@thefnmark}\,,}##1}
21290     \null\vfil
21291     \vskip 60\p@
21292     \begin{center}%
21293         {\LARGE \title \par}%
21294         \vskip 3em%
21295         {\large
21296             \lineskip .75em%
21297             \begin{tabular}[t]{c}%
21298                 \author
21299             \end{tabular}\par}%

```



```

21300      \vskip 1.5em%
21301      {\large \@date \par}%
21302      % Set date in \large size.
21303      \end{center}\par
21304      \@thanks
21305      \vfil\null
21306      \end{titlepage}%
21307      \setcounter{footnote}{0}%
21308      \global\let\thanks\relax
21309      \global\let\LTRthanks\relax
21310      \global\let\RTLthanks\relax
21311      \global\let\maketitle\relax
21312      \global\let{@thanks}\empty
21313      \global\let{@author}\empty
21314      \global\let{@date}\empty
21315      \global\let{@title}\empty
21316      \global\let\author\relax
21317      \global\let\date\relax
21318      \global\let\and\relax
21319      }
21320 \else
21321   \renewcommand\maketitle{\par
21322     \begingroup
21323       \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
21324       \def\@makefnmark%
21325         {\rlap{\textsuperscript{\normalfont\@thefnmark}}}%
21326       \long\def\@makefntext##1{%
21327         \setpar{\@par
21328           \tempdima = \hsize
21329             \advance\tempdima -1em
21330               \parshape 1em 1em \tempdima}%
21331             \par\parindent 1em \noindent
21332               \hb@xt@z@{\hss\textsuperscript{\normalfont\@thefnmark}\,}##1}
21333   \if@twocolumn
21334     \ifnum \col@number=1
21335       \maketitle
21336     \else
21337       \twocolumn[\maketitle]
21338     \fi
21339   \else
21340     \newpage
21341     \global\@topnum\z@    % Prevents figures from going at top of page.
21342     \maketitle
21343     \fi
21344     \thispagestyle{empty}\@thanks
21345   \endgroup
21346   \setcounter{footnote}{0}%
21347   \global\let\thanks\relax
21348   \global\let\LTRthanks\relax
21349   \global\let\RTLthanks\relax
21350   \global\let\maketitle\relax
21351   \global\let\maketitle\relax
21352   \global\let{@thanks}\empty
21353   \global\let{@author}\empty

```



```

21354 \global\let@\date\@empty
21355 \global\let@\title\@empty
21356 \global\let\title\relax
21357 \global\let\author\relax
21358 \global\let\date\relax
21359 \global\let\and\relax
21360 }
21361 \def\@maketitle{%
21362   \newpage
21363   \null
21364   \longthickrule\vskip1.5em%
21365   \let \footnote \thanks
21366   \let \LTRfootnote \LTRthanks
21367   \let \RTLfootnote \RTLthanks
21368   {\secshape \parskip\z@ \parindent\z@
21369   \Large\bfseries \title \par}%
21370   \vskip1.5em\longthickrule\vskip1.5em%
21371   {\normalsize
21372     \lineskip .5em%
21373     \begin{flushright}%
21374       {\slshape\author\par}
21375       \vskip 1em%
21376       {\@date}%
21377     \end{flushright}\par}%
21378   \vskip 1.5em}
21379 \fi
21380 \renewcommand*\l@part[2]{%
21381   \ifnum \c@tocdepth >-2\relax
21382     \addpenalty{-\@highpenalty}%
21383     \addvspace{2.25em \oplus \p@}%
21384     \begingroup
21385       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
21386       \parfillskip -\pnumwidth
21387       {\leavevmode
21388         \large\bfseries #1\hfil \hbox to\pnumwidth{\hss #2}\par
21389         \nobreak
21390           \global\nobreaktrue
21391           \everypar{\global\nobreakfalse\everypar{} }%
21392         \endgroup
21393       \fi}
21394 \renewcommand*\l@chapter[2]{%
21395   \ifnum \c@tocdepth >\m@ne
21396     \addpenalty{-\@highpenalty}%
21397     \vskip 1.0em \oplus \p@%
21398     \setlength\tempdima{1.5em}%
21399     \begingroup
21400       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
21401       \parfillskip -\pnumwidth
21402       \leavevmode \bfseries
21403       \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
21404       \hskip -\if@RTL\rightskip\else\leftskip\fi
21405       #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
21406       \penalty\@highpenalty
21407     \endgroup

```



```

21408   \fi}
21409 \renewcommand\secshape{\if@RTL\rightskip\else\leftskip\fi=-\leftmarginwidth%
21410           \if@RTL\leftskip\else\rightskip\fi=\@flushglue%
21411           \hyphenpenalty=2000}
21412 \renewcommand\left@footnoterule{%
21413   \kern-3\p@
21414   \hrule\@width.4\columnwidth
21415   \kern 2.6\p@}
21416 \renewcommand\right@footnoterule{%
21417   \kern-3\p@
21418   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
21419   \kern2.6\p@}
21420 \renewcommand\theequation
21421 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic{equation}}
21422 \renewcommand\thefigure
21423   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic{figure}}
21424 \renewcommand\thetable%
21425   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic{table}}
21426 \renewcommand\thesection {\thechapter\@SepMark\arabic{section}}
21427 \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}}
21428 \renewcommand\thesubsubsection {\thesubsection\@SepMark\arabic{subsubsection}}
21429 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
21430 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
21431 \renewenvironment{thebibliography}[1]
21432   {\chapter*\bibname
21433     \mkboth{\bibname}{\bibname}%
21434     \if@RTL\if@LTrbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
21435     \bidi@thebibliography@font@hook%
21436     \list{\@biblabel{\arabic{enumiv}}%
21437       \settowidth\labelwidth{\@biblabel{#1}}%
21438       \leftmargin\labelwidth
21439       \advance\leftmargin\labelsep
21440       \openbib@code
21441       \usecounter{enumiv}%
21442       \let\p@enumiv\empty
21443       \renewcommand\theenumiv{\arabic{enumiv}}%
21444       \sloppy
21445       \clubpenalty4000
21446       \clubpenalty \clubpenalty
21447       \widowpenalty4000%
21448       \sfcode`\.=\@m}
21449     \def\@itemerr
21450       {\@latex@warning{Empty `thebibliography' environment}}%
21451   \endlist}

```

## 139 File report-xetex-bidi.def

```

21452 \ProvidesFile{report-xetex-bidi.def}[2017/06/09 v0.8 bidi adaptations for standard report cl
21453 \renewenvironment{theindex}
21454   {\if@twocolumn
21455     \restonecolfalse
21456   \else
21457     \restonecoltrue
21458   \fi

```



```

21459          \columnseprule \z@%
21460          \columnsep 35\p@
21461          \twocolumn[\@makeschapterhead{\indexname}]%
21462          \@mkboth{\MakeUppercase\indexname}%
21463          {\MakeUppercase\indexname}%
21464          \thispagestyle{plain}\parindent\z@%
21465          \parskip\z@ \p@plus .3\p@\relax
21466          \let\item\@idxitem
21467          {\if@restonecol\onecolumn\else\clearpage\fi}
21468 \if@titlepage
21469 \renewcommand\maketitle{\begin{titlepage}%
21470 \let\footnotesize\small
21471 \let\right@footnoterule\relax
21472 \let\left@footnoterule\relax
21473 \let\textwidth@footnoterule\relax
21474 \let \footnote \thanks
21475 \let \LTRfootnote \LRTLthanks
21476 \let \RTLfootnote \RTLthanks
21477 \null\vfil
21478 \vskip 60\p@
21479 \begin{center}%
21480   {\LARGE \@title \par}%
21481   \vskip 3em%
21482   {\large
21483     \lineskip .75em%
21484     \begin{tabular}[t]{c}%
21485       \author
21486     \end{tabular}\par}%
21487     \vskip 1.5em%
21488   {\large \@date \par}%
21489 \end{center}\par
21490 \thanks
21491 \vfil\null
21492 \end{titlepage}%
21493 \setcounter{footnote}{0}%
21494 \global\let\thanks\relax
21495 \global\let\LTRthanks\relax
21496 \global\let\RTLthanks\relax
21497 \global\let\maketitle\relax
21498 \global\let\@thanks\empty
21499 \global\let\author\empty
21500 \global\let\@date\empty
21501 \global\let\@title\empty
21502 \global\let\title\relax
21503 \global\let\author\relax
21504 \global\let\date\relax
21505 \global\let\and\relax
21506 }
21507 \else
21508 \renewcommand\maketitle{\par
21509 \begingroup
21510   \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
21511   \def\@makefnmark{\rlap{\textsuperscript{\normalfont\@thefnmark}}}%
21512   \long\def\@makefntext##1{\parindent 1em\noindent

```



```

21513           \hb@xt@1.8em{%
21514             \hss\@textsuperscript{\normalfont\@thefnmark}##1}%
21515 \if@twocolumn
21516   \ifnum \col@number=\@ne
21517     \@maketitle
21518   \else
21519     \twocolumn[\@maketitle]%
21520   \fi
21521 \else
21522   \newpage
21523   \global\@topnum\z@    % Prevents figures from going at top of page.
21524   \@maketitle
21525   \fi
21526   \thispagestyle{plain}\@thanks
21527 \endgroup
21528 \setcounter{footnote}{0}%
21529 \global\let\thanks\relax
21530 \global\let\LTRthanks\relax
21531 \global\let\RTLthanks\relax
21532 \global\let\maketitle\relax
21533 \global\let@\maketitle\relax
21534 \global\let@\thanks\@empty
21535 \global\let@\author\@empty
21536 \global\let@\date\@empty
21537 \global\let@\title\@empty
21538 \global\let\title\relax
21539 \global\let\author\relax
21540 \global\let\date\relax
21541 \global\let\and\relax
21542 }
21543 \def\@maketitle{%
21544   \newpage
21545   \null
21546   \vskip 2em%
21547   \begin{center}%
21548     \let \footnote \thanks
21549     \let \LTrfootnote \LTRthanks
21550     \let \RTLfootnote \RTLthanks
21551     {\LARGE \title \par}%
21552     \vskip 1.5em%
21553     {\large
21554       \lineskip .5em%
21555       \begin{tabular}[t]{c}%
21556         \author
21557       \end{tabular}\par}%
21558     \vskip 1em%
21559     {\large \date}%
21560   \end{center}%
21561   \par
21562   \vskip 1.5em}
21563 \fi
21564 \renewcommand*\l@part[2]{%
21565   \ifnum \c@tocdepth >-2\relax
21566     \addpenalty{-\@highpenalty}%

```



```

21567   \addvspace{2.25em \@plus\p@}%
21568   \setlength{\tempdima{3em}%
21569   \begingroup
21570     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
21571     \parfillskip -\pnumwidth
21572     {\leavevmode
21573       \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}}\par
21574     \nobreak
21575     \global\nobreaktrue
21576     \everypar{\global\nobreakfalse\everypar{}}
21577   \endgroup
21578 \fi}
21579 \renewcommand*\l@chapter[2]{%
21580   \ifnum \c@tocdepth >\m@ne
21581     \addpenalty{-\highpenalty}%
21582     \vskip 1.0em \@plus\p@
21583     \setlength{\tempdima{1.5em}%
21584     \begingroup
21585       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
21586       \parfillskip -\pnumwidth
21587       \leavevmode \bfseries
21588       \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
21589       \hskip -\if@RTL\rightskip\else\leftskip\fi
21590       #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
21591       \penalty\highpenalty
21592     \endgroup
21593   \fi}
21594 \renewcommand\left@footnoterule{%
21595   \kern-3\p@
21596   \hrule\@width.4\columnwidth
21597   \kern2.6\p@}
21598 \renewcommand\right@footnoterule{%
21599   \kern-3\p@
21600   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
21601   \kern2.6\p@}
21602 \renewcommand\theequation
21603   {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic\c@equation}
21604 \renewcommand \thefigure
21605   {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic\c@figure}
21606 \renewcommand \thetable
21607   {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic\c@table}
21608 \renewcommand \thechapter {\arabic\c@chapter}
21609 \renewcommand \thesection {\thechapter\SepMark\arabic\c@section}
21610 \renewcommand \thesubsection {\thesection\SepMark\arabic\c@subsection}
21611 \renewcommand \thesubsubsection{\thesubsection\SepMark\arabic\c@subsubsection}
21612 \renewcommand \theparagraph {\thesubsubsection\SepMark\arabic\c@paragraph}
21613 \renewcommand \thesubparagraph {\theparagraph\SepMark\arabic\c@subparagraph}
21614 \def\makechapterhead#1{%
21615   \vspace*{50\p@}%
21616   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
21617     \ifnum \c@secnumdepth >\m@ne
21618       \huge\bfseries \chapapp\space \thechapter
21619       \par\nobreak
21620       \vskip 20\p@
```



```

21621     \fi
21622     \interlinepenalty\@M
21623     \Huge \bfseries #1\par\nobreak
21624     \vskip 40\p@
21625   }}
21626 \def\makeschapterhead#1{%
21627   \vspace*{50\p@}%
21628   {\parindent \z@\if@RTL\raggedleft\else\raggedright\fi
21629     \normalfont
21630     \interlinepenalty\@M
21631     \Huge \bfseries #1\par\nobreak
21632     \vskip 40\p@
21633   }}
21634 \renewenvironment{thebibliography}[1]
21635   {\chapter*{\bibname}%
21636     \mkboth{\MakeUppercase{\bibname}}{\MakeUppercase{\bibname}}%
21637     \if@RTL\if@LTrbibitems@\RTLfalse\else\fi\else\if@RTLbibitems@\RTLtrue\else\fi\fi
21638     \bidi@thebibliography@font@hook%
21639     \list{\@biblabel{\@arabic\c@enumiv}}%
21640       {\settowidth\labelwidth{\@biblabel{#1}}%
21641         \leftmargin\labelwidth
21642         \advance\leftmargin\labelsep
21643         \openbib@code
21644         \usecounter{enumiv}%
21645         \let\p@enumiv\empty
21646         \renewcommand\theenumiv{\@arabic\c@enumiv}}%
21647       \sloppy
21648       \clubpenalty4000
21649       \clubpenalty \clubpenalty
21650       \widowpenalty4000%
21651       \sfcode`\.@m}
21652   {\def\@noitemerr
21653     {\@latex@warning{Empty `thebibliography' environment}}%
21654   \endlist}

```

## 140 File rotating-xetex-bidi.def

```

21655 \ProvidesFile{rotating-xetex-bidi.def}[2013/05/22 v0.2 bidi adaptations for rotating package]
21656 \def\end@rotfloat{%
21657   \end{minipage}\end{lrbox}%
21658   \stepcounter{r@tfl@t}%
21659   \rot@label{RF\ther@tfl@t}%
21660   \rot@pageref{RF\ther@tfl@t}{\R@@page}%
21661   \edef\@tempa{Adding sideways \capttype\space on page \R@@page\space}%
21662   \rot@mess@toks\expandafter{\@tempa}%
21663   \wd\rot@float@box\z@
21664   \ht\rot@float@box\z@
21665   \dp\rot@float@box\z@
21666   \vboxL to \textheight{%
21667     \setkeys{Grot}{units=360}%
21668     \if@rot@twoside
21669     \else
21670       \let\R@@page\rot@LR
21671     \fi

```



```

21672     \ifthenelse{\isodd{\R@@page}}{%
21673         \if@rot@twoside
21674             \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}%
21675         \fi
21676         \vfill
21677         \@@line{%
21678             \hskip\rotFPtop
21679             \rotatebox{90}{\box\rot@float@box}%
21680             \hskip\rotFPbot
21681         }%
21682     }{%
21683         \if@rot@twoside
21684             \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}%
21685         \fi
21686         \@@line{%
21687             \hskip\rotFPbot
21688             \rotatebox{-90}{\box\rot@float@box}%
21689             \hskip\rotFPtop
21690         }%
21691         \vfill
21692     }%
21693     \rot@message{\the\rot@mess@toks}
21694 }%
21695 \end@float
21696 }
21697 \let\endsidewaysfigure\end@rotfloat
21698 \let\endsidewaystable\end@rotfloat
21699 \def\end@rotdblfloat{%
21700     \end{minipage}\end{lrbox}%
21701     \stepcounter{r@tfl@t}%
21702     \rot@label{RF\ther@tfl@t}%
21703     \rot@pageref{RF\ther@tfl@t}{\R@@page}%
21704     \edef{@tempa}{Adding sideways \capttype\space on page \R@@page\space}
21705     \rot@mess@toks\expandafter{@tempa}
21706     @tempdima\ht\rot@float@box
21707     \advance@tempdima by \dp\rot@float@box
21708     \wd\rot@float@box\z@
21709     \ht\rot@float@box\z@
21710     \dp\rot@float@box\z@
21711     \vboxL to \textheight{%
21712         \setkeys{Grot}{units=360}%
21713         \if@rot@twoside
21714             \else
21715                 \let\R@@page\rot@LR
21716             \fi
21717             \ifthenelse{\isodd{\R@@page}}{%
21718                 \ifrot@messages
21719                     \if@rot@twoside
21720                         \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}%
21721                     \fi
21722                     \fi
21723                     \vfill
21724                     \@@line{%
21725                         \hskip\rotFPtop

```



```

21726      \rotatebox{90}{\box\rot@float@box}%
21727      \hskip\rotFPbot
21728      }%
21729  }{%
21730      \ifrot@messages
21731      \if@rot@twoside
21732  \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}%
21733 \fi
21734      \fi%
21735  \@@line{%
21736      \hskip\rotFPbot
21737      \rotatebox{-90}{\box\rot@float@box}%
21738      \hskip\rotFPtop
21739      }%
21740      \vfill
21741      }%
21742      \rot@message{\the\rot@mess@toks}%
21743  }%
21744  \end@dblfloat
21745 }
21746 \def\turn#1{%
21747   \Grot@setangle{#1}%
21748   \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}%
21749 \def\endturn{%
21750   \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
21751   \unskip\color@endbox
21752   \Grot@x\z@
21753   \Grot@y\z@
21754   \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
21755 }
21756 \def\rotate#1{%
21757   \Grot@setangle{#1}%
21758   \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}%
21759 \def\endrotate{%
21760   \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
21761   \unskip\color@endbox
21762   \Grot@x\z@
21763   \Grot@y\z@
21764   \wd0\z@\dp0\z@\ht0\z@
21765   \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
21766 }
21767 \def\turnbox#1#2{%
21768   \Grot@setangle{#1}%
21769   \setbox\z@\hbox{ \ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\#2\ifmmode\if@RTL\endR\fi\fi
21770   \Grot@x\z@\Grot@y\z@
21771   \wd0\z@\dp0\z@\ht0\z@
21772   \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
21773 }
21774 \def\sideways{%
21775   \Grot@setangle{90}%
21776   \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}%
21777 \def\endsideways{%
21778   \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
21779   \unskip\color@endbox

```



```

21780   \Grot@x\z@
21781   \Grot@y\z@
21782   \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
21783 }

```

## 141 File scrartcl-xetex-bidi.def

```

21784 \ProvidesFile{scrartcl-xetex-bidi.def}[2022/05/27 v1.3 bidi adaptations for scrartcl class f
21785 \newcommand{\scr@saved@LTRfootnotetext}{}%
21786 \newcommand{\scr@saved@RTLfootnotetext}{}%
21787 \let\scr@saved@footnotetext\@footnotetext
21788 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
21789 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
21790 \renewcommand{\@footnotetext}[1]{%
21791   \scr@saved@footnotetext{#1}%
21792   \csname FN@mf@prepare\endcsname
21793 }%
21794 \renewcommand{\@LTRfootnotetext}[1]{%
21795   \scr@saved@LTRfootnotetext{#1}%
21796   \csname FN@mf@prepare\endcsname
21797 }%
21798 \renewcommand{\@RTLfootnotetext}[1]{%
21799   \scr@saved@RTLfootnotetext{#1}%
21800   \csname FN@mf@prepare\endcsname
21801 }%
21802 \renewcommand\deffootnote[4][]{%
21803   \expandafter\ifnum\scr@v@is@ge{3.22}\relax
21804     \long\def\@makefntext##1{%
21805       \ExecuteDoHook{footnote/text/begin}%
21806       \raggedfootnote
21807       \if@RTL
21808         \rightskip
21809       \else
21810         \leftskip
21811       \fi
21812     #2
21813     \l@addto@macro\@trivlist{%
21814       \ifnum\@listdepth=\@ne
21815         \if@RTL
21816           \advance\rightmargin #2\relax
21817         \else
21818           \advance\leftmargin #2\relax
21819         \fi
21820       \fi
21821     }%
21822     \parindent #3\noindent
21823     \IfArgIsEmpty{#1}{%
21824       \hskip \dimexpr #1-#2\relax
21825     }%
21826     \ftn@font\hbox to \z@\{\hss\@makefnmark\#\#1%
21827     \ExecuteDoHook{footnote/text/end}%
21828   }%
21829 }%
21830 \else
21831   \ClassInfo{\KOMAClassName}{%

```



```

21831     Using old \string\@makefntext\space due to compatibility
21832     level\MessageBreak
21833     less than 3.22}%
21834 \long\def\@makefntext##1{%
21835     \setlength{\@tempdimc}{#3}%
21836     \def\@tempa{#1}\ifx\@tempa\empty
21837         \setpar{\@@par
21838             \tempdima = \hsize
21839             \addtolength{\tempdima}{-\#2}%
21840             \if@RTL
21841                 \parshape \one \z@ \tempdima
21842             \else
21843                 \parshape \one #2 \tempdima
21844             \fi}%
21845     \else
21846         \addtolength{\tempdima}{#2}%
21847         \addtolength{\tempdima}{-#1}%
21848         \setpar{\@@par
21849             \tempdima = \hsize
21850             \addtolength{\tempdima}{-#1}%
21851             \tempdimb = \hsize
21852             \addtolength{\tempdimb}{-#2}%
21853             \if@RTL
21854                 \parshape \tw@ \z@ \tempdima \z@ \tempdimb
21855             \else
21856                 \parshape \tw@ #1 \tempdima #2 \tempdimb
21857             \fi
21858         }%
21859     \fi
21860     \par
21861     \parindent\tempdima\noindent
21862     \ftn@font\hbox to \z@{\hss\@makefnmark}##1%
21863 }%
21864 \fi
21865 \def\@makefnmark{\hbox{\ftn@font[#4]}}%
21866 }%
21867 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
21868 \renewcommand*\left@footnoterule{%
21869     \normalsize\ftn@rule@test@values
21870     \kern-.dimexpr 2.6\p@+\ftn@rule@height\relax
21871     \ifx\@textbottom\relax\else\vskip \z@ \oplus.05fil\fi
21872     {\usekomafont{footnoterule}\%}
21873         \hrule \height\ftn@rule@height \width\ftn@rule@width\}}%
21874     \kern 2.6\p@}
21875 \renewcommand*\right@footnoterule{%
21876     \normalsize\ftn@rule@test@values
21877     \kern-.dimexpr 2.6\p@+\ftn@rule@height\relax
21878     \ifx\@textbottom\relax\else\vskip \z@ \oplus.05fil\fi
21879     {\usekomafont{footnoterule}\%}
21880         \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax \leavevmode\l
21881     \kern 2.6\p@}
21882 \renewcommand*\maketitle[1][1]{%
21883     \expandafter\ifnum \csname scr@v@3.12\endcsname>\scr@compatibility\relax
21884     \else

```



```

21885     \def\and{%
21886         \end{tabular}%
21887         \hskip 1em \oplus.17fil%
21888         \begin{tabular}[t]{c}%
21889     }%
21890 \fi
21891 \if@titlepage
21892     \begin{titlepage}
21893         \setcounter{page}{%
21894             #1%
21895         }%
21896         \if@titlepageiscoverpage
21897             \edef\titlepage@restore{%
21898                 \noexpand\endgroup
21899                 \noexpand\global\noexpand\@colht\the\@colht
21900                 \noexpand\global\noexpand\@colroom\the\@colroom
21901                 \noexpand\global\vsize\the\vsize
21902                 \noexpand\global\noexpand\@titlepageiscoverpagefalse
21903                 \noexpand\let\noexpand\titlepage@restore\noexpand\relax
21904             }%
21905             \begingroup
21906                 \topmargin=\dimexpr \coverpagetopmargin-1in\relax
21907                 \oddsidemargin=\dimexpr \coverpageleftmargin-1in\relax
21908                 \evensidemargin=\dimexpr \coverpageleftmargin-1in\relax
21909                 \textwidth=\dimexpr
21910                     \paperwidth-\coverpageleftmargin-\coverpagerightmargin\relax
21911                 \textheight=\dimexpr
21912                     \paperheight-\coverpagetopmargin-\coverpagebottommargin\relax
21913                 \headheight=0pt
21914                 \headsep=0pt
21915                 \footskip=\baselineskip
21916                 \@colht=\textheight
21917                 \@colroom=\textheight
21918                 \vsize=\textheight
21919                 \columnwidth=\textwidth
21920                 \hsize=\columnwidth
21921                 \linewidth=\hsize
21922             \else
21923                 \let\titlepage@restore\relax
21924             \fi
21925             \let\footnotesize\small
21926             \let\right@footnoterule\relax
21927             \let\left@footnoterule\relax
21928             \let\textwidth@footnoterule\relax
21929             \let\footnote\thanks
21930             \let\LTRfootnote\LTRthanks
21931             \let\RTLfootnote\RTLthanks
21932             \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
21933             \let\@oldmakefnmark\@makefnmark
21934             \renewcommand*{\@makefnmark}{\rlap{\@oldmakefnmark}}%
21935             \ifx\@extratitle\empty
21936                 \ifx\@frontispiece\empty
21937             \else
21938                 \if@twoside\mbox{}\next@tpage\fi

```



```

21939           \noindent\@frontispiece\next@tdpage
21940         \fi
21941 \else
21942   \noindent\@extratitle
21943   \ifx\@frontispiece\@empty
21944     \else
21945       \next@tpage
21946       \noindent\@frontispiece
21947     \fi
21948   \next@tdpage
21949 \fi
21950 \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
21951 \ifx\@titlehead\@empty \else
21952   \begin{minipage}[t]{\textwidth}%
21953     \usekomafont{titlehead}{\@titlehead\par}%
21954   \end{minipage}\par
21955 \fi
21956 \null\vfill
21957 \begin{center}
21958   \ifx\@subject\@empty \else
21959     \usekomafont{subject}{\@subject\par}%
21960     \vskip 3em
21961   \fi
21962   {\usekomafont{title}{\huge \@title\par}}%
21963   \vskip 1em
21964   {\ifx\@subtitle\@empty\else\usekomafont{subtitle}{\@subtitle\par}\fi}%
21965   \vskip 2em
21966   \%
21967   \usekomafont{author}{%
21968     \lineskip 0.75em
21969     \begin{tabular}[t]{c}
21970       \author
21971     \end{tabular}\par
21972   }%
21973 \%
21974 \vskip 1.5em
21975 {\usekomafont{date}{\@date \par}}%
21976 \vskip \z@\@plus3fill
21977 {\usekomafont{publishers}{\@publishers \par}}%
21978 \vskip 3em
21979 \end{center}\par
21980 \@thanks\global\let\@thanks\@empty
21981 \vfill\null
21982 \if@twoside
21983   \tempswatru
21984   \expandafter\ifnum \nameuse{scr@v@3.12}>\scr@compatibility\relax
21985   \else
21986     \ifx\@uppertitleback\@empty\ifx\@lowertitleback\@empty
21987       \tempswafalse
21988     \fi\fi
21989   \fi
21990 \if@tempswa
21991   \next@tpage
21992   \begin{minipage}[t]{\textwidth}

```



```

21993      \@uppertitleback
21994      \end{minipage}\par
21995      \vfill
21996      \begin{minipage}[b]{\textwidth}
21997          \@lowertitleback
21998      \end{minipage}\par
21999      \@thanks\global\let\@thanks\@empty
22000      \fi
22001 \else
22002     \ifx\@uppertitleback\@empty\else
22003         \ClassWarning{\KOMAClassName}{%
22004             non empty \string\uppertitleback\space ignored
22005             by \string\maketitle\MessageBreak
22006             in `twoside=false' mode%
22007         }%
22008     \fi
22009     \ifx\@lowertitleback\@empty\else
22010         \ClassWarning{\KOMAClassName}{%
22011             non empty \string\lowertitleback\space ignored
22012             by \string\maketitle\MessageBreak
22013             in `twoside=false' mode%
22014         }%
22015     \fi
22016 \fi
22017 \ifx\@dedication\@empty
22018 \else
22019     \next@tdpage\null\vfill
22020     {\centering\usekomafont{dedication}{\@dedication \par}}%
22021     \vskip \z@\@plus3fill
22022     \@thanks\global\let\@thanks\@empty
22023     \cleardoubleemptypage
22024     \fi
22025     \ifx\titlepage@restore\relax\else\clearpage\titlepage@restore\fi
22026 \end{titlepage}
22027 \else
22028     \par
22029     \tempcnta=%
22030     #1%
22031     \relax\ifnum\tempcnta=1\else
22032         \ClassWarning{\KOMAClassName}{%
22033             Optional argument of \string\maketitle\space ignored\MessageBreak
22034             in `titlepage=false' mode%
22035         }%
22036     \fi
22037     \ifx\@uppertitleback\@empty\else
22038         \ClassWarning{\KOMAClassName}{%
22039             non empty \string\uppertitleback\space ignored
22040             by \string\maketitle\MessageBreak
22041             in `titlepage=false' mode%
22042         }%
22043     \fi
22044     \ifx\@lowertitleback\@empty\else
22045         \ClassWarning{\KOMAClassName}{%
22046             non empty \string\lowertitleback\space ignored

```



```

22047     by \string\maketitle\MessageBreak
22048     in `titlepage=false' mode%
22049   }%
22050 \fi
22051 \begingroup
22052   \let\titlepage@restore\relax
22053   \renewcommand*\thefootnote{\@fnssymbol\c@footnote}%
22054   \let\@oldmakefnmark\@makefnmark
22055   \renewcommand*{\@makefnmark}{\rlap{\@oldmakefnmark}}%
22056   \next@tdpage
22057   \if@twocolumn
22058     \ifnum \col@number=\@ne
22059       \ifx\@extratitle\@empty
22060         \ifx\@frontispiece\@empty\else\if@twoside\mbox{} \fi\fi
22061       \else
22062         \@makeextratitle
22063       \fi
22064       \ifx\@frontispiece\@empty
22065         \ifx\@extratitle\@empty\else\next@tdpage\fi
22066       \else
22067         \next@tpage
22068         \@makefrontispiece
22069         \next@tdpage
22070       \fi
22071       \@maketitle
22072     \else
22073       \ifx\@extratitle\@empty
22074         \ifx\@frontispiece\@empty\else\if@twoside\mbox{} \fi\fi
22075       \else
22076         \twocolumn[\@makeextratitle]%
22077       \fi
22078       \ifx\@frontispiece\@empty
22079         \ifx\@extratitle\@empty\else\next@tdpage\fi
22080       \else
22081         \next@tpage
22082         \twocolumn[\@makefrontispiece]%
22083         \next@tdpage
22084       \fi
22085       \twocolumn[\@maketitle]%
22086     \fi
22087   \else
22088     \ifx\@extratitle\@empty
22089       \ifx\@frontispiece\@empty\else \mbox{} \fi
22090     \else
22091       \@makeextratitle
22092     \fi
22093     \ifx\@frontispiece\@empty
22094       \ifx\@extratitle\@empty\else\next@tdpage\fi
22095     \else
22096       \next@tpage
22097       \@makefrontispiece
22098       \next@tdpage
22099     \fi
22100   \@maketitle

```



```

22101      \fi
22102      \ifx\titlepagestyle\@empty\else\thispagestyle{\titlepagestyle}\fi
22103          \@thanks\global\let\@thanks\@empty
22104      \endgroup
22105  \fi
22106  \setcounter{footnote}{0}%
22107  \expandafter\ifnum \csname scr@v@3.12\endcsname>\scr@compatibility\relax
22108      \let\thanks\relax
22109      \let\LTRthanks\relax
22110      \let\RTLthanks\relax
22111      \let\maketitle\relax
22112      \let\@maketitle\relax
22113      \global\let\@thanks\@empty
22114      \global\let\@author\@empty
22115      \global\let\@date\@empty
22116      \global\let\@title\@empty
22117      \global\let\@subtitle\@empty
22118      \global\let\@extratitle\@empty
22119      \global\let\@frontispiece\@empty
22120      \global\let\@titlehead\@empty
22121      \global\let\@subject\@empty
22122      \global\let\@publishers\@empty
22123      \global\let\@uppertitleback\@empty
22124      \global\let\@lowertitleback\@empty
22125      \global\let\@dedication\@empty
22126      \global\let\author\relax
22127      \global\let\title\relax
22128      \global\let\extratitle\relax
22129      \global\let\titlehead\relax
22130      \global\let\subject\relax
22131      \global\let\publishers\relax
22132      \global\let\uppertitleback\relax
22133      \global\let\lowertitleback\relax
22134      \global\let\dedication\relax
22135      \global\let\date\relax
22136  \fi
22137  \global\let\and\relax
22138 }%
22139 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
22140 \def\raggedpart{\if@RTL\raggedleft\else\raggedright\fi}
22141 \renewcommand*\autodot{\if@altsecnumformat \@SepMark\fi}
22142 \renewcommand*{\thesubsection}{\thesection \@SepMark\@arabic\c@section}
22143 \renewcommand*{\thesubsubsection}{%
22144   \thesubsection \@SepMark\@arabic\c@section
22145 }
22146 \renewcommand*{\theparagraph}{\thesubsubsection \@SepMark\@arabic\c@paragraph}
22147 \renewcommand*{\thesubparagraph}{%
22148   \theparagraph \@SepMark\@arabic\c@subparagraph
22149 }
22150 \renewenvironment{thebibliography}[1]{%
22151   \if@bib@break@
22152     \bib@beginhook
22153   \else
22154     \bib@heading

```



```

22155   \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
22156     \noindent\bibpreamble\par\nobreak
22157   \fi\fi
22158   \bib@beginhook
22159   \bib@before@hook
22160 \fi
22161 \renewcommand{\BreakBibliography}[1]{%
22162   \bib@break
22163   \end{thebibliography}%
22164   \begingroup ##1\endgroup
22165   \begin{thebibliography}{#1}
22166 }%
22167 \if@RTL\if@LTrbibitems@\RTLfalse\else\fi\else\if@RTLbibitems@\RTLtrue\else\fi\fi
22168 \bidi@thebibliography@font@hook%
22169 \list{%
22170   \biblabel{\@arabic\c@enumiv}%
22171 }{%
22172   \settowidth\labelwidth{\@biblabel{#1}}%
22173   \leftmargin\labelwidth
22174   \advance\leftmargin\labelsep
22175   \openbib@code
22176   \if@bib@break@
22177     \edef@\tempa{%
22178       \noexpand\usecounter{enumiv}%
22179       \noexpand\setcounter{enumiv}{\the\c@enumiv}%
22180     }\@tempa
22181     \no@bib@break
22182   \else
22183     \usecounter{enumiv}%
22184   \fi
22185   \let\p@enumiv\@empty
22186   \renewcommand*\theenumiv{\@arabic\c@enumiv}%
22187 }%
22188 \sloppy\clubpenalty4000 \widowpenalty4000
22189 \sfcode`.=\@m
22190 }{%
22191   \if@bib@break@
22192     \def\@noitemerr{%
22193       \@latex@warning{%
22194         \string\BreakBibliography\space at begin of `thebibliography'
22195         environment\MessageBreak
22196         or following \string\BreakBibliography}%
22197     }%
22198   \else
22199     \def\@noitemerr{%
22200       \@latex@warning{%
22201         Empty `thebibliography' environment or
22202         \string\BreakBibliography\MessageBreak
22203         before end of `thebibliography' environment}%
22204     }%
22205   \fi
22206   \endlist
22207   \if@bib@break@
22208   \else

```



```

22209   \bib@after@hook
22210   \let\bib@before@hook\empty
22211   \let\bib@after@hook\empty
22212 \fi
22213 \bib@endhook
22214 }
22215 \renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
22216 \renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
22217 \renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
22218 \renewcommand\marginline[1]{%
22219   \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]\{\if@RTL\raggedleft\else\raggedright
22220 \}}
22221 \renewcommand{\@makecaption}[3]{%
22222   \cap@margin
22223   \begingroup
22224     \ifonelinecaptions
22225       \def\stepcounter##1{\advance\value{##1}\@ne}%
22226       \let\refstepcounter\stepcounter
22227       \let\label\@gobble
22228       \let\@footnotetext=\@gobble
22229       \let\@LTRfootnotetext=\@gobble
22230       \let\@RTLfootnotetext=\@gobble
22231       \let\hypertarget\@gobbletwo
22232     \edef\@xnewline{%
22233       \unexpanded{\ClassInfo{\KOMAClassName}{%
22234         Workaround for not recommended usage of \string\\ or\MessageBreak
22235         \string\newline in caption text
22236       }%
22237       \hspace*{\ linewidth}\hspace{1sp}}%
22238     }%
22239     \unexpanded\expandafter{\@xnewline}%
22240   }%
22241   \edef\@xcentercr{%
22242     \unexpanded{\ClassInfo{\KOMAClassName}{%
22243       Workaround for not recommended usage of \string\\ or\MessageBreak
22244       \string\newline in caption text
22245     }%
22246     \hspace*{\ linewidth}\hspace{1sp}}%
22247   }%
22248   \unexpanded\expandafter{\@xcentercr}%
22249 }%
22250 \settowidth{\@tempdima}{\scr@makesinglelinecaption{#1}{#2}{#3}}%
22251 \ifdim\@tempdima>\cap@width
22252   \aftergroup\scr@makemultilinecaption
22253 \else
22254   \aftergroup\scr@makesinglelinecaption
22255 \fi
22256 \else
22257   \aftergroup\scr@makemultilinecaption
22258 \fi
22259 \endgroup
22260 {#1}{#2}{#3}%
22261 }
22262 \renewcommand{\scr@makesinglelinecaption}[3]{%

```



```

22263  {%
22264    \usefontofkomafont{caption}{%
22265      \hb@xt@\hsize{%
22266        \cap@left
22267        \if@RTL
22268          \beginR
22269          \fi
22270          \scr@@makesinglelinecaption{#1}{#2}{#3}%
22271          \if@RTL
22272            \endR
22273            \fi
22274            \cap@right
22275          }\par\kern\dp\strutbox%
22276        }%
22277      }\kern-\dp\strutbox
22278 }
22279 \renewcommand{\@makecaption}[2]{%
22280   \if@captionabove
22281     \vskip\belowcaptionskip
22282   \else
22283     \vskip\abovecaptionskip
22284   \fi
22285   \scr@@makecaption\@firstofone{#1}{#2}%
22286   \if@captionabove
22287     \vskip\abovecaptionskip
22288   \else
22289     \vskip\belowcaptionskip
22290   \fi
22291 }
22292
22293 \renewcommand{\scr@@makesinglelinecaption}[3]{%
22294   {\usekomafont{caption}{\strut\ignorespaces
22295     #1{\usekomafont{captionlabel}{#2\captionformat}}}}%
22296   \ignorespaces #3\unskip}%
22297 }
22298
22299 \renewcommand{\scr@makemultilinecaption}[3]{%
22300   {%
22301     \usefontofkomafont{caption}{%
22302       \hb@xt@\hsize{%
22303         \cap@left
22304         \vbox{\hsize\cap@width\linewidth\hsize
22305           \scr@ifundefinedorrelax{@capttype}{%
22306             \ClassWarning{\KOMAClassName}{%
22307               `string\caption' outside float.\MessageBreak
22308               Seems you are using `string\caption' outside a
22309               float.\MessageBreak
22310               Maybe you are using a package that uses
22311               `string\@makecaption'\MessageBreak
22312               without setting `string\@capttype' before.\MessageBreak
22313               Because I cannot detect the caption type, I'm using\MessageBreak
22314               the empty one.%}
22315             }%
22316             \let\@capttype\empty

```



```

22317 }{ }%
22318 \scr@ifundefinedorrelax{ragged\@capttype caption}{\raggedcaption}{%
22319   \nameuse{ragged\@capttype caption}%
22320 }%
22321 \ifdofullc@p
22322   \hangfrom{%
22323     \strut
22324     \scr@smashdp{%
22325       #1{%
22326         \usekomafont{caption}{%
22327           \usekomafont{captionlabel}{#2\captionformat}%
22328         }%
22329       }%
22330     }%
22331   }%
22332   {{\usekomafont{caption}{#3\scr@endstrut}}\par}%
22333 \else
22334   \ifdim\cap@indent<\z@
22335     \strut
22336     #1{%
22337       \usekomafont{caption}{%
22338         \usekomafont{captionlabel}{#2\captionformat}%
22339       }%
22340     }\par}%
22341   \noindent{{\usekomafont{caption}{%
22342     \hspace*{-\cap@indent}#3\scr@endstrut
22343   }}\par}%
22344 \else
22345   \if@capbreak
22346     \strut
22347     #1{%
22348       \usekomafont{caption}{%
22349         \usekomafont{captionlabel}{#2\captionformat}%
22350       }%
22351     }\par}%
22352     \noindent\hangfrom{\hspace*{\cap@indent}}%
22353     {{\usekomafont{caption}{#3\scr@endstrut}}\par}%
22354 \else
22355   \hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}%
22356   {%
22357     \hspace{-\cap@indent}%
22358     \scr@smashdp{%
22359       #1{\usekomafont{caption}{%
22360         \usekomafont{captionlabel}{#2\captionformat}%
22361       }%
22362     }%
22363     {{\usekomafont{caption}{#3\scr@endstrut}}\par}%
22364   }%
22365 \fi
22366   \fi
22367 \fi
22368 }%
22369 \cap@right

```



```

22371      } \par \kern \dp \strutbox
22372      }%
22373  } \kern - \dp \strutbox
22374 }

22375
22376 \bidi@AfterFile{longtable-xetex-bidi.def}{%
22377   \if@komalongtable
22378     \renewcommand{\LT@makecaption}[3]{%
22379       \noalign{%
22380         \if@captionabove
22381           \vskip\belowcaptionskip
22382         \else
22383           \vskip\abovecaptionskip
22384         \fi
22385       }%
22386     \LT@mcoll\LT@cols c{%
22387       \hbox to z@\hss\parbox[t]\linewidth{%
22388         \def\@captype{table}%
22389         \@@makecaption{\#1}{\#2}{\#3}%
22390         \endgraf
22391         \if@captionabove
22392           \vskip\abovecaptionskip
22393         \else
22394           \vskip\belowcaptionskip
22395         \fi
22396       }%
22397       \hss
22398     }%
22399   }%
22400 }%
22401 \renewcommand*{\scr@LT@array}{}%
22402 \let\scr@LT@array=\LT@array
22403 \renewcommand*{\LT@array}{%
22404   \let\scr@caption=\LT@caption
22405   \def\captionabove{\noalign{\global\@captionabovetrue}%
22406     \scr@caption}%
22407   \def\captionbelow{\noalign{\global\@captionabovefalse}%
22408     \scr@caption}%
22409   \if@tablecaptionabove
22410     \let\LT@caption=\captionabove
22411   \else
22412     \let\LT@caption=\captionbelow
22413   \fi
22414   \scr@LT@array
22415 }%
22416 \ClassInfo{\KOMAClassName}{%
22417   longtable captions redefined%
22418 }%
22419 \fi
22420 }
22421 \CloneTOCEEntryStyle{tocline}{part}
22422 \TOCEEntryStyleStartInitCode{part}{%
22423   \expandafter\renewcommand\%
22424 }
```



```

22425 \csname scr@tso@#1@linefill\endcsname{\hfill}%
22426 \expandafter\renewcommand%
22427 \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
22428 \expandafter\renewcommand%
22429 \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
22430   {\usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}}%
22431 \expandafter\renewcommand\expandafter*%
22432 \csname scr@tso@#1@beforeskip\endcsname{2.25em \oplus\p@}%
22433 }
22434
22435 \CloneTOCEntryStyle{tocline}{section}
22436 \TOCEntryStyleStartInitCode{section}{%
22437   \expandafter\renewcommand%
22438   \csname scr@tso@#1@linefill\endcsname{%
22439     \if@sectionentrywithdots
22440       {\usekomafont{sectionentrydots}{\TOCLineLeaderFill}}\relax
22441     \else
22442       \hfill
22443     \fi
22444   }%
22445   \expandafter\renewcommand%
22446   \csname scr@tso@#1@entryformat\endcsname{\usekomafont{sectionentry}}%
22447   \expandafter\renewcommand%
22448   \csname scr@tso@#1@pagenumberformat\endcsname[1]{\usekomafont{sectionentry}{\usekomafont{%
22449     \expandafter\renewcommand\expandafter*%
22450     \csname scr@tso@#1@beforeskip\endcsname{1.0em \oplus\p@}}}}%
22451 }
22452
22453 \CloneTOCEntryStyle{tocline}{subsection}
22454 \TOCEntryStyleStartInitCode{subsection}{%
22455   \expandafter\renewcommand%
22456   \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
22457   \expandafter\renewcommand%
22458   \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
22459     {\normalfont\normalcolor ##1}}%
22460 }
22461
22462 \CloneTOCEntryStyle{subsection}{default}
22463
22464 \DeclareSectionCommand[%]
22465   style=section,%
22466   level=1,%
22467   indent=\z@,%
22468   beforeskip=-3.5ex \oplus -1ex \minus -.2ex,%
22469   afterskip=2.3ex \oplus .2ex,%
22470   tocstyle=section,%
22471   tocindent=0pt,%
22472   tocnumwidth=1.5em%
22473 ]{section}
22474 \DeclareSectionCommand[%]
22475   style=part,%
22476   level=\z@,%
22477   tocstyle=part,%
22478   toplevel=\m@ne,%

```



```

22479   tocindent=\z@,%
22480   tocnumwidth=2em%
22481 ]{part}
22482 \DeclareSectionCommand[%]
22483   style=section,%
22484   level=2,%
22485   indent=\z@,%
22486   beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
22487   afterskip=1.5ex \@plus .2ex,%
22488   tocstyle=subsection,%
22489   tocindent=1.5em,%
22490   tocnumwidth=2.3em%
22491 ]{subsection}
22492 \DeclareSectionCommand[%]
22493   style=section,%
22494   level=3,%
22495   indent=\z@,%
22496   beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
22497   afterskip=1.5ex \@plus .2ex,%
22498   tocstyle=subsection,%
22499   tocindent=3.8em,%
22500   tocnumwidth=3.2em%
22501 ]{subsubsection}
22502 \DeclareSectionCommand[%]
22503   style=section,%
22504   level=4,%
22505   indent=\z@,%
22506   beforeskip=3.25ex \@plus 1ex \@minus .2ex,%
22507   afterskip=-1em,%
22508   tocstyle=subsection,%
22509   tocindentfollows=subsubsection,%
22510   tocindent=7.0em,%
22511   tocnumwidth=4.1em%
22512 ]{paragraph}
22513 \DeclareSectionCommand[%]
22514   style=section,%
22515   level=5,%
22516   indent=\scr@parindent,%
22517   beforeskip=3.25ex \@plus 1ex \@minus .2ex,%
22518   afterskip=-1em,%
22519   tocstyle=subsection,%
22520   tocindent=10em,%
22521   tocnumwidth=5em%
22522 ]{subparagraph}

```

## 142 File scrbook-xetex-bidi.def

```

22523 \ProvidesFile{scrbook-xetex-bidi.def}[2022/05/27 v1.3 bidi adaptations for scrbook class for
22524 \newcommand{\scr@saved@LTRfootnotetext}{}
22525 \newcommand{\scr@saved@RTLfootnotetext}{}
22526 \let\scr@saved@footnotetext\@footnotetext
22527 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
22528 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
22529 \renewcommand{\@footnotetext}[1]{%

```



```

22530   \scr@saved@footnotetext{#1}%
22531   \csname FN@mf@prepare\endcsname
22532 }
22533 \renewcommand{\@LTRfootnotetext}[1]{%
22534   \scr@saved@LTRfootnotetext{#1}%
22535   \csname FN@mf@prepare\endcsname
22536 }
22537 \renewcommand{\@RTLfootnotetext}[1]{%
22538   \scr@saved@RTLfootnotetext{#1}%
22539   \csname FN@mf@prepare\endcsname
22540 }
22541 \renewcommand\deffootnote[4][]{%
22542   \expandafter\ifnum\scr@v@is@ge{3.22}\relax
22543     \long\def\@makefntext##1{%
22544       \ExecuteDoHook{footnote/text/begin}%
22545       \raggedfootnote
22546       \if@RTL
22547         \rightskip
22548       \else
22549         \leftskip
22550       \fi
22551     #2
22552     \l@addto@macro\@trivlist{%
22553       \ifnum\@listdepth=\@ne\advance
22554         \if@RTL
22555           \rightmargin #2\relax
22556         \else
22557           \leftmargin #2\relax
22558         \fi
22559       \fi
22560     }%
22561     \parindent #3\noindent
22562     \IfArgIsEmpty{#1}{}{%
22563       \hskip \dimexpr #1-#2\relax
22564     }%
22565     \ftn@font\hbox to \z@\{\hss\@makefnmark\#\#1%
22566     \ExecuteDoHook{footnote/text/end}%
22567   }%
22568 \else
22569   \ClassInfo{\KOMAClassName}{%
22570     Using old \string\@makefntext\space due to compatibility
22571     level\MessageBreak
22572     less than 3.22}%
22573   \long\def\@makefntext##1{%
22574     \setlength{\tempdima}{#3}%
22575     \def\@tempa{#1}\ifx\@tempa\empty
22576       \setpar{\@par
22577         \tempdima = \hsize
22578         \addtolength{\tempdima}{-#2}%
22579       \if@RTL
22580         \parshape \@ne \z@ \tempdima
22581       \else
22582         \parshape \@ne #2 \tempdima
22583       \fi

```



```

22584      }%
22585  \else
22586      \addtolength{\@tempdimc}{#2}%
22587      \addtolength{\@tempdimc}{-#1}%
22588      \setpar{\@@par
22589          \tempdima = \hsize
22590          \addtolength{\tempdima}{-#1}%
22591          \tempdimb = \hsize
22592          \addtolength{\tempdimb}{-#2}%
22593          \if@RTL
22594              \parshape \tw@ \z@ \tempdima \z@ \tempdimb
22595          \else
22596              \parshape \tw@ #1 \tempdima #2 \tempdimb
22597          \fi
22598      }%
22599      \fi
22600      \par
22601      \parindent\@tempdimc\noindent
22602      \ftn@font\hbox to \z@{\hss\@makefnmark}##1%
22603  }%
22604  \fi
22605  \def\@makefnmark{\hbox{\ftn@font{#4}}}%
22606 }
22607 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
22608 \renewcommand*\left@footnoterule{%
22609     \normalsize\ftn@rule@test@values
22610     \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
22611     \ifx\@textbottom\relax\else\vskip \z@ \oplus.05fil\fi
22612     {\usekomafont{footnoterule}}{%
22613         \hrule \ftn@rule@height \width\ftn@rule@width}}%
22614     \kern 2.6\p@}
22615 \renewcommand*\right@footnoterule{%
22616     \normalsize\ftn@rule@test@values
22617     \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
22618     \ifx\@textbottom\relax\else\vskip \z@ \oplus.05fil\fi
22619     {\usekomafont{footnoterule}}{%
22620         \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax \leavevmode\l
22621     \kern 2.6\p@}
22622 \renewcommand*\maketitle[i][1]{%
22623     \expandafter\ifnum \csname scr@v@3.12\endcsname>\scr@compatibility\relax
22624     \else
22625         \def\and{%
22626             \end{tabular}%
22627             \hskip 1em \oplus.17fil%
22628             \begin{tabular}[t]{c}%
22629         }%
22630     \fi
22631     \if@titlepage
22632         \begin{titlepage}
22633             \setcounter{page}{%
22634                 #1}%
22635         }%
22636         \if@titlepageiscoverpage
22637             \edef\titlepage@restore{%

```



```

22638   \noexpand\endgroup
22639   \noexpand\global\noexpand\@colht\the\@colht
22640   \noexpand\global\noexpand\@colroom\the\@colroom
22641   \noexpand\global\vsizethe\vsizethe
22642   \noexpand\global\noexpand\@titlepageiscoverpagefalse
22643   \noexpand\let\noexpand\titlepage@restore\noexpand\relax
22644 }
22645 \begingroup
22646 \topmargin=\dimexpr \coverpagetopmargin-1in\relax
22647 \oddsidemargin=\dimexpr \coverpageleftmargin-1in\relax
22648 \evensidemargin=\dimexpr \coverpageleftmargin-1in\relax
22649 \textwidth=\dimexpr
22650 \paperwidth-\coverpageleftmargin-\coverpagerightmargin\relax
22651 \textheight=\dimexpr
22652 \paperheight-\coverpagetopmargin-\coverpagebottommargin\relax
22653 \headheight=0pt
22654 \headsep=0pt
22655 \footskip=\baselineskip
22656 \@colht=\textheight
22657 \@colroom=\textheight
22658 \vsize=\textheight
22659 \columnwidth=\textwidth
22660 \hsize=\columnwidth
22661 \linewidth=\hsize
22662 \else
22663   \let\titlepage@restore\relax
22664 \fi
22665 \let\footnotesize\small
22666 \let\right@footnoterule\relax
22667 \let\left@footnoterule\relax
22668 \let\textwidth@footnoterule\relax
22669 \let\footnote\thanks
22670 \let\LTRfootnote\LTRthanks
22671 \let\RTLfootnote\RTLthanks
22672 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
22673 \let\@oldmakefnmark\@makefnmark
22674 \renewcommand*{\@makefnmark}{\rlap{\@oldmakefnmark}}%
22675 \ifx\@extratitle\empty
22676   \ifx\@frontispiece\empty
22677   \else
22678     \if@twoside\mbox{}\next@tpage\fi
22679     \noindent\@frontispiece\next@tdpage
22680   \fi
22681 \else
22682   \noindent\@extratitle
22683   \ifx\@frontispiece\empty
22684   \else
22685     \next@tpage
22686     \noindent\@frontispiece
22687   \fi
22688   \next@tdpage
22689 \fi
22690 \setparsizes{\z@\z@\z@}{\z@\z@\z@plus 1fil}\par@updaterelative
22691 \ifx\@titlehead\empty \else

```



```

22692   \begin{minipage}[t]{\textwidth}%
22693     \usekomafont{titlehead}{\@titlehead\par}%
22694   \end{minipage}\par
22695 \fi
22696 \null\vfill
22697 \begin{center}
22698   \ifx\@subject\@empty \else
22699     \usekomafont{subject}{\@subject\par}%
22700     \vskip 3em
22701   \fi
22702   {\usekomafont{title}{\huge \@title\par}}%
22703   \vskip 1em
22704   {\ifx\@subtitle\@empty\else\usekomafont{subtitle}{\@subtitle\par}\fi}%
22705   \vskip 2em
22706   {%
22707     \usekomafont{author}{%
22708       \lineskip 0.75em
22709       \begin{tabular}[t]{c}
22710         \author
22711       \end{tabular}\par
22712     }%
22713   }%
22714   \vskip 1.5em
22715   {\usekomafont{date}{\@date \par}}%
22716   \vskip \z@ \@plus3fill
22717   {\usekomafont{publishers}{\@publishers \par}}%
22718   \vskip 3em
22719 \end{center}\par
22720 \@thanks\global\let\@thanks\@empty
22721 \vfill\null
22722 \if@twoside
22723   \tempswatru
22724   \expandafter\ifnum \nameuse{scr@v@3.12}>\scr@compatibility\relax
22725   \else
22726     \ifx\@uppertitleback\@empty\ifx\@lowertitleback\@empty
22727       \tempswafalse
22728     \fi\fi
22729   \fi
22730 \if@tempswa
22731   \next@tpage
22732   \begin{minipage}[t]{\textwidth}
22733     \@uppertitleback
22734   \end{minipage}\par
22735   \vfill
22736   \begin{minipage}[b]{\textwidth}
22737     \@lowertitleback
22738   \end{minipage}\par
22739   \@thanks\global\let\@thanks\@empty
22740   \fi
22741 \else
22742   \ifx\@uppertitleback\@empty\else
22743     \ClassWarning{\KOMAClassName}{%
22744       non empty \string\uppertitleback\space ignored
22745       by \string\maketitle\MessageBreak

```



```

22746      in `twoside=false' mode%
22747  }%
22748  \fi
22749  \ifx\@lowertitleback\@empty\else
22750    \ClassWarning{\KOMAClassName}{%
22751      non empty \string\lowertitleback\space ignored
22752      by \string\maketitle\MessageBreak
22753      in `twoside=false' mode%
22754  }%
22755  \fi
22756  \fi
22757  \ifx\@dedication\@empty
22758  \else
22759    \next@tdpage\null\vfill
22760    {\centering\usekomafont{dedication}{\@dedication \par}}%
22761    \vskip \z@ \@plus3fill
22762    \atthanks\global\let\@thanks\@empty
22763    \cleardoubleemptypage
22764  \fi
22765  \ifx\titlepage@restore\relax\else\clearpage\titlepage@restore\fi
22766  \end{titlepage}
22767 \else
22768   \par
22769   \tempcnta=%
22770   #1%
22771   \relax\ifnum\tempcnta=1\else
22772     \ClassWarning{\KOMAClassName}{%
22773       Optional argument of \string\maketitle\space ignored\MessageBreak
22774       in `titlepage=false' mode%
22775     }%
22776   \fi
22777   \ifx\@uppertitleback\@empty\else
22778     \ClassWarning{\KOMAClassName}{%
22779       non empty \string\uppertitleback\space ignored
22780       by \string\maketitle\MessageBreak
22781       in `titlepage=false' mode%
22782     }%
22783   \fi
22784   \ifx\@lowertitleback\@empty\else
22785     \ClassWarning{\KOMAClassName}{%
22786       non empty \string\lowertitleback\space ignored
22787       by \string\maketitle\MessageBreak
22788       in `titlepage=false' mode%
22789     }%
22790   \fi
22791   \begingroup
22792     \let\titlepage@restore\relax
22793     \renewcommand*\thefootnote{\fnsymbol{c}@\footnote}%
22794     \let\oldmakefnmark\makefnmark
22795     \renewcommand*{\makefnmark}{\rlap{\oldmakefnmark}}%
22796     \next@tdpage
22797     \if@twocolumn
22798       \ifnum \col@number=\@ne
22799         \ifx\@extratitle\@empty

```



```

22800      \ifx\@frontispiece\@empty\else\if@twoside\mbox{}\fi\fi
22801      \else
22802          \@makeextratitle
22803      \fi
22804      \ifx\@frontispiece\@empty
22805          \ifx\@extratitle\@empty\else\next@tdpage\fi
22806      \else
22807          \next@tpage
22808          \@makefrontispiece
22809          \next@tdpage
22810      \fi
22811      \@maketitle
22812  \else
22813      \ifx\@extratitle\@empty
22814          \ifx\@frontispiece\@empty\else\if@twoside\mbox{}\fi\fi
22815      \else
22816          \twocolumn[\@makeextratitle]%
22817      \fi
22818      \ifx\@frontispiece\@empty
22819          \ifx\@extratitle\@empty\else\next@tdpage\fi
22820  \else
22821      \next@tpage
22822      \twocolumn[\@makefrontispiece]%
22823      \next@tdpage
22824  \fi
22825      \twocolumn[\@maketitle]%
22826  \fi
22827 \else
22828      \ifx\@extratitle\@empty
22829          \ifx\@frontispiece\@empty\else \mbox{}\fi
22830  \else
22831      \@makeextratitle
22832  \fi
22833      \ifx\@frontispiece\@empty
22834          \ifx\@extratitle\@empty\else\next@tdpage\fi
22835  \else
22836      \next@tpage
22837      \@makefrontispiece
22838      \next@tdpage
22839  \fi
22840      \@maketitle
22841  \fi
22842      \ifx\titlepagestyle\@empty\else\thispagestyle{\titlepagestyle}\fi
22843      \@thanks\global\let\@thanks\@empty
22844  \endgroup
22845  \fi
22846  \setcounter{footnote}{0}%
22847  \expandafter\ifnum \csname scr@v@3.12\endcsname>\scr@compatibility\relax
22848      \let\thanks\relax
22849      \let\LTRthanks\relax
22850      \let\RTLthanks\relax
22851      \let\maketitle\relax
22852      \let\@maketitle\relax
22853  \global\let\@thanks\@empty

```



```

22854   \global\let\@author\@empty
22855   \global\let\@date\@empty
22856   \global\let\@title\@empty
22857   \global\let\@subtitle\@empty
22858   \global\let\@extratitle\@empty
22859   \global\let\@frontispiece\@empty
22860   \global\let\@titlehead\@empty
22861   \global\let\@subject\@empty
22862   \global\let\@publishers\@empty
22863   \global\let\@uppertitleback\@empty
22864   \global\let\@lowertitleback\@empty
22865   \global\let\@dedication\@empty
22866   \global\let\author\relax
22867   \global\let\title\relax
22868   \global\let\extratitle\relax
22869   \global\let\titlehead\relax
22870   \global\let\subject\relax
22871   \global\let\publishers\relax
22872   \global\let\uppertitleback\relax
22873   \global\let\lowertitleback\relax
22874   \global\let\dedication\relax
22875   \global\let\date\relax
22876   \fi
22877   \global\let\and\relax
22878 }%
22879 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
22880 \renewcommand*\autodot{\if@altsecnumformat \@SepMark\fi}
22881 \renewcommand*\thesection{%
22882   \expandafter\ifnum\scr@v@is@gt{2.97d}%
22883     \if@mainmatter\thechapter\@SepMark\fi
22884   \else
22885     \thechapter\@SepMark%
22886   \fi
22887   \arabic\c@section
22888 }
22889 \renewcommand*{\thesubsection}{\thesection\@SepMark\arabic\c@subsection}
22890 \renewcommand*{\thesubsubsection}{%
22891   \thesubsection\@SepMark\arabic\c@subsubsection
22892 }
22893 \renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\arabic\c@paragraph}
22894 \renewcommand*{\thesubparagraph}{%
22895   \theparagraph\@SepMark\arabic\c@subparagraph
22896 }
22897 \expandafter\ifnum\scr@v@is@le{2.97d}%
22898   \renewcommand*\thefigure{\thechapter\@SepMark\arabic\c@figure}
22899 \fi
22900 \expandafter\ifnum\scr@v@is@le{2.97d}%
22901   \renewcommand*\thetable{\thechapter\@SepMark\arabic\c@table}
22902 \fi
22903 \renewcommand*{\theequation}{%
22904   \expandafter\ifnum\scr@v@is@gt{2.97d}%
22905     \if@mainmatter\thechapter\@SepMark\fi
22906   \else
22907     \thechapter\@SepMark%

```



```

22908   \fi
22909   \@arabic\c@equation
22910 }
22911 \renewenvironment{thebibliography}[1]{%
22912   \if@bib@break@
22913     \bib@beginhook
22914   \else
22915     \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
22916       \setchapterpreamble{\bibpreamble}%
22917     \fi\fi
22918     \bib@heading
22919     \bib@beginhook
22920     \bib@before@hook
22921   \fi
22922 \renewcommand{\BreakBibliography}[1]{%
22923   \@bib@break
22924   \end{thebibliography}%
22925   \begingroup ##1\endgroup
22926   \begin{thebibliography}{#1}
22927 }%
22928 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
22929 \bidi@thebibliography@font@hook%
22930 \list{%
22931   \@biblabel{\@arabic\c@enumiv}%
22932 }{%
22933   \settowidth\labelwidth{\@biblabel{#1}}%
22934   \leftmargin\labelwidth
22935   \advance\leftmargin\labelsep
22936   \openbib@code
22937   \if@bib@break@
22938     \edef\@tempa{%
22939       \noexpand\usecounter{enumiv}%
22940       \noexpand\setcounter{enumiv}{\the\c@enumiv}%
22941     }\@tempa
22942     \no@bib@break
22943   \else
22944     \usecounter{enumiv}%
22945   \fi
22946   \let\p@enumiv\empty
22947   \renewcommand*\theenumiv{\@arabic\c@enumiv}%
22948 }%
22949 \sloppy\clubpenalty4000 \widowpenalty4000
22950 \sfcode`\.=\@m
22951 }{%
22952   \if@bib@break@
22953     \def\@noitemerr{%
22954       \@latex@warning{%
22955         \string\BreakBibliography\space at begin of `thebibliography'
22956         environment\MessageBreak
22957         or following \string\BreakBibliography}%
22958     }%
22959   \else
22960     \def\@noitemerr{%
22961       \@latex@warning{%

```



```

22962      Empty `thebibliography' environment or
22963      \string\BreakBibliography\MessageBreak
22964      before end of `thebibliography' environment}%
22965  }%
22966  \fi
22967  \endlist
22968  \if@bib@break@
22969  \else
22970    \bib@after@hook
22971    \let\bib@before@hook\empty
22972    \let\bib@after@hook\empty
22973  \fi
22974  \bib@endhook
22975 }
22976 \renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
22977 \renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
22978 \renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
22979 \renewcommand\marginline[1]{%
22980   \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]\{\if@RTL\raggedleft\else\raggedright
22981 \}}
22982 \renewcommand{\@makecaption}[3]{%
22983   \cap@margin
22984   \begingroup
22985     \ifonelinecaptions
22986       \def\stepcounter##1{\advance\value{##1}\@ne}%
22987       \let\refstepcounter\stepcounter
22988       \let\label\@gobble
22989       \let\@footnotetext=\@gobble
22990       \let\@LTRfootnotetext=\@gobble
22991       \let\@RTLfootnotetext=\@gobble
22992       \let\hypertarget\@gobbletwo
22993     \edef\@xnewline{%
22994       \unexpanded{\ClassInfo{\KOMAClassName}{%
22995         Workaround for not recommended usage of \string\\ or\MessageBreak
22996         \string\newline in caption text
22997       }%
22998       \hspace*{\ linewidth}\hspace{1sp}%
22999     }%
23000     \unexpanded\expandafter{\@xnewline}%
23001   }%
23002   \edef\@xcentercr{%
23003     \unexpanded{\ClassInfo{\KOMAClassName}{%
23004       Workaround for not recommended usage of \string\\ or\MessageBreak
23005       \string\newline in caption text
23006     }%
23007     \hspace*{\ linewidth}\hspace{1sp}%
23008   }%
23009   \unexpanded\expandafter{\@xcentercr}%
23010 }%
23011 \settowidth{\@tempdima}{\scr@@makesinglelinecaption{#1}{#2}{#3}}%
23012 \ifdim\@tempdima>\cap@width
23013   \aftergroup\scr@makemultilinecaption
23014 \else
23015   \aftergroup\scr@makesinglelinecaption

```



```

23016      \fi
23017  \else
23018      \aftergroup\scr@makemultilinecaption
23019  \fi
23020 \endgroup
23021 {#1}{#2}{#3}%
23022 }
23023 \renewcommand{\scr@makesinglelinecaption}[3]{%
23024  {%
23025      \usefontofkomafont{caption}{%
23026          \hb@xt@\hsize{%
23027              \cap@left
23028              \if@RTL
23029                  \beginR
23030                  \fi
23031                  \scr@@makesinglelinecaption{#1}{#2}{#3}%
23032                  \if@RTL
23033                      \endR
23034                  \fi
23035                  \cap@right
23036          } \par \kern \dp \strutbox%
23037      }%
23038  }\kern-\dp \strutbox
23039 }
23040 \renewcommand{\@makecaption}[2]{%
23041  \if@captionabove
23042      \vskip \belowcaptionskip
23043  \else
23044      \vskip \abovecaptionskip
23045  \fi
23046  \scr@@makecaption \firstofone{#1}{#2}%
23047  \if@captionabove
23048      \vskip \abovecaptionskip
23049  \else
23050      \vskip \belowcaptionskip
23051  \fi
23052 }
23053
23054 \renewcommand{\scr@@makesinglelinecaption}[3]{%
23055  {\usekomafont{caption}{\strut\ignorespaces
23056      #1{\usekomafont{captionlabel}{\#2\captionformat}}}}%
23057      \ignorespaces #3\unskip}%
23058 }
23059
23060 \renewcommand{\scr@makemultilinecaption}[3]{%
23061  {%
23062      \usefontofkomafont{caption}{%
23063          \hb@xt@\hsize{%
23064              \cap@left
23065              \vbox{\hsize\cap@width\linewidth\hsize
23066                  \scr@ifundefinedorrelax{@capttype}{%
23067                      \ClassWarning{\KOMAClassName}{%
23068                          '\string\caption' outside float.\MessageBreak
23069                          Seems you are using '\string\caption' outside a

```



```

23070   float.\MessageBreak
23071   Maybe you are using a package that uses
23072   `\"string\"@makecaption'`\MessageBreak
23073   without setting `\"string\"@capttype' before.\MessageBreak
23074   Because I cannot detect the caption type, I'm using\MessageBreak
23075   the empty one.%
23076   }%
23077   \let@\capttype\@empty
23078   }{%
23079   \scr@ifundefinedorrelax{ragged@\capttype}{\raggedcaption}{%
23080     \nameuse{ragged@\capttype}{caption}%
23081   }%
23082   \ifdofullc@p
23083     \hangfrom{%
23084       \strut
23085       \scr@smashdp{%
23086         #1{%
23087           \usekomafont{caption}{%
23088             \usekomafont{captionlabel}{#2\captionformat}%
23089             }%
23090           }%
23091         }%
23092       }%
23093       {{\usekomafont{caption}{#3\scr@endstrut}}\par}%
23094     \else
23095       \ifdim\cap@indent<\z@
23096         \strut
23097         #1{%
23098           \usekomafont{caption}{%
23099             \usekomafont{captionlabel}{#2\captionformat}%
23100             }%
23101           }\par}%
23102           \noindent{{\usekomafont{caption}{%
23103             \hspace*{-\cap@indent}#3\scr@endstrut}%
23104           }}\par}%
23105     \else
23106       \if@capbreak
23107         \strut
23108         #1{%
23109           \usekomafont{caption}{%
23110             \usekomafont{captionlabel}{#2\captionformat}%
23111             }%
23112           }\par}%
23113           \noindent\hangfrom{\hspace*{\cap@indent}}%
23114           {{\usekomafont{caption}{#3\scr@endstrut}}\par}%
23115     \else
23116       \hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}%
23117       {%
23118         \hspace*{-\cap@indent}%
23119         \scr@smashdp{%
23120           #1{\usekomafont{caption}{%
23121             \usekomafont{captionlabel}{#2\captionformat}%
23122               }%
23123             }%

```



```

23124      }%
23125      {{\usekomafont{caption}{#3\scr@endstrut}}\par}%
23126      }%
23127      \fi
23128      \fi
23129      \fi
23130      }%
23131      \cap@right
23132      }\par\kern\dp\strutbox
23133      }%
23134      }\kern-\dp\strutbox
23135 }
23136
23137
23138 \bidi@AfterFile{longtable-xetex-bidi.def}{%
23139   \if@komalongtable
23140     \renewcommand{\LT@makecaption}[3]{%
23141       \noalign{%
23142         \if@captionabove
23143           \vskip\belowcaptionskip
23144         \else
23145           \vskip\abovecaptionskip
23146         \fi
23147       }%
23148       \LT@mcol\LT@cols c{%
23149         \hbox to\z@\{\hss\parbox[t]\linewidth{%
23150           \def\@captype{table}%
23151           \@@makecaption{\#1}{\#2}{\#3}%
23152           \endgraf
23153           \if@captionabove
23154             \vskip\abovecaptionskip
23155           \else
23156             \vskip\belowcaptionskip
23157           \fi
23158       }%
23159       \hss
23160     }%
23161   }%
23162 }%
23163 \renewcommand*{\scr@LT@array}{}%
23164 \let\scr@LT@array=\LT@array
23165 \renewcommand*{\LT@array}{}%
23166   \let\scr@caption=\LT@caption
23167   \def\captionabove{\noalign{\global\@captionabovetrue}%
23168     \scr@caption}%
23169   \def\captionbelow{\noalign{\global\@captionabovefalse}%
23170     \scr@caption}%
23171   \if@tablecaptionabove
23172     \let\LT@caption=\captionabove
23173   \else
23174     \let\LT@caption=\captionbelow
23175   \fi
23176   \scr@LT@array
23177 }%

```



```

23178     \ClassInfo{\KOMAClassName}{%
23179         longtable captions redefined%
23180     }%
23181     \fi
23182 }
23183
23184 \CloneTOCEntryStyle{tocline}{part}
23185 \TOCEntryStyleStartInitCode{part}{%
23186     \expandafter\renewcommand%
23187     \csname scr@tso@#1@linefill\endcsname{\hfill}%
23188     \expandafter\renewcommand%
23189     \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
23190     \expandafter\renewcommand%
23191     \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
23192         {\usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
23193     \expandafter\renewcommand\expandafter*%
23194     \csname scr@tso@#1@beforeskip\endcsname{2.25em \oplus\p0}%
23195 }
23196
23197 \CloneTOCEntryStyle{tocline}{chapter}
23198 \TOCEntryStyleStartInitCode{chapter}{%
23199     \expandafter\renewcommand%
23200     \csname scr@tso@#1@linefill\endcsname{%
23201         \if@chapterentrywithdots
23202             {\usekomafont{chapterentrydots}{\TOCLineLeaderFill}}\relax
23203         \else
23204             \hfill
23205         \fi
23206     }%
23207     \expandafter\renewcommand%
23208     \csname scr@tso@#1@entryformat\endcsname{\usekomafont{chapterentry}}%
23209     \expandafter\renewcommand%
23210     \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
23211         {\usekomafont{chapterentry}{\usekomafont{chapterentrypagenumber}{##1}}}%
23212     \expandafter\renewcommand\expandafter*%
23213     \csname scr@tso@#1@beforeskip\endcsname{1.0em \oplus\p0}%
23214 }
23215
23216 \CloneTOCEntryStyle{tocline}{section}
23217 \TOCEntryStyleStartInitCode{section}{%
23218     \expandafter\renewcommand%
23219     \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
23220     \expandafter\renewcommand%
23221     \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
23222         {\normalfont\normalcolor ##1}}%
23223 }
23224
23225 \CloneTOCEntryStyle{section}{default}
23226
23227 \DeclareSectionCommand[%  

23228   style=chapter,%  

23229   level=\z@,%  

23230   pagestyle=plain,%  

23231   tocstyle=chapter,%
```



```

23232 tocindent=\z@,%
23233 tocnumwidth=1.5em%
23234 ]{chapter}
23235 \DeclareSectionCommand[%]
23236 style=section,%
23237 level=1,%
23238 indent=\z@,%
23239 beforeskip=-3.5ex \@plus -1ex \@minus -.2ex,%
23240 afterskip=2.3ex \@plus .2ex,%
23241 tocstyle=section,%
23242 tocindentfollows=chapter,%
23243 tocindent=1.5em,%
23244 tocnumwidth=2.3em%
23245 ]{section}
23246 \DeclareSectionCommand[%]
23247 style=part,%
23248 level=\m@ne,%
23249 pagestyle=plain,%
23250 tocstyle=part,%
23251 toclevel=\m@ne,%
23252 tocindent=\z@,%
23253 tocnumwidth=2em%
23254 ]{part}
23255 \DeclareSectionCommand[%]
23256 style=section,%
23257 level=2,%
23258 indent=\z@,%
23259 beforeskip=-3.25ex \@plus -1ex \@minus -.2ex,%
23260 afterskip=1.5ex \@plus .2ex,%
23261 tocstyle=section,%
23262 tocindent=3.8em,%
23263 tocnumwidth=3.2em%
23264 ]{subsection}
23265 \DeclareSectionCommand[%]
23266 style=section,%
23267 level=3,%
23268 indent=\z@,%
23269 beforeskip=-3.25ex \@plus -1ex \@minus -.2ex,%
23270 afterskip=1.5ex \@plus .2ex,%
23271 tocstyle=section,%
23272 tocindent=7.0em,%
23273 tocnumwidth=4.1em%
23274 ]{subsubsection}
23275 \DeclareSectionCommand[%]
23276 style=section,%
23277 level=4,%
23278 indent=\z@,%
23279 beforeskip=3.25ex \@plus 1ex \@minus .2ex,%
23280 afterskip=-1em,%
23281 tocindentfollows=subsubsection,%
23282 tocstyle=section,%
23283 tocindent=10em,%
23284 tocnumwidth=5em%
23285 ]{paragraph}

```



```

23286 \DeclareSectionCommand[%  

23287   style=section,%  

23288   level=5,%  

23289   indent=\scr@parindent,%  

23290   beforeskip=3.25ex \oplus1ex \minus .2ex,%  

23291   afterskip=-1em,%  

23292   tocstyle=section,%  

23293   tocindent=12em,%  

23294   tocnumwidth=6em%  

23295 ]{subparagraph}

```

## 143 File scrreprt-xetex-bidi.def

```

23296 \ProvidesFile{scrreprt-xetex-bidi.def}[2022/05/27 v1.3 bidi adaptations for scrreprt class f  

23297 \newcommand{\scr@saved@LTRfootnotetext}{}  

23298 \newcommand{\scr@saved@RTLfootnotetext}{}  

23299 \let\scr@saved@footnotetext\footnotetext  

23300 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext  

23301 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext  

23302 \renewcommand{\@footnotetext}[1]{%  

23303   \scr@saved@footnotetext{#1}%  

23304   \csname FN@mf@prepare\endcsname  

23305 }  

23306 \renewcommand{\@LTRfootnotetext}[1]{%  

23307   \scr@saved@LTRfootnotetext{#1}%  

23308   \csname FN@mf@prepare\endcsname  

23309 }  

23310 \renewcommand{\@RTLfootnotetext}[1]{%  

23311   \scr@saved@RTLfootnotetext{#1}%  

23312   \csname FN@mf@prepare\endcsname  

23313 }  

23314 \renewcommand\deffootnote[4][]{%  

23315   \expandafter\ifnum\scr@v@is@ge{3.22}\relax  

23316     \long\def\@makefntext##1{%
23317       \ExecuteDoHook{footnote/text/begin}%
23318       \raggedfootnote
23319       \if@RTL
23320         \rightskip
23321       \else
23322         \leftskip
23323       \fi
23324     #2
23325     \l@addto@macro\@trivlist{%
23326       \ifnum\@listdepth=\@ne
23327         \if@RTL
23328           \advance\rightmargin #2\relax
23329         \else
23330           \advance\leftmargin #2\relax
23331         \fi
23332       \fi
23333     }%
23334     \parindent #3\noindent
23335     \IfArgIsEmpty{#1}{}{%
23336       \hskip \dimexpr #1-#2\relax

```



```

23337    }%
23338    \ftn@font\hbox to \z@{\hss\@@makefnmark}##1%
23339    \ExecuteDoHook{footnote/text/end}%
23340  }%
23341 \else
23342   \ClassInfo{\KOMAClassName}{%
23343     Using old \string\@makefntext\space due to compatibility
23344     level\MessageBreak
23345     less than 3.22}%
23346   \long\def\@makefntext##1{%
23347     \setlength{\@tempdimc}{#3}%
23348     \def\@tempa{#1}\ifx\@tempa\empty
23349       \setpar{\@par
23350         \@tempdima = \hsize
23351         \addtolength{\@tempdima}{-#2}%
23352         \if@RTL
23353           \parshape \one \z@ \@tempdima
23354         \else
23355           \parshape \one #2 \@tempdima
23356         \fi
23357       }%
23358     \else
23359       \addtolength{\@tempdimc}{#2}%
23360       \addtolength{\@tempdimc}{-#1}%
23361       \setpar{\@par
23362         \@tempdima = \hsize
23363         \addtolength{\@tempdima}{-#1}%
23364         \@tempdimb = \hsize
23365         \addtolength{\@tempdimb}{-#2}%
23366         \if@RTL
23367           \parshape \tw@ \z@ \@tempdima \z@ \@tempdimb
23368         \else
23369           \parshape \tw@ #1 \@tempdima #2 \@tempdimb
23370         \fi
23371       }%
23372     \fi
23373   \par
23374   \parindent\@tempdimc\noindent
23375   \ftn@font\hbox to \z@{\hss\@@makefnmark}##1%
23376 }%
23377 \fi
23378 \def\@@makefnmark{\hbox{\ftn@font{#4}}}%
23379 }
23380 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
23381 \renewcommand*\left@footnoterule{%
23382   \normalsize\ftn@rule@test@values
23383   \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
23384   \ifx\@textbottom\relax\else\vskip \z@ \oplus.05fil\fi
23385   {\usekomafont{footnoterule}{%
23386     \hrule \height\ftn@rule@height \width\ftn@rule@width}}%
23387   \kern 2.6\p@}
23388 \renewcommand*\right@footnoterule{%
23389   \normalsize\ftn@rule@test@values
23390   \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax

```



```

23391 \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
23392 {\usekomafont{footnoterule}{%
23393     \hbox to \columnwidth{\hspace{\dimexpr\columnwidth-\ftn@rule@width\relax} \leavevmode\l
23394     \kern 2.6\p@}
23395 \renewcommand*\maketitle[1][1]{%
23396     \expandafter\ifnum \csname scr@v@3.12\endcsname>\scr@compatibility\relax
23397     \else
23398         \def\and{%
23399             \end{tabular}%
23400             \hspace{1em} \@plus.17fil}%
23401             \begin{tabular}[t]{c}%
23402         }%
23403     \fi
23404     \if@titlepage
23405         \begin{titlepage}
23406             \setcounter{page}{%
23407                 \#1}%
23408         }%
23409         \if@titlepageiscoverpage
23410             \edef\titlepage@restore{%
23411                 \noexpand\endgroup
23412                 \noexpand\global\noexpand\@colht\the\@colht
23413                 \noexpand\global\noexpand\@colroom\the\@colroom
23414                 \noexpand\global\vsizet\the\vsizet
23415                 \noexpand\global\noexpand\@titlepageiscoverpagefalse
23416                 \noexpand\let\noexpand\titlepage@restore\noexpand\relax
23417             }%
23418             \begingroup
23419                 \topmargin=\dimexpr \coverpagetopmargin-1in\relax
23420                 \oddsidemargin=\dimexpr \coverpageleftmargin-1in\relax
23421                 \evensidemargin=\dimexpr \coverpageleftmargin-1in\relax
23422                 \textwidth=\dimexpr
23423                     \paperwidth-\coverpageleftmargin-\coverpagerightmargin\relax
23424                 \textheight=\dimexpr
23425                     \paperheight-\coverpagetopmargin-\coverpagebottommargin\relax
23426                 \headheight=0pt
23427                 \headsep=0pt
23428                 \footskip=\baselineskip
23429                 \@colht=\textheight
23430                 \@colroom=\textheight
23431                 \vsizet=\textheight
23432                 \columnwidth=\textwidth
23433                 \hsize=\columnwidth
23434                 \linewidth=\hsize
23435             \else
23436                 \let\titlepage@restore\relax
23437             \fi
23438             \let\footnotesize\small
23439             \let\right@footnoterule\relax
23440             \let\left@footnoterule\relax
23441             \let\textwidth@footnoterule\relax
23442             \let\footnote\thanks
23443             \let\LTRfootnote\LTRthanks
23444             \let\RTLfootnote\RTLthanks

```



```

23445 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
23446 \let\@oldmakefnmark\@makefnmark
23447 \renewcommand*{\@makefnmark}{\rlap{\@oldmakefnmark}}%
23448 \ifx\@extratitle\empty
23449   \ifx\@frontispiece\empty
23450     \else
23451       \if@twoside\mbox{}\next@tpage\fi
23452         \noindent\@frontispiece\next@tdpage
23453       \fi
23454   \else
23455     \noindent\@extratitle
23456     \ifx\@frontispiece\empty
23457       \else
23458         \next@tpage
23459         \noindent\@frontispiece
23460       \fi
23461     \next@tdpage
23462   \fi
23463 \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
23464 \ifx\@titlehead\empty \else
23465   \begin{minipage}[t]{\textwidth}%
23466     \usekomafont{titlehead}{\@titlehead\par}%
23467   \end{minipage}\par
23468 \fi
23469 \null\vfill
23470 \begin{center}
23471   \ifx\@subject\empty \else
23472     \usekomafont{subject}{\@subject\par}%
23473     \vskip 3em
23474   \fi
23475   \usekomafont{title}{\huge \@title\par}%
23476   \vskip 1em
23477   {\ifx\@subtitle\empty\else\usekomafont{subtitle}{\@subtitle\par}\fi}%
23478   \vskip 2em
23479   {%
23480     \usekomafont{author}{%
23481       \lineskip 0.75em
23482       \begin{tabular}[t]{c}
23483         \author
23484       \end{tabular}\par
23485     }%
23486   }%
23487   \vskip 1.5em
23488   {\usekomafont{date}{\@date \par}}%
23489   \vskip \z@\@plus3fill
23490   {\usekomafont{publishers}{\@publishers \par}}%
23491   \vskip 3em
23492 \end{center}\par
23493 \thanks\global\let\@thanks\empty
23494 \vfill\null
23495 \if@twoside
23496   \tempswatrule
23497   \expandafter\ifnum \nameuse{scr@v@3.12}>\scr@compatibility\relax
23498   \else

```



```

23499     \ifx\@uppertitleback\@empty\ifx\@lowertitleback\@empty
23500         \atempswafalse
23501     \fi\fi
23502 \fi
23503 \if@tempswa
23504     \next@tpage
23505     \begin{minipage}[t]{\textwidth}
23506         \@uppertitleback
23507     \end{minipage}\par
23508     \vfill
23509     \begin{minipage}[b]{\textwidth}
23510         \@lowertitleback
23511     \end{minipage}\par
23512     \atthanks\global\let\@thanks\@empty
23513 \fi
23514 \else
23515     \ifx\@uppertitleback\@empty\else
23516         \ClassWarning{\KOMAClassName}{%
23517             non empty \string\uppertitleback\space ignored
23518             by \string\maketitle\MessageBreak
23519             in `twoside=false' mode%
23520         }%
23521     \fi
23522     \ifx\@lowertitleback\@empty\else
23523         \ClassWarning{\KOMAClassName}{%
23524             non empty \string\lowertitleback\space ignored
23525             by \string\maketitle\MessageBreak
23526             in `twoside=false' mode%
23527         }%
23528     \fi
23529 \fi
23530 \ifx\@dedication\@empty
23531 \else
23532     \next@tdpage\null\vfill
23533     \centering\usekomafont{dedication}{\@dedication \par}%
23534     \vskip \z@\@plus3fill
23535     \atthanks\global\let\@thanks\@empty
23536     \cleardoubleemptypage
23537 \fi
23538     \ifx\titlepage@restore\relax\else\clearpage\titlepage@restore\fi
23539 \end{titlepage}
23540 \else
23541     \par
23542     \attempcnta=%
23543     #1%
23544     \relax\ifnum\attempcnta=1\else
23545         \ClassWarning{\KOMAClassName}{%
23546             Optional argument of \string\maketitle\space ignored\MessageBreak
23547             in `titlepage=false' mode%
23548         }%
23549     \fi
23550     \ifx\@uppertitleback\@empty\else
23551         \ClassWarning{\KOMAClassName}{%
23552             non empty \string\uppertitleback\space ignored

```



```

23553     by \string\maketitle\MessageBreak
23554     in `titlepage=false' mode%
23555   }%
23556 \fi
23557 \ifx\@lowertitleback\empty\else
23558   \ClassWarning{\KOMAClassName}{%
23559     non empty \string\lowertitleback\space ignored
23560     by \string\maketitle\MessageBreak
23561     in `titlepage=false' mode%
23562   }%
23563 \fi
23564 \begin{group}
23565   \let\titlepage@restore\relax
23566   \renewcommand*\thefootnote{\fnsymbol{c}@\footnote}%
23567   \let\oldmakefnmark\makefnmark
23568   \renewcommand*{\makefnmark}{\rlap{\oldmakefnmark}}%
23569   \next@tdpage
23570   \if@twocolumn
23571     \ifnum \col@number=\@ne
23572       \ifx\@extratitle\empty
23573         \ifx\@frontispiece\empty\else\if@twoside\mbox{}\fi\fi
23574       \else
23575         \@makeextratitle
23576       \fi
23577       \ifx\@frontispiece\empty
23578         \ifx\@extratitle\empty\else\next@tdpage\fi
23579       \else
23580         \next@tpage
23581         \@makefrontispiece
23582         \next@tdpage
23583       \fi
23584       \@maketitle
23585     \else
23586       \ifx\@extratitle\empty
23587         \ifx\@frontispiece\empty\else\if@twoside\mbox{}\fi\fi
23588       \else
23589         \twocolumn[\@makeextratitle]%
23590       \fi
23591       \ifx\@frontispiece\empty
23592         \ifx\@extratitle\empty\else\next@tdpage\fi
23593       \else
23594         \next@tpage
23595         \twocolumn[\@makefrontispiece]%
23596         \next@tdpage
23597       \fi
23598       \twocolumn[\@maketitle]%
23599     \fi
23600   \else
23601     \ifx\@extratitle\empty
23602       \ifx\@frontispiece\empty\else \mbox{}\fi
23603     \else
23604       \@makeextratitle
23605     \fi
23606     \ifx\@frontispiece\empty

```



```

23607           \ifx\@extratitle\@empty\else\next@tdpage\fi
23608     \else
23609       \next@tpage
23610       \@makefrontispiece
23611       \next@tdpage
23612     \fi
23613     \@maketitle
23614   \fi
23615   \ifx\titlepagestyle\@empty\else>thispagestyle{\titlepagestyle}\fi
23616   \@thanks\global\let\@thanks\@empty
23617   \endgroup
23618 \fi
23619 \setcounter{footnote}{0}%
23620 \expandafter\ifnum \csname scr@v@3.12\endcsname>\scr@compatibility\relax
23621   \let\thanks\relax
23622   \let\LTRthanks\relax
23623   \let\RTLthanks\relax
23624   \let\maketitle\relax
23625   \let\@maketitle\relax
23626   \global\let\@thanks\@empty
23627   \global\let\@author\@empty
23628   \global\let\@date\@empty
23629   \global\let\@title\@empty
23630   \global\let\@subtitle\@empty
23631   \global\let\@extratitle\@empty
23632   \global\let\@frontispiece\@empty
23633   \global\let\@titlehead\@empty
23634   \global\let\@subject\@empty
23635   \global\let\@publishers\@empty
23636   \global\let\@uppertitleback\@empty
23637   \global\let\@lowertitleback\@empty
23638   \global\let\@dedication\@empty
23639   \global\let\@author\relax
23640   \global\let\@title\relax
23641   \global\let\@extratitle\relax
23642   \global\let\@titlehead\relax
23643   \global\let\@subject\relax
23644   \global\let\@publishers\relax
23645   \global\let\@uppertitleback\relax
23646   \global\let\@lowertitleback\relax
23647   \global\let\@dedication\relax
23648   \global\let\@date\relax
23649 \fi
23650 \global\let\and\relax
23651 }%
23652 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
23653 \renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
23654 \renewcommand*\thesection{%
23655   \thechapter\@SepMark%
23656   \@arabic\c@section
23657 }
23658 \renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
23659 \renewcommand*{\thesubsubsection}{%
23660   \thesubsection\@SepMark\@arabic\c@subsubsection

```



```

23661 }
23662 \renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
23663 \renewcommand*{\thesubparagraph}{%
23664   \theparagraph\@SepMark\@arabic\c@subparagraph
23665 }
23666 \expandafter\ifnum\scr@v@is@le{2.97d}%
23667   \renewcommand*{\thefigure}{\thechapter\@SepMark\@arabic\c@figure}
23668 \fi
23669 \expandafter\ifnum\scr@v@is@le{2.97d}%
23670   \renewcommand*{\thetable}{\thechapter\@SepMark\@arabic\c@table}
23671 \fi
23672 \renewcommand*{\theequation}{%
23673   \thechapter\@SepMark%
23674   \@arabic\c@equation
23675 }
23676 \renewenvironment{thebibliography}[1]{%
23677   \if@bib@break@
23678     \bib@beginhook
23679   \else
23680     \ifx\bibpreamble\relax\else\ifx\bibpreamble\empty\else
23681       \setchapterpreamble{\bibpreamble}%
23682     \fi\fi
23683     \bib@heading
23684     \bib@beginhook
23685     \bib@before@hook
23686   \fi
23687   \renewcommand{\BreakBibliography}[1]{%
23688     \if@bib@break
23689     \end{thebibliography}%
23690     \begingroup ##1\endgroup
23691     \begin{thebibliography}{##1}
23692   }%
23693   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
23694   \bidi@thebibliography@font@hook%
23695   \list{%
23696     \biblabel{\@arabic\c@enumiv}%
23697   }{%
23698     \settowidth\labelwidth{\biblabel{##1}}%
23699     \leftmargin\labelwidth
23700     \advance\leftmargin\labelsep
23701     \openbib@code
23702     \if@bib@break
23703       \edef@\tempa{%
23704         \noexpand\usecounter{enumiv}%
23705         \noexpand\setcounter{enumiv}{\the\c@enumiv}%
23706       }@\tempa
23707       \no@bib@break
23708     \else
23709       \usecounter{enumiv}%
23710     \fi
23711     \let\p@enumiv\empty
23712     \renewcommand*{\theenumiv}{\@arabic\c@enumiv}%
23713   }%
23714   \sloppy\clubpenalty4000 \widowpenalty4000

```



```

23715   \sfcod`\.=\@m
23716 }{%
23717   \if@bib@break@
23718     \def\@noitemerr{%
23719       \@latex@warning{%
23720         \string\BreakBibliography\space at begin of `thebibliography'
23721         environment\MessageBreak
23722         or following \string\BreakBibliography}%
23723     }%
23724   \else
23725     \def\@noitemerr{%
23726       \@latex@warning{%
23727         Empty `thebibliography' environment or
23728         \string\BreakBibliography\MessageBreak
23729         before end of `thebibliography' environment}%
23730     }%
23731   \fi
23732 \endlist
23733 \if@bib@break@
23734 \else
23735   \bib@after@hook
23736   \let\bib@before@hook\empty
23737   \let\bib@after@hook\empty
23738 \fi
23739 \bib@endhook
23740 }
23741 \renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
23742 \renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
23743 \renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
23744 \renewcommand\marginline[1]{%
23745   \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]\{\if@RTL\raggedleft\else\raggedright
23746 \}}
23747 \renewcommand{\@makecaption}[3]{%
23748   \cap@margin
23749   \begingroup
23750     \ifonelinecaptions
23751       \def\stepcounter##1{\advance\value{##1}\@ne}%
23752       \let\refstepcounter\stepcounter
23753       \let\label\@gobble
23754       \let\@footnotetext=\@gobble
23755       \let\@LTRfootnotetext=\@gobble
23756       \let\@RTLfootnotetext=\@gobble
23757       \let\hypertarget\@gobbletwo
23758       \edef\@xnewline{%
23759         \unexpanded{\ClassInfo{\KOMAClassName}{%
23760           Workaround for not recommended usage of \string\\ or\MessageBreak
23761           \string\newline in caption text
23762         }%
23763         \hspace*{\ linewidth}\hspace{1sp}%
23764       }%
23765       \unexpanded\expandafter{\@xnewline}%
23766     }%
23767     \edef\@xcentercr{%
23768       \unexpanded{\ClassInfo{\KOMAClassName}{%

```



```

23769      Workaround for not recommended usage of \string\\ or\MessageBreak
23770      \string\newline in caption text
23771      }%
23772      \hspace*\{\\ linewidth\}\hspace{1sp}%
23773      }%
23774      \unexpanded\expandafter{\@xcentercr}%
23775      }%
23776      \settowidth{\@tempdima}{\scr@@makesinglelinecaption{#1}{#2}{#3}}%
23777      \ifdim\@tempdima>\cap@width
23778          \aftergroup\scr@makemultilinecaption
23779      \else
23780          \aftergroup\scr@makesinglelinecaption
23781      \fi
23782  \else
23783      \aftergroup\scr@makemultilinecaption
23784      \fi
23785 \endgroup
23786 {#1}{#2}{#3}%
23787 }
23788 \renewcommand{\scr@makesinglelinecaption}[3]{%
23789  {%
23790      \usefontofkomafont{caption}{%
23791          \hb@xt@\hsize{%
23792              \cap@left
23793              \if@RTL
23794                  \beginR
23795              \fi
23796              \scr@@makesinglelinecaption{#1}{#2}{#3}}%
23797              \if@RTL
23798                  \endR
23799              \fi
23800              \cap@right
23801          }\par\kern\dp\strutbox}%
23802      }%
23803  }\kern-\dp\strutbox
23804 }
23805 \renewcommand{\@makecaption}[2]{%
23806  \if@captionabove
23807      \vskip\belowcaptionskip
23808  \else
23809      \vskip\abovecaptionskip
23810  \fi
23811  \scr@@makecaption\@firstofone{#1}{#2}%
23812  \if@captionabove
23813      \vskip\abovecaptionskip
23814  \else
23815      \vskip\belowcaptionskip
23816  \fi
23817 }
23818
23819 \renewcommand{\scr@makesinglelinecaption}[3]{%
23820      {\usekomafont{caption}{\strut\ignorespaces
23821          #1{\usekomafont{captionlabel}{#2\captionformat}}}}%
23822      \ignorespaces #3\unskip}%

```



```

23823 }
23824 \renewcommand{\scr@makemultilinecaption}[3]{%
23825   {%
23826     \usefontofkomafont{caption}{%
23827       \hb@xt@\hsize{%
23828         \cap@left
23829         \vbox{\hsize\cap@width\linewidth\hsize
23830           \scr@ifundefinedorrelax{@capttype}{%
23831             \ClassWarning{\KOMAClassName}{%
23832               `string\caption' outside float.\MessageBreak
23833               Seems you are using `string\caption' outside a
23834               float.\MessageBreak
23835               Maybe you are using a package that uses
23836               `string\@makecaption'\MessageBreak
23837               without setting `string\@capttype' before.\MessageBreak
23838               Because I cannot detect the caption type, I'm using\MessageBreak
23839               the empty one.%}
23840             }%
23841             \let\@capttype\@empty
23842           }{}%
23843         \scr@ifundefinedorrelax{ragged}\@capttype{caption}{\raggedcaption}{%
23844           \nameuse{ragged}\@capttype{caption}{}%
23845         }%
23846       \ifdofullc@p
23847         \hangfrom{%
23848           \strut
23849           \scr@smashdp{%
23850             #1{%
23851               \usekomafont{caption}{%
23852                 \usekomafont{captionlabel}{\#2\captionformat}%
23853               }%
23854             }%
23855           }%
23856         }%
23857       }%
23858       {\{\usekomafont{caption}{\#3\scr@endstrut}\}\par}%
23859     \else
23860       \ifdim\cap@indent<\z@
23861         \strut
23862         #1{%
23863           \usekomafont{caption}{%
23864             \usekomafont{captionlabel}{\#2\captionformat}%
23865           }%
23866         }\par}%
23867       \noindent{\{\usekomafont{caption}{%
23868         \hspace*{-\cap@indent}\#3\scr@endstrut
23869       }\}\par}%
23870     \else
23871       \if@capbreak
23872         \strut
23873         #1{%
23874           \usekomafont{caption}{%
23875             \usekomafont{captionlabel}{\#2\captionformat}%
23876           }%

```



```

23877 } \par}%
23878 \noindent \hangfrom{\hspace*{\cap@indent}}%
23879 {{\usekomafont{caption}{#3\scr@endstrut}}\par}%
23880 \else
23881 \hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}%
23882 {%
23883 \hspace{-\cap@indent}%
23884 \scr@smashdp{%
23885 #1{\usekomafont{caption}{%
23886 \usekomafont{captionlabel}{#2\captionformat}}%
23887 }%
23888 }%
23889 }%
23890 {{\usekomafont{caption}{#3\scr@endstrut}}\par}%
23891 }%
23892 \fi
23893 \fi
23894 \fi
23895 }%
23896 \cap@right
23897 } \par\kern\dp\strutbox
23898 }%
23899 } \kern-\dp\strutbox
23900 }
23901
23902
23903 \bidi@AfterFile{longtable-xetex-bidi.def}{%
23904 \if@komalongtable
23905 \renewcommand{\LT@makecaption}[3]{%
23906 \noalign{%
23907 \if@captionabove
23908 \vskip\belowcaptionskip
23909 \else
23910 \vskip\abovecaptionskip
23911 \fi
23912 }%
23913 \LT@mcol\LT@cols c{%
23914 \hbox to\z@\{\hss\parbox[t]\linewidth{%
23915 \def\@captype{table}%
23916 \@@makecaption{#1}{#2}{#3}%
23917 \endgraf
23918 \if@captionabove
23919 \vskip\abovecaptionskip
23920 \else
23921 \vskip\belowcaptionskip
23922 \fi
23923 }%
23924 \hss
23925 }%
23926 }%
23927 }%
23928 \renewcommand*{\scr@LT@array}{}%
23929 \let\scr@LT@array=\LT@array
23930 \renewcommand*{\LT@array}{%

```



```

23931   \let\scr@caption=\LT@caption
23932   \def\captionabove{\noalign{\global\@captionabovetrue}%
23933     \scr@caption}%
23934   \def\captionbelow{\noalign{\global\@captionabovefalse}%
23935     \scr@caption}%
23936   \if@tablecaptionabove
23937     \let\LT@caption=\captionabove
23938   \else
23939     \let\LT@caption=\captionbelow
23940   \fi
23941   \scr@LT@array
23942 }%
23943 \ClassInfo{\KOMAClassName}{%
23944   longtable captions redefined%
23945 }%
23946 \fi
23947 }
23948
23949 \CloneTOCEntryStyle{tocline}{part}
23950 \TOCEntryStyleStartInitCode{part}{%
23951   \expandafter\renewcommand%
23952   \csname scr@tso@#1@linefill\endcsname{\hfill}%
23953   \expandafter\renewcommand%
23954   \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
23955   \expandafter\renewcommand%
23956   \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
23957     {\usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
23958   \expandafter\renewcommand\expandafter*%
23959   \csname scr@tso@#1@beforeskip\endcsname{2.25em \oplus\p0}%
23960 }
23961
23962 \CloneTOCEntryStyle{tocline}{chapter}
23963 \TOCEntryStyleStartInitCode{chapter}{%
23964   \expandafter\renewcommand%
23965   \csname scr@tso@#1@linefill\endcsname{%
23966     \if@chapterentrywithdots
23967       {\usekomafont{chapterentrydots}{\TOCLineLeaderFill}}\relax
23968     \else
23969       \hfill
23970     \fi
23971   }%
23972   \expandafter\renewcommand%
23973   \csname scr@tso@#1@entryformat\endcsname{\usekomafont{chapterentry}}%
23974   \expandafter\renewcommand%
23975   \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
23976     {\usekomafont{chapterentry}{\usekomafont{chapterentrypagenumber}{##1}}}%
23977   \expandafter\renewcommand\expandafter*%
23978   \csname scr@tso@#1@beforeskip\endcsname{1.0em \oplus\p0}%
23979 }
23980
23981 \CloneTOCEntryStyle{tocline}{section}
23982 \TOCEntryStyleStartInitCode{section}{%
23983   \expandafter\renewcommand%
23984   \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%

```



```

23985      \expandafter\renewcommand%
23986      \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
23987          {\normalfont\normalcolor ##1}}%
23988 }
23989
23990 \CloneTOCEntryStyle{section}{default}
23991
23992 \DeclareSectionCommand[%]
23993   style=chapter,%
23994   level=\z@,%
23995   pagestyle=plain,%
23996   tocstyle=chapter,%
23997   tocindent=\z@,%
23998   tocnumwidth=1.5em%
23999 ]{chapter}
24000 \DeclareSectionCommand[%]
24001   style=section,%
24002   level=1,%
24003   indent=\z@,%
24004   beforeskip=-3.5ex \oplus -1ex \ominus -.2ex,%
24005   afterskip=2.3ex \oplus .2ex,%
24006   tocstyle=section,%
24007   tocindentfollows=chapter,%
24008   tocindent=1.5em,%
24009   tocnumwidth=2.3em%
24010 ]{section}
24011 \DeclareSectionCommand[%]
24012   style=part,%
24013   level=\m@ne,%
24014   pagestyle=plain,%
24015   tocstyle=part,%
24016   toplevel=\m@ne,%
24017   tocindent=\z@,%
24018   tocnumwidth=2em%
24019 ]{part}
24020 \DeclareSectionCommand[%]
24021   style=section,%
24022   level=2,%
24023   indent=\z@,%
24024   beforeskip=-3.25ex \oplus -1ex \ominus -.2ex,%
24025   afterskip=1.5ex \oplus .2ex,%
24026   tocstyle=section,%
24027   tocindent=3.8em,%
24028   tocnumwidth=3.2em%
24029 ]{subsection}
24030 \DeclareSectionCommand[%]
24031   style=section,%
24032   level=3,%
24033   indent=\z@,%
24034   beforeskip=-3.25ex \oplus -1ex \ominus -.2ex,%
24035   afterskip=1.5ex \oplus .2ex,%
24036   tocstyle=section,%
24037   tocindent=7.0em,%
24038   tocnumwidth=4.1em%

```



```

24039 ]{subsubsection}
24040 \DeclareSectionCommand[%]
24041   style=section,%
24042   level=4,%
24043   indent=\z@,%
24044   beforeskip=3.25ex \oplus 1ex \ominus .2ex,%
24045   afterskip=-1em,%
24046   tocindentfollows=subsubsection,%
24047   tocstyle=section,%
24048   tocindent=10em,%
24049   tocnumwidth=5em%
24050 ]{paragraph}
24051 \DeclareSectionCommand[%]
24052   style=section,%
24053   level=5,%
24054   indent=\scr@parindent,%
24055   beforeskip=3.25ex \oplus 1ex \ominus .2ex,%
24056   afterskip=-1em,%
24057   tocstyle=section,%
24058   tocindent=12em,%
24059   tocnumwidth=6em%
24060 ]{subparagraph}

```

## 144 File `sidecap-xetex-bidi.def`

```

24061 \ProvidesFile{sidecap-xetex-bidi.def}[2010/08/01 v0.1 bidi adaptations for sidecap package f
24062 \renewcommand*{\SC@FLOAT}[2]{\if@RTL%
24063   \isSC@ODD{\#1}\hspace{\sidecaptionsep}{\#2} {\#2}\hspace{\sidecaptionsep}{\#1}}\else%
24064 \isSC@ODD{\#2}\hspace{\sidecaptionsep}{\#1} {\#1}\hspace{\sidecaptionsep}{\#2}}\fi}
24065 \renewcommand*{\SC@justify@caption{\if@RTL%
24066 \isSC@ODD{\RaggedLeft}{\RaggedRight}\else%
24067 \isSC@ODD{\RaggedRight}{\RaggedLeft}\fi}}

```

## 145 File `soul-xetex-bidi.def`

```

24068 \ProvidesFile{soul-xetex-bidi.def}[2015/10/16 v0.1 bidi adaptations for soul package for XeT
24069 \long\def\SOUL@start#1{%
24070   \let\bidi@RTL@everypar\empty
24071   \let<\SOUL@lowerthan
24072   \let>\empty
24073   \def\soulomit{\noexpand\soulomit}%
24074   \gdef\SOUL@eventuallyexhyphen##1{}%
24075   \let\SOUL@soeventuallyskip\relax
24076   \SOUL@spaceskip=\fontdimen\tw@\font\oplus\fontdimen\thr@@\font
24077   \ominus\fontdimen4\font
24078   \SOUL@ignorespacesfalse
24079   \leavevmode
24080   \SOUL@preamble
24081   \SOUL@lasttoken={}
24082   \SOUL@word={}
24083   \SOUL@minus\z@
24084   \SOUL@comma\z@
24085   \SOUL@apo\z@
24086   \SOUL@grave\z@

```



```

24087      \SOUL@do{#1}%
24088      \SOUL@postamble
24089  }
24090 \def\SOUL@ulunderline#1{%
24091     \setbox\z@\hbox{#1}%
24092     \dimen@=\wd\z@
24093     \dimen@i=\SOUL@uloverlap
24094     \advance\dimen@2\dimen@i
24095     \if@RTL
24096     \unhcopy\z@
24097     \llap{%
24098         \null
24099         \kern-\dimen@i
24100         \SOUL@ulcolor{\SOUL@ulleaders\hskip\dimen@}%
24101     }%
24102     \else
24103     \rlap{%
24104         \null
24105         \kern-\dimen@i
24106         \SOUL@ulcolor{\SOUL@ulleaders\hskip\dimen@}%
24107     }%
24108     \unhcopy\z@
24109     \fi
24110 }
24111 \def\bidi@SOUL@ulleaders{%
24112     \leaders\hb@xt@0.1pt{\hss\SOUL@ulcolor{\vrule\@depth\SOUL@uldp\@height\SOUL@ulht}\hss}%
24113 }
24114 \def\SOUL@uleveryspace#1{%
24115     \if@RTL
24116     #1%
24117     \bidi@SOUL@ulleaders
24118     \hskip\spaceskip
24119     \else
24120     \SOUL@ulcolor{%
24121         #1%
24122         \SOUL@ulleaders
24123         \hskip\spaceskip
24124     }%
24125     \fi
24126     \null
24127 }

```

## 146 File `stabular-xetex-bidi.def`

```

24128 \ProvidesFile{stabular-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for stabular package]
24129 \def\@stabular{%
24130   \leavevmode \bgroup \if@RTLtab\beginR \fi
24131   \let\@acol\@atabcol
24132   \let\@classz\@tabclassz
24133   \let\@classiv\@tabclassiv \let\\@\tabularcr\@stabarray
24134 \def\endstabular{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
24135           \egroup \if@RTLtab\endR\fi\egroup}
24136 \expandafter \let \csname endstabular*\endcsname = \endstabular
24137 \def\@sarray[#1]#2{%

```



```

24138 \bgroup
24139 \setbox\@arstrutbox\hbox{%
24140   \vrule \height\arraystretch\ht\strutbox
24141     \depth\arraystretch \dp\strutbox
24142     \width\z@\%
24143   \omkpream{#2}%
24144   \edef\@preamble{%
24145     \ialign \noexpand\@halignto
24146       \bgroup \carstrut \preamble \tabskip\z@skip \cr}%
24147   \let\@startpbox\@startpbox \let\@endpbox\@endpbox
24148   \let\tabularnewline\%
24149   \let\@sharp##%
24150   \set@typeset@protect
24151   \lineskip\z@skip\baselineskip\z@skip
24152 \if@RTLtab\hbox\bgroup\beginR\hboxR\constructtrue\if #1\vtop \else \vbox \fi\bgroup\fi
24153   \preamble}

```

## 147 File subfigure-xetex-bidi.def

```

24154 \ProvidesFile{subfigure-xetex-bidi.def}[2010/03/01 v0.1 bidi adaptations for subfigure package]
24155 \AtBeginDocument{%
24156 \let\p@subfigure=\thefigure
24157 \let\p@subtable=\thetable%
24158 }

```

## 148 File tabls-xetex-bidi.def

```

24159 \ProvidesFile{tabls-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for tabls package for XeLaTeX]
24160 \def\endtabular{\endarray \$\if@RTLtab\endR\fi\egroup}
24161 \expandafter\let\csname endtabular*\endcsname=\endtabular
24162 \def\endarray{\ifvmode\csname crcr\endcsname % just do \cr if \\ given
24163   \else \\[\z@ \global\advance\carstdepth-\otarlinesep]%
24164   \fi\egroup\if@RTLtab\egroup\endR\egroup\fi\unrecuse\egroup}
24165 \def\@array[#1]{% remember global variables to allow recursion:
24166   \edef\@unrecuse{\global\zskip@bove\the\zskip@bove
24167     \global\carstheight\the\carstheight\global\carstdepth\the\carstdepth}%
24168   \let\@tarlinesep@\tarlinesep \global\zskip@bove-\otarlinesep
24169   \ifx\@classz\arrayclassz \let\@tarlinesep\arraylinesep
24170   \else \let\@tarlinesep\tablinesep \fi
24171   \divide\tablinesep\tw@ % half sep is applied to height & depth
24172   \let\@seesize\relax \let\@rememsize\relax \omkpream{#2}%
24173   \tempdima\arraystretch\ht\strutbox \tempdimb\arraystretch\dp\strutbox
24174   \ifdim\@tarlinesep>\z@ % (need \protect for \multicolumn)
24175   \def\@rememsize{\protect\@r@m@msize}\let\@seesize\@c@size
24176   \advance\tempdima-\@tarlinesep \advance\tempdimb-\@tarlinesep
24177   \fi \setbox\carstrutbox\hbox{%
24178     \vrule \height\tempdima \depth\tempdimb \width\z@\%
24179     \let\@seesize\relax \let\@rememsize\relax \omkpream{#2}%
24180   } \let\@tarlinesep\@seesize \fi
24181   \let\@tarlinesep\tablinesep \fi
24182   \let\@protect\noexpand
24183   \edef\@preamble{\ialign \noexpand\@halignto \bgroup
24184     \unhcopy\carstrutbox \preamble \tabskip\z@skip &\@sharp \cr}%
24185   \let\@startpbox\@startpbox \let\@endpbox\@endpbox

```



```

24186 \if#1t\vtop \else \if#1b\vbox \else \vcenter \fi\fi
24187 \bgroup \let\par\empty
24188 \global\@arstheight\ht\@arstrutbox \global\@arstdepth\dp\@arstrutbox
24189 \advance\extrarulesep.5\arrayrulewidth
24190 \let\sharp##\let\protect\relax \lineskip\z@skip \baselineskip\z@skip
24191 \if@RTLtab\hbox\bgroup\beginR\hboxRconstructtrue\if#1t\vtop \else \vbox \fi\bgroup\fi
24192 \preamble}

```

## 149 File tabularx-xetex-bidi.def

```

24193 \ProvidesFile{tabularx-xetex-bidi.def}[2014/11/08 v0.1 bidi adaptations for tabularx package]
24194 \def\TX@endtabularx{%
24195   \expandafter\expandafter\expandafter
24196     \TX@find@endtabularxa\csname end\TX@\endcsname
24197   \endtabularx\TX@\endtabularx\TX@find@endtabularxa
24198   \expandafter\TX@newcol\expandafter{\tabularxcolumn{\TX@col@width}}%
24199   \let\verb\TX@verb
24200   \def\elt##1{\global\value{##1}\the\value{##1}\relax}%
24201   \edef\TX@ckpt{\cl@ckpt}%
24202   \let\elt\relax
24203   \TX@old@table\maxdimen
24204   \TX@col@width\TX@target
24205   \global\TX@cols\@ne
24206   \TX@typeout@
24207   {\@spaces Table Width\@spaces Column Width\@spaces X Columns}%
24208   \TX@trial{\def\NC@rewrite@X{%
24209     \global\advance\TX@cols\@ne\NC@find p{\TX@col@width}}%
24210   \loop
24211     \TX@arith
24212     \ifTX@
24213     \TX@trial{}%
24214     \repeat
24215     {\let\footnotetext\TX@ftntext\let\xfootnotenext\TX@xftntext
24216     \let\LTRfootnotetext\TX@LRTfntext\let\xLTRfootnotenext\TX@xLRTfntext
24217     \let\RTLfootnotetext\TX@RTLftntext\let\xRTLfootnotenext\TX@xRTLftntext
24218     \csname tabular*\expandafter\endcsname\expandafter\TX@target
24219     \the\toks@
24220     \csname endtabular*\endcsname}%
24221   \global\TX@ftn\expandafter{\expandafter}\the\TX@ftn
24222   \ifnum0=\`{fi}%
24223   \expandafter\expandafter\expandafter
24224   \TX@find@endtabularxb
24225   \expandafter\end\expandafter{\TX@}%
24226   \endtabularx\TX@\endtabularx\TX@find@endtabularxb
24227 }
24228
24229 \def\TX@trial#1{%
24230   \setbox\@tempboxa\hbox{%
24231     #1\relax
24232     \let\footnotetext\TX@trial@ftn
24233     \let\LTRfootnotetext\TX@trial@ftn
24234     \let\RTLfootnotetext\TX@trial@ftn
24235     \let\TX@warn\empty
24236     \expandafter\let\expandafter\tabularx\csname tabular*\endcsname

```



```

24237 \expandafter\let\expandafter\endtabularx\csname endtabular*\endcsname
24238 \def\write{\begingroup
24239   \def\let{\afterassignment\endgroup\toks@}%
24240     \afterassignment\let\count@}%
24241   \hbadness\@M
24242   \hfuzz\maxdimen
24243   \let\hbadness\@tempcnta
24244   \let\hfuzz\@tempdima
24245   \expandafter\begin{array}{\the\toks@}
24246   \end{array}%
24247 \TX@ckpt
24248 \TX@typeout{\@spaces
24249   \expandafter\TX@align
24250     \the\wd\@tempboxa\space\space\space\space\space\space\@O
24251   \expandafter\TX@align
24252     \the\TX@col@width\space\space\space\space\space\space\space\@O
24253   \@spaces\the\TX@cols}\}
24254
24255 \long\def\TX@LTRftntext#1{%
24256   \edef@\tempa{\the\TX@ftn\noexpand\LTRfootnotetext
24257     [\the\csname c@\@mpfn\endcsname]}%
24258   \global\TX@ftn\expandafter{\@tempa{#1}}%
24259 \long\def\TX@xLTRftntext[#1]#2{%
24260   \global\TX@ftn\expandafter{\the\TX@ftn\LTRfootnotetext[#1]{#2}}}
24261
24262 \long\def\TX@RTLftntext#1{%
24263   \edef@\tempa{\the\TX@ftn\noexpand\RTLfootnotetext
24264     [\the\csname c@\@mpfn\endcsname]}%
24265   \global\TX@ftn\expandafter{\@tempa{#1}}%
24266 \long\def\TX@xRTLftntext[#1]#2{%
24267   \global\TX@ftn\expandafter{\the\TX@ftn\RTLfootnotetext[#1]{#2}}}

```

## 150 File `tabulary-xetex-bidi.def`

```

24268 \ProvidesFile{tabulary-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for tabulary package]
24269 \def@testpach{\chclass
24270   \ifnum \lastchclass=6 \one \chnum \one \else
24271     \ifnum \lastchclass=7 \else
24272       \ifnum \lastchclass=8 \tw@ \else
24273         \ifnum \lastchclass=9 \thr@@
24274         \else \z@
24275       \ifnum \lastchclass = 10 \else
24276         \edef@nextchar{\expandafter\string\@nextchar}%
24277         \chnum
24278         \if \@nextchar c\z@ \else
24279           \if \@nextchar \if@RTLtab r\else l\fi\one \else
24280             \if \@nextchar \if@RTLtab l\else r\fi\fi\tw@ \else
24281               \if \@nextchar C7 \else
24282                 \if \@nextchar L8 \else
24283                   \if \@nextchar R9 \else
24284                     \if \@nextchar J10 \else
24285                       \z@ \chclass
24286                       \if\@nextchar |\one \else
24287                         \if \@nextchar !6 \else

```



## 151 File `tc-xetex-bidi.def`

```
24298 \ProvidesFile{tc-xetex-bidi.def}[2014/07/08 v0.1 bidi adaptations for Clipping driver for Xe
24299 \def\@cliptoboxdim#1{%
24300   \setbox#1=\hbox{%
24301     \Gin@defaultbp\WIDTH{\wd#1}%
24302     \Gin@defaultbp\DEPTH{\dp#1}%
24303     \tempdima\ht#1%
24304     \advance\tempdima\dp#1%
24305     \Gin@defaultbp\TOTALHEIGHT{\tempdima}%
24306     \beginL\special{pdf:bcontent }%
24307     \special{%
24308       pdf:literal direct
24309       0 -\DEPTH\space \WIDTH\space \TOTALHEIGHT\space re
24310     }%
24311     \special{pdf:literal direct W }%
24312     \special{pdf:literal direct n }%
24313     \if@RTL\beginR\fi\box#1\if@RTL\endR\fi%
24314     \special{pdf:econtent }\endL%
24315   }%
24316 }
```

## 152 File `tcolorbox-xetex-bidi.def`

```
24317 \ProvidesFile{tcolorbox-xetex-bidi.def}[2018/11/11 v0.2 bidi adaptations for tcolorbox packa
24318 \let\endtcb@lrbox=\endminipage
24319 \let\endtcb@savebox=\endtcb@lrbox
24320
24321 \bidi@patchcmd{\tcb@vbox}{%
24322   \let\@footnotetext\ompfootnotetext%
24323 }{%
24324   \let\@footnotetext\ompfootnotetext%
24325   \let\@LTRfootnotetext\ompLTRfootnotetext%
24326   \let\@RTLfootnotetext\ompRTLfootnotetext%
24327 }{}{%
24328
24329 \bidi@patchcmd{\endtcb@vbox}{%
24330   \footnoterule%
24331 }{%
24332   \bidi@mpfootnoterule%
24333 }{}{%
24334 \bidi@apptocmd\tcb@@icolorbox{%
24335   \obidi@list@minipage@parboxfalse
```



```
24336 }{}{}
```

## 153 File `titlesec-xetex-bidi.def`

```
24337 \ProvidesFile{titlesec-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for titlesec package]
24338 \renewcommand\filright{%
24339   \gdef\ttl@filleft##1{\hskip##1}%
24340   \gdef\ttl@filright##1{\hfill}%
24341   \let\\@\centercr
24342   \advance\rightskip\z@ \oplus 1fil
24343 \parfillskip\z@}
24344 \def\ttlh@hang#1#2#3#4#5#6#7#8{%
24345   \gdef\ttl@makeline##1{\ttl@calc\hspace{#6}##1\ttl@calc\hspace{#7}}%
24346   \setlength\leftskip{#6}%
24347   \setlength\rightskip{#7}%
24348   \interlinepenalty\OM
24349   \ttl@changecentercr
24350   \ttl@beginlongest
24351   #1{\ifhmode\ttl@hmode@error\fi
24352     \ttl@glcmds
24353     \parindent\z@
24354     \leavevmode
24355     \begingroup
24356       \ifttl@label
24357         \sbox\z@{\#2\strut\ttl@calc\hspace{#3}}%
24358         \if@RTL\advance\rightskip\wd\z@\else\advance\leftskip\wd\z@\fi
24359         \llap{\box\z@}%
24360       \fi
24361       \#4{#8}%
24362       \kern\z@\strut\@par
24363     \endgroup
24364     \nobreak\ttl@midlongest#5\@par}%
24365   \ttl@endlongest}
```

## 154 File `titletoc-xetex-bidi.def`

```
24366 \ProvidesFile{titletoc-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for titletoc package]
24367 \renewcommand\filright{%
24368   \gdef\ttl@filleft##1{\hskip##1}%
24369   \gdef\ttl@filright##1{\hfill}%
24370   \let\\@\centercr
24371   \advance\rightskip\z@ \oplus 1fil
24372 \parfillskip\z@}
24373 \renewcommand\contentspush[1]{%
24374   \sbox\z@{\#1}%
24375   \xdef\ttl@b{\advance\if@RTL\rightskip\else\leftskip\fi\the\wd\z@}%
24376   \aftergroup\ttl@b
24377   \leavevmode\llap{\box\z@}}
24378 \def\ttl@outnoblock#1#2#3{%
24379   \begingroup
24380   \ifnum\ttl@b>\ttl@a
24381     \nobreak
24382   \else\ifnum\ttl@b<\ttl@a
24383     \addpenalty{\secpenalty}%
24384   \fi
24385   \endgroup
24386 }
```



```

24384 \else
24385   \addpenalty{\z@}%
24386 \fi\fi
24387 \ttl@contentsstretch
24388 \nobreak
24389 \ifcase#1\relax\else\interlinepenalty\@M\fi
24390 \parindent\z@
24391 \ifx\@nil#2%
24392   \PackageError{titletoc}{Unimplemented}%
24393   {The optional argument is currently mandatory}%
24394 \else
24395   \if@RTL\setlength\rightskip{\#2}\else
24396     \setlength\leftskip{\#2}\fi%
24397 \fi
24398 \if@RTL\setlength\leftskip{\@pnumwidth}\else\setlength\rightskip{\@pnumwidth}\fi%
24399 \let\contentsmargin\ttl@margin
24400 \def\ttl@makeline##1{##1}%
24401 #3%
24402 \addtolength{\parfillskip}{-\ttl@corr}%
24403 \if@RTL\addtolength{\leftskip}{\ttl@corr}\else\addtolength{\rightskip}{\ttl@corr}\fi%
24404 \let\ttl@leaders\leaders
24405 \renewcommand\ttl@margin[2][\z@]{%
24406   \def\ttl@corr{#1}%
24407   \advance\if@RTL\leftskip\else\rightskip\fi-\@pnumwidth\relax
24408   \advance\if@RTL\leftskip\else\rightskip\fi#2\relax
24409   \def\@pnumwidth{#2}%
24410 \let\ttl@savel@part\l@part
24411 \def\l@part{\ttl@lselect{part}}%
24412
24413 \let\ttl@savel@chapter\l@chapter
24414 \def\l@chapter{\ttl@lselect{chapter}}%

```

## 155 File `tocbibind-xetex-bidi.def`

```

24415 \ProvidesFile{tocbibind-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for tocbibind packa
24416 \if@dotocbib
24417   \@ifpackageloaded{natbib}{}{ natbib not loaded
24418     \renewcommand{\bibsection}{\t@cb@bchapsec}
24419     \renewenvironment{thebibliography}[1]{%
24420       \bibsection
24421       \begin{thebibitemlist}{#1}\end{thebibitemlist}}
24422 \renewenvironment{thebibitemlist}[1]{%
24423   \if@RTL\if@LTRbibitems@RTLfalse\else\fi\else\if@RTLbibitems@RTLtrue\else\fi\fi
24424   \bidi@@thebibliography@font@hook%
24425   \list{\@biblabel{\@arabic\c@enumiv}}{%
24426     \settowidth\labelwidth{\@biblabel{#1}}%
24427     \leftmargin\labelwidth
24428     \advance\leftmargin\labelsep
24429     \openbib@code
24430     \usecounter{enumiv}%
24431     \let\p@enumiv\empty
24432     \renewcommand\theenumiv{\@arabic\c@enumiv}%
24433   \sloppy
24434   \clubpenalty4000

```



```

24435   \clubpenalty \clubpenalty
24436   \widowpenalty4000%
24437   \sfcode`\. \om}
24438 {\def\@noitemerr
24439   {\@latex@warning{Empty `thebibliography' environment}}%
24440   \endlist}

24441
24442 \@ifpackagewith{chapterbib}{sectionbib}%
24443   {\renewcommand{\sectionbib}[2]{}%}
24444   {}

24445 \fi
24446 \if@inltxdoc\else
24447 \renewenvironment{theindex}%
24448   {\if@twocolumn
24449     \restonecolfalse
24450   \else
24451     \restonecoltrue
24452   \fi
24453 \if@bibchapter
24454   \if@donumindex
24455     \refstepcounter{chapter}
24456     \twocolumn[\vspace*{2\topskip}%
24457       \makechapterhead{\indexname}]%
24458     \addcontentsline{toc}{chapter}{\protect\numberline{\thechapter}\indexname}
24459     \chaptermark{\indexname}
24460   \else
24461     \if@dotocind
24462       \twocolumn[\vspace*{2\topskip}%
24463         \makeschapterhead{\indexname}]%
24464       \prw@mkboth{\indexname}
24465       \addcontentsline{toc}{chapter}{\indexname}
24466     \else
24467       \twocolumn[\vspace*{2\topskip}%
24468         \makeschapterhead{\indexname}]%
24469       \prw@mkboth{\indexname}
24470     \fi
24471   \fi
24472 \else
24473   \if@donumindex
24474     \twocolumn[\vspace*{-1.5\topskip}%
24475       \nameuse{\@tocextra}{\indexname}]%
24476     \csname \@tocextra mark\endcsname{\indexname}
24477   \else
24478     \if@dotocind
24479       \twocolumn[\vspace*{-1.5\topskip}%
24480         \toc@headstar{\@tocextra}{\indexname}]%
24481       \prw@mkboth{\indexname}
24482       \addcontentsline{toc}{\@tocextra}{\indexname}
24483     \else
24484       \twocolumn[\vspace*{-1.5\topskip}%
24485         \toc@headstar{\@tocextra}{\indexname}]%
24486       \prw@mkboth{\indexname}
24487     \fi
24488 \fi

```



```

24489      \fi
24490      \fi
24491      \thispagestyle{plain}\parindent\z@
24492      \parskip\z@ \oplus .3\p@\relax
24493      \let\item\@idxitem
24494      {\if@restonecol\onecolumn\else\clearpage\fi}
24495 \fi

```

## 156 File `tocloft-xetex-bidi.def`

```

24496 \ProvidesFile{tocloft-xetex-bidi.def}[2023/08/02 v0.3 bidi adaptations for tocloft package f
24497 \renewcommand{\cftpnumalign}{\if@RTL l\else r\fi}
24498 \let\cftdot\@SepMark
24499 \if@cfthaspart
24500 \renewcommand*{\l@part}[2]{%
24501   \cftdopartfalse
24502   \ifnum \c@tocdepth >-2\relax
24503     \if@cfthaschapter
24504       \cftdoparttrue
24505     \fi
24506     \ifnum \c@tocdepth >\m@ne
24507       \if@cfthaschapter\else
24508         \cftdoparttrue
24509       \fi
24510     \fi
24511   \fi
24512 \if@cfthaspart
24513   \if@cfthaschapter
24514     \addpenalty{-\@highpenalty}
24515   \else
24516     \addpenalty\@secpenalty
24517   \fi
24518 \addvspace{\cftbeforepartskip}
24519 \begingroup
24520   \if@RTL\rightskip\else\leftskip\fi \cftpindent\relax
24521   \if@RTL\leftskip\else\rightskip\fi \cftmarg
24522   \parfillskip -\if@RTL\leftskip\else\rightskip\fi
24523   \parindent \cftpindent\relax\@afterindenttrue
24524   \interlinepenalty\@M
24525   \leavevmode
24526   \tempdima \cftpnumwidth\relax
24527   \let\cftbsnum \cftpresnum
24528   \let\cftasnum \cftaftersnum
24529   \let\cftasnumb \cftaftersnumb
24530   \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\ri
24531   {\cftpartfont \cftpresnum #1}
24532   \cftpartfillnum{#2}
24533 \nobreak
24534 \if@cfthaschapter
24535   \global\nobreaktrue
24536   \everypar{\global\nobreakfalse\everypar{}}
24537 \else
24538   \if@compatibility
24539     \global\nobreaktrue

```



```

24540           \everypar{\global\@nobreakfalse\everypar{}}
24541           \fi
24542           \fi
24543       \endgroup
24544   \fi}
24545 \fi
24546 \if@cfthaschapter
24547 \renewcommand*{\l@chapter}[2]{%
24548   \ifnum \c@tocdepth >\m@ne
24549     \addpenalty{-\@highpenalty}
24550     \vskip \cftbeforechapskip
24551     {\if@RTL\rightskip\else\leftskip\fi \cftchapindent\relax
24552       \if@RTL\leftskip\else\rightskip\fi \cftchapmargin
24553       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
24554       \parindent \cftchapindent\relax\@afterindenttrue
24555       \interlinepenalty\@M
24556       \leavevmode
24557       \tempdima \cftchapnumwidth\relax
24558       \let\cftbsnum \cftchapresnum
24559       \let\cftasnum \cftchapafersnum
24560       \let\cftasnumb \cftchapafersnumb
24561       \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
24562       {\cftchapfont #1}\nobreak
24563       \cftchapfillnum{#2}}
24564   \fi}
24565 \fi
24566 \renewcommand*{\l@section}[2]{%
24567   \ifnum \c@tocdepth >\z@
24568     \if@cfthaschapter
24569       \vskip \cftbeforesecskip
24570     \else
24571       \addpenalty\secpenalty
24572       \addvspace{\cftbeforesecskip}
24573     \fi
24574     {\if@RTL\rightskip\else\leftskip\fi \cftsecindent\relax
24575       \if@RTL\leftskip\else\rightskip\fi \cftsecmargin
24576       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
24577       \parindent \cftsecindent\relax\@afterindenttrue
24578       \interlinepenalty\@M
24579       \leavevmode
24580       \tempdima \cftsecnumwidth\relax
24581       \let\cftbsnum \cftsecresnum
24582       \let\cftasnum \cftsecafersnum
24583       \let\cftasnumb \cftsecafersnumb
24584       \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
24585       {\cftsecfont #1}\nobreak
24586       \cftsecfillnum{#2}}
24587   \fi}
24588 \renewcommand*{\l@subsection}[2]{%
24589   \ifnum \c@tocdepth >\@ne
24590     \vskip \cftbeforesubsecskip
24591     {\if@RTL\rightskip\else\leftskip\fi \cftsubsecindent\relax
24592       \if@RTL\leftskip\else\rightskip\fi \cftsubsecmargin
24593       \parfillskip -\if@RTL\leftskip\else\rightskip\fi

```



```

24594 \parindent \cftsubsecindent\relax\@afterindenttrue
24595 \interlinepenalty\@M
24596 \leavevemode
24597 \tempdima \cftsubsecnumwidth\relax
24598 \let\cftbsnum \cftsubsecpresnum
24599 \let\cftasnum \cftsubsecaftersnum
24600 \let\cftasnumb \cftsubsecaftersnumb
24601 \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
24602 {\cftsubsecfont #1}\nobreak
24603 \cftsubsecfillnum{#2}}
24604 \fi}
24605 \renewcommand*{\l@subsubsection}[2]{%
24606 \ifnum \c@tocdepth >\tw@
24607 \vskip \cftbeforesubsubsecskip
24608 {\if@RTL\rightskip\else\leftskip\fi \cftsubsubsecindent\relax
24609 \if@RTL\leftskip\else\rightskip\fi \tocrmarg
24610 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
24611 \parindent \cftsubsubsecindent\relax\@afterindenttrue
24612 \interlinepenalty\@M
24613 \leavevemode
24614 \tempdima \cftsubsubsecnumwidth\relax
24615 \let\cftbsnum \cftsubsubsecpresnum
24616 \let\cftasnum \cftsubsubsecaftersnum
24617 \let\cftasnumb \cftsubsubsecaftersnumb
24618 \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
24619 {\cftsubsubsecfont #1}\nobreak
24620 \cftsubsubsecfillnum{#2}}
24621 \fi}
24622 \renewcommand*{\l@paragraph}[2]{%
24623 \ifnum \c@tocdepth >3\relax
24624 \vskip \cftbeforeparaskip
24625 {\if@RTL\rightskip\else\leftskip\fi \cftpaindent\relax
24626 \if@RTL\leftskip\else\rightskip\fi \tocrmarg
24627 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
24628 \parindent \cftpaindent\relax\@afterindenttrue
24629 \interlinepenalty\@M
24630 \leavevemode
24631 \tempdima \cftpainumwidth\relax
24632 \let\cftbsnum \cftpapresnum
24633 \let\cftasnum \cftpaaftersnum
24634 \let\cftasnumb \cftpaaftersnumb
24635 \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
24636 {\cftpafont #1}\nobreak
24637 \cftpafillnum{#2}}
24638 \fi}
24639 \renewcommand*{\l@ subparagraph}[2]{%
24640 \ifnum \c@tocdepth >4\relax
24641 \vskip \cftbeforesubparaskip
24642 {\if@RTL\rightskip\else\leftskip\fi \cftsubparaindent\relax
24643 \if@RTL\leftskip\else\rightskip\fi \tocrmarg
24644 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
24645 \parindent \cftsubparaindent\relax\@afterindenttrue
24646 \interlinepenalty\@M
24647 \leavevemode

```



```

24648     \@tempdima \cftsubparanumwidth\relax
24649     \let\@cftbsnum \cftsubparapresnum
24650     \let\@cftasnum \cftsubparaftersnum
24651     \let\@cftasnumb \cftsubparaftersnumb
24652     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
24653     {\cftsubparafont #1}\nobreak
24654     \cftsubparafillnum{#2}}
24655   \fi}
24656 \renewcommand*{\l@figure}[2]{%
24657   \ifnum \c@lofdepth >\z@
24658     \vskip \cftbeforefigskip
24659     {\if@RTL\rightskip\else\leftskip\fi \cftfigindent\relax
24660       \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
24661       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
24662       \parindent \cftfigindent\relax\@afterindenttrue
24663       \interlinepenalty\@M
24664       \leavevmode
24665       \@tempdima \cftfignumwidth\relax
24666       \let\@cftbsnum \cftfigpresnum
24667       \let\@cftasnum \cftfigaftersnum
24668       \let\@cftasnumb \cftfigaftersnumb
24669       \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
24670     {\cftfigfont #1}\nobreak
24671     \cftfigfillnum{#2}}
24672   \fi
24673 }
24674 \renewcommand*{\l@table}[2]{%
24675   \ifnum\c@lotdepth >\z@
24676     \vskip \cftbeforetabskip
24677     {\if@RTL\rightskip\else\leftskip\fi \cfttabindent\relax
24678       \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
24679       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
24680       \parindent \cfttabindent\relax\@afterindenttrue
24681       \interlinepenalty\@M
24682       \leavevmode
24683       \@tempdima \cfttabnumwidth\relax
24684       \let\@cftbsnum \cfttabpresnum
24685       \let\@cftasnum \cfttabaftersnum
24686       \let\@cftasnumb \cfttabaftersnumb
24687       \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
24688     {\cfttabfont #1}\nobreak
24689     \cfttabfillnum{#2}}
24690   \fi
24691 }
24692 \renewcommand{\@cftl@subfig}{%
24693 \renewcommand*{\l@subfigure}[2]{%
24694   \ifnum \c@lofdepth > \toclevel@subfigure
24695     \vskip \cftbeforesubfigskip
24696     {\if@RTL\rightskip\else\leftskip\fi \cftsubfigindent\relax
24697       \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
24698       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
24699       \parindent \cftsubfigindent\relax\@afterindenttrue
24700       \interlinepenalty\@M
24701       \leavevmode

```



```

24702     \@tempdima \cftsubfignumwidth\relax
24703     \let\@cftbsnum \cftsubfigpresnum
24704     \let\@cftasnum \cftsubfigaftersnum
24705     \let\@cftasnumb \cftsubfigaftersnumb
24706     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
24707     {\cftsubfigfont ##1}\nobreak
24708     \cftsubfigfillnum{##2}}
24709   \fi
24710 }
24711 }
24712 \renewcommand{\@cftl@subtab}{%
24713 \renewcommand*{\l@subtable}[2]{%
24714   \ifnum \c@lotdepth > \toclevel@subtable
24715     \vskip \cftbeforesubtabskip
24716     {\if@RTL\rightskip\else\leftskip\fi \cftsubtabindent\relax
24717       \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
24718       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
24719       \parindent \cftsubtabindent\relax\@afterindenttrue
24720       \interlinepenalty\@M
24721       \leavevmode
24722       \cftsubtabnumwidth\relax
24723       \let\@cftbsnum \cftsubtabpresnum
24724       \let\@cftasnum \cftsubtabaftersnum
24725       \let\@cftasnumb \cftsubtabaftersnumb
24726       \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
24727       {\cftsubtabfont ##1}\nobreak
24728       \cftsubtabfillnum{##2}}
24729   \fi
24730 }
24731 }
24732 \renewcommand{\newlistentry}[4][]{%
24733   \@ifundefined{c@#2}{%      check & set the counter
24734     \ifx \empty\relax
24735       \newcounter{#2}
24736     \else
24737       \@ifundefined{c@#1}{\PackageWarning{tocloft}%
24738         {#1 has no counter for use as a `within'}
24739         \newcounter{#2}%
24740         {\newcounter{#2}[#1]%
24741           \expandafter\edef\csname the#2\endcsname{%
24742             \expandafter\noexpand\csname the#1\endcsname\@SepMark\noexpand\arabic{#2}}}}
24743       \fi
24744       \setcounter{#2}{0}
24745   }
24746   {\PackageError{tocloft}{#2 has been previously defined}{\@eha}}
24747 }
24748 \namedef{l@#2}##1##2{%
24749   \ifnum \nameuse{c@#3depth} > #4\relax
24750     \vskip \nameuse{cftbefore#2skip}
24751     {\if@RTL\rightskip\else\leftskip\fi \nameuse{cft#2indent}\relax
24752       \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
24753       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
24754       \parindent \nameuse{cft#2indent}\relax\@afterindenttrue
24755       \interlinepenalty\@M

```



```

24756   \leavevmode
24757   \tempdima \nameuse{cft#2numwidth}\relax
24758   \expandafter\let\expandafter\@cftbsnum\csname cft#2presnum\endcsname
24759   \expandafter\let\expandafter\@cftasnum\csname cft#2aftersnum\endcsname
24760   \expandafter\let\expandafter\@cftasnumb\csname cft#2aftersnumb\endcsname
24761   \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima \null\nobreak\hskip -\if@RTL\rightskip
24762   {\nameuse{cft#2font}##1}\nobreak
24763   \nameuse{cft#2fillnum}##2}
24764   \fi
24765 } % end of \l@#2
24766
24767 \expandafter\newlength\csname cftbefore#2skip\endcsname
24768   \setlength{\nameuse{cftbefore#2skip}}{\z@ \plus .2\p@}
24769 \expandafter\newlength\csname cft#2indent\endcsname
24770 \expandafter\newlength\csname cft#2numwidth\endcsname
24771 \ifcase #4\relax % 0
24772   \setlength{\nameuse{cft#2indent}}{0em}
24773   \setlength{\nameuse{cft#2numwidth}}{1.5em}
24774 \or % 1
24775   \setlength{\nameuse{cft#2indent}}{1.5em}
24776   \setlength{\nameuse{cft#2numwidth}}{2.3em}
24777 \or % 2
24778   \setlength{\nameuse{cft#2indent}}{3.8em}
24779   \setlength{\nameuse{cft#2numwidth}}{3.2em}
24780 \or % 3
24781   \setlength{\nameuse{cft#2indent}}{7.0em}
24782   \setlength{\nameuse{cft#2numwidth}}{4.1em}
24783 \else % anything else
24784   \setlength{\nameuse{cft#2indent}}{10.0em}
24785   \setlength{\nameuse{cft#2numwidth}}{5.0em}
24786 \fi
24787 \namedef{cft#2font}{\normalfont}
24788 \namedef{cft#2presnum}{}
24789 \namedef{cft#2aftersnum}{}
24790 \namedef{cft#2aftersnumb}{}
24791 \namedef{cft#2dotsep}{\cftdotsep}
24792 \namedef{cft#2leader}{\normalfont\cftdotfill{\nameuse{cft#2dotsep}}}
24793 \namedef{cft#2pagefont}{\normalfont}
24794 \namedef{cft#2afterpnum}{}
24795 \namedef{toclevel@#2}{#4}
24796 \namedef{cft#2fillnum}##1{%
24797   {\nameuse{cft#2leader}}\nobreak
24798   \hb@xt@{\pnumwidth\hfil\nameuse{cft#2pagefont}##1}\nameuse{cft#2afterpnum}\par}
24799 } % end \newlistentry
24800 \renewcommand{\cftchapterprecistoc}[1]{\addtocontents{toc}{%
24801   {\if@RTL\rightskip\else\leftskip\fi \cftchapindent\relax
24802   \advance\if@RTL\rightskip\else\leftskip\fi \cftchapnumwidth\relax
24803   \if@RTL\leftskip\else\rightskip\fi \tocrmarg\relax
24804   \textit{#1}\protect\par}}}

```

## 157 File `tocbasic-xetex-bidi.def`

```

24805 \ProvidesFile{tocbasic-xetex-bidi.def}[2022/06/15 v0.5 bidi adaptations for tocbasic package]
24806 \bidi@undef\scr@dte@def@l@undottedtocline

```



```

24807 \bidi@undef\scr@dte@undottedtocline@init
24808 \DeclareTOCEntryStyle{undottedtocline}{%
24809   \DefineTOCEntryLengthOption{indent}%
24810   {scr@tso@}{@indent}{entry indent}%
24811   \DefineTOCEntryLengthOption{numwidth}%
24812   {scr@tso@}{@numwidth}{entry number width}%
24813 \@ifundefined{#1tocdepth}{%
24814   \Ifstr{#1}{part}{\@namedef{#1tocdepth}{-1}}{%
24815     \Ifstr{#1}{chapter}{\@namedef{#1tocdepth}{0}}{%
24816       \Ifstr{#1}{section}{\@namedef{#1tocdepth}{1}}{%
24817         \Ifstr{#1}{subsection}{\@namedef{#1tocdepth}{2}}{%
24818           \Ifstr{#1}{subsubsection}{\@namedef{#1tocdepth}{3}}{%
24819             \Ifstr{#1}{paragraph}{\@namedef{#1tocdepth}{4}}{%
24820               \Ifstr{#1}{subparagraph}{\@namedef{#1tocdepth}{5}}{%
24821                 \Ifstr{#1}{figure}{\@namedef{#1tocdepth}{1}}{%
24822                   \Ifstr{#1}{table}{\@namedef{#1tocdepth}{1}}{%
24823                     \expandafter\let\csname #1tocdepth\expandafter\endcsname
24824                     \csname #1numdepth\endcsname
24825                   }%
24826                 }%
24827               }%
24828             }%
24829           }%
24830         }%
24831       }%
24832     }%
24833   }%
24834 }{%
24835 \ifundefined{scr@tso@#1@indent}{%
24836   \ifundefined{scr@#1@tocindent}{%
24837     \Ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
24838       \Ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
24839         \Ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
24840           \Ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
24841             \scr@ifundefinedorrelax{1@chapter}{%
24842               \Ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{0pt}}{%
24843                 \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
24844                   \Ifstr{#1}{subsubsection}{%
24845                     \@namedef{scr@tso@#1@indent}{3.8em}}{%
24846                   }%
24847                     \Ifstr{#1}{paragraph}{%
24848                       \@namedef{scr@tso@#1@indent}{7em}}{%
24849                     }%
24850                     \Ifstr{#1}{subparagraph}{%
24851                       \@namedef{scr@tso@#1@indent}{10em}}{%
24852                     }%
24853                   }%
24854                 }%
24855               }%
24856             }%
24857           }%
24858         }{%
24859           \Ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
24860             \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%

```



```

24861           \Ifstr{#1}{subsubsection}{%
24862             \cnamedef{scr@tso@#1@indent}{7.0em}%
24863           }{%
24864             \Ifstr{#1}{paragraph}{%
24865               \cnamedef{scr@tso@#1@indent}{10em}%
24866             }{%
24867               \Ifstr{#1}{subparagraph}{%
24868                 \cnamedef{scr@tso@#1@indent}{12em}%
24869               }{%
24870                 }{%
24871               }{%
24872             }{%
24873           }{%
24874         }{%
24875       }{%
24876     }{%
24877   }{%
24878 }{%
24879 }{%
24880 }{%
24881   \cnamedef{scr@tso@#1@indent}{\cnameuse{scr@#1@tocindent}}%
24882 }{%
24883 }{%
24884 \cifundefined{scr@tso@#1@numwidth}{%
24885   \cifundefined{scr@#1@tocnumwidth}{%
24886     \Ifstr{#1}{figure}{\cnamedef{scr@tso@#1@numwidth}{2.3em}}{%
24887       \Ifstr{#1}{table}{\cnamedef{scr@tso@#1@numwidth}{2.3em}}{%
24888         \Ifstr{#1}{chapter}{\cnamedef{scr@tso@#1@numwidth}{1.5em}}{%
24889           \scr@undefinedorrelax{chapter}}{%
24890             \Ifstr{#1}{section}{\cnamedef{scr@tso@#1@numwidth}{1.5em}}{%
24891               \Ifstr{#1}{subsection}{\cnamedef{scr@tso@#1@numwidth}{2.3em}}{%
24892                 \Ifstr{#1}{subsubsection}{%
24893                   \cnamedef{scr@tso@#1@numwidth}{3.2em}}{%
24894                 }{%
24895                   \Ifstr{#1}{paragraph}{%
24896                     \cnamedef{scr@tso@#1@numwidth}{4.1em}}{%
24897                   }{%
24898                     \Ifstr{#1}{subparagraph}{%
24899                       \cnamedef{scr@tso@#1@numwidth}{5m}}{%
24900                     }{%
24901                   }{%
24902                 }{%
24903               }{%
24904             }{%
24905           }{%
24906         }{%
24907       \Ifstr{#1}{section}{\cnamedef{scr@tso@#1@numwidth}{2.3em}}{%
24908         \Ifstr{#1}{subsection}{\cnamedef{scr@tso@#1@numwidth}{3.2em}}{%
24909           \Ifstr{#1}{subsubsection}{%
24910             \cnamedef{scr@tso@#1@numwidth}{3.1em}}{%
24911           }{%
24912             \Ifstr{#1}{paragraph}{%
24913               \cnamedef{scr@tso@#1@numwidth}{5em}}{%
24914             }{%

```



```

24915          \Ifstr{#1}{subparagraph}{%
24916              \@namedef{scr@tso@#1@numwidth}{6em}%
24917          }{%
24918          }%
24919          }%
24920          }%
24921          }%
24922          }%
24923          }%
24924          }%
24925          }%
24926          }%
24927      }{%
24928          \@namedef{scr@tso@#1@numwidth}{\@nameuse{scr@#1@tocnumwidth}}%
24929      }%
24930  }{%
24931 }]{%
24932 \ifnum \c@tocdepth > \numexpr \nameuse{#1tocdepth}-\one\relax
24933     \ifnum \nameuse{#1tocdepth}<\one
24934         \scr@ifundefinedorrelax{chapter}{%
24935             \addpenalty\secpenalty
24936             \addvspace{1.0em \oplus \p@}%
24937         }{%
24938             \addpenalty{-\highpenalty}%
24939             \vskip 1.0em \oplus \p@
24940         }%
24941     \else
24942         \addpenalty\secpenalty
24943         \addvspace{1.0em \oplus \p@}%
24944     \fi
24945     \setlength\tempdima{\nameuse{scr@tso@#1@numwidth}}%
24946     \begingroup
24947         \parindent \z@ \bidi@rightskip \pnumwidth
24948         \parfillskip -\pnumwidth
24949         \leavevmode
24950         \bfseries
24951         \advance\bidi@leftskip\tempdima
24952         \iftocfeature{\current}{noindent}{%
24953             \hskip -\bidi@leftskip
24954         }{%
24955             \advance\bidi@leftskip\nameuse{scr@tso@#1@indent}%
24956             \hskip -\dimexpr \bidi@leftskip-\nameuse{scr@tso@#1@indent}\relax
24957         }%
24958         ##1%
24959         \nobreak
24960         \hfil \nobreak\hb@xt@\pnumwidth{\hss ##2}%
24961         \par
24962         \penalty\highpenalty
24963     \endgroup
24964   \fi
24965 }
24966
24967 \bidi@undef\scr@dte@def@l@argetocline
24968 \bidi@undef\scr@dte@argetocline@init

```



```

24969 \DeclareTOCEntryStyle{largetocline}{%
24970   \DefineTOCEntryLengthOption{indent}%
24971   {scr@tso@}{@indent}{entry indent}%
24972 \c@ifundefined{#1tocdepth}{%
24973   \Ifstr{#1}{part}{\c@namedef{#1tocdepth}{-1}}{%
24974     \Ifstr{#1}{chapter}{\c@namedef{#1tocdepth}{0}}{%
24975       \Ifstr{#1}{section}{\c@namedef{#1tocdepth}{1}}{%
24976         \Ifstr{#1}{subsection}{\c@namedef{#1tocdepth}{2}}{%
24977           \Ifstr{#1}{subsubsection}{\c@namedef{#1tocdepth}{3}}{%
24978             \Ifstr{#1}{paragraph}{\c@namedef{#1tocdepth}{4}}{%
24979               \Ifstr{#1}{subparagraph}{\c@namedef{#1tocdepth}{5}}{%
24980                 \Ifstr{#1}{figure}{\c@namedef{#1tocdepth}{1}}{%
24981                   \Ifstr{#1}{table}{\c@namedef{#1tocdepth}{1}}{%
24982                     \expandafter\let\csname #1tocdepth\expandafter\endcsname
24983                     \csname #1numdepth\endcsname
24984                   }%
24985                 }%
24986               }%
24987             }%
24988           }%
24989         }%
24990       }%
24991     }%
24992   }%
24993 }{}}%
24994 \c@ifundefined{scr@tso@#1@indent}{%
24995   \c@ifundefined{scr@#1@tocindent}{%
24996     \Ifstr{#1}{figure}{\c@namedef{scr@tso@#1@indent}{1.5em}}{%
24997       \Ifstr{#1}{table}{\c@namedef{scr@tso@#1@indent}{1.5em}}{%
24998         \Ifstr{#1}{part}{\c@namedef{scr@tso@#1@indent}{0em}}{%
24999           \Ifstr{#1}{chapter}{\c@namedef{scr@tso@#1@indent}{0em}}{%
25000             \scr@ifundefinedorrelax{l@chapter}{%
25001               \Ifstr{#1}{section}{\c@namedef{scr@tso@#1@indent}{0pt}}{%
25002                 \Ifstr{#1}{subsection}{\c@namedef{scr@tso@#1@indent}{1.5em}}{%
25003                   \Ifstr{#1}{subsubsection}{%
25004                     \c@namedef{scr@tso@#1@indent}{3.8em}}%
25005                   }%
25006                   \Ifstr{#1}{paragraph}{%
25007                     \c@namedef{scr@tso@#1@indent}{7em}}%
25008                   }{%
25009                     \Ifstr{#1}{subparagraph}{%
25010                       \c@namedef{scr@tso@#1@indent}{10em}}%
25011                     }{%
25012                     }%
25013                     }%
25014                     }%
25015                     }%
25016                   }%
25017                 }{%
25018                   \Ifstr{#1}{section}{\c@namedef{scr@tso@#1@indent}{1.5em}}{%
25019                     \Ifstr{#1}{subsection}{\c@namedef{scr@tso@#1@indent}{3.8em}}{%
25020                       \Ifstr{#1}{subsubsection}{%
25021                         \c@namedef{scr@tso@#1@indent}{7.0em}}%
25022                       }{%

```



```

25023     \Ifstr{#1}{paragraph}{%
25024         \@namedef{scr@tso@#1@indent}{10em}%
25025     }{%
25026         \Ifstr{#1}{subparagraph}{%
25027             \@namedef{scr@tso@#1@indent}{12em}%
25028         }{%
25029             }%
25030         }%
25031     }%
25032     }%
25033     }%
25034     }%
25035     }%
25036     }%
25037     }%
25038     }%
25039     }{%
25040         \@namedef{scr@tso@#1@indent}{\@nameuse{scr@#1@tocindent}}%
25041     }%
25042     }{%
25043 }]{%
25044     \ifnum \c@tocdepth > \numexpr \nameuse{#1tocdepth}-\one\relax
25045     \ifnum \nameuse{#1tocdepth}<\one
25046         \scr@ifundefinedorrelax{chapter}{%
25047             \addpenalty\secpenalty
25048             \addvspace{2.25em \oplus \p@}%
25049         }{%
25050             \addpenalty{-\highpenalty}%
25051             \addvspace{2.25em \oplus \p@}%
25052         }%
25053     \else
25054         \addpenalty\secpenalty
25055         \addvspace{2.25em \oplus \p@}%
25056     \fi
25057     \setlength{\tempdima}{3em}%
25058     \begingroup
25059         \parindent \z@ \bidi@rightskip \pnumwidth
25060         \parfillskip -\pnumwidth
25061         \leavevmode
25062         \large
25063         \bfseries
25064         \iftocfeature{\current}{noindent}{%
25065             }{%
25066                 \advance\bidi@leftskip\nameuse{scr@tso@#1@indent}%
25067             }%
25068             ##1%
25069             \hfil\nobreak\hb@xt@\pnumwidth{\hss ##2}%
25070             \par
25071             \nobreak
25072             \ifnum 0= \scr@ifundefinedorrelax{chapter}{\if@compatibility 1\else 0\fi}{1}\relax
25073                 \global\nobreaktrue
25074                 \everypar{\global\nobreakfalse\everypar{}}%
25075             \fi
25076         }%

```



```

25077     \endgroup
25078   \fi
25079 }
25080
25081 \renewcommand*{\scr@dte@tocline}[3]{%
25082   \ifnum \c@tocdepth>\c@tocdepth
25083   \else
25084     \tocbasic@DependOnPenaltyAndTOCLevel{#1}%
25085     \addvspace{\c@nameuse{\scr@tso@#1@beforeskip}}\relax
25086     \c@nameuse{Ifscr@tso@#1@dynindent}{%
25087       \expandafter\ifx\csname scr@tso@#1@indentfollows\endcsname\empty
25088         \PackageWarning{tocbasic}{`dynindent' for `#1' not available}%
25089     \else
25090       \edef\reserved@a{\c@nameuse{\scr@tso@#1@indentfollows}}%
25091       \Qfor \reserved@a:=\reserved@a\do {%
25092         \scr@trim@spaces\reserved@a
25093         \ifx\reserved@a\empty\else
25094           \scr@ifundefinedorrelax{\reserved@a tocdepth}{%
25095             }{%
25096               \ifnum \c@nameuse{\reserved@a tocdepth}<\c@nameuse{#1tocdepth}%
25097                 \tempdima\c@nameuse{\scr@tso@\reserved@a \c@indent}\relax
25098                 \c@nameuse{Ifscr@tso@\reserved@a @dynnumwidth}{%
25099                   \scr@ifundefinedorrelax
25100                     {\scr@dte@\reserved@a @lastmaxnumwidth}{%
25101                       \advance\tempdima
25102                         \c@nameuse{\scr@tso@\reserved@a @numwidth}\relax
25103                     }{%
25104                       \advance\tempdima
25105                         \c@nameuse{\scr@dte@\reserved@a @lastmaxnumwidth}\relax
25106                     }%
25107                   }%
25108                   \advance\tempdima
25109                     \c@nameuse{\scr@tso@\reserved@a @numwidth}\relax
25110                   }%
25111                   \ifdim \tempdima>\c@nameuse{\scr@tso@#1@indent}\relax
25112                     \expandafter\edef\csname scr@tso@#1@indent\endcsname
25113                     {\the\tempdima}%
25114                   \fi
25115                 \fi
25116               }%
25117             \fi
25118           }%
25119         \fi
25120       }{%
25121     }%
25122     \Iftocfeature{\currext}{noindent}{%
25123       \bidi@leftskip \z@
25124     }{%
25125       \bidi@leftskip \c@nameuse{\scr@tso@#1@indent}\relax
25126     }%
25127     \bidi@rightskip \c@nameuse{\scr@tso@#1@rightindent}\relax
25128     \parfillskip -\bidi@rightskip
25129     \c@nameuse{Ifscr@tso@#1@raggedpage}{%
25130       \addtolength{\parfillskip}{\z@ \oplus 1fil}%

```



```

25131 }{%
25132 \Iftocfeature{\@currext}{noindent}{%
25133   \parindent \z@
25134 }{%
25135   \parindent \nameuse{scr@tso@#1@indent}\relax
25136 }%
25137 \afterindenttrue
25138 \interlinepenalty\@M
25139 \expandafter\ifx\csname ragged#1entry\endcsname\raggedright
25140   \addtolength\bidi@rightskip\@flushglue
25141 \else
25142   \def\reserved@a{\raggedright}%
25143   \expandafter\ifx\csname ragged#1entry\endcsname\reserved@a
25144     \addtolength\bidi@rightskip\@flushglue
25145 \else
25146   \renewcommand\reserved@a{\raggedright}%
25147   \expandafter\ifx\csname ragged#1entry\endcsname\reserved@a
25148     \addtolength\bidi@rightskip\@flushglue
25149   \fi
25150   \fi
25151 \fi
25152 \leavevmode
25153 \tempdima \nameuse{scr@tso@#1@numwidth}\relax
25154 \nameuse{Ifscr@tso@#1@dynnumwidth}{%
25155   \scr@ifundefinedorrelax{scr@dte@#1@lastmaxnumwidth}{}{%
25156     \ifdim \nameuse{scr@dte@#1@lastmaxnumwidth}>\tempdima
25157       \tempdima \nameuse{scr@dte@#1@lastmaxnumwidth}\relax
25158     \fi
25159   }%
25160 }{%
25161 \advance\bidi@leftskip \tempdima
25162 \null\nobreak\hskip -\bidi@leftskip
25163 }%
25164 \usetocbasicnumberline
25165 \let\scr@dte@numberline@box\numberline@box
25166 \def\numberline@box##1{%
25167   \sbox\scr@dte@tocline@numbox{\nameuse{scr@tso@#1@numberformat}##1}%
25168   \global\scr@dte@tocline@numberwidth
25169   \dimexpr\wd\scr@dte@tocline@numbox+\nameuse{scr@tso@#1@numsep}\relax
25170   \relax
25171   \ifdim \scr@dte@tocline@numberwidth
25172     >\nameuse{scr@dte@#1@maxnumwidth}\relax
25173     \global\nameuse{scr@dte@#1@maxnumwidth}\scr@dte@tocline@numberwidth
25174   \fi
25175 \nameuse{Ifscr@tso@#1@dynnumwidth}{}{%
25176   \ifdim \scr@dte@tocline@numberwidth
25177     >\dimexpr \nameuse{scr@tso@#1@numwidth}%
25178     +\nameuse{scr@tso@#1@numsep}\relax\relax
25179   \PackageWarning{tocbasic}{%
25180     number width of #1 toc entries should be
25181     increased!\MessageBreak
25182     Currently used number width =
25183     \the\wd\scr@dte@tocline@numbox, \MessageBreak
25184     Wanted number separation

```



```

25185           \space\space\space =
25186           \the\dimexpr\@nameuse{scr@tso@#1@numsep}\relax,\MessageBreak
25187           Reserved number width \space\space\space\space\space\space =
25188           \the\dimexpr\@nameuse{scr@tso@#1@numwidth}\relax%
25189       }%
25190   \fi
25191 }%
25192 \scr@dte@numberline@box{\@nameuse{scr@tso@#1@numberformat}{##1}}%
25193 \@nameuse{Ifscr@tso@#1@breakafternumber}{%
25194     {\parfillskip\@flushglue\par}\nobreak\hskip-\bidi@leftskip
25195 }{}%
25196 }%
25197 {\@nameuse{scr@tso@#1@entryformat}{%
25198     #2%
25199     \nobreak
25200 }%
25201     \normalfont\normalsize\@nameuse{scr@tso@#1@linefill}%
25202     \nobreak
25203     \expandafter\let\expandafter\scr@dte@pagenumberwidth
25204     \csname scr@tso@#1@pagenumberwidth\endcsname
25205     \@nameuse{scr@tso@#1@pagenumberbox}{%
25206         \@nameuse{scr@tso@#1@pagenumberformat}{#3}%
25207     }%
25208 }%
25209 }{}\@par
25210 }%
25211 }%
25212 \tocbasic@SetPenaltyByTOCLevel{#1}%
25213 \fi
25214 }%
25215
25216
25217 \bidi@undef\scr@dte@def@l@tocline
25218 \bidi@undef\scr@dte@tocline@init
25219 \DeclareTOCEntryStyle{tocline}[{%
25220     \DefineTOCEntryLengthOption{beforeskip}{%
25221         {scr@tso@}{@beforeskip}{vertical skip before the entry}%
25222     \DefineTOCEntryIfOption{breakafternumber}{%
25223         {scr@tso@}{@breakafternumber}{line break after number flag}%
25224     \DefineTOCEntryIfOption{dynnumwidth}{%
25225         {scr@tso@}{@dynnumwidth}{dynamic number width flag}%
25226     \DefineTOCEntryListOption{indentfollows}{%
25227         {scr@tso@}{@indentfollows}{list of levels that define the indent}%
25228     \DefineTOCEntryIfOption{dynindent}{%
25229         {scr@tso@}{@dynindent}{dynamic indent width flag}%
25230     \DefineTOCEntryCommandOption{entryformat}{%
25231         {scr@tso@}{@entryformat}{[1]{entry format}}%
25232     \DefineTOCEntryCommandOption{entrynumberformat}{%
25233         {scr@tso@}{@numberformat}{[1]{entry number format}}%
25234     \DefineTOCEntryCommandOption{linefill}{[\TOCLineLeaderFill]}%
25235         {scr@tso@}{@linefill}{filling between text and page number}%
25236     \DefineTOCEntryLengthOption{numsep}{%
25237         {scr@tso@}{@numsep}{entry number separation}%
25238     \DefineTOCEntryCommandOption{onstarhigherlevel}{%

```



```

25239 {scr@tso@}{@LastTOCLevelWasLower}{start higher level entry hook}%
25240 \DefineTOCEEntryCommandOption{onstartlowerlevel}%
25241 {scr@tso@}{@LastTOCLevelWasHigher}{start lower level entry hook}%
25242 \DefineTOCEEntryCommandOption{onstartsamelevel}%
25243 {scr@tso@}{@LastTOCLevelWasSame}{start same level entry hook}%
25244 \DefineTOCEEntryCommandOption{pagenumberbox}%
25245 {scr@tso@}{@pagenumberbox}[1]{page number box}%
25246 \DefineTOCEEntryCommandOption{pagenumberformat}%
25247 {scr@tso@}{@pagenumberformat}[1]{page number format}%
25248 \DefineTOCEEntryLengthOption{pagenumberwidth}%
25249 {scr@tso@}{@pagenumberwidth}{width of page number box}%
25250 \DefineTOCEEntryLengthOption{rightindent}%
25251 {scr@tso@}{@rightindent}{entry's text right indent}%
25252 \DefineTOCEEntryOption{raggedentrytext}[true]{%
25253 \FamilySetBool{KOMAarg}{raggedentrytext}{@tempswa}{##1}%
25254 \ifx\FamilyKeyState\FamilyKeyStateProcessed
25255 \if@tempswa
25256 \expandafter\let\csname ragged\scr@dte@current entry\endcsname
25257 \raggedright
25258 \else
25259 \expandafter\let\csname ragged\scr@dte@current entry\endcsname
25260 \relax
25261 \fi
25262 \fi
25263 }%
25264 \DefineTOCEEntryIfOption{raggedpagenumber}%
25265 {scr@tso@}{@raggedpage}{page number ragged flag}%
25266 \DefineTOCEEntryLengthOption{indent}%
25267 {scr@tso@}{@indent}{entry indent}%
25268 \DefineTOCEEntryLengthOption{numwidth}%
25269 {scr@tso@}{@numwidth}{entry number width}%
25270 \scr@ifundefinedorrelax{#1tocdepth}{%
25271 \Ifstrstart{#1}{sub}{%
25272 \scr@ifundefinedorrelax{\scr@dte@nosub{#1}tocdepth}{}{%
25273 \expandafter\edef\csname #1tocdepth\endcsname{%
25274 \the\numexpr \noexpand\@nameuse{\scr@dte@nosub{#1}tocdepth}+\@ne\relax
25275 }%
25276 }%
25277 }{%
25278 }{%
25279 \scr@ifundefined{#1tocdepth}{%
25280 \Ifstr{#1}{part}{\@namedef{#1tocdepth}{-1}}{%
25281 \Ifstr{#1}{chapter}{\@namedef{#1tocdepth}{0}}{%
25282 \Ifstr{#1}{section}{\@namedef{#1tocdepth}{1}}{%
25283 \Ifstr{#1}{subsection}{\@namedef{#1tocdepth}{2}}{%
25284 \Ifstr{#1}{subsubsection}{\@namedef{#1tocdepth}{3}}{%
25285 \Ifstr{#1}{paragraph}{\@namedef{#1tocdepth}{4}}{%
25286 \Ifstr{#1}{ subparagraph}{\@namedef{#1tocdepth}{5}}{%
25287 \Ifstr{#1}{figure}{\@namedef{#1tocdepth}{1}}{%
25288 \Ifstr{#1}{table}{\@namedef{#1tocdepth}{1}}{%
25289 \expandafter\let\csname #1tocdepth\expandafter\endcsname
25290 \csname #1numdepth\endcsname
25291 }%
25292 }%

```



```

25293      }%
25294      }%
25295      }%
25296      }%
25297      }%
25298      }%
25299      }%
25300 }{%
25301 \scr@ifundefinedorrelax{\scr@tso@#1@indent}{%
25302   \@ifundefined{\scr@#1@tocindent}{%
25303     \Ifstrstart{\#1}{sub}{%
25304       \scr@ifundefinedorrelax{\scr@tso@{\scr@dte@nosub{\#1}@indent}{%
25305         \scr@ifundefinedorrelax{\scr@tso@{\scr@dte@nosub{\#1}@numwidth}{%
25306           \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
25307             \glueexpr \noexpand\@nameuse{\scr@tso@\scr@dte@nosub{\#1}@numwidth}%
25308             \relax
25309           }%
25310         }%
25311       }{%
25312         \scr@ifundefinedorrelax{\scr@tso@{\scr@dte@nosub{\#1}@numwidth}{%
25313           \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
25314             \glueexpr \noexpand\@nameuse{\scr@tso@\scr@dte@nosub{\#1}@indent}%
25315             \relax
25316           }%
25317         }{%
25318           \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
25319             \glueexpr \noexpand\@nameuse{\scr@tso@\scr@dte@nosub{\#1}@indent}%
25320               +\noexpand\@nameuse{\scr@tso@\scr@dte@nosub{\#1}@numwidth}%
25321             \relax
25322           }%
25323         }%
25324       }%
25325     }{%
25326   }{%
25327     \@namedef{\scr@tso@#1@indent}{\@nameuse{\scr@#1@tocindent}}%
25328   }%
25329 }{%
25330 \scr@ifundefinedorrelax{\scr@tso@#1@pagewidth}{%
25331   \Ifstrstart{\#1}{sub}{%
25332     \scr@ifundefinedorrelax{\scr@tso@{\scr@dte@nosub{\#1}@pagewidth}{%
25333       \@namedef{\scr@tso@#1@pagewidth}{\@pnumwidth}%
25334     }{%
25335       \expandafter\let
25336       \csname scr@tso@#1@pagewidth\expandafter\endcsname
25337       \csname scr@tso@\scr@dte@nosub{\#1}@pagewidth\endcsname
25338     }%
25339   }{%
25340     \@namedef{\scr@tso@#1@pagewidth}{\@pnumwidth}%
25341   }%
25342 }{%
25343 \scr@ifundefinedorrelax{\scr@tso@#1@rightindent}{%
25344   \Ifstrstart{\#1}{sub}{%
25345     \scr@ifundefinedorrelax{\scr@tso@{\scr@dte@nosub{\#1}@rightindent}{%
25346       \@namedef{\scr@tso@#1@rightindent}{\@tocrmarg}%

```



```

25347 }{%
25348   \expandafter\let
25349   \csname scr@tso@#1@rightindent\expandafter\endcsname
25350   \csname scr@tso@\scr@dte@nosub{#1}@rightindent\endcsname
25351 }%
25352 }{%
25353   \cnamedef{scr@tso@#1@rightindent}{\@tocrmarg}%
25354 }%
25355 }{%
25356 \cifundefined{scr@tso@#1@indent}{%
25357   \Ifstr{#1}{figure}{\cnamedef{scr@tso@#1@indent}{1.5em}}{%
25358     \Ifstr{#1}{table}{\cnamedef{scr@tso@#1@indent}{1.5em}}{%
25359       \Ifstr{#1}{part}{\cnamedef{scr@tso@#1@indent}{0em}}{%
25360         \Ifstr{#1}{chapter}{\cnamedef{scr@tso@#1@indent}{0em}}{%
25361           \scr@ifundefinedorrelax{l@chapter}{%
25362             \Ifstr{#1}{section}{\cnamedef{scr@tso@#1@indent}{0pt}}{%
25363               \Ifstr{#1}{subsection}{\cnamedef{scr@tso@#1@indent}{1.5em}}{%
25364                 \Ifstr{#1}{subsubsection}{%
25365                   \cnamedef{scr@tso@#1@indent}{3.8em}}%
25366 }{%
25367               \Ifstr{#1}{paragraph}{%
25368                 \cnamedef{scr@tso@#1@indent}{7em}}%
25369 }{%
25370               \Ifstr{#1}{subparagraph}{%
25371                 \cnamedef{scr@tso@#1@indent}{10em}}%
25372 }{%
25373               }%
25374             }%
25375           }%
25376         }%
25377       }%
25378     }{%
25379       \Ifstr{#1}{section}{\cnamedef{scr@tso@#1@indent}{1.5em}}{%
25380         \Ifstr{#1}{subsection}{\cnamedef{scr@tso@#1@indent}{3.8em}}{%
25381           \Ifstr{#1}{subsubsection}{%
25382             \cnamedef{scr@tso@#1@indent}{7.0em}}%
25383 }{%
25384           \Ifstr{#1}{paragraph}{%
25385             \cnamedef{scr@tso@#1@indent}{10em}}%
25386 }{%
25387           \Ifstr{#1}{subparagraph}{%
25388             \cnamedef{scr@tso@#1@indent}{12em}}%
25389 }{%
25390           }%
25391         }%
25392       }%
25393     }%
25394   }%
25395 }%
25396 }%
25397 }%
25398 }%
25399 }%
25400 }{%

```



```

25401 \scr@ifundefinedorrelax{scr@tso@#1@numwidth}{%
25402   \scr@ifundefinedorrelax{scr@#1@tocnumwidth}{%
25403     \Ifstrstart{#1}{sub}{%
25404       \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@numwidth}{}{%
25405         \expandafter\edef\csname scr@tso@#1@numwidth\endcsname{%
25406           \glueexpr \noexpand\cnameuse{scr@tso@\scr@dte@nosub{#1}@numwidth}}%{%
25407           +.9em%}
25408         \relax
25409       }%
25410     }%
25411   }{%
25412   }{%
25413     \cnamedef{scr@tso@#1@numwidth}{\cnameuse{scr@#1@tocnumwidth}}%
25414   }%
25415 }{%
25416 @ifundefined{scr@tso@#1@numwidth}{%
25417   \Ifstr{#1}{figure}{\cnamedef{scr@tso@#1@numwidth}{2.3em}}{%
25418     \Ifstr{#1}{table}{\cnamedef{scr@tso@#1@numwidth}{2.3em}}{%
25419       \Ifstr{#1}{chapter}{\cnamedef{scr@tso@#1@numwidth}{1.5em}}{%
25420         \scr@ifundefinedorrelax{chapter}{%
25421           \Ifstr{#1}{section}{\cnamedef{scr@tso@#1@numwidth}{1.5em}}{%
25422             \Ifstr{#1}{subsection}{\cnamedef{scr@tso@#1@numwidth}{2.3em}}{%
25423               \Ifstr{#1}{subsubsection}{%
25424                 \cnamedef{scr@tso@#1@numwidth}{3.2em}}%
25425               }{%
25426                 \Ifstr{#1}{paragraph}{%
25427                   \cnamedef{scr@tso@#1@numwidth}{4.1em}}%
25428               }{%
25429                 \Ifstr{#1}{ subparagraph}{%
25430                   \cnamedef{scr@tso@#1@numwidth}{5m}}%
25431                 }{%
25432                   }%
25433                 }%
25434               }%
25435             }%
25436           }%
25437         }{%
25438           \Ifstr{#1}{section}{\cnamedef{scr@tso@#1@numwidth}{2.3em}}{%
25439             \Ifstr{#1}{subsection}{\cnamedef{scr@tso@#1@numwidth}{3.2em}}{%
25440               \Ifstr{#1}{subsubsection}{%
25441                 \cnamedef{scr@tso@#1@numwidth}{3.1em}}%
25442               }{%
25443                 \Ifstr{#1}{paragraph}{%
25444                   \cnamedef{scr@tso@#1@numwidth}{5em}}%
25445               }{%
25446                 \Ifstr{#1}{ subparagraph}{%
25447                   \cnamedef{scr@tso@#1@numwidth}{6em}}%
25448               }{%
25449                 }%
25450               }%
25451             }%
25452           }%
25453         }%
25454       }%

```



```

25455      }%
25456      }%
25457      }%
25458  }{ }%
25459  \expandafter\renewcommand%
25460  \csname scr@tso@#1@LastTOCLevelWasLower\endcsname{\LastTOCLevelWasLower}%
25461  \expandafter\renewcommand%
25462  \csname scr@tso@#1@LastTOCLevelWasSame\endcsname{\LastTOCLevelWasSame}%
25463  \expandafter\renewcommand%
25464  \csname scr@tso@#1@LastTOCLevelWasHigher\endcsname{\LastTOCLevelWasHigher}%
25465  \@ifundefined{scr@tso@#1@beforeskip}{%
25466    \Ifstr{#1}{part}{%
25467      \namedef{scr@tso@#1@beforeskip}{\glueexpr 2.25em \oplus p@relax}%
25468    }{%
25469      \Ifstr{#1}{chapter}{%
25470        \namedef{scr@tso@#1@beforeskip}{\glueexpr 1.0em \oplus p@relax}%
25471      }{%
25472        \Ifstr{#1}{section}{%
25473          \scr@ifundefinedorrelax{l@chapter}{%
25474            \namedef{scr@tso@#1@beforeskip}{\glueexpr 1.0em \oplus p@relax}%
25475          }{ }%
25476        }{ }%
25477      }{ }%
25478    }{ }%
25479    \expandafter\renewcommand\expandafter*%
25480    \csname scr@tso@#1@beforeskip\endcsname{\glueexpr \z@ plus .2p@relax}%
25481  }{ }%
25482  \@ifundefined{scr@dte@#1@maxnumwidth}{%
25483    \expandafter\newlength\csname scr@dte@#1@maxnumwidth\endcsname
25484    \setlength{\nameuse{scr@dte@#1@maxnumwidth}}{\z@}%
25485  }{ }%
25486  \renewcommand*{\scr@dte@donumwidth}{ }%
25487  \g@addto@macro{\scr@dte@donumwidth}{\do{#1}}%
25488  \expandafter\renewcommand\expandafter*%
25489  \csname scr@tso@#1@numsep\endcsname{.4em}%
25490  \expandafter\renewcommand%
25491  \csname scr@tso@#1@numberformat\endcsname[1]{##1}%
25492  \Ifstr{#1}{part}{%
25493    \expandafter\providecommand%
25494    \csname scr@tso@#1@entryformat\endcsname[1]{\large\bfseries ##1}%
25495  }{ }%
25496  \Ifstr{#1}{chapter}{%
25497    \expandafter\providecommand%
25498    \csname scr@tso@#1@entryformat\endcsname[1]{\bfseries ##1}%
25499  }{ }%
25500  \scr@ifundefinedorrelax{l@chapter}{%
25501    \Ifstr{#1}{section}{%
25502      \expandafter\providecommand%
25503      \csname scr@tso@#1@entryformat\endcsname[1]{\bfseries ##1}%
25504    }{ }%
25505  }{ }%
25506  \expandafter\providecommand%
25507  \csname scr@tso@#1@entryformat\endcsname[1]{##1}%
25508 }%

```



```

25509 }%
25510 \expandafter\renewcommand
25511 \csname Ifscr@tso@#1@breakafternumber\endcsname[2]{##2}%
25512 \@ifundefined{scr@tso@#1@linefill}{%
25513   \Ifstr{#1}{part}{%
25514     \namedef{scr@tso@#1@linefill}{\hfill}%
25515   }{%
25516     \Ifstr{#1}{chapter}{%
25517       \namedef{scr@tso@#1@linefill}{\hfill}%
25518     }{%
25519       \scr@ifundefinedorrelax{l@chapter}{%
25520         \Ifstr{#1}{section}{%
25521           \namedef{scr@tso@#1@linefill}{\hfill}%
25522         }{%
25523           \{}%
25524           \expandafter\renewcommand%
25525             \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
25526         }{%
25527       }{%
25528     }{%
25529     \expandafter\renewcommand\csname Ifscr@tso@#1@raggedpage\endcsname[2]{##2}%
25530   \Ifstr{#1}{part}{%
25531     \expandafter\providecommand%
25532       \csname scr@tso@#1@pagenumberformat\endcsname[1]{\large\bfseries ##1}%
25533   }{%
25534     \Ifstr{#1}{chapter}{%
25535       \expandafter\providecommand%
25536       \csname scr@tso@#1@pagenumberformat\endcsname[1]{\bfseries ##1}%
25537     }{%
25538       \scr@ifundefinedorrelax{l@chapter}{%
25539         \Ifstr{#1}{section}{%
25540           \expandafter\providecommand%
25541           \csname scr@tso@#1@pagenumberformat\endcsname[1]{\bfseries ##1}%
25542         }{%
25543           \{}%
25544           \expandafter\providecommand%
25545           \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
25546             {\normalfont\normalcolor ##1}}%
25547         }{%
25548       }{%
25549       \expandafter\renewcommand%
25550       \csname scr@tso@#1@pagenumberbox\endcsname[1]{%
25551         \hb@xt@{\nameuse{scr@tde@pagenumberwidth}}{\hfil ##1}}%
25552       \expandafter\renewcommand\csname Ifscr@tso@#1@dynnumwidth\endcsname[2]{##2}%
25553       \expandafter\renewcommand\csname Ifscr@tso@#1@dynindent\endcsname[2]{##2}%
25554       \scr@ifundefinedorrelax{scr@tso@#1@indentfollows}{%
25555         \Ifstrstart{#1}{sub}{%
25556           \expandafter\edef\csname scr@tso@#1@indentfollows\endcsname{%
25557             \scr@tde@nosub{#1}}%
25558           \{}%
25559         }{%
25560           \expandafter\let\csname scr@tso@#1@indentfollows\endcsname\empty%
25561         }{%
25562       }{%

```



```

25563 }]{{%
25564   \scr@dte@tocline{#1}{##1}{##2}%
25565 }
25566
25567 \if@bidi@csdef{scr@tso@figure@pagenumberformat}{%
25568   \renewcommand*{\scr@tso@figure@pagenumberformat}[1]{%
25569     {\normalfont\normalcolor #1}%
25570   }%
25571 }{}}
25572
25573 \if@bidi@csdef{scr@tso@table@pagenumberformat}{%
25574   \renewcommand*{\scr@tso@table@pagenumberformat}[1]{%
25575     {\normalfont\normalcolor #1}%
25576   }%
25577 }{}}
25578

```

## 158 File tocstyle-xetex-bidi.def

```

25579 \ProvidesFile{tocstyle-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for tocstyle package]
25580 \renewcommand*{\tocstyle@dottedtocline}[5]{%
25581   \let\numberline\tocstyle@numberline
25582   \ifnum #1>\c@tocdepth \else
25583     \if@tocstyle@penalties
25584       \begingroup
25585         \tempcnta 20010
25586         \advance \tempcnta by -#1
25587         \ifnum \tempcnta>\lastpenalty
25588           \aftergroup\penalty\aftergroup\lowpenalty
25589         \fi
25590       \endgroup
25591     \fi
25592     \edef\tocstyledepth{#1}%
25593     \tocstyle@activate@features
25594     \ifx\tocstyle@feature@entryvskip\relax
25595       \vskip \z@ \plus.2\p@
25596     \else
25597       \addvspace{\tocstyle@feature@entryvskip}%
25598     \fi
25599   }%
25600   \parskip \z@ \parindent \z@ \if@RTL\rightskip\else\leftskip\fi \z@ \if@RTL\leftskip\el
25601   \tocstyle@feature@raggedhook
25602   \tempdima #3\relax
25603   \tempdimb #2\relax
25604   \typeout{m (\tocstyleTOC, \tocstyledepth): \the\tempdima}%
25605   \ifnum #1>\z@\relax
25606     \tempcnta #1\relax \advance\tempcnta \m@ne
25607     \ifcsname tocstyle@skipwidth@\tocstyleTOC @\the\tempcnta\endcsname
25608       \ifcsname tocstyle@numwidth@\tocstyleTOC @\the\tempcnta\endcsname
25609         \tempdimb
25610         \csname tocstyle@skipwidth@\tocstyleTOC @\the\tempcnta\endcsname
25611         \advance\tempdimb
25612         \csname tocstyle@numwidth@\tocstyleTOC @\the\tempcnta\endcsname
25613     \fi

```



```

25614     \fi
25615   \fi
25616   \typeout{C (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
25617   \ifcsname tocstyle@skipwidth@\tocstyleTOC @#1\endcsname
25618     \ifdim \@tempdimb>
25619       \csname tocstyle@skipwidth@\tocstyleTOC @#1\endcsname\relax
25620         \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
25621           @#1\endcsname{\the\@tempdimb}%
25622     \fi
25623   \else
25624     \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
25625       @#1\endcsname{\the\@tempdimb}%
25626   \fi
25627   \iftocstyle@autolength
25628     \ifcsname tocstyle@maxskipwidth@\tocstyleTOC @#1\endcsname
25629       \atempdimb \csname tocstyle@maxskipwidth@\tocstyleTOC @#1\endcsname
25630         \relax
25631     \fi
25632     \ifcsname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
25633       \atempdima \csname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
25634         \relax
25635     \fi
25636     \typeout{a (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
25637     \typeout{A (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
25638   \else
25639     \atempdimb #2\relax
25640     \typeout{M (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
25641   \fi
25642   \ifcsname tocstyle@unumwidth@\tocstyleTOC @\endcsname
25643     \ifdim \@tempdima>
25644       \csname tocstyle@unumwidth@\tocstyleTOC @\endcsname\relax
25645         \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
25646           @\endcsname{\the\@tempdima}%
25647     \fi
25648   \else
25649     \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
25650       @\endcsname{\the\@tempdima}%
25651   \fi
25652   \ifcase\tocstyle@indentstyle\relax\else
25653     \atempdimb \z@%
25654     \ifcsname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
25655       \atempdima \csname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
25656         \relax
25657     \fi
25658     \typeout{s (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
25659     \typeout{S (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
25660   \fi
25661   \advance\parindent \atempdimb\@afterindenttrue
25662   \advance\if@RTL\rightskip\else\leftskip\fi \parindent
25663   \advance\if@RTL\leftskip\else\rightskip\fi \tocrmarg
25664   \parfillskip -\if@RTL\leftskip\else\rightskip\fi
25665   \ifx\tocstyle@feature@parfillskip\relax\else
25666     \advance\parfillskip \tocstyle@feature@parfillskip\relax
25667   \fi

```



```

25668 \interlinepenalty\@M
25669 \leavevmode
25670 \advance\if@RTL\rightskip\else\leftskip\fi \tempdima
25671 \null\nobreak
25672 \iftocstyle@indentnotnumbered\else
25673   \hskip -\if@RTL\rightskip\else\leftskip\fi
25674 \fi
25675 \tocstyle@feature@entryhook
25676 {#4}\nobreak
25677 \ifx\tocstyle@feature@leaders\relax
25678   \leaders\hbox{\m@th
25679     \mkern \dotsep mu\hbox{\tocstyle@feature@dothook .}%
25680     \mkern \dotsep mu}\hfill
25681 \else
25682   \tocstyle@feature@leaders
25683 \fi
25684 \nobreak
25685 \ifx\tocstyle@feature@pagenumberbox\relax
25686   \hb@xt@\pnumwidth{\hfil\tocstyle@feature@pagenumberhook #5}%
25687 \else
25688   \tocstyle@feature@pagenumberbox{\tocstyle@feature@pagenumberhook #5}%
25689 \fi
25690 \par
25691 }%
25692 \if@tocstyle@penalties
25693   \bgroup
25694     \tempcnta 20009
25695     \advance\tempcnta by -#1
25696     \edef\reserved@a{\egroup\penalty\the\tempcnta\relax}%
25697   \reserved@a
25698 \fi
25699 \fi}
25700 \renewcommand*\tocstyle@numberline}[1]{%
25701 \begingroup
25702   \ifx\tocstyle@feature@spaceafternumber\relax
25703     \settowidth\tempdima{\tocstyle@numberline{#1}\enskip}%
25704   \else
25705     \settowidth\tempdima{\tocstyle@numberline{#1}}%
25706     \advance \tempdima \tocstyle@feature@spaceafternumber\relax
25707   \fi
25708 \ifcsname tocstyle@numwidth@tocstyleTOC @tocstyledepth\endcsname
25709   \ifdim \tempdima >
25710     \csname tocstyle@numwidth@tocstyleTOC @tocstyledepth\endcsname\relax
25711     \expandafter\xdef\csname tocstyle@numwidth@tocstyleTOC
25712       @tocstyledepth\endcsname{\the\tempdima}%
25713   \fi
25714 \else
25715   \expandafter\xdef\csname tocstyle@numwidth@tocstyleTOC
25716     @tocstyledepth\endcsname{\the\tempdima}%
25717   \fi
25718 \endgroup
25719 \iftocstyle@indentnotnumbered
25720   \hskip -\if@RTL\rightskip\else\leftskip\fi
25721 \fi

```



```

25722 \ifcase \tocstyle@indentstyle
25723   \hb@xt@\tempdima{\tocstyle@@numberline{#1}\hfil}%
25724 \or
25725   \hb@xt@\tempdima{\tocstyle@@numberline{#1}\hfil}%
25726 \else
25727   \ifx\tocstyle@feature@spaceafternumber\relax
25728     \hbox{\tocstyle@@numberline{#1}\enskip}%
25729   \else
25730     \hbox{\tocstyle@@numberline{#1}\hskip
25731       \tocstyle@feature@spaceafternumber\relax}%
25732   \fi
25733 \fi
25734 }
25735 \AtBeginDocument{%
25736   \ifcsname l@part\endcsname
25737     \ifcsname l@chapter\endcsname
25738       \setbox\tempboxa\vbox{\hsize\maxdimen
25739         \l@part{\tocstyle@l@define{part}{-1}}{}}
25740     \else
25741       \setbox\tempboxa\vbox{\hsize\maxdimen
25742         \l@part{\tocstyle@l@define{part}{0}}{}}
25743     \fi
25744   \fi
25745   \ifcsname l@chapter\endcsname
25746     \setbox\tempboxa\vbox{\hsize\maxdimen
25747       \l@chapter{\tocstyle@l@define{chapter}{0}}{}}
25748   \fi
25749   \ifcsname l@section\endcsname
25750     \setbox\tempboxa\vbox{\hsize\maxdimen
25751       \l@section{\tocstyle@l@define{section}{1}}{}}
25752   \fi
25753   \ifcsname l@subsection\endcsname
25754     \setbox\tempboxa\vbox{\hsize\maxdimen
25755       \l@subsection{\tocstyle@l@define{subsection}{2}}{}}
25756   \fi
25757   \ifcsname l@subsubsection\endcsname
25758     \setbox\tempboxa\vbox{\hsize\maxdimen
25759       \l@subsubsection{\tocstyle@l@define{subsubsection}{3}}{}}
25760   \fi
25761   \ifcsname l@paragraph\endcsname
25762     \setbox\tempboxa\vbox{\hsize\maxdimen
25763       \l@paragraph{\tocstyle@l@define{paragraph}{4}}{}}
25764   \fi
25765   \ifcsname l@ subparagraph\endcsname
25766     \setbox\tempboxa\vbox{\hsize\maxdimen
25767       \l@ subparagraph{\tocstyle@l@define{subparagraph}{5}}{}}
25768   \fi
25769   \ifcsname l@table\endcsname
25770     \setbox\tempboxa\vbox{\hsize\maxdimen
25771       \l@table{\tocstyle@l@define{table}{1}}{}}
25772   \fi
25773   \ifcsname l@figure\endcsname
25774     \setbox\tempboxa\vbox{\hsize\maxdimen
25775       \l@figure{\tocstyle@l@define{figure}{1}}{}}

```



```

25776 \fi
25777 \def\@tempa#1#2#3#4#5{%
25778   \ifnum #1>\c@tocdepth \else
25779     \vskip \z@ \p@plus.2\p@
25780     \if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \c@tocr
25781     \parindent #2\relax\@afterindenttrue
25782     \interlinepenalty\@M
25783     \leavevmode
25784     \c@tempdima #3\relax
25785     \advance\if@RTL\rightskip\else\leftskip\fi \c@tempdima \null\nobreak\hskip -\if@RTL\ri
25786     \nobreak
25787     \leaders\hbox{$\m@th
25788       \mkern \c@dotsep mu\hbox{.}\mkern \c@dotsep
25789       mu$}\hfill
25790     \nobreak
25791     \hb@xt@\c@pnumwidth{{\hfil \normalfont \normalcolor #5}}%
25792     \par}%
25793   \fi}%
25794 \ifx\@dottedtocline\@tempa\else
25795   \tocstyle@macrochangenwarning\@dottedtocline
25796 \fi
25797 \let\tocstyle@saved@dottedtocline\@dottedtocline
25798 \def\@tempa#1{\hb@xt@\c@tempdima{#1\autodot\hfil}}%
25799 \ifx\numberline\@tempa\else
25800   \def\@tempa#1{\hb@xt@\c@tempdima{#1\hfil}}%
25801   \ifx\numberline\@tempa\else
25802     \tocstyle@macrochangenwarning\numberline
25803   \fi
25804 \fi
25805 \let\tocstyle@saved@numberline\numberline
25806 }
25807 \renewcommand*\@tocstyle@l@define}[2]{%
25808   \advance\if@RTL\rightskip\else\leftskip\fi -\c@tempdima
25809   \edef\@tempa{%
25810     \noexpand\global\noexpand\let
25811     \expandafter\noexpand\csname tocstyle@saved@l@#1\endcsname
25812     \expandafter\noexpand\csname l@#1\endcsname
25813     \noexpand\gdef
25814     \expandafter\noexpand\csname tocstyle@l@#1\endcsname{%
25815       \noexpand\@dottedtocline{#2}{\the\if@RTL\rightskip\else\leftskip\fi}{\the\c@tempdima}}%
25816     \noexpand\g@addto@macro\noexpand\tocstyle@activate@all@l{%
25817       \noexpand\let\expandafter\noexpand\csname l@#1\endcsname
25818       \expandafter\noexpand\csname tocstyle@l@#1\endcsname
25819     }%
25820   }%
25821   \PackageInfo{tocstyle}{prepare \expandafter\string
25822     \csname l@#1\endcsname\space for redefinition}%
25823   \@tempa
25824 }

```

## 159 File todonotes-xetex-bidi.def

```

25825 \ProvidesFile{todonotes-xetex-bidi.def}[2016/11/08 v0.4 bidi adaptations for todonotes packa
25826 \newif\if@bidi\if@todonotes@textdirection@RTL

```



```

25827 \newif\if@bidi@todonotes@figposition@right
25828 \newcommand{\@bidi@todonotes@align}{}
25829 \define@key{todonotes}{align}{\renewcommand{\@bidi@todonotes@align}{#1}}
25830 \newcommand{\@bidi@todonotes@textdirection}{}
25831 \define@choicekey{todonotes}{textdirection}[\bidi@todonotes@tempa\bidi@todonotes@tempb]{right,
25832   \ifcase\bidi@todonotes@tempb\relax
25833     \@bidi@todonotes@textdirection@RTLtrue
25834     \let\@bidi@todonotes@textdirection\RLE
25835   \or
25836     \@bidi@todonotes@textdirection@RTLfalse
25837     \let\@bidi@todonotes@textdirection\LRE
25838   \fi}
25839 \define@choicekey{todonotes}{figposition}[\bidi@todonotes@tempa\bidi@todonotes@tempb]{right,
25840   \ifcase\bidi@todonotes@tempb\relax
25841     \@bidi@todonotes@figposition@righttrue
25842   \or
25843     \@bidi@todonotes@figposition@rightfalse
25844   \fi}
25845 \if@todonotes@disabled%
25846 \else % \if@todonotes@disabled
25847 \renewcommand{\@todonotes@drawInlineNote}{%
25848   \if@todonotes@dviStyle%
25849     {\par\noindent\begin{tikzpicture}[remember picture]%
25850       \draw node[inlinenotestyle] {};\end{tikzpicture}\par}%
25851     \if@todonotes@authorgiven%
25852       {\noindent \@todonotes@sizecommand \@todonotes@author:\,,\@todonotes@text}%
25853     \else%
25854       {\noindent \@todonotes@sizecommand \@todonotes@text}%
25855     \fi
25856     {\par\noindent\begin{tikzpicture}[remember picture]%
25857       \draw node[inlinenotestyle] {};\end{tikzpicture}\par}%
25858   \else%
25859     {\par\noindent\begin{tikzpicture}[remember picture]%
25860       \if@bidi@todonotes@textdirection@RTL\setRTL\fi%
25861       \draw node[inlinenotestyle,font=\@todonotes@sizecommand,align=\@bidi@todonotes@align]%
25862         \if@todonotes@authorgiven%
25863           {\noindent \@todonotes@sizecommand \@todonotes@author:\,,\@todonotes@text}%
25864         \else%
25865           {\noindent \@todonotes@sizecommand \@todonotes@text}%
25866         \fi;}%
25867     \end{tikzpicture}\par}%
25868   \fi}%
25869 \renewcommand{\@todonotes@drawMarginNoteWithLine}{%
25870 \begin{tikzpicture}[remember picture, overlay, baseline=-0.75ex]%
25871   \node [coordinate] (inText) {};%
25872 \end{tikzpicture}%
25873 \marginpar[{\% Draw note in left margin
25874   \@todonotes@drawMarginNote%
25875   \if@RTL\@todonotes@drawLineToRightMargin\else\@todonotes@drawLineToLeftMargin\fi%
25876 }]{\% Draw note in right margin
25877   \@todonotes@drawMarginNote%
25878   \if@RTL\@todonotes@drawLineToLeftMargin\else\@todonotes@drawLineToRightMargin\fi%
25879 }%
25880 }%

```



```

25881 \renewcommand{\@todonotes@drawMarginNote}{%
25882 \if@todonotes@dviStyle%
25883   \begin{tikzpicture}[remember picture]%
25884     \draw node[notestyle] {};%
25885   \end{tikzpicture}\%
25886   \begin{minipage}{\@todonotes@textwidth}%
25887     \if@todonotes@authorgiven%
25888       \@todonotes@sizecommand \@todonotes@author \@todonotes@text%
25889     \else%
25890       \@todonotes@sizecommand \@todonotes@text%
25891     \fi%
25892   \end{minipage}\%
25893   \begin{tikzpicture}[remember picture]%
25894     \draw node[notestyle] (inNote) {};%
25895   \end{tikzpicture}%
25896 \else%
25897   \let\originalHbadness\hbadness%
25898   \hbadness 100000%
25899   \begin{tikzpicture}[remember picture,baseline=(X.base)]%
25900     \if@bidi@todonotes@textdirection@RTL\setRTL\fi%
25901     \node(X){\vphantom{X}};%
25902     \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes@text]{\@todonotes@text};%
25903   \if@todonotes@authorgiven%
25904     \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes@text]{\@todonotes@text\@bidi@todonotes@author};%
25905   \else%
25906     \node(Y)[below=of X]{};%
25907     \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes@text]{\@todonotes@text};%
25908   \else%
25909     \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes@text]{\@todonotes@text};%
25910   \else%
25911     \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes@text]{\@todonotes@text};%
25912   \fi%
25913   \end{tikzpicture}%
25914   \hbadness \originalHbadness%
25915 \fi}%
25916 \fi}%
25917 \renewcommand{\missingfigure}[2][]{%
25918 \setkeys{todonotes}{#1}%
25919 \addcontentsline{tdo}{todo}{\@todonotes@MissingFigureText: #2}%
25920 \par
25921 \noindent
25922 \begin{tikzpicture}
25923 \draw[fill=\@todonotes@currentfigcolor, draw = black!40, line width=2pt]
25924   (-2, -2.5) rectangle +(\@todonotes@currentfigwidth, \@todonotes@currentfigheight);
25925 \if@bidi@todonotes@figposition@right%
25926 \begin{scope}[xshift=\@todonotes@currentfigwidth-4cm]
25927 \fi%
25928 \draw[red, fill=white, rounded corners = 5pt, line width=10pt]
25929   (30:2cm) -- (150:2cm) -- (270:2cm) -- cycle;
25930 \if@bidi@todonotes@figposition@right%
25931 \end{scope}%
25932 \begin{scope}[xshift=-3.8cm]
25933 \fi%
25934 \if@bidi@todonotes@textdirection@RTL\setRTL\fi%

```



```

25935 \draw (2, -0.3) node[right, text
25936   width=\@todonotes@currentfigwidth-4.5cm,align=\@bidi@todonotes@align] {#2};
25937 \if@bidi@todonotes@figposition@right%
25938 \end{scope}
25939 \begin{scope}[xshift=\@todonotes@currentfigwidth-4cm]
25940 \fi%
25941 \draw (0, 0.3) node[align=\@bidi@todonotes@align] {\@bidi@todonotes@textdirection{\@todonote
25942 \draw (0, -0.3) node[align=\@bidi@todonotes@align] {\@bidi@todonotes@textdirection{\@todonote
25943 \if@bidi@todonotes@figposition@right%
25944 \end{scope}
25945 \fi%
25946 \end{tikzpicture}\hfill
25947 }% Ending \missingfigure command
25948 \fi % Ending \@todonotes@ifdisabled
25949 \presetkeys%
25950   {todonotes}%
25951   {align=left,%
25952   textdirection=lefttoright,%
25953   figposition=left}{}%

```

## 160 File wrapfig-xetex-bidi.def

```

25954 \ProvidesFile{wrapfig-xetex-bidi.def}[2014/04/23 v0.3 bidi adaptations for wrapfig package f
25955 \let\WF@@everypar\bidi@n@everypar
25956 \def\WF@putfigmaybe{%
25957 \ifinner
25958   \vskip-\parskip \global\WF@floatfalse
25959   \let\pagetotal\maxdimen % kludge flag for "not top of page"
25960 \else % outer page
25961   \tempdima\pagedepth % save page depth
25962   \advance\parskip\tempdima\if@RTL\advance\parskip\baselineskip\fi\vskip-\parskip\% back
25963   \penalty\interlinepenalty % update pg. parameters
25964   \tempdimb\pagegoal \advance\tempdimb-\pagetotal % room left on page
25965   \ifdim\tempdimb<\z@ % \WF@info{Page overfull already;}%
25966     \global\WF@floatfalse
25967     \ifdim-\tempdimb>\pageshrink \else \pagebreak \fi
25968 \else
25969   \ifdim\WF@size>\tempdimb
25970     \ifWF@float \dimen0.5\baselineskip \else \dimen0 2\baselineskip\fi
25971     \ifdim\pagestretch>\dimen0 \dimen0\pagestretch \fi
25972     \ifdim\pagefilstretch>\z@ \dimen0\tempdimb \fi
25973     \ifdim\pagefillstretch>\z@ \dimen0\tempdimb \fi
25974     \advance\dimen0.5\baselineskip
25975     \ifdim\dimen0>\tempdimb % \WF@info{Page nearly full; can stretch}%
25976       \global\WF@floatfalse \pagebreak
25977     \fi
25978   \else % \WF@info{Fits in \the\tempdimb;}%
25979     \global\WF@floatfalse
25980   \fi\fi
25981   \vskip\tempdima\relax % (return erased page depth)
25982 \fi
25983 \noindent
25984 \ifWF@float
25985   \WF@fltnes

```



```

25986 \else % putting here;
25987   \WF@info{Put \WF@wfname here:}%
25988   {\ifodd\if@twoside\c@page\else\@ne\fi % assign l/r to i/o placement
25989     \lccode`i`l\lccode`o`r\else \lccode`i`r\lccode`o`l\fi
25990     \xdef\WF@place{\the\lccode\lccode\WF@place}}% twice to get only l or r
25991   \hbox to\z@{\% llap or rlap depending on {l} or {r}; calc effective width
25992   \tempdima\wd\WF@box \tempdimb\WF@ovh
25993   \advance\tempdima-\tempdimb \advance\tempdima\columnsep
25994   \tempdimb\hsize \advance\tempdimb-\tempdima
25995   \xdef\WF@adjlw{\the\tempdima}%
25996   \ifnum `l=\WF@place % fig on left
25997     \if@RTL%
25998       \kern\tempdimb \kern\columnsep
25999       \def\tempa{\hss}% position to left of the gap
26000       \else%
26001         \hss % figure overlaps space to the left
26002         \def\tempa{\kern\columnsep}% position to left of the gap
26003         \fi%
26004     \else % fig on right
26005     \if@RTL%
26006       \hss
26007       \tempdima\z@%
26008       \def\tempa{\kern\columnsep}
26009       \else%
26010         \tempdima\z@ % no left indentation
26011         \kern\tempdimb \kern\columnsep
26012         \def\tempa{\hss}% figure overlaps space to the right
26013         \fi%
26014     \fi
26015     \ifdim\tempdimb<\hsize
26016       \xdef\WF@wrapil{\the\tempdima \the\tempdimb}% indentation and length
26017       \xdef\WF@adjlm{\the\tempdima}%
26018     \else
26019       \xdef\WF@wrapil{\z@ \the\hsize}%
26020       \xdef\WF@adjlw{\z@}\xdef\WF@adjlm{\z@}%
26021     \fi
26022     \ifdim\pagetotal=\z@ % \WF@info{Put \WF@wfname at top of p.\thepage}%
26023       \global\advance\WF@size-\intextsep
26024     \else % \WF@info{Putting \WF@wfname in middle of page}%
26025       \setbox\WF@box\hbox{\lower\intextsep\box\WF@box}%
26026     \fi \dp\WF@box\z@ \box\WF@box \tempa
26027   }% end \hbox to Opt
26028   \aftergroup\WF@startwrapping % after the \endgroup which immediately follows
26029 \fi}

```

## 161 File `xcolor-xetex-bidi.def`

```

26030 \ProvidesFile{xcolor-xetex-bidi.def}[2022/06/13 v0.3 bidi adaptations for xcolor package for
26031 \long\def\color@b@#1#2#3%
26032   {\leavevmode\ifmmode\else\if@RTL\beginL\fi\fi
26033   \setbox\z@\hbox{\kern\fboxsep\set@color\if@RTL\beginR\fi#3\if@RTL\endR\fi}\kern\fboxsep}%
26034   \dimen@\ht\z@\advance\dimen@\fboxsep\ht\z@\dimen@
26035   \dimen@\dp\z@\advance\dimen@\fboxsep\dp\z@\dimen@
26036   \#1\#2\color@block{\wd\z@}{\ht\z@}{\dp\z@}\ifmmode\else\if@RTL\endL\fi\fi}

```



```

26037 \protected\def\normalcolor{\let\current@color\default@color\ifhmode\if@RTL\beginL\aftergroup
26038 \DeclareRobustCommand\color
26039 {\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\@ifnextchar[\@undeclaredcolor\@declaredcolor}
26040 \def\@undeclaredcolor[#1]#2%
26041 {\begingroup
26042 \let\@cls\@empty
26043 \XC@getmodclr12{#1}{#2}{}
26044 {\ifblendcolors
26045 \ifx\colorblend\@empty\else
26046 \edef\@@mix{\expandafter\@gobble\colorblend}\@tempswafalse
26047 \XC@coremodel\@mod\@clr\@xcolor{}{}\@mod\@clr
26048 \fi
26049 \fi
26050 \ifconvertcolorsU
26051 \edef\@@tmp{\XC@tgt@mod{\@mod}}%
26052 \convertcolorspec\@mod\@clr\@tmp\@clr \let\@mod\@tmp
26053 \fi
26054 \ifmaskcolors
26055 \convertcolorspec\@mod\@clr\XC@mmod\@clr
26056 \let\@mod\XC@mmod
26057 \XC@inflate\@mod\XC@mclr\@clr\@tmp
26058 \expandafter\XC@m\@tmp,\@clr
26059 \fi
26060 \edef\@@tmp{\noexpand\XC@undeclaredcolor{\@mod}{\@clr}}%
26061 \expandafter\endgroup\@@tmp}
26062 \def\@declaredcolor#1%
26063 {\XC@edef\XC@t\@tmp{#1}\XC@tstfalse
26064 \ifcase\XC@type\XC@t\relax \XC@ttrue\or \relax\else
26065 \ifblendcolors\XC@ttrue\fi \ifmaskcolors\XC@ttrue\fi
26066 \ifconvertcolorsU\XC@ttrue\fi
26067 \fi
26068 \ifXC@tst
26069 \expandafter\XC@declaredcolor\else
26070 \expandafter\XC@declaredc@lor\fi}
26071 \def\XC@undeclaredcolor#1#2%
26072 {\@ifundefinedmodel{#1}{%
26073 {\c@lor@error{model `#1'}}%
26074 {\@nameuse{color@#1}\current@color{#2}}%
26075 \edef\XC@current@color{\noexpand\xcolor@{}{\current@color}{#1}{#2}}%
26076 \XC@display\ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
26077 \def\XC@declaredc@lor
26078 {\XC@let@Nc\XC@current@colorf\string\color@\XC@t\%%
26079 \edef\current@color{\XC@current@color}%
26080 \XC@display\ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
26081 \DeclareRobustCommand\bidicolor
26082 {\@ifnextchar[\@bidiundeclaredcolor\@bidideclaredcolor}
26083 \def\@bidiundeclaredcolor[#1]#2%
26084 {\begingroup
26085 \let\@cls\@empty
26086 \XC@getmodclr12{#1}{#2}{}
26087 {\ifblendcolors
26088 \ifx\colorblend\@empty\else
26089 \edef\@@mix{\expandafter\@gobble\colorblend}\@tempswafalse
26090 \XC@coremodel\@mod\@clr\@xcolor{}{}\@mod\@clr

```



```

26091     \fi
26092     \fi
26093     \ifconvertcolorsU
26094         \edef\@@tmp{\XC@tgt@mod{\@@mod}}%
26095         \convertcolorspec{\@@mod}{\@@clr}{\@@tmp}{\@@clr} \let\@@mod\@@tmp
26096     \fi
26097     \ifmaskcolors
26098         \convertcolorspec{\@@mod}{\@@clr}{\XC@mmmod}{\@@clr}
26099         \let\@@mod\XC@mmmod
26100         \XC@inflate{\@@mod}{\XC@mclr}{\@@clr}{\@@tmp}
26101         \expandafter\XC@mul{\@@tmp,\@@clr}
26102     \fi
26103     \edef\@@tmp{\noexpand\XC@bidiundeclaredcolor{\@@mod}{\@@clr}}%
26104     \expandafter\endgroup\@@tmp}
26105 \def\XC@bidiundeclaredcolor#1#2%
26106 {\@ifundefined{model{#1}}%
26107   {\c@lor@error{model `#1'}}%
26108   {\@nameuse{color{#1}}\current@color{#2}}%
26109   \edef\XC@current@color{\noexpand\xcolor@{}{\current@color}{#1}{#2}}%
26110   \XC@display}}
26111 \def\@bidiundeclaredcolor#1%
26112 {\XC@edef\XC@tmp{#1}\XC@tstfalse
26113 \ifcase\XC@type\XC@tmp\relax \XC@tsttrue\or \relax\else
26114 \ifblendcolors\XC@tsttrue\fi \ifmaskcolors\XC@tsttrue\fi
26115 \ifconvertcolorsU\XC@tsttrue\fi
26116 \fi
26117 \ifXC@tst
26118   \expandafter\XC@bidiundeclaredcolor\else
26119   \expandafter\XC@bidiundeclaredc@lor\fi}
26120 \def\XC@bidiundeclaredcolor
26121 {\XC@split\XC@tmp
26122 \edef\@@tmp{\noexpand\@bidiundeclaredcolor[\@@mod]{\@@clr}}%
26123 \expandafter\endgroup\@@tmp}
26124 \def\XC@bidiundeclaredc@lor
26125 {\XC@let@Nc\XC@current@color{\string\color@\XC@tmp}%
26126 \edef\current@color{\XC@current@color}%
26127 \XC@display}
26128 \def\color@box#1#2{\color@b@x\relax\bidicolor#1{#2}}
26129 \def\color@fbox#1#2#3{\protect\color@fb@x{#1}{#2}{#3}}
26130 \def\color@fb@x#1#2#3#4%
26131 {\color@b@x{\fboxsep\z@\bidicolor#1{#2}\XC@fbox}%
26132 {\@ifempty{#3}{\bidicolor#1}{\bidicolor#3}{#4}}}
26133 \def\color@setgroup{\begingroup\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmod
```

## 162 File *latex-xetex-bidi.def*

```

26134 \ProvidesFile{latex-xetex-bidi.def}[2024/12/08 v1.5.1 bidi adaptations for `latex.ltx' for
26135 \newcommand{\TeXXeTOn}{\TeXXeTstate\one}
26136 \newcommand{\TeXXeTOff}{\TeXXeTstate\z@}
26137 \TeXXeTOn
26138 \def\bidi@RTL@everypar{{\setbox\z@\lastbox\if@RTL\beginR\else\beginL\fi\ifvoid\z@\else\usebo
26139 \let\bidi@o@everypar=\everypar
26140 \newtoks\bidi@n@everypar
26141 \bidi@n@everypar\expandafter{\the\bidi@o@everypar}}
```



```

26142     \bidi@o@everypar{\bidi@RTL@everypar\the\bidi@n@everypar}
26143     \let\everypar=\bidi@n@everypar
26144 \def\moreLRE{\brace{text \aftergroup\endL \beginL@\RTLfalse}
26145 \def\moreRLE{\brace{text \aftergroup\endR \beginR@\RTLtrue}
26146 \protected\def\hboxR{\hbox\bgroup
26147   \everyhbox{%
26148     \aftergroup\egroup
26149   \everyhbox{}}%
26150   \beginR
26151   \hboxRconstructtrue
26152   \bgroup
26153   \aftergroup\endR
26154   \aftergroup\egroup
26155 }\hbox}
26156 \protected\def\hboxL{\hbox\bgroup
26157   \everyhbox{%
26158     \aftergroup\egroup
26159   \everyhbox{}}%
26160   \beginL
26161   \hboxRconstructfalse
26162   \bgroup
26163   \aftergroup\endL
26164   \aftergroup\egroup
26165 }\hbox}
26166 \protected\def\vboxR{\vbox\bgroup
26167   \everyvbox{%
26168     \aftergroup\egroup
26169   \everyvbox{}}%
26170   \RTLtrue
26171   \RTLTabtrue
26172   \bgroup
26173   \aftergroup\egroup
26174 }\vbox}
26175 \protected\def\vboxL{\vbox\bgroup
26176   \everyvbox{%
26177     \aftergroup\egroup
26178   \everyvbox{}}%
26179   \RTLfalse
26180   \RTLTabfalse
26181   \bgroup
26182   \aftergroup\egroup
26183 }\vbox}
26184 \newcommand*{\bidi@leftskip}{\if@RTL\rightskip\else\leftskip\fi}
26185 \newcommand*{\bidi@rightskip}{\if@RTL\leftskip\else\rightskip\fi}
26186 \def\LTR{\par@\RTLfalse@\RTL@footnotefalse@\RTLTabfalse\hsize\linewidth\parshape\z@\bidi@bea
26187 \def\endLTR{\par}
26188 \newenvironment{LTR*}{\LTR
26189   \everypar{%
26190     {\setbox\z@\lastbox
26191       \ifvoid\z@
26192         \kern-\parindent
26193       \fi}%
26194   }%
26195 }{\endLTR\endgroup}

```



```

26196 \def\RTL{\par\@RTLtrue\@RTL@footnotetrue\@RTLtabtrue\hsize\linewidth\parshape\z@\bidi@beamer}
26197 \def\endRTL{\par}
26198 \newenvironment{RTL*}{\RTL
26199   \everypar{%
26200     {\setbox\z@\lastbox
26201       \ifvoid\z@
26202         \kern-\parindent
26203       \fi}%
26204   }%
26205 }{\endRTL\@endpetrue}
26206 \def\setRTL{\@RTLtrue\@RTL@footnotetrue\@RTLtabtrue\bidi@beamer@ragged}
26207 \def\setLTR{\@RTLfalse\@RTL@footnotefalse\@RTLtabfalse\bidi@beamer@ragged}
26208 \let\unsetRTL=\setRTL
26209 \let\unsetLTR=\setRTL
26210 \let\LR=\LRE
26211 \let\RL=\RLE
26212 \def\@ensure@RTL#1{\if@RTL#1\else\RLE{#1}\fi}
26213 \def\@ensure@LTR#1{\if@RTL\LRE{#1}\else#1\fi}
26214 \let\@ensure@RL=\@ensure@RTL
26215 \let\@ensure@LR=\@ensure@LTR
26216 \def\@ensure@dir#1{\if@RTL\RLE{#1}\else{#1}\fi}
26217 \let\@ensure@mmdir=\@ensure@dir
26218 \def\@RTL{RTL}
26219 \def\@CLTR{LTR}
26220 \def\save@dir{\if@RTL\gdef\saved@@dir{RTL}\else\gdef\saved@@dir{LTR}\fi}
26221 \def\reset@dir{\ifx\saved@@dir\@RTL\setRTL\else\ifx\saved@@dir\@LTR\setLTR\else\relax\fi\fi}
26222 \let\@TeX\TeX
26223 \def\TeX{\@ensure@LTR{\@TeX}}
26224 \let\@LaTeX\LaTeX
26225 \def\LaTeX{\@ensure@LTR{\@LaTeX}}
26226 \let\@LaTeXe\LaTeXe
26227 \def\LaTeXe{\@ensure@LTR{\@LaTeXe}}
26228 \long\def\bidi@reflect@box#1{%
26229   \leavevmode
26230   \setbox\z@\hbox{\#1}%
26231   \setbox\tw@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:grestore}
26232   \hb@xt@wd\z@{\kern\wd\z@\box\tw@\hss}%
26233 }
26234 \if@bidi@csundef{XeTeX}{%
26235 \bidi@newrobustcmd*\{XeTeX\}{\LR{\leavevmode$\smash{\hbox{X}\lower.5ex
26236 \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em \TeX}}$}%
26237 }%
26238 \let\@bidi@orig@XeTeX\XeTeX
26239 \bidi@newrobustcmd*\{XeTeX\}{\LR{\@bidi@orig@XeTeX}}%
26240 }
26241 \if@bidi@csundef{XeLaTeX}{%
26242 \bidi@newrobustcmd*\{XeLaTeX\}{\LR{\leavevmode$\smash{\hbox{X}\lower.5ex
26243 \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em \LaTeX}}$}%
26244 }%
26245 \let\@bidi@orig@XeLaTeX\XeLaTeX
26246 \bidi@newrobustcmd*\{XeLaTeX\}{\LR{\@bidi@orig@XeLaTeX}}%
26247 }
26248 \let\setRL=\setRTL
26249 \let\setLR=\setLTR

```



```

26250 \let\unsetRL=\setLTR
26251 \def\bidi@tabular@RTLcases{\let\@halignto\@empty\@bidi@tabular@RTLcases}
26252 \ifpackageloaded{array}{%
26253 \def\@bidi@tabular@RTLcases{\@RTLtabtrue%
26254   \leavevmode
26255   \hbox \bgroup \$\left.\col@sep\right.\tabcolsep \let\d@llarbegin\begin{group}
26256                               \let\d@llarend\endgroup
26257   \atarray
26258 \endbidi@tabular@RTLcases\endarray \right.\rbrace\$\\egroup}
26259 }{%
26260 \def\@bidi@tabular@RTLcases{\@RTLtabtrue%
26261   \leavevmode \hbox \bgroup
26262   \$\left.\col.\right.\let\@acol\@tabacol
26263   \let\@classz\@tabclassz
26264   \let\@classiv\@tabclassiv \let\\\\@tabularcr\@tabarray
26265
26266 \def\endbidi@tabular@RTLcases{\crcr\\egroup\if@RTLtab\egroup\endR\egroup\fi
26267                               \egroup\right.\rbrace\$\\egroup}}
26268 \def\RTLcases#1{\left.\col.\right.\vcenter{\normalbaselines\m@th
26269   \ialign{$##\hfil&\quad##\hfil\crcr#1\crcr}}\,,\right.\}
26270 \renewenvironment{RTLcases}{%
26271   \bidi@matrix@check\RTLcases\env@RTLcases
26272 }{%
26273   \endbidi@tabular@RTLcases%
26274 }
26275 \def\env@RTLcases{%
26276   \let\@ifnextchar\bidi@new\@ifnextchar
26277   \def\arraystretch{1.2}%
26278   \bidi@tabular@RTLcases{@{}r@{\quad}r@{}{}}%
26279 }
26280 \def\SepMark#1{\gdef\@SepMark{#1}}
26281 \SepMark{.}
26282 \def\@thmcOUNTERsep{\@SepMark}
26283 \def\setRTLbibitems{\@RTLbibitemstrue\@LTRbibitemsfalse}
26284 \def\setLTRbibitems{\@LTRbibitemstrue\@RTLbibitemsfalse}
26285 \def\setDefaultbibitems{\@RTLbibitemsfalse\@LTRbibitemsfalse}
26286 \newcommand*\bidi@thebibliography[font@hook]{}
26287 \def\list#1#2{%
26288   \ifnum \listdepth >5\relax
26289     \atodeep
26290   \else
26291     \global\advance\listdepth\@ne
26292   \fi
26293   \rightmargin\z@
26294   \listparindent\z@
26295   \itemindent\z@
26296   \csname @list\romannumeral\the\listdepth\endcsname
26297   \def\@itemlabel{#1}%
26298   \let\makelabel\@mklab
26299   \nmbrrlistfalse
26300   #2\relax
26301   \trivlist
26302   \parskip\parsep
26303   \parindent\listparindent

```



```

26304 \advance\linewidth -\rightmargin
26305 \advance\linewidth -\leftmargin
26306 \if@bidi@list@minipage@parbox
26307 \if@RTL
26308 \advance\@totalleftmargin \leftmargin
26309 \else
26310 \advance\@totalleftmargin \rightmargin
26311 \fi
26312 \else
26313 \if@hboxRconstruct
26314 \if@bidi@list@minipage@parbox@not@nob
26315 \if@RTL
26316 \advance\@totalleftmargin \rightmargin
26317 \else
26318 \advance\@totalleftmargin \leftmargin
26319 \fi
26320 \else
26321 \if@RTL
26322 \advance\@totalleftmargin \leftmargin
26323 \else
26324 \advance\@totalleftmargin \rightmargin
26325 \fi\fi
26326 \else
26327 \if@RTL
26328 \advance\@totalleftmargin \rightmargin
26329 \else
26330 \advance\@totalleftmargin \leftmargin
26331 \fi\fi\fi
26332 \parshape \one \@totalleftmargin \ linewidth
26333 \ignorespaces}
26334 \long\def\@iiiparbox#1#2[#3]#4#5{%
26335 \leavevmode
26336 \pboxswfalse
26337 \if@hboxRconstruct
26338 \bidi@list@minipage@parbox@not@nobtrue
26339 \fi
26340 \if@RTL
26341 \ifx#1t%
26342 \bidi@list@minipage@parboxtrue
26343 \else
26344 \ifx#1b%
26345 \bidi@list@minipage@parboxtrue
26346 \fi
26347 \fi
26348 \fi
26349 \setlength\@tempdima{#4}%
26350 \begin@\tempboxa\vbox{\hsize\@tempdima\parboxrestore#5\@par}%
26351 \ifx\relax#2\else
26352 \setlength\@tempdimb{#2}%
26353 \edef\@parboxto{to\the\@tempdimb}%
26354 \fi
26355 \if#1b\vbox
26356 \else\if #1t\vtop
26357 \else\ifmmode\vcenter

```



```

26358     \else\@pboxswtrue $\vcenter
26359     \fi\fi\fi
26360     \parboxto{\let\hss\vss\let\unhbox\unvbox
26361         \csname bm@#3\endcsname}%
26362     \if@pboxsw \m@th$\fi
26363     \endtempboxa}
26364 \newenvironment{LTRitems}
26365     {\par\@RTLfalse\@RTTabfalse\bidi@beamer@ragged
26366         \if@bidi@list@minipage@parbox
26367             \parshape \one \dimexpr(\@totalleftmargin-\leftmargin) \linewidth
26368             \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
26369                 \parshape \one \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else
26370                 \parshape \one \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
26371             \else \parshape \one \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
26372                 \ignorespaces}\{\vskip\z@\}
26373 \newenvironment{RTLitems}
26374     {\par\@RTLtrue\@RTTabtrue\bidi@beamer@ragged
26375         \if@bidi@list@minipage@parbox
26376             \parshape \one \dimexpr(\@totalleftmargin+\leftmargin) \linewidth
26377             \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
26378                 \parshape \one \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
26379                 \parshape \one \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
26380             \else \parshape \one \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
26381                 \ignorespaces}\{\vskip\z@\}
26382 \newenvironment{LTRbibitems}
26383     {\par\@RTLfalse\@RTTabfalse\bidi@beamer@ragged
26384         \if@bidi@list@minipage@parbox
26385             \parshape \one \dimexpr(\@totalleftmargin-\leftmargin) \linewidth
26386             \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
26387                 \parshape \one \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else
26388                 \parshape \one \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
26389             \else \parshape \one \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
26390                 \ignorespaces}\{\vskip\z@\}
26391 \newenvironment{RTLbibitems}
26392     {\par\@RTLtrue\@RTTabtrue\bidi@beamer@ragged
26393         \if@bidi@list@minipage@parbox
26394             \parshape \one \dimexpr(\@totalleftmargin+\leftmargin) \linewidth
26395             \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
26396                 \parshape \one \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
26397                 \parshape \one \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
26398             \else \parshape \one \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
26399                 \ignorespaces}\{\vskip\z@\}
26400 \def\raggedright{%
26401     \let\\@centercr\@rights skip\@flushglue \rights skip\@rights skip
26402     \leftskip\z@skip
26403     \parindent\z@\parfillskip\z@skip}
26404 \let\bidi@orig@raggedleft\raggedleft
26405 \let\bidi@orig@raggedright\raggedright
26406 \renewcommand\raggedleft{\if@bidi@list@minipage@parbox\bidi@orig@raggedright\else\if@hboxRco
26407 \renewcommand\raggedright{\if@bidi@list@minipage@parbox\bidi@orig@raggedleft\else\if@hboxRco
26408 \newcommand{\bidi@raggedright}{\if@RTL\raggedleft\else\raggedright\fi}
26409 \newcommand{\bidi@raggedleft}{\if@RTL\raggedright\else\raggedleft\fi}
26410 \DeclareRobustCommand\centerline[1]{%
26411 \if@RTL\@oline{\hss\beginR#1\endR\hss}
```



```

26412 \else\@@line{\hss#1\hss}\fi}
26413 \def\bidi@orig@leftline#1{%
26414 \if@RTL\@@line{\beginR#1\endR\hss}
26415 \else\@@line{\#1\hss}\fi}
26416 \def\bidi@orig@rightline#1{%
26417 \if@RTL\@@line{\hss\beginR#1\endR}
26418 \else\@@line{\hss#1}\fi}
26419 \DeclareRobustCommand\leftline[1]{\ifhmode\if@RTL\bidi@orig@rightline{#1}\else\bidi@orig@lef
26420 \DeclareRobustCommand\rightline[1]{\ifhmode\if@RTL\bidi@orig@leftline{#1}\else\bidi@orig@rig
26421 \DeclareRobustCommand\bidiirlap[1]{\hb@xt@\z@{\if@RTL\hss\fi#1\if@RTL\else\hss\fi}}
26422 \DeclareRobustCommand\bidiillap[1]{\hb@xt@\z@{\if@RTL\else\hss\fi#1\if@RTL\hss\fi}}
26423 \def\changfrom#1{\setbox\tempboxa\hbox{\{#1\}}%
26424     \hangindent \if@RTL\else\fi\wd\tempboxa\noindent\box\tempboxa}
26425 \def\narrower{%
26426     \advance\if@RTL\rightskip\else\leftskip\fi\parindent
26427     \advance\if@RTL\leftskip\else\rightskip\fi\parindent}
26428 \DeclareRobustCommand\underline[1]{%
26429     \relax
26430     \ifmmode\@@underline{#1}%
26431     \else
26432 \if@RTL $ \@@underline{\hbox{\beginR#1\endR}}\m@th$\relax
26433 \else
26434 $ \@@underline{\hbox{\#1}}\m@th$\relax\fi\fi
26435 \if@compatibility
26436     \let\undertext=\underline
26437 \fi
26438 \def\@tabular{%
26439     \leavevmode\hbox \bgroup \if@RTL\beginR \fi
26440     \$\let\@acol\@tabacol
26441     \let\@classz\@tabclassz
26442     \let\@classiv\@tabclassiv \let\\ \@tabularcr\@tabarray}
26443 \def\endtabular{\crcr\egroup\if@RTL\beginR\egroup\endR\egroup\fi
26444             \egroup \$\if@RTL\endR\fi\egroup}
26445 \expandafter \let \csname endtabular*\endcsname = \endtabular
26446 \def\@array[#1]#2{%
26447     \if #1\@vtop \else \if#1b\@vbox \else \vcenter \fi\fi
26448     \bgroup
26449     \setbox\@arstrutbox\hbox{%
26450         \vrule \height\arraystretch\ht\strutbox
26451             \depth\arraystretch \dp\strutbox
26452             \width\z@}%
26453     \mkpream{#2}%
26454     \edef\@preamble{%
26455         \ialign \noexpand\@halignto
26456             \bgroup \@arstrut \preamble \tabskip\z@skip \cr}%
26457     \let\@startpbox\@@startpbox \let\@endpbox\@@endpbox
26458     \let\@tabularnewline\\%
26459     \let\@par\empty
26460     \let\sharp##%
26461     \set@typeset@protect
26462     \lineskip\z@skip\baselineskip\z@skip
26463     \ifhmode \preamerr\z@ \@@par\fi
26464 \if@RTL\hbox\bgroup\beginR\hboxRconstructtrue\if #1\@vtop \else \vbox \fi\bgrou\fi
26465     \preamble}

```



```

26466 \def\array{\let\@acol\@arrayacol \let\@classz\@arrayclassz
26467 \let\@classiv\@arrayclassiv
26468 \let\\@\arraycr\let\@halignto\@empty\@RTLtabfalse\@tabarray}
26469 \def\@testpach#1{\@chclass \ifnum \@lastchclass=\tw@ 4 \else
26470 \ifnum \@lastchclass=3 5 \else
26471 \z@ \if #1c\@chnum \z@ \else
26472 \if \if@RTLtab#1r\else#1\fi\@chnum \one \else
26473 \if \if@RTLtab#1l\else#1r\fi\@chnum \tw@ \else
26474 \@chclass \if #1|\one \else
26475 \if #1@\tw@ \else
26476 \if #1p3 \else \z@ \@preamerr 0\fi
26477 \fi \fi \fi \fi \fi
26478 \fi}
26479 \def\bm@l{\if@RTL\hss\unhbox\@tempboxa\else\unhbox\@tempboxa\hss\fi}
26480 \def\bm@r{\if@RTL\unhbox\@tempboxa\hss\else\hss\unhbox\@tempboxa\fi}
26481 \def\bm@t{\unhbox\@tempboxa\hss}
26482 \def\bm@b{\hss\unhbox\@tempboxa}
26483 \def\@dottedtocline#1#2#3#4#5{%
26484 \ifnum #1>\c@tocdepth \else
26485 \vskip \z@ \oplus.2\p@
26486 {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \atocrma
26487 \parindent #2\relax\afterindenttrue
26488 \interlinepenalty\@M
26489 \leavevmode
26490 \atempdima #3\relax
26491 \advance\if@RTL\rightskip\else\leftskip\fi \atempdima \null\nobreak\hskip -\if@RTL\right
26492 {#4}\nobreak
26493 \leaders\hbox{$\m@th
26494 \mkern \dotsep \mu\hbox{.}\mkern \dotsep
26495 \mu$}\hfill
26496 \nobreak
26497 \hb@xt@\pnumwidth{{\hfil\normalfont \normalcolor #5}}%
26498 \par}%
26499 \fi}
26500
26501 \newcount\bidi@column@check@number
26502
26503 \def\bidi@column@status#1{\gdef\bidi@current@column@status{#1}}
26504
26505 \def\bidi@set@column@status#1#2{%
26506 \global\expandafter\let\csname #1\endcsname\bidi@current@column@status}
26507
26508 \if@twocolumn
26509 \newcommand\DetectColumn[3][1]{%
26510 \ifx\bidi@firstcolumn@status@write\relax
26511 \PackageError{\bidi}{%
26512 {Option 'DetectColumn' not selected}%
26513 {\string\DetectColumn\space
26514 requires the use of the 'DetectColumn'
26515 option on the package}%
26516 \fi
26517 \global\advance\bidi@column@check@number\one
26518 \edef\bidi@column@type{\expandafter\ifx
26519 \csname\bidi@column-\the\bidi@column@check@number\endcsname\relax

```



```

26520          0\else
26521              \csname bidi@column-\the\bidi@column@check@number\endcsname
26522      \fi}%
26523 \ifcase \bidi@column@type\relax
26524     \ifcase #1\or #2\or#3\fi    % 0 not known use first column as default
26525 \or
26526   #2%  % 1 First column
26527 \or
26528   #3%  % 2 Second (Last column)
26529 \else
26530   \ERROR
26531 \fi
26532 \edef\next{\write\@auxout
26533   {\string\bidi@set@column@status{bidi@column-\the\bidi@column@check@number}%
26534   {\bidi@column@type}}}
26535 \next
26536 }
26537
26538 \AtEndDocument{\def\bidi@set@column@status#1#2{%
26539     \ifnum #2=\bidi@current@column@status\else
26540         \tempswattrue
26541     \fi}%
26542 }
26543 \fi
26544 \def\RTL@outputdblcol{%
26545   \if@firstcolumn
26546     \global\firstruefalse
26547     \global\setbox\@leftcolumn\copy\outputbox
26548     \splitmaxdepth\maxdimen
26549     \vbadness\maxdimen
26550     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
26551     \setbox\@outputbox\vsplit\outputbox to\maxdimen
26552     \toks@\expandafter{\topmark}%
26553     \xdef\firstrcoltopmark{\the\toks@}%
26554     \toks@\expandafter{\splitfirstmark}%
26555     \xdef\firstrcolfirstmark{\the\toks@}%
26556     \ifx\firstrcolfirstmark\empty
26557       \global\let\setmarks\relax
26558     \else
26559       \gdef\setmarks{%
26560         \let\firstmark\firstrcolfirstmark
26561         \let\topmark\firstrcoltopmark}%
26562     \else
26563       \fi
26564     \else
26565       \global\firstrueltrue
26566       \setbox\outputbox\vbox{%
26567         \hb@xt@\textwidth{%
26568           \hskip \columnwidth
26569           \hfil
26570           {\normalcolor\vrule \width\columnseprule}%
26571           \hfil
26572           \hb@xt@\columnwidth{%
26573             \bidi@firstcolumn@status@write%
```



```

26574      \box@\leftcolumn \hss}%
26575      \hskip -\textwidth
26576      \hb@xt@\columnwidth{%
26577      \bidi@lastcolumn@status@write}%
26578      \box@\outputbox \hss}%
26579      \hskip \columnsep
26580      \hskip \columnwidth }}}%
26581  \@combinedblfloats
26582    \@setmarks
26583    \@outputpage
26584    \begingroup
26585      \@dblfloatplacement
26586      \@startdblcolumn
26587      \@whilesw@if@fcolmade \fi{\@outputpage
26588      \@startdblcolumn}%
26589      \endgroup
26590  \fi}%
26591
26592 \def\LTR@outputdblcol{%
26593   \if@firstcolumn
26594     \global\@firstcolumnfalse
26595     \global\setbox@\leftcolumn\copy\outputbox
26596     \splitmaxdepth\maxdimen
26597     \vbadness\maxdimen
26598     \setbox@\outputbox\vbox{\unvbox\outputbox\unskip}%
26599     \setbox@\outputbox\vsplit\outputbox to\maxdimen
26600     \toks@\expandafter{\topmark}%
26601     \xdef\@firstcoltopmark{\the\toks@}%
26602     \toks@\expandafter{\splitfirstmark}%
26603     \xdef\@firstcolfirstmark{\the\toks@}%
26604     \ifx\@firstcolfirstmark\empty
26605       \global\let\@setmarks\relax
26606     \else
26607       \gdef\@setmarks{%
26608         \let\firstmark\@firstcolfirstmark
26609         \let\topmark\@firstcoltopmark}%
26610       \fi
26611   \else
26612     \global\@firstcolumntrue
26613     \setbox@\outputbox\vbox{%
26614       \hb@xt@\textwidth{%
26615         \hb@xt@\columnwidth{%
26616         \bidi@firstcolumn@status@write}%
26617         \box@\leftcolumn \hss}%
26618         \hfil
26619         {\normalcolor\vrule \@width\columnseprule}}%
26620         \hfil
26621         \hb@xt@\columnwidth{%
26622         \bidi@lastcolumn@status@write}%
26623         \box@\outputbox \hss}}}%
26624   \@combinedblfloats
26625   \@setmarks
26626   \@outputpage
26627   \begingroup

```



```

26628     \@dblfloatplacement
26629     \@startdblcolumn
26630     \@whilesw\if@fcolmade \fi{\@outputpage
26631     \@startdblcolumn}%
26632     \endgroup
26633 \fi}%
26634
26635
26636 \renewcommand{\@outputdblcol}{\if@RTLmain\RTL@outputdblcol\else\LTR@outputdblcol\fi}
26637 \newcommand{\RTLdblcol}{\renewcommand{\@outputdblcol}{\RTL@outputdblcol}}
26638 \newcommand{\LTRdblcol}{\renewcommand{\@outputdblcol}{\LTR@outputdblcol}}
26639
26640 \bidi@patchcmd\@makecol{%
26641     \ifvoid\footins
26642         \setbox\@outputbox \box\@cclv
26643     \else
26644         \setbox\@outputbox \vbox {%
26645             \boxmaxdepth \maxdepth
26646             \unvbox \@cclv
26647             \vskip \skip\footins
26648             \color@begingroup
26649                 \normalcolor
26650                 \footnoterule
26651             \unvbox \footins
26652             \color@endgroup
26653         }%
26654     \fi
26655 }{%
26656     \ifvoid\footins
26657         \ifvoid\@bidi@copyins@
26658             \setbox\@outputbox \box\@cclv
26659         \else
26660             \setbox\@outputbox \vbox {%
26661                 \boxmaxdepth \maxdepth
26662                 \unvbox \@cclv
26663                 \vskip \skip\@bidi@copyins@
26664                 \color@begingroup
26665                     \normalcolor
26666                     \unvbox \@bidi@copyins@
26667                 \color@endgroup
26668             }%
26669         \fi
26670     \else
26671         \setbox\@outputbox \vbox {%
26672             \boxmaxdepth \maxdepth
26673             \unvbox \@cclv
26674             \vskip \skip\footins
26675             \color@begingroup
26676                 \normalcolor
26677                 \footnoterule
26678                 \unvbox \footins
26679             \color@endgroup
26680             \ifvoid\@bidi@copyins@
26681             \else

```



```

26682          \vskip \skip\@bidi@copyins@
26683          \color@begingroup
26684              \normalcolor
26685              \unvbox \@bidi@copyins@
26686          \color@endgroup
26687      \fi
26688  }%
26689 \fi
26690 }{}{ }
26691
26692 \def\LTRmarginpar{%
26693     \ifhmode
26694         \@bsphack
26695         \floatpenalty -\Mii
26696     \else
26697         \floatpenalty-\Miii
26698     \fi
26699     \ifinner
26700         \parmerr
26701         \floatpenalty\z@
26702     \else
26703         \next@\currbox\freetlist{}{%
26704         \next@\marbox\freetlist{\global\count\marbox\m@ne}{%
26705             \floatpenalty\z@
26706             \fleoftovf\def\currbox{\tempboxa}\def\marbox{\tempboxa}}{%
26707         \fi
26708         \ifnextchar [\@LTrxmpar\@LTrympar]
26709         \long\def\@LTrxmpar[#1]#2{%
26710             \@LTrsavemarbox\marbox{#1}%
26711             \@LTrsavemarbox\currbox{#2}%
26712             \xympar}
26713         \long\def\@LTrympar#1{%
26714             \@LTrsavemarbox\marbox{#1}%
26715             \global\setbox\currbox\copy\marbox
26716             \xympar}
26717         \long\def \@LTrsavemarbox #1#2{%
26718             \global\setbox #1%
26719             \color@vbox
26720                 \vtop{%
26721                     \hsize\marginparwidth
26722                     \parboxrestore
26723                     \@LTrmarginparreset
26724                     #2%
26725                     \minipagetrue
26726                     \outer@nobreak
26727                 }%
26728             \color@endbox
26729 }
26730 \def \@LTrmarginparreset {%
26731             \reset@font
26732             \normalsize
26733             \minipagetrue
26734             \everypar{\minipagetrue\everypar{}\beginL}%
26735 }

```



```

26736 \def\RTLmarginpar{%
26737   \ifhmode
26738     \@bsphack
26739     \@floatpenalty -\@Mii
26740   \else
26741     \@floatpenalty-\@Miii
26742   \fi
26743   \ifinner
26744     \@parmoderr
26745     \@floatpenalty\z@
26746   \else
26747     \next\currbox\freetlist{}{%
26748     \next\marbox\freetlist{\global\count\marbox\m@ne}{%
26749       \@floatpenalty\z@
26750       \f@ltovf\def\currbox{\tempboxa}\def\marbox{\tempboxa}}{%
26751     \fi
26752     \ifnextchar [\@RTLxmpar\@RTLympar]{%
26753       \long\def\@RTLxmpar[#1]\#2{%
26754         \@RTLsavemarbox\marbox{#1}{%
26755         \@RTLsavemarbox\currbox{#2}{%
26756         \xympar}{%
26757       \long\def\@RTLympar#1{%
26758         \@RTLsavemarbox\marbox{#1}{%
26759         \global\setbox\currbox\copy\marbox
26760         \xympar}{%
26761       \long\def \@RTLsavemarbox #1\#2{%
26762         \global\setbox #1{%
26763           \color@vbox
26764             \vtop{%
26765               \hsize\marginparwidth
26766               \parboxrestore
26767               \RTLmarginparreset
26768               #2%
26769               \minipagetrue
26770               \outer\nobreak
26771             }%
26772           \color@endbox
26773 }%
26774 \def \RTLmarginparreset {%
26775   \reset@font
26776   \normalsize
26777   \minipagetrue
26778   \everypar{\minipagetrue\everypar{}\beginR}%
26779 }%
26780 \def\@addmarginpar{\next\marbox\currlist{\cons\freetlist\marbox
26781   \cons\freetlist\currbox}\@latebug\tempcnta\one
26782   \if@twocolumn
26783     \if@firstcolumn \tempcnta\m@ne \fi
26784   \else
26785     \if@mparswitch
26786       \ifodd\c@page \else\tempcnta\m@ne \fi
26787     \fi
26788     \if@reversemargin \tempcnta -\tempcnta \fi
26789   \fi

```



```

26790   \ifnum\@tempcnta <\z@ \global\setbox\@marbox\box\@currbox \fi
26791   \@tempdima\@mparbottom
26792   \advance\@tempdima -\@pageht
26793   \advance\@tempdima\ht\@marbox
26794   \ifdim\@tempdima >\z@
26795     \@latex@warning@no@line {Marginpar on page \thepage\space moved}%
26796   \else
26797     \@tempdima\z@
26798   \fi
26799   \global\@mparbottom\@pageht
26800   \global\advance\@mparbottom\@tempdima
26801   \global\advance\@mparbottom\dp\@marbox
26802   \global\advance\@mparbottom\marginparpush
26803   \advance\@tempdima -\ht\@marbox
26804   \global\setbox\@marbox
26805     \vbox {\vskip \@tempdima
26806       \box\@marbox}%
26807   \global\ht\@marbox \z@
26808   \global\dp\@marbox \z@
26809   \kern -\@pagedp
26810   \nointerlineskip
26811   \hb@xt@\columnwidth
26812   {\if@RTL\if@LTrmarginpar\beginL\else\beginR\fi\else\if@RTLmarginpar\beginR\else\beginL\fi
26813     \hskip\columnwidth \hskip\marginparsep
26814   \else
26815     \hskip -\marginparsep \hskip -\marginparwidth
26816   \fi
26817   \box\@marbox \hss\if@RTL\if@LTrmarginpar\endL\else\endR\fi\else\if@RTLmarginpar\endR\else\endL\fi
26818   \nointerlineskip
26819   \hbox{\vrule \height\z@ \width\z@ \depth\@pagedp}}}
26820 \long\def\@ympar#1%
26821   \csname @savemarbox\endcsname{\if@RTL\if@LTrmarginpar\@RTLfalse\else\@RTLtrue\fi\else\if@RTLmarginpar\@RTLtrue\else\@RTLfalse\fi\endcsname}
26822   \global\setbox\@currbox\copy\@marbox
26823   \csname @xympar\endcsname
26824 \def\setRTLmarginpar{\@RTLmarginpartrue\@LTrmarginparfalse}
26825 \def\setLTrmarginpar{\@LTrmarginpartrue\@RTLmarginparfalse}
26826 \def\setdefaultmarginpar{\@RTLmarginparfalse\@LTrmarginparfalse}
26827 \def\@stopline{\unskip\@stopfield\if@rjfield \global\@rjfieldfalse
26828   \@tempdima\@totallftmargin \advance\@tempdima\linewidth
26829   \hbox to\@tempdima{\if@RTL\beginR\fi\@itemfudge\hskip\dimen\@curtabmar
26830   \box\@curline\hfil\box\@curfield\if@RTL\endR\fi}\else\@addfield
26831   \hbox to\linewidth{\if@RTL\beginR\fi\@itemfudge
26832   \hskip\dimen\@curtabmar\box\@curline\hfil\if@RTL\endR\fi}%
26833 \fi}
26834
26835 \newcommand*\bidi@font@@outputpage(){}
26836
26837 \def\@outputpage{%
26838   \begingroup % the \endgroup is put in by \aftergroup
26839   \let \protect \noexpand
26840   \resetactivechars
26841   \global\let\@if@newlist\if@newlist
26842   \global\@newlistfalse
26843   \parboxrestore

```



```

26844 \global\let\bidi@BeforeOutputPageShipOut@\firstofone
26845 \bidi@beforeoutputpageshipouthook
26846 \shipout \vbox{%
26847   \set@typeset@protect
26848   \aftergroup \endgroup
26849   \aftergroup \set@typeset@protect
26850           % correct? or just restore by ending
26851           % the group?
26852 \if@specialpage
26853   \global\@specialpagefalse\@nameuse{ps@\@specialstyle}%
26854 \fi
26855 \if@twoside
26856   \ifodd\count\z@ \let\@thehead\@oddhead \let\@tfoot\@oddfoot
26857     \if@RTLmain
26858       \let\@themargin\evensidemargin
26859     \else
26860       \let\@themargin\oddsidemargin
26861     \fi
26862   \else \let\@thehead\@evenhead \let\@tfoot\@evenfoot
26863     \if@RTLmain
26864       \let\@themargin\oddsidemargin
26865     \else
26866       \let\@themargin\evensidemargin
26867     \fi
26868   \fi
26869   \ifx\@thehead\@empty \let\@thehead\hfil \fi
26870   \ifx\@tfoot\@empty \let\@tfoot\hfil \fi
26871   \else %% not @twoside
26872   \ifx\@oddhead\@empty \let\@thehead\hfil \fi
26873   \ifx\@oddfoot\@empty \let\@tfoot\hfil \fi
26874 \fi
26875 \reset@font
26876 \normalsize
26877 \bidi@font@@outputpage
26878 \normalsfcodes
26879 \let\label@gobble
26880 \let\index@gobble
26881 \let\glossary@gobble
26882 \baselineskip\z@skip \lineskip\z@skip \lineskiplimit\z@
26883   \begindvi
26884   \vskip \topmargin
26885   \movertight\@themargin \vbox{%
26886     \global\let\bidi@BeforeHeader@\firstofone
26887     \bidi@beforeheaderhook
26888     \setbox\@tempboxa \vbox to\headheight{%
26889       \vfil
26890       \color@hbox
26891         \normalcolor
26892         \hb@xt@\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thehead\if
26893         \color@endbox
26894       }%                                %% 22 Feb 87
26895       \dp\@tempboxa \z@
26896       \box\@tempboxa
26897       \vskip \headsep

```



```

26898 \global\let\bidi@BeforeOutputBoxOutputPage\@firstofone
26899 \bidi@beforeoutputboxoutputpagehook
26900 \box\@outputbox
26901 \global\let\bidi@AfterOutputBoxOutputPage\@firstofone
26902 \bidi@afteroutputboxoutputpagehook
26903 \global\let\bidi@BeforeFooter\@firstofone
26904 \bidi@beforefooterhook
26905 \baselineskip \footskip
26906 \color@hbox
26907 \normalcolor
26908 \hb@xt@\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thefoot\if@R
26909 \color@endbox
26910 \global\let\bidi@AfterFooter\@firstofone
26911 \bidi@afterfooterhook
26912 }%
26913 }%
26914 \global\let\bidi@AfterOutputPageShipOut\@firstofone
26915 \bidi@afteroutputpageshipouthook
26916 \global\let\if@newlist\@@if@newlist
26917 \global \@colht \textheight
26918 \stepcounter{page}%
26919 \let\firstmark\botmark
26920 \global\let\bidi@AtEndOutputPage\@firstofone
26921 \bidi@atendoutputpagehook
26922 }%
26923 \long\def\@makecaption#1#2{%
26924   \vskip\abovecaptionskip
26925   \sbox\@tempboxa{#1: #2}%
26926   \ifdim \wd\@tempboxa >\hsize
26927     \if@RTL\beginR\fi#1: #2\if@RTL\endR\fi\par
26928   \else
26929     \global \minipagefalse
26930     \hb@xt@\hsize{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}%
26931   \fi
26932   \vskip\belowcaptionskip}
26933 \let\bidi@saved@eqno=\eqno
26934 \let\bidi@saved@leqno=\leqno
26935 \def\eqno{\ifnum\predisplaydirection<z@\bidi@saved@leqno \else \bidi@saved@eqno \fi}
26936 \def\leqno{\ifnum\predisplaydirection<z@\bidi@saved@eqno \else \bidi@saved@leqno \fi}
26937 \ifpackageloaded{amsmath}{}{%
26938 \def\@eqnnum{{\normalfont \normalcolor \if@RTL\beginR\fi(\theequation)\if@RTL\endR\fi}}%
26939 }%
26940 \input{footnote-xetex-bidi.def}
26941 \if@twocolumn
26942   \let\autofootnoterule\relax
26943   \let\leftfootnoterule\relax
26944   \let\rightfootnoterule\relax
26945   \textwidthfootnoterule
26946 \fi
26947 \if@bidi@csundef{@idxitem}{}{%
26948 \renewcommand{@idxitem}{\par\hangindent \if@RTL-\fi40\p@}%
26949 }%
26950 \ifpackageloaded{tocbasic}{}{\input{tocbasic-xetex-bidi.def}}{}%
26951 \ifclassloaded{article}{}{\ifclassloaded{svmult}{}{\input{article-xetex-bidi.def}}}{}%

```



```

26952 \@ifclassloaded{extarticle}{\input{extarticle-xetex-bidi.def}}{}
26953 \@ifclassloaded{artikel1}{\input{artikel1-xetex-bidi.def}}{}
26954 \@ifclassloaded{artikel2}{\input{artikel2-xetex-bidi.def}}{}
26955 \@ifclassloaded{artikel3}{\input{artikel3-xetex-bidi.def}}{}
26956 \@ifclassloaded{amsart}{\input{amsart-xetex-bidi.def}}{}
26957 \@ifclassloaded{beamer}{\input{beamer-xetex-bidi.def}}{}
26958 \@ifclassloaded{letter}{\input{letter-xetex-bidi.def}}{}
26959 \@ifclassloaded{extletter}{\input{extletter-xetex-bidi.def}}{}
26960 \@ifclassloaded{memoir}{\input{memoir-xetex-bidi.def}}{}
26961 \@ifclassloaded{refrep}{\input{refrep-xetex-bidi.def}}{}
26962 \@ifclassloaded{extreport}{\input{extreport-xetex-bidi.def}}{}
26963 \@ifclassloaded{report}{\@ifpackageloaded{flowfram}{}{\input{report-xetex-bidi.def}}}={}
26964 \@ifclassloaded{rapport1}{\input{rapport1-xetex-bidi.def}}{}
26965 \@ifclassloaded{rapport3}{\input{rapport3-xetex-bidi.def}}{}
26966 \@ifclassloaded{scrartcl}{\input{scrartcl-xetex-bidi.def}}{}
26967 \@ifclassloaded{scrbook}{\input{scrbook-xetex-bidi.def}}{}
26968 \@ifclassloaded{scrreprt}{\input{scrreprt-xetex-bidi.def}}{}
26969 \@ifclassloaded{amsbook}{\input{amsbook-xetex-bidi.def}}{}
26970 \@ifclassloaded{extbook}{\input{extbook-xetex-bidi.def}}{}
26971 \@ifclassloaded{boek}{\input{boek-xetex-bidi.def}}{}
26972 \@ifclassloaded{boek3}{\input{boek3-xetex-bidi.def}}{}
26973 \@ifclassloaded{book}{\@ifpackageloaded{flowfram}{}{\input{book-xetex-bidi.def}}}={}
26974 \@ifclassloaded{bookest}{\input{bookest-xetex-bidi.def}}{}
26975 \@ifclassloaded{combine}{\input{combine-xetex-bidi.def}}{}
26976 \@ifclassloaded{imsproc}{\input{imsproc-xetex-bidi.def}}{}
26977 \@ifpackageloaded{amsmath}{}{%
26978 \@iftagsloaded{leqno}{\input{leqno-xetex-bidi.def}}{}%
26979 \@iftagsloaded{fleqn}{\input{fleqn-xetex-bidi.def}}{}%
26980 }%
26981 \@ifpackageloaded{mathtools}{}{%
26982 \RequirePackage{graphicx}%
26983 \input{mathtools-xetex-bidi.def}%
26984 }%
26985 \@ifpackageloaded{crop}{\RequirePackage{graphicx}}{}%
26986 \@ifpackageloaded{lscape}{\RequirePackage{graphicx}}{}%
26987 \@ifpackageloaded{sidecap}{\RequirePackage{ragged2e}}{}%
26988 \@ifpackageloaded{floatrow}{\RequirePackage{color}}{}%
26989 \@ifpackageloaded{algorithm2e}{\input{algorithm2e-xetex-bidi.def}}{}%
26990 \@ifpackagewith{algorithm2e}{algonl}{}%
26991 \renewcommand{\theAlgoLine}{\expandafter\csname the\algocf@float\endcsname\@SepMark\arabic{A}%
26992 }%
26993 \@ifpackagewith{algorithm2e}{algopart}{\renewcommand{\algocf@within}{part}}{}%
26994 \@ifpackagewith{algorithm2e}{algochapter}{\renewcommand{\algocf@within}{chapter}}{}%
26995 \@ifpackagewith{algorithm2e}{algosection}{\renewcommand{\algocf@within}{section}}{}%
26996 \@ifpackageloaded{amsmath}{\input{amsmath-xetex-bidi.def}}{}%
26997 \@ifpackageloaded{amstext}{\input{amstext-xetex-bidi.def}}{}%
26998 \@ifpackageloaded{amsthm}{\input{amsthm-xetex-bidi.def}}{}%
26999 \@ifpackageloaded{breqn}{\input{breqn-xetex-bidi.def}}{}%
27000 \@ifpackageloaded{cals}{\input{cals-xetex-bidi.def}}{}%
27001 \@ifpackageloaded{caption}{\input{caption-xetex-bidi.def}}{}%
27002 \@ifpackageloaded{caption3}{\input{caption3-xetex-bidi.def}}{}%
27003 \@ifpackageloaded{floatrow}{\input{floatrow-xetex-bidi.def}}{}%
27004 \@ifpackageloaded{crop}{\@ifclassloaded{memoir}{}{\input{crop-xetex-bidi.def}}}{}%
27005 \@ifpackageloaded{color}{\input{color-xetex-bidi.def}}}{}%

```



```
27006 \@ifpackageloaded{cutwin}{\input{cutwin-xetex-bidi.def}}{}  
27007 \@ifpackageloaded{cuted}{\input{cuted-xetex-bidi.def}}{}  
27008 \@ifpackageloaded{xcolor}{\input{xcolor-xetex-bidi.def}}{}  
27009 \@ifpackageloaded{colortbl}{\input{colortbl-xetex-bidi.def}}{}  
27010 \@ifpackageloaded{float}{\@ifpackageloaded{floatrow}{\input{float-xetex-bidi.def}}{\input{float-xetex-bidi.def}}}}{}  
27011 \@ifpackageloaded{flowfram}{\input{flowfram-xetex-bidi.def}}{}  
27012 \@ifpackageloaded{xltxtra}{\input{xltxtra-xetex-bidi.def}}{}  
27013 \@ifpackageloaded{wrapfig}{\input{wrapfig-xetex-bidi.def}}{}  
27014 \@ifpackageloaded{graphicx}{\input{graphicx-xetex-bidi.def}}{}  
27015 \@ifpackageloaded{geometry}{\input{geometry-xetex-bidi.def}}{}  
27016 \@ifpackageloaded{hvfloat}{\input{hvfloat-xetex-bidi.def}}{}  
27017 \@ifpackageloaded{ntheorem}{\input{ntheorem-xetex-bidi.def}}{}  
27018 \@ifpackageloaded{tabularx}{\input{tabularx-xetex-bidi.def}}{}  
27019 \@ifpackageloaded{longtable}{\input{longtable-xetex-bidi.def}}{}  
27020 \@ifpackageloaded{lscape}{\input{lscape-xetex-bidi.def}}{}  
27021 \@ifpackageloaded{hyperref}{\input{hyperref-xetex-bidi.def}}{}  
27022 \@ifpackageloaded{footnotebackref}{\input{footnotebackref-xetex-bidi.def}}{}  
27023 \@ifpackageloaded{ntheorem-hyper}{\input{ntheorem-hyper-xetex-bidi.def}}{}  
27024 \@ifpackageloaded{fancybox}{\input{fancybox-xetex-bidi.def}}{}  
27025 \@ifpackageloaded{fancyhdr}{\input{fancyhdr-xetex-bidi.def}}{}  
27026 \@ifpackageloaded{fix2col}{\input{fix2col-xetex-bidi.def}}{}  
27027 \@ifpackageloaded{ftnright}{\input{ftnright-xetex-bidi.def}}{}  
27028 \@ifpackageloaded{midfloat}{\input{midfloat-xetex-bidi.def}}{}  
27029 \@ifpackageloaded{draftwatermark}{\input{draftwatermark-xetex-bidi.def}}{}  
27030 \@ifpackageloaded{dblfnote}{\input{dblfnote-xetex-bidi.def}}{}  
27031 \@ifpackageloaded{diagbox}{\input{diagbox-xetex-bidi.def}}{}  
27032 \@ifpackageloaded{eso-pic}{\input{eso-pic-xetex-bidi.def}}{}  
27033 \@ifpackageloaded{empheq}{\input{empheq-xetex-bidi.def}}{}  
27034 \@ifpackageloaded{framed}{\input{framed-xetex-bidi.def}}{}  
27035 \@ifpackageloaded{overpic}{\input{overpic-xetex-bidi.def}}{}  
27036 \@ifpackageloaded{pdfbase}{\input{pdfbase-xetex-bidi.def}}{}  
27037 \@ifpackageloaded{pdflandscape}{\input{pdflandscape-xetex-bidi.def}}{}  
27038 \@ifpackageloaded{pdfpages}{\input{pdfpages-xetex-bidi.def}}{}  
27039 \@ifpackageloaded{lettrine}{\input{lettrine-xetex-bidi.def}}{}  
27040 \@ifpackageloaded{lineno}{\input{lineno-xetex-bidi.def}}{}  
27041 \@ifpackageloaded{listings}{\input{listings-xetex-bidi.def}}{}  
27042 \@ifpackageloaded{media9}{\RequirePackage{bidi-media9}}{}  
27043 \@iftexfileloaded{pstricks}{\input{pstricks-xetex-bidi.def}}{}  
27044 \@iftexfileloaded{pgfcorescopes.code}{\input{pgfcorescopes.code-xetex-bidi.def}}{}  
27045 \@ifpackageloaded{titlesec}{\input{titlesec-xetex-bidi.def}}{}  
27046 \@ifpackageloaded{titletoc}{\input{titletoc-xetex-bidi.def}}{}  
27047 \@ifpackageloaded{array}{\input{array-xetex-bidi.def}}{}  
27048 \@ifpackageloaded{sidecap}{\input{sidecap-xetex-bidi.def}}{}  
27049 \@ifpackagewith{sidecap}{innercaption}{%  
27050 \if@RTL \renewcommand*{\SC@FLOAT}[2]{%  
27051 \isSC@ODD{\#2}\hspace{\sidecaptionsep}{#1} {#1}\hspace{\sidecaptionsep}{#2}}}  
27052 \renewcommand*{\SC@justify@caption}{%  
27053 \isSC@ODD{\RaggedRight}{\RaggedLeft}}\else  
27054 \renewcommand*{\SC@FLOAT}[2]{%  
27055 \isSC@ODD{#1}\hspace{\sidecaptionsep}{#2} {#2}\hspace{\sidecaptionsep}{#1}}}  
27056 \renewcommand*{\SC@justify@caption}{%  
27057 \isSC@ODD{\RaggedLeft}{\RaggedRight}}\fi  
27058 }%  
27059 \@ifpackagewith{sidecap}{rightcaption}{%
```



```

27060 \if@RTL\renewcommand*\{SC@FLOAT}[2]{{#1}\hspace{\sidecaptionsep}{#2}}
27061 \def\SC@justify@caption{\RaggedLeft}\else%
27062 \renewcommand*\{SC@FLOAT}[2]{{#2}\hspace{\sidecaptionsep}{#1}}
27063 \def\SC@justify@caption{\RaggedRight}\fi%
27064 }{%
27065 @ifpackagewith{sidecap}{leftcaption}{}{%
27066 \if@RTL \renewcommand*\{SC@FLOAT}[2]{{#2}\hspace{\sidecaptionsep}{#1}}%
27067 \def\SC@justify@caption{\RaggedRight}\else%
27068 \renewcommand*\{SC@FLOAT}[2]{{#1}\hspace{\sidecaptionsep}{#2}}%
27069 \def\SC@justify@caption{\RaggedLeft}\fi%
27070 }{%
27071 @ifpackageloaded{soul}{\input{soul-xetex-bidi.def}}{}%
27072 @ifpackageloaded{stabular}{\input{stabular-xetex-bidi.def}}{}%
27073 @ifpackageloaded{subfigure}{\input{subfigure-xetex-bidi.def}}{}%
27074 @ifpackageloaded{arydshln}{\input{arydshln-xetex-bidi.def}}{}%
27075 @ifpackageloaded{mdframed}{\input{mdframed-xetex-bidi.def}}{}%
27076 @ifpackageloaded{multicol}{\input{multicol-xetex-bidi.def}}{}%
27077 @ifpackageloaded{adjmulticol}{\input{adjmulticol-xetex-bidi.def}}{}%
27078 @ifpackageloaded{multienum}{\input{multienum-xetex-bidi.def}}{}%
27079 @ifpackageloaded{natbib}{\input{natbib-xetex-bidi.def}}{}%
27080 @ifpackageloaded{newfloat}{\input{newfloat-xetex-bidi.def}}{}%
27081 @ifpackageloaded{nicematrix}{\input{nicematrix-xetex-bidi.def}}{}%
27082 @ifpackageloaded{minitoc}{\input{minitoc-xetex-bidi.def}}{}%
27083 @ifpackageloaded{pgfsys}{\input{pgfsys.code-xetex-bidi.def}}{}%
27084 @ifpackageloaded{picinpar}{\input{picinpar-xetex-bidi.def}}{}%
27085 @ifpackageloaded{quotchap}{\input{quotchap-xetex-bidi.def}}{}%
27086 @ifpackageloaded{ragged2e}{\input{ragged2e-xetex-bidi.def}}{}%
27087 @ifpackageloaded{rotating}{\input{rotating-xetex-bidi.def}}{}%
27088 @ifpackageloaded{tbls}{\input{tbls-xetex-bidi.def}}{}%
27089 @ifpackageloaded{tabulary}{\input{tabulary-xetex-bidi.def}}{}%
27090 @ifpackageloaded{tcolorbox}{\input{tcolorbox-xetex-bidi.def}}{}%
27091 @ifpackageloaded{tocstyle}{\input{tocstyle-xetex-bidi.def}}{}%
27092 @ifpackageloaded{tocbibind}{@\ifclassloaded{memoir}{}\input{tocbibind-xetex-bidi.def}}{}%
27093 @ifpackageloaded{tocloft}{@\ifclassloaded{memoir}{}\input{tocloft-xetex-bidi.def}}{}%
27094 @ifdefinitionfileloaded{tc-xetex}{\input{tc-xetex-bidi.def}}{}%
27095 @ifpackageloaded{todonotes}{\input{todonotes-xetex-bidi.def}}{}%
27096 @ifpackageloaded{beamerbaseauxtemplates}{\input{beamerbaseauxtemplates-xetex-bidi.def}}{}%
27097 @ifpackageloaded{beamerbaseboxes}{\input{beamerbaseboxes-xetex-bidi.def}}{}%
27098 @ifpackageloaded{beamerbasecolor}{\input{beamerbasecolor-xetex-bidi.def}}{}%
27099 @ifpackageloaded{beamerbasecompatibility}{\input{beamerbasecompatibility-xetex-bidi.def}}{}%
27100 @ifpackageloaded{beamerbaseframecomponents}{\input{beamerbaseframecomponents-xetex-bidi.def}}%
27101 @ifpackageloaded{beamerbaseframesize}{\input{beamerbaseframesize-xetex-bidi.def}}{}%
27102 @ifpackageloaded{beamerbaselocalstructure}{\input{beamerbaselocalstructure-xetex-bidi.def}}{}%
27103 @ifpackageloaded{beamerbasemisc}{\input{beamerbasemisc-xetex-bidi.def}}{}%
27104 @ifpackageloaded{beamerbasenavigation}{\input{beamerbasenavigation-xetex-bidi.def}}{}%
27105 @ifpackageloaded{beamerbaseoverlay}{\input{beamerbaseoverlay-xetex-bidi.def}}{}%
27106 @ifpackageloaded{beamerinnerthemedefault}{\input{beamerinnerthemedefault-xetex-bidi.def}}{}%
27107 @ifpackageloaded{beamerinnerthermecircles}{\input{beamerinnerthermecircles-xetex-bidi.def}}{}%
27108 @ifpackageloaded{beamerinnerthemefocus}{\input{beamerinnerthemefocus-xetex-bidi.def}}{}%
27109 @ifpackageloaded{beamerinnerthermemainmargin}{\input{beamerinnerthermemainmargin-xetex-bidi.def}}%
27110 @ifpackageloaded{beamerinnerthermemetropolis}{\input{beamerinnerthermemetropolis-xetex-bidi.d%}}%
27111 @ifpackageloaded{beamerinnerthermerectangles}{\input{beamerinnerthermerectangles-xetex-bidi.d%}}%
27112 @ifpackageloaded{beamerinnerthermerounded}{\input{beamerinnerthermerounded-xetex-bidi.def}}{}%
27113 @ifpackageloaded{beamerrouterthemedefault}{\input{beamerrouterthemedefault-xetex-bidi.def}}{}%

```



```

27114 \ifpackageloaded{beamerrouterthemefocus}{\input{beamerrouterthemefocus-xetex-bidi.def}}{}}
27115 \ifpackageloaded{beamerrouterthemeline}{\input{beamerrouterthemeline-xetex-bidi.def}}
27116 \ifpackageloaded{beamerrouterthememetropolis}{\input{beamerrouterthememetropolis-xetex-bidi.def}}
27117 \ifpackageloaded{beamerrouterthememiniframe}{\input{beamerrouterthememiniframe-xetex-bidi.def}}
27118 \ifpackageloaded{beamerrouterthemasidebar}{\input{beamerrouterthemasidebar-xetex-bidi.def}}{}}
27119 \ifpackageloaded{beamerrouterthemesplit}{\input{beamerrouterthemesplit-xetex-bidi.def}}{}}
27120 \ifpackageloaded{beamerrouterthemeshadow}{\input{beamerrouterthemeshadow-xetex-bidi.def}}{}}
27121 \ifpackageloaded{beamerrouterthemesmoothbars}{\input{beamerrouterthemesmoothbars-xetex-bidi.def}}
27122 \ifpackageloaded{beamerrouterthemesmoothtree}{\input{beamerrouterthemesmoothtree-xetex-bidi.def}}
27123 \ifpackageloaded{beamerrouterthememetree}{\input{beamerrouterthememetree-xetex-bidi.def}}{}}
27124 \ifpackageloaded{beamertHEMEHannover}{\input{beamertHEMEHannover-xetex-bidi.def}}{}}
27125 \ifpackageloaded{beamertHEMEsingapore}{\input{beamertHEMEsingapore-xetex-bidi.def}}{}}

```

## 163 File `xltxttra-xetex-bidi.def`

```

27126 \ProvidesFile{xltxttra-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for xltxttra package f
27127 \let\@XeTeX\XeTeX
27128 \def\XeTeX{\@ensure@LTR{\@XeTeX}}
27129 \let\@XeLaTeX\XeLaTeX
27130 \def\XeLaTeX{\@ensure@LTR{\@XeLaTeX}}

```

## 164 Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols		
\# ..	5950, 5996, 6108, 6116	\@@@bidi@AfterClass .....
\% .....	16481	6888, 6893 \@@@bidi@AfterPackage .....
\' .....	16601, 18739, 20695	6933, 6937 \@CH@footnotetext .....
\( .....	18840	11768, 11783 \@CH@mpfootnotetext .....
\) .....	18841	11769, 11785 \@CHLTR@LTRfootnotetext .....
\, .....	8202, 16864, 21289, 21332, 25852, 25863, 26269	11771, 11789 \@CHLTR@mpLTRfootnotetext .....
\- .....	4349, 16600, 18738, 20694	11779, 11785 \@CHRTL@RTLfootnotetext .....
\. .....	93, 296, 616, 748, 1011, 1261, 2654, 4348, 9389, 9577, 9889, 11448, 11722, 15623, 17994, 20050, 20857, 21251, 21448, 21651, 22189, 22950, 23715, 24437	11772, 11791 \@CHRTL@mpRTLfootnotetext .....
\/ .....	4691	11773, 11793 \@CLTR .....
\: .....	18882, 18941	20524, 20525, 20527, 26219, 26221 \@LaTeX .....
\< .....	24071	26224, 26225 \@LaTeXe .....
\= .....	16601, 18739, 20695	26226, 26227 \@RTL .....
\> .....	24072	20524, 26218, 26221 \@Radio .....
\@ .....	6020	20528, 26222, 26223 \@TeX .....
\@@ .....	24250, 24252	27129, 27130 \@XeLaTeX .....



\@if@newlist .	15943,	\@EightColRTLfootnotetext	14145,	14317,
	15975, 26841, 26916	.....	14035, 14143	14342, 14372,
\@input .....	6803	\@EightColfootnotetext	14402,	14430,
\@italiccorr .....		.....	14033, 14070	14444, 14616,
	... 336, 9933, 18719	\@False .....	9912, 9914	14641, 14671,
\@line .....	12211,	.....	13137, 13219	14701, 14729,
	12214, 21677,	\@FiveColRTLfootnotetext	.....	14743, 14957,
	21686, 21724,	.....	13138, 13246	15010, 15060,
	21735, 26411,	\@FiveColfootnotetext	.....	15111, 15168,
	26412, 26414,	.....	13136, 13173	15199, 15230, 15246
	26415, 26417, 26418	\@FourColRTLfootnotetext	.....	\@LTRfootnotetext 64,
\@makcaption .....		.....	12838, 12920	81, 155, 156, 157,
	.. 22221, 22285,	\@FourColfootnotetext	.....	266, 284, 2366,
	22389, 22982,	.....	12839, 12947	2370, 2425, 4827,
	23046, 23151,	\@FourColfootnotetext	.....	4949, 8247, 8330,
	23747, 23811, 23916	.....	12837, 12874	8337, 9053, 9064,
\@makefnmark .....		\@LTRbibitemsfalse	.....	9270, 9284, 10898,
	.. 21826, 21862,	.....	26283, 26285	10899, 11769,
	21865, 22565,	\@LTRbibitemstrue	26284	11784, 11785,
	22602, 22605,	\@LTRbidiutuftesidenote@sidenote	11974,	11966,
	23338, 23375, 23378	.....	8318, 8377, 8381	12227,
\@math .....	9924	\@LTRbidiutuftesidenotemarginparreset	12251,	12526,
\@mix .....	26046, 26089	.....	7953, 7960	12838, 13112,
\@mod ..	26047, 26051,	\@LTRbidiutuftesidenotesavemarbox	13137,	13411,
	26052, 26055,	.....	7940,	13436, 13710,
	26056, 26057,	7941, 7944, 7947	13735,	14009,
	26060, 26090,	\@LTRbidiutuftesidenotexmpar	14034,	14308,
	26094, 26095,	.....	14333,	14607,
	26098, 26099,	\@LTRbidiutuftesidenoteypar	14632,	14944,
	26100, 26103, 26122	.....	14997,	15053,
\@par .....	18737,	\@LTRfootgroupv@l .	15104,	16197,
	20693, 21284,	.. 11843, 11874,	16203,	16247,
	21327, 21837,	12046, 12236,	16273,	16334,
	21848, 22576,	12261, 12291,	16359,	16365,
	22588, 23349,	12321, 12349,	17367,	17395,
	23361, 24362,	12363, 12535,	17474,	17493,
	24364, 26350, 26463	12560, 12589,	17687,	17691,
\@protect .....	5881	12618, 12644,	17711,	17712,
\@scalebox	20603, 20620	12657, 12822,	18644,	18795,
\@startpbox ..	18586,	12847, 12877,	19920,	19922,
	24147, 24185, 26457	12907, 12935,	19923,	21788,
\@title .	8817, 8820, 8823	12949, 13121,	21794,	22229,
\@tmp .....	26051,	13146, 13176,	22527,	22533,
	26052, 26057,	13206, 13234,	22990,	23300,
	26058, 26060,	13248, 13420,	23306,	23755,
	26061, 26094,	13445, 13475,	24216, 24233, 24325	
	26095, 26100,	13505, 13533,	\@LTRmarginparfalse	
	26101, 26103,	13547, 13719,	.....	26824, 26826
	26104, 26122, 26123	13744, 13774,	\@LTRmarginparreset	
\@underline .....		13804, 13832,	.....	26723, 26730
	. 26430, 26432, 26434	13846, 14018,	\@LTRmarginpartrue	26825
\@DEBUGfalse .....	4971	14043, 14073,	\@LTRsavemarbox	26710,
\@EightCollTRfootnotetext	.....	14103, 14131,	26711, 26714, 26717	



\@CLTRxmpar . 26708, 26709	\@ParaLTRfootnotetext . 14997, 15104, 15214	13224, 13291, 13320, 13333,
\@CLTRympar . 26708, 26713	\@ParaRTLfootnotetext ..... 14998, 15244	13347, 13462, 13492, 13508,
\@M 6, 92, 105, 201, 225, 295, 585, 652, 653, 677, 781, 904, 959, 960, 1033, 1153, 1154, 1160, 1283, 4754, 4759, 8549, 9310, 9311, 9317, 9431, 9487, 9488, 9494, 9608, 9658, 9853, 9861, 9928, 11415, 11428, 11685, 11694, 12211, 12214, 15589, 15597, 15916, 17993, 18007, 18031, 19781, 19793, 19805, 20633, 20755, 20756, 20780, 20890, 21029, 21152, 21205, 21206, 21267, 21268, 21622, 21630, 24241, 24348, 24389, 24524, 24555, 24578, 24595, 24612, 24629, 24646, 24663, 24681, 24700, 24720, 24755, 25138, 25668, 25782, 26488	13523, 13590, 13619, 13632, 13646, 13761, 13791, 13807, 13822, 13889, 13918, 13931, 13945, 14060, 14090, 14106, 14121, 14188, 14217, 14230, 14244, 14359, 14389, 14405, 14420, 14487, 14516, 14529, 14543, 14658, 14688, 14704, 14719, 14786, 14815, 14828, 14842, 15401, 15426, 15612, 16215, 16248, 16294, 16309, 17988, 18201, 18224, 18228, 18235, 18244, 18728, 19534, 20041, 20218, 20266, 20470, 20504, 20508, 20513, 20562, 20846, 21240, 21434, 21637, 22167, 22928, 23693, 24423, 26144, 26179, 26186, 26207, 26365, 26383, 26821, 26892, 26908	
\@MM . . . 41, 55, 71, 244, 258, 273, 10896, 10917, 10964, 10971, 11016, 11023, 12057, 16220, 16237, 16253	\@RTLbidiitufte sidenote\xmpar ..... 7982, 7983	16294, 16309, 17988, 18201, 18224, 18228, 18235, 18244, 18728, 19534, 20041, 20218, 20266, 20470, 20504, 20508, 20513, 20562, 20846, 21240, 21434, 21637, 22167, 22928, 23693, 24423, 26144, 26179, 26186, 26207, 26365, 26383, 26821, 26892, 26908
\@Mi . . . . . 9924, 18658	\@RTLfootnotetext 48,	
\@Mii . . . . . 4902, 7881, 7925, 7969, 10586, 10598, 10611, 26695, 26739	12339, 12406, 12435, 12448, 12462, 12577, 12606, 12621, 12635, 12699, 12727, 12739, 12752, 12864, 12894, 12910, 12925, 12992, 13021, 13034, 13048, 13163, 13193, 13209,	80, 159, 160, 161, 251, 283, 2365, 2369, 2399, 4828, 4950, 8265, 8359, 8366, 9054, 9065, 9271, 9285, 10919, 10920, 11770, 11786, 11787, 11858, 11967, 11975, 12228, 12253, 12527,
\@NineColLTRfootnotetext ..... 14333, 14415		
\@NineColRTLfootnotetext ..... 14334, 14442		
\@NineColfootnotetext ..... 14332, 14369		



12552,	12814,	11845,	11860,	26196,	26206,
12839,	13113,	11876,	11906,	26374,	26392,
13138,	13412,	11919,	11943,	26821,	26892, 26908
13437,	13711,	11956,	12278,	\@RTLxmpar .	26752, 26753
13736,	14010,	12308,	12351,	\@RTLympar .	26752, 26757
14035,	14309,	12366,	12406,	\@Reset . . . .	17966, 17975
14334,	14608,	12435,	12475,	\@SepMark . . . . .	19,
14633,	14945,	12489,	12577,	20,	21, 22, 168,
14998,	15054,	12606,	12646,	214,	215, 216, 217,
15105,	16188,	12660,	12699,	334,	350, 573, 574,
16194,	16231,	12727,	12764,	575,	576, 730, 731,
16272,	16335,	12777,	12864,	732,	733, 984, 985,
16374,	16380,	12894,	12937,	986,	987, 1243,
17366,	17384,	12952,	12992,	1244,	1245, 1246,
17459,	17494,	13021,	13061,	9404,	9405, 9406,
17686,	17690,	13075,	13163,	9407,	9408, 9410,
17708,	17709,	13193,	13236,	9412,	9414, 9581,
18645,	18796,	13251,	13291,	9582,	9583, 9584,
19925,	19927,	13320,	13360,	9585,	9587, 9589,
19928,	21789,	13374,	13462,	9591,	9832, 9834,
21798,	22230,	13492,	13535,	9836,	9838, 9839,
22528,	22537,	13550,	13590,	9840,	9841, 9842,
22991,	23301,	13619,	13659,	11548,	11549,
23310,	23756,	13673,	13761,	11550,	11551,
24217,	24234, 24326	13791,	13834,	11664,	11666,
\@RTLmainfalse .	4252,	13849,	13889,	11668,	11670,
4256,	4469, 4473	13918,	13958,	11671,	11672,
\@RTLmaintrue .	4255, 4472	13972,	14060,	11673,	11674,
\@RTLmarginparfalse	. . . . . 26825, 26826	14090,	14133,	15715,	15716,
\@RTLmarginparreset	. . . . . 26767, 26774	14148,	14188,	15717,	15718,
\@RTLmarginpartrue	26824	14217,	14257,	15719,	15721,
\@RTLsavemarbox	26754,	14271,	14359,	15723,	15725,
26755,	26758, 26761	14389,	14432,	15883,	15889,
\@RTLtabfalse . . . . .	. 436, 4082, 4233,	14447,	14487,	16011,	16013,
20104,	26180,	14516,	14556,	16015,	16017,
26186,	26207,	14570,	14658,	16018,	16019,
26365,	26383, 26468	14688,	14731,	16020,	16021,
\@RTLtabtrue . . . . .	. 4081, 4232,	14746,	14786,	16024,	16026,
26171,	26196,	14815,	14855,	16028,	16030,
26206,	26253,	14869,	15390,	16031,	16032,
26260,	26374, 26392	15417,	15612,	16033,	16034,
\@RTLtrue .	36, 50, 87,	16215,	16232,	18044,	18045,
239,	253, 290, 602,	16279,	16309,	18046,	18047,
737,	1000, 1250,	17988,	18201,	18261,	19421,
2267,	2284, 2320,	18224,	18235,	19423,	19425,
2336,	2637, 4061,	18244,	18731,	19427,	19429,
4068,	4075, 5197,	19534,	20041,	19430,	19432,
9378,	9566, 9875,	20471,	20496,	19433,	19434,
9933,	9935, 11437,	20510,	20512,	20084,	20092,
11708,	11829,	20846,	21240,	20094,	20861,
		21434,	21637,	20862,	20863,
		22167,	22928,	20864,	20865,
		23693,	24423,	20867,	20869,
		26145,	26170,	20871,	21226,



21227,	21228,	\@TwoColLTRfootnotetext	730, 731, 732, 733,
21229,	21230,	..... 12252, 12334	739, 746, 984, 985,
21232,	21234,	\@TwoColRTLfootnotetext	986, 987, 1002,
21236,	21421,	..... 12253, 12361	1009, 1243, 1244,
21423,	21425,	\@TwoColfootnotetext	1245, 1246, 1252,
21426,	21427,	..... 12251, 12288	1259, 2639, 2648,
21428,	21429,	\@Undottedtocline 19788	5209, 9380, 9387,
21430,	21603,	\@Undottedtoclinep 19800	9404, 9405, 9406,
21605,	21607,	\@acci 16601, 18739, 20695	9407, 9408, 9410,
21609,	21610,	\@accii 16601, 18739, 20695	9412, 9414, 9568,
21611,	21612,	\@acciii .....	9575, 9581, 9582,
21613,	22141,	. 16601, 18739, 20695	9583, 9584, 9585,
22142,	22144,	\@acol 1467, 1475, 4836,	9587, 9589, 9591,
22146,	22148,	18583, 24131,	9832, 9834, 9836,
22880,	22883,	26262, 26440, 26466	9837, 9838, 9839,
22885,	22889,	\@acolampacol .. 1465,	9840, 9841, 9842,
22891,	22893,	1467, 1473, 1475	9877, 9884, 11439,
22895,	22898,	\@addamp .. 1466, 1474	11446, 11548,
22901,	22905,	\@addfield .. 26830	11549, 11550,
22907,	23653,	\@addmarginpar .. 26780	11551, 11664,
23655,	23658,	\@address 5089, 10753,	11666, 11668,
23660,	23662,	10754, 10851, 10853	11669, 11670,
23664,	23667,	\@addresscolour 5058,	11671, 11672,
23670,	23673,	5075, 10752, 10850	11673, 11674,
24498,	24742,	\@addtofilelist ... 6802	11710, 11717,
26280,	26282, 26991	\@addtopreamble ...	15614, 15621,
\@SevenColLTRfootnotetext		.. 1438, 1501, 10006	15715, 15716,
..... 13735, 13817		\@addtoreset .....	15717, 15718,
\@SevenColRTLfootnotetext		.... 332, 15886,	15719, 15721,
..... 13736, 13844		20082, 20088, 20090	15723, 15725,
\@SevenColfootnotetext		\@addviper .. 10349	16011, 16013,
..... 13734, 13771		\@afterheading ..	16015, 16016,
\@SixColLTRfootnotetext		. 595, 4737, 4747,	16017, 16018,
..... 13436, 13518		11425, 11433, 18751	16019, 16020,
\@SixColRTLfootnotetext		\@afterindentfalse	16021, 16024,
..... 13437, 13545		.. 4737, 4747, 18750	16026, 16028,
\@SixColfootnotetext		\@afterindenttrue ..	16029, 16030,
..... 13435, 13472		.. 677, 904, 1160,	16031, 16032,
\@Submit ... 17949, 17958		8548, 9317, 9494,	16033, 16034,
\@TenColLTRfootnotetext		19780, 19792,	18261, 18263,
..... 14632, 14714		19804, 20780,	19421, 19423,
\@TenColRTLfootnotetext		21152, 24523,	19425, 19427,
..... 14633, 14741		24554, 24577,	19429, 19432,
\@TenColfootnotetext		24594, 24611,	19433, 19434,
..... 14631, 14668		24628, 24645,	20848, 20855,
\@TextField 17917, 17925		24662, 24680,	20861, 20862,
\@ThreeColLTRfootnotetext		24699, 24719,	20863, 20864,
..... 12551, 12630		24754, 25137,	20865, 20867,
\@ThreeColRTLfootnotetext		25661, 25781, 26487	20869, 20871,
..... 12552, 12655		\@algocf@finish ... 179	21226, 21227,
\@ThreeColfootnotetext		\@algocf@start ... 171	21228, 21229,
..... 12550, 12586		\@campacol ... 1465, 1473	21230, 21232,
\@True ... 9907, 9913, 9945		\@arabic 168, 573, 574,	21234, 21236,
		575, 576, 604, 611,	21242, 21249,



21421, 21423,	4590, 8750, 8752,	22933, 23696,
21425, 21426,	8821, 9442, 9444,	23698, 24425, 24426
21427, 21428,	9462, 9619, 9621,	\@bibsetup ..... 20043
21429, 21430,	9639, 9714, 9728,	\@bibtitlestyle .... . 84, 287, 17985
21436, 21443,	9764, 9785, 11475,	\@bidi@@stpelt .... . 6322, 6328, 6332
21603, 21605,	11487, 11521,	\@bidi@AfterClass . .... . 6888,
21607, 21608,	11540, 11570,	6909, 6914, 6921
21609, 21610,	11584, 11620,	\@bidi@AfterPackage .. . . . . 6933,
21611, 21612,	11641, 15642,	6952, 6956, 6963
21613, 21639,	15654, 15688,	\@bidi@EqualStringX . . . . . 6387, 6388, 6389
21646, 22142,	15707, 19390,	\@bidi@PreventPackageFromLoading . . . . . 6973, 6974, 6976
22144, 22146,	20901, 20903,	\@bidi@UnPreventPackageFromLoading . . . . . 7065, 7066, 7069
22148, 22170,	20921, 20966,	\@bidi@afters@Hy@hyperfootnotes . . . . . 11778,
22186, 22887,	20985, 21040,	11979, 12240,
22889, 22891,	21042, 21062,	12265, 12539,
22893, 22895,	21109, 21131,	12564, 12826,
22898, 22901,	21142, 21298,	12851, 13125,
22909, 22931,	21312, 21353,	13150, 13424,
22947, 23656,	21374, 21485,	13449, 13723,
23658, 23660,	21499, 21535,	13748, 14022,
23662, 23664,	21556, 21970,	14047, 14321,
23667, 23670,	22114, 22710,	14346, 14620,
23674, 23696,	22854, 23483, 23627	14645, 14962,
23712, 24425, 24432	\@auxout .. 4125, 4129,	15015, 15069, 15120
\@argdef ..... 5841	5252, 5617, 5645,	\@bidi@append@to@cslist . . . . . 6534, 6538, 6548
\@array 390, 423, 1400,	5671, 5699, 5725,	\@bidi@append@to@list . . . . . 6538,
1401, 24168, 26446	5728, 5762, 5765,	6541, 6544, 6551, 6559
\@arrayacol ..... 26466	9217, 12115, 26532	\@bidi@bannerfalse 4048
\@arrayclassiv ... 26467	\@badmath .. 15848, 15862	\@bidi@bannertrue . 4047
\@arrayclassz .. . . .	\@begin@tempboxa ..	\@bidi@before@Hy@hyperfootnotes . . . . . 11764,
. 1465, 24172, 26466	..... 16877,	11972, 12225,
\@arrayacr 417, 18592, 26468	16973, 16980, 26350	12250, 12524,
\@arrayleft ..... 410	\@begindvi . 15914, 26883	12549, 12811,
\@arrayparboxrestore	\@beginparpenalty .	12836, 13110,
. 1992, 18647, 20690	..... 4750,	13135, 13409,
\@arrayright ..... 431	4759, 15851, 15865	13434, 13708,
\@arrayrule 1420, 1421,	\@bib@break .. . . .	13733, 14007,
1422, 1458, 1459, 1460	. 22162, 22923, 23688	14032, 14306,
\@arstdepth .. . . .	\@biblabel .. . . . 89,	14331, 14605,
. 24165, 24170, 24188	292, 604, 605,	14630, 14942,
\@arsthheight 24170, 24188	739, 740, 1002,	14995, 15047, 15098
\@arstrut .. . . . 404,	1003, 1252, 1253,	\@bidi@copy@stacktop . . . . . 6606, 6609
18606, 24146, 26456	2639, 2640, 9380,	
\@arstrutbox ... 393,	9381, 9568, 9569,	
18594, 18648,	9877, 9878, 11439,	
24139, 24180,	11440, 11710,	
24184, 24188, 26449	11711, 15614,	
\@author .. . . . 455,	15615, 17990,	
469, 505, 526, 792,	20043, 20848,	
794, 812, 857,	20849, 21242,	
876, 1044, 1046,	21243, 21436,	
1064, 1109, 1128,	21437, 21639,	
1294, 1296, 1314,	21640, 22170,	
1359, 1379, 1390,	22172, 22931,	



\@bidi@copyins@ ...	4303, 4488, 4512, 4513	\@bidi@stepcounter
.... 4267, 4268,		..... 6321, 6327
4269, 4270, 4271,		\@bidi@tabular@RTLcases
4484, 4485, 4486,		. 26251, 26253, 26260
4487, 4488, 12047,		\@bidi@todonotes@align
16629, 16630,	4272, 4304	..... 25828,
16631, 16632,		25829, 25861,
16642, 16643,		25902, 25905,
16691, 16692,		25908, 25911,
16748, 16749,		25936, 25941, 25942
16750, 16751,		\@bidi@todonotes@figposition@rightfalse
16768, 16769,		..... 25843
16787, 16796,		\@bidi@todonotes@figposition@righttrue
16808, 16814,		..... 25841
16818, 16830,		\@bidi@todonotes@textdirection
16832, 16835,		.. 25830, 25834,
16866, 19950,		25837, 25941, 25942
19951, 19959,		\@bidi@todonotes@textdirection@RTLfalse
20537, 20539,		..... 25836
20540, 26657,		\@bidi@todonotes@textdirection@RTLtrue
26663, 26666,		..... 25833
26680, 26682, 26685		\@bidi@unreplacefilewithext
\@bidi@emptytoks ...		... 6859, 6865, 6868
... 5301, 5306, 5330		\@bidi@w@w .....
\@bidi@envbody ....		6517
.... 5300, 5302,		\@bidi@ww .....
5304, 5305, 5306,		6511
5326, 5328, 5329, 5330		\@bidi@declaredcolor
\@bidi@fi .... 6468,		..... 10058,
6469, 6470, 6471,		10065, 26082, 26111
6475, 6476, 6480,		\@bidi@tufteLTrsidenote@normal@cite
6481, 6485, 6486,		..... 8113,
6491, 6492, 6496, 6497		8192, 8312, 8341,
\@bidi@finalfootnoteperpage		8370, 8392, 8401, 8410
\@bidi@finalfootnoteperpage		\@bidi@tufteRTLsidenote@normal@cite
.... 12135		..... 8132,
\@bidi@finalfootnoteperpage		8193, 8313, 8342,
.... 12133		8371, 8393, 8402, 8411
\@bidi@ifnxtc ....		\@bidi@tuftefloat@caption
... 6435, 6438, 6439		..... 7486, 7519
\@bidi@info 4168, 4197,		\@bidi@tuftefloat@caption@box
4198, 4423, 4451, 4452		7478, 7543, 7554,
\@bidi@inslogo@ ...		7555, 7578, 7813, 7818
.... 4139, 4140,		\@bidi@tuftefloat@caption@fill
4271, 4488, 4513, 4538		..... 7427,
\@bidi@list@minipage@parbox@not@objtrue	6536,	7436, 7437, 7818
.... 16323, 26338	6592, 6594	\@bidi@tuftefloat@caption@font
\@bidi@list@minipage@parbox@false	.... 6539,	7392, 7393, 7447,
.... 1956, 24335		7644, 7815, 7821, 7834
\@bidi@list@minipage@parbox@true	6542, 6546, 6552, 6560	\@bidi@tuftefloat@caption@justification
.... 16324, 26342, 26345	\@bidi@removefromreset	.... 7334, 7450, 7644
\@bidi@logo ... 4287,	.... 5450, 5451, 5453	\@bidi@tuftefloat@caption@vertical@offset
4306, 4496, 4512	\@bidi@replacefilewithext	.... 7481, 7482,
\@bidi@logo@ .....	.... 6850, 6854, 6857	7490, 7554, 7555, 7582
.... 4140, 4271,	\@bidi@saveprimitive	\@bidi@tuftefloat@checkoddpage
	.... 5288	.... 7409, 7506



\@bidituftefloat@figure@box	\@bidituftefloat@stored@label	8168, 8235, 8253, 8271, 8389, 8398, 8407
..... 7477,	..... 7485, 7494,	
7536, 7554, 7555, 7577	7546, 7562, 7564, 7581	\@biditufteidenote@marginfo
\@bidituftefloat@float@content@width	\@bidituftefloat@stored@shortcaption	..... 8010, 8013, 8016, 8019
..... 7498,	..... 7483,	
7534, 7535, 7537	7488, 7489, 7545, 7579	\@biditufteidenote@marginfo@font
\@bidituftefloat@float@debug	\@bidituftegeneralstructure@reset@par	8016, 8025, 8389
.... 7467, 7473,	..... 8594, 8600	\@biditufteidenote@marginfo@justification
7475, 7476, 7508,	\@biditufteheading@newline@space	..... 8032,
7509, 7512, 7514,	..... 7650, 7659	8389, 8398, 8407
7515, 7592, 7599,	\@biditufteheading@newline@space@font	\@biditufteidenote@normal@cite
7606, 7607, 7610, 7611	..... 7651, 7653	..... 8094,
\@bidituftefloat@float@debug	\@biditufteheading@orig@cr	8191, 8311, 8340,
.... 7466, 7468,	..... 7658, 7662	8369, 8391, 8400, 8409
7469, 7470, 7567, 7574	\@biditufteidenote@LTR@citation@font	\@biditufteidenote@print@citations
\@bidituftefloat@float@fullwidth	.... 8020, 8029, 8119	8160, 8310, 8339,
..... 7554, 7602	\@biditufteidenote@LTR@marginfont	8368, 8390, 8399, 8408
\@bidituftefloat@float@textwidth	..... 8011,	\@biditufteidenote@sidenote
.... 7555, 7584	8014, 8017, 8020	..... 8289, 8376, 8380
\@bidituftefloat@fps	\@biditufteidenote@LTR@marginnote@font	\@biditufteidenote@sidenote@citations
.... 7496, 7511	.... 8017, 8026, 8398	..... 8185
\@bidituftefloat@fullwidth	\@biditufteidenote@LTR@sidenote@font	\@biditufteidenote@sidenote@font
.... 7426,	..... 8014, 8023	..... 8013,
7432, 7433, 7434, 7534	\@biditufteidenote@RTL@citation@font	8022, 8198, 8199, 8202
\@bidituftefloat@justification	..... 8021, 8030	\@biditufteidenote@sidenote@justification
..... 7394	\@biditufteidenote@RTL@marginfont	..... 8031, 8198, 8199
\@bidituftefloat@justification@auto@deteté	8012, 8015, 8018, 8021	\@biditufteidenote@sidenote@vertical@offset
.... 7334, 7464	\@biditufteidenote@RTL@marginnote@font	..... 8286,
\@bidituftefloat@label	.... 8018, 8027, 8407	8287, 8293, 8295,
.... 7493, 7520	\@biditufteidenote@RTL@sidenote@font	8301, 8308, 8322,
\@bidituftefloat@margin@floatbox	.... 8015, 8024	8324, 8330, 8337,
... 7442, 7445, 7456	\@biditufteidenote@add@citation	8351, 8353, 8359, 8366
\@bidituftefloat@margin@par	..... 8154, 8187	\@biditufteidenote@trim@b
.... 7364, 7451	\@biditufteidenote@check@multiple@sidenotes	8064, 8071
\@bidituftefloat@marginfont	..... 8212, 8220	\@biditufteidenote@trim@c
.... 7391, 7392	\@biditufteidenote@citation@font	8068, 8071, 8076
\@bidituftefloat@orig@caption	..... 8019, 8028, 8100, 8138, 8166	\@biditufteidenote@trim@spaces
... 7517, 7545, 7575		8053, 8056, 8105,
\@bidituftefloat@orig@endfloat	\@biditufteidenote@citation@justification	8126,
... 7480, 7558, 7809	..... 8033, 8167	8143, 8145, 8175, 8177
\@bidituftefloat@orig@float	\@biditufteidenote@citations	\@biditufteidenote@margin@par@reset
... 7479, 7532, 7808	.... 8153, 8155,	..... 7909, 7916
\@bidituftefloat@orig@label	8156, 8158, 8163,	\@biditufteidenote@save@marbox
..... 7518,	8172, 8291, 8320,	..... 7896,
7526, 7546, 7576	8349, 8388, 8397, 8406	7897, 7900, 7903
\@bidituftefloat@overhang	\@biditufteidenote@info@footnotetext	\@biditufteidenote@texmpar
7425, 7429, 7430,	8186, 8290, 8319,	..... 7894, 7895
7628, 7629, 7668, 7669	8348, 8387, 8396, 8405	\@biditufteidenote@ympar
\@bidituftefloat@pkgname	\@biditufteidenote@justification@autodetect	8417, 8418
... 7309, 7310, 7312	..... 8031,	\@biditufte@toc@lof@line
\@bidituftefloat@stored@caption	8032, 8033, 8034	..... 8541, 8557
..... 7484,	\@biditufteidenote@margin@par	\@biditufte@toc@pkgname
7491, 7545, 7580	..... 8035,	..... 8417, 8418



\@bidiundeclaredcolor		
.. 10058, 10059,	24600, 24617,	21446, 21649, 24435
26082, 26083, 26122	24634, 24651,	\@colht .....
\@bscontmark .....	24668, 24686,	10359,
19413	24705, 24725, 24760	10386, 10387,
\@bsmarkseries .....	\@cftbsnum ... 24527,	10471, 10472,
19394	24558, 24581,	10488, 10604,
\@bsmtitleempty .....	24598, 24615,	10619, 10620,
19382	24632, 24649,	10630, 10631,
\@bspshack .....	24666, 24684,	10638, 10654,
4901, 7880, 7924,	24703, 24723, 24758	10658, 15447,
7968, 26694, 26738	\@cftdopartfalse . 24501	15937, 16741,
\@bsthanksheadpost 19396	\@cftdoparttrue ...	16753, 16754,
\@bsthanksheadpre 19396	..... 24504, 24508	16755, 16757,
\@caption .....	\@cftl@subfig .... 24692	16759, 16847,
. 7635, 19516, 19519	\@cftl@subtab .... 24712	18673, 18674,
\@captionabovefalse	\@chapapp . 9653, 9848,	19557, 19560,
. 22407, 23169, 23934	11680, 15585, 21618	19562, 19564,
\@captionabovetrue	\@chapterlistsgap@off	19569, 19570,
. 22405, 23167, 23932	..... 20076	19571, 19590,
\@capttype . 4841, 4889,	\@chapterlistsgap@on	19591, 19592,
4937, 7448, 19509,	..... 20083, 20091	19596, 19657,
19513, 19516,	\@chclass .. 352, 364,	19660, 19662,
21661, 21704,	375, 1407, 1419,	19664, 19669,
22312, 22316,	1432, 1452, 1457,	19670, 19671,
22318, 22319,	24269, 24285,	19690, 19691,
22388, 23073,	24296, 26469, 26474	19692, 19696,
23077, 23079,	\@checkend .... 5319,	21899, 21916,
23080, 23150,	5343, 7143, 7144	22639, 22656,
23838, 23842,	\@chnum .... 353,	23412, 23429, 26917
23844, 23845, 23915	360, 371, 1408,	\@colourfalse .... 5001
\@cclv .... 10931,	1415, 1428, 1438,	\@colourgreenfalse
10988, 15457,	1454, 1455, 1456,	..... 10671, 10769
15458, 15486,	1469, 1477, 1503,	\@colourgreentrue .
15496, 16763,	10008, 24270,	..... 10672, 10770
16775, 16809,	24277, 24292,	\@colourgreyfalse .
16812, 16813,	26471, 26472, 26473	..... 10675, 10773
16823, 16824,	\@circlefnt .... 15744	\@colourgreytrue .
18662, 18667,	\@classiv .... 4838,	..... 10676, 10774
18679, 20531,	18584, 24133,	\@colourorangefalse
26642, 26646,	26264, 26442, 26467	..... 10669, 10767
26658, 26662, 26673	\@classx 1435, 1494, 10002	\@colourorangetrue
\@cclvi .... 14970,	\@classz .. 1435, 1494,	..... 10670, 10768
14972, 15023,	1528, 1529, 4837,	\@colourredfalse ..
15025, 15075,	10002, 18584,	..... 10673, 10771
15077, 15126, 15128	24132, 24172,	\@colourreddtrue .
\@centercr 8622, 20641,	26263, 26441, 26466	..... 10674, 10772
20654, 20667,	\@cleartopmattertags	\@colourtrue .... 5000
24341, 24370, 26401	..... 129, 18067	\@colroom .... 10631,
\@cftasnum .. 24528,	\@cliptoboxdim ... 24299	10634, 10636,
24559, 24582,	\@clsextension ....	10637, 10931,
24599, 24616,	6857, 6868, 6884,	10988, 16741,
24633, 24650,	6894, 6903, 6906, 6915	16755, 16758,
24667, 24685,	\@clubpenalty .. 614,	16760, 18673,
24704, 24724, 24759	2652, 9887, 11720,	18682, 21900,
\@cftasnumb .. 24529,		21917, 22640,
24560, 24583,		



22657, 23413, 23430	\@currentHref . . . .	14125, 14137,
\@combinedblfloats	. . 17453, 17468,	14152, 14192,
.. 10271, 10330,	17483, 17542,	14221, 14234,
15801, 15837,	17580, 17613,	14248, 14261,
15918, 16674,	17644, 17675,	14275, 14363,
16727, 19621,	17897, 17908, 17910	14393, 14409,
19718, 26581, 26624		14424, 14436,
\@combinefloats . . .	\@currentlabel . . . 43,	14451, 14491,
..... 15442, 16843	57, 73, 246, 260,	14520, 14533,
\@compactenum@ . . . 8604	275, 2275, 2292,	14547, 14560,
\@cons . . . . 26780, 26781	2309, 2325, 2341,	14574, 14662,
\@contcshortstyle 19464	2357, 8237, 8255,	14692, 14708,
\@contcstyle . . . .	8273, 11835,	14723, 14735,
. 19469, 19475, 19480	11851, 11866,	14750, 14790,
\@contcwidth 19458, 19459	11882, 11897,	14819, 14832,
\@contdelim . . . .	11910, 11923,	14846, 14859,
.. 19452, 19463,	11935, 11947,	14873, 15158,
19467, 19474, 19479	11960, 12282,	15189, 15207,
\@contfield . . . .	12312, 12328,	15223, 15237,
.. 9234, 9249, 9281	12343, 12355,	15253, 15292,
\@contfinal . . . .	12370, 12410,	15322, 15336,
. . 19452, 19464,	12439, 12452,	15351, 15365,
19470, 19476, 19480	12466, 12479,	15380, 16222,
\@contfmark 19451, 19454	12493, 12581,	16239, 16255,
\@contfnote 19450, 19453	12610, 12625,	16284, 16299, 16314
\@contindw . . . . 19475	12639, 12650,	
\@contnfont . . . .	12664, 12703,	\@currentlabelname
.. 19452, 19463,	12731, 12743,	..... 17454,
19467, 19474, 19479	12756, 12768,	17469, 17484,
\@contpost . . . . 19484	12781, 12868,	17543, 17581,
\@contpre . . . . 19462,	12898, 12914,	17614, 17645, 17676
19468, 19473, 19478	12929, 12941,	\@currenvir . . . .
\@conttfont . . . .	12956, 12996,	5305, 5308, 5309,
.. 19452, 19464,	13025, 13038,	5329, 5332, 5333, 5360
19470, 19476, 19480	13052, 13065,	\@currext . . . . 24952,
\@curfield . . . .	13079, 13167,	25064, 25122, 25132
9233, 9248, 9268,	13197, 13213,	\@currlist . . . . 26780
9282, 9292, 26830	13228, 13240,	\@curtabmar 26829, 26832
\@curline . . . . 9231,	13255, 13295,	\@cvtheme . . . . 5081, 5084
9246, 26830, 26832	13324, 13337,	\@cvthemeoptions . .
\@currbox . . . . 4909,	13351, 13364,	..... 5082, 5084
4940, 4944, 7845,	13378, 13466,	\@date . . 458, 470, 506,
7848, 7889, 7892,	13496, 13512,	529, 800, 802, 814,
7897, 7901, 7933,	13527, 13539,	859, 879, 1052,
7936, 7941, 7945,	13554, 13594,	1054, 1066, 1111,
7977, 7980, 7985,	13623, 13636,	1131, 1302, 1304,
7989, 15511,	13650, 13663,	1316, 1361, 1382,
26703, 26706,	13677, 13765,	1391, 4591, 8768,
26711, 26715,	13795, 13811,	8822, 9450, 9452,
26747, 26750,	13826, 13838,	9464, 9627, 9629,
26755, 26759,	13853, 13893,	9641, 9717, 9729,
26781, 26790, 26822	13922, 13935,	9765, 9788, 11478,
\@currentHlabel . . .	13949, 13962,	11488, 11522,
. 17452, 17467, 17482	13976, 14064,	11543, 11573,
	14094, 14110,	11585, 11621,



11644, 11734, 15655, 15710, 18081, 20909, 20923, 20988, 21050, 21111, 21143, 21313, 21376, 21500, 21559, 22115, 22855, \@dblarg, \@dblfloatplacement, \@declaredcolor, \@dedication, \@dedicatory, \@deferlist, \@definitionfileextension, \@depth, \@dgroup, \@dischypf, \@displaypagenumbersfalse, \@displaypagenumberstrue, \@dmath, \@doclearpage, \@docolbox, \@odynamicthefoot, \@odynamicthehead, \@ofilelist, \@dotsep, 11729, 15645, 15689, 18076, 19391, 20911, 20968, 21048, 21064, 21134, 21301, 21354, 21488, 21536, 21975, 22715, 23488, 23628, 19516, 19043, 19044, 26039, 26062, 22017, 22125, 22760, 23530, 23533, 23638, 323, 16739, 10043, 10044, 26039, 26062, 22017, 22757, 22865, 23530, 23533, 23638, 16600, 18738, 20694, 395, 18596, 24112, 24141, 24181, 26451, 26819, 9906, 16600, 18738, 20694, 5374, 5377, 5180, 5179, 9894, 9923, 15526, 15991, 15915, 15915, 15915, 7154, 7155, 7157, 25679, 25680, 25788, 26494	\@dottedtocline . . . .. 25794, 25795, 25797, 25815, 26483 \@dseries . . . . . 9919 \@eha . . . . . 5296, 24746 \@ehc . . . . . 5422, 5424, 5430, 5432, 5438, 5440, 5446, 5448, 5857, 6731, 18167, 18174, 18660, 19763, 19769 \@ehd . . . . . 19510 \@eightcol@LTRfootgroupv@l . . . . . 14018, 14043 \@eightcol@footgroupv@r . . . . . 14014, 14039 \@eightcol@LTRfootfmt . . . 14113, 14128, 14168, 14237, 14251 \@eightcol@LTRfootnotetext . . . . . 14009, 14106 \@eightcol@RTLfootfmt . . . 14140, 14155, 14171, 14264, 14278 \@eightcol@RTLfootnotetext . . . . . 14010, 14133 \@eightcolfootfmt . . . . 14067, 14097, 14165, 14195, 14224 \@eightcolfootnotetext . . . . . 14008, 14054 \@elt . . . . . 5452, 5455, 7733, 7734, 7735, 7736, 7737, 7738, 7739, 7740, 7741, 7742, 7743, 7744, 7774, 7775, 7776, 7777, 7778, 7779, 7780, 7781, 7782, 7783, 7784, 7785, 7786, 7787, 7788, 7789, 7790, 7791, 9945, 10897, 10918, 10924, 10959, 10961, 10963, 10969, 10981, 11011, 11013, 11015, 11021, 24200, 24202 \@email 5093, 10759, 10857 \@empty . . . . . 86, 115, 134, 136, 289, 417, 468, 469, 470, 471, 504, 505, 506, 507,	610, 745, 811, 812, 813, 814, 856, 857, 858, 859, 1008, 1063, 1064, 1065, 1066, 1108, 1109, 1110, 1111, 1258, 1313, 1314, 1315, 1316, 1358, 1359, 1360, 1361, 2013, 2014, 2384, 2410, 2436, 2647, 3093, 3099, 3105, 3183, 3585, 3732, 3828, 3923, 4140, 4513, 4589, 4590, 4591, 4592, 4896, 5208, 5217, 5317, 5341, 6561, 6970, 6983, 6984, 6990, 7013, 7043, 7051, 7070, 7073, 7084, 7088, 7098, 7104, 7105, 7106, 7119, 7131, 7135, 7202, 7213, 8096, 8115, 8134, 8155, 8162, 8750, 8817, 8818, 8819, 9386, 9461, 9462, 9463, 9464, 9574, 9638, 9639, 9640, 9641, 9727, 9728, 9729, 9730, 9763, 9764, 9765, 9766, 9883, 9909, 10239, 10302, 10958, 11010, 11445, 11486, 11487, 11488, 11489, 11520, 11521, 11522, 11523, 11583, 11584, 11585, 11586, 11619, 11620, 11621, 11622, 11716, 11727, 11743, 11747, 15154, 15185, 15203, 15219, 15233, 15249, 15288, 15318, 15332, 15347, 15361, 15376, 15441, 15620, 15653, 15654,
---	--	---



15655,	15656,	22094,	22102,	23635,	23636,
15687,	15688,	22103,	22113,	23637,	23638,
15689,	15690,	22114,	22115,	23680,	23711,
15781,	15817,	22116,	22117,	23736,	23737,
16370,	16452,	22118,	22119,	23842,	24070,
16652,	16701,	22120,	22121,	24187,	24235,
16739,	16842,	22122,	22123,	24431,	24732,
16857,	16858,	22124,	22125,	24734,	25087,
16859,	16860,	22155,	22185,	25093,	25560,
16861,	17454,	22210,	22211,	26042,	26045,
17469,	17484,	22316,	22575,	26085,	26088,
17543,	17581,	22675,	22676,	26251,	26459,
17614,	17645,	22683,	22691,	26468,	26557,
17676,	17987,	22698,	22704,	26604,	26869,
18053,	18074,	22720,	22726,	26870,	26872, 26873
18219,	18225,	22739,	22742,	\@emptycol . . . . .	10623,
18248,	18252,	22749,	22757,	10626,	10642, 10645
18254,	18610,	22762,	22777,	\@emptytoks . . . . .	9908
18635,	19388,	22784,	22799,	\@end@tempboxa . . . . .	16884,
19389,	19390,	22800,	22804,	16978,	16995, 26363
19391,	19550,	22805,	22813,	\@endfloatbox . . . . .	4961
19650,	20070,	22814,	22818,	\@endmodernpoem . . . . .	
20579,	20854,	22819,	22828,		9244, 9264
20920,	20921,	22829,	22833,	\@endparenv . . . . .	9154,
20922,	20923,	22834,	22842,	9261,	20125, 20145
20965,	20966,	22843,	22853,	\@endparpenalty . . . . .	4754,
20967,	20968,	22854,	22855,	4763,	15852, 15866
21061,	21062,	22856,	22857,	\@endpbox . . . . .	1445,
21063,	21064,	22858,	22859,	1446,	1487, 1511,
21108,	21109,	22860,	22861,	1512,	1513, 10016,
21110,	21111,	22862,	22863,	10017,	10018,
21248,	21311,	22864,	22865,	18581,	18587,
21312,	21313,	22915,	22946,	24147,	24185, 26457
21314,	21352,	22971,	22972,	\@endptrue . . . . .	26195, 26205
21353,	21354,	23077,	23348,	\@endtraditionalpoem . . . . .	9135, 9200
21355,	21442,	23448,	23449,	\@ensure@LR . . . . .	20521, 26215
21498,	21499,	23456,	23464,	\@ensure@LTR . . . . .	20519,
21500,	21501,	23471,	23477,	20521,	20529,
21534,	21535,	23493,	23499,	26213,	26215,
21536,	21537,	23512,	23515,	26223,	26225,
21645,	21836,	23522,	23530,	26227,	27128, 27130
21935,	21936,	23535,	23550,	\@ensure@RL . . . . .	20520, 26214
21943,	21951,	23557,	23572,	\@ensure@RTL . . . . .	20518,
21958,	21964,	23573,	23577,	20520,	26212, 26214
21980,	21986,	23578,	23586,	\@ensure@dir . . . . .	20522,
21999,	22002,	23587,	23591,	20523,	26216, 26217
22009,	22017,	23592,	23601,	\@ensure@mmdir . . . . .	
22022,	22037,	23602,	23606,	20523,	26217
22044,	22059,	23607,	23615,	\@enumctr . . . . .	2585, 8605, 8606
22060,	22064,	23616,	23626,	\@eqnnum . . . . .	
22065,	22073,	23627,	23628,	. 15873, 18070, 26938	
22074,	22078,	23629,	23630,	\@evenfoot . . . . .	
22079,	22088,	23631,	23632,	2175, 2216,	
22089,	22093,	23633,	23634,	4553,	15908, 26862



\@evenhead . . . . .	2174,	15816,	15817,	15963,	15967,
2216, 15907, 26862		15821,	16651,	15970,	15973,
\@expandtwoargs . . . . .	7089	16652,	16656,	15979,	17879,
\@extrafootnotefeaturesfalse		16700,	16701,	17880,	17881,
. . . . .	4110	16705,	19549,	17882,	19514,
\@extrafootnotefeaturestrue		19550,	19554,	22285,	23046,
. . . . .	4109	19649,	19650,	23811,	26844,
\@extrainfo . . . . .		19654,	26556,	26886,	26898,
. . . . .	5094, 10760, 10858	26557,	26561,	26901,	26903,
\@extratitle . . . . .		26603,	26604, 26608	26910,	26914, 26920
. . . . .	21935, 21942,	\@firstcoltopmark .		\@firstoftwo . . . . .	4203,
22059, 22065,		. . . . .	10236,	4209, 4215, 5461,	
22073, 22079,		10244,	10299,	5469, 5473, 5481,	
22088, 22094,		10307,	15778,	5485, 5493, 5499,	
22118, 22675,		15786,	15814,	5503, 5516, 5524,	
22682, 22799,		15822,	16649,	5530, 5534, 5542,	
22805, 22813,		16657,	16698,	5548, 5551, 5554,	
22819, 22828,		16706,	19547,	5568, 5575, 5966,	
22834, 22858,		19555,	19647,	5984, 5990, 6014,	
23448, 23455,		19655,	26554,	6041, 6071, 6134,	
23572, 23578,		26562,	26601, 26609	6144, 6794, 20051	
23586, 23592,		\@firstcolumnfalse		\@fivecol@LTRfootgroupv@l	
23601, 23607, 23631		. . . . .	10229,	. . . . .	13121, 13146
\@familyname . . . . .	5026,	10292,	10662,	\@fivecol@footgroupv@r	
5028, 5029, 5087,		15772,	15808,	. . . . .	13117, 13142
10734, 10824, 10845		15932,	16638,	\@fivecolLTRfootfmt	
\@familynamecolour		16687,	19540,	. . . . .	13216, 13231,
. . . . .	5056, 5073	19640,	26547, 26594	13271, 13340, 13354	
\@fax . . . . .	5092, 10758, 10856	\@firstcolumntrue .		\@fivecolLTRfootnotetext	
\@fcollmadefalse . . .	16740	. . . . .	10247,	. . . . .	13112, 13209
\@ff@do@allframes . . .		10310,	10617,	\@fivecolRTLfootfmt	
. . . . .	15917, 15922	15788,	15825,	. . . . .	13243, 13258,
\@ff@fbox . . . . .	16000	15896,	16662,	13274, 13367, 13381	
\@ff@setoffset . . . . .	15997	16711,	19599,	\@fivecolRTLfootnotetext	
\@ffbackground . . . . .	15987	19699,	26565, 26612	. . . . .	13113, 13236
\@filebordercolor . . . . .		\@firstdetailselementfalse	\@fivecolfootfmt . . .		
. . . . .	17755, 17757	. . . . .	10839	. . . . .	13170, 13200,
\@filecolor . . . . .	17773	\@firstdetailselementtrue		13268, 13298, 13327	
\@filef@und . . . . .	6803	. . . . .	10836	\@fivecolfootnotetext	
\@finalstrut . . . . .		\@firstfooterelementfalse		. . . . .	13111, 13157
. . . . .	2279, 2296, 2313,	. . . . .	10755,	\@float . . . . .	7479, 7808
2329, 2345, 2361,		10756,	10757,	\@floatboxreset . . .	4959
11813, 11819,		10758,	10759, 10760	\@floatpenalty . . .	4902,
11825, 16227,		\@firstfooterelementtrue	. . . . .	4904, 4907, 7881,	
16244, 16260,		. . . . .	10740	7883, 7887, 7891,	
16288, 16303, 16318		\@firstname . . . . .	5026,	7925, 7927, 7931,	
\@firststampfalse . . . . .		5028, 5029, 5086,		7935, 7969, 7971,	
. . . . .	1467, 1475	10734, 10824, 10845		7975, 7979, 26695,	
\@firstcolfirstmark . . . . .		\@firstnamecolour . . .		26697, 26701,	
. . . . .	10238,	. . . . .	5055, 5072	26705, 26739,	
10239, 10243,		\@firstfone . . . . .	6194,	26741, 26745, 26749	
10301, 10302,		6201, 6209, 6220,		\@floatplacement . . . . .	15532
10306, 15780,		6234, 6240, 6250,		\@fltovf . . . . .	
15781, 15785,		6256, 7256, 15945,		4942, 7892, 7936,	



	7980, 26706, 26750	8337, 8359, 8366, 9182, 9189, 9196,	12949, 13004, 13072, 13176,
\@flushglue	9037, 9038, 18744, 21410, 25140, 25144, 25148, 25194, 26401	16188, 16194, 16197, 16203, 17495, 17684, 17688, 17702, 17703	13206, 13234, 13248, 13303, 13371, 13475, 13505, 13533,
\@fnsymbol	.... 480, 775, 834, 1027, 1086, 1277, 1336, 4577, 9425, 9602, 9739, 11498, 11595, 15665, 20884, 20943, 21023, 21084, 21280, 21323, 21510, 21932, 22053, 22672, 22793, 23445, 23566	\@footnotetext . . 34, 79, 151, 152, 153, 237, 282, 2364, 2368, 2373, 4826, 4948, 8229, 8301, 8308, 9052, 9063, 9269, 9283, 10877, 10878, 11768, 11782, 11783, 11827, 11965, 11973, 12226, 12251, 12525, 12550, 12812, 12837, 13111, 13136, 13410, 13435, 13709, 13734, 14008, 14033, 14307, 14332, 14606, 14631, 14943, 14996, 15049, 15051, 15100, 15102, 16214, 16271, 16333, 17365, 17373, 17444, 17492, 17685, 17689, 17705, 17706, 18643, 18794, 19915, 19917, 19918, 21787, 21790, 22228, 22526, 22529, 22989, 23299, 23302, 23754, 24215, 24232, 24322, 24324	13547, 13602, 13670, 13774, 13804, 13832, 13846, 13901, 13969, 14073, 14103, 14131, 14145, 14200, 14268, 14372, 14402, 14430, 14444, 14499, 14567, 14671, 14701, 14729, 14743, 14798, 14866, 14958, 15011, 15061, 15112, 15168, 15199, 15230, 15246, 15301, 15373
\@footgroupv@r	12045, 12203, 12232, 12257, 12293, 12319, 12336, 12376, 12531, 12556, 12591, 12616, 12632, 12669, 12818, 12843, 12879, 12905, 12922, 12962, 13117, 13142, 13178, 13204, 13221, 13261, 13416, 13441, 13477, 13503, 13520, 13560, 13715, 13740, 13776, 13802, 13819, 13859, 14014, 14039, 14075, 14101, 14118, 14158, 14313, 14338, 14374, 14400, 14417, 14457, 14612, 14637, 14673, 14699, 14716, 14756, 14951, 15004, 15170, 15197, 15216, 15260	\@footstartv@r 12045, 12166, 12293, 12319, 12336, 12376, 12420, 12459, 12591, 12616, 12632, 12669, 12712, 12749, 12879, 12905, 12922, 12962, 13006, 13045, 13178, 13204, 13221, 13261, 13305, 13344, 13477, 13503, 13520, 13560, 13604, 13643, 13776, 13802, 13819, 13859, 13903, 13942, 14075, 14101, 14118, 14158, 14202, 14241, 14374, 14400, 14417, 14457, 14501, 14540, 14673, 14699, 14716, 14756, 14800, 14839, 14952, 15005, 15170	
\@footnote	.... 8699	\@footstartv@l 11843, 11874, 11916, 11953, 12046, 12167, 12291, 12321, 12349, 12363, 12418, 12486, 12589, 12618, 12644, 12657, 12710, 12774, 12877, 12907, 12935,	11843, 11916, 12046, 12291, 12349, 12418, 12589, 12644, 12710, 12877, 12935,
\@footnotemark	. 2387, 2394, 2413, 2420, 2439, 2446, 4869, 4877, 4885, 8208, 8301, 8308, 8330,		



15197, 15216, 15260, 15303, 15344	\@fs@capt 7822, 7835, 7843 \@fs@cfont . . . . . 7815, 7821, 7831, 7834, 7842, 15877, 15878	18648, 18764, 21873, 21880, 22613, 22620, 23386, 23393,
\@for . 7011, 7072, 7085, 7107, 7111, 8097, 8102, 8116, 8121, 8135, 8140, 8163, 8172, 10207, 25091	\@fs@iftopcapt . . . . . 7826, 7839, 7852 \@fs@mid . 7825, 7838, 7850	24112, 24140, 24181, 26450, 26819
\@fourcol@LTRfootgroupv@ . . . . . 12822, 12847	\@fs@post 7824, 7837, 7851 \@fs@pre . 7823, 7836, 7844	\@highpenalty . . . . . . . . . . 9331, 9347, 9354, 9364, 9508,
\@fourcol@footgroupv@r . . . . . 12818, 12843	\@g@tnextcol . . . . . 15894 \@getcirc . . . . . 15740	9524, 9531, 9541, 9795, 9810, 9820,
\@fourcolLTRfootfmt . . . 12917, 12932, 12972, 13041, 13055	\@gnewline . . . 20643, 20656, 20669, 20680	11651, 15553, 15568, 15578,
\@fourcolLTRfootnotetext . . . . . 12813, 12910	\@gobble . . . . . 4806, 5316, 5340, 5362, 5367, 6097, 6098, 6099, 6100, 6101,	20794, 20810, 20817, 20827, 21166, 21182, 21189, 21199,
\@fourcolRTLfootfmt . . . 12944, 12959, 12975, 13068, 13082	6196, 6211, 6226, 6272, 6286, 6298, 6310, 7000, 7135, 7312, 8872, 8937,	21382, 21396, 21406, 21566, 21581, 21591, 24514, 24549,
\@fourcolfootfmt . . . . . 12871, 12901, 12969, 12999, 13028	15955, 15956, 15957, 19511, 22227, 22228, 22229, 22230,	24938, 24962, 25050
\@fourcolfootnotetext . . . . . 12812, 12858	22988, 22989, 22990, 22991, 23753, 23754, 23755, 23756,	\@hintcolour .. 5063, 5079
\@fps . . . . . 4890, 4891, 4893, 4896, 4913	26046, 26089, 26879, 26880, 26881	\@holdpg 10365, 10382, 10385, 10402, 10493, 10526, 10528
\@fpsadddefault . . . . . . . 4894, 4897	\@gobbletwo 2198, 5387, 5388, 5391, 5392, 5402, 5403, 5406, 5407, 5410, 5411, 5414, 5415, 6330, 22231, 22992, 23757	\@hyper@launch . . . 17778
\@freelist . . . . . 4909, 7733, 7774, 7889, 7890, 7933, 7934, 7977, 7978, 15440, 16841, 26703, 26704, 26747, 26748, 26780, 26781	\@gtmpa . . . . . 5598, 5599 \@halignto . . . . . 403, 435, 24145, 24183, 26251, 26455, 26468	\@idxitem 102, 107, 222, 227, 633, 648, 897, 1149, 8663, 8670, 9306, 9483, 9694,
\@frontispiece . . . . . . 21936, 21939, 21943, 21946, 22060, 22064, 22074, 22078, 22089, 22093, 22119, 22676, 22679, 22683, 22686, 22800, 22804, 22814, 22818, 22829, 22833, 22859, 23449, 23452, 23456, 23459, 23573, 23577, 23587, 23591, 23602, 23606, 23632	\@hangfrom . . . . . 22322, 22352, 22355, 23083, 23113, 23116, 23848, 23878, 23881, 26423 \@hboxRconstructfalse . . . . . 20487, 26161 \@hboxRconstructtrue . . . . . 418, 20477, 24152, 24191, 26151, 26464 \@height . . . 394, 1525, 10030, 10505, 16581, 18595,	\@idxitem 102, 107, 222, 227, 633, 648, 897, 1149, 8663, 8670, 9306, 9483, 9694, 18004, 18009, 20751, 21006, 21466, 24493, 26948
		\@ifclasslater 7298, 7303
		\@ifclassloaded . . . . . . . . 6918, 7297, 7302, 7332, 8712, 8714, 9696, 11982,
		16009, 16022, 26951, 26952, 26953, 26954, 26955, 26956, 26957, 26958, 26959, 26960, 26961, 26962, 26963, 26964, 26965, 26966, 26967, 26968, 26969, 26970, 26971, 26972, 26973, 26974, 26975, 26976, 27004, 27092, 27093



\@ifdefinable ..	5580, 5583, 5586, 5601, 5844, 5859, 16111	27024, 27025, 27026, 27027, 27028, 27029,	13429, 13454, 13728, 13753, 14027, 14052,
\@ifdefinitionfileloaded .....	5377, 27094	27030, 27031, 27032, 27033, 27034, 27035,	14326, 14351, 14625, 14650, 14990, 15043,
\@ifempty ..	7, 202, 18032	27036, 27037, 27038, 27039,	15094, 15145, 16953
\@ifl@aded	5376, 5377, 5378	27040, 27041, 27042, 27045, 27046, 27047,	\@iftagsloaded .. . . 5376, 26978, 26979
\@ifnextchar .. .	163, 4774, 4804, 4819, 5834, 6887, 6888, 6932, 6933, 6977, 7894, 7938, 7982, 10043, 10058, 16186, 16195, 16357, 16372, 16390, 16396, 16950, 17692, 17716, 19930, 20129, 20149, 26039, 26082, 26276, 26708, 26752	27048, 27071, 27072, 27073, 27074, 27075, 27076, 27077, 27078, 27079, 27080, 27081, 27082, 27083, 27084, 27085, 27086, 27087, 27088, 27089, 27090, 27091, 27092, 27093, 27095, 27096, 27097, 27098, 27099, 27100, 27101, 27102, 27103, 27104, 27105, 27106, 27107, 27108, 27109, 27110, 27111, 27112, 27113, 27114, 27115, 27116, 27117, 27118, 27119, 27120, 27121, 27122, 27123, 27124, 27125	\@ifundefined .. . 331, 2488, 5183, 5420, 5423, 5428, 5431, 5436, 5439, 5444, 5447, 6875, 6879, 7029, 7122, 8043, 8526, 8534, 8649, 8651, 8656, 8746, 8763, 10045, 10052, 10060, 10066, 15880, 16104, 17889, 17890, 18177, 18188, 18251, 18253, 18258, 20237, 20725, 24733, 24737, 24813, 24835, 24836, 24884, 24885, 24972, 24994, 24995, 25279, 25302, 25356, 25416, 25465, 25482, 25512
\@ifpackagelater .. .	7296, 7301, 16057	\@ifundefinedmodel .. . 26072, 26106	
\@ifpackageloaded .. .	170, 1484, 1859, 2114, 6027, 6960, 7020, 7255, 7273, 7295, 7300, 7801, 7806, 7859, 11350, 11351, 17489, 17509, 17587, 17886, 18241, 18366, 18623, 19490, 24417, 26252, 26937, 26950, 26963, 26973, 26977, 26981, 26985, 26986, 26987, 26988, 26989, 26996, 26997, 26998, 26999, 27000, 27001, 27002, 27003, 27004, 27005, 27006, 27007, 27008, 27009, 27010, 27011, 27012, 27013, 27014, 27015, 27016, 27017, 27018, 27019, 27020, 27021, 27022, 27023	\@ifpackagewith .. . . 10184, 18139, 18142, 18145, 18152, 20728, 20731, 24442, 26990, 26993, 26994, 26995, 27049, 27059, 27065 \@ifstar .. . 5951, 6886, 6931, 6973, 7065, 7651, 11354, 11980, 12245, 12270, 12544, 12569, 12831, 12856, 13130, 13155,	\@ifxempty .. . 9930 \@ignoretrue .. . 16320 \@iiiminipage .. . . 12185, 16351, 26334 \@indextitlestyle .. . . 100, 220, 18002 \@inlabelfalse .. . 9897 \@insertfalse .. . 10350 \@inserttrue .. . 10616 \@printcites .. . 20635 \@itemdepth .. . 2576, 2596, 2597, 2598 \@itemfudge .. . 26829, 26831 \@itemlabel .. . 26297 \@ixpt .. . 8563 \@keywords .. . 324



\@kludgeins .. 15444, 16844, 19957, 19962	\@lowertitleback .. .. 21986, 21997, 22009, 22044, 22124, 22726, 22737, 22749, 22784, 22864, 23499, 23510, 23522, 23557, 23637	20944, 21085, 21281, 21324, 21511, 21933, 21934, 22054, 22055, 22673, 22674, 22794, 22795, 23446, 23447, 23567, 23568
\@lastchclass .. 353, 354, 355, 356, 358, 1408, 1409, 1410, 1411, 1413, 1452, 1453, 1465, 1473, 24270, 24271, 24272, 24273, 24275, 26469, 26470	\@lowpenalty . 4750, 25588 \@m .. 93, 296, 616, 748, 1011, 1261, 2654, 9389, 9577, 9889, 11448, 11722, 15623, 16640, 16642, 16689, 16691, 17994, 20050, 20857, 21251, 21448, 21651, 22189, 22950, 23715, 24437	\@makefntext .... 45, 59, 75, 248, 262, 277, 482, 772, 837, 1024, 1087, 1274, 1339, 2278, 2328, 4579, 8202, 8241, 8259, 8277, 9422, 9599, 9741, 11500, 11597, 15667, 16226, 16243, 16259, 16287, 16302, 16317, 16862, 19397, 20881, 20946, 21020,
\@lastvipertrue ... .... 10628, 10647	\@mainmatterfalse .. ..... 8899, 8929, 9871, 11704	21087, 21283, 21326, 21512, 21804, 21831, 21834, 22543, 22570, 22573, 23316, 23343, 23346
\@latex@error .... .... 5295, 6994, 19510, 19763, 19769	\@mainmattertrue .. ..... 8896, 8912	\@makefrontispiece .. 22068, 22082, 22097, 22808, 22822, 22837, 23581, 23595, 23610
\@latex@warning ... .... 95, 298, 618, 750, 1013, 1263, 2656, 5213, 9391, 9579, 9891, 11450, 11724, 15625, 17996, 20859, 21253, 21450, 21653, 22193, 22200, 22954, 22961, 23719, 23726, 24439	\@makeLTFntext ... ... 2260, 2312, 2360	\@makeother ... 5950, 5996, 6108, 6116
\@latex@warning@no@line . 10621, 10639, 26795	\@makeRTLfntext ... ... 2255, 2295, 2344	\@makeschapterhead 9302, 9479, 9668, 9689, 9857, 11690,
\@latexbug ..... 26781	\@makecaption .. 7646, 9991, 19447, 19497, 19529, 22279, 22311, 23040, 23072, 23805, 23837, 26923	15593, 20747, 21002, 21461, 21626, 24464, 24469
\@latexerr ..... . 16778, 16788, 16798	\@makechapterhead .. . 301, 9648, 9843, 11675, 15581, 20626, 21614, 24458	\@makespecialcolbox .... 15445, 16845
\@leftcolumn .. 10230, 10256, 10293, 10315, 10368, 10373, 15773, 15794, 15809, 15830, 16639, 16667, 16688, 16720, 19541, 19600, 19613, 19641, 19700, 19709, 26548, 26574, 26595, 26617	\@makecol 15504, 15505, 16764, 16774, 18668, 18680, 26640	\@maketitle ... 120, 316, 320, 487, 489, 494, 503, 513, 841, 843, 848, 855, 865, 1093, 1095, 1100, 1107, 1117, 1343, 1345, 1350, 1357, 1367, 4582, 4588, 9746, 9748, 9753, 9762, 9772,
\@let@token .. 5353, 5356	\@makeextratitle .. .. 22062, 22076, 22091, 22802, 22816, 22831, 23575, 23589, 23604	
\@listI ..... 7349	\@makefnmark ... 481, 835, 1337, 2257, 2262, 4578, 8204, 8215, 9740, 10882	
\@listdepth .. 16170, 16336, 16605, 16609, 21814, 22553, 23326, 26288, 26291, 26296	\@makefnmark ... 481, 835, 1337, 2257, 2262, 4578, 8204, 8215, 9740, 10882	
\@listi .. 7349, 7357, 8567	10903, 11499, 11596, 15666, 18019, 19395,	
\@loadwithoptions .. ... 6810, 6812, 6819		



11505,	11507,	..... 17849, 17851	\@mpFiveColfootnotetext
11512,	11519,	\@menucolor .....	..... 13147, 13301
11529,	11602,	\@midlist .....	\@mpFourCollTRfootnotetext
11604,	11609,	15440, 16841, 16842	..... 12849, 13044
11618,	11628,	\@minipagefalse 4963,	\@mpFourColRTLfootnotetext
15672,	15674,	7911, 7920, 7955,	..... 12850, 13071
15679,	15686,	7964, 7999, 8008,	\@mpFourColfootnotetext
15696,	18058,	12182, 16348,	..... 12848, 13002
19400,	19402,	18210, 19503,	\@mpLTRfootnotetext
19409,	20950,	26725, 26734,	... 2348, 11772,
20952,	20957,	26769, 26778, 26929	11790, 11791,
20964,	20974,	\@minipagerestore 16337	11928, 11969,
21091,	21093,	\@minipagetrue .....	11977, 12238,
21098,	21107,	.... 7919, 7963,	12263, 12537,
21117,	21335,	8007, 26733, 26777	12562, 12824,
21337,	21342,	\@minus 5130, 5216, 7345,	12849, 13123,
21351,	21361,	7347, 7354, 7356,	13148, 13422,
21517,	21519,	7358, 7359, 8564,	13447, 13721,
21524,	21533,	8566, 8568, 8569,	13746, 14020,
21543,	22071,	16519, 16557,	14045, 14319,
22085,	22100,	20047, 22468,	14344, 14618,
22112,	22811,	22486, 22496,	14643, 14960,
22825,	22840,	22506, 22517,	15013, 15067,
22852,	23584,	23239, 23259,	15118, 16290,
23598,	23613, 23625	23269, 23279,	16334, 17395,
\@maketitle@hook ..		23290, 24004,	17410, 17433,
..... 118, 18056		24024, 24034,	17497, 18795, 24325
\@makewincaption .	20334	24044, 24055, 24077	\@mpNineCollTRfootnotetext
\@marbox .....	7890,	\@mkboth .....	..... 14344, 14539
7892, 7896, 7900,		601, 629, 645, 736,	\@mpNineColRTLfootnotetext
7901, 7934, 7936,		894, 999, 1146,	..... 14345, 14566
7940, 7944, 7945,		1249, 2198, 9303,	\@mpNineColfootnotetext
7978, 7980, 7984,		9377, 9480, 9565,	..... 14343, 14497
7988, 7989, 26704,		9690, 9874, 11436,	\@mpParaLTRfootnotetext
26706,	26710,	11707, 15611,	.. 15013, 15118, 15343
26714,	26715,	20748, 20845,	\@mpParaRTLfootnotetext
26748,	26750,	21003, 21239,	..... 15014, 15372
26754,	26758,	21433, 21462, 21636	\@mpParafootnotetext
26759,	26780,	\@mklab .....	. 15012, 15116, 15299
26790,	26793,	\@mkpream . 399, 18600,	\@mpRTLfootnotetext
26801,	26803,	24143, 24175, 26453	... 2332, 11773,
26804,	26806,	\@mobile 5090, 10756, 10854	11792, 11793,
26807,	26808,	\@modernpoem .. 9220, 9264	11940, 11970,
26817,	26821, 26822	\@mpEightCollTRfootnotetext	11978, 12239,
\@mathmargin ..	11306,	..... 14045, 14240	12264, 12538,
11313, 11321, 11328		\@mpEightColRTLfootnotetext	12563, 12825,
\@maxdepth ..	15456,	..... 14046, 14267	12850, 13124,
15471,	15492,	\@mpEightColfootnotetext	13149, 13423,
15503,	16855,	..... 14044, 14198	13448, 13722,
26645,	26661, 26672	\@mpFiveCollTRfootnotetext	13747, 14021,
\@memtempa ..	19447,	..... 13148, 13343	14046, 14320,
19449,	19463,	\@mpFiveColfootnotetext	14345, 14619,
19470,	19474, 19479	..... 13149, 13370	14644, 14961,
\@menubordercolor .			15014, 15068,



15119, 16275, 16335, 17384, 17409, 17422, 17498, 18796, 24326	\@mpfivecol@footgroupv@r ..... 13127, 13152	12990, 13004, 13012, 13019,
\@mpSevenColLTRfootnotetext ..... 13746, 13941	\@mpfivecolLTRfootnotetext ..... 13124, 13357	13032, 13033, 13046, 13047, 13072, 13282, 13289, 13303,
\@mpSevenColRTLfootnotetext ..... 13747, 13968	\@mpfivecolfootnotetext ..... 13122, 13277	13311, 13318, 13331, 13332, 13345, 13346, 13371, 13581,
\@mpSevenColfootnotetext ..... 13745, 13899	\@mpfn 2374, 2400, 2426, 4844, 4847, 4850, 4866, 4874, 4882,	13588, 13602, 13610, 13617, 13630, 13631, 13644, 13645, 13670, 13880,
\@mpSixColLTRfootnotetext ..... 13447, 13642	8299, 8305, 8328, 8334, 8357, 8363,	13887, 13901, 13909, 13916, 13929, 13930,
\@mpSixColRTLfootnotetext ..... 13448, 13669	9159, 9162, 9165,	13943, 13944, 13969, 14179, 14186, 14200, 14208, 14215, 14228, 14229,
\@mpSixColfootnotetext ..... 13446, 13600	9179, 9186, 9193, 16186, 16191,	14242, 14243, 14268, 14478, 14485, 14499, 14507, 14514, 14527, 14528, 14541, 14542, 14567, 14777, 14784, 14798, 14806, 14813, 14826, 14827, 14840, 14841, 14866, 15279, 15286, 15301, 15309, 15316, 15330, 15331, 15345, 15346, 15373
\@mpThreeColLTRfootnotetext ..... 12562, 12748	\@mpfootins ... 2318, 2319, 2334, 2335, 2350, 2351, 11904,	\@mpfootinsv@r .... .. 12166, 12204, 12205, 12395,
\@mpThreeColRTLfootnotetext ..... 12563, 12773	11905, 11917, 11918, 11929,	12402, 12420, 12424, 12431, 12459, 12473, 12474, 12487, 12488, 12688, 12695, 12712, 12716, 12723, 12749, 12762, 12763, 12775, 12776, 12981, 12988, 13006, 13010, 13017,
\@mpThreeColfootnotetext ..... 12561, 12708	11930, 11941, 11942, 11954,	
\@mpTwoColLTRfootnotetext ..... 12263, 12458	11955, 12098, 12099, 12101,	
\@mpTwoColRTLfootnotetext ..... 12264, 12485	12102, 12175, 12177, 12180,	
\@mpTwoColfootnotetext ..... 12262, 12416	12205, 12207, 16277, 16278, 16292, 16293,	
\@mparbottom .....	16307, 16308, 16342, 16343, 16346, 18780, 18785	
\@mparswitchfalse .. 7328	\@mpfootinsv@l .... .. 11916, 11953,	
\@mparswitchtrue .. 7323	12167, 12206, 12207, 12397,	
\@mpeightcol@LTRfootgroupv@l ..... 14026, 14051	12404, 12418, 12426, 12433,	
\@mpeightcol@footgroupv@r ..... 14024, 14049	12446, 12447, 12460, 12461,	
\@mpeightcolLTRfootnotetext ..... 14020, 14227	12486, 12690, 12697, 12710,	
\@mpeightcolRTLfootnotetext ..... 14021, 14254	12718, 12725, 12737, 12738,	
\@mpeightcolfootnotetext ..... 14019, 14174	12750, 12751, 12774, 12983,	
\@mpfivecol@LTRfootgroupv@l ..... 13129, 13154		



13045,	13059,	16305,	16333,	\@mpsixcolfootnotetext
13060,	13073,	17373,	17408,	..... 13421, 13576
13074,	13280,	17411,	17496,	\@mprencol@LTRfootgroupv@l
13287,	13305,	18794,	24322, 24324	..... 14624, 14649
13309,	13316,	\@mpfourcol@LTRfootgroupv@l	\@mprencol@footgroupv@r	
13344,	13358,	..... 12830, 12855	..... 14622, 14647	
13359,	13372,	\@mpfourcol@footgroupv@r	\@mprencol@LTRfootnotetext	
13373,	13579,	..... 12828, 12853	..... 14618, 14825	
13586,	13604,	\@mpfourcol@LTRfootnotetext	\@mprencol@RTLfootnotetext	
13608,	13615,	..... 12824, 13031	..... 14619, 14852	
13643,	13657,	\@mpfourcol@RTLfootnotetext	\@mprencol@footnotetext	
13658,	13671,	..... 12825, 13058	..... 14617, 14772	
13672,	13878,	\@mpfourcol@footnotetext	\@mpthreecol@LTRfootgroupv@l	
13885,	13903,	..... 12823, 12978	..... 12543, 12568	
13907,	13914,	\@mplistdepth 16170, 16336	\@mpthreecol@footgroupv@r	
13942,	13956,	\@mpninecol@LTRfootgroupv@l	\@mpthreecol@footgroupv@r	
13957,	13970,	..... 14325, 14350	\@mpthreecol@LTRfootnotetext	
13971,	14177,	\@mpninecol@footgroupv@r	..... 12537, 12736	
14184,	14202,	..... 14323, 14348	\@mpthreecol@RTLfootnotetext	
14206,	14213,	\@mpninecol@LTRfootnotetext	..... 12538, 12761	
14241,	14255,	..... 14319, 14526	\@mpthreecol@footnotetext	
14256,	14269,	\@mpninecol@RTLfootnotetext	..... 12536, 12685	
14270,	14476,	..... 14320, 14553	\@mpwocol@LTRfootgroupv@l	
14483,	14501,	\@mpninecol@footnotetext	..... 12244, 12269	
14505,	14512,	..... 14318, 14473	\@mpwocol@footgroupv@r	
14540,	14554,	\@mppara@LTRfootgroupv@l	..... 12242, 12267	
14555,	14568,	..... 14966,	\@mpwocol@LTRfootnotetext	
14569,	14775,	15019, 15071, 15122	..... 12238, 12445	
14782,	14800,	\@mppara@footgroupv@r	\@mpwocol@RTLfootnotetext	
14804,	14811,	..... 14965, 15018	..... 12239, 12472	
14839,	14853,	\@mppara@LTRfootnotetext	\@mpwocol@footnotetext	
14854,	14867,	..... 14960, 15067, 15329	..... 12237, 12392	
14868,	15277,	\@mppara@RTLfootnotetext	\@namedef .....	
15284,	15303,	..... 14961, 15358	6879, 7030, 9217, 12187,	
15307,	15314,	\@mppara@footnotetext	12223, 12224,	
15344,	15359,	..... 14959, 15065, 15274	12248, 12249,	
15360,	15374, 15375	\@mpsevencol@LTRfootgroupv@l	12500, 12506,	
		..... 13727, 13752	12512, 12517,	
		\@mpsevencol@footgroupv@r	12522, 12523,	
		..... 13725, 13750	12547, 12548,	
		\@mpsevencol@LTRfootnotetext	12787, 12793,	
		..... 13721, 13928	12799, 12804,	
		\@mpsevencol@RTLfootnotetext	12809, 12810,	
		..... 13722, 13955	12834, 12835,	
		\@mpsevencol@footnotetext	13086, 13092,	
		..... 13720, 13875	13098, 13103,	
		\@mpsixcol@LTRfootgroupv@l	13108, 13109,	
		..... 13428, 13453	13133, 13134,	
		\@mpsixcol@footgroupv@r	13385, 13391,	
		..... 13426, 13451	13397, 13402,	
		\@mpsixcol@LTRfootnotetext	13407, 13408,	
		..... 13422, 13629	13432, 13433,	
		\@mpsixcol@RTLfootnotetext	13684, 13690,	
		..... 13423, 13656	13696, 13701,	



13706,	13707,	25004,	25007,	14002,	14003,
13731,	13732,	25010,	25018,	14285,	14286,
13983,	13989,	25019,	25021,	14291,	14292,
13995,	14000,	25024,	25027,	14296,	14297,
14005,	14006,	25040,	25280,	14301,	14302,
14030,	14031,	25281,	25282,	14584,	14585,
14282,	14288,	25283,	25284,	14590,	14591,
14294,	14299,	25285,	25286,	14595,	14596,
14304,	14305,	25287,	25288,	14600,	14601,
14329,	14330,	25327,	25333,	14883,	14884,
14581,	14587,	25340,	25346,	14889,	14890,
14593,	14598,	25353,	25357,	14894,	14895,
14603,	14604,	25358,	25359,	14899,	14900,
14628,	14629,	25360,	25362,	15389,	15396,
14880,	14886,	25363,	25365,	15400,	15407,
14892,	14897,	25368,	25371,	15416,	15421,
14940,	14941,	25379,	25380,	15425,	15430,
14993,	14994,	25382,	25385,	15900,	21984,
15046,	15097,	25388,	25413,	22319,	22724,
15388,	15399,	25417,	25418,	23080,	23497,
15415,	15424,	25419,	25421,	23845,	24476,
15433,	18718,	25422,	25424,	24749,	24750,
24748,	24787,	25427,	25430,	24751,	24754,
24788,	24789,	25438,	25439,	24757,	24762,
24790,	24791,	25441,	25444,	24763,	24768,
24792,	24793,	25447,	25467,	24772,	24773,
24794,	24795,	25470,	25474,	24775,	24776,
24796,	24814,	25514,	25517,	24778,	24779,
24815,	24816,	\@nameuse . 6876, 9215,			
24817,	24818,	11236,	11286,	24781,	24782,
24819,	24820,	11289,	11335,	24784,	24785,
24821,	24822,	12503,	12504,	24792,	24797,
24837,	24838,	12509,	12510,	24798,	24881,
24839,	24840,	12514,	12515,	24928,	24932,
24842,	24843,	12519,	12520,	24933,	24945,
24845,	24848,	12790,	12791,	24955,	24956,
24851,	24859,	12796,	12797,	25040,	25044,
24860,	24862,	12801,	12802,	25045,	25066,
24865,	24868,	12806,	12807,	25082,	25085,
24881,	24886,	13089,	13090,	25086,	25090,
24887,	24888,	13095,	13096,	25096,	25097,
24890,	24891,	13100,	13101,	25098,	25102,
24893,	24896,	13105,	13106,	25105,	25109,
24899,	24907,	13388,	13389,	25111,	25125,
24908,	24910,	13394,	13395,	25127,	25129,
24913,	24916,	13399,	13400,	25135,	25153,
24928,	24973,	13404,	13405,	25154,	25156,
24974,	24975,	13687,	13688,	25157,	25167,
24976,	24977,	13693,	13694,	25169,	25172,
24978,	24979,	13698,	13699,	25173,	25175,
24980,	24981,	13703,	13704,	25177,	25178,
24996,	24997,	13986,	13987,	25186,	25188,
24998,	24999,	13992,	13993,	25192,	25193,
25001,	25002,	13997,	13998,	25197,	25201,
				25205,	25206,



25274,	25307,	26387,	26388,	\@ninecolfootnotetext
25314,	25319,	26389,	26394,	..... 14307, 14353
25320,	25327,	26396,	26397,	\@nmbrlistfalse .. 26299
25406,	25413,	26398,	26472,	\@nobreakfalse . 547,
25484,	25551,	26474,	26517, 26781	702, 946, 1185,
26074,	26108, 26853	\@newlistfalse .. .	9341, 9518, 9805,	11660, 15563,
\@ne . . .	137, 142, 353,	..... 15944, 26842	20804, 21176,	21391, 21576,
362, 365,	486, 840,	\@next .. . . .	24536, 24540, 25075	24536, 24540, 25075
1092,	1342, 1408,	4909,	7889, 7890, 7933,	\@nobreaktrue .. 546,
1417,	1420, 1421,	7934, 7977, 7978,	26703, 26704,	701, 945, 1184,
1422,	1455, 1458,	26704,	26747, 26748, 26780	9340, 9517, 9804,
1459,	1460, 2317,	26747,	\@nextchar .. . . .	11659, 15562,
2333,	2349, 2597,	359,	359,	20803, 21175,
4345,	4350, 4351,	361, 362, 363, 365,	366, 367,	21390, 21575,
4352,	4919, 5221,	366,	368,	24535, 24539, 25074
5249,	5284, 5615,	369,	372, 373,	\@nocnterr .. . . .
5669,	5723, 6453,	374,	374, 1414, 1416,	331
6612,	6683, 6744,	1417, 1418,	1417, 1418, 1420,	\@nocounterr .. . . .
7237,	7246, 9745,	1420,	1421, 1422, 1423,	\@nodocument .. . . .
10195,	11504,	1424,	1424, 1425, 1426,	\@noitemerr .. . . .
11601,	12062,	1429,	1430, 1431,	95, 298, 617,
12110,	12125,	1443,	1443, 1445, 1446,	749, 1012, 1262,
12150,	15671,	1511, 1512, 1513,	1511, 1512, 1513,	2655, 5213, 9390,
16276,	16291,	10016,	10016, 10017,	9578, 9890, 11449,
16306,	16619,	10018,	24276,	11723, 15624,
17725,	17726,	24278,	24278,	17996, 20057,
17731,	18165,	24280,	24281,	20858, 21252,
18172,	18181,	24282,	24283,	21449, 21652,
18192,	18602,	24284,	24286,	22192, 22199,
19399,	19476,	24287,	24288,	22953, 22960,
19739,	20128,	24289,	24290,	23718, 23725, 24438
20148,	20949,	24293,	24294, 24295	\@nonlatinfalse 4116,
21090,	21287,	\@nil .. . . .	1496, 1497,	4227, 18199, 18243
21330,	21334,	1499, 1500, 10005,	1499, 1500, 10005,	\@nonlatintrue . 4117,
21516,	21814,	10925,	10982,	4228, 18199, 18243
21841,	21843,	17892,	17901,	\@normalLTRfootfmt
22058,	22225,	17903,	17915, 24391	. 11821, 11900, 11938
22553,	22580,	\@ninecol@LTRfootgroupv@l	..... 14317, 14342	\@normalRTLfootfmt
22582,	22798,	..... 14317, 14342	..... 14317, 14342	.. 11815, 11869,
22986,	23326,	\@ninecol@footgroupv@r	..... 14313, 14338	11885, 11950, 11963
23353,	23355,	..... 14313, 14338	\@ninecolLTRfootfmt	\@normalcr .. . . . 18747
23571,	23751,	..... 14412, 14427,	..... 14467, 14536, 14550	\@normalfootfmt . . .
24205,	24209,	14467,	14467, 14536, 14550	.. 11809, 11838,
24270,	24279,	14470,	14470, 14563, 14577	11854, 11913, 11926
24286,	24589,	14470,	14470, 14563, 14577	\@notprerr . . . 6196, 6211
24932,	24933,	14470,	14470, 14563, 14577	\@nx .. . . . 124,
25044,	25045,	14470,	14470, 14563, 14577	125, 334, 18062, 18063
25274,	25988,	14470,	14470, 14563, 14577	\@nxtcol .. . . .
26135,	26291,	14470,	14470, 14563, 14577	. 15892, 15894, 15935
26332,	26367,	14470,	14470, 14563, 14577	\@oddfoot .. . . .
26369,	26370,	14470,	14470, 14563, 14577	2170, 2175, 2211,
26371,	26376,	14470,	14470, 14563, 14577	2216, 4548, 15905,
26378,	26379,	14470,	14470, 14563, 14577	15912, 26856, 26873
26380,	26385,	14464,	14494, 14523	



\@oddhead .	2094, 2174,	18688,	18690,	15514, 26792, 26799
2199, 2216, 15904,		19541,	19544,	\@par .....
15911, 26856, 26872		19545,	19575,	\@para@LTRfootgroupv@l
\@oldmakefnmark	21933,	19600,	19603,	..... 14957,
21934, 22054,		19605,	19617,	15010, 15060, 15111
22055, 22673,		19641,	19644,	\@para@footgroupv@r
22674, 22794,		19645,	19675,	..... 14951, 15004
22795, 23446,		19700,	19703,	\@para@footstartv@l
23447, 23567, 23568		19705,	19715,	..... 14958,
\@onefilewithoptions		20194,	20197,	15011, 15061, 15112
... 6826, 6827, 6834		20202,	26548,	\@para@footstartv@r
\@onelevel@sanitize	4891	26551,	26552,	..... 14952, 15005
\@onlypreamble	....	26566,	26578,	\@para@LTRfootfmt ..
.... 4330, 7049,		26595,	26598,	.. 15211, 15227,
7059, 7063, 14933,		26599,	26613,	15266, 15340, 15355
14934, 14938, 15536		26623,	26642,	\@para@LTRfootnotetext
\@openbib@code	....	26644,	26658,	.. 14944, 15053, 15202
.. 608, 743, 1006,		26660,	26671, 26900	\@para@RTLfootfmt ..
1256, 5206, 5217,		\@outputdblcol	15891,	.. 15241, 15257,
9384, 9572, 9881,		26636,	26637, 26638	15270, 15369, 15384
11443, 11714,		\@outputpage	....	\@para@RTLfootnotetext
15618, 20852,		.. 10273, 10277,		..... 14945, 15232
21246, 21440,		10332,	10336,	\@parafootfmt .....
21643, 22175,		15801,	15804,	.. 15162, 15193,
22936, 23701, 24429		15839,	15843,	15262, 15296, 15326
\@otarlinesep	24165, 24171	15919,	15923,	\@parafootnotetext
\@outerparskip	.... 9258	15928,	15939,	.. 14943, 15051, 15147
\@outputbox	....	16676,	16680,	\@parboxrestore . 42,
.. 10230, 10233,		16729,	16733,	56, 72, 245, 259,
10234, 10248,		18669,	18681,	274, 2274, 2291,
10260, 10265,		19623,	19628,	2308, 2324, 2340,
10267, 10293,		19720,	19725,	2356, 4958, 7640,
10296, 10297,		20186,	20187,	7908, 7952, 7996,
10311, 10321,		26583,	26587,	9935, 11909,
10324, 10326,		26626,	26630, 26837	11922, 11934,
15447, 15449,		\@covbtrue	.... 15729	11946, 11959,
15450, 15455,		\@covdx	.... 15742, 15750	12060, 12409,
15470, 15472,		\@covdy	.... 15743, 15751	12438, 12451,
15486, 15496,		\@covhorz	... 15748, 15749	12465, 12478,
15773, 15776,		\@covltrue	.... 15729	12492, 12702,
15789, 15798,		\@covri	.... 15741	12730, 12742,
15809, 15812,		\@covro	15741, 15750, 15751	12755, 12767,
15826, 15836,		\@covrtrue	.... 15729	12780, 12995,
15917, 15922,		\@covttrue	.... 15729	13024, 13037,
15969, 16639,		\@covvert	... 15746, 15747	13051, 13064,
16646, 16647,		\@covxx	.... 15731,	13078, 13294,
16663, 16673,			15732, 15735,	13323, 13336,
16688, 16695,			15742, 15747,	13350, 13363,
16696, 16712,			15748, 15752, 15753	13377, 13593,
16724, 16763,		\@covyy	.. 15733, 15734,	13622, 13635,
16775, 16809,			15735, 15743, 15749	13649, 13662,
16811, 16822,		\@pagedp	... 26809, 26819	13676, 13892,
16847, 16850,		\@pageht	10354, 10360,	13921, 13934,
16851, 18686,			15512, 15513,	13948, 13961,



13975,	14191,	7358, 7359, 8564, 8565, 8566, 8568, 8569, 8635, 9305, 9316, 9319, 9332, 9348, 9355, 9482, 9493, 9496, 9509, 9525, 9532, 9693, 9796, 9811, 11383, 11397, 11652, 15264, 15268, 15272, 15554, 15569, 16519, 16557, 18005, 18025, 19790, 19802, 20047, 20750, 20779, 20782, 20795, 20811, 20818, 21005, 21151, 21154, 21167, 21183, 21190, 21383, 21397, 21465, 21567, 21582, 21871, 21878, 21887, 21950, 21976, 22021, 22432, 22450, 22468, 22469, 22486, 22487, 22496, 22497, 22506, 22517, 22611, 22618, 22627, 22690, 22716, 22761, 23194, 23213, 23239, 23240, 23259, 23260, 23269, 23270, 23279, 23290, 23384, 23391, 23400, 23463, 23489, 23534, 23959, 23978, 24004, 24005, 24024, 24025, 24034, 24035, 24044, 24055, 24076, 24342, 24371, 24492, 24768, 24936, 24939, 24943, 25048, 25051, 25055, 25130, 25467,	25470, 25474, 25595, 25779, 26485 \@pnumwidth . . . 13, 15, 208, 210, 540, 541, 543, 557, 558, 562, 695, 696, 698, 720, 721, 725, 922, 923, 927, 939, 940, 942, 1178, 1179, 1181, 1204, 1205, 1209, 9335, 9336, 9338, 9358, 9359, 9363, 9512, 9513, 9515, 9535, 9536, 9540, 9799, 9800, 9802, 9814, 9815, 9819, 10080, 10085, 10086, 11386, 11387, 11391, 11400, 11401, 11403, 11654, 11655, 11657, 15557, 15558, 15560, 15572, 15573, 15577, 18038, 18040, 19810, 20798, 20799, 20801, 20821, 20822, 20826, 21170, 21171, 21173, 21193, 21194, 21198, 21385, 21386, 21388, 21400, 21401, 21405, 21570, 21571, 21573, 21585, 21586, 21590, 24398, 24407, 24409, 24798, 24947, 24948, 24960, 25059, 25060, 25069, 25333, 25340, 25686, 25791, 26497 \@preamble . . . 401, 407, 420, 431, 1468, 1476, 18606, 24144, 24146, 24153, 24183, 24184, 24192, 26454, 26456, 26465 \@pream eightfmt 14160,
--------	--------	---	---



\@preamerr . . . . .	14166, 14169, 14172	\@preamtwofmt . 12378, 12384, 12387, 12390	\@reqcolroom . . . . .
. 375, 1432, 1462, 24296, 26463, 26476		\@printcites . . . . . 20637	.. 10354, 10355, 10356, 10357,
\@preamfivefmt 13263, 13269, 13272, 13275		\@pstrickserr . . . . . 20571	10359, 10360, 10361, 10362,
\@preamfntext . 11833, 11849, 11864, 11880, 11895, 12055, 12281, 12311, 12327, 12342, 12354, 12369, 12580, 12609, 12624, 12638, 12649, 12663, 12867, 12897, 12913, 12928, 12940, 12955, 13166, 13196, 13212, 13227, 13239, 13254, 13465, 13495, 13511, 13526, 13538, 13553, 13764, 13794, 13810, 13825, 13837, 13852, 14063, 14093, 14109, 14124, 14136, 14151, 14362, 14392, 14408, 14423, 14435, 14450, 14661, 14691, 14707, 14722, 14734, 14749, 15157, 15188, 15206, 15222, 15236, 15252	4994, 4995, 4996, 4997, 5004 \@publisher .. 8727, 8780 \@publishers .. 21977, 22122, 22717, 22862, 23490, 23635 \@quote .. 5097, 10736, 10738, 10865, 10867 \@quotebox . . . . . 20636 \@quotecolour . . . . . ... 5059, 5076, 5186 \@r@m@msize . . . . . 24178 \@raggedtwoe@abdhook . 20711, 20716, 20726 \@raggedtwoe@document@opt . 20710, 20714, 20732 \@raggedtwoe@everyselectfont . . . . . 20650, 20663, 20676, 20687 \@raggedtwoe@footmisctrue . . . . . 20713 \@raggedtwoe@gnewline . 20643, 20656, 20669 \@raggedtwoe@raggedrightboxes@opt . . . . . 20689, 20708, 20712, 20729 \@raggedtwoe@saved@gnewline . . . . . 20680 \@raggedtwoe@savedcr . . . . . 20640, 20653, 20666, 20679 \@raggedtwoe@spaceskipfalse . . . . . 20686 \@raggedtwoe@spaceskiptrue . . . . . 20649, 20662, 20675 \@rc@ifdefinable .. . . . . . 5601, 5859 \@regtocline . . . . . 673, 711, 728, 900, 930, 955, 1156, 1194, 1212, 9313, 9349, 9367, 9490, 9526, 9544, 20776, 20812, 20830, 21148, 21184, 21202 \@reinserts . . . . . 15527 \@rememsize 24175, 24178 \@removefromreset . . . . . . 20066, 20068	10359, 10360, 10361, 10362, 10363, 10364, 10604 \@resetactivechars . . . . . 15942, 26840 \@resetdyn@mics .. 15930 \@resetst@tics .. 15929 \@restonecolfalse . . . . . . 98, 218, 622, 638, 887, 1139, 9296, 9473, 9683, 18000, 20741, 20996, 21455, 24450 \@restonecoltrue . . . . . . 98, 218, 624, 640, 889, 1141, 9298, 9475, 9685, 18000, 20743, 20998, 21457, 24452 \@resumename .. 5029, 5085 \@revlabeltrue . 773, 1025, 1275, 9423, 9600, 20882, 21021 \@rightcolumn . 19567, 19572, 19573, 19582, 19583, 19591, 19595, 19601, 19667, 19672, 19673, 19682, 19683, 19691, 19695, 19701 \@rightskip .. 18743, 20645, 20646, 20658, 20659, 20671, 20672, 20682, 20683, 26401 \@rjfieldfalse .. 26827 \@runbordercolor .. . . . . . 17789, 17791 \@runcolor . . . . . 17805 \@s@size . . . . . 24178 \@s@bidi@AfterClass . . . . . 6886, 6895, 6907, 6916 \@s@bidi@AfterPackage . . . . . 6931, 6939, 6950, 6958 \@sarray . . . . . 24137 \@savemarbox . . . . . 26821 \@secondoftwo . . . . . 4205, 4211, 4217,	



5463, 5467, 5475, 5479, 5487, 5491, 5497, 5505, 5518, 5527, 5536, 5545, 5551, 5554, 5565, 5570, 5577, 5957, 5967, 5968, 5969, 5970, 5976, 5985, 5991, 6015, 6043, 6071, 6123, 6135, 6136, 6145, 6791, 6919, 6961, 15537	\@settab ..... 9225 \@sevencol@LTRfootgroupv@l ..... 13719, 13744 \@sevencol@footgroupv@r ..... 13715, 13740 \@sevencol@TRfootfmt ..... 13814, 13829, 13869, 13938, 13952 \@sevencol@TRfootnotetext ..... 13710, 13807 \@sevencol@RTLfootfmt ..... 13841, 13856, 13872, 13965, 13979 \@sevencol@RTLfootnotetext ..... 13711, 13834 \@sevencol@footfmt ..... 13768, 13798, 13866, 13896, 13925 \@sevencol@footnotetext ..... 13709, 13755 \@sharp ..... 413, 1470, 1471, 1472, 1478, 1479, 1480, 17892, 17898, 18598, 24149, 24184, 24190, 26460	\@stabular ..... 24129 \@star@or@long ..... 5596, 5829, 5853, 5864 \@startcolumn ..... 16738 \@startdblcolumn .. ..... 10276, 10278, 10335, 10337, 15802, 15804, 15842, 15843, 15926, 15928, 16679, 16681, 16732, 16734, 19626, 19629, 19723, 19726, 26586, 26588, 26629, 26631 \@startfield ..... 9267 \@startpbox 1445, 1446, 1511, 1512, 1513, 10016, 10017, 10018, 18585, 18586, 18592, 24147, 24185, 26457 \@startsection 23, 18024 \@starttoc ... 8530, 8538 \@stopfield 9232, 9247, 9251, 9279, 26827 \@stopline .. 9251, 26827 \@stpelt . 6318, 6322, 6324 \@strip ..... 19735 \@subjclass ..... 324 \@subject 21958, 21959, 22121, 22698, 22699, 22861, 23471, 23472, 23634 \@subsectioncolour ..... 5062, 5078 \@subtitle ... 21964, 22117, 22704, 22857, 23477, 23630 \@tabacol 4836, 18583, 24131, 26262, 26440 \@tabarray .... 383, 436, 4838, 18570, 18572, 20103, 20105, 26257, 26264, 26442, 26468 \@tabclassiv ..... ... 4838, 18584, 24133, 26264, 26442 \@tabclassz ..... 1473, 4837, 18584, 24132, 26263, 26441 \@stabarray .... 24133
10240, 10242, 10272, 10303, 10305, 10331, 15782, 15784, 15801, 15818, 15820, 15838, 16653, 16655, 16675, 16702, 16704, 16728, 19551, 19553, 19622, 19651, 19653, 19719, 26558, 26560, 26582, 26605, 26607, 26625	\@sixcol@LTRfootgroupv@l ..... 13420, 13445 \@sixcol@footgroupv@r ..... 13416, 13441 \@sixcol@TRfootfmt ..... 13515, 13530, 13570, 13639, 13653 \@sixcol@RTLfootfmt ..... 13542, 13557, 13573, 13666, 13680 \@sixcol@RTLfootnotetext ..... 13412, 13535 \@sixcol@footfmt ..... 13469, 13499, 13567, 13597, 13626 \@sixcol@footnotetext ..... 13410, 13456 \@skip@bove 24169, 24171 \@spaces ..... . 24207, 24248, 24253	\@startsection 23, 18024 \@starttoc ... 8530, 8538 \@stopfield 9232, 9247, 9251, 9279, 26827 \@stopline .. 9251, 26827 \@stpelt . 6318, 6322, 6324 \@strip ..... 19735 \@subjclass ..... 324 \@subject 21958, 21959, 22121, 22698, 22699, 22861, 23471, 23472, 23634 \@subsectioncolour ..... 5062, 5078 \@subtitle ... 21964, 22117, 22704, 22857, 23477, 23630 \@tabacol 4836, 18583, 24131, 26262, 26440 \@tabarray .... 383, 436, 4838, 18570, 18572, 20103, 20105, 26257, 26264, 26442, 26468 \@tabclassiv ..... ... 4838, 18584, 24133, 26264, 26442 \@tabclassz ..... 1473, 4837, 18584, 24132, 26263, 26441 \@stabarray .... 24133
16338, 16613, 19526	\@spart .. 596, 598, 11426 \@specialpagefalse ..... 15899, 26853 \@specialstyle ..... 15900, 26853	\@startdblcolumn .. ..... 10276, 10278, 10335, 10337, 15802, 15804, 15842, 15843, 15926, 15928, 16679, 16681, 16732, 16734, 19626, 19629, 19723, 19726, 26586, 26588, 26629, 26631 \@startfield ..... 9267 \@startpbox 1445, 1446, 1511, 1512, 1513, 10016, 10017, 10018, 18585, 18586, 18592, 24147, 24185, 26457 \@startsection 23, 18024 \@starttoc ... 8530, 8538 \@stopfield 9232, 9247, 9251, 9279, 26827 \@stopline .. 9251, 26827 \@stpelt . 6318, 6322, 6324 \@strip ..... 19735 \@subjclass ..... 324 \@subject 21958, 21959, 22121, 22698, 22699, 22861, 23471, 23472, 23634 \@subsectioncolour ..... 5062, 5078 \@subtitle ... 21964, 22117, 22704, 22857, 23477, 23630 \@tabacol 4836, 18583, 24131, 26262, 26440 \@tabarray .... 383, 436, 4838, 18570, 18572, 20103, 20105, 26257, 26264, 26442, 26468 \@tabclassiv ..... ... 4838, 18584, 24133, 26264, 26442 \@tabclassz ..... 1473, 4837, 18584, 24132, 26263, 26441 \@stabarray .... 24133
21284, 21327, 21837, 21848, 22576, 22588, 23349, 23361	\@stabarray .... 24133	\@stabcr ..... 9228, 9238



\@tabminus . . . . .	9226	16988,	16989,	10953,	11002,
\@tabplus . . . . .	9225	16991,	16994,	11003,	11004,
\@tabular 377, 4824, 26438		17051,	17052,	11005,	11007,
\@tabularcr . . . . .		17053,	17054,	12185,	15741,
. . . 4838, 18588,		17511,	17515,	15745,	15753,
24133, 26264, 26442		17518,	17530,	15754,	15877,
\@tagsextension . . . . .	5373, 5376	17549,	17553,	15878,	15879,
\@tarlinesep . . . 24171,		17556,	17568,	16327,	16351,
24172, 24173,		18061,	18064,	16456,	16501,
24174, 24177, 24179		18650,	18651,	16508,	16518,
\@temp@bibkey . . . 8097,		18653,	18654,	16521,	16525,
8116, 8135, 8163		20069,	20070,	16527,	16533,
\@temp@bibkeyx . . . . .	8102, 8103,	20071,	20074,	16567,	16569,
8105, 8106, 8107,		20081,	20087,	16575,	16588,
8108, 8121, 8122,		20929,	20931,	16592,	16593,
8124, 8125, 8126,		20933,	20937,	16881,	16977,
8127, 8140, 8141,		21070,	21072,	16994,	17143,
8143, 8144, 8145,		21074,	21078,	17324,	17326,
8146, 8172, 8173,		21661,	21662,	18202,	18207,
8175, 8176, 8177, 8178		21704,	21705,	18211,	18615,
\@temp@last@bibkey . . . . .	8096, 8097,	21836,	22177,	18616,	18619,
8103, 8115, 8116,		22180,	22575,	19452,	19455,
8122, 8134, 8135,		22938,	22941,	19459,	19461,
8141, 8162, 8163, 8173		23348,	23703,	19467,	19469,
\@tempa . . . . . 123,	126, 133, 134, 135,	23706,	24256,	19470,	19499,
136, 820, 822, 824,		24258,	24263,	19500,	19504,
828, 1072, 1074,		24265,	25777,	20335,	20336,
1076, 1080, 1322,		25794,	25798,	20339,	24230,
1324, 1326, 1330,		25799,	25800,	24250,	25738,
2379, 2405, 2431,		25809,	25823,	25741,	25746,
5251, 5258, 5289,		25999,	26002,	25750,	25754,
5290, 5293, 5419,		26008,	26012, 26026	25758,	25762,
\@tempb . . . . . 5289,		25766,	25770,		
5290, 5292, 5293,		25774,	26423,		
16915, 16916,		26424,	26479,		
16956, 16958,		26480,	26481,		
16986, 16988,		26482,	26706,		
16989, 16991,		26750,	26888,		
16994, 20073,		26895,	26896,		
20074, 20080,		26925,	26926, 26930		
20081, 20086, 20087		\@tempc 16957, 16959, 16965			
\@tempboxa . . . . . 2100,		\@tempcpta . . . . . 1436,			
2101, 2102, 2103,		1495, 1496, 1497,			
2104, 2204, 2205,		1499, 1500, 2497,			
2206, 2207, 2208,		2498, 2500, 4911,			
2461, 2478, 2479,		4917, 4919, 4932,			
2480, 2481, 2482,		4933, 4939, 4940,			
2483, 2484, 2485,		5266, 5268, 5272,			
2524, 2526, 2527,		10003, 10005,			
2528, 2533, 2546,		10923, 10980,			
7892, 7936, 7980,		20153, 20155,			
10370, 10371,		20156, 20162,			
10948, 10949,		20166, 20179,			
10950, 10951,		20235, 20237,			



20241,	20244,	10990,	10991,	21169,	21191,
20246,	22029,	10992,	10998,	21196,	21285,
22031,	22769,	11001,	11004,	21286,	21287,
22771,	23542,	11005,	11006,	21328,	21329,
23544,	24243,	11018,	11019,	21330,	21398,
25585,	25586,	11020,	11236,	21403,	21568,
25587,	25606,	11237,	11242,	21583,	21588,
25607,	25608,	11243,	11244,	21706,	21707,
25610,	25612,	11245,	11246,	21838,	21839,
25694,	25695,	11361,	11363,	21841,	21843,
25696,	26781,	11365,	11384,	21849,	21850,
26783,	26786,	11389,	11399,	21854,	21856,
26788,	26790,	14930,	14969,	22250,	22251,
\@tempcntb . . . . .		14970,	14973,	22577,	22578,
2508, 2509, 2511,		14974,	14980,	22580,	22582,
4937, 4938, 4939,		14981,	14982,	22589,	22590,
20154, 20155,		14983,	14985,	22594,	22596,
20162, 20166, 20179		15022,	15023,	23011,	23012,
\@tempdima . . . . . 8,		15026,	15027,	23350,	23351,
10, 12, 14, 203,		15033,	15034,	23353,	23355,
205, 207, 209, 391,		15035,	15036,	23362,	23363,
392, 394, 538, 555,		15038,	15074,	23367,	23369,
560, 681, 694, 718,		15075,	15078,	23776,	23777,
723, 908, 909, 920,		15079,	15085,	24176,	24179,
925, 938, 1164,		15086,	15087,	24181,	24244,
1177, 1202, 1207,		15088,	15090,	24303,	24304,
1490, 1491, 1523,		15125,	15126,	24305,	24526,
1524, 1525, 2187,		15129,	15130,	24530,	24557,
2495, 2499, 2500,		15136,	15137,	24561,	24580,
2512, 2513, 2515,		15138,	15139,	24584,	24597,
2538, 2540, 2551,		15141,	15457,	24601,	24614,
2553, 3573, 3574,		15459,	15556,	24618,	24631,
4991, 4993, 8551,		15570,	15575,	24635,	24648,
8552, 9321, 9334,		15742,	15743,	24652,	24665,
9356, 9361, 9498,		15746,	15747,	24669,	24683,
9511, 9533, 9538,		16325,	16329,	24687,	24702,
9797, 9812, 9817,		16850,	16852,	24706,	24722,
10028, 10029,		16974,	16976,	24726,	24757,
10030, 10078,		16981,	16983,	24761,	24945,
10083, 10894,		16984,	16986,	24951,	25057,
10895, 10896,		16999,	17004,	25097,	25101,
10897, 10915,		17009,	17013,	25104,	25108,
10916, 10917,		18033,	18035,	25111,	25113,
10918, 10924,		18037,	18039,	25153,	25156,
10926, 10927,		18580,	18590,	25157,	25161,
10931, 10932,		18595,	19570,	25602,	25604,
10933, 10934,		19574,	19670,	25633,	25636,
10935, 10943,		19674,	19735,	25643,	25646,
10947, 10950,		19760,	19783,	25650,	25655,
10951, 10952,		19795,	19796,	25658,	25670,
10966, 10967,		19807,	19808,	25703,	25705,
10968, 10981,		20157,	20784,	25706,	25709,
10983, 10984,		20797,	20819,	25712,	25716,
10988, 10989,		20824,	21156,	25723,	25725,



25784,	25785,	25637,	25639,	\@tencollTRfootnotetext
25798,	25800,	25640,	25653,	..... 14607, 14704
25808,	25815,	25659,	25661,	\@tencolRTLfootfmt
25961,	25962,	25964,	25965,	.. 14738, 14753,
25981,	25992,	25967,	25969,	14769, 14862, 14876
25993,	25994,	25972,	25973,	\@tencolRTLfootnotetext
25995,	26007,	25975,	25978,	..... 14608, 14731
26010,	26016,	25992,	25993,	\@tencolfootfmt ...
26017,	26349,	25994,	25998,	.. 14665, 14695,
26350,	26490,	26011,	26015,	14763, 14793, 14822
26491,	26791,	26016,	26352, 26353	\@tencolfootnotetext
26792,	26793,	\@tempdimc 2507, 2508,	..... 14606, 14652	..... 14606, 14652
26794,	26797,	2516, 2517, 2534,	\@testopt .. 5831,	
26800,	26803,	2547, 9998, 21835,	5849, 18577, 18578	
26805,	26828, 26829	21846, 21847,	\@testpach 352, 1407,	
\@tempdimb .....	2496, 2497, 2501,	21861, 22574,	1452, 24269, 26469	
	2504, 2505, 2510,	22586, 22587,	\@texfileextension	
	2511, 2512, 2513,	22601, 23347,	..... 5375, 5378	
	2518, 2521, 2522,	23359, 23360, 23374	\@textbottom .. 15452,	
	2524, 2525, 2534,	\@tempskipa ... 9257,	16853, 21871,	
	2539, 2540, 2547,	9258, 9259, 12070,	21878, 22611,	
	2552, 2553, 9997,	12071, 12072,	22618, 23384, 23391	
	10451, 10471,	12094, 12095,	\@textsupserscript .	
	10894, 10895,	12096, 15410, 15411	.. 481, 484, 774,	
	10915, 10916,	\@tempswafalse . 1978,	836, 838, 1026,	
	10967, 10969,	1979, 7065, 7113,	1090, 1276, 1338,	
	10972, 11019,	10935, 10992,	1340, 4578, 4581,	
	11021, 11024,	12061, 16922,	8202, 8204, 9424,	
	11239, 11242,	21987, 22727,	9601, 9740, 9743,	
	14971, 14972,	23500, 26046, 26089	11499, 11502,	
	14973, 15024,	\@tempswattrue .....	11596, 11599,	
	15025, 15026,	1978, 7065, 7110,	15666, 15669,	
	15076, 15077,	10929, 10986,	19395, 20883,	
	15078, 15127,	12063, 21983,	20945, 20947,	
	15128, 15129,	22723, 23496, 26540	21022, 21086,	
	15735, 15736,	\@temptokena 121, 125,	21088, 21282,	
	15737, 15738,	18059, 18063, 20221	21289, 21325,	
	15740, 16975,	\@tempx .....	21332, 21511, 21514	
	16976, 16982,	9159, 9160, 17589, 17601	\@texttop .. 15448, 16849	
	16983, 16985,	\@tempxi .....	\@tfor .. 4912, 15730	
	16986, 19735,	9162, 9163, 17620, 17632	\@thanks ... 460, 468,	
	19760, 21851,	\@tempxii .....	496, 504, 805, 811,	
	21852, 21854,	9165, 9166, 17651, 17663	850, 856, 1057,	
	21856, 22591,	\@tempy .....	1063, 1102, 1108,	
	22592, 22594,	4844, 4845	1307, 1313, 1352,	
	22596, 23364,	\@tempyi .....	1358, 4583, 4589,	
	23365, 23367,	4847, 4848	9455, 9461, 9632,	
	23369, 24176,	\@tempyii .....	9638, 9719, 9727,	
	24179, 24181,	4850, 4851	9755, 9763, 11480,	
	25603, 25609,	\@tencol@footgroupv@l	11486, 11514,	
	25611, 25616,	..... 14616, 14641	11520, 11575,	
	25618, 25621,	\@tencol@footgroupv@r	11583, 11611,	
	25625, 25629,	..... 14612, 14637	11619, 15647,	
		\@tencollTRfootfmt	15653, 15681,	
		.. 14711, 14726,		
		14766, 14835, 14849		



15687,	16353,	12651,	12665,	16196,	16201,
16367,	16370,	12704,	12732,	16223,	16240,
19388,	19411,	12744,	12757,	16256,	16285,
20914,	20920,	12769,	12782,	16300,	16315,
20959,	20965,	12869,	12899,	16358,	16363,
21053,	21061,	12915,	12930,	16373,	16378,
21100,	21108,	12942,	12957,	16414,	16418,
21303,	21311,	12997,	13026,	16420,	16426,
21344,	21352,	13039,	13053,	16430,	16432,
21490,	21498,	13066,	13080,	16438,	16442,
21526,	21534,	13168,	13198,	16444,	16864,
21980,	21999,	13214,	13229,	17371,	17382,
22022,	22103,	13241,	13256,	17393,	17404,
22113,	22720,	13296,	13325,	17522,	17560,
22739,	22762,	13338,	13352,	17593,	17624,
22843,	22853,	13365,	13379,	17655,	17718,
23493,	23512,	13467,	13497,	18021,	20883,
23535,	23616, 23626	13513,	13528,	20945,	20947,
<b>\@thefnmark . . . 44, 58,</b>					
74,	247, 261, 276,	13540,	13555,	21022,	21086,
481,	484, 774, 836,	13595,	13624,	21088,	21282,
838,	1026, 1090,	13637,	13651,	21289,	21325,
1276,	1338, 1340,	13664,	13678,	21332,	21511, 21514
2276,	2293, 2310,	13766,	13796,	<b>\@thefoot . . . . 15905,</b>	
2326,	2342, 2358,	13812,	13827,	15908,	15912,
2386,	2392, 2412,	13839,	13854,	26856,	26862,
2418,	2438, 2444,	13894,	13923,	26870,	26873, 26908
4578,	4581, 4867,	13936,	13950,	<b>\@thehead . . . . 15904,</b>	
4875,	4883, 8202,	13963,	13977,	15907,	15911,
8204,	8238, 8256,	14065,	14095,	26856,	26862,
8274,	8300, 8306,	14111,	14126,	26869,	26872, 26892
8329,	8335, 8358,	14138,	14153,	<b>\@themargin . . . 15961,</b>	
8364,	9180, 9187,	14193,	14222,	17019,	17021,
9194,	9424, 9601,	14235,	14249,	17026,	17028,
9740,	9743, 11499,	14262,	14276,	17032,	17034,
11502,	11596,	14364,	14394,	26858,	26860,
11599,	11836,	14410,	14425,	26864,	26866, 26885
11852,	11867,	14437,	14452,	<b>\@thm . . . . . 20110, 20131</b>	
11883,	11898,	14492,	14521,	<b>\@thmcOUNTERsep . . . . . 350, 26282</b>	
11911,	11924,	14534,	14548,	<b>\@threecol@LTRfootgroupv@ . . . . . 12535, 12560</b>	
11936,	11948,	14561,	14575,	<b>\@threecol@footgroupv@ . . . . . 12531, 12556</b>	
11961,	12000,	14663,	14693,	<b>\@threecol@LTRfootfmt . . . . . 12628, 12642,</b>	
12004,	12006,	14709,	14724,	12679,	12746, 12759
12012,	12016,	14736,	14751,	<b>\@threecol@LTRfootnotetext . . . . . 12526, 12621</b>	
12018,	12024,	14791,	14820,	<b>\@threecol@RTLfootfmt . . . . . 12653, 12667,</b>	
12028,	12030,	14833,	14847,	12682,	12771, 12784
12283,	12313,	14860,	14874,	<b>\@threecol@RTLfootnotetext . . . . . 12527, 12646</b>	
12329,	12344,	15159,	15190,	<b>\@threecolfootfmt . . . . .</b>	
12356,	12371,	15208,	15224,		
12411,	12440,	15238,	15254,		
12453,	12467,	15293,	15323,		
12480,	12494,	15337,	15352,		
12582,	12611,	15366,	15381,		
12626,	12640,	15666,	15669,		
		16187,	16192,		



..	12584, 12613,	24660,	24678,	19408,	20956,
12676,	12706, 12734	24697,	24717,	21097,	21341, 21523
\@threecolfootnotetext		24752,	24803,	\@topsep ...	20124, 20144
.....	12525, 12571	25346,	25353,	\@topsepadd .....	
\@title .....	320,	25663,	25780, 26486	.	4755, 20125, 20145
450, 471, 507, 521,		\@todonotes@MissingFigure	DONE	\@totalleftmargin ..	
783, 785, 813, 858,		.....	25942	.....	16603,
871, 1035, 1037,		\@todonotes@MissingFigureText		16607,	16610,
1065, 1110, 1123,		.....	25919	16619,	18742,
1285, 1287, 1315,		\@todonotes@MissingFigureUp		20127,	20128,
1360, 1374, 1385,		.....	25941	20147,	20148,
4592, 5027, 5088,		\@todonotes@author		20699,	26308,
8735, 8820, 9433,		.....	25852,	26310,	26316,
9435, 9463, 9610,		25863,	25888, 25906	26318,	26322,
9612, 9640, 9709,		\@todonotes@currentfigcolor		26324,	26328,
9730, 9766, 9780,		.....	25923	26330,	26332,
10846, 11470,		\@todonotes@currentfigheight		26367,	26369,
11489, 11523,		.....	25924	26370,	26371,
11535, 11565,		\@todonotes@currentfigwidth		26376,	26378,
11586, 11622,		.....	25924,	26379,	26380,
11636, 15637,		25926, 25936, 25939		26385,	26387,
15656, 15690,		\@todonotes@drawInlineNote		26388,	26389,
15702, 19389,		.....	25847	26394,	26396,
20892, 20894,		\@todonotes@drawLineToLeftMargin		26397,	26398, 26828
20922, 20967,		.....	25875, 25878	\@traditionalpoem ..	
20980, 21031,		\@todonotes@drawLineToRightMargin		9108, 9200	
21033, 21063,		.....	25875, 25878	\@trivlist ...	20121,
21110, 21126,		\@todonotes@drawMarginNote		20141,	21813,
21137, 21293,		..	25874, 25877, 25881	22552,	23325, 26301
21314, 21355,		\@todonotes@drawMarginNote		\@twocol@LTRfootgroupv@l	
21369, 21480,		.....	25869	..	12236, 12261
21501, 21537,		\@todonotes@ifdisabled		\@twocol@footgroupv@r	
21551, 21962,		.....	25948	..	12232, 12257
22116, 22702,		\@todonotes@sizecommand		\@twocolLTRfootfmt	
22856, 23475, 23629		.....	25852,	..	12331, 12346,
\@titlecolour .	5057, 5074	25854,	25861,	12386, 12455, 12469	
\@titlehead .....		25863,	25865,	\@twocolLTRfootnotetext	
..	21951, 21953,	25888,	25890,	..	12227, 12324
22120,	22691,	25902,	25905,	\@twocolRTLfootfmt	
22693,	22860,	25906,	25908, 25911	..	12358, 12373,
23464,	23466, 23633	\@todonotes@text ..	..	12389, 12482, 12496	
\@titlepageiscoverpagefalse		..	25852, 25854,	\@twocolRTLfootnotetext	
.	21902, 22642, 23415	25863,	25865,	..	12228, 12351
\@tocextra .....		25888,	25890,	\@twocolfootfmt ..	
..	24476, 24477,	25903,	25909, 25912	..	12285, 12315,
24481,	24483, 24486	\@todonotes@textwidth	..	12383, 12413, 12442	
\@tocline ..	2, 197, 18027	.....	25886	\@twocolfootnotetext	
\@tocpagenum	15, 210, 18040	\@toodeep ...	2596, 26289	..	12226, 12272
\@tocrmarg ..	19779,	\@topnum ...	111, 314,	\@twosidefalse .....	7328
19791,	19803,	493,	847, 1099,	\@twosidetrue .....	7323
20725,	24521,	1349,	8813, 9752,	\@typeset@protect ..	
24552,	24575,	11511,	11608,	..	4783,
24592,	24609,	15678,	18049,	4789,	4795, 4810
24626,	24643,				



\@undeclaredcolor .		19609, 19711,	\@xnewline . . . 22232,
..... 10043,		19854, 19865,	22239, 22993,
10051, 26039, 26040		19897, 19948,	23000, 23758, 23765
\@undefined . . . .		20835, 21258,	\@xp . . . . . 121, 308,
. 4841, 18582, 19509		21414, 21596,	333, 334, 9944, 18059
\@undottedtocline 19776		21873, 22613,	\@xpt . . . . . 7344
\@unexpandable@protect		23386, 24142,	\@xstartcol . . . . . 16756
..... 5882, 7225		24181, 26452,	\@xthm . . . . . 20129, 20149
\@unrecuse 24166, 24169		26570, 26619, 26819	\@xtitle . . . . . 320
\@uppertitleback . .		\@x . . . . . 9217, 9218	\@xxpt . . . . . 8578
.. 21986, 21993,		\@x@sf . . . . . 8211,	\@xxxii . . . . . 4938
22002, 22037,		8216, 8222, 8225	\@xympar . . . . .
22123, 22726,		\@xLTRfootnote . . .	7898, 7902, 7942,
22733, 22742,		.... 4832, 4954,	7946, 7986, 7990,
22777, 22863,		9058, 9069, 9275,	26712, 26716,
23499, 23506,		9289, 16195, 16198	26756, 26760, 26823
23515, 23550, 23636		\@xLTRfootnotenext	\@yargdef . . . . . 5851
\@curlbordercolor . .		.... 4831,	\@ympar . . . . . 26820
.... 17820, 17822		4953, 9057, 9068,	\@cythm . . . . . 20129, 20149
\@curlcolor . . . . . 17834		9274, 9288, 16357,	\@{ . . . . . 9225, 15847
\@viiipt . . . . . 7353,		16360, 17390, 24216	\@\\ . . . . . 122, 417,
8573, 20165, 20178		\@xRTLfootnote . . .	781, 826, 1033,
\@viipt 8573, 20165, 20178		.... 4834, 4956,	1078, 1283, 1328,
\@viper . . . . . 10279,		9060, 9071, 9277,	1854, 2190, 3180,
10281, 10283,		9291, 16186, 16189	4838, 5135, 5141,
10338, 10340,		\@xRTLfootnotenext	5288, 6343, 6359,
10342, 10356,		.... 4833,	6363, 6592, 6594,
10363, 10607,		4955, 9059, 9070,	6595, 6596, 6604,
10658, 19736,		9276, 9290, 16372,	6609, 6610, 6612,
19751, 19753, 19758		16375, 17379, 24217	7658, 7659, 7660,
\@viperoutput 10285, 10344		\@xaddress . . . . . 321	7662, 8622, 8991,
\@vipt . . . . . 8574		\@xauthor . . . . . 321	9129, 9431, 9608,
\@vpt . . . . . 8574		\@xcentercr .. 22241,	10734, 10735,
\@whilesw 10277, 10336,		22248, 23002,	10738, 10754,
15803, 15843,		23009, 23767, 23774	10841, 10846,
15927, 16680,		\@xcolor@ .. 26047, 26090	10853, 10863,
16733, 19627,		\@xcurraddr . . . . . 322	10867, 11733,
19724, 26587, 26630		\@xemail . . . . . 322	11737, 11746,
\@wholewidth . . . . .		\@xepersian@pdfcustomproperties	17223, 17226,
. 15732, 15734, 15752		.... 4387, 4398	17239, 17242,
\@width . . . . . 31, 235,		\@xfloat . . . . . 4887	17342, 17763,
396, 567, 755, 990,		\@xfootnote . . . 4830,	17778, 17797,
1235, 1525, 9396,		4952, 9056, 9067,	18060, 18080,
9549, 9825, 10030,		9273, 9287, 17716	18084, 18164,
10252, 10317,		\@xfootnotemark .. 17401	18165, 18171,
10549, 10568,		\@xfootnotenext . . .	18172, 18575,
10876, 11454,		.... 4829, 4951,	18747, 20239,
11753, 11804,		9055, 9066, 9272,	20251, 20640,
15603, 15832,		9286, 17368, 24215	20641, 20653,
16134, 16136,		\@xiipt . . . . . 8576	20654, 20666,
16581, 16669,		\@xipt . . . . . 8575	20667, 20679,
16716, 18018,		\@xivpt . . . . . 303, 8577	20890, 20935,
18089, 18597,		\@xmakefntext .. 837,	21029, 21076,
18648, 18764,		1339, 20946, 21087	22234, 22243,



22995, 23004,	18231, 18236,	21839, 21846,
23760, 23769,	19521, 24459,	21847, 21850,
24133, 24148,	24466, 24483, 25919	21852, 22578,
24164, 24165,	\AddExtraParaSkip .	22586, 22587,
24341, 24370,	. . . . . 14929, 14933	22590, 22592,
25885, 25892,	\addfontfeature 5055,	23351, 23359,
26264, 26401,	5056, 5057, 5058,	23360, 23363,
26442, 26458, 26468	5059, 5060, 5062, 5063	23365, 24402,
\{ . . . . 4700, 18884, 18928	\addpenalty . . 5, 200,	24403, 25130,
\} . . . . 4701, 18884, 26269	536, 553, 691, 709,	25140, 25144, 25148
\_ . . . . 4260, 4477, 8104,	716, 918, 935, 953,	\addvspace . . . . . 5,
8108, 8123, 8127,	1174, 1192, 1200,	200, 537, 554, 692,
8142, 8146, 8174,	9331, 9347, 9354,	710, 717, 919, 936,
8178, 16473, 16475	9508, 9524, 9531,	954, 1175, 1193,
\] . . . . . 9226, 15857	9795, 9810, 11382,	1201, 8616, 8673,
\^ . . . . . 4422,	11396, 11651,	9332, 9348, 9509,
9008, 9009, 9011, 9012	15553, 15568,	9525, 9796, 11383,
\_ . . . . . 20103	18030, 20794,	11397, 11652,
\` . . . . . 16601, 18739, 20695	20810, 20817,	15554, 18030,
\  . . . . . 16480, 16481, 16596	21166, 21182,	20795, 20811,
<b>Numbers</b>		
\0 . . . . . 4350	21189, 21382,	21167, 21183,
\1 . . . . . 18826, 18877, 18929	21396, 21566,	21383, 21567,
\9 . . . . . 4350	21581, 24383,	24518, 24572,
<b>A</b>		
\abovecaptionskip .	24385, 24514,	24936, 24943,
. . . . . 18200,	24516, 24549,	25048, 25051,
19448, 19498,	24571, 24935,	25055, 25085, 25597
22283, 22287,	24938, 24942,	\adjmc@inner . . . . . 134
22383, 22392,	25047, 25050, 25054	\adjmc@outer . . . . . 136
23044, 23048,	\address . . . . . 321, 5089	\adjmc@page@sofar@orig
23145, 23154,	\addresscolour . . .	. . . . . 164
23809, 23813,	. . . 5058, 10686,	\adjmult@cols . . . . . 163
23910, 23919, 26924	10784, 10790,	\adjmulticols . . . . . 132
\abovedisplayshortskip	10796, 10802, 10808	\adl@act@classz . . . . . 1528
. . . . . 7346, 7355, 8565	\addressfont . . . 5067,	\adl@act@CT@setup .
\abovedisplayskip .	5075, 5186, 10724,	. . . . . 1486, 1493
. . . . . 7345, 7348, 7354,	10752, 10816, 10850	\adl@activate . . . . . 1403, 1486
7361, 7395, 8564, 8571	\addresssymbol . . . . .	\adl@arraydashrule
\abstractname 659, 665,	. . . 5049, 10754, 10853	. . . . . 1422, 1460
668, 966, 972, 974,	\addressesstyle . . . . . 5075	\adl@array . . . . . 1400, 1405
1218, 1224, 1227,	\addtocontents . . . . . 24800	\adl@arraydashrule
9372, 9560, 20762,	\addtocounter . . . . . 3055, 3056	. . . . . 1421, 1459
20768, 20771,	\addtoheadtemplate . . . . . 4020	\adl@arrayinit . . . . . 1402
21212, 21218, 21221	\AddToHook . . . . . 6165, 6206, 6246	\adl@arrayrestore . . . . . 1397
\Acrobatmenu . . . . . 2524, 17839	\addtolength . . . . .	\adl@arrayrule . . . . . 1420, 1458
\active . . . . . 9008,	. . . . . 3388, 3392,	\adl@box . . . . . 1443, 1445, 1446
9009, 9011, 9012	3395, 5009, 5010,	\adl@class@iiiorvii
\add@strip . . . . . 19760	5011, 5012, 5013,	. . . . . 1449, 1482
\addcontentsline 580,	5014, 5112, 5113,	\adl@class@start . . . . .
582, 5132, 7637,	5115, 5117, 5118,	. . . . . 1448, 1481
11410, 11412,	5121, 7430, 7433,	\adl@CT@setup . . . . .
	7434, 7437, 8588,	. . . . . 1485, 1488, 1489
	10832, 10833,	\adl@depth . . . . . 1492
	10834, 11245,	\adl@endarray . . . . . 1397
	17076, 17077,	\adl@endmbox . . . . . 1444



\adl@everyvbox	1401, 1402	10619,	10634,	19752,	19761,
\adl@extract@arc	.. 1497	10653,	10654,	19783,	19796,
\adl@extract@dgc	.. 1500	10884,	10894,	19808,	19821,
\adl@extract@drsc	. 1498	10895,	10905,	19950,	19951,
\adl@height	..... 1491	10915,	10916,	20122,	20126,
\adl@inactivate	...	10932,	10933,	20127,	20142,
	1403, 1485	10934,	10951,	20146,	20147,
\adl@LT@array	.... 17890	10960,	10967,	20155,	20246,
\adl@noalign	..... 1404	10989,	10990,	20268,	20296,
\adl@org@activate	.. 1486	10991,	11005,	20303,	20351,
\adl@org@classz	.. 1529	11012,	11019,	20356,	20357,
\adl@org@endpbox	.. 1487	11166,	11167,	20358,	20387,
\adl@org@inactivate	1485	11176,	11177,	20388,	20414,
\adl@putlrc	1440, 1441, 1442, 1470, 1471, 1472, 1478, 1479, 1480	11193,	11195,	20425,	20580,
\adl@startmbox	.... 1443	11199,	11201,	20582,	20587,
\advance	12, 90, 207, 293, 311, 392, 560, 607, 723, 742, 909, 925, 1005, 1207, 1255, 1490, 1524, 1909, 1910, 1926, 1940, 1994, 1996, 1998, 1999, 2060, 2068, 2238, 2239, 2455, 2504, 2505, 2517, 2521, 2522, 2597, 2621, 2642, 2676, 2683, 2687, 2689, 2693, 2694, 2941, 2942, 3291, 3293, 3573, 3581, 3583, 3649, 3721, 3722, 3724, 3725, 3739, 4350, 4351, 4352, 4551, 4556, 4919, 4933, 4939, 5205, 5249, 5284, 5615, 5669, 5723, 6453, 6612, 6618, 6628, 6683, 6700, 6709, 7237, 7846, 8552, 8627, 8978, 8986, 8987, 9258, 9361, 9383, 9538, 9571, 9817, 9880, 10029, 10037, 10038, 10078, 10190, 10356, 10357, 10360, 10363, 10364, 10414, 10415, 10416, 10478, 10618,	12150,	12217,	21403,	21439,
		12219,	14930,	21588,	21642,
		14936,	14981,	21707,	21816,
		14983,	15034,	21818,	22174,
		15036,	15086,	22225,	22553,
		15088,	15137,	22935,	22986,
		15139,	15410,	23328,	23330,
		15512,	15513,	23700,	23751,
		15514,	15575,	24094,	24165,
		15617,	15732,	24179,	24189,
		15734,	15736,	24209,	24304,
		15742,	15743,	24342,	24358,
		15750,	15751,	24371,	24375,
		15752,	15920,	24407,	24408,
		15921,	16476,	24428,	24530,
		16490,	16503,	24561,	24584,
		16504,	16536,	24601,	24618,
		16541,	16542,	24635,	24652,
		16545,	16554,	24669,	24687,
		16618,	16745,	24706,	24726,
		16746,	16750,	24761,	24802,
		16751,	16753,	24951,	24955,
		16754,	16757,	25066,	25101,
		16758,	16759,	25104,	25108,
		16760,	16879,	25161,	25586,
		17725,	17735,	25606,	25611,
		17991,	18037,	25661,	25662,
		18590,	18602,	25663,	25666,
		18665,	19562,	25670,	25695,
		19564,	19591,	25706,	25785,
		19592,	19595,	25808,	25962,
		19662,	19664,	25964,	25974,
		19691,	19692,	25993,	25994,
		19695,	19749,	26023,	26034,
		19750,	19751,	26035,	26291,



26304, 26305,	\alignR ..... 9983	21359, 21505,
26308, 26310,	\allowbreak ..... .. 10890, 10911,	21541, 21885,
26316, 26318,	12385, 12388,	22137, 22625,
26322, 26324,	12391, 12678,	22877, 23398, 23650
26328, 26330,	12681, 12684,	\andify ..... 116, 18054
26426, 26427,	12971, 12974,	\andname .. 826, 1078,
26491, 26517,	12977, 13270,	1328, 20935, 21076
26792, 26793,	13273, 13276,	\andnext ..... 19387
26800, 26801,	13569, 13572,	\AppendToTokenList 6559
26802, 26803, 26828	13575, 13868,	\ar@ialign ..... 402
\afterassignment ..	13871, 13874,	\arabic ..... 19,
4262, 4264, 4479,	14167, 14170,	20, 21, 22, 86, 214,
4481, 5883, 6692,	14173, 14466,	215, 216, 217, 289,
8076, 24239, 24240	14469, 14472,	329, 15883, 15889,
\aftergroup 4737, 4747,	14765, 14768, 14771	17987, 18044,
6895, 6897, 6907,	\Alph ..... 19430	18045, 18046,
6909, 6919, 6921,	\alt ..... 2789	18047, 24742, 26991
6939, 6941, 6950,	\AM@CheckAtEnd ... 20259	\array ..... 434, 26466
6952, 6961, 6963,	\AM@ClearShipoutPicture	\arraycolsep ..... 434
8060, 8075, 10041,	..... 20261	\arraylinesep .... 24172
10043, 10050,	\AM@currentdocname	\arrayrulecolor ... 1497
10056, 10075,	..... 20224, 20230	\arrayrulewidth .. 24189
10367, 10373,	\AM@findfile ..... 20228	\arraystretch 394, 395,
10376, 15948,	\AM@output ..... 20257	4731, 4742, 18595,
15950, 20470,	\AM@pagecount ... 20226	18596, 24140,
20471, 20474,	\AM@pageref 20241, 20244	24141, 24176,
20479, 20480,	\AM@pagestemp .....	26277, 26450, 26451
20484, 20489,	.. 20234, 20239,	\aslice . 20394, 20395,
20490, 20494,	20240, 20243,	20397, 20399,
20498, 20502,	20251, 20252, 20256	20400, 20402,
20506, 22252,	\AM@readlist ..... 20256	20415, 20416, 20418
22254, 22257,	\AM@split@options 20220	\At@ViperColsBreak
23013, 23015,	\AM@temp ... 20221, 20222	..... 10381, 10384
23018, 23778,	\AM@threadname .....	\AtBeginCaption .. 18242
23780, 23783,	. 20219, 20229, 20230	\AtBeginDocument ..
24376, 25588,	\AM@xrpprefix .....	..... 1532,
26028, 26037,	. 20237, 20241, 20244	2177, 3062, 3295,
26039, 26076,	\and . 475, 511, 792, 818,	3524, 3594, 3642,
26080, 26133,	821, 863, 1044,	3762, 3850, 3945,
26144, 26145,	1070, 1073, 1115,	4010, 4024, 4139,
26148, 26153,	1294, 1320, 1323,	4253, 5024, 5084,
26154, 26158,	1365, 1387, 4596,	5181, 6200, 7290,
26163, 26164,	9442, 9468, 9619,	7439, 7666, 7800,
26168, 26173,	9645, 9734, 9770,	7805, 7858, 8669,
26177, 26182,	11493, 11527,	8869, 8934, 10763,
26838, 26848, 26849	11590, 11626,	10877, 10898,
\ALG@floatstyle ...	15660, 15694,	10919, 11349,
... 7861, 7862, 7863	19386, 20223,	14977, 15030,
\algocf@float .... 26991	20901, 20927,	15082, 15133,
\algocf@makecaption 188	20930, 20972,	15525, 16263,
\algocf@within ....	21040, 21068,	16868, 17340,
.... 166, 168,	21071, 21115,	18097, 18250,
26993, 26994, 26995	21139, 21318,	18257, 18340,
\alignL ..... 9976		20711, 24155, 25735



\AtBeginPackage . . . 19491	\Backref@OptHyperRTLFootnote	25970, 25974,
\AtEndDocument . . .	..... 16406	26462, 26882, 26905
4380, 4393, 4406, 5188, 6226, 7142, 9153, 9210, 18869, 18920, 18938, 26538	\Backref@OptLTRHyperFootnote	\baselinestretch ..
\AtEndOfClass . . . . . 5023	..... 16390	. . . . . 5039, 8232,
\AtEndOfPackage . . .	\Backref@OptRTLHyperFootnote	8250, 8268, 11830,
4061, 4062, 4068, 4069, 4075, 4076, 4081, 4082, 4087, 4088, 4100, 4101, 4102, 4103, 4104, 4139	..... 16396	11846, 11861,
\AtPageLowerLeft . . 11157	\BackrefFootnoteTag	11877, 11892,
\AtPageUpperLeft . .	.. 16388, 16389,	11907, 11920,
. 11157, 11181, 11211	16394, 16395,	11932, 11944,
\AtTextUpperLeft . .	16414, 16418,	11957, 12279,
. . . . . 11161, 11187	16420, 16426,	12309, 12325,
\author . . . . . 321,	16430, 16432,	12340, 12352,
473, 509, 816, 861, 1068, 1113, 1318, 1363, 4594, 8719, 8751, 9466, 9643, 9732, 9768, 11491, 11525, 11588, 11624, 15658, 15692, 20925, 20970, 21066, 21113, 21316, 21357, 21503, 21539, 22126, 22866, 23639	16438, 16442, 16444	12367, 12407,
\auto@footnoterule	\badness . . . . . 10407,	12436, 12449,
. . . . . 16150, 16161	10411, 10439,	12463, 12476,
\autodot . . . . . 22141,	10443, 10445,	12490, 12501,
22880, 23653, 25798	10450, 10454,	12507, 12513,
\autofootnoterule .	10458, 10522, 10543	12518, 12578,
. . . . . 4100, 10870, 11798, 16159, 16860, 26942	\baselineskip . . . 415,	12607, 12622,
	754, 756, 760,	12636, 12647,
	762, 1234, 1236,	12661, 12700,
	1240, 1242, 2473,	12728, 12740,
	2894, 2909, 2924,	12753, 12765,
	3011, 3013, 3041,	12778, 12788,
	3047, 3190, 5823,	12794, 12800,
	7372, 7374, 7377,	12805, 12865,
	7379, 7381, 7384,	12895, 12911,
	7539, 8169, 8236,	12926, 12938,
	8254, 8272, 8389,	12953, 12993,
	8398, 8407, 8488,	13022, 13035,
	8495, 8502, 8509,	13049, 13062,
	8516, 8616, 8673,	13076, 13087,
	9016, 9077, 9141,	13093, 13099,
	9147, 9395, 9397,	13104, 13164,
	9401, 9403, 9548,	13194, 13210,
	9550, 9554, 9556,	13225, 13237,
	10191, 10192,	13252, 13292,
	10209, 10213,	13321, 13334,
	10620, 15958,	13348, 13361,
	16491, 18611,	13375, 13386,
	18621, 18745,	13392, 13398,
	18762, 20349,	13403, 13463,
	20352, 20366,	13493, 13509,
	20390, 20394,	13524, 13536,
	20399, 20403,	13551, 13591,
	20415, 20426,	13620, 13633,
\Backref@HyperLTRFootnote	20453, 20706,	13647, 13660,
. . . . . 16390, 16397	20834, 20836,	13674, 13685,
\Backref@HyperRTLFootnote	20840, 20842,	13691, 13697,
. . . . . 16396, 16400	21257, 21259,	13702, 13762,
\Backref@HyperSymbol	21263, 21265,	13792, 13808,
. . . . . 16398, 16401, 16404, 16407	21915, 22655,	13823, 13835,
\Backref@OptHyperLTRFootnote	23428, 24151,	13850, 13890,
. . . . . 16403	24190, 25962,	13919, 13932,



13946,	13959,	\beamer@colalign .. 2223	\beamer@focus@totalframenumbering .. 3390, 3415, 3435
13973,	13984,	\beamer@colbox@color .. 1980, 2019, 2032	\beamer@footarg .. . 2378, 2379,
13990,	13996,	\beamer@colbox@colsep .. 1997,	2380, 2384, 2391,
14001,	14061,	\beamer@colbox@colsep .. 1998, 1999, 2000, 2008	2404, 2405, 2406,
14091,	14107,	\beamer@colbox@colseps .. 2002, 2009,	2410, 2417, 2430,
14122,	14134,	\beamer@colbox@colseps .. 2033, 2035, 2037, 2039	2431, 2432, 2436, 2443
14149,	14189,	\beamer@colbox@dp .. 2014	\beamer@footins .. . 2266, 2271, 2283,
14218,	14231,	\beamer@colbox@ht .. 2013	2288, 2300, 2305, 2568
14245,	14258,	\beamer@colbox@ls .. 1993	\beamer@footnotetext .. . 2373, 2387, 2394
14272,	14283,	\beamer@colbox@rs .. 1995	\beamer@framebox .. . . 2529,
14289,	14295,	\beamer@colbox@sep .. . 1994,	2541, 2554, 2559, 2563
14300,	14360,	\beamer@colbox@wd .. . 1996, 2004, 2006	\beamer@framefootnotetext .. . . 2265, 2364
14390,	14406,	\beamer@colclose .. . 1991, 2012, 2021	\beamer@frameLTRfootnotetext .. . . 2299, 2366
14421,	14433,	\beamer@colentrycode .. . 2219,	\beamer@frameRTLfootnotetext .. . . 2282, 2365
14448,	14488,	\beamer@colheadskip .. . 2220, 2251, 2252	\beamer@frametextheight .. . . 2495, 2516,
14517,	14530,	\beamer@colexitcode .. . 2229, 2232, 2250	2525, 2529, 2532, 2545
14544,	14557,	\beamer@colmode .. . 2218	\beamer@frametitlebox .. . . 2561
14571,	14582,	\beamer@columncom .. 2218	\beamer@framezoom .. 2452
14588,	14594,	\beamer@computepref .. . 2576, 2598	\beamer@fleft .. . 3291
14599,	14659,	\beamer@cramped .. . 2589, 2615, 2630	\beamer@fterright .. 3293
14689,	14705,	\beamer@defaultospec .. . 2595	\beamer@gobbleoptionalinsp .. . . 2789
14720,	14732,	\beamer@descdefault .. . 2621, 2629	\beamer@headheight .. . . 3566,
14747,	14787,	\beamer@descriptionitem .. . 2629	3574, 3577, 3578,
14816,	14829,	\beamer@dima .. . 2941,	3610, 3614, 3617, 3621
14843,	14856,	\beamer@dimb .. . 2942, 2957, 2958,	\beamer@kvorig .. . . 2376, 2382,
14870,	14881,	\beamer@dogeometryfalse .. . 2960, 2973, 2974, 2976	2402, 2408, 2428, 2434
14887,	14893,	\beamer@entrycode .. . 2560	\beamer@labelzoomed .. . . 2457,
14898,	15155,	\beamer@enum@ .. . 2575	2461, 2488, 2490, 2491
15186,	15204,	\beamer@enumtempl .. . 2584	\beamer@leftmargin .. . . 2042,
15220,	15234,	\beamer@exitcode .. . 2566	2059, 2235, 2238,
15250,	15289,	\beamer@firstlineitemize .. . 1871,	2530, 2532, 2545,
15319,	15333,	\beamer@firstlineitemize .. . 2632	3574, 3580, 3721, 3724
15348,	15362,	\beamer@link .. . . 2697	\beamer@leftsidebar .. . . 2060, 2504, 2521
15377,	15395,	\beamer@link .. . . 2697	\beamer@lefttext .. . . 3601, 3668
15406,	15420, 15429	\beamer@list .. . . 2697	\beamer@LTRfootnotetext .. . . 2697
\BCmd .. . . . .	4736	\beamer@list .. . . 2697	\beamer@link .. . . 2697
\BDefaboveskip .. . . . .	4751, 4766, 4769	\beamer@list .. . . 2697	\beamer@LTRfootnotetext .. . . 2697
\BDefbelowskip .. . . . .	4755, 4767, 4770	\beamer@list .. . . 2697	\beamer@LTRfootnotetext .. . . 2697
\BDefinlineskip .. . . . .	4760, 4768, 4771	\beamer@list .. . . 2697	\beamer@LTRfootnotetext .. . . 2697
\beamer@@tmpop@button@default .. . . . .	2932	\beamer@list .. . . 2697	\beamer@LTRfootnotetext .. . . 2697
\beamer@@tmpop@caption@default .. . . . .	2861	\beamer@list .. . . 2697	\beamer@LTRfootnotetext .. . . 2697
\beamer@@tmpop@footline@progressbar .. . . . .	3381	\beamer@list .. . . 2697	\beamer@LTRfootnotetext .. . . 2697
\beamer@@tmpop@footnote@default .. . . . .	2838	\beamer@list .. . . 2697	\beamer@LTRfootnotetext .. . . 2697
\beamer@biblabeltemplate .. . . . .	2640, 2649	\beamer@list .. . . 2697	\beamer@LTRfootnotetext .. . . 2697
\beamer@boxsize .. . . . .	2687, 2691, 2693	\beamer@list .. . . 2697	\beamer@LTRfootnotetext .. . . 2697



\beamer@minislide .	2042, 2044, 2096,	\beamer@ypos . . . . .
..... 2710, 2715	2097, 2098, 2099,	... 2682, 2683, 2688
\beamer@minislidehleright	2104, 2107, 2118,	\beamer@ypos@offset
..... 2703	2123, 2124, 2132,	..... 2679, 2683
\beamer@minisliderowhighlight	2133, 2134, 2135,	\beamer@zoomborderwidth
..... 2705	2138, 2147, 2152,	..... 2456, 2460
\beamer@mpfn . . . . .	2153, 2161, 2162,	\beamer@zoombox ... 2485
.... 2374, 2385,	2163, 2164, 2200,	\beamer@zoomcount .
2391, 2400, 2411,	2201, 2202, 2203,	..... 2455, 2457
2417, 2426, 2437, 2443	2208, 2212, 2213,	\beamer@zoomer .... 2493
\beamer@next . . . . .	2214, 2215, 2936,	\beamer@zoomframecount
.... 2385, 2389,	2937, 2938, 2939,	..... 2457
2396, 2411, 2415,	2940, 2945, 2985,	\beamerboxesrounded 1870
2422, 2437, 2441, 2448	3341, 3346, 3350,	\beamercolorbox ... 2930
\beamer@putleft 3084,	3354, 3358, 3362,	\beamertemitemnestingprefix
3117, 3129, 3141	3727, 3738, 3755,	.... 1718, 1719,
\beamer@putright ...	3975, 3976, 3994, 3995	2576, 2577, 2579,
... 3118, 3130, 3142	\beamer@tempdim 2059,	2580, 2587, 2588,
\beamer@rightmargin	2060, 2062, 2064,	2598, 2599, 2601,
.... 2042, 2067,	2067, 2068, 2070,	2602, 2605, 2609, 2610
2138, 2239, 2244,	2072, 2097, 2098,	\beameroctal ... 2789
3574, 3582, 3722, 3725	2101, 2102, 2132,	\beamertemplatedotitem
\beamer@rightsidebar	2133, 2161, 2162,	..... 4022
.... 2068, 2505, 2522	2201, 2202, 2205,	\begin{ . . . . . 439,
\beamer@RTLfootnotetext	2206, 2237, 2238,	449, 454, 517, 525,
... 2399, 2413, 2420	2239, 2240, 2686,	766, 779, 790, 869,
\beamer@section@min@dim	2687, 2688, 2689,	875, 1018, 1031,
..... 2696	2690, 2691, 2692,	1042, 1121, 1127,
\beamer@shortinstitute	2693, 2694, 2695,	1268, 1281, 1292,
..... 3460	2696, 2940, 2941,	1372, 1378, 1387,
\beamer@sidebarformat	2942, 2946, 2948,	1389, 1390, 1589,
..... 3627	2954, 2962, 2970,	1768, 1804, 1813,
\beamer@sidebarside	2978, 2984, 3648,	1822, 1847, 1890,
..... 3601,	3649, 3655, 3663,	1912, 1938, 1950,
3643, 3646, 3668	3723, 3724, 3725,	2017, 2221, 2223,
\beamer@sidebarwidth	3738, 3739, 3740, 3749	2227, 2470, 2532,
3573, 3605, 3610,	\beamer@themercrounded@shadow	2545, 2663, 2734,
3611, 3613, 3616,	..... 3286	2738, 2757, 2761,
3617, 3629, 3631,	\beamer@thempfn . . .	2777, 2781, 2885,
3640, 3643, 3648, 3666	.... 2375, 2386,	2893, 2900, 2908,
\beamer@slidehaszoomtrue	2392, 2401, 2412,	2915, 2923, 2948,
..... 2454	2418, 2427, 2438, 2444	3006, 3012, 3019,
\beamer@stalign ... 2665	\beamer@typesettheadorfoot	3036, 3042, 3048,
\beamer@stend ... 2668	... 2166, 2171, 2181	3088, 3095, 3101,
\beamer@stlinebreakrule	\beamer@usesphere .	3107, 3176, 3197,
..... 2666	.... 1745, 1750,	3212, 3214, 3219,
\beamer@ststart ... 2662	1756, 1769, 1784, 1791	3221, 3226, 3232,
\beamer@temp . . . . .	\beamer@vboxoffset 2686	3246, 3248, 3250,
... 2515, 2537, 2550	\beamer@vmode . 1967, 2005	3321, 3322, 3328,
\beamer@tempbox ...	\beamer@xkvorig . . .	3329, 3348, 3356,
.... 1981, 2012,	.... 2377, 2383,	3401, 3427, 3459,
2013, 2014, 2022,	2403, 2409, 2429, 2435	3462, 3465, 3486,
2025, 2026, 2028,	\beamer@xpos . . . . .	3488, 3493, 3495,
2031, 2036, 2041,	... 2676, 2681, 2692	3512, 3513, 3534,



3536, 3540, 3543,	11084, 11088,	1176, 1203, 1335,
3546, 3552, 3600,	11090, 11095,	1516, 1959, 1960,
3629, 3631, 3683,	11097, 11268,	2095, 2199, 2390,
3685, 3690, 3692,	11334, 11461,	2416, 2442, 2468,
3727, 3740, 3741,	11469, 11474,	2536, 2549, 4576,
3747, 3776, 3777,	11533, 11539,	4865, 4873, 4881,
3778, 3795, 3800,	11554, 11564,	5260, 5288, 5307,
3803, 3816, 3822,	11569, 11632,	5331, 5573, 5598,
3824, 3838, 3839,	11640, 11732,	5949, 5995, 6002,
3840, 3864, 3865,	15628, 15636,	6032, 6048, 6064,
3866, 3876, 3879,	15641, 15700,	6107, 6115, 6148,
3885, 3888, 3895,	15706, 15850,	6198, 6326, 6534,
3898, 3912, 3917,	17091, 17096,	6536, 6566, 6576,
3919, 3932, 3933,	17114, 17217,	6586, 6716, 6789,
3934, 3955, 3958,	17219, 17233,	6813, 6828, 6894,
3961, 3967, 3970,	17235, 18079,	6905, 6917, 6938,
3986, 3989, 4004,	19536, 20162,	6948, 6959, 7109,
4730, 4732, 4741,	20875, 20888,	7223, 7235, 7270,
4743, 4746, 5139,	20899, 20978,	7639, 8058, 8304,
5143, 5145, 5147,	20984, 21012,	8333, 8362, 8736,
5149, 5153, 5161,	21027, 21038,	8753, 8769, 8781,
5164, 5199, 5312,	21122, 21130,	8814, 9118, 9178,
5316, 5336, 5340,	21139, 21141,	9185, 9192, 9222,
5367, 6263, 6264,	21142, 21272,	9333, 9357, 9510,
6271, 6297, 6999,	21292, 21297,	9534, 9738, 9798,
7445, 7446, 7459,	21373, 21469,	9813, 9902, 10021,
7462, 7536, 7537,	21479, 21484,	10075, 10084,
7543, 7544, 7551,	21547, 21555,	10274, 10333,
7552, 7577, 7578,	21888, 21892,	11162, 11188,
7615, 7618, 7621,	21952, 21957,	11385, 11398,
7624, 7628, 7629,	21969, 21992,	11497, 11594,
7813, 7814, 8432,	21996, 22165,	11653, 14968,
8488, 8495, 8502,	22628, 22632,	14978, 15021,
8509, 8516, 8529,	22692, 22697,	15031, 15073,
8537, 8659, 8664,	22709, 22732,	15083, 15124,
8797, 8844, 8867,	22736, 22926,	15134, 15555,
9242, 9416, 9429,	23401, 23405,	15571, 15664,
9440, 9593, 9606,	23465, 23470,	15802, 15840,
9617, 9661, 9673,	23482, 23505,	15924, 15940,
9698, 9708, 9713,	23509, 23691,	16190, 16199,
9776, 9784, 10094,	24421, 25849,	16361, 16376,
10104, 10117,	25856, 25859,	16450, 16502,
10127, 10140,	25870, 25883,	16535, 16677,
10150, 10163,	25886, 25893,	16730, 16904,
10173, 10738,	25899, 25922,	16920, 17090,
10844, 10849,	25926, 25932, 25939	17369, 17380,
10867, 11036,	\begin{bidi@stack .	17391, 17402,
11039, 11043,	.... 5306, 5316,	17500, 17520,
11045, 11050,	5317, 5330, 5340, 5341	17558, 17591,
11052, 11056,	\begin{bgroup} ..... 6,	17622, 17653,
11059, 11062,	119, 201, 302, 315,	17887, 17902,
11066, 11068,	381, 398, 479, 539,	18031, 18057,
11072, 11074,	556, 693, 719, 833,	18234, 18599,
11078, 11081,	921, 937, 1085,	19393, 19523,



19624,	19721,	12211,	15879,	8796, 9338, 9360,
19931,	19935,	16872,	16877,	9515, 9537, 9662,
19939,	20217,	16934,	16973,	9674, 9802, 9816,
20265,	20562,	16980,	17349,	9848, 9854, 9862,
20796,	20820,	17357,	17739,	11388, 11403,
20942,	21083,	17775,	17807,	11418, 11421,
21168,	21192,	17836,	17862,	11430, 11657,
21322,	21384,	17868,	17875,	11680, 11686,
21399,	21509,	18072,	18203,	11695, 15560,
21569,	21584,	18615,	18676,	15574, 15585,
21905,	22051,	18679,	18719,	15590, 15598,
22164,	22223,	18810,	18818,	18026, 20801,
22645,	22791,	19009,	19335,	20823, 21173,
22925,	22984,	19499,	19501,	21195, 21369,
23418,	23564,	20339,	20464,	21388, 21402,
23690,	23749,	20471,	20476,	21573, 21587,
24238,	24355,	20558,	20559,	21618, 21623,
24379,	24519,	20560,	21748,	21631, 24950,
24946,	25058,	21758,	21769,	25063, 25494,
25584,	25701,	21776,	22268,	25498, 25503,
26041,	26084,	23029,	23794,	25532, 25536, 25541
26133,	26255,	24130,	24152,	\bgroup . . . . . 171,
26584,	26627, 26838	24191,	24313,	172, 379, 404, 412,
\beginL	176, 1501, 1989,	26033,	26037,	418, 667, 1226,
	3118, 3130, 3142,	26076,	26080,	1502, 1872, 1950,
	4297, 4506, 5186,	26133,	26138,	1981, 1990, 2229,
	7920, 7964, 10006,	26145,	26150,	2233, 2240, 2578,
	10035, 10041,	26411,	26414,	2600, 2623, 3089,
	10043, 10075,	26417,	26432,	3096, 3102, 3108,
	12214, 15745,	26439,	26464,	3470, 3606, 3653,
	15854, 15869,	26778,	26812,	3660, 3694, 3731,
	16036, 16870,	26829,	26831,	4266, 4483, 4825,
	16876, 16885,	26892,	26908,	4947, 9050, 9268,
	16905, 16921,	26927,	26930, 26938	9282, 9935, 10007,
	16931, 17724,	\belowcaptionskip .	. . . . . 18213,	15854, 15855,
	18203, 20266,	19489,	19506,	15869, 16327,
	20329, 20464,	22281,	22289,	16555, 18603,
	20470, 20486,	22381,	22394,	18605, 18642,
	20562, 21754,	23042,	23050,	18676, 18679,
	21765, 21772,	23143,	23156,	18729, 19736,
	21782, 24306,	23807,	23815,	20277, 20472,
	26032, 26037,	23908,	23921, 26932	20478, 20482,
	26039, 26133,	\belowdisplayshortskip .	. . . . . 7348,	20488, 20492,
	26138, 26144,	7361,	7396, 8571	20497, 20500,
	26160, 26734,	\belowdisplayskip .	. . . . . 7348,	20505, 20770,
	26812, 26892, 26908	7361,	7396, 8571	21220, 24130,
\beginR	. 174, 336, 348,	\bf . . . 4512, 20335, 20337	. . . . . 7348,	24138, 24146,
	379, 418, 1502,	\bfseries . . . . . 25,	7361,	24152, 24183,
	3346, 3354, 3362,	303, 543, 559, 588,	7396,	24187, 24191,
	3537, 4835, 7920,	591, 698, 722, 924,	8571	25693, 26146,
	8008, 9933, 10007,	942, 1181, 1206,		26152, 26156,
	10036, 10041,	4305, 4686, 5156,		26162, 26166,
	10050, 10056,			26172, 26175,
	10075, 11155,			26181, 26255,



	\bidi@@diagbox@double@iii ..... 11040, 11048	\bidi@AfterAtEndOfClass ..... 6897, 6902
\BHFN@OldLTRFootnote ..... 16383, 16398, 16404	\bidi@@diagbox@triple@setb ..... 11057, 11060, 11064	\bidi@AfterAtEndOfClass ..... 6941, 6945
\BHFN@OldRTLFootnote ..... 16384, 16401, 16407	\bidi@@diagbox@triple@setb ..... 11063, 11070	\bidi@AfterEndDocument ..... 6243,
\bib@after@hook 22209, 22211, 22970, 22972, 23735, 23737	\bidi@@diagbox@triple@setb ..... 11079, 11086	\bidi@AfterEndDocumentCheckLabelsRerun ..... 6246, 6250, 6256
\bib@before@hook .. ..... 22159, 22210, 22920, 22971, 23685, 23736	\bidi@@diagbox@triple@setb ..... 11082, 11085, 11093	..... 5239, 6215, 6220, 12152
\bib@beginhook 22152, 22158, 22913, 22919, 23678, 23684	\bidi@footnotetext@font ..... 38, 241, 2273, 2322, 8234, 16210, 16217, 16311	\bidi@afterenddocumentchecklabelsrerunhook ... 6215, 6216, 6221
\bib@endhook .. ..... 22213, 22974, 23739	\bidi@loadwithoptions ..... 6808, 6815, 6818, 6822	\bidi@afterenddocumenthook ..... 6243, 6244, 6251, 6257
\bib@heading .. ..... 22154, 22918, 23683	\bidi@LTRfootnotetext@font ..... 68, 270, 2307, 2354, 8252, 16211, 16250, 16296	\bidi@AfterEndEnvironment ..... 6300, 6310
\bible cleanup .. 20061	\bidi@null .. 6426, 6427	\bidi@AfterEndPreamble ..... 6203, 6206, 6209, 6211, 6226, 7294, 8810, 8833
\bibentry .. 8106, 8108, 8125, 8127, 8144, 8146, 8176, 8178	\bidi@onefilewithoptions ... 6830, 6833, 6836	\bidi@afterendpreamblehook ..... 6203, 6204, 6210, 6212
\bibfont .. 20040	\bidi@patchcmd ... ..... 5997, 5999	\bidi@AfterFile 3149, 3502, 6882, 16409,
\bibindent .. 5190, 5191	\bidi@RTLfootnotetext@font ..... 52, 255, 2290, 2338, 8270, 16212, 16234, 16281	22376, 23138, 23903
\bibitem@fin .. 20055	\bidi@null .. 6426, 6427	\bidi@AfterFooter .. ..... 6182, 26910
\biblio font 85, 288, 17986	\bidi@thebibliography@font@hook.. 6182, 6183, 26911	\bidi@afterfooterhook ..... 6182, 26910
\bibliographyitemlabel ..... 5192, 5199	\bidi@thebibliography@font@hook.. 6182, 6183, 26911	\bidi@AfterLastShipout ... 6228, 6234, 6240
\bibname .. 8652, 8653, 9376, 9377, 9564, 9565, 9873, 9874, 11706, 11707, 15610, 15611, 20844, 20845, 21238, 21239, 21432, 21433, 21635, 21636	\bidi@absolutefootnote@count ..... 12111, 12118, 12136, 12150	\bidi@afterlastshipouthook ..... 6228, 6229, 6235, 6241
\bibpostamble .. 20056	\bidi@absolutepage@count ..... 12109, 12110, 12117, 12125, 12132, 12136	\bidi@AfterOutputBoxOutputPage ..... 6176, 12112, 15970, 26901
\bibpreamble .. .. 20039, 22155, 22156, 22915, 22916, 23680, 23681	\bidi@absolutepage@count ..... 12109, 12110, 12117, 12125, 12132, 12136	\bidi@afteroutputboxoutputpagehook ..... 6176, 6177, 15971, 26902
\bibsection 8647, 8650, 8652, 8653, 19533, 20037, 24418, 24420	\bidi@addto@envbody ..... 5508	\bidi@AfterOutputPageShipOut ... 6186, 15973, 26914
\bidi@convert@dimen@t@pt ..... 5511	\bidi@addto@envbody ..... 5302, 5320, 5322	\bidi@afteroutputpageshipouthook ..... 6186, 6187, 15974, 26915
\bidi@convert@dimen@t@uni ..... 5508	\bidi@addto@long@envbody .... 5326, 5344, 5346	\bidi@AfterPackage 6930
\bidi@diagbox@double@ii ..... 11037, 11041	\bidi@append .. 6109, 6159	\bidi@AfterPreamble .. 6200, 6201, 18133
		\bidi@AfterReadingMainAux ..... 7212, 7215



\bidi@append@cslist@to@cslist 6408, 6412, 6413, 6418  
..... 6547, 6620 1540, 1806, 1815,  
\bidi@append@list@to@list 1824, 1833, 1849,  
..... 6543, 6629 1865, 2224, 2590,  
\bidi@append@to@list 2616, 2631, 2650,  
..... 6522, 6541 2664, 2843, 2865,  
\bidi@append@toks@cs@to@list 3158, 3166, 3177,  
..... 6551 3260, 4251, 26186,  
\bidi@appto ... 5885, 26196, 26206,  
5929, 6208, 7252 26207, 26365,  
\bidi@apptocmd ... 26374, 26383, 26392  
.. 6105, 6106, 24334 \bidi@beamer@rightskip  
.\bidi@are@these@correct ..... 2801,  
..... 6519, 6522 2930, 3582, 3583, 3730  
\bidi@AtBeginEnvironment \bidi@beamer@today  
..... 6260, 6272 ... 3303, 3324, 3331  
\bidi@AtEndEnvironment \bidi@BeforeBeginEnvironment  
..... 6276, 6286 ..... 6290, 6298  
\bidi@AtEndOutputPage \bidi@BeforeClass . 6883  
.... 5283, 6189, \bidi@BeforeClosingMainAux  
12124, 15979, 26920 ..... 7175, 7186,  
\bidi@atendoutputpagehook 6189, 7190, 7193, 7201, 7204  
..... 6190, 15980, 26921 \bidi@BeforeFile .. 6881  
\bidi@AtEndPreamble \bidi@BeforeFooter  
.... 4355, 6162, ..... 6179, 26903  
6165, 6194, 6196, \bidi@beforefooterhook  
6201, 7292, 8090, .. 6179, 6180, 26904  
18216, 19894, 19954 \bidi@BeforeHeader  
.\bidi@beforeheaderhook  
.... 16138, 16142, 16145 ..... 6170,  
\bidi@autofootnoterulefalse 6171, 15964, 26887  
\bidi@autofootnoteruletrue \bidi@BeforeOutputBoxOutputPage .. 16749, 16750,  
..... 16160 ..... 6173, 16751, 16754,  
\bidi@backslash ... 6174, 15968, 26898  
..... 6343, 6344 \bidi@beforeoutputboxoutputpagehook  
.\bidi@beforeoutputboxoutputpagehook 6173, 16760, 16772  
\bidi@beamer@blacktriangle ..... 6174, 15968, 26899  
..... 2820, \bidi@beforeoutputpageshipouthook  
2834, 2835, 2836 ..... 6167, 15945, 26844  
\bidi@beamer@frametitleshade \bidi@beforeoutputpageshipouthook  
..... 3706, 3751 ..... 6167, 15946, 26845  
\bidi@beamer@Gm@lmargin \bidi@BeforePackage 6928  
..... 2077, \bidi@bidiold@footnotetext  
2104, 2107, 2184 ..... 11841, 15100  
\bidi@beamer@Gm@rmargin \bidi@bidiold@mpfootnotetext  
... 2085, 2193, 2212 \bidi@bidiold@mpfootnotetext  
.\bidi@beamer@leftskip ..... 11915, 15114 \bidi@csappto ..... 5929  
.... 1561, 1564, ..... 11915, 15114 \bidi@csarg ... 6355,  
1568, 1571, 1575, \bidi@bidiold@mpRTLfootnotetext 6371, 6445, 6452,  
1585, 1599, 1603, ..... 11952, 15119 6470, 6475, 6480,  
1621, 1639, 1645, \bidi@bidiold@RTLfootnotetext 6485, 6491, 6496,  
1743, 1749, 1754, ..... 11872, 15105 6538, 6539, 6557,  
1765, 1783, 1790, \bidi@bswitch . 6485, 6487 6563, 6574, 6584,  
2793, 2814, 2817, \bidi@CharsBefore ..... 6593, 6603, 6607, 6611  
2930, 3580, 3581, 3729 6400, 6402, 6403, \bidi@csdefcs ..... 5579



\bidi@cseappto . 5930, 5933	\bidi@dbg@succ . 6001, 6100, 6132, 6140, 6142	12682, 12736, 12786, 12808,
\bidi@csepreto . 5939, 5942	\bidi@dbg@trce . 5948, 5994, 6097, 6106, 6114	12858, 12910, 12937, 12964, 12969,
\bidi@csgappto . 5931, 6261, 6277, 6291, 6301	\bidi@default . . . . . 6470, 6475, 6480, 6485, 6491, 6496	12972, 12975, 12978, 13031, 13058,
\bidi@csgpreto . . . . . 5940	\bidi@del@tok@from@list . . . . . 6566	13085, 13097, 13107, 13157, 13209,
\bidi@cslet . . . . . 5585	\bidi@digits . . . . . 4344, 4350, 4351, 4352	13236, 13268, 13271, 13274, 13277,
\bidi@csletcs . . . . . 5582	\bidi@digits@charclass . . . . . 4346, 4350, 4351, 4352, 4353	13330, 13384, 13396, 13406, 13456,
\bidi@csname . . . . . 6367, 6518, 6524, 6569, 6603	\bidi@dummies . . . . . 6450, 6452, 6453	13456, 13462, 13467, 13468, 13469,
\bidi@cspreto . . . . . 5938	\bidi@eappto . . . . . 5889, 5902, 5930	13469, 13508, 13535, 13562, 13567,
\bidi@csprotect . . . . . 6672	\bidi@empty . . . . . 4360, 4361, 6425, 6428, 6429	13570, 13576, 13629, 13656, 13683,
\bidi@csundef . . . . .	\bidi@empty@stack . . . . . 6610, 6616	13695, 13705, 13807, 13834, 13861,
1550, 1552, 1554, 1556, 1558, 1578, 1580, 1582, 1606, 1608, 1610, 1612, 1614, 1616, 1618, 1736, 1738, 1740, 1758, 1760, 1762, 1795, 1797, 1799, 1828, 1843, 2809, 2811, 2828, 2830, 2832, 2876, 2878, 2880, 2927, 3001, 3066, 3068, 3070, 3072, 3074, 3076, 3078, 3080, 3172, 3301, 3453, 3479, 3530, 3558, 3560, 3562, 3564, 3678, 3714, 3768, 3770, 3856, 3858, 3951, 6093	\bidi@empty@toks . . . . . 6623, 6626, 6630	13866, 13872, 13875, 13928, 13955, 13982, 13994, 14004, 14054, 14106, 14160, 14168, 14174, 14254, 14293, 14353, 14432, 14464, 14470, 14473, 14526, 14580, 14602, 14704, 14758, 14766, 14772, 14852, 14891, 14909, 14916, 14919, 14927, 14939, 15147, 15202, 15232, 15262, 15266,
\bidi@csuse . . . . . 5872, 6267, 6281, 6294, 6305, 12136	\bidi@endpreamblehook . . . . . 6162, 6163, 6195, 6197	14165, 14171, 14227, 14281, 14303, 14405, 14459, 14467, 14473, 14553, 14592, 14652, 14731, 14763, 14769, 14825, 14879, 14901, 14916, 14919, 14927, 14939, 15147, 15202, 15232, 15266,
\bidi@csswitch . 6480, 6482	\bidi@ensure@new@command . . . . . 5596, 5597	14168, 14174, 14227, 14281, 14303, 14405, 14459, 14467, 14473, 14553, 14592, 14652, 14731, 14763, 14769, 14825, 14879, 14901, 14916, 14919, 14927, 14939, 15147, 15202, 15232, 15266,
\bidi@csxappto . 5932, 5934	\bidi@ensure@newcommand . . . . . 5596, 11971, 11983, 11989, 11990, 11994, 11995, 11996, 11997, 12009, 12021, 12043, 12044, 12049, 12050, 12051, 12052, 12055, 12163, 12165, 12169, 12170, 12186, 12203, 12208, 12210, 12216, 12218, 12222, 12272, 12324, 12351, 12378, 12383, 12386, 12389, 12392, 12445, 12472, 12499, 12511, 12521, 12571, 12621, 12646, 12671, 12676, 12679,	14168, 14174, 14227, 14281, 14303, 14405, 14459, 14467, 14473, 14553, 14592, 14652, 14731, 14763, 14769, 14825, 14879, 14901, 14916, 14919, 14927, 14939, 15147, 15202, 15232, 15266,
\bidi@csxpreto . 5941, 5943		
\bidi@current@column@status . 26503, 26506, 26539		
\bidi@dbg@fail . . . . . 5957, 5967, 5968, 5969, 5970, 5976, 5985, 5991, 6101, 6123, 6135, 6136, 6145		
\bidi@dbg@info . 5958, 5960, 5963, 5965, 5966, 5977, 5979, 5981, 5983, 5984, 5986, 5988, 5990, 6099, 6124, 6126, 6128, 6131, 6137, 6139		
\bidi@dbg@init . 5955, 5974, 6098, 6121		



15270, 15274,	6182, 6186, 6189,	\bidi@info .....
15329, 15358,	6203, 6215, 6228, 6243	\bidi@init@multi@footins .....
15387, 15398,	\bidi@gobbleopt .....	
15414, 15423,	7132, 7141	
15432, 15439,	\bidi@gpreto .. 5915, 5940	
15443, 15454, 15455	\bidi@hook@acma 7156,	
\bidi@ensure@newlength . 5603, 11993, 12053	7200, 7213, 7214, 7219	
\bidi@epreto .....	\bidi@hook@bcma 7150,	
.... 5911, 5924, 5939	7199, 7202, 7203, 7209	
\bidi@eqs@a .. 6381, 6382	\bidi@hooktocmd .. . 6109, 6117, 6119	
\bidi@eqs@b .. 6381, 6382	\bidi@hooktocmd@i .. . 6133, 6147	
\bidi@EqualString .. 6381	\bidi@hop@ES .. 6389, 6391	
\bidi@EqualStringX 6386	\bidi@ifafterfinalfootnoteperpage ..	
\bidi@error .. 5605, 5857, 6455, 6562, 6731	.... 12131, 12144	
\bidi@everyjob .. 4195, 4198, 4450, 4452	\bidi@ifblank@i .. . 5551, 5552, 5554	
\bidi@excludedpackages .. 6969, 6970, 6990, 7026, 7043, 7051, 7061, 7083, 7084, 7092, 7093, 7098, 7111	\bidi@ifdefmacro .. . 5557, 5559, 5560, 5561	
\bidi@expandonce .. 5877, 5888, 5892, 5896, 5900, 5910, 5914, 5918, 5922, 6143	\bidi@ifdefprotected .. . 6085, 6087, 6088, 6089	
\bidi@ff@box 15987, 16005	\bidi@ifEmpty .. . 6428	
\bidi@finalfootnoteperpage .. 12116, 12127	\bidi@ifempty .. . 6426	
\bidi@firstcolumn@status@width .. . 4124, 4132, 10255, 10314, 15793, 15829, 16666, 16719, 19612, 19708, 26510, 26573, 26616	\bidi@ifEmptyX .. . 6427	
\bidi@floathook .. . 11761, 14967, 15020, 15072, 15123, 15531, 15533	\bidi@ifhashcheck .. . 5962, 6047, 6130	
\bidi@font@@outputpage .. 15953, 26835, 26877	\bidi@ifhashcheck@i .. . 6051, 6053	
\bidi@footdir@footnote .. 79, 282, 2368, 16265, 16267, 16271	\bidi@ifhashcheck@ii .. . 6055, 6058, 6059, 6060	
\bidi@footskip .. . 12072, 12079, 12096, 12103, 15411	\bidi@ifmulticol .. . 12061, 12071, 12095, 15533, 15537	
\bidi@fswitch .. 6496, 6498	\bidi@ifNextChar .. 6436	
\bidi@gappto .....	\bidi@ifpatchable .. . 5951, 5953, 6000	
.... 5277, 5893, 5931, 6162, 6167, 6170, 6173, 6176, 6179,	\bidi@ifpatchable@i .. . 5951, 5972	
	\bidi@ifpattern .. . 5964, 6063	
	\bidi@ifscanable .. . 5961, 5982, 6031, 6129	
	\bidi@in@front@of@cslist .. . 6575, 6576	
	\bidi@in@front@of@list .. . 6574	



18394,	18397,	4128, 4133, 10259,	6720, 6723, 6728,
18400,	18403,	10320, 15797,	6735, 6738, 6740, 6743
18406,	18409,	15835, 16672,	\bidi@looprepeat@traceexit
18412,	18415,	16723, 19616,	..... 6674, 6709
18418,	18421,	19714, 26577, 26622	\bidi@looprepeat@traceinit
18424,	18427,	\bidi@leave@mult@copyins	..... 6674, 6682
18430,	18433,	..... 19949, 19960	\bidi@looprepeat@zero
18436,	18439,	\bidi@left@footnoterule	... 6689, 6708, 6746
18442,	18445,	. 18698, 18704, 18709	\bidi@lst@caption@direction
18448,	18451,	\bidi@leftskip .....	..... 18165,
18454,	18457,	.. 24951, 24953,	18166, 18178, 18181
18460,	18463,	24955, 24956,	\bidi@lst@caption@script
18466,	18469,	25066, 25123,	..... 18172,
18472,	18475,	25125, 25161,	18173, 18189, 18192
18478,	18481,	25162, 25194, 26184	\bidi@lst@ensure@caption@direction
18484,	18487,	\bidi@length@of@csstack	..... 18176,
18490,	18493,	... 6611, 6612, 6615	18201, 18203,
18496,	18499,	\bidi@length@of@stack	18205, 18224,
18502,	18505,	..... 6611, 6625	18228, 18235, 18244
18508,	18511,	\bidi@load@hook 6801,	\bidi@lst@ensure@caption@script
18514,	18517,	6804, 6837, 6874	.. 18187, 18199, 18243
18520,	18523,	\bidi@loadwithoptions	\bidi@LTRrigidbalance
18526,	18529,	... 6809, 6810, 6815	.. 12213, 12510,
18532,	18535,	\bidi@local@in@front@of@list	12520, 12797,
18538,	18541,	..... 6579, 6596	12807, 13096,
18544,	18547,	\bidi@local@push@onto	13106, 13395,
18550, 18553, 18556		..... 6595	13405, 13694,
\bidi@joinfootnotes		\bidi@looprepeat@comp	13704, 13993,
..... 12045,		... 6689, 6725, 6730	14003, 14292,
12046, 12047, 12067		\bidi@looprepeat@csarg	14302, 14591,
\bidi@joinmpfootnotes		..... 6667, 6719	14601, 14890, 14900
.. 11916, 11953,		\bidi@looprepeat@csargromannumeral	\bidi@make@eightcol@LTRfootgroup
12091,	12166,	..... 6669,	.. 14017, 14042, 14287
12167,	12418,	6684, 6685, 6686,	\bidi@make@fivecol@LTRfootgroup
12420,	12459,	6687, 6688, 6691,	.. 13120, 13145, 13390
12486,	12710,	6696, 6697, 6698,	\bidi@make@fourcol@LTRfootgroup
12712,	12749,	6699, 6700, 6702,	.. 12821, 12846, 13091
12774,	13004,	6708, 6721, 6723,	\bidi@make@mpeightcol@LTRfootgroup
13006,	13045,	6724, 6725, 6732,	.. 14025, 14050, 14298
13072,	13303,	6733, 6735, 6740, 6748	\bidi@make@mpfivecol@LTRfootgroup
13305,	13344,	\bidi@looprepeat@csromannumeral	.. 13128, 13153, 13401
13371,	13602,	..... 6668, 6692,	\bidi@make@mpfourcol@LTRfootgroup
13604,	13643,	6700, 6703, 6719, 6747	.. 12829, 12854, 13102
13670,	13901,	\bidi@looprepeat@depth	\bidi@make@mpninecol@LTRfootgroup
13903,	13942,	..... 6668,	.. 14324, 14349, 14597
13969,	14200,	6669, 6671, 6683, 6709	\bidi@make@mppara@LTRfootgroup
14202,	14241,	\bidi@looprepeat@dxbody	.. 14964, 15017,
14268,	14499,	..... 6692, 6696	15070, 15121, 15423
14501,	14540,	\bidi@looprepeat@setup	\bidi@make@mpsevencol@LTRfootgroup
14567,	14798,	..... 6689, 6715	.. 13726, 13751, 13999
14800,	14839,	\bidi@looprepeat@sign	\bidi@make@mpsixcol@LTRfootgroup
14866,	15301,	... 6689, 6700, 6730	.. 13427, 13452, 13700
15303,	15344, 15373	\bidi@looprepeat@tmp	\bidi@make@mptencol@LTRfootgroup
\bidi@lastcolumn@status@write		6690, 6691, 6718,	.. 14623, 14648, 14896



\bidi@make@mpthreecol@LTRfootgroup	\bidi@new@command .. . 12542, 12567, 12803 .. . 5829,	\bidi@nxt@c .. . . 6435, 6438, 6439
\bidi@make@mptwocol@LTRfootgroup	5831, 5860, 5868 . 12243, 12268, 12516 \bidi@new@ifnch ..	\bidi@nxt@ch .. . . 6434, 6437, 6439
\bidi@make@ninecol@LTRfootgroup	..... 5353, 5355 . 14316, 14341, 14586 \bidi@new@ifnextchar	\bidi@o@everypar .. . . 20465, 20467, 20468, 26139, 26141, 26142
\bidi@make@para@LTRfootgroup	..... 5350, 26276 . 14955, 15008, 15058, 15109, 15398 \bidi@newcommand ..	\bidi@oldwbuskip .. . . 6561, 6564
\bidi@make@sevencol@LTRfootgroup	..... 5831, 5833 . 13718, 13743, 13988 \bidi@newrobustcmd	\bidi@onefilewithoptions .. . 6825, 6826, 6830
\bidi@make@sixcol@LTRfootgroup	5828, 5829, 5853, 5864, 5885, 5889, 5893, 5897, 5902, 5903, 5907, 5911, 5915, 5919, 5924, 5925, 5929, 5930, 5931, 5932, 5933, 5934, 5938, 5939, 5940, 5941, 5942, 5943, 5947, 5993, 6092, 6093, 6105, 6113, 6162, 6165, 6167, 6170, 6173, 6176, 6179, 6182, 6186, 6189, 6200, 6203, 6206, 6215, 6228, 6243, 6246, 6260, 6276, 6290, 6300, 26235, 26242	\bidi@orig@leftline .. . 26413, 26419, 26420
\bidi@make@twocol@LTRfootgroup	..... 12235, 12260, 12505 \bidi@makecolbf .. . . 15493, 15505	\bidi@orig@raggedleft .. . 26404, 26406, 26407
\bidi@matrix@check	..... 5359, 26271 \bidi@matrix@error .. . . 5361, 5365	\bidi@orig@raggedright .. . 26405, 26406, 26407
\bidi@mopfn@bottom	..... 15460, 15473, 15506, 15507 \bidi@mopfootnotebf .. . . 15469, 15500	\bidi@orig@rightline .. . 26416, 26419, 26420
\bidi@mpfootnoterule	..... 2317, 2333, 2349, 16043, 16276, 16291, 16306, 16345, 18784, 24332 \bidi@next .. . . 6402, 6403, 6405, 6407, 6408, 6410, 6415, 6417, 6418, 6420	\bidi@oswitch .. . . 6475
\bidi@mswitch . 6491, 6493	\bidi@Normal@footmarkwidth .. . 11980, 12036, 12042, 12245, 12270, 12544, 12569, 12831, 12856, 13130, 13155, 13429, 13454, 13728, 13753, 14027, 14052, 14326, 14351, 14625, 14650, 14990, 15043, 15094, 15145	\bidi@p@ftn 4779, 4842, 4844, 4845, 4847, 4848, 4850, 4851, 4855, 4858, 4861, 4966
\bidi@multicol@align@columns	..... 19836, 19887, 19890, 19892 \bidi@NxtChar .. . 6433	\bidi@p@ftntext .. . . 4826, 4843, 4948
\bidi@n@everypar .. . 20466, 20467, 20468, 20469, 25955, 26140, 26141, 26142, 26143	\bidi@normal@footmarkwidth .. . 11980, 12036, 12042, 12245, 12270, 12544, 12569, 12831, 12856, 13130, 13155, 13429, 13454, 13728, 13753, 14027, 14052, 14326, 14351, 14625, 14650, 14990, 15043, 15094, 15145	\bidi@p@LTRftnttext .. . . 4827, 4846, 4949
\bidi@namedef .. . 6312	\bidi@notblank .. . 5553, 5561, 6080, 6089	\bidi@p@RTLftnttext .. . . 4828, 4849, 4950
\bidi@nameedef .. . 6314	\bidi@nxt@a .. . . 6434, 6437, 6439	\bidi@p@xfootnote .. . . 4830, 4864, 4952
\bidi@namegdef .. . . 5282, 5610, 6313	\bidi@nxt@b .. . . 6434, 6437, 6440	\bidi@p@xftntext .. . . 4829, 4854, 4869, 4951
\bidi@namelongdef . 5588	\bidi@page@count .. . . 5220, 5221, 5255, 5284	\bidi@p@xLTRfootnote .. . . 4832, 4872, 4954
\bidi@namelongedef . 5592	\bidi@paraskip 14936, 14985, 15038, 15090, 15141, 15410	\bidi@p@xLTRftnttext .. . . 4831, 4857, 4877, 4953
\bidi@namelonggdef . 5590	\bidi@patch@@AfterPackage .. . . 7264, 7269	\bidi@p@xRTLfootnote .. . . 4834, 4880, 4956
\bidi@namelongxdef . 5594		\bidi@p@xRTLftnttext .. . . 4833, 4860, 4885, 4955
\bidi@namexdef .. . 6315		\bidi@page@count .. . . 5220, 5221, 5255, 5284



\bidi@patch@Add . . .	\bidi@patchcmd@scantoks . . . 6011, 6017, 6155	5903, 5924, 5925, 5933, 5934, 5942, 5943
\bidi@patch@AfterPackage . . . 7254, 8202, 8204, 8207, 8228, 8379, 8429, 8485, 8729	\bidi@pdfencrypt@keylength\bidi@protected@cseappto . . . 4320, 4373	5933
\bidi@patch@counter . . . 7232, 7236, 7239, 7245, 7246, 7265	\bidi@pdfencrypt@ownerpass\bidi@protected@csepreto . . . 4315, 4360, 4372	5942
\bidi@patch@gtemp . . . 7272, 7279	\bidi@pdfencrypt@permission\bidi@protected@csxappto . . . 4325, 4374	5934
\bidi@patch@list . . . 7250, 7252, 7290, 7292, 7299	\bidi@pdfencrypt@userpass\bidi@protected@csxpreto . . . 4310, 4361, 4371	5943
\bidi@patch@OrgIfClassLater . . . 7298, 7303	\bidi@pdfm@mark . . . 4524, 4539	\bidi@protected@eappto . . . 5902
\bidi@patch@OrgIfClassLoaded . . . 7297, 7302	\bidi@pickescape . . . 6376	\bidi@protected@epreto . . . 5924
\bidi@patch@OrgIfPackageLater . . . 7296, 7301	\bidi@pop@cs@into . . . 6599, 6618	\bidi@protected@immediate@write . . . 7205, 7216, 7222
\bidi@patch@OrgIfPackageLoaded . . . 7295, 7300	\bidi@pos . . . 5610, 5618, 5646, 5672, 5700, 5726, 5729, 5763, 5766	\bidi@protected@xappto . . . 5903
\bidi@patch@stepcounter . . . 7234, 7244, 7263	\bidi@poscount . . . 5612, 5615, 5618, 5635, 5637, 5646, 5660, 5662, 5669, 5672, 5689, 5691, 5700, 5714, 5716, 5723, 5726, 5729, 5746, 5748, 5752, 5754, 5763, 5766, 5780, 5782, 5786, 5788, 5795, 5797, 5798, 5800, 5801, 5804, 5805, 5812, 5814, 5815	\bidi@protected@xpreto . . . 5925
\bidi@patch@temp . . . 7262, 7266	\bidi@prepend . . . 6117, 6160	\bidi@provide@command . . . 5864, 5866
\bidi@patch@try . . . 7281, 7284	\bidi@prepend@cslist@to@cs . . . 6549	\bidi@providerobustcmd . . . 5864
\bidi@patchcmd . . . 171, 179, 188, 338, 596, 1959, 5993, 5994, 6218, 6231, 6248, 6265, 6279, 6303, 7523, 11035, 11038, 11055, 11058, 11061, 11077, 11080, 11083, 11101, 11109, 11117, 11126, 11135, 11144, 15759, 15761, 15764, 15766, 17017, 17917, 17925, 17933, 17941, 17949, 17958, 17966, 17975, 18109, 18115, 18123, 18217, 18230, 18686, 19956, 20103, 20208, 20603, 24321, 24329, 26640	\bidi@prepend@list@to@list . . . 6545	\bidi@push@begins . . . 5312, 5313, 5316
	\bidi@prepend@to@list . . . 6542	\bidi@push@cs@onto@ccs . . . 6592, 6619
	\bidi@prepend@to@list . . . 6542	\bidi@push@long@begins . . . 5336, 5337, 5340
	\bidi@prepend@toks@cs@to@list . . . 6552	\bidi@push@onto . . . 6593
	\bidi@prepend@toks@cs@to@list . . . 6552	\bidi@push@onto@cs . . . 6593, 6594
	\bidi@preto . . . 5907, 5938, 6192, 15526, 15539	\bidi@raggedleft . . . 5133, 5140, 5145, 5164, 10734, 10850, 15761, 15766, 17133, 26409
	\bidi@pretocmd . . . 6113, 6114, 6293, 6335	\bidi@raggedright . . . 15759, 15764, 19971, 19974, 19976, 19979, 19981, 19983, 19986, 19988, 19990, 19992, 19995, 19997, 19999, 20001, 20003, 20006, 20008, 20011, 20013, 20016, 20018, 20020, 20023, 20025, 20027, 20030, 20032, 20034, 26408
	\bidi@process@envbody . . . 5305, 5309, 5310, 5324, 5329, 5333, 5334, 5348	
	\bidi@protected . . . 5880, 5902,	



\bidi@rcol@copyinsskip ..... 16629, 16634, 16643, 16692	\bidi@reinserts ... .. 15510, 15528, 15529	\bidi@RTL@everypar .. 15154, 15185, 15203, 15219,
\bidi@ redefine@newpage ..... 7166, 7206	\bidi@releasename .. 4032, 4033, 4034, 4181, 4242, 4245, 4248, 4419, 4420, 4436, 4515, 4518, 4521	15233, 15249, 15288, 15318, 15332, 15347, 15361, 15376, 20464, 20468, 24070, 26138, 26142
\bidi@reflect@box .. .. 20543, 20550, 26228, 26236, 26243	\bidi@removexfootskip .. 12073, 12097, 14948, 15001,	\bidi@s@tfftextcol ..... 15984, 15988
\bidi@reinsert@footnotes .. 15523, 15545, 15546	15057, 15108, 15413	\bidi@s@saved@checkend ... 7143, 7146, 7164
\bidi@reinsertfinalfootnoteperpage .. 12143, 12319, 12321, 12349, 12376, 12616, 12618, 12644, 12669, 12905, 12907, 12935, 12962, 13204, 13206, 13234, 13261, 13503, 13505, 13533, 13560, 13802, 13804, 13832, 13859, 14101, 14103, 14131, 14158, 14400, 14402, 14430, 14457, 14699, 14701, 14729, 14756, 15197, 15199, 15230, 15260	\bidi@removexparafootskip .. 14948, 15001, 15057, 15108, 15409	\bidi@s@saved@clearpage ... 7148, 7149, 7152
\bidi@reinsertfootnote ..... 11843, 11874, 12085, 12145, 12291, 12293, 12336, 12363, 12589, 12591, 12632, 12657, 12877, 12879, 12922, 12949, 13176, 13178, 13221, 13248, 13475, 13477, 13520, 13547, 13774, 13776, 13819, 13846, 14073, 14075, 14118, 14145, 14372, 14374, 14417, 14444, 14671, 14673, 14716, 14743, 15168, 15170, 15216, 15246	\bidi@renew@command ... 5853, 5855, 5869 \bidi@renewrobustcmd . 5853, 26239, 26246 \bidi@ReplaceClass 6856 \bidi@replacefile@msg ..... 6793, 6817, 6832, 6870 \bidi@ReplaceInput 6840 \bidi@ReplacePackage ..... 6853 \bidi@RequirePackage ... 6992, 7052, 7103 \bidi@ResetPreventPackage ..... 7044, 7050, 7059, 7098 \bidi@resrvda .. 6003, 6004, 6005, 6008, 6009, 6010, 6011, 6012, 6013, 6018, 6021, 6033, 6034, 6035, 6036, 6037, 6039, 6040, 6049, 6051, 6065, 6066, 6068, 6070, 6071, 6149, 6150, 6151, 6152, 6153, 6154, 6155, 6156, 6157	\bidi@s@saved@eqno .. ..... 20554, 20556, 20557, 26933, 26935, 26936 \bidi@s@saved@leqno .. ..... 20555, 20556, 20557, 26934, 26935, 26936 \bidi@s@saved@newpage ..... 7167, 7178 From Loading \bidi@s@saved@RequirePackage ..... 6991, 7002, 7054, 7056, 7134 \bidi@sepmark@charclass ..... 4347, 4348, 4349, 4353 \bidi@set@column@status . 26505, 26533, 26538 \bidi@set@cslist .. ..... 6585, 6586 \bidi@set@list .... 6584 \bidi@set@load@hook .... 6878, 6881, 6882, 6884, 6903, 6915, 6929, 6946, 6957 \bidi@SOUL@ulleaders .... 24111, 24117 \bidi@stack@length 6610, 6612, 6613, 6617, 6618, 6627, 6628 \bidi@star@footmarkwidth ..... 11980, 12039, 12245, 12270, 12544, 12569, 12831, 12856, 13130,



13155, 13429,	\bidi@todonotes@tempa	14934, 14984,
13454, 13728,	..... 25831, 25839	15037, 15089, 15140
13753, 14027,	\bidi@todonotes@tempb	\bidi@xpreto .....
14052, 14326,	..... 25831,	... 5919, 5925, 5941
14351, 14625,	25832, 25839, 25840	\bidicolor .....
14650, 14990,	\bidi@tok@SM .. 6567, 6572	.. 10001, 10057,
15043, 15094, 15145	\bidi@toks@lista ..	10072, 10074,
\bidi@startparafootskip	6532, 6534, 6535,	15985, 26081,
..... 14935,	6536, 6537, 6568,	26128, 26131, 26132
14938, 14987,	6570, 6576, 6577,	\bidics .. . . . . 6344
14988, 15040,	6579, 6581, 6586, 6587	\bididate . 4030, 4034,
15041, 15092, 15143	\bidi@toks@listb ..	4181, 4242, 4245,
\bidi@step@absolutefootnote@count ..	6532, 6568, 6570	4416, 4436, 4515, 4518
.. 11842, 11873,	\bidi@undef .. 2838,	\bidiGscale@@box ..
12149, 12289,	2861, 2932, 3381,	..... 16953, 16954
12335, 12362,	6013, 6092, 6157,	\bidiGscale@box ..
12587, 12631,	6197, 6212, 24806,	. 16930, 16931, 16950
12656, 12875,	24807, 24967,	\bidiGscale@box@dd
12921, 12948,	24968, 25217, 25218	. 16962, 16966, 16972
13174, 13220,	\bidi@undefined ..	\bidiGscale@box@dddd
13247, 13473,	..... 6092, 6094	..... 16968, 16979
13519, 13546,	\bidi@undefinedcs ..	\bidillap .. . . . . 26422
13772, 13818,	6445, 6452, 6507,	\bidipdfinfoff .. 4536
13845, 14071,	6511, 6517, 6521, 6562	\bidipdfinfoon 4535, 4541
14117, 14144,	\bidi@UnPreventPackageFromLoading	\bidipoem@hvlen ..
14370, 14416,	..... 7064	..... 8974,
14443, 14669,	\bidi@UnReplaceClass	8980, 8983, 8986, 8995
14715, 14742,	..... 6867	\bidipoem@half@verses
15166, 15215, 15245	\bidi@UnReplaceInput	... 9000, 9001, 9004
\bidi@storecatcode 6353	..... 6844	\bidipoem@half@verses@next
\bidi@StorePreventPackageFromLoading	\bidi@UnReplacePackage	... 9000, 9001, 9002
..... 7060, 7063	..... 6864	\bidipoem@hvind ..
\bidi@StringBefore 6411	\bidi@version .. 4031,	8974, 8977, 8978,
\bidi@StringBeforeNC	4034, 4181, 4200,	8986, 8987, 8990, 8993
..... 6399	4202, 4208, 4214,	\bidipoem@hvlen 8973,
\bidi@switch ... 6459,	4242, 4245, 4248,	8978, 8980, 8991, 8993
6470, 6472, 6477	4418, 4436, 4456,	\bidipoem@hvsep 8973,
\bidi@switch@exit ..	4458, 4515, 4518, 4521	8986, 8987, 8994
6469, 6470, 6471,	\bidi@w@w .. . . . . 6507	\bidipoem@next 8979, 8980
6475, 6476, 6480,	\bidi@warning .. 5606,	\bidipoem@openbox ..
6481, 6485, 6486,	6270, 6284, 6296, 6308	..... 9018, 9023
6491, 6492, 6496, 6497	\bidi@warningnoline	\bidipoem@p@ftn 9025,
\bidi@t@w@w .. . . . . 6520	598, 5607, 15760,	9035, 9159, 9160,
\bidi@tabular@RTLcases	15762, 15765, 15767	9162, 9163, 9165,
..... 26251, 26278	\bidi@willbeunhskip	9166, 9169, 9172,
\bidi@tempcountb ..	... 6554, 6561, 6564	9175, 9280, 17590,
..... 6347,	\bidi@x@stack@to@list	17600, 17621,
6616, 6617, 6626, 6627	..... 6625	17631, 17652, 17662
\bidi@temptoksa 6348,	\bidi@xappto .. . . .	\bidipoem@p@ftntext
6616, 6619, 6620,	... 5897, 5903, 5932	9052, 9063, 9158,
6621, 6623, 6626, 6630	\bidi@xargdef . 5835, 5843	9269, 9283, 17588
\bidi@temptoksb 6349,	\bidi@xparaskip ..	\bidipoem@p@LTRftntext
6618, 6619, 6620, 6621	.. 14930, 14932,	9053, 9064, 9161,



\bidipoem@p@RTLftntext		\blacktriangleright		\botmark . . . 15978, 26919
9054, 9065, 9164,		. 2824, 16471, 16473		
9271, 9285, 17650		\bm@b . . . . . 26482		
\bidipoem@p@xfootnote		\bm@l . . . . . 26479		\box . . 1904, 2022, 2026,
. . . . . 9056,		\bm@r . . . . . 26480		2028, 2036, 2042,
9067, 9177, 9273, 9287		\bm@t . . . . . 26481		2044, 2098, 2102,
\bidipoem@p@xftntext		\bmb@box . . 1889, 1894,		2104, 2124, 2133,
. . . . . 9055, 9066,		1895, 1896, 1899,		2135, 2153, 2162,
9168, 9182, 9272, 9286		1900, 1904, 1905,		2164, 2202, 2206,
\bidipoem@p@xLTRfootnote		1906, 1912, 1913,		2208, 2215, 2481,
. . . . . 9058,		1925, 1931, 1935, 1950		2485, 2533, 2546,
9069, 9184, 9275, 9289		\bmb@colorbox . . . . . 1949		2563, 2568, 2939,
\bidipoem@p@xLTRftntext		\bmb@dima . 1909, 1922,		2945, 2985, 3755,
. . . . . 9057, 9068,		1925, 1926, 1927,		4298, 4507, 7848,
9171, 9189, 9274, 9288		1928, 1939, 1940, 1941		9908, 9972, 10040,
\bidipoem@p@xRTLfootnote		\bmb@dimb . . . . . 1910,		10197, 10200,
. . . . . 9060,		1923, 1924, 1927		10217, 10221,
9071, 9191, 9277, 9291		\bmb@lower . . . 1876, 1952		10256, 10260,
\bidipoem@p@xRTLftntext		\bmb@prevheight . . .		10266, 10267,
. . . . . 9059, 9070,		. . . . . 1897, 1906		10315, 10321,
9174, 9196, 9276, 9290		\bmb@temp . . . . . 1900,		10325, 10326,
\bidipoem@set@@verse		1901, 1902, 1904,		10552, 10557,
. . . . . 8980, 8983, 8985		1908, 1909, 1910, 1920		10564, 10571,
\bidipoem@set@verseI		\bmb@upper . . . . . 1881, 1891		10607, 10891,
. . . . . 8979, 8982		\bmb@width . 1890, 1899,		10912, 10928,
\bidipoem@spreadbox		1908, 1938, 1939, 1950		10985, 12210,
. . . . . 8969,		\bool . . . . . 18810,		12213, 14913,
8991, 8993, 8994, 8995		18818, 18949,		14925, 15486,
\bidireleasename . .		18966, 18967,		15496, 15794,
. . . . . 4033, 4420		19011, 19017,		15798, 15830,
\bidirlap . . . . . 26421		19032, 19055,		15836, 15879,
\bidituftefloatDebugInfoNL		19058, 19078,		15969, 16002,
. . . . . 7311,		19083, 19095,		16007, 16569,
7399, 7403, 7698, 7747		19112, 19113,		16576, 16579,
\bidituftefloatError		19116, 19133,		16593, 16667,
. . . . . 7310, 7793		19158, 19165,		16673, 16720,
\bidituftefloatInfoNL		19171, 19177,		16724, 16763,
. . . . . 7311, 7312, 7862		19187, 19194,		16775, 16786,
\bidituftefloatRecalculate		19216, 19328,		16796, 16809,
. . . . . 7428, 7439		19331, 19339,		16881, 16898,
\bidituftehyperrefLoadHyperref		19340, 20104,		16901, 16944,
. . . . . 8687, 8698		20190, 20192, 20201		16947, 16977,
\bidituftesidenotemarginpar		\boolean . . . . .		16994, 18211,
. . . . . 7878, 8230, 8389		7311, 7371, 7373,		18619, 18670,
\bidituftetocError		7376, 7380, 7383,		18676, 18686,
. . . . . 8418, 8465, 8474		7386, 7411, 7507,		18688, 18690,
\bidiversion . . 4200, 4453		7522, 7533, 7553,		19028, 19286,
\bigskip . . . . . 20625		7560, 7568, 7585,		19297, 19302,
\bl . . . . . 20370, 20371,		7605, 7609, 7627,		19336, 19337,
20374, 20375,		7628, 7631, 7632,		19338, 19339,
20376, 20380,		7667, 7676, 7687,		19341, 19470,
20435, 20442, 20446		8432, 8436, 8484,		19504, 19613,
\blacktriangleleft		8697, 8834, 8903,		19617, 19709,
. . . . . 2822, 16471, 16473		8914, 15999, 20223		19715, 19852,
				19858, 19873,
				19881, 20189,



20197,	20202,	6655, 6707, 6708, 6726, 6737, 6742, 6756	\bx@00 . . . . . 7762, 7789
20339,	20343,	\breakrepeatloop . . 6682	\bx@P . . . . . 7736, 7777
20359,	20393,	\bs . . . . . 4696, 4697, 4699	\bx@PP . . . . . 7763, 7789
20397,	20402,	\bslice . . . . . 20390,	\bx@Q . . . . . 7736, 7777
20406,	20418,	20391, 20393, 20403, 20404,	\bx@q . . . . . 7723, 7742, 7783
20429,	20443,	20406, 20426,	\bx@QQ . . . . . 7764, 7789
20446,	20450,	20427, 20429,	\bx@R . . . . . 7736, 7777
20455,	20531,	20453, 20454, 20455	\bx@RR . . . . . 7765, 7789
20547,	20592,	\bx@A . . . . . 7733, 7774	\bx@S . . . . . 7697, 7699, 7737, 7778
20595,	20605,	\bx@aa . . . . . 7707, 7739, 7780	\bx@s . . . . . 7725, 7743, 7784
20613,	21679,	\bx@AA . . . . . 7746, 7748, 7786	\bx@SS . . . . . 7766, 7790
21688,	21726,	\bx@B . . . . . 7733, 7774	\bx@T . . . . . 7700, 7737, 7778
21737,	24313,	\bx@b . . . . . 7708, 7739, 7780	\bx@t . . . . . 7726, 7743, 7784
24359,	24377,	\bx@BB . . . . . 7749, 7786	\bx@TT . . . . . 7767, 7790
26025,	26026,	\bx@C . . . . . 7733, 7774	\bx@U . . . . . 7701, 7737, 7778
26036,	26232,	\bx@c . . . . . 7709, 7739, 7780	\bx@u . . . . . 7727, 7743, 7784
26424,	26574,	\bx@CC . . . . . 7750, 7786	\bx@UU . . . . . 7768, 7790
26578,	26617,	\bx@D . . . . . 7733, 7774	\bx@V . . . . . 7702, 7737, 7778
26623,	26642,	\bx@d . . . . . 7710, 7739, 7780	\bx@v . . . . . 7728, 7743, 7784
26658,	26790,	\bx@DD . . . . . 7751, 7786	\bx@VV . . . . . 7769, 7790
26806,	26817,	\bx@E . . . . . 7733, 7774	\bx@W . . . . . 7703, 7738, 7779
26830,	26832,	\bx@e . . . . . 7711, 7739, 7780	\bx@w . . . . . 7729, 7744, 7785
26896,	26900, 26930	\bx@EE . . . . . 7752, 7786	\bx@WW . . . . . 7770, 7791
\boxdef . . . . .	4728,	\bx@F . . . . . 7734, 7775	\bx@X . . . . . 7704, 7738, 7779
	4730, 4736, 4741, 4746	\bx@f . . . . . 7712, 7740, 7781	\bx@x . . . . . 7730, 7744, 7785
\boxmaxdepth . . . . .		\bx@FF . . . . . 7753, 7787	\bx@XX . . . . . 7771, 7791
	10883, 10888,	\bx@G . . . . . 7734, 7775	\bx@Y . . . . . 7705, 7738, 7779
10904,	10909,	\bx@g . . . . . 7713, 7740, 7781	\bx@y . . . . . 7731, 7744, 7785
10936,	10993,	\bx@GG . . . . . 7754, 7787	\bx@YY . . . . . 7772, 7791
15456,	15471,	\bx@H . . . . . 7734, 7775	\bx@Z . . . . . 7706, 7738, 7779
15728,	16522,	\bx@h . . . . . 7714, 7740, 7781	\bx@z . . . . . 7732, 7744, 7785
16524,	16848,	\bx@HH . . . . . 7755, 7787	\bx@ZZ . . . . . 7773, 7791
26645,	26661, 26672	\bx@I . . . . . 7734, 7775	\bye . . . . . 4539
\br . . . . .	20370, 20372,	\bx@i . . . . . 7715, 7740, 7781	\bystep . . . . . 6635,
	20374, 20375,	\bx@II . . . . . 7756, 7787	6647, 6731, 6744,
	20376, 20380,	\bx@J . . . . . 7734, 7775	6754, 6767, 6780, 6781
	20436, 20442, 20450	\bx@j . . . . . 7716, 7740, 7781	
\BR@b@bibitem .	8083, 8084	\bx@JJ . . . . . 7757, 7787	<b>C</b>
\BR@bibitem .	8086, 8087	\bx@K . . . . . 7735, 7776	\c . . . . . 19012, 19013,
\BR@c@bibitem .	8088	\bx@k . . . . . 7717, 7741, 7782	19027, 19289, 19370
\bracetext . . . . .		\bx@KK . . . . . 7758, 7788	\c@abspage . . . . . 16073
	4265, 4482, 20470,	\bx@L . . . . . 7735, 7776	\c@addvipersep . . . . . 19557,
	20471, 26144, 26145	\bx@l . . . . . 7718, 7741, 7782	19575, 19580,
\break . . . . .	18576	\bx@LL . . . . . 7759, 7788	19602, 19632,
\BreakBibliography . . . . .		\bx@M . . . . . 7735, 7776	19657, 19675,
	22161,	\bx@m . . . . . 7719, 7741, 7782	19680, 19702, 19729
	22194,	\bx@MM . . . . . 7760, 7788	\c@algocf . . . . . 168
	22202,	\bx@N . . . . . 7735, 7776	\c@chapter . . . . . 9410,
	22955,	\bx@n . . . . . 7720, 7741, 7782	9412, 9414, 9587,
	22963,	\bx@NN . . . . . 7761, 7788	9589, 9591, 9832,
	23687,	\bx@O . . . . . 7736, 7777	9834, 9836, 9837,
	23720, 23722, 23728	\bx@o . . . . . 7721, 7742, 7783	11664, 11666,
\breakhere . . .	3348, 3356		
\breakloopepeat . . .	6653,		



11668, 11669, 15721, 15723, 15725, 16011, 16013, 16015, 16016, 16024, 16026, 16028, 16029, 18261, 19432, 20084, 20867, 20869, 20871, 21232, 21234, 21236, 21421, 21423, 21425, 21603, 21605, 21607, 21608	\c@footnote ... 128, 318, 480, 775, 834, 1027, 1086, 1277, 1336, 4577, 9425, 9602, 9739, 11498, 11595, 15665, 16354, 16368, 17403, 17513, 17521, 17551, 17559, 18066, 18650, 18653, 20884, 20943, 21023, 21084, 21280, 21323, 21510, 21932, 22053, 22672, 22793, 23445, 23566	11417, 11678, 15584, 20629, 21617 \c@section 2699, 9404, 9581, 9838, 11670, 15715, 16017, 16030, 19421, 20094, 20861, 21226, 21426, 21609, 22887, 23656 \c@subparagraph 576, 733, 987, 1246, 9408, 9585, 9842, 11551, 11674, 15719, 16021, 16034, 19429, 20865, 21230, 21430, 21613, 22148, 22895, 23664
\c@curpg ..... . 15893, 15920, 15921	\c@Hy@AnnotLevel ... ..... 17725, 17726, 17731, 17735	\c@subsection 573, 730, 984, 1243, 2700, 9405, 9582, 9839,
\c@DFNsloppiness ... .... 10881, 10902	\c@ll@chapseci ... 10082	11548, 11671, 15716, 16018,
\c@enumiv .. 604, 611, 739, 746, 1002, 1009, 1252, 1259, 2639, 2648, 5209, 9380, 9387, 9568, 9575, 9877, 9884, 11439, 11446, 11710, 11717, 15614, 15621, 20848, 20855, 21242, 21249, 21436, 21443, 21639, 21646, 22170, 22179, 22186, 22931, 22940, 22947, 23696, 23705, 23712, 24425, 24432	\c@ll@chapsecii .. 10077 \c@lofdepth 24657, 24694 \c@lor@error .. 10046, 10053, 10061, 10067, 26073, 26107 \c@lotdepth 24675, 24714 \c@lstlisting 18261, 18263 \c@LT@chunks .... 18602 \c@mpfootnote .... 2317, 2333, 2349, 16276, 16291, 16306, 16332, 18793	16031, 19423, 20862, 21227, 21427, 21610, 22142, 22889, 23658
\c@equation ... 9410, 9587, 9832, 11278, 11347, 11664, 15721, 16011, 16024, 19432, 20867, 21236, 21421, 21603, 22909, 23674	\c@NAT@ctr .... 20043 \c@page .. 8841, 11163, 11191, 15893, 15920, 25988, 26786	\c@subsectionslide 2702 \c@subsubsection 574, 731, 985, 1244, 9406, 9583, 9840, 11549, 11672, 15717, 16019, 16032, 19425, 20863, 21228, 21428, 21611, 22144, 22891, 23660
\c@figure ... 9412, 9589, 9834, 11666, 15723, 16013, 16026, 19433, 20869, 21232, 21423,	\c@part .... 2674 \c@poem@no ... 9110, 9152, 9204, 9215 \c@secnumdepth . 304, 578, 587, 9651, 9846, 11408,	\c@table .... 9414, 9591, 9836, 11668, 15725, 16015, 16028, 19434, 20871, 21234, 21425, 21607, 22901, 23670 \c@thisframe ... .. 15892, 15897, 15933, 15935, 15936
	\c@tocdepth ... 3, 198, 535, 552, 674, 690, 708, 901, 934, 952, 1157, 1173, 1191, 9314, 9330, 9346, 9491, 9507, 9523, 9794, 9809,	\c@tocdepth ... 3, 198, 535, 552, 674, 690, 708, 901, 934, 952, 1157, 1173, 1191, 9314, 9330, 9346, 9491, 9507, 9523, 9794, 9809,



11381,	11395,	\cals@set@tohsize . 9965	\caption@LT@settype
11650,	15552,	\cals@setcellprevdepth	..... 18626
15567,	18028,	..... 9965	\caption@LT@setup 18627
19777,	19789,	\cals@setpadding .. 9965	\caption@make@above
19801,	20777,	\cals@setup@alignment	..... 18636
20793,	20809,	..... 9949, 9964	\caption@make@below
21149,	21165,	\cals@table@alignment	..... 18638
21181,	21381,	..... 9954, 9955	\caption@makecaption
21395,	21565,	\cals@tbreak@tokens 9959	..... 9991, 18246
21580,	24502,	\cals@tfoot@height 9960	\caption@normalsize
24506,	24548,	\cals@tfoot@tokens	..... 18632
24567,	24589,	..... 9958, 9975	\caption@parindent 9994
24606,	24623,	\cals@thead@tokens 9957	\caption@prepare@stepcounter
24640,	24932,	\cals@vfillAdd . 9950,	..... 18630
25044,	25082,	9952, 9978, 9987	\caption@setautoposition
25582,	25778,	\cals@vfillDrop ...	..... 18628
\c@twb .....	10207	.... 9951, 9952,	\caption@starfalse
\c@twcompctr .....	10188	9980, 9982, 9985, 9989	..... 18247, 18629
\c@twcompoddcdr ..	10204	\CAny .....	\caption@startrue .
\c@twfirst ..	10189,	4717	. 18248, 18254, 18629
10195,	10202,	\cAny .....	\captionabove . 22405,
10206,	10215,	4725	22410, 23167,
10218		\cap@indent .....	23172, 23932, 23937
\c@twlftside .....	10193	.. 22334, 22342,	\captionbelow . 22407,
\c@twlspec .....		22352, 22355,	22412, 23169,
. 10207,	10210,	22357, 23095,	23174, 23934, 23939
10214		23103, 23113,	\captionformat .....
10194,	10210,	23116, 23118,	.. 22295, 22327,
10214		23860, 23868,	22338, 22349,
\c@twounds ..	10205,	23878, 23881, 23883	22360, 23056,
10208,	10211,	\cap@left .....	23088, 23099,
10223		22266, 23027,	23110, 23121,
\c@twrtside .....	10194	23064, 23792, 23829	23821, 23853,
\c@twslicea ..	10191,	\cap@margin .....	23864, 23875, 23886
10193,	10197,	.. 22222, 22983, 23748	\captionlabelfalse 18252
10200,	10209,	\cap@right .....	\catcode .....
10210,	10217,	22274, 22370,	4417,
10221		23035, 23131, 23800, 23896	4540, 6020, 6356,
\c@twsliceb ..	10192,	\cap@width .....	6357, 6358, 6398,
10194,	10197,	22251, 22304,	8055, 8077, 9008,
10200,	10213,	23012, 23065, 23777, 23830	9009, 9011, 9012,
10214,	10217,	\caption .....	16480, 16481, 16596
10221		7516, 7517, 7519, 7575,	\Centering .....
\c@twwinlines 10190,	10203	17106, 17124,	20639
\c@zabspage .....	16073	18579, 19508,	\centering .....
\cals@activate@rtl 9956		19510, 22307,	303,
\cals@AtBeginTable 9973		22308, 23069,	3175, 10738,
\cals@AtEndTable ..	9975	23833, 23843	10751, 10867,
\cals@backup@row ..	9972	\caption@@make ... 18637	17136, 17221,
\cals@borderB .....	9971	18631, 19455,	17237, 19455,
\cals@borderL .....	9968	\caption@@par .... 9993	19457, 19459,
\cals@borderR .....	9969	\caption@begin ... 18631	22020, 22760, 23533
\cals@borderT .....	9970	\caption@belowskip 18635	\CenteringLeftskip 20644
\cals@current@context		\caption@end .... 18639	\CenteringParfillskip
..... 9962		\caption@hangindent 9994	..... 20647
\cals@last@context 9961		\caption@ifdefined 18634	\CenteringParindent
\cals@paddingL ..	9978,	\caption@LT@make . 18625	..... 20648
9980,	9985,		
9987			
\cals@paddingR 9982,	9989		



\CenteringRightskip	..... 20645	\cftpindent .....	..... 24520, 24523	\cftsubsubsecnumwidth	..... 24614
\centerline	307, 16576, 16593, 20558, 26410	\cftpnumwidth .	24526	\cftsubsubsecpresnum	..... 24615
\cftbeforechapskip	24550	\cftpresnum .....	24527, 24531	\cftsubtabaftersnum	..... 24724
\cftbeforefigskip	24658	\cftpnumalign .....	24497	\cftsubtabaftersnumb	..... 24725
\cftbeforeparaskip	24624	\cftsecaftersnum .	24582	\cftsubtabfillnum	24728
\cftbeforepartskip	24518	\cftsecaftersnumb	24583	\cftsubtabfont	24727
\cftbeforesecskip	.	\cftseccfillnum ..	24586	\cftsubtabindent ..	.
	..... 24569, 24572	\cftsecfont .....	24585		..... 24716, 24719
\cftbeforesubfigskip	..... 24695	\cftsecindent	24574, 24577	\cftsubtabnumwidth	24722
\cftbeforesubparaskip	..... 24641	\cftsecnwidth ..	24580	\cftsubtabpresnum	24723
\cftbeforesubsecskip	..... 24590	\cftsecpresnum ..	24581	\cfttabaftersnum .	24685
\cftbeforesubsubsecskip	..... 24607	\cftsubfigaftersnum	..... 24704	\cfttabaftersnumb	24686
\cftbeforesubtabskip	..... 24715	\cftsubfigfillnum	..... 24705	\cfttabfillnum ..	24689
\cftbeforetabskip	24676	\cftsubfigfont ..	24707	\cfttabfont .....	24688
\cftchapaftersnum	24559	\cftsubfigindent ..	..... 24696, 24699	\cfttabindent	24677, 24680
\cftchapaftersnumb	24560	\cftsubfignumwidth	24702	\cfttabnumwidth ..	24683
\cftchapfillnum ..	24563	\cftsubfigpresnum	24703	\cfttabpresnum ..	24684
\cftchapfont .....	24562	\cftsubparaftersnum	..... 24650	\chapnumfont .....	20628
\cftchapindent .....	24551, 24554, 24801	\cftsubparaftersnumb	..... 24651	\chapter .....	8430,
\cftchapnumwidth ..	..... 24557, 24802	\cftsubparafillnum	24654	8458, 8528, 8536,	
\cftchappresnum ..	24558	\cftsubparafont ..	24653	8652, 8658, 9376,	
\cftchapterprecistoc	..... 24800	\cftsubparaindent ..	..... 24642, 24645	9564, 9873, 11706,	
\cftdot .....	24498	\cftsubparanumwidth	..... 24648	15610, 20844,	
\cftdotfill .....	24792	\cftsubparapresnum	24649	21238, 21432, 21635	
\cftdotsep .....	24791	\cftsubsecaftersnum	..... 24599	\chapterheadendvskip	..... 20634
\cftfigaftersnum ..	24667	\cftsubsecaftersnumb	..... 24600	\chapterheadstartvskip	..... 20626
\cftfigaftersnumb	24668	\cftsubsecfillnum	24603	\chaptermark .	8915, 24460
\cftfigfillnum ..	24671	\cftsubsecfont ..	24602	\chaptername ..	308, 19441
\cftfigfont .....	24670	\cftsubsecindent ..	..... 24591, 24594	\chapterstyle .....	19436
\cftfigindent	24659, 24662	\cftsubsecnumwidth	24597	\char ..	4354, 4700, 4701, 6344
\cftfignumwidth ..	24665	\cftsubsecpresnum	24598	\chardef .....	6343,
\cftfigpresnum ..	24666	\cftsubsubsecaftersnum	..... 24616	16480, 18165,	
\cftpaaftersnum ..	24633	\cftsubsubsecaftersnumb	..... 24617	18166, 18172, 18173	
\cftpaaftersnumb	24634	\cftsubsubsecfillnum	..... 24620	\check@floats .....	10632
\cftpafillnum ..	24637	\cftsubsubsecfont	24619	\CheckCommand ..	17510, 17548
\cftpafont .....	24636	\cftsubsubsecindent ..	..... 24591, 24594	\checkoddpage .....	7410
\cftpaindent .....	24625, 24628	\cftsubsubsecnumwidth	24597	\CIIIAny .....	4718
\cftpnumwidth ..	24631	\cftsubsubsecpresnum	24598	\ciiiAny .....	4726
\cftpapresnum ..	24632	\cftsubsubsecaftersnum	..... 24616	\circle .....	10096,
\cftpartaftersnum ..	24528	\cftsubsubsecaftersnumb	..... 24617	10099, 10106,	
\cftpartaftersnumb	24529	\cftsubsubsecfillnum	..... 24620	10109, 10119,	
\cftpartfillnum ..	24532	\cftsubsubsecfont	24619	10122, 10129,	
\cftpartfont .....	24531	\cftsubsubsecindent ..	..... 24608, 24611	10132, 10142,	
				10145, 10152,	
				10155, 10165,	
				10168, 10175, 10178	
				\cite .....	8092,
					8184, 8190, 8191,



8285, 8290, 8311, 8319, 8340, 8348, 8369, 8387, 8391, 8396, 8400, 8405, 8409, 20052, 20053	\clubpenalty . . . . . ... 92, 295, 613, 614, 747, 1010, 1260, 2651, 2652, 5210, 9126, 9388, 9576, 9886, 9887, 11447, 11719, 11720, 15622, 17993, 20049, 20856, 21250, 21445, 21446, 21648, 21649, 22188, 22949, 23714, 24434, 24435	8240, 8258, 8276, 9278, 9292, 11837, 11853, 11868, 11884, 11899, 11912, 11925, 11937, 11949, 11962, 12284, 12314, 12330, 12345, 12357, 12372, 12412, 12441, 12454, 12468, 12481, 12495, 12583, 12612, 12627, 12641, 12652, 12666, 12705, 12733, 12745, 12758, 12770, 12783, 12870, 12900, 12916, 12931, 12943, 12958, 12998, 13027, 13040, 13054, 13067, 13081, 13169, 13199, 13215, 13230, 13242, 13257, 13297, 13326, 13339, 13353, 13366, 13380, 13468, 13498, 13514, 13529, 13541, 13556, 13596, 13625, 13638, 13652, 13665, 13679, 13767, 13797, 13813, 13828, 13840, 13855, 13895, 13924, 13937, 13951, 13964, 13978, 14066, 14096, 14112, 14127, 14139, 14154, 14194, 14223, 14236, 14250, 14263, 14277, 14365, 14395, 14411, 14426, 14438, 14453, 14493, 14522, 14535, 14549, 14562,
\ClassInfo . . . . . 8872, 8937, 21830, 22233, 22242, 22416, 22569, 22994, 23003, 23178, 23342, 23759, 23768, 23943	\coffeeefont . . . . . 19797	
\ClassWarning . . 22003, 22010, 22032, 22038, 22045, 22306, 22743, 22750, 22772, 22778, 22785, 23067, 23516, 23523, 23545, 23551, 23558, 23832	\col@number . . . . . 132, 137, 139, 142, 143, 150, 486, 840, 1092, 1342, 9745, 11504, 11601, 12062, 12071, 12095, 15520, 15521, 15671, 19399, 19739, 19821, 19826, 19900, 19901, 19903, 19906, 19907, 19914, 20949, 21090, 21334, 21516, 22058, 22798, 23571	
\ClassWarningNoLine . . . . . 19492	\col@sep 381, 434, 9997, 9998, 18591, 26255	
\clear . . . . . 7189	\color 1590, 1593, 1630, 1662, 1685, 1706, 1727, 1773, 1914, 1916, 1955, 2050, 2709, 2714, 2789, 2949, 3614, 4612, 4613, 4614, 4615, 4616, 4617, 5133, 10042, 10045, 10048, 10066, 10069, 10732, 10735, 10745, 10863, 18756, 26038	
\cleardoubleemptypage . . . . . 22023, 22763, 23536	\color 1590, 1593, 1630, 1662, 1685, 1706, 1727, 1773, 1914, 1916, 1955, 2050, 2709, 2714, 2789, 2949, 3614, 4612, 4613, 4614, 4615, 4616, 4617, 5133, 10042, 10045, 10048, 10066, 10069, 10732, 10735, 10745, 10863, 18756, 26038	
\cleardoublepage . . . . . 8794, 8839, 8841, 8898, 8911, 8925, 9867, 11700	\color@ 381, 434, 9997, 9998, 18591, 26255	
\clearpage . . 634, 650, 899, 1151, 6232, 6233, 6237, 6238, 7148, 7149, 7152, 7794, 8806, 8841, 8927, 9308, 9485, 9695, 9869, 11702, 20753, 21008, 21467, 22025, 22765, 23538, 24494	\color@ 1590, 1593, 1630, 1662, 1685, 1706, 1727, 1773, 1914, 1916, 1955, 2050, 2709, 2714, 2789, 2949, 3614, 4612, 4613, 4614, 4615, 4616, 4617, 5133, 10042, 10045, 10048, 10066, 10069, 10732, 10735, 10745, 10863, 18756, 26038	
\clip . . . . . 3405, 3428	\color@b@x . . . . . 10034, 10072, 10074, 26031, 26128, 26131	
\clipbox@@ . . . . . 20594	\color@begingroup . . . . . 1981, 2277, 2294, 2311, 2327, 2343, 2359	
\CloneTOCEEntryStyle . . . . . 22422, 22435, 22453, 22462, 23184, 23197, 23216, 23225, 23949, 23962, 23981, 23990		
\closing . . . . . 11740		



14576,	14664,	13029,	13042,	\color@hbox . . . . .
14694,	14710,	13056,	13069,	.. 21748, 21758,
14725,	14737,	13083,	13171,	21776, 26890, 26906
14752,	14792,	13201,	13217,	\color@setgroup . . . . .
14821,	14834,	13232,	13244,	10075, 26133
14848,	14861,	13259,	13299,	\color@vbox . . . . .
14875,	15161,	13328,	13341,	4945, 7905, 7949,
15192,	15210,	13355,	13368,	7993, 26719, 26763
15226,	15240,	13382,	13470,	\colorA .. 9653, 9662, 9674
15256,	15295,	13500,	13516,	\colorB . . . . . 9659,
15325,	15339,	13531,	13543,	9665, 9671, 9677
15354,	15368,	13558,	13598,	\colorblend .. 26045,
15383,	15462,	13627,	13640,	26046, 26088, 26089
15475,	16225,	13654,	13667,	\colorbox . . . . 2034,
16242,	16258,	13681,	13769,	4773, 4775, 4776
16286,	16301,	13799,	13815,	\colorlet . . . . 1878,
16316,	16328,	13830,	13842,	1883, 1953, 1954,
16816,	16826,	13857,	13897,	1983, 1985, 2965, 3005
16833,	18642,	13926,	13939,	\columncolor . 1496, 10005
18730,	26648,	13953,	13966,	\columnsep 99, 219, 627,
26664,	26675, 26683	13980,	14068,	643, 892, 1144,
\color@block	10039, 26036	14098,	14114,	4560, 5042, 9301,
\color@box	. 10072, 26128	14129,	14141,	9478, 9688, 10261,
\color@endbox	. . 4967,	14156,	14196,	10560, 15799,
	7914, 7958, 8002,	14225,	14238,	16725, 18001,
	21751, 21761,	14252,	14265,	19619, 19736,
	21779, 26728,	14279,	14367,	19829, 19875,
	26772, 26893, 26909	14397,	14413,	20746, 21001,
\color@endgroup	. . . . .	14428,	14440,	21460, 25993,
	. . . . . 2011, 2280,	14455,	14495,	25998, 26002,
	2297, 2314, 2330,	14524,	14537,	26008, 26011, 26579
	2346, 2362, 8244,	14551,	14564,	\columnseprule . . . .
	8262, 8280, 9280,	14578,	14666,	. . . 99, 219, 626,
	11839, 11855,	14696,	14712,	642, 891, 1143,
	11870, 11886,	14727,	14739,	4561, 5043, 9300,
	11901, 11914,	14754,	14794,	9477, 9687, 10252,
	11927, 11939,	14823,	14836,	10317, 10549,
	11951, 11964,	14850,	14863,	10568, 15791,
	12183, 12286,	14877,	15163,	15832, 16669,
	12316, 12332,	15194,	15212,	16716, 18001,
	12347, 12359,	15228,	15242,	19609, 19711,
	12374, 12414,	15258,	15297,	19854, 19865,
	12443, 12456,	15327,	15341,	20745, 21000,
	12470, 12483,	15356,	15370,	21459, 26570, 26619
	12497, 12585,	15385,	15466,	\columnseprulecolor
	12614, 12629,	15479,	16228,	. . . . . 19853, 19864
	12643, 12654,	16245,	16261,	\columnwidth . . . . . 28,
	12668, 12707,	16289,	16304,	41, 55, 71, 232,
	12735, 12747,	16319,	16349,	244, 258, 273,
	12760, 12772,	16819,	16829,	567, 571, 761, 995,
	12785, 12872,	16836,	26652,	1241, 2270, 2287,
	12902, 12918,	26667,	26679, 26686	2304, 2323, 2339,
	12933, 12945,	\color@fb@x	26129, 26130	2355, 4275, 4281,
	12960, 13000,	\color@fbox	10073, 26129	4957, 9402, 9555,



9825, 9829, 9937,	16238, 16254,	\coordz . . . . . 4724
10250, 10254,	16282, 16297,	\copy . . . . . 1931, 7901,
10258, 10262,	16312, 16330,	7945, 7989, 9941,
10313, 10319,	16611, 16618,	10230, 10293,
10547, 10551,	16665, 16671,	10402, 10892,
10556, 10561,	16714, 16718,	10913, 15773,
10563, 10570,	16722, 16726,	15809, 16639,
10881, 10902,	17078, 17079,	16688, 16889,
11454, 11458,	18015, 18089,	16935, 18667,
11753, 11757,	18093, 18696,	18679, 18683,
11762, 11804,	18733, 19607,	19541, 19641,
11834, 11850,	19611, 19615,	20463, 20546,
11865, 11881,	19618, 19707,	20636, 26231,
11896, 11909,	19713, 19736,	26548, 26595,
11922, 11934,	19765, 19771,	26715, 26759, 26822
11946, 11959,	19933, 19937,	\cor@height .. 19564,
12409, 12438,	19941, 19945,	19565, 19592,
12451, 12465,	20841, 21264,	19593, 19632,
12478, 12492,	21414, 21418,	19664, 19665,
12702, 12730,	21596, 21600,	19692, 19693, 19729
12742, 12755,	21880, 21919,	\count . . . . . 4270, 4487,
12767, 12780,	21920, 22620,	4940, 6662, 7890,
12995, 13024,	22659, 22660,	7934, 7978, 12063,
13037, 13051,	23393, 23432,	12195, 12200,
13064, 13078,	23433, 26568,	12230, 12234,
13294, 13323,	26572, 26576,	12255, 12259,
13336, 13350,	26580, 26615,	12529, 12533,
13363, 13377,	26621, 26811, 26813	12554, 12558,
13593, 13622,	\contentslabel . 8489,	12816, 12820,
13635, 13649,	8496, 8503, 8510, 8517	12841, 12845,
13662, 13676,	\contentsline . . . . 17341	13115, 13119,
13892, 13921,	\contentsmargin . . . . 24399	13140, 13144,
13934, 13948,	\contentspush . . . . 24373	13414, 13418,
13961, 13975,	\convertcolorspec .	13439, 13443,
14191, 14220,	..... 26052,	13713, 13717,
14233, 14247,	26055, 26095, 26098	13738, 13742,
14260, 14274,	\Coord . . . . . 4714	14012, 14016,
14490, 14519,	\coord . . . . . 4719	14037, 14041,
14532, 14546,	\CoordIII . . . . . 4716	14311, 14315,
14559, 14573,	\coordiii . . . . . 4721	14336, 14340,
14789, 14818,	\Coordin . . . . . 4715	14610, 14614,
14831, 14845,	\coordin . . . . . 4720	14635, 14639,
14858, 14872,	\Coordx . . . . . 4711,	14947, 14954,
14971, 15024,	4714, 4715, 4716,	15000, 15007,
15076, 15127,	4717, 4718, 4719,	15056, 15107,
15291, 15321,	4720, 4721, 4725, 4726	15511, 15520,
15335, 15350,	\coordx . . . . . 4722	15903, 16631,
15364, 15379,	\Coordy . . . . . 4712,	16640, 16642,
15603, 15607,	4714, 4715, 4716,	16689, 16691,
15790, 15792,	4717, 4718, 4719,	17018, 17024,
15796, 15800,	4720, 4721, 4725, 4726	26704, 26748, 26856
15828, 15834,	\coordy . . . . . 4723	\count@ . . . . . 1436,
16131, 16134,	\Coordz . . . . . 4713,	1495, 5380, 5385,
16136, 16221,	4716, 4718, 4721, 4726	5396, 5400, 7236,



7237, 7239, 10003,	5254, 5261, 5263,	11836, 11852,
19816, 19817,	5265, 5266, 5267,	11867, 11883,
19819, 19821,	5268, 5271, 5273,	11898, 11911,
19828, 19849,	5277, 5279, 5308,	11924, 11936,
19850, 19852,	5309, 5332, 5333,	11948, 11961,
19869, 19870,	5360, 5387, 5391,	12128, 12283,
19873, 20158,	5402, 5406, 5410,	12313, 12329,
20166, 20179, 24240	5414, 5425, 5433,	12344, 12356,
\counterwithout 19437,	5441, 5449, 5451,	12371, 12411,
19438, 19439, 19440	5453, 5457, 5458,	12440, 12453,
\coverpagebottommargin	5522, 5564, 5574,	12467, 12480,
. 21912, 22652, 23425	5580, 5581, 5583,	12494, 12582,
\coverpageleftmargin	5584, 5586, 5587,	12611, 12626,
. . 21907, 21908,	5589, 5591, 5593,	12640, 12651,
21910, 22647,	5595, 5797, 5798,	12665, 12704,
22648, 22650,	5800, 5801, 5804,	12732, 12744,
23420, 23421, 23423	5805, 5814, 5815,	12757, 12769,
\coverpagerightmargin	5850, 5851, 5874,	12782, 12869,
. 21910, 22650, 23423	5929, 5930, 5931,	12899, 12915,
\coverpagetopmargin	5932, 5938, 5939,	12930, 12942,
. . . . . 21906,	5940, 5941, 6024,	12957, 12997,
21912, 22646,	6025, 6028, 6029,	13026, 13039,
22652, 23419, 23425	6094, 6265, 6266,	13053, 13066,
\cr 408, 9073, 9080, 9136,	6268, 6279, 6280,	13080, 13168,
12212, 12215,	6282, 6293, 6303,	13198, 13214,
12217, 18606,	6312, 6313, 6314,	13229, 13241,
24146, 24184, 26456	6315, 6338, 6362,	13256, 13296,
\crcr . . . . . 4839, 9076,	6367, 6371, 6387,	13325, 13338,
24134, 24164,	6405, 6407, 6415,	13352, 13365,
26266, 26269, 26443	6417, 6426, 6427,	13379, 13467,
\CROP@llc . . . . . 10138	6507, 6511, 6544,	13497, 13513,
\CROP@lrc . . . . . 10161	6546, 6557, 6558,	13528, 13540,
\CROP@ulc . . . . . 10092	6572, 6580, 6582,	13555, 13595,
\CROP@urc . . . . . 10115	6609, 6630, 6667,	13624, 13637,
\CROP@execpt . . . . . 10185	6668, 6669, 6685,	13651, 13664,
\cs . . . . . 18867, 18918,	6686, 6687, 6688,	13678, 13766,
18936, 18990,	6790, 6793, 6797,	13796, 13812,
19005, 19293,	6814, 6817, 6819,	13827, 13839,
19295, 20186, 20187	6829, 6832, 6834,	13854, 13894,
\cs@a . . . . . 6429	6841, 6846, 6851,	13923, 13936,
\csname . . 8, 44, 58, 74,	6861, 6877, 6880,	13950, 13963,
166, 168, 203, 247,	6894, 6906, 6938,	13977, 14065,
261, 276, 333, 334,	6949, 7033, 7036,	14095, 14111,
388, 1399, 2276,	7076, 7125, 7265,	14126, 14138,
2293, 2310, 2326,	7286, 7637, 7638,	14153, 14193,
2342, 2358, 2391,	7645, 7646, 8238,	14222, 14235,
2417, 2443, 2462,	8256, 8274, 8305,	14249, 14262,
2491, 4802, 4803,	8334, 8363, 8605,	14276, 14364,
4817, 4818, 4844,	9131, 9159, 9162,	14394, 14410,
4847, 4850, 4866,	9165, 9179, 9186,	14425, 14437,
4874, 4882, 4937,	9193, 9201, 9202,	14452, 14492,
5224, 5227, 5230,	9240, 9265, 9266,	14521, 14534,
5232, 5234, 5237,	10048, 10054,	14548, 14561,
5240, 5248, 5249,	10062, 10069,	14575, 14663,



14693,	14709,	23959,	23965,	..... 1518, 10023
14724,	14736,	23973,	23975,	\CT@do@color .....
14751,	14791,	23978,	23984,	. 1521, 10000, 10026
14820,	14833,	23986,	24136,	\CT@extract . 1496, 10005
14847,	14860,	24162,	24164,	\CT@row@color 1519, 10024
14874,	15159,	24196,	24218,	\CT@setup . 1485, 1486,
15190,	15208,	24220,	24236,	1488, 1489, 1493,
15224,	15238,	24237,	24257,	1517, 9996, 10022
15254,	15293,	24264,	24477,	\cumpartcl ..... 20367
15323,	15337,	24741,	24742,	\cumtcl ..... 20367
15352,	15366,	24758,	24759,	\curraddr ..... 322
15381,	15730,	24760,	24767,	\current@color 10041,
15881,	15882,	24769,	24770,	10047, 10054,
15887,	15888,	24823,	24824,	10062, 10068,
15993,	15994,	24982,	24983,	16458, 16463,
15995,	15996,	25087,	25112,	26037, 26074,
15998,	16000,	25139,	25143,	26075, 26079,
16001,	16002,	25147,	25204,	26108, 26109, 26126
16003,	16005,	25256,	25259,	\CurrentOption ....
16006,	16007,	25273,	25289,	8853, 8854, 8855,
16063,	16087,	25290,	25306,	8856, 8857, 8877,
16105,	16191,	25313,	25318,	8878, 8879, 8880,
16200,	16223,	25336,	25337,	8881, 10678, 10776
16240,	16256,	25349,	25350,	\currentposxwidth . 5794
16285,	16300,	25405,	25460,	\currentposyheight 5811
16315,	16362,	25462,	25464,	\CustomFBox .... 16460
16377,	17343,	25480,	25483,	\cuted@@column@badness
17346,	17348,	25489,	25491,	..... 10425,
17352,	17356,	25494,	25498,	10426, 10439, 10450
17370,	17381,	25503,	25507,	\cuted@@page@rule .
17392,	17592,	25511,	25525,	..... 10505, 10506
17623,	17654,	25529,	25532,	\cuted@@tempbox@a .
18033,	18459,	25536,	25541,	..... 10366,
18525,	19521,	25545,	25550,	10376, 10403,
19522,	19529,	25552,	25553,	10405, 10406,
21792,	21796,	25556,	25560,	10494, 10552, 10564
21800,	21883,	25610,	25612,	\cuted@@tempbox@c .
22107,	22425,	25619,	25620,	.. 10405, 10406,
22427,	22429,	25624,	25629,	10413, 10414,
22432,	22438,	25633,	25644,	10418, 10419,
22446,	22448,	25645,	25649,	10434, 10438,
22450,	22456,	25655,	25710,	10448, 10464,
22458,	22531,	25711,	25715,	10482, 10493,
22535,	22539,	25811,	25812,	10496, 10498, 10499
22623,	22847,	25814,	25817,	\cuted@@tempbox@var
23187,	23189,	25818,	25822,	. 10544, 10582, 10594
23191,	23194,	26296,	26361,	\cuted@@tempdim@a .
23200,	23208,	26445,	26506,	.. 10434, 10436,
23210,	23213,	26519,	26521, 26991	10438, 10440,
23219,	23221,	\CT@do@color ... 10000		10443, 10444,
23304,	23308,	\CT@cell@color ....		10445, 10495,
23312,	23396,		..... 1520, 10025	10507, 10513,
23620,	23952,	\CT@color .... 9999		10525, 10529,
23954,	23956,	\CT@column@color ..		



<pre> 10535, 10632, 10633, 10634, 10638 \cuted@tempdim@b . ..... 10398, 10401, 10403, 10406, 10410, 10422, 10440, 10464, 10472, 10478, 10485, 10494, 10496, 10521, 10524, 10526 \cuted@tempdim@spread .. 10413, 10414, 10415, 10416, 10423, 10427, 10430, 10433, 10434, 10436, 10441, 10452, 10462, 10465, 10470, 10473, 10477, 10481, 10498, 10500, 10502 \cuted@varbox@a . .. 10402, 10403, 10409, 10410, 10438, 10444, 10447, 10455, 10524, 10557, 10571 \cuted@varbox@c . ..... 10409, 10410, 10415, 10416, 10420, 10421, 10444, 10447, 10451, 10454, 10455, 10456, 10458, 10483 \cuted@wlog@debug .. 10417, 10443, 10445, 10454, 10458 \cvcomputer ..... 5165 \cvdoubleitem . 5142, 5166 \cventry ..... 5154 \cvlanguage ..... 5163 \cvline 5137, 5138, 5143, 5147, 5149, 5155, 5164 \cvlistdoubleitem . 5148 \cvlistitem ..... 5146 \cvtheme ..... 5080, 5083 </pre> <p style="text-align: center;"><b>D</b></p> <pre> \d ..... 18837 \darbegin ..... .. 381, 435, 1440, 1441, 1442, 1505,</pre>	<pre> 1508, 1509, 10010, 10013, 10014, 26255 \d@llarend ..... .. 382, 435, 1440, 1441, 1442, 1507, 1508, 1509, 10012, 10013, 10014, 26256 \dashgapcolor ..... \date ... 474, 510, 817, 862, 1069, 1114, 1319, 1364, 4595, 8719, 8767, 9467, 9644, 9733, 9769, 11492, 11526, 11589, 11625, 15659, 15693, 20926, 20971, 21067, 21114, 21317, 21358, 21504, 21540, 22135, 22875, 23648 \day ..... \deadcycles .. 6249, 6252 \debugfootnotedirection ..... 16050 \DeclareCaptionFont 1860 \DeclareCaptionJustification ..... 1865 \DeclareOption ..... ..... 4972, 4975, 4978, 4981, 4984, 4987, 4990, 4995, 4996, 4997, 4998, 4999, 5001, 7315, 7317, 7319, 7322, 7327, 8424, 8425, 8683, 8684, 8709, 8710, 8853, 8854, 8855, 8856, 8857, 8877, 8878, 8879, 8880, 8881, 10668, 10670, 10672, 10674, 10676, 10677, 10766, 10768, 10770, 10772, 10774, 10775 \DeclareRobustCommand ..... 4699, 4700, 4701, 4702, 4703, 4704, 4705, 7650, 7657, 10042, 10057, 15847, 15857, 26038, 26081, 26410,</pre>	<pre> 26419, 26420, 26421, 26422, 26428 \DeclareSectionCommand ..... 22464, 22474, 22482, 22492, 22502, 22513, 23227, 23235, 23246, 23255, 23265, 23275, 23286, 23992, 24000, 24011, 24020, 24030, 24040, 24051 \DeclareTOCEEntryStyle .. 24808, 24969, 25219 \dedication ..... .. 22134, 22874, 23647 \dedicatory ..... 323 \def ..... 2, 23, 26, 30, 34, 48, 64, 95, 98, 107, 108, 109, 110, 122, 132, 133, 135, 197, 218, 227, 228, 229, 230, 234, 237, 251, 266, 298, 301, 313, 319, 336, 345, 350, 352, 377, 384, 390, 425, 434, 435, 481, 482, 513, 577, 617, 749, 772, 773, 781, 820, 821, 823, 828, 830, 835, 837, 865, 1012, 1024, 1025, 1033, 1072, 1073, 1075, 1080, 1082, 1087, 1088, 1117, 1262, 1274, 1275, 1283, 1322, 1323, 1325, 1330, 1332, 1337, 1339, 1367, 1387, 1397, 1398, 1401, 1407, 1435, 1448, 1449, 1452, 1465, 1473, 1481, 1482, 1485, 1486, 1489, 1494, 1967, 1980, 2050, 2093, 2094, 2170, 2181, 2190, 2197, 2199, 2211, 2220, 2229, 2230, 2232, 2242, 2251, 2252, 2255, 2256, 2257, 2260, 2261, 2262,</pre>
--	--	---



2378, 2379, 2380, 2385, 2389, 2404, 2405, 2406, 2411, 2415, 2430, 2431, 2432, 2437, 2441, 2452, 2456, 2575, 2586, 2595, 2606, 2620, 2655, 2662, 2668, 2672, 2732, 2755, 2775, 3291, 3293, 3348, 3356, 3627, 4030, 4031, 4032, 4124, 4128, 4262, 4264, 4265, 4310, 4315, 4320, 4325, 4416, 4418, 4419, 4420, 4453, 4470, 4478, 4479, 4480, 4481, 4482, 4488, 4489, 4496, 4512, 4513, 4514, 4517, 4520, 4524, 4535, 4536, 4539, 4548, 4553, 4578, 4579, 4707, 4708, 4709, 4711, 4712, 4713, 4714, 4715, 4716, 4717, 4718, 4719, 4720, 4721, 4722, 4723, 4724, 4725, 4726, 4731, 4742, 4773, 4774, 4775, 4776, 4783, 4789, 4795, 4803, 4808, 4810, 4818, 4823, 4824, 4839, 4843, 4846, 4849, 4854, 4857, 4860, 4864, 4872, 4880, 4887, 4889, 4890, 4892, 4961, 5055, 5056, 5057, 5058, 5059, 5060, 5062, 5063, 5081, 5082, 5085, 5086, 5087, 5088, 5089, 5090, 5091, 5092, 5093, 5094, 5095, 5096, 5097, 5213, 5282, 5302, 5303, 5306, 5312, 5315, 5326, 5327, 5330, 5336, 5339, 5350, 5352, 5355, 5359, 5365,	5373, 5374, 5375, 5376, 5377, 5378, 5379, 5386, 5387, 5391, 5395, 5401, 5402, 5406, 5410, 5414, 5419, 5427, 5435, 5443, 5450, 5452, 5552, 5560, 5581, 5589, 5596, 5597, 5603, 5605, 5606, 5607, 5608, 5610, 5829, 5831, 5833, 5839, 5843, 5846, 5855, 5866, 5868, 5869, 5880, 5953, 5972, 6004, 6005, 6006, 6017, 6031, 6034, 6035, 6047, 6059, 6063, 6066, 6079, 6088, 6119, 6147, 6150, 6151, 6159, 6160, 6196, 6211, 6238, 6255, 6312, 6313, 6314, 6315, 6324, 6344, 6353, 6360, 6367, 6371, 6376, 6381, 6386, 6388, 6391, 6394, 6402, 6403, 6405, 6407, 6408, 6415, 6417, 6418, 6425, 6426, 6427, 6428, 6429, 6433, 6434, 6436, 6437, 6439, 6445, 6451, 6469, 6470, 6475, 6480, 6485, 6491, 6496, 6507, 6511, 6517, 6520, 6534, 6536, 6538, 6539, 6541, 6542, 6543, 6545, 6547, 6549, 6551, 6552, 6557, 6558, 6559, 6560, 6561, 6566, 6567, 6574, 6576, 6579, 6584, 6586, 6592, 6593, 6594, 6595, 6599, 6602, 6604, 6605, 6609, 6611, 6612, 6615, 6625, 6667, 6668, 6669, 6672, 6682, 6689, 6691, 6696,	6708, 6715, 6717, 6721, 6722, 6729, 6731, 6734, 6739, 6746, 6748, 6815, 6818, 6827, 6830, 6982, 6993, 7032, 7145, 7155, 7168, 7222, 7232, 7234, 7239, 7244, 7250, 7251, 7254, 7261, 7269, 7284, 7357, 7448, 7469, 7473, 7486, 7566, 7635, 7653, 7659, 7696, 7821, 7823, 7824, 7825, 7834, 7836, 7837, 7838, 7842, 7844, 7850, 7851, 7878, 7892, 7895, 7899, 7903, 7916, 7922, 7936, 7939, 7943, 7947, 7960, 7966, 7980, 7983, 7987, 7991, 8004, 8056, 8071, 8076, 8202, 8204, 8232, 8250, 8268, 8289, 8318, 8347, 8567, 8604, 8612, 8841, 8979, 8980, 8982, 9000, 9001, 9004, 9014, 9015, 9016, 9017, 9023, 9026, 9037, 9038, 9039, 9049, 9075, 9079, 9086, 9108, 9127, 9128, 9129, 9135, 9158, 9161, 9164, 9168, 9171, 9174, 9177, 9184, 9191, 9201, 9202, 9203, 9213, 9217, 9220, 9225, 9226, 9227, 9229, 9238, 9244, 9265, 9266, 9390, 9422, 9423, 9431, 9578, 9599, 9600, 9608, 9648, 9668, 9740, 9741, 9772, 9843, 9857, 9890, 9894, 9906, 9919, 9926, 9930, 9933, 9996, 9999, 10002, 10034, 10041,
--	--	---



10044,	10051,	13022,	13035,	15186,	15204,
10059,	10065,	13049,	13062,	15220,	15234,
10072,	10073,	13076,	13087,	15250,	15289,
10075,	10189,	13093,	13099,	15319,	15333,
10202,	10205,	13104,	13164,	15348,	15362,
10206,	10211,	13194,	13210,	15377,	15395,
10218,	10223,	13225,	13237,	15406,	15420,
10227,	10290,	13252,	13292,	15429,	15506,
10349,	10351,	13321,	13334,	15510,	15519,
10353,	10875,	13348,	13361,	15523,	15581,
10879,	10882,	13375,	13386,	15593,	15624,
10900,	10903,	13392,	13398,	15666,	15667,
10921,	10978,	13403,	13463,	15696,	15727,
11155,	11219,	13493,	13509,	15770,	15806,
11246,	11248,	13524,	13536,	15880,	15891,
11253,	11284,	13551,	13591,	15939,	16043,
11285,	11358,	13620,	13633,	16129,	16133,
11407,	11426,	13647,	13660,	16135,	16137,
11449,	11499,	13674,	13685,	16139,	16141,
11500,	11529,	13691,	13697,	16143,	16144,
11596,	11597,	13702,	13762,	16146,	16150,
11628,	11675,	13792,	13808,	16159,	16161,
11690,	11723,	13823,	13835,	16168,	16169,
11761,	11803,	13850,	13890,	16186,	16189,
11830,	11846,	13919,	13932,	16195,	16198,
11861,	11877,	13946,	13959,	16206,	16207,
11892,	11907,	13973,	13984,	16208,	16214,
11920,	11932,	13990,	13996,	16231,	16247,
11944,	11957,	14001,	14061,	16275,	16290,
11984,	11985,	14091,	14107,	16305,	16320,
11986,	11994,	14122,	14134,	16326,	16332,
11995,	11996,	14149,	14189,	16339,	16352,
12061,	12067,	14218,	14231,	16356,	16360,
12085,	12091,	14245,	14258,	16366,	16371,
12171,	12279,	14272,	14283,	16375,	16454,
12309,	12325,	14289,	14295,	16468,	16470,
12340,	12352,	14300,	14360,	16472,	16474,
12367,	12407,	14390,	14406,	16482,	16587,
12436,	12449,	14421,	14433,	16597,	16628,
12463,	12476,	14448,	14488,	16636,	16685,
12490,	12501,	14517,	14530,	16738,	16774,
12507,	12513,	14544,	14557,	16862,	16870,
12518,	12578,	14571,	14582,	16876,	16885,
12607,	12622,	14588,	14594,	16887,	16903,
12636,	12647,	14599,	14659,	16914,	16915,
12661,	12700,	14689,	14705,	16917,	16930,
12728,	12740,	14720,	14732,	16931,	16933,
12753,	12765,	14747,	14787,	16949,	16951,
12778,	12788,	14816,	14829,	16954,	16956,
12794,	12800,	14843,	14856,	16957,	16972,
12805,	12865,	14870,	14881,	16979,	17039,
12895,	12911,	14887,	14893,	17040,	17041,
12926,	12938,	14898,	14930,	17042,	17051,
12953,	12993,	14935,	15155,	17053,	17089,



17341,	17368,	19935,	19939,	21836,	21865,
17379,	17390,	19943,	19947,	21885,	22139,
17401,	17411,	19949,	20057,	22140,	22192,
17422,	17433,	20071,	20073,	22199,	22225,
17444,	17459,	20080,	20086,	22388,	22405,
17474,	17491,	20174,	20226,	22407,	22543,
17517,	17534,	20230,	20234,	22573,	22575,
17542,	17555,	20236,	20252,	22605,	22625,
17572,	17580,	20264,	20278,	22879,	22953,
17588,	17605,	20328,	20334,	22960,	22986,
17613,	17619,	20341,	20460,	23150,	23167,
17636,	17644,	20461,	20463,	23169,	23316,
17650,	17667,	20464,	20470,	23346,	23348,
17675,	17683,	20471,	20472,	23378,	23398,
17697,	17701,	20482,	20492,	23652,	23718,
17715,	17723,	20500,	20508,	23725,	23751,
17730,	17738,	20509,	20510,	23915,	23932,
17741,	17744,	20511,	20512,	23934,	24069,
17778,	17810,	20513,	20518,	24073,	24090,
17839,	17866,	20519,	20522,	24111,	24114,
17869,	17871,	20524,	20525,	24129,	24134,
17874,	17883,	20526,	20527,	24137,	24160,
17884,	17888,	20529,	20530,	24164,	24168,
17890,	17891,	20543,	20549,	24178,	24194,
17892,	17894,	20556,	20557,	24200,	24208,
17903,	17905,	20558,	20559,	24229,	24238,
17996,	18000,	20560,	20562,	24239,	24255,
18009,	18010,	20563,	20689,	24259,	24262,
18011,	18013,	20710,	20716,	24266,	24269,
18017,	18019,	20736,	20737,	24299,	24344,
18024,	18027,	20858,	20881,	24378,	24400,
18048,	18060,	20882,	20890,	24406,	24409,
18198,	18214,	20929,	20930,	24411,	24414,
18215,	18247,	20932,	20937,	24438,	25142,
18248,	18252,	20939,	20944,	25166,	25777,
18254,	18560,	20946,	20974,	25798,	25800,
18572,	18576,	21020,	21021,	25956,	25999,
18577,	18578,	21029,	21070,	26002,	26008,
18585,	18613,	21071,	21073,	26012,	26031,
18641,	18649,	21078,	21080,	26037,	26040,
18652,	18657,	21085,	21087,	26062,	26071,
18700,	18707,	21117,	21139,	26077,	26083,
18717,	18725,	21252,	21281,	26105,	26111,
18791,	18792,	21283,	21324,	26120,	26124,
19395,	19397,	21326,	21361,	26128,	26129,
19447,	19449,	21449,	21511,	26130,	26133,
19497,	19508,	21512,	21543,	26138,	26144,
19519,	19538,	21614,	21626,	26145,	26146,
19638,	19735,	21652,	21656,	26156,	26166,
19743,	19776,	21699,	21746,	26175,	26186,
19788,	19800,	21749,	21756,	26187,	26196,
19814,	19847,	21759,	21767,	26197,	26206,
19861,	19896,	21774,	21777,	26207,	26212,
19900,	19931,	21804,	21834,	26213,	26216,



26218,	26219,	2912, 2929, 2934, 3003, 3082, 3086, 3113, 3122, 3125, 3134, 3137, 3146, 3174, 3306, 3383, 3455, 3481, 3532, 3568, 3598, 3646, 3680, 3716, 3772, 3811, 3860, 3907, 3953	\depth . . . . . 16879, 19338, 19345, 19370
26220,	26221,	\depthof . . . . . 11226, 11231, 11240, 11241, 11245, 11250	
26223,	26225,	\descriptionlabel . 8645	
26227,	26228,	\DetectColumn 26509, 26513	
26251,	26253,	\detokenize . . . 5558, 5560, 6004, 6006, 6007, 6034, 6049, 6066, 6069, 6077, 6079, 6150, 6151, 7028	
26258,	26260,	\dfn@afteroutput . . . . . 10970, 10973, 11022, 11025	
26266,	26268,	\dfn@boxa . . . . . 10879, 10884, 10887, 10891, 10892, 10893, 10900, 10905, 10908, 10912, 10913, 10914, 10927, 10934, 10937, 10939, 10946, 10954, 10984, 10991, 10994, 10996, 11000, 11008	
26275,	26277,	\dfn@boxb . . . . . 10893, 10914, 10931, 10932, 10939, 10944, 10988, 10989, 10996, 10999	
26280,	26282,	\dfn@countins 10923, 10980	
26283,	26284,	\dfn@dima . . . . . 10884, 10885, 10886, 10897, 10905, 10906, 10907, 10918, 10922, 10939, 10959, 10979, 10996, 11011	
26285,	26287,	\dfn@dimb . . . . . 10959, 10960, 10962, 10963, 10965, 11011, 11012, 11014, 11015, 11017	
26297,	26334,	\dfn@elt@adjust . . . . . 10959, 11011	
26400,	26413,	\dfn@elt@getht . . . . . 10924, 10981	
26416,	26423,	\dfn@fnht . . . . . 10895, 10916, 10957, 10960, 10966, 10967, 10968, 11009, 11012,	
26425,	26438,		
26443,	26446,		
26466,	26469,		
26479,	26480,		
26481,	26482,		
26483,	26503,		
26505,	26538,		
26545,	26592,		
26692,	26706,		
26709,	26713,		
26717,	26730,		
26736,	26750,		
26753,	26757,		
26761,	26774,		
26780,	26820,		
26824,	26825,		
26826,	26827,		
26837,	26923,		
26935,	26936,		
26938,	27061,		
27063,	27067,		
27069,	27128, 27130		
\default@color . . . . .	10041, 26037		
\DefaultOptionsFile . . . . .	18098, 18100, 18103		
\defbeamertemplate . . . . .	1560, 1563, 1567, 1570, 1573, 1584, 1598, 1601, 1620, 1638, 1643, 1650, 1673, 1694, 1715, 1742, 1748, 1752, 1764, 1782, 1788, 1801, 1810, 1819, 1830, 1845, 2813, 2816, 2834, 2835, 2836, 2840, 2847, 2854, 2863, 2882, 2897,	\DefineTOCEntryCommandOption . . . . . 25230, 25232, 25234, 25238, 25240, 25242, 25244, 25246 \DefineTOCEntryIfOption . . . . . 25222, 25224, 25228, 25264 \DefineTOCEntryLengthOption . . . . . 24809, 24811, 24970, 25220, 25236, 25248, 25250, 25266, 25268 \DefineTOCEntryListOption . . . . . 25226 \DefineTOCEntryOption . . . . . 25252 \DefNewDummy . . . 6451, 6468 \delimiter . . . . . 16451 \DEPTH . . . . . 24302, 24309	



11018, 11019, 11020	\diagbox@double ...	\diagbox@wd .. 11103,
\dfn@fnmaxdp .. 10883,	..... 11035, 11038	11106, 11111, 11114
10888, 10893,	\diagbox@double@pict@NE	\DigitsDotDashInterCharToks
10904, 10909,	..... 11109, 11116	..... 4353, 4354
10914, 10936,	\diagbox@double@pict@NW	\dim .. 19012, 19013,
10939, 10993, 10996	..... 11108	19336, 19337, 19338
\dfn@footnoterule .	\diagbox@double@pict@SE	\dimen 4269, 4486, 12054,
..... 10977, 11029	..... 11101, 11108	12196, 12201,
\dfn@footnotetext 10878	\diagbox@double@pict@SW	12218, 12219,
\dfn@gobble 10880, 10901	..... 11116	12220, 12229,
\dfn@ins .... 10888,	\diagbox@font .....	12233, 12254,
10889, 10890,	.. 11036, 11039,	12258, 12528,
10892, 10909,	11043, 11045,	12532, 12553,
10910, 10911,	11050, 11052,	12557, 12815,
10913, 10927,	11056, 11059,	12819, 12840,
10928, 10984, 10985	11062, 11066,	12844, 13114,
\dfn@latex@footnotetext	11068, 11072, 11074	13118, 13139,
..... 10877	\diagbox@ht .. 11103,	13143, 13413,
\dfn@latex@LTRfootnotetext	11106, 11111, 11114	13417, 13438,
..... 10883, 10898	\diagbox@insepl 11036,	13442, 13712,
\dfn@latex@makecol	11043, 11045,	13716, 13737,
..... 10976, 11028	11056, 11059,	13741, 14011,
\dfn@latex@RTLfootnotetext	11066, 11068,	14015, 14036,
..... 10904, 10919	11078, 11088, 11090	14040, 14310,
\dfn@list .... 10897,	\diagbox@insepr 11039,	14314, 14335,
10918, 10925,	11050, 11052,	14339, 14609,
10958, 10960,	11062, 11072,	14613, 14634,
10963, 10969,	11074, 11081,	14638, 14946,
10982, 11010,	11084, 11095, 11097	14953, 14999,
11012, 11015, 11021	\diagbox@setlinecolor	15006, 15055,
\dfn@LTRfootnotetext	..... 11102,	15106, 16632,
..... 10879, 10899	11105, 11110,	19833, 19840,
\dfn@LTRmakecol ...	11113, 11118,	19841, 19849,
. 10978, 11030, 11032	11122, 11127,	19850, 19855,
\dfn@makecol ....	11131, 11136,	19856, 19869,
. 11030, 11031, 11032	11140, 11145, 11149	19870, 19877,
\dfn@makefnmark ...	..... 11126	19878, 26829, 26832
..... 10882, 10903	\diagbox@triple@pict@NW	\dimen@ . 10037, 10038,
\dfn@RTLfootnotetext	..... 11117	15449, 15451,
..... 10900, 10920	\diagbox@triple@pict@SE	16490, 16491,
\dfn@RTLmakecol ...	..... 11144	16492, 16502,
. 10921, 11030, 11031	\diagbox@triple@pict@SW	16503, 16504,
\dfn@split ... 10893,	..... 11135	16507, 16508,
10914, 10927,	\diagbox@triple@setbox@NE	16509, 16515,
10939, 10984, 10996	..... 11100	16525, 16527,
\DFNalwaysdouble . 11033	\diagbox@triple@setbox@NW	16536, 16538,
\DFNcolumnsep ....	..... 11055,	16545, 16546,
. 10942, 10955, 10999	11058, 11061, 11076	16547, 16548,
\DFNcolumnwidth ...	\diagbox@triple@setbox@SE	18664, 18665,
.. 10876, 10881,	..... 11077,	18666, 19950,
10902, 10941,	11080, 11083, 11100	19951, 20531,
10943, 10946,	\diagbox@triple@setbox@SW	20536, 24092,
10956, 10998, 11000	..... 11076	24094, 24100,
		24106, 25970,



25971, 25972, 25973, 25974, 25975, 26034, 26035	\divide . . . . . 2498, 2500, 2509, 2511, 6777, 8987, 12071,	11243, 11249, 11363, 11368,	
\dimen@i . . . . . 24093, 24094, 24099, 24105	12095, 12219, 14972, 14973, 15025, 15026,	11372, 11375, 12059, 14911,	
\dimen@ii . . . . . 16540, 16541, 16542, 16548, 16550, 16553, 16554, 16555	15077, 15078, 15128, 15129, 15742, 15743, 16878, 16879,	15449, 15457, 15514, 15741, 15754, 16220, 16237, 16253,	
\dimexpr . 28, 232, 761, 995, 1241, 2473, 2894, 2909, 2924, 3227, 3229, 3233, 3235, 3344, 3353, 3361, 5509, 5512, 5800, 5804, 5814, 5823, 9402, 9555, 10371, 10433, 10434, 10436, 10462, 10471, 10495, 10525, 18015, 18762, 18771, 19736, 19945, 20841, 21264, 21824, 21870, 21877, 21880, 21906, 21907, 21908, 21909, 21911, 22563, 22610, 22617, 22620, 22646, 22647, 22648, 22649, 22651, 23336, 23383, 23390, 23393, 23419, 23420, 23421, 23422, 23424, 24956, 25169, 25177, 25186, 25188, 26367, 26369, 26370, 26371, 26376, 26378, 26379, 26380, 26385, 26387, 26388, 26389, 26394, 26396, 26397, 26398	20375, 20376, 24174 \do . . . . . 319, 320, 321, 322, 323, 324, 4914, 7012, 7072, 7087, 7108, 7111, 8097, 8102, 8116, 8121, 8135, 8140, 8163, 8172, 10207, 15730, 25091, 25487 \do@@hvFloat . . . . . 17039 \document . . . . . 6192, 6208 \documentclass . 6995, 6998, 16785, 16795 \doloopbody 6637, 6638, 6682, 6755, 6762, 6769, 6772, 6774, 6778, 6780, 6782, 6786 \donotcoloroutermaths . . . 2834, 2835, 2836 \doubleitemmaincolumnwidth 5103, 5116, 5117, 5118, 5119, 5143, 5145 \doublerulesepcolor 1499 \downtovalue . . . 6635, 6647, 6729, 6768 \dp . . . . . 40, 54, 70, 243, 257, 272, 395, 1492, 1900, 1905, 2014, 2099, 2103, 2123, 2134, 2152, 2163, 2203, 2207, 2214, 2480, 2484, 2528, 2938, 4294, 4503, 10038, 10039, 10371, 10414, 10416, 10419, 10421, 10482, 10483, 10498, 10500, 10884, 10905, 10932, 10951, 10953, 10989, 11005, 11007, 11225, 11230,	15514, 15741, 15754, 16220, 16237, 16253, 16745, 16750, 16850, 16891, 16892, 16895, 16937, 16938, 16941, 18596, 18770, 18773, 19833, 19849, 19850, 19855, 19856, 19869, 19870, 19877, 19878, 20355, 20356, 20357, 20531, 20575, 21665, 21707, 21710, 21764, 21771, 22275, 22277, 22371, 22373, 23036, 23038, 23132, 23134, 23801, 23803, 23897, 23899, 24141, 24176, 24188, 24302, 24304, 26026, 26035, 26036, 26451, 26801, 26808, 26895 \dquad . . . . . 9928, 9930 \draw . . . . . 25850, 25857, 25861, 25884, 25894, 25902, 25905, 25908, 25911, 25923, 25928, 25935, 25941, 25942 \dseries@display@setup . . . . . 9920	11243, 11249, 11363, 11368, 11372, 11375, 12059, 14911, 15449, 15457, 15514, 15741, 15754, 16220, 16237, 16253, 16745, 16750, 16850, 16891, 16892, 16895, 16937, 16938, 16941, 18596, 18770, 18773, 19833, 19849, 19850, 19855, 19856, 19869, 19870, 19877, 19878, 20355, 20356, 20357, 20531, 20575, 21665, 21707, 21710, 21764, 21771, 22275, 22277, 22371, 22373, 23036, 23038, 23132, 23134, 23801, 23803, 23897, 23899, 24141, 24176, 24188, 24302, 24304, 26026, 26035, 26036, 26451, 26801, 26808, 26895 \dquad . . . . . 9928, 9930 \draw . . . . . 25850, 25857, 25861, 25884, 25894, 25902, 25905, 25908, 25911, 25923, 25928, 25935, 25941, 25942 \dseries@display@setup . . . . . 9920
<b>E</b>			
\edef . . . 123, 359, 1414, 1468, 1476, 2379, 2380, 2405, 2406, 2431, 2432, 2457, 2515, 4168, 4195, 4423, 4450, 4801, 4816, 4844, 4847,			



4850, 5251, 5289, 5292, 5305, 5309, 5316, 5329, 5333, 5340, 5556, 5559, 5593, 5616, 5644, 5670, 5698, 5724, 5761, 5887, 5888, 5891, 5892, 5909, 5910, 5913, 5914, 6003, 6008, 6018, 6033, 6036, 6049, 6053, 6058, 6065, 6068, 6075, 6078, 6084, 6087, 6143, 6149, 6152, 6314, 6355, 6365, 6443, 6452, 6514, 6569, 6572, 6599, 6602, 6606, 6690, 6695, 6696, 6718, 6723, 6735, 6740, 6833, 6841, 6851, 6983, 7026, 7070, 7092, 7106, 7134, 7226, 7238, 7245, 7262, 8066, 8211, 8222, 9159, 9162, 9165, 11275, 11278, 12072, 12096, 12114, 15411, 15881, 15887, 15992, 15994, 15995, 15996, 16080, 16101, 16388, 16394, 16522, 17511, 17518, 17549, 17556, 17589, 17620, 17651, 18061, 18650, 18653, 20069, 20221, 20240, 20243, 20269, 20725, 21661, 21704, 21897, 22177, 22232, 22241, 22637, 22938, 22993, 23002, 23410, 23703, 23758, 23767, 24144, 24169, 24183, 24201, 24256, 24263, 24276,	24741, 25090, 25112, 25273, 25306, 25313, 25318, 25405, 25556, 25592, 25696, 25809, 26046, 26051, 26060, 26075, 26079, 26089, 26094, 26103, 26109, 26122, 26126, 26353, 26454, 26518, 26532 \EdefEscapeName . . 17842 \egroup . 179, 185, 386, 426, 429, 430, 671, 1230, 1397, 1398, 1515, 2011, 2230, 2242, 2244, 2581, 2603, 2626, 3089, 3096, 3102, 3108, 3474, 3619, 3655, 3663, 3694, 3731, 4839, 4840, 4965, 9076, 9280, 9939, 10020, 12184, 15859, 15860, 15874, 16350, 16562, 16566, 18676, 18679, 19744, 20312, 20322, 20343, 20474, 20480, 20484, 20490, 20494, 20498, 20502, 20506, 20569, 20774, 21224, 24134, 24135, 24160, 24166, 25696, 26148, 26154, 26158, 26164, 26168, 26173, 26177, 26182, 26258, 26266, 26267, 26443, 26444 \EightColumnFootnotes ..... 14029 \eightcolumnfootnotes ..... 14004 \eject 16493, 16562, 16582 \else 4, 12, 13, 25, 36, 87, 104, 116, 134, 136, 151, 155, 159, 167,	175, 182, 191, 199, 207, 208, 224, 239, 290, 305, 309, 340, 353, 354, 355, 357, 358, 361, 362, 363, 365, 366, 367, 368, 369, 372, 373, 374, 411, 418, 477, 488, 491, 540, 557, 560, 561, 581, 584, 597, 602, 623, 634, 639, 650, 654, 662, 666, 667, 671, 675, 678, 679, 684, 695, 706, 720, 723, 724, 727, 737, 784, 793, 801, 825, 829, 831, 842, 845, 888, 899, 902, 905, 906, 912, 922, 925, 926, 929, 939, 950, 961, 969, 973, 982, 1000, 1036, 1045, 1053, 1077, 1081, 1083, 1094, 1097, 1140, 1151, 1155, 1158, 1161, 1162, 1167, 1178, 1189, 1204, 1207, 1208, 1211, 1221, 1225, 1226, 1230, 1250, 1286, 1295, 1303, 1327, 1331, 1333, 1344, 1347, 1384, 1389, 1390, 1403, 1408, 1409, 1410, 1412, 1413, 1416, 1417, 1418, 1420, 1421, 1422, 1423, 1424, 1425, 1426, 1429, 1430, 1431, 1451, 1452, 1453, 1454, 1455, 1456, 1458, 1459, 1460, 1461, 1462, 1535, 1543, 1626, 1656, 1679, 1700, 1721, 1898, 1915, 1936, 1974, 1986, 2013, 2014, 2024, 2030, 2063, 2071, 2080, 2088, 2126, 2155, 2231, 2246, 2267, 2317, 2320, 2388, 2414, 2440,
--	---	---



2467, 2481, 2503,	7002, 7019, 7028,	10744, 10826,
2520, 2544, 2596,	7073, 7088, 7091,	10840, 10885,
2637, 2677, 2704,	7118, 7119, 7133,	10889, 10891,
2707, 2712, 2719,	7414, 7420, 7615,	10906, 10910,
2737, 2760, 2780,	7618, 7621, 7624,	10912, 10921,
2796, 2804, 2823,	7654, 7882, 7888,	10926, 10935,
2983, 3030, 3094,	7920, 7926, 7932,	10946, 10950,
3100, 3106, 3183,	7970, 7976, 8155,	10958, 10978,
3201, 3213, 3220,	8552, 8553, 8841,	10983, 10992,
3231, 3291, 3293,	8926, 8979, 8992,	11000, 11004,
3327, 3393, 3410,	9001, 9091, 9112,	11010, 11030,
3416, 3420, 3426,	9137, 9210, 9230,	11044, 11051,
3432, 3436, 3440,	9231, 9246, 9251,	11067, 11073,
3487, 3494, 3517,	9255, 9297, 9308,	11089, 11096,
3545, 3585, 3602,	9312, 9315, 9318,	11158, 11168,
3609, 3620, 3630,	9319, 9324, 9335,	11171, 11174,
3669, 3684, 3691,	9344, 9358, 9361,	11194, 11197,
3709, 3732, 3781,	9362, 9366, 9378,	11200, 11204,
3792, 3802, 3823,	9434, 9443, 9451,	11228, 11310,
3830, 3878, 3887,	9474, 9485, 9489,	11325, 11340,
3897, 3918, 3925,	9492, 9495, 9496,	11341, 11342,
3960, 3969, 3980,	9501, 9512, 9521,	11343, 11370,
3988, 3999, 4013,	9535, 9538, 9539,	11386, 11389,
4204, 4210, 4216,	9543, 9566, 9611,	11390, 11400,
4254, 4256, 4265,	9620, 9628, 9650,	11411, 11414,
4276, 4279, 4282,	9661, 9663, 9684,	11427, 11437,
4363, 4366, 4392,	9695, 9736, 9747,	11495, 11506,
4404, 4457, 4471,	9750, 9799, 9814,	11509, 11592,
4473, 4482, 4492,	9817, 9818, 9845,	11603, 11606,
4785, 4791, 4797,	9859, 9868, 9875,	11654, 11677,
4812, 4895, 4903,	9898, 9928, 9954,	11692, 11701,
4908, 4918, 5157,	9979, 9986, 10035,	11708, 11729,
5158, 5159, 5161,	10040, 10078,	11730, 11732,
5197, 5264, 5270,	10079, 10085,	11737, 11743,
5291, 5294, 5313,	10103, 10126,	11745, 11749,
5321, 5337, 5345,	10149, 10172,	11829, 11845,
5361, 5454, 5462,	10197, 10198,	11906, 11919,
5468, 5474, 5480,	10200, 10212,	12002, 12005,
5486, 5492, 5498,	10217, 10219,	12014, 12017,
5504, 5517, 5525,	10221, 10241,	12026, 12029,
5529, 5535, 5543,	10246, 10264,	12065, 12069,
5547, 5569, 5576,	10280, 10304,	12076, 12087,
5629, 5654, 5683,	10309, 10323,	12093, 12100,
5708, 5740, 5774,	10339, 10358,	12138, 12176,
5803, 5838, 6042,	10374, 10395,	12275, 12278,
6376, 6389, 6390,	10435, 10446,	12292, 12298,
6403, 6404, 6406,	10460, 10463,	12305, 12308,
6408, 6416, 6418,	10469, 10501,	12320, 12396,
6440, 6454, 6507,	10509, 10512,	12403, 12406,
6511, 6517, 6523,	10515, 10531,	12419, 12425,
6563, 6732, 6741,	10534, 10537,	12432, 12435,
6792, 6816, 6831,	10562, 10591,	12574, 12577,
6896, 6908, 6940,	10625, 10629,	12590, 12596,
6951, 6989, 7001,	10644, 10652,	12603, 12606,



12617,	12689,	15101,	15115,	16948,	16961,
12696,	12699,	15150,	15169,	16964,	16967,
12711,	12717,	15175,	15182,	16973,	16980,
12724,	12727,	15198,	15278,	16990,	17003,
12861,	12864,	15285,	15302,	17012,	17020,
12878,	12884,	15308,	15315,	17027,	17030,
12891,	12894,	15446,	15487,	17033,	17052,
12906,	12982,	15499,	15510,	17055,	17061,
12989,	12992,	15523,	15557,	17062,	17065,
13005,	13011,	15572,	15575,	17072,	17074,
13018,	13021,	15576,	15583,	17080,	17091,
13160,	13163,	15595,	15612,	17099,	17101,
13177,	13183,	15662,	15673,	17102,	17103,
13190,	13193,	15676,	15735,	17106,	17111,
13205,	13281,	15783,	15788,	17117,	17119,
13288,	13291,	15819,	15824,	17120,	17121,
13304,	13310,	15849,	15862,	17124,	17134,
13317,	13320,	15879,	15906,	17136,	17149,
13459,	13462,	15910,	15931,	17155,	17158,
13476,	13482,	16037,	16041,	17162,	17168,
13489,	13492,	16066,	16090,	17171,	17174,
13504,	13580,	16172,	16175,	17180,	17185,
13587,	13590,	16215,	16266,	17188,	17192,
13603,	13609,	16306,	16309,	17194,	17197,
13616,	13619,	16324,	16342,	17201,	17203,
13758,	13761,	16416,	16419,	17205,	17209,
13775,	13781,	16428,	16431,	17214,	17218,
13788,	13791,	16440,	16443,	17225,	17230,
13803,	13879,	16453,	16471,	17234,	17241,
13886,	13889,	16473,	16489,	17246,	17250,
13902,	13908,	16494,	16514,	17254,	17256,
13915,	13918,	16543,	16549,	17259,	17263,
14057,	14060,	16565,	16572,	17265,	17267,
14074,	14080,	16577,	16590,	17271,	17275,
14087,	14090,	16620,	16654,	17279,	17285,
14102,	14178,	16659,	16703,	17288,	17292,
14185,	14188,	16708,	16742,	17298,	17301,
14201,	14207,	16743,	16748,	17304,	17310,
14214,	14217,	16765,	16766,	17325,	17335,
14356,	14359,	16768,	16776,	17344,	17355,
14373,	14379,	16777,	16787,	17375,	17386,
14386,	14389,	16806,	16810,	17397,	17415,
14401,	14477,	16812,	16821,	17426,	17437,
14484,	14487,	16823,	16831,	17448,	17463,
14500,	14506,	16846,	16870,	17478,	17538,
14513,	14516,	16872,	16875,	17576,	17609,
14655,	14658,	16876,	16877,	17640,	17671,
14672,	14678,	16883,	16885,	17724,	17736,
14685,	14688,	16893,	16899,	17739,	17756,
14700,	14776,	16902,	16905,	17765,	17775,
14783,	14786,	16912,	16919,	17790,	17798,
14799,	14805,	16921,	16927,	17807,	17821,
14812,	14815,	16931,	16934,	17836,	17850,
15050,	15064,	16939,	16945,	17862,	17988,



18006,	18026,	19401,	19404,	20787,	20798,
18029,	18037,	19415,	19416,	20807,	20821,
18038,	18054,	19417,	19418,	20824,	20825,
18076,	18077,	19419,	19420,	20829,	20846,
18079,	18084,	19449,	19465,	20893,	20902,
18099,	18118,	19471,	19477,	20910,	20934,
18128,	18136,	19502,	19512,	20938,	20940,
18148,	18155,	19534,	19552,	20951,	20954,
18180,	18191,	19568,	19581,	20997,	21008,
18209,	18219,	19594,	19598,	21032,	21041,
18225,	18262,	19652,	19668,	21049,	21075,
18341,	18344,	19681,	19694,	21079,	21081,
18347,	18350,	19698,	19754,	21092,	21095,
18353,	18356,	19762,	19768,	21136,	21141,
18359,	18362,	19777,	19779,	21142,	21150,
18365,	18369,	19783,	19784,	21153,	21154,
18372,	18375,	19789,	19791,	21159,	21170,
18378,	18381,	19796,	19801,	21179,	21193,
18384,	18387,	19803,	19808,	21196,	21197,
18390,	18393,	19818,	19831,	21201,	21207,
18396,	18399,	19893,	19916,	21215,	21219,
18402,	18405,	19921,	19926,	21220,	21224,
18408,	18411,	19959,	20041,	21240,	21269,
18414,	18417,	20046,	20079,	21320,	21336,
18420,	18423,	20085,	20093,	21339,	21385,
18426,	18429,	20096,	20128,	21400,	21403,
18432,	18435,	20148,	20163,	21404,	21409,
18438,	18441,	20211,	20242,	21410,	21434,
18444,	18447,	20266,	20324,	21456,	21467,
18450,	18453,	20338,	20372,	21507,	21518,
18456,	18459,	20398,	20436,	21521,	21570,
18462,	18465,	20437,	20438,	21585,	21588,
18468,	18471,	20464,	20518,	21589,	21616,
18474,	18477,	20519,	20522,	21628,	21637,
18480,	18483,	20526,	20527,	21669,	21714,
18486,	18489,	20530,	20532,	21748,	21750,
18492,	18495,	20538,	20556,	21754,	21758,
18498,	18501,	20557,	20562,	21760,	21765,
18504,	18507,	20570,	20579,	21769,	21772,
18510,	18513,	20589,	20595,	21776,	21778,
18516,	18519,	20598,	20610,	21782,	21809,
18522,	18525,	20616,	20625,	21817,	21829,
18528,	18531,	20627,	20633,	21842,	21845,
18534,	18537,	20644,	20646,	21855,	21871,
18540,	18543,	20657,	20659,	21878,	21884,
18546,	18549,	20670,	20672,	21922,	21937,
18552,	18555,	20681,	20683,	21941,	21944,
18563,	18564,	20702,	20722,	21951,	21958,
18565,	18566,	20736,	20737,	21964,	21985,
18589,	18618,	20742,	20753,	22001,	22002,
18628,	18661,	20757,	20765,	22009,	22018,
18676,	18678,	20769,	20770,	22025,	22027,
18689,	18703,	20774,	20778,	22031,	22037,
18710,	18780,	20781,	20782,	22044,	22060,



22061,	22065,	23384,	23391,	24515,	24520,
22066,	22072,	23397,	23435,	24521,	24522,
22074,	22075,	23450,	23454,	24530,	24537,
22079,	22080,	23457,	23464,	24551,	24552,
22087,	22089,	23471,	23477,	24553,	24561,
22090,	22094,	23498,	23514,	24570,	24574,
22095,	22102,	23515,	23522,	24575,	24576,
22139,	22140,	23531,	23538,	24584,	24591,
22153,	22155,	23540,	23544,	24592,	24593,
22167,	22182,	23550,	23557,	24601,	24608,
22198,	22208,	23573,	23574,	24609,	24610,
22215,	22216,	23578,	23579,	24618,	24625,
22217,	22219,	23585,	23587,	24626,	24627,
22253,	22256,	23588,	23592,	24635,	24642,
22282,	22288,	23593,	23600,	24643,	24644,
22333,	22344,	23602,	23603,	24652,	24659,
22354,	22382,	23607,	23608,	24660,	24661,
22393,	22411,	23615,	23652,	24669,	24677,
22441,	22548,	23679,	23680,	24678,	24679,
22556,	22568,	23693,	23708,	24687,	24696,
22581,	22585,	23724,	23734,	24697,	24698,
22595,	22611,	23741,	23742,	24706,	24716,
22618,	22624,	23743,	23745,	24717,	24718,
22662,	22677,	23779,	23782,	24726,	24736,
22681,	22684,	23808,	23814,	24751,	24752,
22691,	22698,	23859,	23870,	24753,	24761,
22704,	22725,	23880,	23909,	24783,	24801,
22741,	22742,	23920,	23938,	24802,	24803,
22749,	22758,	23968,	24063,	24941,	25053,
22765,	22767,	24066,	24102,	25073,	25083,
22771,	22777,	24119,	24152,	25089,	25093,
22784,	22800,	24165,	24173,	25141,	25145,
22801,	22805,	24186,	24191,	25258,	25582,
22806,	22812,	24270,	24271,	25596,	25600,
22814,	22815,	24272,	24274,	25623,	25638,
22819,	22820,	24275,	24278,	25648,	25652,
22827,	22829,	24279,	24280,	25662,	25663,
22830,	22834,	24281,	24282,	25664,	25665,
22835,	22842,	24283,	24284,	25670,	25672,
22879,	22884,	24286,	24287,	25673,	25681,
22906,	22914,	24288,	24289,	25687,	25704,
22915,	22928,	24290,	24293,	25714,	25720,
22943,	22959,	24294,	24295,	25726,	25729,
22969,	22976,	24358,	24375,	25740,	25778,
22977,	22978,	24382,	24384,	25780,	25785,
22980,	23014,	24389,	24394,	25794,	25799,
23017,	23043,	24395,	24398,	25801,	25808,
23049,	23094,	24403,	24407,	25815,	25846,
23105,	23115,	24408,	24423,	25853,	25858,
23144,	23155,	24447,	24451,	25864,	25875,
23173,	23203,	24461,	24467,	25878,	25889,
23321,	23329,	24473,	24478,	25896,	25910,
23341,	23354,	24484,	24494,	25960,	25967,
23358,	23368,	24497,	24507,	25968,	25970,



25978,	25986,	26871,      26892,	5164,  5214,  5305,
25988,	25989,	26908,      26928,	5313,  5315,  5316,
26000,	26004,	26935,      26936,	5322,  5329,  5337,
26009,	26018,	27053,  27061,  27067	5339,  5340,  5346,
26024,	26032,	\em ..... 8645	6263,  6264,  6285,
26036,	26045,	\email ..... 322, 5093	6309,  7454,  7455,
26064,	26069,	\emaillink ..... . 5175, 10759, 10857	7460,  7463,  7540,
26088,	26113,	\emailsymbol ..... . 5053, 10759, 10857	7541,  7548,  7549,
26118,	26138,	\empty ..... 16403, 16406, 17052, 24072	7556,  7557,  7577,
26184,	26185,	\EmptyTokenList ... 6558	7578,  7616,  7619,
26212,	26213,	\end . 179, 186, 456, 459, 462, 527, 530, 796, 804, 807, 877, 880, 1048, 1056, 1059, 1129, 1132, 1298, 1306, 1309, 1380, 1383, 1388, 1389, 1390, 1594, 1775, 1856, 1893, 1930, 1944, 2023, 2220, 2252, 2474, 2543, 2556, 2668, 2736, 2740, 2759, 2763, 2779, 2783, 2887, 2902, 2917, 2981, 3008, 3017, 3023, 3039, 3045, 3051, 3091, 3097, 3103, 3109, 3188, 3204, 3243, 3325, 3326, 3332, 3333, 3348, 3356, 3425, 3445, 3461, 3464, 3475, 3491, 3498, 3520, 3521, 3535, 3538, 3541, 3550, 3553, 3623, 3637, 3688, 3695, 3737, 3746, 3752, 3753, 3787, 3788, 3789, 3797, 3807, 3818, 3835, 3845, 3846, 3847, 3871, 3872, 3873, 3883, 3893, 3903, 3914, 3929, 3939, 3940, 3941, 3956, 3965, 3984, 4003, 4005, 4539, 4734, 4745, 4746, 5141, 5143, 5145, 5147, 5149, 5153, 5161,	7622,  7625,  7632, 7633,  7816,  7817, 8436,  8492,  8499, 8506,  8513,  8520, 8531,  8539,  8666, 8667,  8803,  8846, 8868,  9252,  9446, 9454,  9457,  9623, 9631,  9634,  9663, 9675,  9715,  9718, 9721,  9786,  9789, 10102,  10112, 10125,  10135, 10148,  10158, 10171,  10181, 10738,  10847, 10859,  10867, 11272,  11346, 11476,  11479, 11482,  11541, 11544,  11571, 11574,  11577, 11642,  11645, 11734,  15643, 15646,  15649, 15708,  15711, 15861,  17109, 17127,  17229, 17245,  17336, 18081,  19536, 20182,  20905, 20913,  20916, 20986,  20989, 21044,  21052, 21055,  21132, 21135,  21140, 21141,  21142, 21299,  21302, 21305,  21377, 21486,  21489, 21492,  21557, 21560,  21657, 21700,  21886, 21954,  21971,



21979,	21994,	5360, 5388, 5392,	11911, 11924,
21998,	22026,	5403, 5407, 5411,	11936, 11948,
22163,	22626,	5415, 5425, 5433,	11961, 12128,
22694,	22711,	5441, 5449, 5451,	12283, 12313,
22719,	22734,	5453, 5457, 5458,	12329, 12344,
22738,	22766,	5515, 5521, 5522,	12356, 12371,
22924,	23399,	5564, 5574, 5580,	12411, 12440,
23467,	23484,	5581, 5583, 5584,	12453, 12467,
23492,	23507,	5586, 5587, 5589,	12480, 12494,
23511,	23539,	5591, 5593, 5595,	12582, 12611,
23689,	24225,	5798, 5799, 5801,	12626, 12640,
24421,	25850,	5802, 5805, 5806,	12651, 12665,
25857,	25867,	5815, 5816, 5850,	12704, 12732,
25872,	25885,	5851, 5873, 5874,	12744, 12757,
25892,	25895,	5929, 5930, 5931,	12769, 12782,
25914,	25931,	5932, 5938, 5939,	12869, 12899,
25938,	25944, 25946	5940, 5941, 6024,	12915, 12930,
\end@dblfloat . . . . .	21744	6025, 6028, 6029,	12942, 12957,
\end@float . . . . .		6094, 6265, 6266,	12997, 13026,
	.. 7480, 7809, 21695	6268, 6279, 6280,	13039, 13053,
\end@rotdblfloat .	21699	6282, 6293, 6303,	13066, 13080,
\end@rotfloat . . . . .		6312, 6313, 6314,	13168, 13198,
	. 21656, 21697, 21698	6315, 6325, 6338,	13214, 13229,
\endarray . . . . .	384,	6362, 6367, 6371,	13241, 13256,
	425, 1397, 1398,	6387, 6405, 6407,	13296, 13325,
	24160, 24164, 26258	6415, 6417, 6426,	13338, 13352,
\endBCmd . . . . .	4736	6427, 6507, 6511,	13365, 13379,
\endbeamer@putright		6544, 6546, 6557,	13467, 13497,
	.. 3123, 3135, 3147	6558, 6572, 6580,	13513, 13528,
\endbeamerboxesrounded		6582, 6609, 6630,	13540, 13555,
	.. . . . . 1959	6667, 6668, 6669,	13595, 13624,
\endbidi@switch . . .		6685, 6686, 6687,	13637, 13651,
	.. 6464, 6468, 6469	6688, 6790, 6793,	13664, 13678,
\endbidi@tabular@RTLcases		6798, 6814, 6817,	13766, 13796,
	. 26258, 26266, 26273	6819, 6829, 6832,	13812, 13827,
\endcsname . . . . .	8, 44, 58,	6834, 6841, 6845,	13839, 13854,
	74, 166, 168, 203,	6846, 6851, 6860,	13894, 13923,
	247, 261, 276, 333,	6861, 6877, 6880,	13936, 13950,
	334, 388, 1399,	6894, 6906, 6938,	13963, 13977,
	2276, 2293, 2310,	6949, 7034, 7036,	14065, 14095,
	2326, 2342, 2358,	7074, 7076, 7082,	14111, 14126,
	2391, 2417, 2443,	7125, 7265, 7286,	14138, 14153,
	2462, 2491, 4802,	7637, 7638, 7645,	14193, 14222,
	4803, 4817, 4818,	7646, 8238, 8256,	14235, 14249,
	4844, 4847, 4850,	8274, 8305, 8334,	14262, 14276,
	4866, 4874, 4882,	8363, 8605, 9131,	14364, 14394,
	4937, 5224, 5227,	9159, 9162, 9165,	14410, 14425,
	5230, 5232, 5235,	9179, 9186, 9193,	14437, 14452,
	5237, 5240, 5248,	9201, 9202, 9240,	14492, 14521,
	5249, 5254, 5262,	9265, 9266, 10048,	14534, 14548,
	5263, 5265, 5267,	10054, 10062,	14561, 14575,
	5269, 5272, 5273,	10069, 11836,	14663, 14693,
	5278, 5279, 5308,	11852, 11867,	14709, 14724,
	5309, 5332, 5333,	11883, 11898,	14736, 14751,



14791,	14820,	23973,	23975,	26296,	26361,
14833,	14847,	23978,	23984,	26445,	26506,
14860,	14874,	23986,	24136,	26519,	26521, 26991
15159,	15190,	24162,	24164,	\enddocument	... 6218,
15208,	15224,	24196,	24218,	6224,	6231, 6248
15238,	15254,	24220,	24236,	\endflushleft	. 4756, 4764
15293,	15323,	24237,	24257,	\endgraf	18621, 18637,
15337,	15352,	24264,	24477,	22390,	23152, 23917
15366,	15381,	24741,	24742,	\endgroup	17, 127, 212,
15730,	15881,	24758,	24759,	310,	317, 382, 409,
15883,	15887,	24760,	24767,	497,	549, 563, 704,
15889,	15993,	24769,	24770,	726,	851, 928, 948,
15994,	15995,	24823,	24824,	1103,	1187, 1210,
15996,	15998,	24982,	24983,	1353,	1522, 2169,
16000,	16001,	25087,	25112,	2209,	2393, 2419,
16002,	16003,	25139,	25143,	2445,	2475, 2542,
16005,	16006,	25147,	25204,	2555,	4584, 4868,
16007,	16063,	25256,	25259,	4876,	4884, 5260,
16087,	16105,	25273,	25289,	5299,	5318, 5342,
16191,	16200,	25290,	25306,	5573,	5598, 5954,
16223,	16240,	25313,	25318,	5973,	6018, 6040,
16256,	16285,	25336,	25337,	6050,	6067, 6120,
16300,	16315,	25349,	25350,	6193,	6329, 6535,
16362,	16377,	25405,	25460,	6537,	6573, 6578,
17343,	17346,	25462,	25464,	6587,	6745, 6789,
17348,	17352,	25480,	25483,	6813,	6828, 6899,
17356,	17370,	25489,	25491,	6911,	6923, 6943,
17381,	17392,	25494,	25498,	6954,	6965, 7129,
17592,	17623,	25503,	25507,	7228,	7238, 7278,
17654,	18033,	25511,	25525,	7647,	8074, 8076,
18459,	18525,	25529,	25532,	8307,	8336, 8365,
19521,	19522,	25536,	25541,	8742,	8759, 8775,
19529,	20065,	25545,	25550,	8786,	8826, 9145,
20075,	20089,	25552,	25553,	9181,	9188, 9195,
21792,	21796,	25556,	25560,	9253,	9342, 9365,
21800,	21883,	25607,	25608,	9519,	9542, 9756,
22107,	22425,	25610,	25612,	9806,	9821, 10027,
22427,	22429,	25617,	25619,	10287,	10346,
22432,	22438,	25621,	25625,	11184,	11214,
22446,	22448,	25628,	25629,	11392,	11405,
22450,	22456,	25632,	25633,	11515,	11612,
22458,	22531,	25642,	25644,	11661,	14975,
22535,	22539,	25646,	25650,	14986,	15028,
22623,	22847,	25654,	25655,	15039,	15080,
23187,	23189,	25708,	25710,	15091,	15131,
23191,	23194,	25712,	25716,	15142,	15564,
23200,	23208,	25736,	25737,	15579,	15682,
23210,	23213,	25745,	25749,	15804,	15844,
23219,	23221,	25753,	25757,	15928,	15949,
23304,	23308,	25761,	25765,	16193,	16202,
23312,	23396,	25769,	25773,	16364,	16379,
23620,	23952,	25811,	25812,	16465,	16506,
23954,	23956,	25814,	25817,	16537,	16682,
23959,	23965,	25818,	25822,	16735,	16913,



16928,	17334,	26037,	26076,	23798,	24134,
17372,	17383,	26080,	26133,	24135,	24160,
17394,	17405,	26144,	26163,	24166,	24313,
17506,	17531,	26817,	26892,	26033,	26037,
17569,	17602,	\endlist . . . . .	96,	26039,	26133,
17633,	17664,	299,	619,	26145,	26153,
17893,	17904,	1014,	1264,	26266,	26411,
18042,	18065,	8630,	8638,	26414,	26417,
18238,	18607,	9392,	9580,	26432,	26443,
19412,	19530,	11451,	11725,	26444,	26817,
19630,	19727,	15626,	17997,	26830,	26832,
19934,	19938,	20060,	20860,	26892,	26908,
19942,	20260,	21254,	21451,	26927,	26930,
20310,	20315,	21654,	22206,	\endrotate . . . . .	21759
20317,	20320,	22967,	23732,	\endRTL 20511,	26197,
20325,	20568,	\endlooprepeat . . .	24440	26205 \ends@math . . . . .	9925
20599,	20805,	6672,	6701,	\endsideways . . . . .	21777
20828,	20960,	\endLTR 20509,	26187,	\endsidewaysfigure . . . . .	21697
21101,	21177,	26195 \endMakeFramed . . . . .	16479	\endsidewaystable . . . . .	21698
21200,	21345,	\endmath . . . . .	9925	\endstabular 24134,	24136
21392,	21407,	\endmdf@lrbox . . . . .	18765	\endstrip . . . . .	19743
21527,	21577,	\endminipage . . . . .		\endtabular 384,	388,
21592,	21898,	. 12171,	16339,	1398,	1399,
22104,	22164,	24318		4839,	4839,
22259,	22638,	\endmodernpoem . . . . .	9266	24160,	24162,
22844,	22925,	\endpgfpicture . . . . .	20278	24246,	26443,
23020,	23411,	\endpspicture . . . . .	20563	\endtabularx . . . . .	26445
23617,	23690,	\endR . . . . .	181,	. 24197,	24226,
23785,	24239,	336,	348,	24237 \endtcb@lrbox 24318,	24319
24363,	24543,	386,	429,	\endtcb@savebox . . . . .	24319
24963,	25077,	1397,		\endtcb@vbox . . . . .	24329
25590,	25718,	3357,	3349,	\endtitlepage . . . . .	661,
26028,	26061,	3537,		968,	1220,
26104,	26123,	4839,	4840,	9374,	
26256,	26589,	9933,		9562,	20764,
26632,	26838,	10020,	10036,	21214 \endtraditionalpoem 9202	
26848		10041,	10043,	\endtrivlist . . . . .	15875
\endL .	183,	10075,	10075,	\endturn . . . . .	21749
	1526,	10075,	16934,	\endwindow . . . . .	20341
	2011,	12215,	16973,	\enskip . . . . .	25703,
	3123,	15749,	16980,	25728 \enspace 308,	20335,
	3135,	15860,	17349,	20337 \ensuremath . . . . .	4200
	3147,	15874,	17357,	\env@RTLcases 26271,	26275
	4299,	16036,	17739,	11219,	11225,
	4508,	16875,	17775,	11226,	11226,
	5186,	16883,	17807,	11230,	11231,
		16902,	17836,	11240,	11241,
		16912,	17872,	18615,	18676,
		16948,	17875,	18679,	18719,
		18205,	18072,	18810,	18818,
		20329,	18205,	19009,	19335,
		20489,	20479,	19499,	19501,
		21754,	20559,	20339,	20471,
		21772,	20559,	20479,	20558,
		24314,	21769,	21750,	21760,
		26036,	22272,	21769,	21778,
				23033,	23033,



11287, 11288,	11207, 11208,	1052, 1078, 1081,
11290, 11293,	11209, 11210, 11212	1285, 1294, 1302,
11294, 11295,	\evenpage . 4545, 4548,	1328, 1331, 1399,
11298, 11301,	4549, 4550, 4552,	1414, 1496, 1497,
11309, 11316,	4553, 4554, 4555, 4557	1498, 1500, 2462,
11324, 11331,	\evensidemargin . . .	2491, 2582, 3460,
11333, 11336,	. . . 4569, 11193,	4203, 4205, 4209,
11340, 11341,	11201, 17021,	4211, 4215, 4217,
11342, 11343,	17026, 17034,	4784, 4786, 4790,
11355, 11357, 11358	21908, 22648,	4792, 4796, 4798,
\eq@addpunct . . . . .	23421, 26858, 26866	4802, 4803, 4811,
\EQ@box . . . . .	\everycr . . . . . 18611	4813, 4817, 4818,
\eq@group . . . . .	\everydisplay . . . . . 9895	4842, 4845, 4848,
\eq@GRP@first@dmath	\everyhbox . . . . . 20473,	4851, 4855, 4858,
9907	20475, 20483,	4861, 4912, 4913,
\eq@if . . . . . 5383, 5384, 5386	20485, 26147,	4966, 5224, 5227,
\eq@isIntertext . . . . .	26149, 26157, 26159	5230, 5234, 5248,
\eq@prelim . . . . . 9898, 9915	\everyjob . . . . . 4195,	5260, 5261, 5266,
\eq@setnumber . . . . . 9901	4198, 4450, 4452	5277, 5302, 5304,
\eq@setup@a . . . . . 9903	\everymath . . . . . 346	5308, 5309, 5313,
\eq@startup . . . . . 9904	\everypar . . . . . 547,	5316, 5326, 5328,
\eq@wdCond . . . . . 9922	702, 946, 1185,	5332, 5333, 5337,
\eqnewif . . . . . 4225,	7920, 7964, 8008,	5340, 5360, 5362,
4226, 4229, 4238, 5379	9341, 9518, 9805,	5367, 5387, 5388,
\eqno . . . . . 327, 20554,	11660, 15563,	5391, 5392, 5402,
20556, 26933, 26935	15757, 20465,	5403, 5406, 5407,
\eqnumform . . . . . 9933	20469, 20697,	5410, 5411, 5414,
\eqstyle . . . . . 9900	20804, 21176,	5415, 5451, 5453,
\equal . . . . . 5151,	21391, 21576,	5457, 5461, 5463,
5168, 5172, 5176,	24536, 24540,	5467, 5469, 5473,
7468, 7502, 7513,	25075, 26139,	5475, 5479, 5481,
7545, 7546, 7562,	26143, 26189,	5485, 5487, 5491,
7603, 7861, 8103,	26199, 26734, 26778	5493, 5497, 5499,
8104, 8122, 8123,	\everyvbox . . . . . 1401,	5503, 5505, 5516,
8141, 8142, 8173,	1402, 20493,	5518, 5522, 5523,
8174, 10846, 15984	20495, 20501,	5524, 5526, 5527,
\errmessage . . . . .	20503, 26167,	5530, 5534, 5536,
. . . . . 4266, 4483, 19831	26169, 26176, 26178	5541, 5542, 5544,
\ERROR . . . . . 26530	\ExecuteDoHook 21805,	5545, 5548, 5557,
\escapechar . . . . . 5288,	21827, 22544,	5564, 5568, 5570,
5380, 5385, 5396,	22566, 23317, 23339	5573, 5574, 5575,
5400, 5598, 6354,	\ExecuteOptions . . .	5577, 5580, 5581,
6359, 6361, 6363, 6376	5002, 7332, 8713,	5583, 5584, 5586,
\ESO@isMEMOIR . . . . . 11160	8715, 10679, 10777	5587, 5589, 5591,
\ESO@tempdima . . . . . 11165,	\exhyphenpenalty . . .	5593, 5595, 5599,
11166, 11167,	. . . . . 653, 960,	5845, 5846, 5847,
11169, 11173,	1154, 9311, 9488,	5848, 5849, 5851,
11175, 11176,	20756, 21206, 21268	5874, 5878, 5929,
11177, 11182,	\exp . . . . . 18886, 18889,	5930, 5931, 5932,
11189, 11193,	18943, 19118, 19172	5938, 5939, 5940,
11195, 11199,	\expandafter . . . . . 166,	5941, 6024, 6025,
11201, 11205, 11212	359, 388, 783,	6039, 6040, 6041,
\ESO@tempdimb . . . . .	792, 800, 826,	6043, 6050, 6051,
. . . . . 11180, 11182,	829, 1035, 1044,	6054, 6069, 6076,



6085, 6094, 6265,	17374, 17376,	24195, 24198,
6279, 6293, 6303,	17385, 17387,	24218, 24221,
6312, 6313, 6314,	17396, 17398,	24223, 24225,
6315, 6330, 6357,	17501, 17515,	24236, 24237,
6358, 6367, 6371,	17529, 17553,	24245, 24249,
6426, 6427, 6439,	17567, 17600,	24251, 24258,
6440, 6535, 6537,	17631, 17662,	24260, 24265,
6544, 6546, 6548,	17893, 17894,	24267, 24276,
6550, 6551, 6552,	17901, 17915,	24741, 24742,
6572, 6574, 6577,	18219, 18220,	24758, 24759,
6580, 6581, 6582,	18225, 18226,	24760, 24767,
6584, 6587, 6592,	18608, 18651,	24769, 24770,
6655, 6667, 6669,	18654, 19511,	24823, 24982,
6685, 6686, 6687,	19514, 19546,	25087, 25112,
6688, 6726, 6737,	19548, 19646,	25139, 25143,
6742, 6756, 6789,	19648, 20222,	25147, 25203,
6790, 6791, 6794,	20239, 20251,	25256, 25259,
6797, 6813, 6814,	20256, 20467,	25273, 25289,
6828, 6829, 6841,	20892, 20901,	25306, 25313,
6846, 6851, 6861,	20909, 20935,	25318, 25335,
6877, 6880, 6906,	20938, 21031,	25336, 25348,
6949, 7011, 7020,	21040, 21048,	25349, 25405,
7032, 7034, 7035,	21076, 21079,	25459, 25461,
7075, 7085, 7086,	21662, 21674,	25463, 25479,
7107, 7124, 7135,	21684, 21705,	25483, 25488,
7137, 7264, 7265,	21720, 21732,	25490, 25493,
8064, 8605, 9035,	21803, 21883,	25497, 25502,
9160, 9163, 9166,	21984, 22107,	25506, 25510,
9169, 9172, 9175,	22239, 22248,	25524, 25529,
9201, 9202, 9265,	22424, 22426,	25531, 25535,
9266, 9280, 9433,	22428, 22431,	25540, 25544,
9442, 9450, 9610,	22437, 22445,	25549, 25552,
9619, 9627, 9895,	22447, 22449,	25553, 25556,
10005, 10047,	22455, 22457,	25560, 25620,
10068, 10235,	22542, 22623,	25624, 25645,
10237, 10298,	22724, 22847,	25649, 25711,
10300, 12128,	22882, 22897,	25715, 25811,
12185, 15777,	22900, 22904,	25812, 25814,
15779, 15813,	23000, 23009,	25817, 25818,
15815, 15881,	23186, 23188,	25821, 26046,
15882, 15887,	23190, 23193,	26058, 26061,
15888, 15985,	23199, 23207,	26069, 26070,
16002, 16007,	23209, 23212,	26089, 26101,
16065, 16068,	23218, 23220,	26104, 26118,
16089, 16092,	23315, 23396,	26119, 26123,
16105, 16119,	23497, 23620,	26141, 26445,
16120, 16121,	23666, 23669,	26506, 26518,
16122, 16124,	23765, 23774,	26553, 26555,
16351, 16506,	23951, 23953,	26600, 26602, 26991
16528, 16529,	23955, 23958,	\ExplSyntaxOff . . .
16537, 16648,	23964, 23972,	. . 422, 433, 4166,
16650, 16697,	23974, 23977,	4329, 20107, 20206
16699, 16918,	23983, 23985,	\ExplSyntaxOn . . .
16956, 16957,	24136, 24162,	. . 389, 424, 4043,



\extrafeetendmini . . . . .	12165, 12170	\fb@afterframe . . . . .	16488, 16513, 16571	\fi .. 12, 13, 18, 25, 36, 87, 98, 104, 107,
\extrafeetendminihook . . . . .	12168, 12169	\FB@captype . . . . .	15886, 15887, 15889	108, 109, 117, 134,
\extrafeetins 12043, 12044		\fb@frh . 16500, 16504,	158, 162, 169, 177,	136, 142, 150, 154,
\extrafeetinshook . . . . .	12048, 12049	16519, 16554, 16557	184, 193, 207, 208,	213, 218, 224, 227,
\extrafeetminihook 12164		\fb@put@frame . 16482,	228, 229, 239, 290,	228, 229, 239, 290,
\extrainfo . . . . .	5094	16493, 16564, 16584	305, 309, 328, 336,	305, 309, 328, 336,
\extrarowheight . . . . .	392, 18582, 18590	\fb@putboxa .. 16487,	348, 362, 363, 375,	348, 362, 363, 375,
\extrarulesep . . . . .	24189	16512, 16570, 16587	376, 379, 386, 411,	376, 379, 386, 411,
\extratitle . . . . .	22128, 22868, 23641	\fb@resto@set . . . . .	418, 429, 490, 495,	418, 429, 490, 495,
F		16522, 16562, 16566	533, 540, 548, 550,	533, 540, 548, 550,
\f@nch@everypar ..	15757	\fb@sizeofframe . . . . .	557, 560, 561, 564,	557, 560, 561, 564,
\f@nch@foot ..	15764, 15765, 15766, 15767	16495, 16517	583, 584, 590, 597,	583, 584, 590, 597,
\f@nch@head ..	15759, 15760, 15761, 15762	\FBifcaption .. 18634	602, 625, 634, 641,	602, 625, 634, 641,
\f@size . . . . .	347	\fbox .. . 4736, 4746,	650, 654, 667, 670,	650, 654, 667, 670,
\fakeslideentry ..	2720	10074, 11359,	671, 672, 678, 679,	671, 672, 678, 679,
\FamilyKeyState ..	25254	17148, 17154,	684, 687, 695, 703,	684, 687, 695, 703,
\FamilyKeyStateProcessed ..	25254	17161, 17167,	705, 712, 713, 720,	705, 712, 713, 720,
\familyname ..	5087	17173, 17179,	723, 724, 729, 737,	723, 724, 729, 737,
\familynamecolour . . . . .	5056, 10683, 10781	17187, 17191,	776, 786, 795, 803,	776, 786, 795, 803,
\familynamefont ..	5065, 5073, 10723, 10817	17196, 17200,	827, 829, 844, 849,	827, 829, 844, 849,
\familynamestyle ..	5073, 10734, 10824, 10845	17204, 17208,	883, 890, 899, 905,	883, 890, 899, 905,
\FamilySetBool ..	25253	17223, 17224,	906, 912, 915, 922,	906, 912, 915, 922,
\fancy@oval .. . . . .	15727	17239, 17240,	925, 926, 931, 939,	925, 926, 931, 939,
\fancyfoot ..	5186, 7688, 7689, 10749	17249, 17253,	947, 949, 956, 957,	947, 949, 956, 957,
\fancyhead ..	7677, 7678, 7679, 8904,	17258, 17262,	961, 981, 982, 983,	961, 981, 982, 983,
\fancyhf ..	5035, 7675, 7684, 7694, 8902, 8913	17266, 17270,	1000, 1028, 1038,	1000, 1028, 1038,
\fancyhff offset ..	7668, 7669	17278, 17284,	1047, 1055, 1079,	1047, 1055, 1079,
\fancypagestyle ..	5032, 5185, 7683, 7693, 10748	17291, 17297,	1081, 1096, 1101,	1081, 1096, 1101,
\FAX .. . . . .	5052	17303, 17309, 20597	1135, 1142, 1151,	1135, 1142, 1151,
\fax .. . . . .	5092	\fboxrule .. 4684, 16456,	1155, 1161, 1162,	1155, 1161, 1162,
\faxsymbol .. . . . .	5052, 10758, 10856	16462, 16468,	1167, 1170, 1178,	1167, 1170, 1178,
\fb@adjheight .. . . . .	16493, 16563, 16583	16470, 16472, 16474	1186, 1188, 1195,	1186, 1188, 1195,
		\fboxsep .. 2034, 4685,	1196, 1204, 1207,	1196, 1204, 1207,
		4752, 4761, 10036,	1208, 1213, 1226,	1208, 1213, 1226,
		10037, 10038,	1229, 1230, 1231,	1229, 1230, 1231,
		10074, 16456,	1250, 1278, 1288,	1250, 1278, 1288,
		16468, 16470,	1297, 1305, 1329,	1297, 1305, 1329,
		16472, 16474,	1331, 1346, 1351,	1331, 1346, 1351,
		20596, 26033,	1389, 1390, 1392,	1389, 1390, 1392,
		26034, 26035, 26131	1395, 1397, 1398,	1395, 1397, 1398,
		\fcolorbox .. . . . .	1403, 1417, 1418,	1403, 1417, 1418,
		\FeetAboveFloat .. . . . .	1432, 1433, 1447,	1432, 1433, 1447,
		15504, 15508	1455, 1456, 1462,	1455, 1456, 1462,
		\FeetAtBottom .. . . . .	1463, 1467, 1472,	1463, 1467, 1472,
		\FeetBelowFloat .. . . . .	1475, 1480, 1483,	1475, 1480, 1483,
		15505	1491, 1492, 1501,	1491, 1492, 1501,
		\FeetBelowRagged .. . . . .	1502, 1514, 1515,	1502, 1514, 1515,
		15507, 15509	1526, 1537, 1545,	1526, 1537, 1545,
		\ff@backcol .. . . . .	1629, 1634, 1659,	1629, 1634, 1659,
		15996	1667, 1682, 1690,	1667, 1682, 1690,
		\ff@col .. . . . .	1703, 1711, 1724,	1703, 1711, 1724,
		15994		
		\ff@frametype 15992, 16003		
		\ff@txtcol .. . . . .		
		15984, 15985, 15995		



1732, 1903, 1907, 1917, 1948, 1976, 1979, 1988, 1994, 1996, 2001, 2002, 2003, 2004, 2006, 2008, 2009, 2010, 2013, 2014, 2027, 2029, 2040, 2043, 2045, 2065, 2073, 2074, 2082, 2090, 2117, 2131, 2146, 2160, 2245, 2246, 2267, 2317, 2320, 2333, 2349, 2395, 2421, 2447, 2476, 2481, 2506, 2514, 2523, 2530, 2557, 2614, 2637, 2657, 2680, 2684, 2706, 2711, 2716, 2718, 2721, 2741, 2764, 2784, 2798, 2806, 2825, 2947, 2987, 3032, 3098, 3104, 3110, 3187, 3203, 3215, 3222, 3237, 3291, 3293, 3298, 3304, 3334, 3339, 3345, 3346, 3348, 3349, 3354, 3356, 3357, 3362, 3364, 3365, 3396, 3414, 3423, 3424, 3434, 3443, 3444, 3446, 3447, 3448, 3489, 3496, 3519, 3537, 3548, 3551, 3576, 3587, 3604, 3612, 3618, 3622, 3625, 3632, 3673, 3675, 3686, 3693, 3711, 3734, 3783, 3794, 3805, 3808, 3825, 3832, 3881, 3890, 3900, 3920, 3927, 3963, 3972, 3979, 3982, 3991, 3998, 4001, 4015, 4199, 4206, 4212, 4218, 4257, 4258, 4265, 4266, 4278, 4284, 4285, 4343, 4354, 4359, 4365, 4368, 4376, 4403, 4414,	4415, 4459, 4474, 4475, 4482, 4483, 4494, 4530, 4787, 4793, 4799, 4814, 4835, 4839, 4840, 4842, 4898, 4899, 4905, 4920, 4921, 4924, 4927, 4930, 4934, 4935, 4943, 5157, 5158, 5159, 5161, 5189, 5197, 5245, 5259, 5274, 5275, 5297, 5298, 5313, 5323, 5337, 5347, 5356, 5363, 5456, 5464, 5470, 5476, 5482, 5488, 5494, 5500, 5506, 5519, 5528, 5531, 5537, 5546, 5549, 5571, 5578, 5623, 5627, 5633, 5634, 5652, 5658, 5659, 5677, 5681, 5687, 5688, 5706, 5712, 5713, 5734, 5738, 5744, 5745, 5772, 5778, 5779, 5807, 5840, 5875, 6026, 6044, 6219, 6222, 6265, 6279, 6293, 6303, 6331, 6376, 6381, 6386, 6389, 6390, 6391, 6399, 6409, 6411, 6419, 6426, 6429, 6433, 6440, 6445, 6456, 6468, 6469, 6507, 6511, 6518, 6522, 6524, 6563, 6655, 6689, 6727, 6733, 6737, 6742, 6756, 6795, 6821, 6835, 6847, 6862, 6898, 6910, 6942, 6953, 7007, 7009, 7010, 7039, 7041, 7045, 7046, 7055, 7057, 7078, 7079, 7081, 7095, 7096, 7098, 7099, 7114, 7127, 7128, 7136, 7153, 7208, 7218, 7229, 7416, 7422, 7615,	7618, 7621, 7624, 7643, 7654, 7884, 7893, 7920, 7928, 7937, 7972, 7981, 8157, 8214, 8216, 8226, 8552, 8553, 8670, 8671, 8672, 8850, 8928, 8980, 8993, 9001, 9032, 9033, 9088, 9089, 9093, 9100, 9105, 9114, 9143, 9151, 9153, 9208, 9210, 9214, 9233, 9235, 9236, 9237, 9248, 9250, 9251, 9260, 9262, 9299, 9308, 9312, 9318, 9319, 9324, 9327, 9335, 9343, 9350, 9351, 9358, 9361, 9362, 9368, 9378, 9410, 9412, 9414, 9426, 9436, 9445, 9453, 9476, 9485, 9489, 9495, 9496, 9501, 9504, 9512, 9520, 9527, 9528, 9535, 9538, 9539, 9545, 9566, 9587, 9589, 9591, 9603, 9613, 9622, 9630, 9650, 9656, 9657, 9661, 9663, 9686, 9695, 9749, 9754, 9792, 9799, 9807, 9814, 9817, 9818, 9822, 9832, 9834, 9836, 9845, 9851, 9852, 9859, 9870, 9875, 9894, 9896, 9897, 9898, 9906, 9917, 9919, 9928, 9933, 9935, 9950, 9951, 9952, 9954, 9956, 9981, 9988, 9994, 10006, 10007, 10019, 10020, 10031, 10035, 10036, 10040, 10041, 10043, 10050, 10056, 10075, 10078, 10079, 10085,
--	--	--



10090,	10113,	11232,	11316,	13020,	13021,
10136,	10159,	11331,	11340,	13162,	13163,
10182,	10197,	11341,	11342,	13179,	13185,
10200,	10201,	11343,	11373,	13192,	13193,
10217,	10221,	11386,	11389,	13207,	13283,
10222,	10224,	11390,	11393,	13290,	13291,
10245,	10270,	11400,	11406,	13306,	13312,
10277,	10286,	11413,	11414,	13319,	13320,
10288,	10308,	11420,	11427,	13461,	13462,
10329,	10336,	11437,	11508,	13478,	13484,
10345,	10347,	11513,	11547,	13491,	13492,
10377,	10388,	11605,	11610,	13506,	13582,
10389,	10397,	11648,	11654,	13589,	13590,
10428,	10429,	11662,	11664,	13605,	13611,
10437,	10442,	11666,	11668,	13618,	13619,
10453,	10459,	11677,	11683,	13760,	13761,
10466,	10467,	11684,	11692,	13777,	13783,
10468,	10474,	11703,	11708,	13790,	13791,
10475,	10476,	11729,	11732,	13805,	13881,
10503,	10511,	11735,	11737,	13888,	13889,
10517,	10518,	11744,	11745,	13904,	13910,
10519,	10533,	11749,	11774,	13917,	13918,
10539,	10540,	11794,	11829,	14059,	14060,
10541,	10574,	11845,	11906,	14076,	14082,
10588,	10600,	11919,	12007,	14089,	14090,
10603,	10613,	12008,	12019,	14104,	14180,
10627,	10635,	12020,	12031,	14187,	14188,
10641,	10646,	12032,	12063,	14203,	14209,
10648,	10649,	12064,	12065,	14216,	14217,
10650,	10664,	12082,	12083,	14358,	14359,
10699,	10706,	12089,	12106,	14375,	14381,
10713,	10720,	12107,	12122,	14388,	14389,
10745,	10794,	12140,	12161,	14403,	14479,
10800,	10806,	12181,	12217,	14486,	14487,
10812,	10826,	12277,	12278,	14502,	14508,
10841,	10887,	12294,	12300,	14515,	14516,
10890,	10891,	12307,	12308,	14657,	14658,
10908,	10911,	12322,	12398,	14674,	14680,
10912,	10937,	12405,	12406,	14687,	14688,
10953,	10954,	12421,	12427,	14702,	14778,
10956,	10965,	12434,	12435,	14785,	14786,
10974,	10975,	12576,	12577,	14801,	14807,
10994,	11007,	12592,	12598,	14814,	14815,
11008,	11017,	12605,	12606,	14928,	14982,
11026,	11027,	12619,	12691,	15035,	15052,
11030,	11046,	12698,	12699,	15066,	15087,
11053,	11069,	12713,	12719,	15103,	15117,
11075,	11091,	12726,	12727,	15138,	15152,
11098,	11155,	12863,	12864,	15171,	15177,
11158,	11170,	12880,	12886,	15184,	15200,
11178,	11179,	12893,	12894,	15280,	15287,
11182,	11196,	12908,	12984,	15304,	15310,
11202,	11203,	12991,	12992,	15317,	15453,
11206,	11212,	13007,	13013,	15489,	15501,



15515,	15517,	16877,	16883,	17441,	17456,
15524,	15557,	16885,	16896,	17471,	17486,
15565,	15572,	16902,	16905,	17545,	17583,
15575,	15576,	16912,	16921,	17616,	17647,
15580,	15583,	16927,	16929,	17678,	17704,
15588,	15595,	16931,	16934,	17707,	17710,
15612,	15675,	16942,	16948,	17713,	17722,
15680,	15714,	16963,	16969,	17724,	17728,
15721,	15723,	16970,	16973,	17734,	17736,
15725,	15735,	16980,	16992,	17739,	17753,
15739,	15746,	16993,	17006,	17758,	17767,
15747,	15748,	17016,	17022,	17775,	17787,
15749,	15787,	17029,	17035,	17792,	17800,
15803,	15805,	17036,	17052,	17807,	17818,
15823,	15843,	17056,	17061,	17823,	17829,
15845,	15856,	17065,	17066,	17836,	17847,
15863,	15879,	17076,	17077,	17852,	17862,
15901,	15909,	17082,	17083,	17868,	17872,
15913,	15927,	17084,	17092,	17875,	17903,
15934,	16011,	17101,	17103,	17907,	17922,
16013,	16015,	17104,	17105,	17930,	17938,
16024,	16026,	17106,	17107,	17946,	17955,
16028,	16036,	17119,	17121,	17963,	17972,
16039,	16041,	17122,	17123,	17980,	17988,
16055,	16069,	17124,	17125,	18000,	18006,
16093,	16177,	17130,	17136,	18009,	18010,
16179,	16215,	17137,	17138,	18011,	18026,
16268,	16276,	17151,	17157,	18037,	18038,
16291,	16306,	17164,	17170,	18043,	18055,
16309,	16323,	17176,	17182,	18072,	18076,
16324,	16347,	17183,	17184,	18079,	18082,
16421,	16422,	17189,	17193,	18084,	18105,
16433,	16434,	17198,	17202,	18120,	18130,
16445,	16446,	17206,	17210,	18138,	18150,
16447,	16457,	17211,	17212,	18157,	18183,
16471,	16473,	17213,	17220,	18184,	18194,
16483,	16551,	17228,	17236,	18195,	18212,
16552,	16580,	17244,	17251,	18221,	18227,
16585,	16594,	17255,	17260,	18261,	18264,
16607,	16608,	17264,	17268,	18343,	18346,
16609,	16623,	17272,	17273,	18349,	18352,
16658,	16680,	17274,	17281,	18355,	18358,
16683,	16707,	17287,	17294,	18361,	18364,
16733,	16736,	17300,	17306,	18368,	18371,
16747,	16752,	17312,	17313,	18374,	18377,
16761,	16767,	17314,	17315,	18380,	18383,
16769,	16770,	17316,	17317,	18386,	18389,
16786,	16796,	17318,	17327,	18392,	18395,
16805,	16815,	17332,	17333,	18398,	18401,
16820,	16825,	17337,	17349,	18404,	18407,
16837,	16839,	17357,	17361,	18410,	18413,
16840,	16854,	17362,	17377,	18416,	18419,
16870,	16872,	17388,	17399,	18422,	18425,
16875,	16876,	17419,	17430,	18428,	18431,



18434,	18437,	19730,	19731,	20618,	20625,
18440,	18443,	19736,	19756,	20627,	20631,
18446,	18449,	19766,	19767,	20633,	20642,
18452,	18455,	19772,	19773,	20644,	20646,
18458,	18461,	19779,	19783,	20655,	20657,
18464,	18467,	19784,	19787,	20659,	20668,
18470,	18473,	19791,	19796,	20670,	20672,
18476,	18479,	19799,	19803,	20681,	20683,
18482,	18485,	19808,	19812,	20704,	20724,
18488,	18491,	19820,	19831,	20736,	20737,
18494,	18497,	19845,	19850,	20744,	20753,
18500,	18503,	19856,	19870,	20757,	20770,
18506,	18509,	19878,	19893,	20773,	20774,
18512,	18515,	19906,	19914,	20775,	20781,
18518,	18521,	19919,	19924,	20782,	20787,
18524,	18527,	19929,	19961,	20790,	20798,
18530,	18533,	20041,	20048,	20806,	20813,
18536,	18539,	20067,	20072,	20814,	20821,
18542,	18545,	20077,	20084,	20824,	20825,
18548,	18551,	20094,	20095,	20831,	20846,
18554,	18557,	20098,	20099,	20867,	20869,
18563,	18565,	20100,	20113,	20871,	20885,
18568,	18577,	20118,	20122,	20895,	20904,
18578,	18593,	20128,	20134,	20912,	20936,
18615,	18620,	20139,	20142,	20938,	20953,
18628,	18671,	20148,	20167,	20958,	20992,
18672,	18676,	20180,	20181,	20999,	21008,
18677,	18679,	20213,	20231,	21024,	21034,
18684,	18691,	20245,	20253,	21043,	21051,
18705,	18712,	20254,	20258,	21077,	21079,
18719,	18727,	20266,	20281,	21094,	21099,
18731,	18764,	20289,	20324,	21141,	21142,
18786,	18810,	20339,	20340,	21144,	21147,
18818,	19009,	20358,	20362,	21153,	21154,
19335,	19403,	20369,	20370,	21159,	21162,
19407,	19410,	20372,	20374,	21170,	21178,
19415,	19416,	20375,	20376,	21185,	21186,
19417,	19418,	20382,	20407,	21193,	21196,
19419,	19420,	20409,	20420,	21197,	21203,
19432,	19446,	20431,	20438,	21207,	21220,
19449,	19455,	20444,	20446,	21223,	21224,
19459,	19460,	20449,	20450,	21225,	21232,
19481,	19482,	20464,	20518,	21234,	21236,
19483,	19488,	20519,	20522,	21240,	21269,
19499,	19501,	20526,	20527,	21338,	21343,
19505,	19515,	20530,	20535,	21379,	21385,
19527,	19534,	20536,	20541,	21393,	21400,
19556,	19563,	20556,	20557,	21403,	21404,
19566,	19587,	20558,	20559,	21408,	21409,
19597,	19627,	20560,	20562,	21410,	21421,
19633,	19634,	20565,	20573,	21423,	21425,
19656,	19663,	20584,	20589,	21434,	21458,
19666,	19687,	20594,	20597,	21467,	21520,
19697,	19724,	20598,	20612,	21525,	21563,



21570,	21578,	22583,	22597,	23587,	23590,
21585,	21588,	22599,	22604,	23592,	23597,
21589,	21593,	22611,	22618,	23599,	23602,
21603,	21605,	22630,	22664,	23605,	23607,
21607,	21616,	22678,	22680,	23612,	23614,
21621,	21628,	22687,	22689,	23615,	23618,
21637,	21671,	22695,	22701,	23649,	23652,
21675,	21685,	22704,	22728,	23653,	23668,
21716,	21721,	22729,	22740,	23671,	23682,
21722,	21733,	22748,	22755,	23686,	23693,
21734,	21748,	22756,	22764,	23710,	23731,
21750,	21754,	22765,	22776,	23738,	23741,
21758,	21760,	22783,	22790,	23742,	23743,
21765,	21769,	22800,	22803,	23745,	23781,
21772,	21776,	22805,	22810,	23784,	23795,
21778,	21782,	22814,	22817,	23799,	23810,
21811,	21819,	22819,	22824,	23816,	23892,
21820,	21844,	22826,	22829,	23893,	23894,
21857,	21859,	22832,	22834,	23911,	23922,
21864,	21871,	22839,	22841,	23940,	23946,
21878,	21890,	22842,	22845,	23970,	24064,
21924,	21938,	22876,	22879,	24067,	24109,
21940,	21947,	22880,	22883,	24125,	24130,
21949,	21955,	22886,	22899,	24134,	24135,
21961,	21964,	22902,	22905,	24152,	24160,
21988,	21989,	22908,	22917,	24166,	24173,
22000,	22008,	22921,	22928,	24180,	24186,
22015,	22016,	22945,	22966,	24191,	24222,
22024,	22025,	22973,	22976,	24279,	24280,
22036,	22043,	22977,	22978,	24296,	24297,
22050,	22060,	22980,	23016,	24313,	24351,
22063,	22065,	23019,	23030,	24358,	24360,
22070,	22074,	23034,	23045,	24375,	24386,
22077,	22079,	23051,	23127,	24389,	24396,
22084,	22086,	23128,	23129,	24397,	24398,
22089,	22092,	23146,	23157,	24403,	24407,
22094,	22099,	23175,	23181,	24408,	24423,
22101,	22102,	23205,	23323,	24446,	24453,
22105,	22136,	23331,	23332,	24471,	24472,
22139,	22140,	23356,	23370,	24488,	24489,
22141,	22157,	23372,	23377,	24490,	24494,
22160,	22167,	23384,	23391,	24495,	24497,
22184,	22205,	23403,	23437,	24505,	24509,
22212,	22215,	23451,	23453,	24510,	24511,
22216,	22217,	23460,	23462,	24517,	24520,
22219,	22255,	23468,	23474,	24521,	24522,
22258,	22269,	23477,	23501,	24530,	24541,
22273,	22284,	23502,	23513,	24542,	24544,
22290,	22366,	23521,	23528,	24545,	24551,
22367,	22368,	23529,	23537,	24552,	24553,
22384,	22395,	23538,	23549,	24561,	24564,
22413,	22419,	23556,	23563,	24565,	24573,
22443,	22550,	23573,	23576,	24574,	24575,
22558,	22559,	23578,	23583,	24576,	24584,



24587,	24591,	25756,	25760,	26412,	26415,
24592,	24593,	25764,	25768,	26418,	26419,
24601,	24604,	25772,	25776,	26420,	26421,
24608,	24609,	25780,	25785,	26422,	26424,
24610,	24618,	25793,	25796,	26426,	26427,
24621,	24625,	25803,	25804,	26434,	26437,
24626,	24627,	25808,	25815,	26439,	26443,
24635,	24638,	25838,	25844,	26444,	26447,
24642,	24643,	25855,	25860,	26463,	26464,
24644,	24652,	25866,	25868,	26472,	26473,
24655,	24659,	25875,	25878,	26476,	26477,
24660,	24661,	25891,	25900,	26478,	26479,
24669,	24672,	25913,	25916,	26480,	26486,
24677,	24678,	25927,	25933,	26491,	26499,
24679,	24687,	25934,	25940,	26516,	26522,
24690,	24696,	25945,	25948,	26524,	26531,
24697,	24698,	25962,	25967,	26541,	26543,
24706,	24709,	25970,	25971,	26563,	26587,
24716,	24717,	25972,	25973,	26590,	26610,
24718,	24726,	25977,	25980,	26630,	26633,
24729,	24743,	25982,	25988,	26636,	26654,
24751,	24752,	25989,	26003,	26669,	26687,
24753,	24761,	26013,	26014,	26689,	26698,
24764,	24786,	26021,	26026,	26707,	26742,
24801,	24802,	26029,	26032,	26751,	26783,
24803,	24944,	26033,	26036,	26786,	26787,
24964,	25056,	26037,	26039,	26788,	26789,
25073,	25076,	26048,	26049,	26790,	26798,
25078,	25114,	26053,	26059,	26812,	26816,
25115,	25117,	26065,	26066,	26817,	26821,
25119,	25149,	26067,	26070,	26829,	26830,
25150,	25151,	26076,	26080,	26831,	26832,
25158,	25174,	26091,	26092,	26833,	26854,
25190,	25213,	26096,	26102,	26861,	26867,
25261,	25262,	26114,	26115,	26868,	26869,
25589,	25591,	26116,	26119,	26870,	26872,
25598,	25600,	26133,	26138,	26873,	26874,
25613,	25614,	26184,	26185,	26892,	26908,
25615,	25622,	26193,	26203,	26927,	26930,
25626,	25631,	26212,	26213,	26931,	26935,
25635,	25641,	26216,	26220,	26936,	26938,
25647,	25651,	26221,	26266,	26946,	26948,
25657,	25660,	26292,	26311,	27057,	27063,
25662,	25663,	26319,	26325,		27069
25664,	25667,	26331,	26339,	\figcaption	17101, 17119
25670,	25673,	26346,	26347,	\fill	..... 3007,
25674,	25683,	26348,	26354,		3198, 3200, 3202,
25689,	25698,	26359,	26362,		3407, 3408, 3411,
25699,	25707,	26370,	26371,		3412, 3418, 3421,
25713,	25717,	26379,	26380,		3429, 3514, 3516,
25720,	25721,	26388,	26389,		3518, 8843, 8847,
25732,	25733,	26397,	26398,		17136, 17331,
25743,	25744,	26406,	26407,		18563, 18565, 18567
25748,	25752,	26408,	26409,	\filright	.. 24338, 24367
				\FirstFrameCommand	



..... 16470, 16516	\FN@sf@gobble@bracket .....	\footdir@ORG@bidi@amsart@LTRfootnotetext .....
\firstmark ... 10243, 10306, 15785, 15821, 15978, 16656, 16705, 19554, 19654, 26561, 26608, 26919	\FN@sf@gobble@opt .....	\footdir@ORG@bidi@amsart@RTLfootnotetext .....
\firstname ..... 5086	\FN@sf@gobble@optonly .....	\footdir@ORG@bidi@amsbook@footnotetext .....
\firstnamecolour ... 5055, 10684, 10780	\FN@sf@gobble@twobracket .....	\footdir@ORG@bidi@amsbook@LTRfootnotetext .....
\firstnamefont .... 5064, 5072, 10722, 10723, 10814, 10817	\focus@pbar@height .....	\footdir@ORG@bidi@beamer@footnotetext .....
\firstnamestyle 5072, 10734, 10824, 10845	3405, 3407, 3408, 3409, 3411, 3412, 3413, 3418, 3419, 3421, 3422, 3428, 3429, 3431, 3433, 3438, 3439, 3441, 3442	\footdir@ORG@bidi@beamer@RTLfootnotetext .....
\FiveColumnFootnotes .....	\focus@pbar@leftoffset .....	\footdir@ORG@bidi@footnotetext .....
13132	3387, 3388, 3403, 3407, 3408, 3411, 3412	16271
\fivecolumnfootnotes .....	\focus@pbar@progress .....	\footdir@ORG@bidi@LTRfootnotetext .....
13107	3402, 3408, 3412	16273
\Fld@width ... 17921, 17929, 17937, 17945	\focus@pbar@rightoffset .....	\footdir@ORG@bidi@RTLfootnotetext .....
\flnew@within ... 15886	3391, 3392, 3394, 3395, 3403, 3418, 3421, 3431, 3433, 3438, 3439, 3441, 3442	16272
\float@newx .... 15880	\font .....	\footdir@temp ... 79,
\floatalignment ... 7472, 7473, 7514, 7515, 7537, 7544, 7552, 7603, 7814	24076, 24077	80, 81, 282, 283, 284, 2368, 2369, 2370, 16110, 16271, 16272, 16273
\FloatBarrier . 7444, 7794	\fontdimen . 24076, 24077	\footdir@toks ... . 16051, 16118, 16119, 16120, 16124
\floatc@biditufefloatplain .....	\fontsize .... 303, 8798, 8800, 8802, 10722, 10814,	\footdir@write ... . 16046, 16075, 16114
7812, 7822, 7829, 7835, 7843	18021, 20165, 20178	\footersymbol . 10741, 10742, 10757, 10758, 10759, 10760
\floatc@biditufefloatplaintop ... 7829	\foo .....	\footfootmark ... . 11811, 11997, 12385, 12678, 12971, 13270, 13569, 13868, 14167, 14466, 14765, 15265, 16411
\floatc@biditufefloatruled .....	20236, 20238, 20248, 20250	\footfudgefactor ... . 14912, 14974, 15027, 15079, 15130
7830	\footdir@abspage .. . 16080, 16083, 16084, 16087, 16088, 16091	\footins ... . 35, 49, 65, 238, 252, 267, 10896, 10917, 10921, 10922, 10933, 10936, 10940, 10964, 10970, 10978, 10990, 10993, 10997,
\floatc@plain .... 15877	\footdir@debug 16052, 16060, 16064, 16067, 16077, 16084, 16088, 16091	
\floatingpenalty ... 41, 55, 71, 244, 258, 273, 10896, 10917, 10964, 10971, 11016, 11023, 12057, 16220, 16237, 16253	\footdir@debugfalse 4094	
\floatstyle .... 7863	\footdir@debugtrue .....	
\flushleft ... 4753, 4762	\footdir@fntext .. . 16098, 16115, 16117	
\FN@sf@@footnote ... 4780, 4784	\footdir@LeftRightElse .. . 16058, 16074, 16151	
\FN@sf@@footnotemark .....	\footdir@name .. . 16101, 16104, 16105	
4809, 4811	\footdir@ORG@bidi@amsart@footnotetext .. . 79	
\FN@sf@@LTRfootnote .....		
4781, 4790		
\FN@sf@@RTLfootnote .....		
4782, 4796		



11016,	11022,	12299,	12306,	14638,	14639,
11828,	11844,	12321,	12324,	14656,	14671,
11859,	11875,	12337,	12338,	14679,	14686,
11890,	12054,	12349,	12363,	14701,	14704,
12063,	12074,	12532,	12533,	14717,	14718,
12075,	12077,	12557,	12558,	14729,	14743,
12078,	12088,	12575,	12589,	14953,	14954,
12194,	12199,	12597,	12604,	14988,	15006,
15461,	15465,	12618,	12621,	15007,	15041,
15474,	15478,	12633,	12634,	15055,	15056,
15485,	15498,	12644,	12657,	15092,	15106,
16214,	16231,	12819,	12820,	15107,	15143,
16247,	16640,	12844,	12845,	15151,	15168,
16641,	16689,	12862,	12877,	15176,	15183,
16690,	16743,	12885,	12892,	15199,	15202,
16744,	16745,	12907,	12910,	15217,	15218,
16746,	16766,	12923,	12924,	15230,	15246,
16767,	16777,	12935,	12949,	15529,	15542, 15546
16786,	16807,	13118,	13119,	\footinsv@r . .	12045,
16825,	16828,	13143,	13144,	12193,	12194,
20532,	20533,	13161,	13176,	12195,	12196,
20535,	26641,	13184,	13191,	12229,	12230,
26647,	26651,	13206,	13209,	12254,	12255,
26656,	26674, 26678	13222,	13223,	12274,	12293,
\footinsdim . .	12053,	13234,	13248,	12297,	12304,
12054,	12196,	13417,	13418,	12319,	12336,
12201,	12229,	13442,	13443,	12351,	12364,
12233,	12254,	13460,	13475,	12365,	12376,
12258,	12528,	13483,	13490,	12528,	12529,
12532,	12553,	13505,	13508,	12553,	12554,
12557,	12815,	13521,	13522,	12573,	12591,
12819,	12840,	13533,	13547,	12595,	12602,
12844,	13114,	13716,	13717,	12616,	12632,
13118,	13139,	13741,	13742,	12646,	12658,
13143,	13413,	13759,	13774,	12659,	12669,
13417,	13438,	13782,	13789,	12815,	12816,
13442,	13712,	13804,	13807,	12840,	12841,
13716,	13737,	13820,	13821,	12860,	12879,
13741,	14011,	13832,	13846,	12883,	12890,
14015,	14036,	14015,	14016,	12905,	12922,
14040,	14310,	14040,	14041,	12937,	12950,
14314,	14335,	14058,	14073,	12951,	12962,
14339,	14609,	14081,	14088,	13114,	13115,
14613,	14634,	14103,	14106,	13139,	13140,
14638,	14946,	14119,	14120,	13159,	13178,
14953,	14999,	14131,	14145,	13182,	13189,
15006,	15055, 15106	14314,	14315,	13204,	13221,
\footinsv@l . .	11843,	14339,	14340,	13236,	13249,
11874,	12046,	14357,	14372,	13250,	13261,
12198,	12199,	14380,	14387,	13413,	13414,
12200,	12201,	14402,	14405,	13438,	13439,
12233,	12234,	14418,	14419,	13458,	13477,
12258,	12259,	14430,	14444,	13481,	13488,
12276,	12291,	14613,	14614,	13503,	13520,



13535,	13548,	16425,	16427,	16252,	16260,
13549,	13560,	16429,	16432,	16288,	16303,
13712,	13713,	16436,	16437,	16318,	18016, 18018
13737,	13738,	16439,	16441, 16444	\footnotesize . . . 38,	
13757,	13776,	\footnote	444, 518, 771,	52, 68, 106, 226,	
13780,	13787,		870, 1023, 1122,	241, 255, 270, 440,	
13802,	13819,		1273, 1373, 2372,	767, 1019, 1269,	
13834,	13847,		4780, 4783, 8380,	5164, 5186, 7352,	
13848,	13859,		8699, 8730, 9421,	7353, 7391, 8010,	
14011,	14012,		9598, 9703, 9777,	8011, 8012, 8204,	
14036,	14037,		11466, 11534,	8234, 8252, 8270,	
14056,	14075,		11559, 11633,	9417, 9594, 9699,	
14079,	14086,		15633, 15701,	11462, 11555,	
14101,	14118,		19450, 19453,	12050, 12051,	
14133,	14146,		20880, 20979,	12052, 15629,	
14147,	14158,		21017, 21123,	16210, 16211,	
14310,	14311,		21277, 21365,	16212, 16217,	
14335,	14336,		21474, 21548,	16234, 16250,	
14355,	14374,		21929, 22669, 23442	16281, 16296,	
14378,	14385,	\footnotelayout . . .		16311, 18008,	
14400,	14417,		... 8198, 8199, 8202	20335, 20337,	
14432,	14445,	\footnotemark . . . .		20876, 21013,	
14446,	14457,		4809, 4810, 16352,	21273, 21470,	
14609,	14610,		16366, 19451, 19454	21925, 22665, 23438	
14634,	14635,	\footnoterule .	10875,	\footnotetext . . 4844,	
14654,	14673,		10937, 10943,	4855, 9159, 9169	
14677,	14684,		10948, 10976,	\footrulewidth 5034, 7673	
14699,	14716,		10977, 10994,	\footscript . . . . .	
14731,	14744,		10998, 11002,	. . 11994, 12000,	
14745,	14756,		11028, 11029,	12004, 12006,	
14946,	14947,		11803, 12179,	16414, 16418, 16420	
14987,	14999,		15464, 15477,	\footskip . . . . . 21915,	
15000,	15040,		16043, 16139,	22655, 23428, 26905	
15149,	15170,		16143, 16146,	\foottextfont . . . . .	
15174,	15181,		16161, 16166,	. . 11812, 11832,	
15197,	15216,		16167, 16169,	11848, 11909,	
15232,	15247,		16828, 16861,	11922, 12050,	
15248,	15260,		19896, 20534,	12223, 12248,	
15528,	15541, 15545		24330, 26650, 26677	12280, 12310,	
\footmarkstyle . . .		\footnotes . . . . .	8195	12385, 12408,	
.... 11994, 12033		\footnotesep	29, 31, 40,	12437, 12522,	
\footmarkwidth . . .			46, 54, 60, 70, 76,	12547, 12579,	
.. 11993, 11998,			233, 235, 243, 249,	12608, 12678,	
11999,	12001,		257, 263, 272, 278,	12701, 12729,	
12003,	12006,		2279, 2296, 2313,	12809, 12834,	
12010,	12011,		2329, 2345, 2361,	12866, 12896,	
12013,	12015,		10893, 10914,	12971, 12994,	
12018,	12022,		10939, 10996,	13023, 13108,	
12023,	12025,		11812, 11818,	13133, 13165,	
12027,	12030,		11824, 12058,	13195, 13270,	
12037,	12040,		14980, 15033,	13293, 13322,	
16412,	16413,		15085, 15136,	13407, 13432,	
16415,	16417,		16219, 16227,	13464, 13494,	
16420,	16424,		16236, 16244,	13569, 13592,	



13621, 13731, 13793, 13891, 14005, 14062, 14167, 14219, 14329, 14391, 14489, 14603, 14660, 14765, 14817, 14940, 14979, 15022, 15156, 15265, 15290, 15320	\fs@bidituftefloatplaintop ..... 7828	19047, 19058, 19062, 19064, 19066, 19069, 19073, 19078, 19083, 19096, 19099, 19101, 19103, 19105, 19108, 19110, 19113, 19131, 19133, 19140, 19146, 19151, 19159, 19168, 19172, 19178, 19182, 19184, 19189, 19194, 19216, 19218, 19225, 19229, 19236, 19238, 19243, 19251, 19253, 19256, 19260, 19271, 19287, 19289, 19296, 19298, 19301, 19323, 19325, 19328, 19339, 19343, 19348, 19352,
\forceerectofloat .. 7475	\fs@bidituftefloatruled ..... 7833	
\forceversofloat .. 7476	\fslice . 20352, 20353, 20355, 20356, 20359	
\forvariable .....	\ftn@amount .. 16744, 16745, 16746, 16753, 16757, 16758	
6635, 6641, 6717, 6753, 6760, 6765, 6771, 6776, 6780, 6781	\ftn@font .... 21826, 21862, 22565, 22602, 23338, 23375	
\FourColumnFootnotes	\ftn@rule@height .. ..... 21870, 21873, 21877, 21880, 22610, 22613, 22617, 22620, 23383, 23386, 23390, 23393	
	\ftn@rule@test@values ..... 21869, 21876, 22609, 22616, 23382, 23389	
	\ftn@rule@width 21873, 21880, 22613, 22620, 23386, 23393	
\fourcolumnfootnotes	\ftnm@font .....	
	.. 21865, 22605, 23378	
\fp .....	\full@width .....	
19107, 19108, 19109, 19110	.. 19823, 19835, 19883	
\fps@figure .....	\futurelet .... 820, 822, 1072, 1074, 1322, 1324, 5353, 6435, 6438, 20929, 20931, 21070, 21072	
	<b>G</b>	
\framebox .....	\g 11238, 11240, 11244, 11337, 18805, 18810, 18812, 18818, 18820, 18863, 18867, 18868, 18914, 18918, 18919, 18936, 18937, 18974, 18990, 18993, 18999, 19000, 19001, 19002, 19003, 19012, 19013, 19015, 19017, 19018, 19019, 19026, 19027, 19032, 19038,	
10732, 10863, 19765, 19771		
\FrameCommand .....		
16468		
\FrameHeightAdjust 16542		
\FrameRestore .. 16476, 16480, 16596, 16597		
\framewidth .....		
... 2268, 2285, 2302		
\fromaddress .....		
.. 11727, 11733, 11743, 18074, 18080		
\fromname .....	11748	
\fromsig ... 11747, 11749		
\fromvalue .....	6635, 6721, 6744, 6766, 6781	
\frontmatter .....	8897	
\fs@bidituftefloatboxed		
..... 7841		
\fs@bidituftefloatplain		
..... 7820, 7828		



19354, 19358, 19359, 19360, 19365, 19372, 20188, 20196, 20199	\Gin@bboxtrue . . . 16906 \Gin@defaultbp . . . . 16907, 16908, 16909, 16910, 24301, 24302, 24305	1871, 2266, 2283, 2300, 2317, 2318, 2333, 2334, 2349, 2350, 2454, 2461, 2485, 2568, 2696, 4586, 4587, 4588, 4589, 4590, 4591, 4592, 4593, 4594, 4595, 4596, 4842, 4845, 4848, 4851, 4855, 4858, 4861, 4940, 4944, 4966, 5249, 5263, 5265, 5271, 5273, 5284, 5290, 5302, 5326, 5433, 5449, 5615, 5669, 5723, 6535, 6537, 6557, 6558, 6569, 6577, 6587, 6700, 6719, 6721, 6723, 6735, 6740, 7339, 7473, 7517, 7518, 7890, 7901, 7904, 7934, 7945, 7948, 7978, 7989, 7992, 8046, 8813, 9010, 9013, 9031, 9035, 9051, 9062, 9088, 9089, 9116, 9129, 9130, 9150, 9160, 9163, 9166, 9169, 9172, 9175, 9207, 9217, 9231, 9233, 9238, 9239, 9245, 9246, 9248, 9268, 9280, 9282, 9340, 9341, 9459, 9460, 9461, 9462, 9463, 9464, 9465, 9466, 9467, 9468, 9517, 9518, 9636, 9637, 9638, 9639, 9640, 9641, 9642, 9643, 9644, 9645, 9723, 9724, 9725, 9726, 9727, 9728, 9729, 9730, 9731, 9732, 9733, 9734, 9752, 9758, 9759, 9760, 9761, 9762, 9763, 9764, 9765, 9766, 9767, 9768, 9769, 9770, 9804, 9805, 9897, 9907,
\g@addto@macro . . . . . . 6880, 7124, 7209, 7219, 7470, 8156, 8158, 11267, 11270, 11272, 14967, 15020, 15072, 15123, 15527, 15532, 15540, 15544, 18694, 25487, 25816	\Gin@eheight . . . 20173 \Gin@esetsize . . . 16925 \Gin@ewidth 20172, 20173 \Gin@exclamation . . . 16955, 20172, 20175 \Gin@gridfalse . . 20158 \Gin@ii . . . 16914 \Gin@iii . . . 16903, 16917 \Gin@llx . . . 16907 \Gin@lly . . . 16908 \Gin@outer@scalex 20169 \Gin@outer@scaley 20170 \Gin@scalex . . . 20174 \Gin@scaley . . . 20175 \Gin@urx . . . 16909 \Gin@ury . . . 16910 \Ginclude@graphics . . . 16911, 16923 \Ginput@path . . . 19005 \global . 301, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 493, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 546, 547, 701, 702, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 847, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 945, 946, 1061, 1062, 1063, 1064, 1065, 1066, 1067, 1068, 1069, 1070, 1099, 1105, 1106, 1107, 1108, 1109, 1110, 1111, 1112, 1113, 1114, 1115, 1184, 1185, 1311, 1312, 1313, 1314, 1315, 1316, 1317, 1318, 1319, 1320, 1349, 1355, 1356, 1357, 1358, 1359, 1360, 1361, 1362, 1363, 1364, 1365, 1491, 1492,	
\geometry . 2062, 2064, 2070, 2072, 7374, 7377, 7381, 7384, 7388		
\Gin@angle . . . 20171		



9908,	9909,	9910,	12075,	12077,	15652,	15653,
9911,	9912,	9913,	12099,	12101,	15654,	15655,
9914,	9922,	9935,	12125,	12133,	15656,	15657,
9940,	9944,	10000,	12135,	12150,	15658,	15659,
10229,	10230,		12217,	12295,	15660,	15678,
10240,	10247,		12337,	12364,	15684,	15685,
10281,	10292,		12393,	12422,	15686,	15687,
10293,	10303,		12446,	12460,	15688,	15689,
10310,	10340,		12473,	12487,	15690,	15691,
10365,	10384,		12593,	12633,	15692,	15693,
10581,	10592,		12658,	12686,	15694,	15772,
10605,	10617,		12714,	12737,	15773,	15782,
10619,	10628,		12750,	12762,	15788,	15808,
10630,	10631,		12775,	12881,	15809,	15818,
10634,	10637,		12923,	12950,	15825,	15896,
10647,	10654,		12979,	13008,	15899,	15932,
10655,	10662,		13032,	13046,	15935,	15937,
10888,	10895,		13059,	13073,	15943,	15944,
10909,	10916,		13180,	13222,	15945,	15963,
10928,	10936,		13249,	13278,	15967,	15970,
10940,	10957,		13307,	13331,	15973,	15975,
10960,	10968,		13345,	13358,	15979,	16276,
10973,	10985,		13372,	13479,	16277,	16291,
10993,	10997,		13521,	13548,	16292,	16306,
11009,	11012,		13577,	13606,	16307,	16629,
11020,	11025,		13630,	13644,	16630,	16631,
11347,	11484,		13657,	13671,	16632,	16638,
11485,	11486,		13778,	13820,	16639,	16640,
11487,	11488,		13847,	13876,	16641,	16642,
11489,	11490,		13905,	13929,	16643,	16653,
11491,	11492,		13943,	13956,	16662,	16687,
11493,	11511,		13970,	14077,	16688,	16689,
11517,	11518,		14119,	14146,	16690,	16691,
11519,	11520,		14175,	14204,	16692,	16702,
11521,	11522,		14228,	14242,	16711,	16740,
11523,	11524,		14255,	14269,	16741,	16753,
11525,	11526,		14376,	14418,	16754,	16755,
11527,	11579,		14445,	14474,	16757,	16758,
11580,	11581,		14503,	14527,	16759,	16760,
11582,	11583,		14541,	14554,	16842,	16855,
11584,	11585,		14568,	14675,	17515,	17529,
11586,	11587,		14717,	14744,	17553,	17567,
11588,	11589,		14773,	14802,	17600,	17631,
11590,	11608,		14826,	14840,	17662,	17725,
11614,	11615,		14853,	14867,	17735,	18210,
11616,	11617,		14903,	14917,	18602,	18603,
11618,	11619,		14936,	15172,	18651,	18654,
11620,	11621,		15217,	15247,	18673,	18674,
11622,	11623,		15275,	15305,	18682,	19383,
11624,	11625,		15330,	15345,	19384,	19385,
11626,	11659,		15359,	15374,	19386,	19387,
11660,	11904,		15441,	15492,	19388,	19389,
11917,	11929,		15503,	15562,	19390,	19391,
11941,	11954,		15563,	15651,	19408,	19503,



19540,	19541,	21068,	21097,	22640,	22641,
19551,	19557,	21103,	21104,	22642,	22720,
19560,	19562,	21105,	21106,	22739,	22762,
19564,	19565,	21107,	21108,	22843,	22853,
19567,	19572,	21109,	21110,	22854,	22855,
19580,	19582,	21111,	21112,	22856,	22857,
19590,	19591,	21113,	21114,	22858,	22859,
19592,	19593,	21115,	21175,	22860,	22861,
19595,	19596,	21176,	21307,	22862,	22863,
19599,	19600,	21308,	21309,	22864,	22865,
19631,	19632,	21310,	21311,	22866,	22867,
19640,	19641,	21312,	21313,	22868,	22869,
19651,	19657,	21314,	21315,	22870,	22871,
19660,	19662,	21316,	21317,	22872,	22873,
19664,	19665,	21318,	21341,	22874,	22875,
19667,	19672,	21347,	21348,	22877,	23167,
19680,	19682,	21349,	21350,	23169,	23412,
19690,	19691,	21351,	21352,	23413,	23414,
19692,	19693,	21353,	21354,	23415,	23493,
19695,	19696,	21355,	21356,	23512,	23535,
19699,	19700,	21357,	21358,	23616,	23626,
19728,	19729,	21359,	21390,	23627,	23628,
19735,	19736,	21391,	21494,	23629,	23630,
19748,	19749,	21495,	21496,	23631,	23632,
19750,	19751,	21497,	21498,	23633,	23634,
19752,	19753,	21499,	21500,	23635,	23636,
19755,	19761,	21501,	21502,	23637,	23638,
19833,	19850,	21503,	21504,	23639,	23640,
19856,	19870,	21505,	21523,	23641,	23642,
19878,	20043,	21529,	21530,	23643,	23644,
20268,	20285,	21531,	21532,	23645,	23646,
20286,	20287,	21533,	21534,	23647,	23648,
20288,	20296,	21535,	21536,	23650,	23932,
20303,	20342,	21537,	21538,	23934,	24165,
20366,	20367,	21539,	21540,	24169,	24170,
20368,	20567,	21541,	21575,	24171,	24188,
20637,	20803,	21576,	21899,	24200,	24205,
20804,	20918,	21900,	21901,	24209,	24221,
20919,	20920,	21902,	21980,	24258,	24260,
20921,	20922,	21999,	22022,	24265,	24267,
20923,	20924,	22103,	22113,	24535,	24536,
20925,	20926,	22114,	22115,	24539,	24540,
20927,	20956,	22116,	22117,	25074,	25075,
20962,	20963,	22118,	22119,	25168,	25173,
20964,	20965,	22120,	22121,	25810,	25958,
20966,	20967,	22122,	22123,	25966,	25976,
20968,	20969,	22124,	22125,	25979,	26023,
20970,	20971,	22126,	22127,	26291,	26506,
20972,	21057,	22128,	22129,	26517,	26547,
21058,	21059,	22130,	22131,	26548,	26558,
21060,	21061,	22132,	22133,	26565,	26594,
21062,	21063,	22134,	22135,	26595,	26605,
21064,	21065,	22137,	22405,	26612,	26704,
21066,	21067,	22407,	22639,	26715,	26718,



26748, 26759,	\group .. 18986, 19007,	\hb@xt@ . . . . 483, 543,
26762, 26790,	19294, 19307,	562, 698, 725, 927,
26799, 26800,	19312, 19319, 19375	942, 1089, 1181,
26801, 26802,	\grp@aligned .. . . . 9913	1209, 4580, 9338,
26804, 26807,	\GRP@box . 9908, 9940, 9942	9363, 9515, 9540,
26808, 26822,	\grp@eqs@numbered . 9912	9742, 9802, 9819,
26827, 26841,	\grp@hasNumber . . . . 9917	10080, 10249,
26842, 26844,	\GRP@label .. . . . 9909	10254, 10258,
26853, 26886,	\grp@linewidth . . . . 9911	10312, 10313,
26898, 26901,	\GRP@queue . . . . 9908, 9944	10319, 10545,
26903, 26910,	\grp@setnumber . . . . 9917	10551, 10556,
26914, 26916,	\grp@shiftnumber . . . . 9914	10563, 10570,
26917, 26920, 26929	\grp@wdL .. . . . . 9910	11391, 11403,
\globalcolorstrue .	\grp@wdNum .. . . . . 9911	11501, 11598,
..... 1877, 1882	\grp@wdR .. . . . . 9910	11657, 11999,
\GlobalSetatBoolean 5442	\grp@wdT .. . . . . 9910	12006, 12011,
\GlobalSetBoolean .	\Gscale@box .. . . . .	12018, 12023,
.... 5426, 7475,	. 16885, 16977, 16994	12030, 15560,
7476, 7503, 7504,	\Gscale@div .. . . . .	15577, 15668,
7508, 7509, 7802, 7803	. 16976, 16983, 16986	15827, 15828,
\glossary .. 15957, 26881	\Gscale@end 16889, 16935	15834, 15854,
\glueexpr .. . 25307,	\Gscale@start 16889, 16935	15869, 15988,
25314, 25319,	\Gscale@x .. 16887, 16933	16413, 16420,
25406, 25467,	\Gscale@y .. 16887, 16933	16425, 16432,
25470, 25474, 25480	\gsetlength .. . . . .	16437, 16444,
\Gm@lmargin 2050, 2081,	7337, 7490, 7582,	16664, 16665,
2087, 2208, 2530, 3726	8044, 8293, 8295,	16671, 16713,
\Gm@pageframes .. 17017	8322, 8324, 8351, 8353	16718, 16722,
\Gm@rmargin .. 2050,		16898, 16944,
2079, 2089, 3317, 3757		16999, 17004,
\Gm@vrule .. . 17000,		17009, 17013,
17001, 17002,	\H	18070, 18110,
17004, 17005,	\H@footnotemark ..	18117, 18124,
17006, 17009,	.. 17406, 17495,	18129, 18211,
17010, 17011,	17688, 17702, 17719	19504, 19606,
17014, 17015, 17016	\H@footnotetext ..	19611, 19615,
\Gm@vrules@mpi .. 16997	.. 11782, 17365,	19706, 19707,
\Gm@vrules@mpi .. 17007	17376, 17445,	19713, 19810,
\grid .. . . 20166, 20179	17492, 17606,	20801, 20826,
\Grot@box .. . 16875,	17689, 17705, 17719	21173, 21198,
16883, 21754,	\H@mpfootnotetext	21289, 21332,
21765, 21772, 21782	.. 11788, 17374,	21405, 21513,
\Grot@box@kv .. . . 16876	17408, 17412, 17496	21573, 21590,
\Grot@box@std .. . 16870	\H@refstepcounter 17895	22265, 22302,
\Grot@setangle 16871,	\halign .. . . . . 9050, 18605	23026, 23063,
16882, 21747,	\hangafter . 10090, 19476	23791, 23828,
21757, 21768, 21775	\hangindent .. . . . .	24112, 24798,
\Grot@x .. . . 16873,	107, 108, 109, 227,	24960, 25069,
16878, 21752,	228, 229, 677,	25551, 25686,
21762, 21770, 21780	904, 1160, 8670,	25723, 25725,
\Grot@y .. . . 16874,	8671, 8672, 9317,	25791, 25798,
16879, 21753,	9494, 9994, 10090,	25800, 26232,
21763, 21770, 21781	18009, 18010,	26421, 26422,
	18011, 19469,	26497, 26567,
	19475, 20780,	
	21152, 26424, 26948	



26572, 26576,	9829, 9941, 10007,	21865, 21880,
26614, 26615,	10036, 10196,	22387, 22565,
26621, 26811,	10199, 10216,	22602, 22605,
26892, 26908, 26930	10220, 10940,	22620, 23149,
\hbadness . . . . . 7845,	10943, 10946,	23338, 23375,
10881, 10902,	10997, 10998,	23378, 23393,
24241, 24243,	11000, 11224,	23914, 24091,
25897, 25898, 25915	11229, 11235,	24139, 24152,
\hbox . . . . . 15,	11458, 11757,	24180, 24191,
28, 188, 210, 232,	14910, 14920,	24230, 24300,
345, 379, 393, 418,	14925, 15392,	25678, 25679,
571, 684, 761, 912,	15403, 15419,	25728, 25730,
995, 1167, 1241,	15428, 15607,	25787, 25788,
1443, 1502, 1630,	15745, 15789,	25991, 26025,
1652, 1660, 1675,	15792, 15796,	26027, 26033,
1683, 1696, 1704,	15873, 15877,	26146, 26155,
1717, 1725, 1889,	15879, 15917,	26156, 26165,
1895, 1904, 1911,	15922, 16131,	26230, 26231,
1937, 1949, 1950,	16863, 16864,	26235, 26236,
1981, 2026, 2031,	16872, 16877,	26242, 26243,
2042, 2050, 2096,	16888, 16889,	26255, 26261,
2098, 2100, 2102,	16934, 16935,	26423, 26432,
2104, 2105, 2107,	16973, 16980,	26434, 26439,
2118, 2133, 2138,	18015, 18021,	26449, 26464,
2147, 2162, 2171,	18040, 18093,	26493, 26494,
2172, 2183, 2185,	18594, 18614,	26819, 26829, 26831
2200, 2202, 2204,	18619, 18676,	\hboxL . . . . . 192,
2206, 2208, 2212,	18679, 18991,	4281, 4283, 4493,
2229, 2233, 2240,	19007, 19008,	16576, 16593,
2241, 2464, 2481,	19026, 19286,	18112, 20482, 26156
2525, 2685, 2690,	19288, 19298,	\hboxR 190, 4275, 4277,
2697, 2834, 2835,	19334, 19369,	4491, 20472, 26146
2836, 2844, 2851,	19783, 19817,	\head@style . . . 651,
2858, 2936, 3261,	19833, 19835,	958, 1152, 1385,
3267, 3273, 3340,	19945, 20194,	9309, 9486, 20754,
3341, 3346, 3348,	20196, 20199,	21137, 21204, 21266
3350, 3354, 3356,	20280, 20335,	\headheight . . . 2208,
3358, 3362, 3364,	20339, 20359,	4562, 11209,
3458, 3484, 3572,	20392, 20396,	15965, 21913,
3613, 3614, 3683,	20401, 20405,	22653, 23426, 26888
3720, 3726, 3727,	20417, 20428,	\headrulewidth 5033, 7672
3975, 3977, 3994,	20445, 20455,	\headsep . . . . . 4570,
3996, 4289, 4498,	20472, 20481,	4573, 11210,
4825, 7449, 7537,	20482, 20491,	15966, 21914,
7539, 7544, 7577,	20545, 20546,	22654, 23427, 26897
7578, 7587, 7594,	20547, 20549,	\headwidth . . . . . 5123
7814, 7847, 8165,	20550, 20576,	\height . 16879, 16953,
8204, 8231, 8249,	20594, 20605,	17161, 17163,
8267, 8389, 8398,	20613, 20625,	17167, 17169,
8407, 8842, 8850,	20787, 20841,	17196, 17197,
8969, 9019, 9023,	21159, 21264,	17200, 17201,
9034, 9051, 9062,	21388, 21418,	17258, 17259,
9268, 9282, 9324,	21600, 21769,	17262, 17263,
9402, 9501, 9555,	21826, 21862,	17291, 17293,



17297, 17299, 19337, 19345, 19370	26569, 26571, 26618, 26620, 26830, 26832, 26869, 26870, 26872, 26873, 26930	5133, 5139, 5145, 5202 \hintstyle ..... 5079 \hline 18571, 18573, 18579 \HLOFF ..... 4688 \HLON ..... 4682 \HLTR@LTRfootnotetext .. 11784, 17367, 17398, 17475, 17493, 17535, 17637, 17691, 17711 \HLTR@mpLTRfootnotetext .. 11790, 17396, 17410, 17434, 17497 \hoffset ..... 4566 \hold@viper .. 10263, 10266, 10322, 10325, 10393, 10396, 10580, 10581, 10592, 10593, 10605, 10606, 10618, 10653, 10655, 10656 \holder . 20349, 20352, 20361, 20371, 20372, 20390, 20394, 20399, 20403, 20415, 20419, 20426, 20430 \href .... 5169, 5170, 5173, 5174, 5177, 5178 \HRTL@mpRTLfootnotetext .. 11792, 17385, 17409, 17423, 17498 \HRTL@RTLfootnotetext .. 11786, 17366, 17387, 17460, 17494, 17573, 17668, 17690, 17708 \hrule 31, 235, 567, 755, 990, 1235, 7836, 7837, 7847, 7848, 9021, 9396, 9549, 9659, 9665, 9671, 9677, 9825, 10505, 10876, 11454, 11753, 11804, 15603, 16134, 16136, 16168, 16581, 18018, 18089, 18764, 19897, 19948, 20447, 20835, 21258, 21414, 21596, 21873,
\hfil ..... 15, 210, 543, 562, 698, 725, 927, 942, 1090, 1181, 1209, 1439, 1440, 1441, 1442, 1470, 1471, 1472, 1478, 1479, 1480, 1630, 1661, 1663, 1684, 1686, 1705, 1707, 1726, 1728, 2168, 2172, 2194, 2208, 2211, 2464, 2525, 2844, 2851, 2858, 3261, 3267, 3273, 4552, 4557, 9020, 9022, 9127, 9338, 9363, 9515, 9540, 9802, 9819, 10080, 10197, 10200, 10217, 10221, 10251, 10253, 10316, 10318, 10548, 10550, 10567, 10569, 11391, 11403, 11657, 12216, 15560, 15577, 15791, 15831, 15833, 15859, 15872, 15879, 16668, 16670, 16715, 16717, 17006, 17011, 18040, 18211, 18619, 19504, 19608, 19610, 19710, 19712, 19810, 20339, 20393, 20397, 20402, 20406, 20418, 20429, 20455, 20801, 20826, 21173, 21198, 21388, 21405, 21573, 21590, 24798, 24960, 25069, 25551, 25686, 25723, 25725, 25791, 25798, 25800, 26269, 26497,	2241, 3317, 3466, 3469, 3603, 3694, 5144, 5150, 5164, 7606, 7607, 7610, 7611, 8991, 9001, 10013, 10014, 10733, 19785, 19809, 19970, 19973, 19974, 19975, 19978, 19979, 19980, 19981, 19982, 19985, 19986, 19987, 19988, 19989, 19990, 19991, 19994, 19995, 19996, 19997, 19998, 19999, 20000, 20001, 20002, 20005, 20006, 20007, 20010, 20011, 20012, 20015, 20016, 20017, 20018, 20019, 20022, 20023, 20024, 20025, 20026, 20029, 20030, 20031, 20032, 20033, 20446, 20450, 21880, 22425, 22442, 22620, 23187, 23204, 23393, 23952, 23969, 24340, 24369, 25514, 25517, 25521, 25680, 25789, 25946, 26495 \hfilneg ... 12211, 12214 \hfuzz 11222, 24242, 24244 \hintcolour ..... 5063 \hintfont ..... 5071, 5079, 5133, 5140, 5145 \hintscolumnwidth . ..... 5099, 5113, 5117, 5125,	



21880,	22613,	13985,	13991,	22589,	22591,
22620,	23386,	14161,	14191,	22660,	22661,
\hrulefill	28, 232, 571,	14220,	14233,	23026,	23063,
761,	995,	14247,	14260,	23065,	23350,
9402,	9555,	14274,	14284,	23362,	23364,
11458,	11757,	14290,	14460,	23433,	23434,
15607,	16131,	14490,	14519,	23791,	23828,
18015,	18093,	14532,	14546,	23830,	25738,
19945,	20841,	14559,	14573,	25741,	25746,
21264,	21418,	14583,	14589,	25750,	25754,
	21600	14759,	14789,	25758,	25762,
\hspace	.	14818,	14831,	25766,	25770,
41,	55,	14845,	14858,	25774,	25994,
273,	654,	14872,	14882,	26015,	26019,
1155,	1991,	14888,	15160,	26186,	26196,
2268,	2269,	15191,	15209,	26350,	26721,
2285,	2286,	15225,	15239,	26765,	26926,
2302,	2303,	15255,	15291,		26930
2323,	2339,	15294,	15321,	\hskip	.
2524,	4512,	15324,	15335,	14,	28,
4957,	7846,	15338,	15350,	209,	209,
7847,	7847,	15353,	15364,	232,	305,
7907,	7951,	15367,	15379,	309,	309,
8592,	9312,	15382,	15393,	561,	561,
9489,	9937,	15404,	15878,	571,	684,
10197,	10200,	15879,	16221,	685,	724,
10217,	10221,	16238,	16254,	761,	912,
11834,	11850,	16282,	16297,	913,	926,
11865,	11881,	16312,	16329,	974,	995,
11896,	11909,	16330,	16476,	1167,	1167,
11922,	11934,	16581,	16611,	1168,	1208,
11946,	11959,	16614,	16618,	1241,	1241,
12379,	12409,	16621,	16622,	1388,	1441,
12438,	12451,	18207,	18211,	1442,	1442,
12465,	12478,	18605,	18616,	1480,	1504,
12492,	12502,	18619,	18646,	1507,	1507,
12508,	12672,	18733,	18734,	1571,	1628,
12702,	12730,	18741,	18764,	1632,	1632,
12742,	12755,	19500,	19504,	1658,	1665,
12767,	12780,	19737,	19817,	1681,	1681,
12789,	12795,	19819,	19827,	1688,	1702,
12965,	12995,	19863,	19867,	1709,	1709,
13024,	13037,	19871,	19874,	1723,	1730,
13051,	13064,	19879,	19882,	2033,	2033,
13078,	13088,	19932,	19936,	2035,	2037,
13094,	13264,	19940,	20508,	2039,	2039,
13294,	13323,	20510,	20698,	2042,	2050,
13336,	13350,	20757,	21207,	2104,	2104,
13363,	13377,	21269,	21285,	2107,	2115,
13387,	13393,	21328,	21838,	2138,	2138,
13563,	13593,	21849,	21851,	2145,	2184,
13622,	13635,	21920,	21921,	2193,	2193,
13649,	13662,	22265,	22302,	2208,	2212,
13676,	13686,	22304,	22577,	2235,	2235,
13692,	13862,				
13892,	13921,				
13934,	13948,				
13961,	13975,				



10560,	10561,	21689,	21725,	18011,	22237,
10941,	10942,	21727,	21736,	22246,	22342,
10945,	10955,	21738,	21824,	22352,	22355,
10956,	10999,	21880,	21887,	22357,	22998,
11390,	11458,	22563,	22620,	23007,	23103,
11757,	14908,	22627,	23336,	23113,	23116,
15576,	15607,	23393,	23400,	23118,	23763,
15790,	15795,	24100,	24106,	23772,	23868,
15799,	15800,	24118,	24123,	23878,	23881,
15855,	15871,	24339,	24368,	23883,	24063,
16131,	16714,	24530,	24561,	24064,	24345,
16721,	16725,	24584,	24601,	24357,	27051,
16726,	16999,	24618,	24635,	27055,	27060,
17001,	17002,	24652,	24669,	27062,	27066, 27068
17005,	17010,	24687,	24706,	\hss . . . . .	484,
17013,	17015,	24726,	24761,	543,	562, 698, 725,
17016,	17921,	24953,	24956,	927,	942, 1181,
17929,	17937,	25162,	25194,	1209,	2026, 2586,
17945,	17954,	25673,	25720,	2608,	3613, 3614,
17962,	17971,	25730,	25785,	4305,	4512, 4581,
17979,	18015,	26491,	26568,	8612,	9338, 9363,
18039,	18071,	26575,	26579,	9515,	9540, 9743,
18093,	19607,	26580,	26813,	9802,	9819, 10080,
19614,	19618,	26815,	26829, 26832	10256,	10260,
19619,	19784,	\hspace{.108, 109, 228,		10315,	10321,
19796,	19808,	229,	580, 3490,	10553,	10558,
19863,	19867,	3497,	5134, 5139,	10565,	10572,
19871,	19874,	5145,	7589, 7596,	10944,	10954,
19875,	19879,	7818,	8496, 8497,	10999,	11008,
19882,	19883,	8503,	8504, 8510,	11224,	11227,
19945,	19970,	8511,	8517, 8518,	11229,	11232,
19973,	19975,	8645,	8671, 8672,	11235,	11391,
19978,	19980,	10863,	11036,	11403,	11502,
19982,	19985,	11039,	11043,	11599,	11657,
19987,	19989,	11045,	11050,	12000,	12006,
19991,	19994,	11052,	11056,	12012,	12018,
19996,	19998,	11059,	11062,	12024,	12030,
20000,	20002,	11066,	11068,	15560,	15577,
20005,	20007,	11072,	11074,	15669,	15794,
20010,	20012,	11078,	11081,	15798,	15830,
20015,	20017,	11084,	11088,	15836,	15988,
20019,	20022,	11090,	11095,	16414,	16420,
20024,	20026,	11097,	11410,	16426,	16432,
20029,	20031,	11744,	12001,	16438,	16444,
20033,	20047,	12013,	12025,	16667,	16673,
20297,	20304,	16415,	16427,	16720,	16724,
20787,	20788,	16439,	17136,	16898,	16944,
20825,	20841,	17152,	17165,	17002,	17016,
21140,	21159,	17177,	17190,	18117,	18124,
21160,	21197,	17199,	17207,	18129,	18614,
21264,	21404,	17252,	17261,	18622,	19028,
21418,	21589,	17269,	17282,	19289,	19370,
21600,	21678,	17295,	17307,	19613,	19617,
21680,	21687,	17331,	18010,	19709,	19715,



19853,	19854,	10914,	10922,	24303,	26034,
19864,	19865,	10932,	10934,	26036,	26450,
20311,	20321,	10950,	10979,	26793,	26803, 26807
20547,	20558,	10989,	10991,	\ht@hold@viper	10394,
20559,	20560,	11004,	11375,	10396,	10618,
20605,	20613,	12218,	12503,	10619,	10653, 10654
20801,	20826,	12509,	12514,	\ht@strip	19748, 19749,
21173,	21198,	12519,	12790,	19750,	19751,
21289,	21332,	12796,	12801,	19752,	19755, 19757
21388,	21405,	12806,	13089,	\ht@viper	10355, 10361,
21514,	21573,	13095,	13100,	10362,	10385,
21590,	21826,	13105,	13388,	10386,	10387,
21862,	22387,	13394,	13399,	10398,	10552,
22397,	22565,	13404,	13687,	10557,	10564, 10571
22602,	23149,	13693,	13698,	\httplink	..... 5171
23159,	23338,	13703,	13986,	\Huge .	8579, 9662, 9674,
23375,	23914,	13992,	13997,	9854, 9862,	11686,
23924,	24112,	14002,	14285,	11695,	15590,
24960,	25069,	14291,	14296,	15598,	21623, 21631
25999,	26001,	14301,	14584,	\huge .	..... 591,
26006,	26012,	14590,	14595,	8433,	8435, 8578,
26232,	26360,	14600,	14883,	9653,	9848, 11421,
26411,	26412,	14889,	14894,	11430,	11680,
26414,	26415,	14899,	14912,	15585,	21618,
26417,	26418,	14981,	15034,	21962,	22702, 23475
26421,	26422,	15086,	15137,	\hv@Bottom	..... 17231
26479,	26480,	15512,	15741,	\hv@Center	... 17135,
26481,	26482,	16501,	16508,	17146,	17186,
26574,	26578,	16525,	16532,	17248,	17276, 17329
26617,	26623,	16533,	16546,	\hv@figure	.. 17100, 17118
\ht . .		16550,	16573,	\hv@floatObject	...
391, 1490, 1523,		16744,	16749,	.....	17061, 17065
1896, 1906, 1912,		16891,	16892,	\hv@floatType	. 17091,
1925, 2013, 2097,		16894,	16937,	17100,	17118, 17336
2099, 2101, 2103,		16938,	16940,	\hv@Height	..... 17073
2123, 2132, 2134,		17073,	18580,	\hv@label	..... 17042
2152, 2161, 2163,		18633,	18648,	\hv@Left	... 17076, 17144
2201, 2203, 2205,		18663,	18665,	\hv@longCap	..... 17041
2207, 2213, 2478,		18666,	18762,	\hv@Right	.. 17077, 17133
2482, 2526, 2937,		18769,	18772,	\hv@shortCap	.....
3738, 4295, 4504,		19591,	19595,	. 17040,	17106, 17124
10028,		19600,	19691,	\hv@Top	. 17159, 17195,
10039,		19695,	19700,	17215,	17257, 17289
10363,		19751,	19753,	\hv@Width	.. 17071, 17094
10385,		19951,	20361,	\hv@Zero	... 17060, 17323
10413,		20419,	20430,	\hvAboveCaptionSkip	.....
10418,		20435,	20436,	17239,	17242
10434,		20437,	20438,	\hvBelowCaptionSkip	.....
10451,		20442,	20457,	17223,	17226
10455,		20574,	20597,	\hvCaptionBox	. 17095,
10464,		21664,	21706,	17112,	17154,
10483,		21709,	21764,	17156,	17167,
10526,		21771,	24140,	17169,	17179,
10653,		24176,	24188,	17181,	17187,



17188, 17196,	\hvSet@floatCapSep	\Hy@LT@currentHref
17197, 17204,	..... 17152,	..... 17897, 17908
17205, 17216,	17165, 17177,	\Hy@LT@LTRfootnotetext
17217, 17223,	17190, 17199,	..... 17525, 17534
17226, 17232,	17207, 17252,	\Hy@LT@RTLfootnotetext
17233, 17240,	17261, 17269,	..... 17563, 17572
17243, 17249,	17282, 17295, 17307	\Hy@MakeRemoteAction
17250, 17258,	\hvSet@floatPos .. 17089	..... 17748
17259, 17266,	\hvSet@objectAngle	\Hy@maketitle@end .
17267, 17284,	..... 17060, 17064	. 17694, 17699, 17701
17286, 17297,	\hvSet@objectPos ..	\Hy@maketitle@optarg
17299, 17309, 17311	. 17133, 17135, 17329	..... 17692, 17697
\hvCapWidth .. 17069,	\hvSet@rotAngle ...	\Hy@pstringD 17747, 17766
17071, 17073,	. 17054, 17323, 17326	\Hy@pstringdef ....
17075, 17079,	\Hy@Acrobatmenu .. 17840	.. 17746, 17747,
17081, 17096, 17114	\Hy@backout .... 17867	17781, 17782, 17813
\hvFloat ..... 17043	\Hy@BeginAnnot ....	\Hy@pstringF .....
\hvMaxCapWidth 17054,	. 17723, 17743,	.. 17744, 17745,
17055, 17076,	17780, 17812, 17841	17746, 17761,
17077, 17078, 17081	\Hy@bidipoem@footnotetext	17781, 17794, 17799
\hvObjectBox .....	..... 17596, 17605	\Hy@pstringP 17782, 17799
.. 17058, 17061,	\Hy@bidipoem@LTRfootnotetext	\Hy@pstringURI ....
17063, 17067,	..... 17627, 17636	..... 17813, 17826
17073, 17148,	\Hy@bidipoem@RTLfootnotetext	\Hy@raisedlink 17416,
17150, 17161,	..... 17658, 17667	17427, 17438,
17163, 17173,	\Hy@CleanupFile .. 17745	17449, 17464,
17175, 17191,	\Hy@colorlink . 17773,	17479, 17539,
17192, 17200,	17805, 17834, 17860	17577, 17610,
17201, 17208,	\Hy@EndAnnot ....	17641, 17672, 17909
17209, 17216,	. 17730, 17776,	\Hy@saved@footnotemark
17219, 17224,	17808, 17837, 17863	..... 17684, 17703
17227, 17232,	\Hy@endcolorlink . 17732	\Hy@saved@footnotetext
17235, 17239,	\Hy@footnote@currentHlabel	..... 17685, 17706
17242, 17253,	. 17452, 17467, 17482	\Hy@SetNewWindow ..
17254, 17262,	\Hy@footnote@currentHref	..... 17768, 17796
17263, 17270,	..... 17414,	\Hy@setpdfborder ..
17271, 17278,	17417, 17425,	..... 17754,
17280, 17291,	17428, 17436,	17788, 17819, 17848
17293, 17303, 17305	17439, 17447,	\Hy@tabularx@hook .
\hvObjectWidth .....	17450, 17453,	..... 17491, 17503
.. 17067, 17071,	17462, 17465,	\Hy@temp@menu 17842, 17855
17075, 17076, 17077	17468, 17477,	\Hy@xspace@end ....
\hvOBox .... 17061, 17065	17480, 17483,	.. 17739, 17775,
\hvSet@capAngle ...	17526, 17564,	17807, 17836, 17862
.... 17094, 17113	17597, 17628, 17659	\HyLTR@saved@LTRfootnotetext
\hvSet@capPos .....	\Hy@gtemp .. 17502, 17507	..... 17687, 17712
.. 17076, 17077,	\Hy@href@nextactionraw	\HyOrg@maketitle ..
17144, 17215, 17231	..... 17769,	. 17682, 17693, 17698
\hvSet@capVPos 17146,	17801, 17830, 17856	\HyOrg@TX@endtabularx
17159, 17186,	\Hy@href@page .... 17764	..... 17490
17195, 17248,	\Hy@linkcounter ....	\hyper@@anchor 17414,
17257, 17276, 17289	..... 11275, 11280	17417, 17425,
\hvSet@capWidth 17071,	\Hy@linktoc .... 17345	17428, 17436,
17073, 17078, 17079		17439, 17447,



		\if . . . . .	361, 362, 363, 365, 366, 367, 368, 369, 372, 373, 374, 411, 418, 1416, 1417, 1418, 1420, 1421, 1422, 1423, 1424, 1425, 1426, 1429, 1430, 1431, 1454, 1455, 1456, 1458, 1459, 1460, 1461, 1462, 4916, 4922, 4925, 4928, 4931, 6452, 6507, 6511, 6517, 6521, 6562, 6645, 7028, 9898, 9917, 9950, 9951, 9952, 16063, 16087, 16324, 18098, 18562, 18564, 18566, 20229, 24152, 24186, 24191, 24278, 24279, 24280, 24281, 24282, 24283, 24284, 24286, 24287, 24288, 24289, 24290, 24293, 24294, 24295, 26355, 26356, 26447, 26464, 26471, 26472, 26473, 26474, 26475, 26476	\if@bidi@amsthmlloaded@ ..... 18344 ..... 18347 \if@bidi@animateloaded@ ..... 18350 \if@bidi@arabxetexloaded@ ..... 183549 \if@bidi@arrayloaded@ ..... 18483 \if@bidi@arydshlnloaded@ ..... 18507 \if@bidi@banner ... ..... 4036, 4196 \if@bidi@blank ... ... 5550, 6060, 6067 \if@bidi@breqnloaded@ ..... 18353 \if@bidi@calsloaded@ ..... 18356 \if@bidi@captionloaded@ ..... 18359 \if@bidi@colorloaded@ ..... 18365 \if@bidi@colortblloaded@ ..... 18384 \if@bidi@croploaded@ ..... 18362 \if@bidi@csdef ... ... 4386, 4397, 5514, 5563, 18695, 19895, 25567, 25573 \if@bidi@csmacro .. 5562 \if@bidi@csprimitive ..... 5572 \if@bidi@csundef ... 5223, 5226, 5229, 5233, 5238, 5520, 5599, 5635, 5660, 5689, 5714, 5746, 5752, 5780, 5786, 5795, 5812, 6337, 7233, 7285, 11765, 11766, 11779, 11780, 12132, 15535, 19955, 26234, 26241, 26947 \if@bidi@cutedloaded@ ..... 18372 \if@bidi@cutwinloaded@ ..... 18369 \if@bidi@dblfnoteloaded@ ..... 18375 \if@bidi@def ..... 5532
	I	\if@altsecnumformat	. 22141, 22880, 23653	
		\if@bib@break@	22151,	
			22176, 22191,	
			22207, 22912,	
			22937, 22952,	
			22968, 23677,	
			23702, 23717, 23733	
	i	\if@bibchapter	... 24454	
		\if@bidi@amsmathloaded@	..... 18341	
	ialign		..... 18341	
		\if@bidi@amstextloaded@		



\if@bidi@defmacro .	26393, 26406,	\if@bidi@rotatingloaded@
.... 5555, 5556,	26407, 26419, 26420	..... 18528
5564, 5959, 5978, 6125		\if@bidi@listminipage@parbidi@listminipage@
\if@bidi@defparam .	..... 4240,	..... 18489
.... 5980,	26314, 26368,	\if@bidi@stabularloaded@
6074, 6075, 6127	26377, 26386, 26395	..... 18486
\if@bidi@defprimitive .	..... 18456	\if@bidi@subfigloaded@
.... 5566	\if@bidi@listingsloaded@	..... 18492
\if@bidi@defprotected .	..... 18504	\if@bidi@subfigureloaded@
.... 5987,	\if@bidi@mdf@RTL ..	..... 18495
6083, 6084, 6138	..... 18724, 18731	\if@bidi@supertabularloaded@
\if@bidi@diagboxloaded@	\if@bidi@makedloaded@	..... 18498
.... 18378	..... 18420	\if@bidi@tablsloaded@
\if@bidi@draftwatermarkloaded@	..... 18438	..... 18531
.... 18438	\if@bidi@midfloatloaded@	\if@bidi@tabularyloaded@
\if@bidi@empheqloaded@	..... 18423	..... 18534
.... 18441	\if@bidi@minitocloaded@	\if@bidi@tikzloaded@
\if@bidi@fancyboxloaded@	..... 18516	..... 18474
.... 18432	\if@bidi@multicolloaded@	\if@bidi@titlesecloaded@
\if@bidi@fancyhdrloaded@	..... 18510	..... 18477
.... 18435	\if@bidi@multienumloaded@	\if@bidi@titletocloaded@
\if@bidi@fancyvrbloaded@	..... 18513	..... 18480
.... 18555	\if@bidi@natbibloaded@	\if@bidi@tocbasicloaded@
\if@bidi@finalfootnotepage	..... 18519	..... 18537
.... 12130, 12153	\if@bidi@newfloatloaded@	\if@bidi@tocbibindloaded@
\if@bidi@floatloaded@	..... 18522	..... 18543
.... 18387	\if@bidi@ntheoremloaded@	\if@bidi@tocstyleloaded@
\if@bidi@floatrowloaded@	..... 18426	..... 18540
.... 18390	\if@bidi@overpicloaded@	\if@bidi@todonotes@figposition@right
\if@bidi@flowframloaded@	..... 18444	.. 25827, 25925,
.... 18393	\if@bidi@patchable	25930, 25937, 25943
\if@bidi@fontspecloaded@	..... 5947, 5948	\if@bidi@todonotes@textdirection@RTL
.... 18546	\if@bidi@pdfbanner	..... 25826,
\if@bidi@framedloaded@	..... 4037, 4378	25860, 25900, 25934
.... 18396	\if@bidi@pdfencrypt	\if@bidi@undef ....
\if@bidi@ftnrightloaded@	..... 4231, 4369	.... 5538, 5603,
.... 18399	\if@bidi@pdfm@mark	5856, 5867, 5886,
\if@bidi@geometryloaded@	..... 4041,	5890, 5894, 5898,
.... 18414	4379, 4405, 4463, 4527	5908, 5912, 5916,
\if@bidi@graphicxloaded@	..... 18447	5920, 5956, 5975, 6122
.... 18411	\if@bidi@perpage@footnote	\if@bidi@wrapfigloaded@
\if@bidi@hvfloatloaded@	..... 4042, 4356	..... 18408
.... 18417	\if@bidi@pgfloaded@	\if@bidi@xcolorloaded@
\if@bidi@hyperrefloaded@	..... 18465	..... 18381
.... 18429	\if@bidi@picinparloaded@	\if@bidi@xltxtalloaded@
\if@bidi@lettrineloaded@	..... 18468	..... 18402
.... 18450	\if@bidi@polyglossialoaded@	\if@bidi@xtabloaded@
\if@bidi@linenolloaded@	..... 18552	..... 18501
.... 18453	\if@bidi@pstricksloaded@	\if@bidi@xunicode@loaded@
\if@bidi@listminipage@parbidi@listminipage@	..... 18462	..... 18405
.... 4239,	\if@bidi@quotchaploaded@	\if@capbreak .....
26306, 26366,	..... 18471	. 22345, 23106, 23871
26375, 26384,		\if@captionabove ..
		..... 22280,



22286, 22380,	\if@firstcolumn 10228,	\if@nonlatin .....
22391, 23041,	10291, 10352,	.. 336, 348, 4040,
23047, 23142,	10624, 10643,	4354, 5496, 5502,
23153, 23806,	15771, 15807,	9933, 9935, 18719
23812, 23907, 23918	16637, 16686,	\if@noparlist .... 9255
\if@cftdopart .... 24512	16774, 19539,	\if@noskipsec .. 9896,
\if@cfthaschapter .	19639, 19745,	16599, 18736, 20692
..... 24503,	26546, 26593, 26783	\if@oldtoc . 688, 714,
24507, 24513,	\if@firstdetailselement	916, 932, 1171,
24534, 24546, 24568	..... 10836, 10838	1198, 9328, 9352,
\if@cfthaspart ... 24499	\if@firstfooterelement	9505, 9529, 20791,
\if@chapterentrywithdots	..... 10740, 10743	20815, 21163, 21187
..... 23201, 23966	\if@hboxRconstruct	\if@openright .....
\if@colour .....	..... 4230,	.. 8924, 9866, 11699
\if@colourgreen 10671,	4466, 5484, 5490,	\if@ovb .....
10700, 10769, 10795	16323, 26313,	15749
\if@colourgrey 10675,	26337, 26368,	\if@ovl .....
10714, 10773, 10807	26377, 26386,	15747
\if@colourorange ..	26395, 26406,	\if@ovr .....
..... 10669,	26407, 26419, 26420	15746
10693, 10767, 10789	\if@ignore ... 6304, 6306	\if@ovt .....
\if@coloured . 10673,	\if@inlabel .....	15748
10707, 10771, 10801	9897	\if@pboxsw .....
\if@compatibility .	\if@inltxdoc .... 24447	26362
.. 545, 700, 776,	\if@insert .....	\if@restonecol .....
944, 1028, 1183,	10651	..... 634, 650,
1278, 9426, 9603,	\if@komalongtable .	899, 1151, 9308,
20885, 21024,	. 22377, 23139, 23904	9485, 9695, 20753,
24538, 25073, 26435	\if@left@column@shrink	21008, 21467, 24494
\if@contcw . 19456, 19485	..... 10514	\if@reversemargin 26788
\if@conthang .... 19466	\if@left@column@spread	\if@right@column@shrink
\if@continent .. 19472	..... 10431, 10508	.. 10432, 10461, 10536
\if@DEBUG .... 4971	\if@LTBbibitems . 87,	\if@right@column@spread
\if@displaypagenumbers	290, 602, 737,	..... 10530
..... 5179, 5182	1000, 1250, 2637,	\if@rjfield .....
\if@donumindex ....	4236, 5197, 9378,	26827
..... 24455, 24474	9566, 9875, 11437,	\if@rl .....
\if@dotocbib .... 24416	11708, 15612,	4226
\if@dotocind 24462, 24479	17988, 19534,	\if@rl@footnote ..
\if@extrafootnotefeatures	20041, 20846,	4238
..... 4039, 4341	21240, 21434,	\if@rlmain .....
\if@fcolmade .. 10277,	21637, 22167,	4225
10336, 15803,	22928, 23693, 24423	\if@rot@twoside 21668,
15843, 15927,	\if@LTmarginpar ..	21673, 21683,
16680, 16733,	..... 4235,	21713, 21719, 21731
16762, 19627,	26812, 26817, 26821	\if@RTL . 12, 13, 25, 87,
19724, 26587, 26630	\if@mainmatter . 8896,	104, 107, 108, 109,
\if@ff@nwpg .... 15895	9652, 9847, 11679,	173, 180, 189, 207,
\if@filesw 5250, 5625,	20630, 22883, 22905	208, 224, 227, 228,
5631, 5650, 5656,	\if@minipage . 7641, 19525	229, 290, 305, 309,
5679, 5685, 5704,	\if@mparswitch ... 26785	540, 557, 560, 561,
5710, 5736, 5742,	\if@newlist .. 15943,	584, 597, 602, 654,
5770, 5776, 12113	15975, 26841, 26916	667, 678, 679, 684,
	\if@nobreak ... 7229,	695, 720, 723, 724,
	16598, 18735, 20691	737, 905, 906, 912,
		922, 925, 926, 939,
		961, 1000, 1155,
		1161, 1162, 1167,
		1178, 1204, 1207,
		1208, 1226, 1250,
		1389, 1390, 1501,
		1502, 1515, 1526,
		1541, 1625, 1631,



1655, 1664, 1678, 1687, 1699, 1708, 1720, 1729, 1972, 2481, 2531, 2637, 2733, 2756, 2776, 2794, 2802, 2821, 2943, 2982, 3028, 3211, 3218, 3225, 3320, 3337, 3343, 3346, 3349, 3352, 3354, 3357, 3360, 3362, 3365, 3485, 3492, 3537, 3542, 3628, 3683, 3689, 3799, 3821, 3875, 3884, 3894, 3916, 3957, 3966, 3985, 4226, 4255, 4465, 4472, 5197, 5460, 5466, 5624, 5649, 5678, 5703, 5735, 5769, 8552, 8553, 8670, 8671, 8672, 9312, 9318, 9319, 9324, 9335, 9358, 9361, 9362, 9378, 9489, 9495, 9496, 9501, 9512, 9535, 9538, 9539, 9566, 9650, 9661, 9663, 9799, 9814, 9817, 9818, 9845, 9859, 9875, 9894, 9906, 9919, 9994, 10035, 10036, 10040, 10041, 10043, 10050, 10056, 10075, 10078, 10079, 10085, 10090, 10197, 10200, 10217, 10221, 11042, 11049, 11065, 11071, 11087, 11094, 11223, 11303, 11318, 11340, 11341, 11342, 11343, 11366, 11386, 11389, 11390, 11400, 11414, 11427, 11437, 11654, 11677, 11692, 11708,	11729, 11732, 11737, 11745, 15557, 15572, 15575, 15576, 15583, 15595, 15612, 15879, 16036, 16324, 16471, 16473, 16870, 16872, 16875, 16876, 16877, 16883, 16885, 16902, 16905, 16912, 16921, 16927, 16931, 16934, 16948, 16973, 16980, 17145, 17247, 17349, 17357, 17739, 17775, 17807, 17836, 17862, 17868, 17872, 17875, 17920, 17928, 17936, 17944, 17952, 17961, 17969, 17978, 17988, 18006, 18009, 18010, 18011, 18026, 18037, 18038, 18072, 18076, 18079, 18084, 18106, 18116, 18126, 18615, 18687, 18701, 18708, 18727, 18810, 18818, 19009, 19335, 19415, 19416, 19417, 19418, 19419, 19420, 19499, 19501, 19534, 19779, 19783, 19784, 19791, 19796, 19803, 19808, 20041, 20128, 20148, 20163, 20177, 20209, 20339, 20389, 20464, 20518, 20519, 20522, 20526, 20558, 20559,	20560, 20608, 20614, 20625, 20627, 20633, 20644, 20646, 20657, 20659, 20670, 20672, 20681, 20683, 20700, 20720, 20736, 20737, 20757, 20770, 20781, 20782, 20787, 20798, 20821, 20824, 20825, 20846, 21141, 21142, 21153, 21154, 21159, 21170, 21193, 21196, 21197, 21207, 21220, 21240, 21269, 21385, 21400, 21403, 21404, 21409, 21410, 21434, 21570, 21585, 21588, 21589, 21616, 21628, 21637, 21748, 21750, 21754, 21758, 21760, 21765, 21769, 21772, 21776, 21778, 21782, 21807, 21815, 21840, 21853, 22139, 22140, 22167, 22215, 22216, 22217, 22219, 22267, 22271, 22546, 22554, 22579, 22593, 22879, 22928, 22976, 22977, 22978, 22980, 23028, 23032, 23319, 23327, 23352, 23366, 23652, 23693, 23741, 23742, 23743, 23745, 23793, 23797, 24062, 24065, 24095, 24115, 24313,
---	--	--



24358,	24375,	26432,	26479,	13889,	13900,
24395,	24398,	26480,	26486,	13906,	13913,
24403,	24407,	26491,	26812,	13918,	14055,
24408,	24423,	26817,	26821,	14060,	14072,
24497,	24520,	26829,	26830,	14078,	14085,
24521,	24522,	26831,	26832,	14090,	14100,
24530,	24551,	26927,	26930,	14176,	14183,
24552,	24553,	26938,	26948,	14188,	14199,
24561,	24574,	27050,	27060,	14205,	14212,
24575,	24576,	\if@RTL@footnote 36,			
24584,	24591,	239,	2267,	14217,	14354,
24592,	24593,	2320,	4238,	14359,	14371,
24601,	24608,	7920,	11829,	14377,	14384,
24609,	24610,	11845,	11906,	14389,	14399,
24618,	24625,	11919,	12273,	14475,	14482,
24626,	24627,	12278,	12290,	14487,	14498,
24635,	24642,	12296,	12303,	14504,	14511,
24643,	24644,	12308,	12318,	14516,	14653,
24652,	24659,	12394,	12401,	14658,	14670,
24660,	24661,	12406,	12417,	14676,	14683,
24669,	24677,	12423,	12430,	14688,	14698,
24678,	24679,	12435,	12572,	14774,	14781,
24687,	24696,	12577,	12588,	14786,	14797,
24697,	24698,	12594,	12601,	14803,	14810,
24706,	24716,	12606,	12615,	14815,	15048,
24717,	24718,	12687,	12694,	15062,	15099,
24726,	24751,	12699,	12709,	15113,	15148,
24752,	24753,	12715,	12722,	15167,	15173,
24761,	24801,	12727,	12859,	15180,	15196,
24802,	24803,	12864,	12876,	15276,	15283,
25600,	25662,	12882,	12889,	15300,	15306,
25663,	25664,	12894,	12904,	15313,	16215,
25670,	25673,	12980,	12987,	16264,	16306,
25720,	25780,	12992,	13003,	16309,	
25785,	25808,	13009,	13016,		
25815,	25875,	13021,	13158,	290,	602,
25878,	25962,	13163,	13175,	737,	
25997,	26005,	13181,	13188,	1000,	1250,
26032,	26033,	13193,	13203,	2637,	
26036,	26037,	13279,	13286,	4237,	5197,
26039,	26076,	13291,	13302,	9378,	
26080,	26133,	13308,	13315,	9566,	9875,
26138,	26184,	13320,	13457,	11437,	
26185,	26212,	13462,	13474,	11708,	15612,
26213,	26216,	13480,	13487,	17988,	19534,
26220,	26307,	13492,	13502,	20041,	20846,
26315,	26321,	13578,	13585,	21240,	21434,
26327,	26340,	13590,	13601,	21637,	22167,
26408,	26409,	13607,	13614,	22928,	23693,
26411,	26414,	13619,	13756,	24423,	24425,
26417,	26419,	13761,	13773,	3417,	3430,
26420,	26421,	13779,	13786,	3437,	3515,
26422,	26424,	13791,	13801,	3608,	3615,
26426,	26427,	13877,	13884,	4225,	4254,
				4273,	4275,
				4464,	4471,
				4490,	4491,
				10093,	10116,



10139,	10162,	\if@titlepage . . . .	\IfArgIsEmpty . . . . .
10546,	11030,	.. 438, 655, 763,	. 21823, 22562, 23335
11155,	11158,	962, 1015, 1214,	\ifartopt . . . . . 19435
11164,	11172,	1265, 9697, 11460,	\ifbeamer@centered 2246
11182,	11192,	11553, 15627,	\ifbeamer@colbox@ignorebg
11198,	11212,	20758, 20872,	..... 1979, 1982
16041,	16998,	21009, 21208,	\ifbeamer@colbox@rounded
17008,	17025,	21271, 21468,	..... 2015
17031,	18134,	21891, 22631, 23404	\ifbeamer@compress 2675
18146,	18153,	\if@titlepageiscoverpage	\ifbeamer@dogeometry
19736,	19893,	. 21896, 22636, 23409	..... 2057
26636,	26857,	\if@tocstyle@penalties	\ifbeamer@onlytextwidth
26863,	26892, 26908	..... 25583, 25692	..... 2228
\if@RTLmarginpar ..		\if@todonotes@authorgiven	\ifbeamer@plainframe
..... 4234,		..... 25851,	..... 2502,
26812,	26817, 26821	25862, 25887, 25904	2519, 2530, 3571
\if@RTLtab .....	362,	\if@todonotes@disabled	\ifbeamer@sb@subsection
363, 379,	386, 418,	..... 25845, 25846	... 3779, 3790, 3798
429,	1397, 1398,	\if@todonotes@dviStyle	\ifbeamer@theme@subsection
1417,	1418, 1455,	..... 25848, 25882	..... 3539
1456,	4229, 4835,	\if@ttb@rotate ... 16035	\ifbeamer@tree@showhooks
4839,	4840, 5472,	\if@twocolumn ... 98,	..... 3974, 3993
5478,	9954, 9956,	218, 485, 621, 637,	\ifbeamercolorempty
9977, 9984,	10006,	664, 671, 839, 886,	1978, 2889, 2891,
10007,	10020,	971, 982, 1091,	2894, 2904, 2906,
10031,	18563,	1138, 1223, 1230,	2909, 2919, 2921,
18565,	18676,	1341, 4274, 4280,	2924, 3210, 3217,
18679,	24130,	8850, 9295, 9472,	3245, 3247, 3311, 3368
24134,	24135,	9682, 9744, 11503,	\ifbidi@autofootnoterule
24152,	24160,	11600, 15670,	..... 2317,
24166,	24191,	16776, 18000,	2333, 2349, 16042,
24279,	24280,	19398, 20740,	16276, 16291, 16306
26266,	26439,	20767, 20774,	\ifbidi@in@label ..
26443,	26444,	20948, 20995,	..... 6516, 6518
26464,	26472, 26473	21089, 21217,	\IfbidiPackageVersion
\if@sectionentrywithdots		21224, 21333,	..... 4213
..... 22439		21454, 21515,	\IfbidiPackageVersionBefore
\if@sendir .....	4467	22057, 22797,	..... 4207
\if@specialpage ...		23570, 24449,	\IfbidiPackageVersionLater
.... 15898, 26852		26508, 26782, 26941	..... 4201
\if@star .....	20594	\if@twoside .. . . .	\ifblank .... 2595, 3460
\if@tab@rl .....	4229	... 8841, 11190,	\ifblendcolors 26044,
\if@tablecaptionabove		15902, 21938,	26065, 26087, 26114
.. 22409, 23171, 23936		21982, 22060,	\ifbool .... 18749, 18758
\if@tempswa .....		22074, 22678,	\ifcase 1438, 1465, 1469,
1997, 2007, 2016,		22722, 22800,	1473, 1477, 1503,
2031, 7071, 7116,		22814, 23451,	10008, 17345,
10938,	10995,	23495, 23573,	18628, 24389,
12065,	21990,	23587, 25988, 26855	24771, 25652,
22730,	23503, 25255	\if@vihproof 19764, 19770	25722, 25832,
\if@thmmarks ..	20111,	\ifadl@inactive ... 1403	25840, 26064,
20115,	20132, 20136	\ifadl@usingarypkg 1406	26113, 26523, 26524
\if@titlecentered ..		\ifAM@output .... 20255	\ifcat .... 4265,
..... 1371, 21121		\ifAM@survey .... 20233	4482, 6402, 6403



\ifconvertcolorsU .	10983,	10992,	16598, 16599,
..... 26050,	11014,	11018,	18258, 18735,
26066, 26093, 26115	11998,	12003,	18736, 20691, 20692
\ifcpoddpage ..... 7418	12010,	12015,	\IfFileExists .. 6800,
\ifcsname .....	12022,	12027,	7398, 8870, 8935
5515, 5521, 5873,	14982,	15035,	\iffootdir@debug ..
6265, 6279, 6293,	15087,	15138,	..... 4038, 16053
6303, 6325, 6845,	15735,	15737,	\ifFootnoteBackref@numberlinked
6860, 7074, 7082,	15878,	16412,	..... 16410
20065, 20075,	16417,	16424,	\ifGin@grid 20164, 20177
20089, 25607,	16429,	16436,	\ifGin@iso ..... 16987
25608, 25617,	16441,	16483,	\ifhbox .... 14924, 14928
25628, 25632,	16491,	16507,	\ifhmode .. 2657, 4900,
25642, 25654,	16508,	16538,	7879, 7923, 7967,
25708, 25736,	16546,	16559,	8210, 8216, 10041,
25737, 25745,	16574,	16607,	10043, 10050,
25749, 25753,	16608,	16890,	10056, 10075,
25757, 25761,	16897,	16936,	24351, 26037,
25765, 25769, 25773	16943,	16988,	26039, 26076,
\ifdefined ... 5533, 5539	17078,	17216,	26080, 26133,
\defining ..... 6522	17232,	18207,	26419, 26420,
\ifdfn@allowcbreak	18616,	18663,	26463, 26693, 26737
..... 10891, 10912	18666,	19405,	\ifhv@fbox ... 17147,
\ifdfn@ruleboth ...	19448,	19455,	17153, 17160,
..... 10949, 11003	19459,	19461,	17166, 17172,
\ifdfn@trysingle ..	19500,	19561,	17178, 17187,
..... 10930, 10987	19569,	19571,	17191, 17196,
\ifdim 1491, 1492, 1894,	19661,	19669,	17200, 17204,
1901, 1913, 1935,	19671,	19746,	17208, 17222,
1994, 1996, 1997,	19757,	19841,	17238, 17249,
2002, 2004, 2006,	19849,	19855,	17253, 17258,
2008, 2009, 2025,	19869,	19877,	17262, 17266,
2041, 2512, 3346,	20283,	20336,	17270, 17277,
3354, 3362, 3566,	20361,	20419,	17283, 17290,
3605, 3640, 3976,	20430,	20437,	17296, 17302, 17308
3995, 4202, 4208,	20442,	20457,	\ifhv@nonFloat 17090,
4214, 7654, 8221,	20570,	20595,	17097, 17115,
8990, 9027, 9029,	22251,	22334,	17136, 17328, 17330
9088, 9089, 9091,	23012,	23095,	\ifhv@onlyText ....
9097, 9137, 9149,	23777,	23860,	..... 17098, 17116
9231, 9233, 9246,	24177,	25111,	\ifhv@useOBox 17061, 17065
9248, 9256, 9927,	25156,	25171,	\ifHy@chref@ismap .. 17827
10371, 10386,	25176,	25618,	\ifHy@hyperfootnotes
10430, 10433,	25643,	25709,	.. 11767, 11781, 17364
10462, 10470,	25965,	25967,	\ifHy@nesting ....
10471, 10477,	25969,	25971,	.. 17413, 17424,
10500, 10507,	25972,	25973,	17435, 17446,
10513, 10529,	25975,	26015,	17461, 17476,
10535, 10604,	26022,	26794, 26926	17536, 17574,
10620, 10633,	\ifdofullc@p .....	.	17607, 17638, 17669
10636, 10638,	22321, 23082, 23847		\ifHy@pdfa ... 17753,
10885, 10906,	\iffalse .....		17787, 17818, 17847
10926, 10935,	5381, 5382, 5384,		\ifin@ ..... 7090
10962, 10966,	5397, 5398, 5399,		\ifin@label ..... 6524



\ifinner . .	4906, 7885, 7929, 7973, 16486, 25957, 26699, 26743	6404, 6406, 6414, 6416, 6617, 6627, 6725, 6731, 6756, 6771, 6777, 9110, 9314, 9330, 9346, 9410, 9412, 9414, 9491, 9507, 9523, 9587, 9589, 9591, 9651, 9745, 9794, 9809, 9832, 9834, 9836, 9846, 9928, 10195, 10203, 10208, 10215, 10425, 10426, 10439, 10450, 10586, 10598, 10611, 10826, 11381, 11395, 11408, 11417, 11504, 11601, 11650, 11664, 11666, 11668, 11678, 12062, 12063, 12136, 12216, 15511, 15552, 15567, 15584, 15671, 15721, 15723, 15725, 16011, 16013, 16015, 16024, 16026, 16028, 16173, 16276, 16291, 16306, 16607, 16609, 16797, 17726, 17731, 18028, 18178, 18181, 18189, 18192, 18261, 18577, 18578, 18658, 18659, 19399, 19432, 19558, 19588, 19658, 19688, 19777, 19789, 19801, 19901, 19907, 20084, 20094, 20349, 20355, 20367, 20370, 20371, 20372, 20374, 20375, 20376, 20377, 20386, 20408, 20413,	20424, 20435, 20436, 20442, 20446, 20449, 20450, 20556, 20557, 20564, 20629, 20777, 20793, 20809, 20867, 20869, 20871, 20949, 21090, 21149, 21165, 21181, 21232, 21234, 21236, 21334, 21381, 21395, 21421, 21423, 21425, 21516, 21565, 21580, 21603, 21605, 21607, 21617, 21803, 21814, 21883, 21984, 22031, 22058, 22107, 22542, 22553, 22623, 22724, 22771, 22798, 22847, 22882, 22897, 22900, 22904, 23315, 23326, 23396, 23497, 23544, 23571, 23620, 23666, 23669, 24222, 24270, 24271, 24272, 24273, 24275, 24380, 24382, 24502, 24506, 24548, 24567, 24589, 24606, 24623, 24640, 24657, 24675, 24694, 24714, 24749, 24932, 24933, 25044, 25045, 25072, 25082, 25096, 25582, 25587, 25605, 25778, 25996, 26288, 26469, 26470, 26484, 26539, 26790, 26812, 26935, 26936 \ifodd . . .
--------------	--	--	---



11163,	11191,	25285,	25286,	10855,	10856,
11262,	15903,	25287,	25288,	10857,	10858,
17018,	17024,	25357,	25358,	10861,	10865,
25988,	26786,	25359,	25360,	15984,	15999,
\ifoddpage .....	7412	25362,	25363,	20223,	21672,
\ifonelinecaptions	.	25364,	25367,	21717	
. 22224,	22985,	25370,	25379,	\Iftocfeature .	24952,
\ifpgfrememberpicturepositiononpage	.	25380,	25381,	25064,	25122,
.....	20279	25384,	25387,	25132	
\ifpoem@started	9084,	25417,	25418,	\iftocstyle@autolength	
9090,	9230,	25419,	25421,	.....	25627
9237,	9251	25422,	25423,	\iftocstyle@indentnotnumbered	
\ifprimitive ..	5567,	25426,	25429,	.....	25672,
\ifPst@shift@star	20586	25438,	25439,	25719	
\ifr@ggedbottom ..	20536	25440,	25443,	\iftrue .....	5383,
\ifrot@messages ..	.	25446,	25466,	5399,	7826,
....	21718,	25469,	25472,	7839,	7852
\ifRtoL .....	5459	25492,	25496,	\ifttl@label .....	24356
\ifRtoLboxconstruct	.	25501,	25513,	\ifTX@ .....	24212
.....	5483	25516,	25520,	\ifvbox .....	15444,
\ifRtoLtable .....	5471	25530,	25534,	16844,	19957,
\ifshowgrid .....	20564	25539		7618,	7621,
\ifsomething .....	6655	\Ifstrstart ..	25271,	7624,	
\Ifstr ..	24814,	24815,	25303,	18764,	
24816,	24817,	25344,	25403,	19831,	
24818,	24819,	\iftagsleft@ ..	328,	20122,	
24820,	24821,	\iftest .....	6459	20142,	
24822,	24837,	\ifthenelse	5151,	24164	
24838,	24839,	5168,	5168,	\ifvoid ..	10263,
24840,	24842,	5172,	5176,	10279,	10279,
24843,	24844,	5184,	7311,	10322,	10338,
24847,	24850,	7371,	7371,	10393,	10580,
24859,	24860,	7373,	7376,	10889,	10910,
24861,	24864,	7380,	7383,	10921,	10946,
24867,	24886,	7386,	7411,	10978,	11000,
24887,	24888,	7468,	7487,	12068,	12074,
24890,	24891,	7502,	7507,	12086,	12092,
24892,	24895,	7513,	7522,	12098,	12175,
24898,	24907,	7533,	7539,	15485,	15498,
24908,	24909,	7545,	7546,	15510,	15523,
24912,	24915,	7560,	7562,	16342,	16567,
24973,	24974,	7562,	7568,	16588,	16743,
24975,	24976,	7585,	7603,	16748,	16766,
24977,	24978,	7605,	7609,	16768,	16777,
24979,	24980,	7627,	7628,	16787,	16807,
24981,	24996,	7631,	7632,	16808,	16812,
24997,	24998,	7667,	7676,	16823,	16830,
24999,	25001,	7687,	7746,	17903,	17907,
25002,	25003,	8085,	8103,	18676,	18780,
25006,	25009,	8104,	8122,	19816,	19959,
25018,	25019,	8141,	8123,	20464,	20530,
25020,	25023,	8174,	8142,	20532,	20537,
25026,	25280,	8292,	8297,	26138,	26191,
25281,	25282,	8321,	8350,	26201,	26641,
25283,	25284,	8355,	8432,	26656,	26657,
		8436,	8484,		26680
		8497,	8743,	\ifWF@float	25970,
		8752,	8787,	25984	
		8834,	8834,	\ifx ..	115,
		8903,	8914,	134,	136,
		10730,	10736,	151,	155,
		10753,	10756,	159,	166,
		10757,	10758,	824,	828,
		10759,	10760,	1080,	1076,
		10846,	10851,	1326,	1330,
		10854,		2013,	2014,
				2384,	2410,



2436, 2462, 3093, 3099, 3105, 3183, 3390, 3415, 3435, 3585, 3601, 3668, 3732, 3828, 3923, 4360, 4361, 4783, 4789, 4795, 4810, 4841, 4893, 4896, 5157, 5158, 5159, 5161, 5261, 5290, 5293, 5313, 5317, 5337, 5341, 5356, 5360, 5453, 5522, 5540, 5836, 6024, 6040, 6382, 6388, 6389, 6426, 6427, 6428, 6429, 6439, 6445, 6470, 6475, 6480, 6485, 6491, 6496, 6684, 6790, 6814, 6829, 6894, 6906, 6938, 6949, 6984, 6990, 7001, 7002, 7013, 7043, 7052, 7053, 7073, 7088, 7098, 7112, 7119, 7131, 7147, 7202, 7213, 8155, 8979, 9000, 9153, 9205, 9210, 9212, 10239, 10302, 10958, 11010, 11727, 11743, 11747, 15781, 15817, 16170, 16451, 16652, 16701, 16739, 16916, 16958, 16959, 16965, 17052, 17054, 17060, 17071, 17073, 17076, 17077, 17094, 17100, 17101, 17103, 17106, 17118, 17119, 17121, 17124, 17133, 17135, 17144, 17146, 17159, 17186, 17195, 17215, 17231, 17248, 17257, 17276, 17289, 17323,	17329, 17342, 17373, 17384, 17395, 17702, 17705, 17708, 17711, 17755, 17763, 17789, 17797, 17820, 17849, 18053, 18074, 18218, 18219, 18223, 18225, 18582, 19509, 19550, 19650, 19915, 19920, 19925, 20070, 20074, 20081, 20087, 20239, 20251, 20527, 20579, 20640, 20653, 20666, 20933, 20937, 21074, 21078, 21836, 21871, 21878, 21935, 21936, 21943, 21951, 21958, 21964, 21986, 22002, 22009, 22017, 22025, 22037, 22044, 22059, 22060, 22064, 22065, 22073, 22074, 22078, 22079, 22088, 22089, 22093, 22094, 22102, 22155, 22575, 22611, 22618, 22675, 22676, 22683, 22691, 22698, 22704, 22726, 22742, 22749, 22757, 22765, 22777, 22784, 22799, 22800, 22804, 22805, 22813, 22814, 22818, 22819, 22828, 22829, 22833, 22834, 22842, 22915, 23348, 23384, 23391, 23448, 23449,	23456, 23464, 23471, 23477, 23499, 23515, 23522, 23530, 23538, 23550, 23557, 23572, 23573, 23577, 23578, 23586, 23587, 23591, 23592, 23601, 23602, 23606, 23607, 23615, 23680, 24172, 24391, 24734, 25087, 25093, 25139, 25143, 25147, 25254, 25594, 25665, 25677, 25685, 25702, 25727, 25794, 25799, 25801, 26045, 26088, 26221, 26341, 26344, 26351, 26510, 26518, 26557, 26604, 26869, 26870, 26872, 26873 \ifXC@tst . 26068, 26117 \ignorespaces . 46, 60, 76, 122, 249, 263, 278, 336, 660, 669, 967, 1219, 1228, 2005, 2220, 2224, 2229, 2241, 2251, 2279, 2296, 2313, 2329, 2345, 2361, 2721, 6213, 6703, 6719, 6721, 6727, 6730, 6733, 6737, 6742, 7638, 7645, 7646, 7655, 8242, 8260, 8278, 8314, 8343, 8372, 8637, 9061, 9072, 9225, 9226, 9373, 9561, 9931, 9937, 10050, 10056, 10064, 10071, 11732, 11746, 11812, 11818, 11824, 16227, 16244, 16260, 16288, 16303,
--	--	---



17000,	17004,	26959,	26960,	27105,	27106,
17009,	17014,	26961,	26962,	27107,	27108,
18060,	18079,	26963,	26964,	27109,	27110,
18719,	19522,	26965,	26966,	27111,	27112,
19529,	20763,	26967,	26968,	27113,	27114,
20772,	21213,	26969,	26970,	27115,	27116,
21222,	21748,	26971,	26972,	27117,	27118,
21758,	21776,	26973,	26974,	27119,	27120,
22294,	22296,	26975,	26976,	27121,	27122,
23055,	23057,	26978,	26979,	27123,	27124,
23820,	23822,	26983,	26989,	\input@path . . . . .	19005
26076,	26080,	26996,	26997,	\InputIfFileExists	
26333,	26372,	26998,	26999,	..	6788, 6797, 18100
26381,	26390,	26399		\insert . . . . .	35,
		27000,	27001,	49,	65,
\iii	. . . . .	27002,	27003,	238,	252,
\ilg	. . . . .	27004,	27005,	267,	4271,
\immediate	. . . . .	27006,	27007,	4488,	
\in@	. . . . .	27008,	27009,	10880,	10896,
\includegraphics	. . . . .	27010,	27011,	10901,	10917,
		27012,	27013,	10964,	10970,
		27014,	27015,	11016,	11022,
\includemedia	. . . . .	27016,	27017,	11828,	11844,
		27018,	27019,	11859,	11875,
		27020,	27021,	11890,	12088,
\includepdf	. . . . .	27022,	27023,	12272,	12324,
\indentedwidth	. . . . .	27024,	27025,	12351,	12571,
\index	. . . . .	27026,	27027,	12621,	12646,
		27028,	27029,	12858,	12910,
\indexname	. . . . .	27030,	27031,	12937,	13157,
		27032,	27033,	13209,	13236,
		27034,	27035,	13456,	13508,
		27036,	27037,	13535,	13755,
		27038,	27039,	13807,	13834,
		27040,	27041,	14054,	14106,
		27043,	27044,	14133,	14353,
		27045,	27046,	14405,	14432,
		27047,	27048,	14652,	14704,
		27071,	27072,	14731,	15147,
		27073,	27074,	15202,	15232,
		27075,	27076,	15516,	15524,
		27077,	27078,	16214,	16231,
		27079,	27080,	16247,	16767,
		27081,	27082,	16769	
\indexspace	. . . . .	27083,	27084,	\insert@column .	1440,
		27085,	27086,	1441,	1442,
		27087,	27088,	1443,	
		27089,	27090,	1445,	1446,
		27091,	27092,	1506,	
		27093,	27094,	1508,	1509,
		27095,	27096,	1511,	
		27097,	27098,	1512,	1513,
		27099,	27100,	10011,	
		27101,	27102,	10013,	10014,
		27103,	27104,	10016,	10017,
				10018,	
				\insertauthor . . . . .	
				..	3038, 3093, 3096
				\insertauthorindicator	
				.....	3095
				\insertblocktitle .	
				1805,	1814, 1823,



<pre> 2886, 2901, 2916, 3117, 3129, 3141, 3241 \insertbuttoncontext . 2936 \insertcaption ... ... 1840, 1855, 2873 \insertcaptionname ... ... 1837, 1853, 2870 \insertcaptionnumber ... ... 1837 \insertdate ... ... 3050, 3105, 3108 \insertdateindicator ... ... 3107 \insertenumlabel ... ... 1662, 1727 \insertfootnotemark ... ... 2257, 2262, 2844, 2851, 2858, 3261, 3267, 3273 \insertfootnotetext ... ... 2256, 2261, 2844, 2851, 2858, 3261, 3267, 3273 \insertframenumber ... 3195, 3403, 3409, 3413, 3431, 3433, 3510 \insertframesubtitle ... ... 3585, 3586, 3732, 3733, 3828, 3831, 3923, 3926 \insertframetitle ... ... 3584, 3731, 3827, 3922 \insertgotosymbol . 2732 \insertinstitute ... ... 3044, 3099, 3102 \insertinstituteindicator ... ... 3101 \insertlogo ... 3614 \insertnavigation ... ... 3537, 3796 \insertnote ... 3375 \insertpenalties ... ... 16178, 16797 \insertreturnsymbol 2775 \insertsection 3341, 3348 \insertsectionhead ... ... 3180, 3490, 3892, 3975, 3983 \insertshortauthor ... ... 3460, 3663, 3687 \insertshortdate .. 3468 \insertshortframetitle ... ... 3358, 3364 </pre>	<pre> \insertshortinstitute ... ... 3460 \insertshorttitle ... ... 3340, 3463, 3655, 3694, 3882, 3964 \insertskipsymbol . 2755 \insertslideintonotes ... ... 3317 \insertsubenumlabel 1685 \insertsubsection ... ... 3350, 3356 \insertsubsectionhead ... ... 3183, 3186, 3497, 3549, 3806, 3902, 3994, 4002 \insertsubsubenumlabel ... ... 1706 \insertsubtitle ... ... 3022, 3090, 3167 \inserttitle ... ... 3016, 3089, 3160 \inserttitlegraphic 3033 \inserttitleindicator ... ... 3088 \inserttocsection ... ... 1568, 1596, 1636, 1746, 1777, 3084 \inserttocsectionnumber ... ... 1571, 1593, 1630, 1774 \inserttocsubsection ... ... 1561, 1571, 1599, 1641, 1750, 1785, 2814 \inserttocsubsectionnumber ... ... 1571 \inserttocsubsubsection ... ... 1565, 1576, 1604, 1648, 1756, 1792, 2818 \inserttotalframenumber ... ... 3195, 3394, 3400, 3403, 3419, 3422, 3439, 3442, 3510 \insertverticalnavigation ... ... 3666 \insertvrule ... ... 2050, 3312, 3370 \int ... 19038, 19085, 19086, 19090, 19168, 19256, 19259, 19260, 19271, 19309, 19347, 19372, 20188 \interfootnotelinepenalty ... ... 39, 53, 69, 242, </pre>	<pre> 256, 271, 12056, 16218, 16235, 16251 \interlinepenalty 39, 53, 69, 242, 256, 271, 585, 652, 677, 904, 959, 1153, 1160, 8549, 9310, 9317, 9487, 9494, 9658, 9853, 9861, 10583, 10595, 10608, 11415, 11428, 11685, 11694, 12056, 15589, 15597, 16218, 16235, 16251, 19781, 19793, 19805, 20633, 20755, 20780, 21152, 21205, 21267, 21622, 21630, 24348, 24389, 24524, 24555, 24578, 24595, 24612, 24629, 24646, 24663, 24681, 24700, 24720, 24755, 25138, 25668, 25782, 25963, 26488 \intermath@penalty 9930 \intextsep . 26023, 26025 \InTheoType ... ... 11236, 20112, 20114, 20133, 20135 \ior ... 19088, 19089, 19093 \isempty ... 7487, 8085, 8292, 8297, 8321, 8326, 8350, 8355, 8743, 8752, 8760, 8787 \isodd ... 21672, 21717 \isSC@ODD ... 24063, 24064, 24066, 24067, 27051, 27053, 27055, 27057 \isundefined ... 7697, 7746, 10730, 10736, 10753, 10756, 10757, 10758, 10759, 10760, 10851, 10854, 10855, 10856, 10857, 10858, 10861, 10865 </pre>
--	---	---



\item . . . . .	102,	336, 566, 568, 570,	19948,	20536,
222, 633, 648, 897,		572, 753, 754, 756,	20547,	20550,
980, 1149, 8629,		759, 760, 762, 774,	20577,	20593,
8637, 8642, 8663,		989, 991, 994, 996,	20833,	20834,
9306, 9483, 9694,		1026, 1233, 1234,	20836,	20839,
15853, 15868,		1236, 1239, 1240,	20840,	20842,
18004, 20751,		1242, 1276, 1504,	20883,	21022,
21006, 21466, 24493		1509, 1594, 1635,	21256,	21257,
\itemindent . . .	8624,	1641, 1648, 1745,	21259,	21262,
8625, 8633, 26295		1750, 1756, 1776,	21263,	21265,
\itemize . . . . .	2594	1784, 1791, 2695,	21413,	21415,
\itemsep . . . . .	2643,	2944, 2986, 4714,	21417,	21419,
7360, 8570, 8609, 8623		4715, 4716, 4717,	21595,	21597,
\itemx . . . . .	19969	4718, 4719, 4720,	21599,	21601,
\itemxox . . . . .	20004	4721, 4725, 4726,	21870,	21874,
\itemxoxx . . . . .	20014	4773, 4775, 4776,	21877,	21880,
\itemxx . . . . .	19972	7836, 7837, 7847,	21881,	22275,
\itemxxo . . . . .	20009	7848, 7850, 8315,	22277,	22371,
\itemxxox . . . . .	20021	8316, 8344, 8345,	22373,	22610,
\itemxxx . . . . .	19977	8373, 8374, 9394,	22614,	22617,
\itemxxxo . . . . .	20028	9395, 9397, 9400,	22620,	22621,
\itemxxxx . . . . .	19984	9401, 9403, 9424,	23036,	23038,
\itemxxxxx . . . . .	19993	9547, 9548, 9550,	23132,	23134,
\itshape . .	4691, 5164,	9553, 9554, 9556,	23383,	23387,
8433, 8435, 8439,		9601, 9824, 9826,	23390,	23393,
8446, 8453, 8488,		9828, 9830, 10009,	23394,	23801,
8495, 8502, 8509,		10014, 10036,	23803,	23897,
8516, 8820, 8821, 8822		10875, 10876,	23899,	24099,
J		11306, 11313,	24105,	24362,
\j . . . . .	6777, 6778, 6782	11321, 11328,	25998,	26002,
\juo@ht . . . . .	19577,	11367, 11371,	26008,	26011,
19584, 19677,		11453, 11455,	26033,	26192,
19684, 19753, 19760		11457, 11459,	26202,	26232,
\juo@pr . . . . .	19560,	11752, 11754,	26236,	26243, 26809
19590, 19660, 19690		11756, 11758,		
\juo@sar . . . . .	19559,	11803, 11804,		
19589, 19631,		11991, 11992,		
19659, 19689, 19728		15602, 15604,		
\juo@sk . .	19558, 19588,	15606, 15608,		
19631, 19658,		15746, 15747,		
19688, 19728, 19761		15748, 15988,		
\justifying . . .	7394,	16130, 16132,		
7464, 8034, 20678		16133, 16134,		
\JustifyingParfillskip		16135, 16136,		
. . . . .	20684	16168, 16456,		
\JustifyingParindent		16520, 16898,		
. . . . .	7366,	16944, 18014,		
8037, 8596, 20685		18016, 18017,		
K		18018, 18088,		
\keepthetitle . . .	19381	18090, 18092,		
\kern . . .	27, 29, 30, 31,	18094, 18719,		
231, 233, 234, 235,		19840, 19896,		
		19897, 19944,		
		19946, 19947,		
			22785,	22994,



23003,	23067,	18935,	18941,	8558, 24656, 25775
23178,	23342,	18943,	18944,	\l@ngrel@x 5836, 5837, 5839
23516,	23523,	18945,	18948,	\l@paragraph 24622, 25763
23545,	23551,	18950,	18952,	\l@part . . . . . 534,
23558,	23759,	18957,	18958,	689, 707, 933,
23768,	23832, 23943	18959,	18961,	951, 1172, 1190,
\KV@errx ..	2376, 2379,	18963,	18968,	9329, 9345, 9506,
2382,	2402, 2405,	18970,	18972,	9522, 9793, 11394,
2408,	2428, 2431, 2434	18980,	18991,	11649, 15551,
<b>L</b>				
\l 11262,	11278, 11281,	19008,	19009,	20792, 20808,
11287,	11290,	19010,	19028,	21164, 21180,
11292,	11293,	19048,	19056,	21380, 21564,
11296,	11297,	19061,	19075,	24410, 24411,
11300,	11303,	19080,	19084,	24500, 25739, 25742
11304,	11305,	19085,	19086,	\l@section . . . . .
11310,	11311,	19088,	19089,	551, 715, 728, 917,
11312,	11318,	19090,	19093,	930, 1199, 1212,
11319,	11320,	19097,	19099,	11380, 24566, 25751
11325,	11326,	19100,	19101,	\l@subfigure . . . . . 24693
11327,	11336,	19102,	19103,	\l@subparagraph . . . . . 24639, 25767
11339,	11347,	19104,	19105,	\l@subsection 24588, 25755
18809,	18811,	19107,	19108,	\l@subsubsection . . . . . 24605, 25759
18817,	18819,	19109,	19110,	\l@subtable . . . . . 24713
18825,	18826,	19112,	19113,	\l@table 8558, 24674, 25771
18827,	18828,	19114,	19116,	\l@label 5188, 7516, 7518,
18829,	18830,	19117,	19118,	7520, 7524, 7576,
18831,	18832,	19121,	19122,	15955, 16389,
18833,	18834,	19123,	19126,	16395, 17108,
18835,	18837,	19159,	19161,	17126, 22227,
18838,	18840,	19164,	19189,	22988, 23753, 26879
18841,	18842,	19191,	19223,	\l@labelitemi 773, 1025,
18849,	18850,	19227,	19239,	1088, 1275, 9423,
18851,	18853,	19240,	19286,	9600, 20882, 21021
18855,	18858,	19296,	19302,	\l@labelname . . . 19970,
18859,	18866,	19314,	19315,	19973, 19975,
18876,	18877,	19334,	19335,	19978, 19980,
18878,	18879,	19336,	19337,	19982, 19985,
18880,	18881,	19338,	19339,	19987, 19989,
18882,	18883,	19340,	19341,	19991, 19994,
18884,	18885,	19342,	19377,	19996, 19998,
18886,	18887,	19378,	20104,	20000, 20002,
18888,	18889,	20190,	20192, 20201	20005, 20007,
18890,	18894,	\l@ . . . . . 24765		20010, 20012,
18895,	18896,	\l@addto@macro . . . . . 21813, 22552, 23325		20015, 20017,
18898,	18900,	\l@chapter 9353, 9367,		20019, 20022,
18903,	18904,	9530, 9544, 9808,		20024, 20026,
18906,	18907,	15566, 20816,		20029, 20031, 20033
18908,	18917,	20830, 21188,		\l@labelsep . . . 85, 90,
18927,	18928,	21202, 21394,		288, 293, 607, 742,
18929,	18930,	21579, 24413,		1005, 1255, 2621,
18931,	18932,	24414, 24547, 25747		2642, 5203, 5205,
18933,	18934,	\l@figure . . . . . 8557,		8586, 8588, 8645,



9383, 9571, 9880, 11442, 11713, 15617, 17986, 17991, 19970, 19973, 19975, 19978, 19980, 19982, 19985, 19987, 19989, 19991, 19994, 19996, 19998, 20000, 20002, 20005, 20007, 20010, 20012, 20015, 20017, 20019, 20022, 20024, 20026, 20029, 20031, 20033, 20851, 21245, 21439, 21642, 22174, 22935, 23700, 24428  \labelwidth 89, 90, 292, 293, 605, 606, 740, 741, 1003, 1004, 1253, 1254, 2629, 2640, 2641, 5202, 5204, 8587, 8588, 9381, 9382, 9569, 9570, 9878, 9879, 11440, 11441, 11711, 11712, 15615, 15616, 16612, 17990, 17991, 19970, 19973, 19975, 19978, 19980, 19982, 19985, 19987, 19989, 19991, 19994, 19996, 19998, 20000, 20002, 20005, 20007, 20010, 20012, 20015, 20017, 20019, 20022, 20024, 20026, 20029, 20031, 20033, 20849, 20850, 21243, 21244, 21437, 21438, 21640, 21641, 22172, 22173, 22933, 22934, 23698,	23699, 24426, 24427 \landscape . 18694, 20208 \langle ..... 4692 \Larg ..... 4691, 4692, 4693, 4694, 4695 \Larga ..... 4692 \Largb ..... 4693 \LARGE ..... 450, 521, 781, 871, 1033, 1123, 1283, 1374, 1385, 8488, 8495, 8577, 8820, 9431, 9608, 9709, 9780, 10815, 11470, 11535, 11565, 11636, 15637, 15702, 20890, 20980, 21029, 21126, 21137, 21293, 21480, 21551 \Large ..... 588, 8439, 8502, 8576, 8821, 8822, 10726, 10819, 11418, 21369 \large ..... 452, 458, 523, 529, 543, 698, 788, 798, 873, 879, 942, 1040, 1050, 1125, 1131, 1181, 1290, 1300, 1376, 1382, 1386, 1391, 8446, 8509, 8575, 9338, 9438, 9448, 9515, 9615, 9625, 9711, 9717, 9782, 9788, 9802, 10725, 10727, 10818, 10820, 11403, 11472, 11478, 11537, 11543, 11567, 11573, 11638, 11644, 11657, 15560, 15639, 15645, 15704, 15710, 20801, 20897, 20907, 20982, 20988, 21036, 21046, 21128, 21134, 21138, 21143, 21173, 21295, 21301, 21388, 21482, 21488, 21553,	21559, 21573, 25062, 25494, 25532 \Lagr ..... 4695 \Largs ..... 4694 \lastbox 10370, 14903, 14923, 14927, 18761, 20464, 26138, 26190, 26200 \LastFrameCommand . ..... 16474, 16584 \lastkern ... 8221, 16559 \lastpenalty . 9928, 25587 \lastrule ..... 9975 \lastskip ..... 7654, 9256, 9257, 9927 \LastTOCLevelWasHigher ..... 25464 \LastTOCLevelWasLower ..... 25460 \LastTOCLevelWasSame ..... 25462 \LaTeX ..... 17884, 26224, 26225, 26243 \LaTeXe ..... 26226, 26227 \LBEG ..... 4696 \lcb . 4693, 4696, 4697, 4700 \lccode ..... 6404, 6406, 25989, 25990 \Lcs ..... 4707 \LcsStar ..... 4708 \leaders ..... 21880, 22620, 23393, 24112, 24404, 25678, 25787, 26493 \leavevmode ..... 14, 209, 305, 378, 542, 559, 683, 697, 722, 774, 911, 924, 941, 1026, 1089, 1166, 1180, 1206, 1276, 1561, 1564, 1568, 1571, 1574, 1585, 1599, 1602, 1621, 1639, 1644, 1743, 1749, 1753, 1765, 1783, 1789, 1832, 1848, 1967, 2224, 2234, 2249, 2636, 2814, 2817, 2867, 2894, 2909, 2924, 3083, 3116, 3128, 3140, 3457, 3483, 3682, 3720, 3730, 4825, 5133, 5622,
--	---	---



5676, 5733, 8209, 8550, 9018, 9094, 9323, 9337, 9360, 9424, 9500, 9514, 9537, 9601, 9801, 9816, 9896, 9897, 10035, 10087, 11388, 11402, 11656, 12382, 12675, 12968, 13267, 13566, 13865, 14164, 14463, 14762, 15559, 15574, 15853, 15868, 16321, 16886, 16932, 16952, 17742, 17779, 17811, 18020, 18039, 18756, 19782, 19794, 19806, 20463, 20544, 20549, 20595, 20636, 20786, 20800, 20823, 20883, 21022, 21158, 21172, 21195, 21387, 21402, 21572, 21587, 21880, 22620, 23393, 24079, 24130, 24354, 24377, 24525, 24556, 24579, 24596, 24613, 24630, 24647, 24664, 24682, 24701, 24721, 24756, 24949, 25061, 25152, 25669, 25783, 26032, 26229, 26235, 26242, 26254, 26261, 26335, 26439, 26489 \left . 26255, 26262, 26268 \left@footnoterule ... 30, 234, 442, 565, 752, 769, 988, 1021, 1232, 1271, 2317, 2349, 9393, 9419, 9546, 9596, 9701, 9823, 11452,	11464, 11557, 11751, 15601, 15631, 16133, 16139, 16152, 16154, 16291, 16306, 18017, 18087, 18698, 18700, 20832, 20878, 21015, 21255, 21275, 21412, 21472, 21594, 21868, 21927, 22608, 22667, 23381, 23440 \leftfootnoterule . ..... 4101, 10872, 11800, 16137, 16140, 16381, 16857, 26943 \leftline .. 20559, 26419 \leftlinenumbers .. ..... 18137, 18140 \leftmargin .... 90, 293, 606, 607, 741, 742, 977, 1004, 1005, 1254, 1255, 2629, 2641, 2642, 5204, 5205, 7357, 8567, 8626, 8627, 8634, 8640, 9382, 9383, 9570, 9571, 9879, 9880, 11441, 11442, 11712, 11713, 15616, 15617, 17991, 20633, 20850, 20851, 21244, 21245, 21438, 21439, 21641, 21642, 21818, 22173, 22174, 22557, 22934, 22935, 23330, 23699, 23700, 24427, 24428, 26305, 26308, 26318, 26322, 26330, 26367, 26369, 26370, 26371, 26376, 26378, 26379, 26380, 26385, 26387, 26388, 26389, 26394,	26396, 26397, 26398 \leftmargini .... 7357, 8567, 8580, 8587 \leftmarginii ..... 8581 \leftmarginiii ..... 8582 \leftmarginiv ..... 8583 \leftmarginv ..... 8584 \leftmarginvi ..... 8585 \leftmarginwidth . 21409 \leftmark ..... 8917 \leftskip ..... 12, 13, 207, 208, 305, 309, 540, 557, 560, 561, 654, 667, 678, 679, 684, 695, 720, 723, 724, 905, 906, 912, 922, 925, 926, 939, 961, 1155, 1161, 1162, 1167, 1178, 1204, 1207, 1208, 1226, 1993, 1994, 1998, 2797, 2803, 3291, 3293, 8544, 8552, 8553, 9124, 9312, 9318, 9319, 9324, 9335, 9358, 9361, 9362, 9489, 9495, 9496, 9501, 9512, 9535, 9538, 9539, 9799, 9814, 9817, 9818, 9950, 9951, 9952, 10078, 10079, 10085, 11386, 11389, 11390, 11400, 11654, 12188, 15434, 15557, 15572, 15575, 15576, 18037, 18038, 18743, 19415, 19416, 19779, 19783, 19784, 19791, 19796, 19803, 19808, 20644, 20646, 20657, 20659, 20670, 20672, 20681, 20683, 20757, 20770, 20781, 20782, 20787, 20798, 20821, 20824, 20825, 21153,
--	---	---



21154,	21159,	157, 160, 161, 164,	2426, 2427, 2428,
21170,	21193,	222, 289, 319, 327,	2429, 2434, 2435,
21196,	21197,	328, 347, 381, 382,	2629, 2647, 2649,
21207,	21220,	388, 413, 417, 423,	4132, 4133, 4140,
21269,	21385,	435, 440, 441, 442,	4260, 4262, 4264,
21400,	21403,	443, 444, 445, 446,	4421, 4477, 4479,
21404,	21409,	464, 465, 466, 467,	4481, 4513, 4586,
21410,	21570,	468, 469, 470, 471,	4587, 4588, 4589,
21585,	21588,	472, 473, 474, 475,	4590, 4591, 4592,
21589,	21810,	499, 500, 501, 502,	4593, 4594, 4595,
22549,	23322,	503, 504, 505, 506,	4596, 4780, 4781,
24346,	24358,	507, 508, 509, 510,	4782, 4809, 4826,
24375,	24396,	511, 518, 519, 520,	4827, 4828, 4829,
24398,	24403,	610, 633, 648, 745,	4830, 4831, 4832,
24407,	24408,	767, 768, 769, 770,	4833, 4834, 4836,
24520,	24521,	771, 809, 810, 811,	4837, 4838, 4948,
24522,	24530,	812, 813, 814, 815,	4949, 4950, 4951,
24551,	24552,	816, 817, 818, 853,	4952, 4953, 4954,
24553,	24561,	854, 855, 856, 857,	4955, 4956, 5208,
24574,	24575,	858, 859, 860, 861,	5217, 5290, 5308,
24576,	24584,	862, 863, 870, 897,	5332, 5351, 5356,
24591,	24592,	1008, 1019, 1020,	5381, 5382, 5389,
24593,	24601,	1021, 1022, 1023,	5390, 5393, 5394,
24608,	24609,	1061, 1062, 1063,	5397, 5398, 5404,
24610,	24618,	1064, 1065, 1066,	5405, 5408, 5409,
24625,	24626,	1067, 1068, 1069,	5412, 5413, 5416,
24627,	24635,	1070, 1105, 1106,	5417, 5451, 5584,
24642,	24643,	1107, 1108, 1109,	5587, 5601, 5837,
24644,	24652,	1110, 1111, 1112,	5859, 5881, 5882,
24659,	24660,	1113, 1114, 1115,	6012, 6092, 6094,
24661,	24669,	1122, 1149, 1258,	6097, 6098, 6099,
24677,	24678,	1269, 1270, 1271,	6100, 6101, 6156,
24679,	24687,	1272, 1273, 1311,	6194, 6201, 6209,
24696,	24697,	1312, 1313, 1314,	6220, 6226, 6234,
24698,	24706,	1315, 1316, 1317,	6237, 6240, 6250,
24716,	24717,	1318, 1319, 1320,	6254, 6256, 6321,
24718,	24726,	1355, 1356, 1357,	6322, 6327, 6434,
24751,	24752,	1358, 1359, 1360,	6437, 6468, 6554,
24753,	24761,	1361, 1362, 1363,	6561, 6564, 6574,
24801,	24802,	1364, 1365, 1373,	6584, 6595, 6662,
24803,	25600,	1399, 1400, 1404,	6672, 6674, 6708,
25662,	25663,	1420, 1421, 1422,	6719, 6810, 6826,
25664,	25670,	1458, 1459, 1460,	6846, 6861, 6877,
25673,	25720,	1485, 1486, 1487,	6970, 6991, 6992,
25780,	25785,	1488, 1493, 1528,	7008, 7051, 7054,
25808,	25815,	1529, 1871, 2174,	7056, 7061, 7075,
26184,	26185,	2175, 2198, 2216,	7083, 7084, 7104,
26402,	26426,	2317, 2333, 2349,	7105, 7132, 7143,
26427,	26486, 26491	2364, 2365, 2366,	7148, 7152, 7154,
\LEND . . . . .	4697	2373, 2374, 2375,	7157, 7167, 7178,
\leqno . . . . .	328, 20555,	2376, 2377, 2382,	7205, 7216, 7225,
	20557, 26934, 26936	2383, 2399, 2400,	7274, 7279, 7295,
\let . . . . .	86, 102,	2401, 2402, 2403,	7296, 7297, 7298,
	115, 152, 153, 156,	2408, 2409, 2425,	7300, 7301, 7302,



7303, 7349, 7479, 7480, 7517, 7518, 7524, 7526, 7530, 7575, 7576, 7658, 7660, 7662, 7808, 7809, 7822, 7826, 7828, 7829, 7835, 7839, 7843, 7852, 8096, 8097, 8115, 8116, 8134, 8135, 8162, 8163, 8191, 8192, 8193, 8290, 8311, 8312, 8313, 8319, 8340, 8341, 8342, 8348, 8369, 8370, 8371, 8387, 8391, 8392, 8393, 8396, 8400, 8401, 8402, 8405, 8409, 8410, 8411, 8558, 8622, 8663, 8750, 8817, 8818, 8819, 9009, 9010, 9012, 9013, 9031, 9052, 9053, 9054, 9055, 9056, 9057, 9058, 9059, 9060, 9063, 9064, 9065, 9066, 9067, 9068, 9069, 9070, 9071, 9132, 9150, 9201, 9207, 9228, 9241, 9251, 9265, 9269, 9270, 9271, 9272, 9273, 9274, 9275, 9276, 9277, 9283, 9284, 9285, 9286, 9287, 9288, 9289, 9290, 9291, 9306, 9386, 9417, 9418, 9419, 9420, 9421, 9459, 9460, 9461, 9462, 9463, 9464, 9465, 9466, 9467, 9468, 9483, 9574, 9594, 9595, 9596, 9597, 9598, 9636, 9637, 9638, 9639, 9640, 9641, 9642, 9643, 9644, 9645, 9694, 9699, 9700, 9701, 9702, 9703, 9704, 9705, 9723, 9724, 9725, 9726, 9727,	9728, 9729, 9730, 9731, 9732, 9733, 9734, 9758, 9759, 9760, 9761, 9762, 9763, 9764, 9765, 9766, 9767, 9768, 9769, 9770, 9777, 9778, 9779, 9883, 9907, 9909, 9912, 9913, 9914, 9920, 9925, 9945, 9957, 9958, 9959, 9961, 9962, 9968, 9969, 9970, 9971, 9991, 10000, 10041, 10047, 10068, 10240, 10243, 10244, 10303, 10306, 10307, 10870, 10871, 10872, 10873, 10874, 10877, 10878, 10880, 10898, 10899, 10901, 10919, 10920, 10924, 10959, 10961, 10973, 10976, 10977, 10981, 11011, 11013, 11025, 11028, 11029, 11076, 11100, 11108, 11116, 11445, 11462, 11463, 11464, 11465, 11466, 11484, 11485, 11486, 11487, 11488, 11489, 11490, 11491, 11492, 11493, 11517, 11518, 11519, 11520, 11521, 11522, 11523, 11524, 11525, 11526, 11527, 11534, 11555, 11556, 11557, 11558, 11559, 11560, 11561, 11579, 11580, 11581, 11582, 11583, 11584,	11585, 11586, 11587, 11588, 11589, 11590, 11614, 11615, 11616, 11617, 11618, 11619, 11620, 11621, 11622, 11623, 11624, 11625, 11626, 11633, 11634, 11635, 11716, 11768, 11769, 11770, 11771, 11772, 11773, 11782, 11783, 11784, 11785, 11786, 11787, 11788, 11789, 11790, 11791, 11792, 11793, 11798, 11799, 11800, 11801, 11802, 11965, 11966, 11967, 11968, 11969, 11970, 11973, 11974, 11975, 11976, 11977, 11978, 11982, 12226, 12227, 12228, 12232, 12236, 12237, 12238, 12239, 12242, 12244, 12251, 12252, 12253, 12257, 12261, 12262, 12263, 12264, 12267, 12269, 12525, 12526, 12527, 12531, 12535, 12536, 12537, 12538, 12541, 12543, 12550, 12551, 12552, 12556, 12560, 12561, 12562, 12563, 12566, 12568, 12812, 12813, 12814, 12818, 12822, 12823, 12824, 12825, 12828,
--	--	--



12830,	12837,	14345,	14348,	15686,	15687,
12838,	12839,	14350,	14606,	15688,	15689,
12843,	12847,	14607,	14608,	15690,	15691,
12848,	12849,	14612,	14616,	15692,	15693,
12850,	12853,	14617,	14618,	15694,	15701,
12855,	13111,	14619,	14622,	15757,	15782,
13112,	13113,	14624,	14631,	15785,	15786,
13117,	13121,	14632,	14633,	15818,	15821,
13122,	13123,	14637,	14641,	15822,	15904,
13124,	13127,	14642,	14643,	15905,	15907,
13129,	13136,	14644,	14647,	15908,	15911,
13137,	13138,	14649,	14932,	15912,	15941,
13142,	13146,	14943,	14944,	15943,	15945,
13147,	13148,	14945,	14948,	15955,	15956,
13149,	13152,	14951,	14952,	15957,	15963,
13154,	13410,	14957,	14958,	15967,	15970,
13411,	13412,	14959,	14960,	15973,	15975,
13416,	13420,	14961,	14965,	15978,	15979,
13421,	13422,	14966,	14996,	16112,	16140,
13423,	13426,	14997,	14998,	16166,	16167,
13428,	13435,	15001,	15004,	16276,	16291,
13436,	13437,	15005,	15010,	16306,	16333,
13441,	13445,	15011,	15012,	16334,	16335,
13446,	13447,	15013,	15014,	16336,	16370,
13448,	13451,	15018,	15019,	16452,	16458,
13453,	13709,	15049,	15051,	16463,	16598,
13710,	13711,	15053,	15054,	16599,	16600,
13715,	13719,	15057,	15060,	16601,	16653,
13720,	13721,	15061,	15063,	16656,	16657,
13722,	13725,	15065,	15067,	16702,	16705,
13727,	13734,	15068,	15071,	16706,	16842,
13735,	13736,	15100,	15102,	16857,	16858,
13740,	13744,	15104,	15105,	16859,	16860,
13745,	13746,	15108,	15111,	16861,	16955,
13747,	13750,	15112,	15114,	16989,	16991,
13752,	14008,	15116,	15118,	17019,	17021,
14009,	14010,	15119,	15122,	17026,	17028,
14014,	14018,	15154,	15185,	17032,	17034,
14019,	14020,	15203,	15219,	17365,	17366,
14021,	14024,	15233,	15249,	17367,	17408,
14026,	14033,	15288,	15318,	17409,	17410,
14034,	14035,	15332,	15347,	17452,	17453,
14039,	14043,	15361,	15376,	17454,	17467,
14044,	14045,	15413,	15441,	17468,	17469,
14046,	14049,	15507,	15537,	17482,	17483,
14051,	14307,	15620,	15629,	17484,	17490,
14308,	14309,	15630,	15631,	17492,	17493,
14313,	14317,	15632,	15633,	17494,	17495,
14318,	14319,	15651,	15652,	17496,	17497,
14320,	14323,	15653,	15654,	17498,	17507,
14325,	14332,	15655,	15656,	17543,	17581,
14333,	14334,	15657,	15658,	17614,	17645,
14338,	14342,	15659,	15660,	17676,	17682,
14343,	14344,	15684,	15685,	17684,	17685,



17686,	17687,	20620,	20637,	21350,	21351,
17688,	17689,	20641,	20643,	21352,	21353,
17690,	17691,	20654,	20656,	21354,	21355,
17703,	17706,	20667,	20669,	21356,	21357,
17709,	17712,	20679,	20680,	21358,	21359,
17879,	17880,	20691,	20692,	21365,	21366,
17881,	17882,	20693,	20694,	21367,	21442,
17897,	17908,	20695,	20708,	21466,	21470,
17987,	18004,	20714,	20726,	21471,	21472,
18053,	18106,	20734,	20735,	21473,	21474,
18246,	18258,	20751,	20854,	21475,	21476,
18569,	18570,	20876,	20877,	21494,	21495,
18571,	18573,	20878,	20879,	21496,	21497,
18575,	18579,	20880,	20918,	21498,	21499,
18581,	18583,	20919,	20920,	21500,	21501,
18584,	18586,	20921,	20922,	21502,	21503,
18587,	18588,	20923,	20924,	21504,	21505,
18592,	18598,	20925,	20926,	21529,	21530,
18610,	18635,	20927,	20962,	21531,	21532,
18643,	18644,	20963,	20964,	21533,	21534,
18645,	18698,	20965,	20966,	21535,	21536,
18699,	18735,	20967,	20968,	21537,	21538,
18736,	18737,	20969,	20970,	21539,	21540,
18738,	18739,	20971,	20972,	21541,	21548,
18747,	18794,	20979,	21006,	21549,	21550,
18795,	18796,	21013,	21014,	21645,	21670,
19383,	19384,	21015,	21016,	21697,	21698,
19385,	19386,	21017,	21018,	21715,	21787,
19387,	19388,	21019,	21057,	21788,	21789,
19389,	19390,	21058,	21059,	21903,	21923,
19391,	19447,	21060,	21061,	21925,	21926,
19450,	19451,	21062,	21063,	21927,	21928,
19453,	19454,	21064,	21065,	21929,	21930,
19551,	19554,	21066,	21067,	21931,	21933,
19555,	19651,	21068,	21103,	21980,	21999,
19654,	19655,	21104,	21105,	22022,	22052,
19887,	19890,	21106,	21107,	22054,	22103,
19917,	19918,	21108,	21109,	22108,	22109,
19922,	19923,	21110,	21111,	22110,	22111,
19927,	19928,	21112,	21113,	22112,	22113,
20051,	20052,	21114,	21115,	22114,	22115,
20053,	20169,	21123,	21124,	22116,	22117,
20170,	20171,	21125,	21248,	22118,	22119,
20172,	20173,	21273,	21274,	22120,	22121,
20175,	20219,	21275,	21276,	22122,	22123,
20224,	20238,	21277,	21278,	22124,	22125,
20270,	20465,	21279,	21307,	22126,	22127,
20469,	20514,	21308,	21309,	22128,	22129,
20515,	20516,	21310,	21311,	22130,	22131,
20517,	20520,	21312,	21313,	22132,	22133,
20521,	20523,	21314,	21315,	22134,	22135,
20528,	20551,	21316,	21317,	22137,	22185,
20552,	20553,	21318,	21347,	22210,	22211,
20554,	20555,	21348,	21349,	22226,	22227,



22228,	22229,	23639,	23640,	24723,	24724,
22230,	22231,	23641,	23642,	24725,	24758,
22316,	22402,	23643,	23644,	24759,	24760,
22404,	22410,	23645,	23646,	24823,	24982,
22412,	22526,	23647,	23648,	25165,	25203,
22527,	22528,	23650,	23711,	25256,	25259,
22643,	22663,	23736,	23737,	25289,	25335,
22665,	22666,	23752,	23753,	25348,	25560,
22667,	22668,	23754,	23755,	25581,	25797,
22669,	22670,	23756,	23757,	25805,	25810,
22671,	22673,	23842,	23929,	25817,	25834,
22720,	22739,	23931,	23937,	25837,	25897,
22762,	22792,	23939,	24070,	25955,	25959,
22794,	22843,	24071,	24072,	26037,	26042,
22848,	22849,	24075,	24131,	26052,	26056,
22850,	22851,	24132,	24133,	26085,	26095,
22852,	22853,	24136,	24147,	26099,	26139,
22854,	22855,	24148,	24149,	26143,	26208,
22856,	22857,	24156,	24157,	26209,	26210,
22858,	22859,	24162,	24171,	26211,	26214,
22860,	22861,	24172,	24173,	26215,	26217,
22862,	22863,	24175,	24178,	26222,	26224,
22864,	22865,	24182,	24185,	26226,	26238,
22866,	22867,	24187,	24190,	26245,	26248,
22868,	22869,	24199,	24202,	26249,	26250,
22870,	22871,	24215,	24216,	26251,	26255,
22872,	22873,	24217,	24232,	26256,	26262,
22874,	22875,	24233,	24234,	26263,	26264,
22877,	22946,	24235,	24236,	26276,	26298,
22971,	22972,	24237,	24239,	26360,	26401,
22987,	22988,	24240,	24243,	26404,	26405,
22989,	22990,	24244,	24318,	26436,	26440,
22991,	22992,	24319,	24322,	26441,	26442,
23077,	23164,	24324,	24325,	26445,	26457,
23166,	23172,	24326,	24341,	26458,	26459,
23174,	23299,	24370,	24399,	26460,	26466,
23300,	23301,	24404,	24410,	26467,	26468,
23416,	23436,	24413,	24431,	26506,	26558,
23438,	23439,	24493,	24498,	26561,	26562,
23440,	23441,	24527,	24528,	26605,	26608,
23442,	23443,	24529,	24558,	26609,	26839,
23444,	23446,	24559,	24560,	26841,	26844,
23493,	23512,	24581,	24582,	26856,	26858,
23535,	23565,	24583,	24598,	26860,	26862,
23567,	23616,	24599,	24600,	26864,	26866,
23621,	23622,	24615,	24616,	26869,	26870,
23623,	23624,	24617,	24632,	26872,	26873,
23625,	23626,	24633,	24634,	26879,	26880,
23627,	23628,	24649,	24650,	26881,	26886,
23629,	23630,	24651,	24666,	26898,	26901,
23631,	23632,	24667,	24668,	26903,	26910,
23633,	23634,	24684,	24685,	26914,	26916,
23635,	23636,	24686,	24703,	26919,	26920,
23637,	23638,	24704,	24705,	26933,	26934,



26942, 26943, 26944, 27127, 27129	21483, 21554, 21968, 22708,	.... 5107, 5120, 5121, 5122, 5149, 5153
\LetLtxMacro 16383, 16384	23481, 24151, 24190, 26462, 26882	\listfigurename .... ..... 8527, 8528
\Letter ..... 5053	\lineskiplimit ....	\listitemmaincolumnwidth ..... 5106,
\lettergroup ..... 8674	..... 15960, 26882	5114, 5115, 5147
\lftside .... 20395, 20397, 20400, 20402, 20416, 20418	\linespacing .. 24, 18025	\listitemsymbol ... 5048, 5105, 5146, 5148, 10681, 10779
\Line ..... 11103, 11106, 11111, 11114, 11119, 11120, 11123, 11124, 11128, 11129, 11132, 11133, 11137, 11138, 11141, 11142, 11146, 11147, 11150, 11151	\linespread .. 3159, 5823	\listitemsymbolwidth ..... 5104, 5105, 5115, 5121
\line ... 10097, 10098, 10100, 10101, 10107, 10108, 10110, 10111, 10120, 10121, 10123, 10124, 10130, 10131, 10133, 10134, 10143, 10144, 10146, 10147, 10153, 10154, 10156, 10157, 10166, 10167, 10169, 10170, 10176, 10177, 10179, 10180, 20558, 20559, 20560	\linewidth .... 5161, 7552, 15854, 15869, 15873, 16610, 16618, 16619, 16621, 16622, 17055, 18741, 19455, 19461, 20126, 20128, 20146, 20148, 20353, 20359, 20445, 20454, 20455, 20508, 20510, 20698, 21921, 22237, 22246, 22304, 22387, 22661, 22998, 23007, 23065, 23149, 23434, 23763, 23772, 23830, 23914, 26186, 26196, 26304, 26305, 26332, 26367, 26369, 26370, 26371, 26376, 26378, 26379, 26380, 26385, 26387, 26388, 26389, 26394, 26396, 26397, 26398, 26828, 26831	\listoffigures .... 8525 \listoftables .... 8533 \listparindent .... . 975, 8625, 8632, 8633, 26294, 26303
\linenumber .. 18115, 18117, 18119, 18124, 18127, 18129	\link ..... 5167	\listtablename 8535, 8536
\linenumberwidth .. . 18117, 18124, 18129	\list . 89, 292, 604, 739, 975, 1002, 1252, 2583, 2604, 2627, 2639, 8605, 8623, 8632, 8640, 9380, 9568, 9877, 11439, 11710, 15614, 17990, 20043, 20848, 21242, 21436, 21639, 22169, 22930, 23695, 24425, 26287	\llap .... 1586, 1622, 1639, 1646, 1744, 1749, 1755, 1766, 1784, 1791, 2586, 2608, 3671, 8612, 11235, 11999, 12011, 12023, 16413, 16425, 16437, 16864, 17000, 17002, 17004, 17006, 17009, 17011, 17014, 17016, 24097, 24359, 24377
\lineskip .... 414, 453, 524, 789, 874, 1041, 1126, 1291, 1377, 1386, 5037, 9439, 9616, 9712, 9783, 11473, 11538, 11568, 11639, 15640, 15705, 15959, 18611, 18744, 20705, 20898, 20983, 21037, 21129, 21138, 21296, 21372,	\linkdoubleitemmaincolumnwidth 7903, 7939, 7943,	\LoadClass ... 8859, 8883 \long .. 34, 48, 64, 237, 251, 266, 482, 772, 837, 1024, 1087, 1274, 1339, 4579, 4843, 4846, 4849, 4854, 4857, 4860, 5326, 5327, 5336, 5339, 5350, 5552, 5556, 5589, 5591, 5593, 5595, 5839, 5843, 5953, 5972, 6047, 6063, 6075, 6084, 6119, 6147, 6159, 6160, 6534, 6536, 6541, 6542, 6559, 6560, 6567, 6576, 6579, 6586, 6604, 7222, 7486, 7635, 7895, 7899,



7947, 7983, 7987, 7991, 8202, 8289, 8318, 8347, 9158, 9161, 9164, 9168, 9171, 9174, 9422, 9599, 9741, 10034, 10879, 10900, 11500, 11597, 15667, 16214, 16231, 16247, 16275, 16290, 16305, 16862, 16876, 16885, 16931, 16972, 16979, 17411, 17422, 17433, 17444, 17459, 17474, 17517, 17534, 17555, 17572, 17588, 17605, 17619, 17636, 17650, 17667, 17892, 18198, 19397, 19447, 19497, 19519, 19931, 19935, 19939, 20334, 20543, 20881, 20946, 21020, 21087, 21283, 21326, 21512, 21804, 21834, 22543, 22573, 23316, 23346, 24069, 24255, 24259, 24262, 24266, 26031, 26228, 26334, 26709, 26713, 26717, 26753, 26757, 26761, 26820, 26923 \longindentation . 11744 \longthickrule . . . . . 21364, 21370 \loop . . . . . 4350, 4351, 4352, 6617, 6627, 10190, 10400, 14921, 20351, 20387, 20414, 20425, 20452, 24210 \looprepeat 6634, 6638, 6682, 6753, 6760, 6765, 6771, 6774	6776, 6780, 6781, 6786 \lower . . . . . 2098, 2102, 2133, 2162, 2202, 2206, 2481, 4298, 4507, 20549, 20583, 20591, 26025, 26235, 26242 \lowercase . . . . . 5419, 5427, 5435, 5443 \lowertitleback . . . . . .. 22011, 22046, 22133, 22751, 22786, 22873, 23524, 23559, 23646 \LR 17880, 20516, 20549, 26210, 26235, 26239, 26242, 26246 \lrb . . . . . 4695, 4704 \LRE . . . . . 4261, 4305, 4478, 4512, 17879, 20516, 20519, 25837, 26210, 26213 \LRfootnoterule . . . . . . 10874, 11802, 16140 \LS@rot . . . . . 18686 \lsb . . . . . 4694, 4702 \lst@caption . 18219, 18225, 18232, 18237 \lst@alloverstyle . . . . . . 4683, 4689 \lst@HRefStepCounter . . . . . . 18219, 18225 \lst@ifnumberbychapter . . . . . . 18258, 18259 \lst@Key . . . . . 18162, 18169 \lst@MakeCaption . . . . . . 18217, 18230 \lst@makecaption . . . . . . 18214, 18247 \lst@maketitle . 18215, 18248, 18252, 18254 \lst@title@dropdelim . . . . . . 18215 \lstKV@SwitchCases . . . . . . 18163, 18170 \lstset . . . . . 4608 \LT@ch . . . . . 18571, 18573 \LT@tabarray 18570, 18574 \LT@array . . . . . 17888, 18560, 22402, 22403, 23164, 23165, 23929, 23930 \LT@bchunk . . . . . . 18601, 18608, 18612	\LT@caption . . . 18579, 22404, 22410, 22412, 23166, 23172, 23174, 23931, 23937, 23939 \LT@cols . . . . . 18614, 22386, 23148, 23913 \LT@endopen . . . . . 18659 \LT@endpbox . . . . . 18581 \LT@err . . . . . 18660 \LT@foot . . . . . 17903, 17907, 18663, 18667, 18676, 18679 \LT@head . . . . . 18670, 18683 \LT@hline . . . . . 18579 \LT@kill . . . . . 18579 \LT@lastfoot . . . . . . 18663, 18665, 18676 \LT@LL@FM@cr 18588, 18592 \LT@make@row . . . . . 18609 \LT@makecaption . . . . . . 18613, 18624, 22378, 23140, 23905 \LT@mcol 18569, 18614, 22386, 23148, 23913 \LT@no@pgbk 18577, 18578 \LT@nofcols . . . . . 18608 \LT@output . . . . . 18657 \LT@p@ftn . . . . . 17512, 17515, 17519, 17529, 17550, 17553, 17557, 17567, 18650, 18651, 18653, 18654 \LT@p@ftntext . . . . . 18643 \LT@p@LTRftntext . . . . . . 17510, 17517, 18644, 18649 \LT@p@RTLftntext . . . . . . 17548, 17555, 18645, 18652 \LT@rows . . . . . 18603, 18628 \LT@setprevdepth . 18604 \LT@start . . . . . 17905, 17915 \LT@startpbox . . . . . . 18585, 18592, 18641 \LT@tabularcr . . . . . 18575 \LT@capttype . . . . . . 18626, 18630, 18631 \LT@capwidth . . . . . 18614 \LT@left . . . . . 18563, 18565, 18567, 18605 \LTR . . . . . 20508, 26186, 26188
--	--	--



\LTR@column@boxes .	13036,	13050,	..... 16059, 16083
. 19847, 19891, 19893	13109,	13134,	\ltx@secondofthree
\LTR@outputdblcol .	13211,	13226,	..... 16068, 16092
. 10290, 15806,	13273,	13335,	\ltx@thirdofthree .
16636, 19638,	13349,	13408,	. 16061, 16078, 16085
26592, 26636, 26638	13433,	13510,	
\LTrbiditufesidenotemarginpar	13525,	13572,	M
. . . 7922, 8248, 8398	13634,	13648,	\m@addvipersep . . .
\LTrcite . . . . .	13707,	13732,	..... 19580, 19680
8192, 8312, 8341,	13809,	13824,	\m@m@float@spacing 11986
8370, 8392, 8401, 8410	13871,	13933,	\m@m@footnote@spacing
\LTrdblcol . . . . .	13947,	14006,	.. 11830, 11846,
\LTrdfnmakecol . . . 11032	14031,	14108,	11861, 11877,
\LTrfootfootmark . .	14123,	14170,	11892, 11907,
. . 11823, 12009,	14232,	14246,	11920, 11932,
12388, 12681,	14305,	14330,	11944, 11957,
12974, 13273,	14407,	14422,	11985, 12279,
13572, 13871,	14469,	14531,	12309, 12325,
14170, 14469,	14545,	14604,	12340, 12352,
14768, 15269, 16423	14629,	14706,	12367, 12407,
\LTrfootmarkstyle . .	14721,	14768,	12436, 12449,
. . . 11995, 12034	14830,	14844,	12463, 12476,
\LTrfootnote . . . 445,	14941,	14994,	12490, 12501,
519, 2424, 4781,	15046,	15074,	12507, 12513,
4789, 8381, 8731,	15084,	15097,	12518, 12578,
9704, 9778, 11560,	15125,	15135,	12607, 12622,
11634, 16195,	15205,	15221,	12636, 12647,
16383, 16386,	15269,	15334, 15349	12661, 12700,
21018, 21124,	\LTright . . . . .	18563,	12728, 12740,
21278, 21366,	18565,	18567, 18606	12753, 12765,
21475, 21549,	\LTrmarginnote . . . . .	8395	12778, 12788,
21930, 22670, 23443	\LTrmarginpar . . . . .	26692	12794, 12800,
\LTrfootnotetext . .	\LTrmulticolcolumns		12805, 12865,
. . . . . 4847, 4858,	..... 19889		12895, 12911,
9162, 9172, 16354,	\LTRsidenote . . . . .	8117, 8377	12926, 12938,
16356, 17513,	\LTrthanks . . 445, 465,		12953, 12993,
18650, 24256, 24260	500, 519, 8731,		13022, 13035,
\LTrfootscript . . .	8739, 8756, 8772,		13049, 13062,
. . 11995, 12012,	8783, 9704, 9724,		13076, 13087,
12016, 12018,	9759, 9778, 11560,		13093, 13099,
16426, 16430, 16432	11580, 11615,		13104, 13164,
\LTrfoottextfont . .	11634, 16352,		13194, 13210,
. . . . . 11824,	19384, 21018,		13225, 13237,
11894, 11934,	21058, 21104,		13252, 13292,
12051, 12224,	21124, 21278,		13321, 13334,
12249, 12326,	21308, 21348,		13348, 13361,
12341, 12388,	21366, 21475,		13375, 13386,
12450, 12464,	21495, 21530,		13392, 13398,
12523, 12548,	21549, 21930,		13403, 13463,
12623, 12637,	22109, 22670,		13493, 13509,
12681, 12741,	22849, 23443, 23622		13524, 13536,
12754, 12810,	\ltx@firstofthree .		13551, 13591,
12835, 12912,	..... 16065, 16089		13620, 13633,
12927, 12974,	\ltx@ifundefined . .		13647, 13660,



\m@m@singlespace .	13674, 13691, 13702, 13792, 13823, 13850, 13919, 13946, 13973, 13990, 14001, 14091, 14122, 14149, 14218, 14245, 14272, 14289, 14300, 14390, 14421, 14448, 14517, 14544, 14571, 14588, 14599, 14689, 14720, 14747, 14816, 14843, 14870, 14887, 14898, 15186, 15220, 15250, 15319, 15348, 15377, 15406, \m@m@h . . . . .	13685, 13697, 13762, 13808, 13835, 13890, 13932, 13959, 13984, 13996, 14061, 14107, 14134, 14189, 14231, 14258, 14283, 14295, 14360, 14406, 14433, 14488, 14530, 14557, 14582, 14594, 14659, 14705, 14732, 14787, 14829, 14856, 14881, 14893, 15155, 15204, 15234, 15289, 15333, 15362, 15395, 15420, 15429	11984 . . . . .
\m@m@make@eightcol@footgroup		\m@m@singlespace . . . . .	
		. 14013, 14038, 14281	
\m@m@make@fivecol@footgroup		. 13116, 13141, 13384	
\m@m@make@footstart		. 12186, 12197, 12202	
\m@m@make@fourcol@footgroup		\m@m@make@fourcol@footgroup . . . . .	
\m@m@make@mpeightcol@footgroup		\m@m@make@mpeightcol@footgroup . . . . .	
\m@m@make@mpfivecol@footgroup		\m@m@make@mpfivecol@footgroup . . . . .	
\m@m@make@mpfourcol@footgroup		\m@m@make@mpfourcol@footgroup . . . . .	
\m@m@make@mpninecol@footgroup		\m@m@make@mpninecol@footgroup . . . . .	
\m@m@make@mpsevencol@footgroup		\m@m@make@mpsevencol@footgroup . . . . .	
\m@m@make@mpsixcol@footgroup		\m@m@make@mpsixcol@footgroup . . . . .	
\m@m@make@mptencol@footgroup		\m@m@make@mptencol@footgroup . . . . .	
\m@m@make@mpthreecol@footgroup		\m@m@make@mpthreecol@footgroup . . . . .	
\m@m@make@paracol@footgroup		\m@m@make@paracol@footgroup . . . . .	
\m@m@make@para@footgroup		\m@m@make@para@footgroup . . . . .	
\m@m@make@parastart		\m@m@make@parastart . . . . .	
\m@m@make@sevencol@footgroup		\m@m@make@sevencol@footgroup . . . . .	
\m@m@make@sixcol@footgroup		\m@m@make@sixcol@footgroup . . . . .	
\m@m@make@tencol@footgroup		\m@m@make@tencol@footgroup . . . . .	
\m@m@make@threecol@footgroup		\m@m@make@threecol@footgroup . . . . .	
\m@m@make@twocol@footgroup		\m@m@make@twocol@footgroup . . . . .	
\m@m@mdoextrafeet		\m@m@mdoextrafeet . . . . .	
\m@m@make@makecolfloats		\m@m@make@makecolfloats . . . . .	
\m@m@make@makecolintro		\m@m@make@makecolintro . . . . .	
\m@m@make@makecoltext		\m@m@make@makecoltext . . . . .	



14280,	14368,	\m@munvxh .. 14901, 14910	\maketitle .... 110,
14398,	14414,	\m@ne 304, 578, 587, 5380,	313, 320, 439, 467,
14429,	14441,	5396, 5598, 6354,	478, 502, 765, 810,
14456,	14496,	6361, 6613, 6618,	832, 854, 1017,
14525,	14538,	6628, 6709, 7890,	1062, 1084, 1106,
14552,	14565,	7934, 7978, 9651,	1267, 1312, 1334,
14579,	14667,	9809, 9846, 10190,	1356, 4575, 4587,
14697,	14713,	11408, 11417,	5128, 8707, 8811,
14728,	14740,	11678, 15567,	8835, 9415, 9460,
14755,	14795,	15584, 17735,	9592, 9637, 9698,
14824,	14837,	19821, 20629,	9726, 9737, 9761,
14851,	14864,	21395, 21580,	10728, 10842,
14878,	15164,	21617, 22478,	11461, 11485,
15195,	15213,	23248, 23251,	11496, 11518,
15229,	15243,	24013, 24016,	11554, 11582,
15259,	15298,	24506, 24548,	11593, 11617,
15328,	15342,	25606, 26704,	15628, 15652,
15357,	15371, 15386	26748, 26783, 26786	15663, 15685,
\m@mold@footnotetext		\m@th 384, 11224, 11229,	17682, 17683,
. 11965,	11973, 15049	11235, 15854,	18048, 19392,
\m@mold@LTRfootnotetext		15869, 18610,	20874, 20919,
. .... 11966, 11974		25678, 25787,	20941, 20963,
\m@mold@mpfootnotetext		26268, 26362,	21011, 21060,
. 11968, 11976, 15063		26432, 26434, 26493	21082, 21106,
\m@mold@mpLTRfootnotetext		\maincolumnwidth ..	21272, 21310,
. .... 11969, 11977		5102, 5111, 5112,	21321, 21350,
\m@mold@mpRTLfootnotetext		5113, 5114, 5116,	21469, 21497,
. 11970, 11978, 15068		5120, 5135, 5139, 5164	21508, 21532,
\m@mold@RTLfootnotetext		\mainend .... 3385	21882, 22005,
. 11967, 11975, 15054		\mainmatter .... 8910	22012, 22033,
\m@mopfootnote ....		\makeatletter . 6019, 6038	22040, 22047,
. .... 15455, 15488		\makebox .... 11223,	22111, 22622,
\m@mremovehboxes ..		11228, 11297,	22745, 22752,
. .... 14927,		11300, 11303,	22773, 22780,
14928,	15392,	11310, 11318,	22787, 22851,
15403,	15419, 15428	11325, 11366,	23395, 23518,
\m@mrigidbalance ..		11370, 20163, 20181	23525, 23546,
. 12210, 12504,		\makefooter ....	23553, 23560, 23624
12515,	12791,	. 10746, 10747, 10763	\maketitledetailsnewline
12802,	13090,	\MakeFramed .... 16476	. .... 10837, 10852,
13101,	13389,	\makelabel ....	10854, 10855,
13400,	13688,	2586, 2606, 2629,	10856, 10857, 10858
13699,	13987,	2649, 8612, 26298	\maketitledetailswidth
13998,	14286,	\MakeLineNo .... 18109	. .... 10829,
14297,	14585,	\makeLineNumber ....	10831, 10832,
14596,	14884, 14895	. .... 18110, 18112	10833, 10834, 10849
\m@msplitoff 12216, 12218		\makeLineNumberLeft	\maketitlehookb .. 19442
\m@mungebox ....		. .... 18115	\maketitlehookc .. 19444
. 14909, 15164,		\makeLineNumberRight	\maketitlenamefullwidth
15195,	15213,	. .... 18123	. 10823, 10824, 10826
15229,	15243,	\maketag@@@ ... 336,	\maketitlenamemaxwidth
15259,	15298,	11221, 11234, 18719	. 10821, 10822, 10826
15328,	15342,	\makethanksmark .. 19397	\maketitlenamewidth
15357,	15371, 15386		. .... 10825,



	10826, 10832, 10844		
\maketitlepage	8793, 8835		
\maketitlepicturewidth			
.....	10827,		
	10828, 10834, 10863		
\MakeUppercase	. 125,		
601,	629, 630,		
645,	736, 894, 999,		
1146,	1249, 9303,		
9377,	9480, 9565,		
9690,	9691, 9874,		
11436,	11707,		
15611,	18063,		
20748,	20845,		
21003,	21239,		
	21462, 21463, 21636		
\marginline	.....		
.	22218, 22979, 23744		
\marginnote	..... 8386		
\marginpar	.....		
7456,	8164, 22219,		
22980,	23745, 25873		
\marginparpush	.....		
	7389, 26802		
\marginparsep	.....		
....	4565, 5013,		
7430,	7433, 7437,		
7589,	7596, 16999,		
17001,	17005,		
17010,	17013,		
17015,	26813, 26815		
\marginparwidth	4564,		
5014,	7429, 7434,		
7446,	7544, 7814,		
7907,	7951, 7995,		
16999,	17001,		
17013,	17015,		
26721,	26765, 26815		
\markboth	.. 124, 592,		
8915,	11422, 18062		
\math@cr@@@align	.. 338		
\mathindent	15855, 15871		
\mathsurround	. 416, 9924		
\max@poem@no	.....		
...	9110, 9212, 9213		
\maxdepth	.... 15492,		
	15503, 16848, 16855		
\maxdimen	10231, 10232,		
10234,	10294,		
10295,	10297,		
15160,	15191,		
15209,	15225,		
15239,	15255,		
15294,	15324,		
	15338,	15353,	\mdf@ignorevbadness
	15367,	15382,	..... 18766
	15728,	15774,	\mdf@lrbbox . 18725, 18754
	15775,	15776,	\mdf@par@local ... 18748
	15810,	15811,	\mdf@patchamsthm . 18726
	15812,	16483,	\mdfframedtitleenv 18753
	16644,	16645,	\mdfframetitleboxdepth
	16647,	16693,	..... 18770
	16694,	16696,	\mdfframetitleboxheight
	19542,	19543,	..... 18769
	19545,	19642,	\mdfframetitleboxtotalheight
	19643,	19645,	..... 18771
	24203,	24242,	\mdfframetitleboxwidth
	25738,	25741,	..... 18768
	25746,	25750,	\mdseries .. 307,
	25754,	25758,	10722, 10724,
	25762,	25766,	10726, 10727,
	25770,	25774,	10814, 10815,
	25959,	26549,	10816, 10819, 10820
	26550,	26552,	\meaning ..
	26596,	26597, 26599	5289, 5292, 5558,
\mbox	... 16960, 21938,	6009, 6036, 6051,	
	22060,	22074,	6069, 6077, 6086, 6153
	22089,	22678,	\mediabutton ..
	22800,	22814,	. 19317, 19377, 19378
	22829,	23451,	\medskip .. 9017
	23573,	23587, 23602	\medskipamount ..
	\mc@col@status@write		.... 1803, 1812,
		.... 19851, 19872	1821, 2884, 2899,
	\mc@gridwarn	.... 19841	2914, 3115, 3127,
	\mc@lastcol@status@write		3139, 3208, 11746
		.... 19857, 19880	\mem@makecol 15482, 15504
	\mdf@footenotedistance@length		\memRTLleftskip .. 19415
		..... 18782	\memRTLraggedleft 19420
	\mdf@footnoteinput	18790	\memRTLraggedright 19419
	\mdf@footnoteoutput		\memRTLrightskip . 19416
		..... 18779	\memRTLvleftskip . 19417
	\mdf@frametitleaboveskip@length		\memRTLvrightskip 19418
		..... 18774	\message .. 4451, 4452,
	\mdf@frametitlealignment		16484, 16492,
		..... 18755	16496, 16501,
	\mdf@frametitlebelowskip@length		16509, 16515,
		..... 18775	16525, 16530,
	\mdf@frametitlebox		16532, 16539,
		.. 18754, 18767,	16547, 16560,
		18768, 18769,	16568, 16573,
		18770, 18772, 18773	16578, 16591,
	\mdf@frametitlefont		16602, 16610, 16622
		..... 18757	\MessageBreak ..
	\mdf@frametitlefontcolor		.... 148, 6271,
		..... 18756	6285, 6297, 6309,
	\mdf@horizontalmargin@equation		6986, 6997, 7004,
		..... 18732	7016, 7022, 7120,
			7173, 7174, 7175,



7189, 7190, 7192, 7470, 7566, 7793, 7794, 7862, 8466, 8467, 8468, 8470, 8471, 8475, 8476, 8477, 8479, 8480, 19493, 19494, 19824, 19843, 19912, 21832, 22005, 22012, 22033, 22040, 22047, 22195, 22202, 22234, 22243, 22307, 22309, 22311, 22312, 22313, 22571, 22745, 22752, 22773, 22780, 22787, 22956, 22963, 22995, 23004, 23068, 23070, 23072, 23073, 23074, 23344, 23518, 23525, 23546, 23553, 23560, 23721, 23728, 23760, 23769, 23833, 23835, 23837, 23838, 23839, 25181, 25183, 25186	11266, 11271, 11283, 11291, 11296, 11299, 11302, 11304, 11305, 11307, 11308, 11311, 11312, 11314, 11315, 11317, 11319, 11320, 11322, 11323, 11326, 11327, 11329, 11330, 11332, 11337, 11338, 11339, 11340, 11341, 11342, 11343, 11344, 11345, 11354, 11356, 11360, 11361, 11363	19227, 19232, 19243, 19244, 19247, 19278, 19283, 19285, 19292, 19293, 19296, 19311, 19315, 19318, 19320, 19329, 19332, 19342, 19343, 19345, 19368, 19374, 19378
\metropolis@block . 3207 \metropolis@blockadjust .... 3227, 3228, 3229, 3233, 3234, 3235	\MHInternalSyntaxOff ..... 11378, 18722	\mkern ..... 25679, 25680, 25788, 26494
\metropolis@blocksep .... 3227, 3233, 3250	\MHInternalSyntaxOn ..... 11218, 18716	\mobile ..... 5090
\metropolis@parskip .... 3251, 3254	\MidFrameCommand .. . 16472, 16516, 16584	\Mobilefone ..... 5050
\metropolis@progressinheadfoot .... 3509, 3516, 3518	\minrowclearance .. . 1490, 1524, 10029	\mobilesymbol ..... . 5050, 10756, 10854
\metropolis@progressinheadfoot@linewidth .... 3514, 3516, 3518	\mintagvsep ..... 11238	\mode ..... 18988, 19321
\metropolis@progressonsectionpage .... 3194, 3200, 3202	\missingfigure .. . 25917, 25947	\modernpoem ..... 9265
\metropolis@progressonsectionpaged .... 3198, 3200, 3202	\mix 18811, 18812, 18819, 18820, 18846, 18863, 18886, 18889, 18891, 18914, 18946, 18954, 18963, 18974, 18985, 18987, 18992, 18993, 18995, 18996, 18998, 19010, 19019, 19022, 19023, 19024, 19034, 19044, 19045, 19047, 19048, 19053, 19054, 19055, 19072, 19074, 19079, 19118, 19125, 19126, 19129, 19147, 19149, 19152, 19154, 19157, 19164, 19172, 19174,	\modernpoem@obeylines ..... 9012, 9265
\MH 11233, 11237, 11242, 11243, 11247, 11251, 11252, 11256, 11264,		\modernpoem@par ... . 9012, 9013, 9229
		\month ..... 3304
		\morefloats .. 7696, 7793
		\moreLRE ..... 4262, 4479, 20470, 26144
		\moreRLE ..... 4264, 4481, 20471, 26145
		\moveleft 2481, 7846, 19736
		\overright 2481, 3338, 3344, 3353, 3361, 15961, 19834, 26885
		\mp@footgroupv@r ... ..... 12166, 12208, 12242, 12267, 12420, 12459, 12541, 12566, 12712, 12749, 12828, 12853, 13006, 13045, 13127, 13152, 13305, 13344, 13426, 13451, 13604, 13643, 13725, 13750, 13903, 13942, 14024, 14049, 14202, 14241, 14323, 14348, 14501, 14540, 14622, 14647, 14800,





7334, 7337, 7364, 7391, 7392, 7393, 7394, 7409, 7428, 7464, 7466, 7467, 7472, 7473, 7475, 7476, 7483, 7484, 7485, 7493, 7496, 7584, 7602, 7812, 7820, 7830, 7833, 7841, 8010, 8011, 8012, 8013, 8014, 8015, 8016, 8017, 8018, 8019, 8020, 8021, 8022, 8023, 8024, 8025, 8026, 8027, 8028, 8029, 8030, 8031, 8032, 8033, 8034, 8035, 8044, 8094, 8113, 8132, 8154, 8160, 8185, 8186, 8220, 8376, 8377, 8378, 8386, 8395, 8404, 8417, 8418, 8541, 8594, 8674, 8687, 8721, 8722, 8723, 8724, 8725, 8726, 8727, 8728, 8779, 8793, 8969, 8976, 8985, 8989, 8999, 9018, 9215, 9216, 10837, 11031, 11032, 11041, 11048, 11064, 11070, 11086, 11093, 11764, 11778, 11805, 11809, 11815, 11821, 11841, 11872, 11915, 11952, 12036, 12039, 12127, 12131, 12143, 12149, 12213, 12247, 12288, 12334, 12361, 12416, 12458, 12485, 12505, 12516, 12546, 12586, 12630, 12655, 12708, 12748, 12773, 12792, 12803, 12833, 12874,	12920, 12947, 13002, 13044, 13071, 13091, 13102, 13132, 13173, 13219, 13246, 13301, 13343, 13370, 13390, 13401, 13431, 13472, 13518, 13545, 13600, 13642, 13669, 13689, 13700, 13730, 13771, 13817, 13844, 13899, 13941, 13968, 13988, 13999, 14029, 14070, 14116, 14143, 14198, 14240, 14267, 14287, 14298, 14328, 14369, 14415, 14442, 14497, 14539, 14566, 14586, 14597, 14627, 14668, 14714, 14741, 14796, 14838, 14865, 14885, 14896, 14929, 14992, 15045, 15096, 15165, 15214, 15244, 15299, 15343, 15372, 15409, 15469, 15504, 15505, 15506, 15507, 15984, 15987, 16046, 16050, 16052, 16058, 16074, 16098, 16110, 16164, 16210, 16211, 16212, 16265, 16267, 16397, 16400, 16403, 16406, 17043, 18176, 18187, 19886, 19889, 19892, 21785, 21786, 22524, 22525, 23297, 23298,	25828, 25830, 26135, 26136, 26184, 26185, 26286, 26408, 26409, 26509, 26637, 26638, 26835 \newcount . . . . . 4344, 4545, 4546, 5220, 5230, 5234, 5612, 6347, 6450, 6610, 6671, 6751, 12109, 12111, 12209, 26501 \newcounter 8093, 9211, 15880, 16044, 24735, 24739, 24740 \newdimen . . . . . 8973, 8974, 9024, 11760, 12209, 16772 \NewDocumentCommand 4328 \newenvironment . . . 4729, 4740, 4749, 4758, 5193, 7443, 7458, 7461, 7499, 7626, 9200, 9264, 17984, 26188, 26198, 26364, 26373, 26382, 26391 \newfloat@setwithin . . . . . 20078, 20084, 20092, 20094 \newfloat@Error . . 20097 \newfloat@setwithin . . . . . 20064 \newif . . . . . 4036, 4037, 4038, 4039, 4040, 4041, 4042, 4230, 4231, 4234, 4235, 4236, 4237, 4239, 4240, 4463, 4464, 4465, 4466, 4467, 4468, 4971, 5000, 5179, 5227, 6025, 6516, 8896, 9084, 10669, 10671, 10673, 10675, 10740, 10767, 10769, 10771, 10773, 10836, 12130, 16042, 18724, 25826, 25827 \newinsert . . . . . 4267, 4484, 7699, 7700, 7701, 7702, 7703, 7704, 7705,
--	--	---



	\newpoem@tabcr . . . . .	23167, 23169,
	... 9228, 9237, 9238	23906, 23932, 23934
	\newsavebox . . . . .	\nobibliography . . . . . 8090
	7442, 7477, 7478	\nobidilogo . . . . . 4513
	\newskip . . . . .	\nobreak . . . . . 14, 16,
	4766, 4767, 4768,	209, 211, 544, 562,
	5603, 14915, 16634	589, 593, 684, 685,
	\newthought . . . . .	699, 725, 912, 913,
	8615	927, 943, 1167,
	\NewTokenList . . . . .	1168, 1182, 1209,
	6557	2236, 2243, 2560,
	\newtoks . . . . .	2562, 2564, 3694,
	4779,	7229, 8213, 8553,
	5300, 5301, 6348,	8554, 9038, 9040,
	6349, 6519, 6532,	9046, 9324, 9325,
	6557, 6610, 9025,	9339, 9363, 9501,
	16051, 20466, 26140	9502, 9516, 9540,
	\newXeTeXintercharclass	9654, 9662, 9674,
	. . . . . 4346, 4347	9803, 9819, 9849,
	\next . . . . . 26532, 26535	9854, 9862, 10080,
	\next@tdpage . . . . .	11391, 11404,
	21939,	11419, 11423,
	21948, 22019,	11431, 11658,
	22056, 22065,	11681, 11686,
	22069, 22079,	11695, 11739,
	22083, 22094,	11740, 15561,
	22098, 22679,	15577, 15586,
	22688, 22759,	15590, 15598,
	22796, 22805,	18039, 18041,
	22809, 22819,	18086, 18683,
	22823, 22834,	18781, 19785,
	22838, 23452,	19796, 19797,
	23461, 23532,	19808, 19809,
	23569, 23578,	20632, 20634,
	23582, 23592,	20787, 20788,
	23596, 23607, 23611	20802, 20826,
	\next@tpage . . . . .	21159, 21160,
	21938,	21174, 21198,
	21945, 21991,	21389, 21405,
	22067, 22081,	21574, 21590,
	22096, 22678,	21619, 21623,
	22685, 22731,	21631, 22156,
	22807, 22821,	24364, 24381,
	22836, 23451,	24388, 24530,
	23458, 23504,	24533, 24561,
	23580, 23594, 23609	24562, 24584,
	\NineColumnFootnotes	24585, 24601,
	. . . . . 14328	24602, 24618,
	\ninecolumnfootnotes	24619, 24635,
	. . . . . 14303	24636, 24652,
	\no . . . . . 3390, 3415, 3435	24653, 24669,
	\no@bib@break . . . . .	24670, 24687,
	. 22181, 22942, 23707	24688, 24706,
	\noalign . . . . . 1404, 9138,	24707, 24726,
	12216, 18576,	
	18577, 18578,	
	22379, 22405,	
	22407, 23141,	



24727,	24761,	17523,	17525,	15326,	15340,
24762,	24797,	17551,	17559,	15355,	15369,
24959,	24960,	17560,	17561,	15384,	15397,
25069,	25071,	17563,	17592,	15408,	15422,
25162,	25194,	17593,	17594,	15431,	15667,
25199,	25202,	17596,	17623,	16863,	19470,
25671,	25676,	17624,	17625,	20763,	20772,
25684,	25785,	17627,	17654,	21213,	21222,
25786,	25790,	17655,	17656,	21288,	21331,
26491,	26492,	17658,	18605,	21512,	21822,
\nobreakspace . . . . . 588					
\node .	3431, 3433, 3438,	19245,	19510,	21942,	21946,
	3439, 3441, 3442,	21898,	21899,	22156,	22341,
	25871, 25901, 25907	21900,	21901,	22352,	22561,
\noexpand . . . . .	402,	21902,	21903,	22601,	22679,
	4801, 4802, 4816,	22178,	22179,	22682,	22686,
	4817, 4844, 4847,	22638,	22639,	23102,	23113,
	4850, 5255, 5296,	22640,	22641,	23334,	23374,
	5305, 5309, 5329,	22642,	22643,	23452,	23455,
	5333, 5455, 5557,	22939,	22940,	23459,	23867,
	5558, 5560, 5618,	23411,	23412,	23878,	25849,
	5646, 5672, 5700,	23413,	23414,	25852,	25854,
	5726, 5729, 5763,	23415,	23416,	25856,	25859,
	5766, 6004, 6005,	23704,	23705,	25863,	25865,
	6006, 6008, 6009,	24073,	24145,	25921,	25983, 26424
	6034, 6036, 6054,	24182,	24183,	\nointerlineskip . .	
	6055, 6056, 6059,	24256,	24263,		1933, 1946,
	6066, 6067, 6068,	24742,	25274,		2453, 2541, 2554,
	6070, 6076, 6077,	25307,	25314,		2561, 2891, 2906,
	6079, 6085, 6086,	25319,	25320,		2921, 3244, 3314,
	6088, 6150, 6152,	25406,	25810,		3319, 3335, 3369,
	6153, 6367, 6513,	25811,	25812,		3374, 3508, 3570,
	6518, 6524, 6572,	25813,	25814,		3575, 3718, 3735,
	6600, 6603, 6606,	25815,	25816,		3813, 3820, 3836,
	6607, 6691, 6698,	25817,	25818,		3909, 3915, 3930,
	6701, 6702, 6719,	26060,	26075,		10890, 10911,
	6723, 6725, 6726,	26103,	26109,		16455, 18764,
	6727, 6735, 6736,	26122,	26455, 26839		19832, 26810, 26818
\noindent . . . 482, 660,					
	669,	967,	1219,	\nopagebreak . . . . .	
	6995,	6996,	6998,		9092, 9102, 18578
	7134,	7239,	7273,	\nopagenumbers . . . . .	5180
	7274,	8062,	8064,	\normalbaselines . . . . .	26268
	8072,	8465,	8468,	\normalbaselineskip . . . . .	
	8474,	8477,	9159,		311, 7350, 14969,
	9162,	9165,	9217,		14983, 15022,
	10621,	10973,			15036, 15074,
	11025,	12117,			15088, 15125,
	12118,	15882,			15139, 18745, 20706
	15883,	15888,		\normalcolor . . . . .	
	15889,	15941,			2211, 4946,
	16785,	16795,			10041, 10252,
	17503,	17513,			10317, 10549,
	17521,	17522,			10568, 11352,
					12178, 15463,



15476,	16344,	21325,	21332,	17953,	17970,		
16464,	16669,	21511,	21514,	19786,	19796,		
16716,	16817,	21616,	21629,	19797,	19808,		
16827,	16834,	22459,	23222,	19809,	20761,		
18072,	18783,	23987,	24787,	20764,	20886,		
19810,	22459,	24792,	24793,	20915,	20976,		
23222,	23987,	25201,	25546,	21025,	21054,		
25546,	25569,	25569,	25575,	21119,	21211,		
25575,	25791,	25791,	26497,	21214,	21290,		
26037,	26497,	\normalfootnotes . . .	11971, 11982	21304,	21363,		
26570,	26619,	\normallineskip . . .	. 5038, 18744, 20705	21477,	21491,		
26649,	26665,	\normalparindent 42,		21545,	21956,		
26676,	26684,	56, 72, 245, 259, 274		21981,	22019,		
26891,	26907, 26938	\NormalRTLParaLTRFootnotes	..... 15096	22696,	22721,		
\normalfont . . .	25, 38, 52, 68, 85, 241, 255, 270, 288, 481, 484, 586, 836, 838, 1090, 1338, 1340, 3117, 3129, 3141, 4578, 4581, 4691, 4696, 4697, 4699, 4700, 4701, 4702, 4703, 4704, 4705, 7391, 8010, 8011, 8012, 8100, 8119, 8138, 8204, 8439, 8446, 8453, 8645, 9650, 9670, 9740, 9743, 9845, 9860, 11224, 11229, 11235, 11416, 11429, 11499, 11502, 11596, 11599, 11677, 11693, 12000, 12004, 12012, 12016, 12018, 12024, 12028, 12030, 15583, 15596, 15666, 15669, 16414, 16418, 16420, 16426, 16430, 16432, 16438, 16442, 16444, 17986, 18021, 18026, 18072, 18757, 19396, 19810, 20165, 20178, 20945, 20947, 21086, 21088, 21282, 21289,	\normalRTLparaLTRfootnotes	..... 15045	22759,	23469,		
		\normalsfcodes . . .	..... 15954, 26878	23494,	23532,		
		\normalsize 307, 1564,	1574, 1602, 1644, 1753, 1767, 1789, 2469, 2817, 7343, 7344, 7351, 7918, 7962, 8006, 8100, 8119, 8138, 8516, 10724, 10816, 15952, 19528, 21371, 21869, 21876, 22609, 22616, 23382, 23389, 25201, 26732, 26776, 26876	..... 15096	24098,	24104,	
		\NOT . . .	7545, 7546, 7585, 7605, 7609, 8292, 8321, 8350, 8432, 8436	\normalsize 15045	24126,	24530,	
		\not@eq@if . . .	5399, 5401	24561,	24584,		
		\noteqnewif . . .	5395	\normalsize 15045	24601,	24618,	
		\null 447, 461, 515, 658,	661, 777, 806, 867, 965, 968, 1029, 1058, 1119, 1217, 1220, 1279, 1308, 1369, 8553, 9127, 9371, 9374, 9427, 9456, 9559, 9562, 9604, 9633, 9706, 9720, 9774, 11467, 11481, 11531, 11562, 11576, 11630, 15634, 15648,	5395	24635,	24652,	
					24669,	24687,	
					24706,	24726,	
					24761,	25162,	
					25671,	25785, 26491	
					\number 8, 139, 203, 5254, 5255, 5261, 5266, 5618, 5635, 5637, 5646, 5660, 5662, 5672, 5689, 5691, 5700, 5714, 5716, 5726, 5729, 5746, 5748, 5752, 5754, 5763, 5766, 5780, 5782, 5786, 5788, 5795, 5797, 5798, 5800, 5801, 5804, 5805, 5812, 5814, 5815, 6020, 6642, 6757, 6763, 6769, 6772, 6778, 6782, 9110, 9204, 10443, 10445, 10454, 10458, 10522, 10543, 10897, 10918, 10963, 10969, 10972, 11015, 11021, 11024, 11275, 11278, 12117, 12118, 12132, 12136, 18033, 19903		
					\numberline . . .		
					... 7638, 18232,		



18237,	19522,	24774,	24777,	9428,
24459,	25581,	24780,	25724,	9478,
25799,	25802,	25835,	25842,	9493,
\numberline@box . . . . .		26064,	26113,	9509,
..... 25165, 25166		26524,	26525,	9525,
\numberline@tempa 25801		\orig@footnotetext	. . . . .	9532,
\numberwithin . . . . .		152, 19917,	19934	9547,
\numexpr . . 5823, 7246,		156, 19922,	19938	9553,
24932, 25044,		160, 19927,	19942	9605,
25274		\origin@RaggedLeft	. . . . .	9649,
\nxLcs . . . 4707, 4708, 4709		20734, 20736,	20737	9655,
		\origin@RaggedRight	. . . . .	9660,
		20735, 20736,	20737	9664,
		\originalHbadness	. . . . .	9666,
		25897, 25915		9669,
\oddsidemargin . . . . .		\othermargin . . . . .	9672,	
..... 4546, 4550, 4551,		909	9676,	
4552, 4555, 4556, 4557		\outer . . . . .	9678,	
\offinterlineskip . . . . .		4539	9688,	
..... 2171, 2182		\outer@nobreak . . . . .	9693,	
\on@stripcols@break		4964, 7912, 7956,	9707,	
..... 10380		8000, 26726,	9796,	
\onecolumn . . . . .		26770	9811,	
.. 634, 650, 899,		\outputpenalty 10586,	9824,	
1151, 5047, 9308,		10589, 10598,	9826,	
9485, 9695, 20753,		10601, 10611,	9830,	
21008, 21467, 24494		10614, 18658,	9844,	
\only . . . . . 2459, 2487		18659	9850,	
\opening . . . 11727, 18074		\overfullrule . . . . .	9855,	
\OptArg . . . . . 4708, 4774		.. 4998, 4999, 20595	9858,	
\OptArg@i . . . . . 4774, 4775		\OVP@calc . . . . . 20160	10095,	
\OptArg@ii . . . . . 4774, 4776			10118,	
\OptArgs . . . . . 4773			10141,	
\optparams . . . . .			10164,	
7519, 8376, 8377,		\p@ . . . . . 27, 29, 30, 31,	10174,	
8378, 8380, 8381, 8382		99, 103, 219, 223,	10471,	
\OR . . . . . 7513,		231, 233, 234, 235,	10637,	
7585, 7605, 7609, 7861		311, 448, 537, 554,	10875,	
\or . . . 1440, 1441, 1442,		566, 568, 570, 572,	11383,	
1444, 1445, 1465,		627, 632, 643, 647,	11453,	
1466, 1467, 1471,		676, 692, 710, 717,	11457,	
1472, 1473, 1474,		753, 759, 778, 892,	11468,	
1475, 1479, 1480,		896, 903, 919, 936,	11652,	
1508, 1509, 1510,		954, 989, 991, 994,	11682,	
1512, 1513, 10012,		996, 1030, 1144,	11691,	
10013, 10014,		1148, 1159, 1175,	11752,	
10016, 10017,		1193, 1201, 1233,	11756,	
17347, 17351,		1239, 1280, 4268,	11803,	
		4485, 5037, 5038,	15554,	
		5042, 5043, 7345,	15569,	
		7346, 7347, 7354,	15582,	
		7355, 7356, 7358,	15591,	
		7359, 8564, 8565,	15594,	
		8566, 8568, 8569,	15602,	
		8635, 9301, 9305,	15606,	
		9316, 9332, 9348,	15608,	
		9355, 9394, 9400,	15635,	
			15736,	
			16130,	
			16132,	
			16134,	
			16136,	
			16168,	
			16890,	
			16897,	
			16936,	
			16943,	
			16988,	
			18001,	
			18005,	
			18016,	
			18017,	
			18018,	
			18088,	
			18090,	
			18092,	
			18094,	
			19448,	
			19778,	
			19790,	
			19802,	
			19896,	
			19897,	
			19944,	
			19946,	
			19947,	
			19948,	
			20746,	
			20750,	
			20779,	
			20795,	
			20811,	
			20818,	



20833,	20839,	18363,	18367,	\pagedepth . . . . .
20887,	21001,	18370,	18373,	\pagefillstretch .
21005,	21026,	18376,	18379,	\pagefilstretch ..
21151,	21167,	18382,	18385,	\pagefootnoterule .
21183,	21190,	18388,	18391,	. . . . . 16166, 16174
21256,	21262,	18394,	18397,	\pagegoal 16483, 16485,
21291,	21383,	18400,	18403,	16490, 16497,
21397,	21413,	18406,	18409,	16538, 16540,
21415,	21417,	18412,	18415,	18664, 19748, 25964
21419,	21460,	18418,	18421,	\pageinwindow . . . . .
21465,	21478,	18424,	18427,	\pagenumbering 5045, 8900
21567,	21582,	18430,	18433,	\pageref . . . . . 5184, 5186
21595,	21597,	18436,	18439,	\pageshrink .. 10433,
21599,	21601,	18442,	18445,	10436, 10462,
21615,	21620,	18448,	18451,	10486, 16499,
21624,	21627,	18454,	18457,	16503, 16519,
21632,	21870,	18460,	18463,	16545, 16557, 25967
21874,	21877,	18466,	18469,	\pagestretch . . . . .
21881,	22432,	18472,	18475,	. . . 10487, 16498,
22450,	22610,	18478,	18481,	16519, 16557, 25971
22614,	22617,	18484,	18487,	\pagestyle 2178, 4544,
22621,	23194,	18490,	18493,	5036, 5044, 5187,
23213,	23383,	18496,	18499,	7665, 8901, 10762
23387,	23390,	18502,	18505,	\pagetotal . . . 16485,
23394,	23959,	18508,	18511,	16490, 16496,
23978,	24492,	18514,	18517,	19405, 19746,
24768,	24936,	18520,	18523,	19749, 19760,
24939,	24943,	18526,	18529,	25959, 25964, 26022
25048,	25051,	18532,	18535,	\paperheight . . . 3007,
25055,	25467,	18538,	18541,	3012, 3019, 3312,
25470,	25474,	18544,	18547,	3313, 3318, 3336,
25480,	25595,	18550,	18553,	3370, 3371, 3701,
25779,	26485, 26948	18556,	19908,	4973, 4976, 4979,
		24392,	24746, 26511	4982, 4985, 4988,
\p@enumiv	86, 289, 610,	\PackageInfo . . . 5608,		4991, 4992, 11158,
	745, 1008, 1258,	6871, 6973, 7120,		21912, 22652, 23425
	2647, 5208, 9386,	7312, 20717, 25821		\paperwidth . . . 2050,
	9574, 9883, 11445,	\PackageWarning 138,		2188, 2501, 2518,
	11716,	5606, 6224, 6341,		2532, 3063, 3403,
	15620,	6974, 7003, 9206,		3405, 3407, 3408,
	17987,	10678, 10776,		3421, 3428, 3429,
	20854,	15884, 16589,		3433, 3441, 3442,
	21248,	18102, 19842,		3459, 3462, 3465,
	21442,	19902, 20058,		3486, 3488, 3493,
	21645,	24737, 25088, 25179		3495, 3510, 3512,
	22185,	\PackageWarningNoLine		3514, 3516, 3537,
	22946,	5241, 5607, 5636,		3573, 3600, 3683,
	23711, 24431	5661, 5690, 5715,		3685, 3690, 3692,
\p@subfigure	..... 24156	5747, 5753, 5781,		3703, 3727, 3740,
\p@subtable	..... 24157	5787, 7170, 12154		3743, 3749, 3754,
\PackageError	.. 144,	\page@sofar .. 164, 19814		3776, 3784, 3796,
	5366, 5421, 5424,	\pagebreak . . . . .		3816, 3822, 3824,
	5429, 5432, 5437,	. 18577, 25967, 25976		3838, 3842, 3864,
	5440, 5445, 5448,	\pagecontents .. . 20530		3868, 3876, 3879,
	5605, 7183, 7310,			
	8418,			
	18167,			
	18174,			
	18342,			
	18345,			
	18348,			
	18351,			
	18354,			
	18357,			
	18360,			



3885, 3888, 3895,	7610, 7611, 7636,	15590, 15598,
3898, 3912, 3917,	7645, 7646, 7815,	15637, 15643,
3919, 3932, 3936,	7831, 8555, 8670,	15645, 15646,
3955, 3958, 3961,	8671, 8672, 8673,	15663, 15702,
3967, 3970, 3986,	8798, 8800, 8802,	15708, 15712,
3989, 4004, 4974,	8820, 8821, 8822,	15878, 16340,
4977, 4980, 4983,	8996, 9103, 9117,	18009, 18010,
4986, 4989, 4992,	9128, 9146, 9221,	18011, 18030,
4993, 11158,	9229, 9254, 9325,	18040, 18048,
11165, 11175,	9338, 9363, 9374,	18076, 18081,
21910, 22650, 23423	9436, 9446, 9453,	18084, 18086,
\par . . . 5, 15, 46, 60, 76,	9454, 9502, 9515,	18208, 18610,
107, 108, 109, 110,	9540, 9562, 9613,	18737, 18760,
200, 210, 227, 228,	9623, 9630, 9631,	18764, 19392,
229, 249, 263, 278,	9654, 9662, 9674,	19464, 19470,
310, 313, 417, 450,	9709, 9715, 9717,	19476, 19480,
456, 458, 459, 478,	9718, 9737, 9780,	19486, 19501,
521, 527, 531, 543,	9786, 9790, 9802,	19520, 19529,
562, 589, 592, 661,	9819, 9849, 9854,	19786, 19798,
671, 685, 698, 725,	9862, 9939, 10080,	19811, 19971,
786, 796, 803, 804,	10883, 10904,	19983, 20045,
832, 871, 877, 881,	11391, 11403,	20337, 20508,
913, 927, 942, 968,	11419, 11422,	20509, 20510,
982, 1038, 1048,	11430, 11470,	20511, 20624,
1055, 1056, 1084,	11476, 11478,	20625, 20632,
1123, 1129, 1133,	11479, 11496,	20633, 20693,
1168, 1181, 1209,	11535, 11541,	20764, 20774,
1220, 1230, 1288,	11545, 11565,	20788, 20801,
1298, 1305, 1306,	11571, 11573,	20826, 20895,
1334, 1374, 1380,	11574, 11593,	20905, 20912,
1385, 1390, 1393,	11636, 11642,	20913, 20941,
1561, 1565, 1568,	11646, 11657,	20980, 20986,
1571, 1576, 1596,	11681, 11686,	20990, 21034,
1599, 1604, 1636,	11695, 11729,	21044, 21051,
1641, 1648, 1746,	11734, 11737,	21052, 21082,
1750, 1756, 1777,	11739, 11740,	21126, 21132,
1785, 1792, 1803,	11750, 12172,	21137, 21142,
1812, 1821, 1840,	12385, 12388,	21145, 21160,
2248, 2453, 2560,	12391, 12678,	21173, 21198,
2814, 2818, 2844,	12681, 12684,	21214, 21224,
2851, 2858, 2873,	12971, 12974,	21288, 21293,
2884, 2888, 2899,	12977, 13270,	21299, 21301,
2903, 2914, 2918,	13273, 13276,	21302, 21321,
3089, 3096, 3102,	13569, 13572,	21331, 21369,
3108, 3115, 3127,	13575, 13868,	21374, 21377,
3139, 3161, 3168,	13871, 13874,	21388, 21405,
3182, 3189, 3208,	14167, 14170,	21480, 21486,
3261, 3267, 3273,	14173, 14466,	21488, 21489,
3584, 3586, 3634,	14469, 14472,	21508, 21551,
3655, 3663, 3731,	14765, 14768,	21557, 21561,
3733, 3829, 3831,	14771, 15397,	21573, 21590,
3924, 3926, 4539,	15408, 15422,	21619, 21623,
4575, 4962, 7539,	15431, 15560,	21631, 21860,
7547, 7606, 7607,	15577, 15586,	21953, 21954,



21959,	21962,	11745,	17148,	20783,	20799,
21964,	21971,	17150,	17154,	20822,	21155,
21975,	21977,	17156,	17187,	21171,	21194,
21979,	21994,	17188,	17191,	21386,	21401,
21998,	22020,	17192,	17249,	21571,	21586,
22028,	22156,	17250,	17253,	24343,	24372,
22275,	22332,	17254,	17278,	24402,	24522,
22340,	22343,	17280,	17284,	24553,	24576,
22351,	22353,	17286,	18614,	24593,	24610,
22364,	22371,	19458,	19487,	24627,	24644,
22600,	22693,	19969,	19971,	24661,	24679,
22694,	22699,	19972,	19974,	24698,	24718,
22702,	22704,	19976,	19977,	24753,	24948,
22711,	22715,	19979,	19981,	25060,	25128,
22717,	22719,	19983,	19984,	25130,	25194,
22734,	22738,	19986,	19988,	25664,	25666,
22760,	22768,	19989,	19990,	25780,	26403, 26486
23036,	23093,	19991,	19992,	\parindent . . .	12, 42,
23101,	23104,	19993,	19995,	56,	72, 103, 207,
23112,	23114,	19996,	19997,	223,	245, 259, 274,
23125,	23132,	19998,	19999,	482,	540, 557, 584,
23373,	23466,	20000,	20001,	631,	646, 682, 695,
23467,	23472,	20002,	20003,	720,	772, 789, 895,
23475,	23477,	20004,	20006,	910,	922, 939, 976,
23484,	23488,	20007,	20008,	1024,	1041, 1087,
23490,	23492,	20009,	20011,	1147,	1165, 1178,
23507,	23511,	20012,	20013,	1204,	1274, 1291,
23533,	23541,	20014,	20016,	2842,	2849, 2856,
23801,	23858,	20017,	20018,	3259,	3265, 3271,
23866,	23869,	20019,	20020,	4579,	5040, 7367,
23877,	23879,	20021,	20023,	8038,	8547, 8589,
23890,	23897,	20024,	20025,	8597,	8662, 8815,
24187,	24798,	20026,	20027,	9121,	9224, 9304,
24804,	24961,	20028,	20030,	9322,	9335, 9358,
25070,	25194,	20031,	20032,	9422,	9439, 9481,
25690,	25792,	20033,	20034,	9499,	9512, 9535,
25849,	25850,	22387,	23149, 23914	9599,	9616, 9650,
25856,	25857,	\parfillskip . . .	13,	9670,	9692, 9741,
25859,	25867,	208,	541, 558, 680,	9799,	9814, 9845,
25920,	26186,	696,	721, 907, 923,	9859,	9963, 9994,
26187,	26196,	940,	1163, 1179,	10085,	11386,
26197,	26365,	1205,	8546, 9122,	11400,	11414,
26374,	26383,	9320,	9336, 9359,	11427,	11500,
26392,	26459,	9497,	9513, 9536,	11597,	11654,
26498,	26927, 26948	9800,	9815, 9967,	11677,	11692,
\par@updaterelative		10086,	11387,	11806,	12190,
. 21950, 22690, 23463		11401,	11655,	12380,	12673,
\paragraph . . . . .	8451	15264,	15268,	12966,	13265,
\ParagraphFootnotes		15272,	15558,	13564,	13863,
. . . . .	14992	15573,	18038,	14162,	14461,
\paragraphfootnotes		18744,	19779,	14760,	15263,
. . . . .	14939	19791,	19803,	15267,	15271,
\parbox . . . . .	5133,	20647,	20660,	15436,	15557,
5135,	10750,	20673,	20684,	15572,	15583,



15595,	15667,	26378,	26379,	9820, 9924, 9930,
16862,	18005,	26380,	26385,	10583, 10595,
18037,	18740,	26387,	26388,	10608, 14914,
19780,	19792,	26389,	26394,	15265, 15269,
19804,	20038,	26396,	26397, 26398	15273, 15578,
20648,	20661,	\parskip	103, 223, 632,	16520, 20827,
20674,	20685,	647,	896, 1148,	20890, 21029,
20749,	20785,	2182,	2888, 2903,	21199, 21406,
20798,	20821,	2918,	3209, 3254,	21591, 24962,
20881,	20898,	4572,	5041, 7368,	25588, 25696, 25963
21004,	21020,	8039,	8590, 8598,	\pgf@baseline . . . . . 20292
21037,	21157,	8661,	8816, 9120,	\pgf@insertlayers 20314
21170,	21193,	9223,	9258, 9305,	\pgf@nodecallback 20270
21288,	21331,	9482,	9693, 10587,	\pgf@oldpicture . . . . . 20277
21368,	21385,	10599,	10612,	\pgf@picmaxx .. . . . . 20271,
21400,	21464,	11733,	11736,	20283, 20285, 20303
21512,	21570,	11738,	11740,	\pgf@picmaxy 20273, 20287
21585,	21616,	18005,	18080,	\pgf@picminx . . . . .
21628,	21822,	18083,	18085,	. 20272, 20286, 20296
21861,	22561,	18740,	18749,	\pgf@picminy 20274, 20288
22601,	23334,	20343,	20696,	\pgf@picture . . . . . 20277
23374,	24353,	20750,	21005,	\pgf@picture@serial@count
24390,	24491,	21368,	21465,	. . . . . 20268, 20269
24523,	24554,	24492,	25600,	\pgf@process . . . . .
24577,	24594,	25958,	25962, 26302	. 20292, 20295, 20302
24611,	24628,	\part	. . . . . 23, 18024	\pgf@relevantforpicturesizefalse
24645,	24662,	\partname	. . . . . 588, 11418	. . . . . 20291
24680,	24699,	\partopsep	. . . . .	\pgf@relevantforpicturesizetrue
24719,	24754,	2644,	8611, 19443,	. . . . . 20275
24947,	25059,	19445,	20122, 20142	\pgf@remember@layerlist@globally
25133,	25135,	\PassOptionsToClass	. . . . .	. . . . . 20309
25600,	25661,	8853,	8854, 8855,	\pgf@resetpathsizes
25662,	25781,	8856,	8857, 8877,	. . . . . 20276
26192,	26202,	8878,	8879, 8880, 8881	\pgf@restore@layerlist@from@global
26303,	26403,	\PassOptionsToPackage	. . . . . 7870, 8700	. . . . . 20313
26426,	26427, 26487	\pbs	. . . . . 20186, 20204	\pgf@shift@baseline
\parsep	... 979, 7359,	\pdfencryptsetup	. . . . . 4328, 4330, 4334	. . . . . 20293
	7360, 8569, 8570,	\pdflastxpos	. . . . . 5618,	\pgf@trimleft . . . . . 20295
	8608, 8635, 26302		5646, 5726, 5763	\pgf@trimleft@final
\parshape	9936, 16611,	\pdflastypos	. . . . . 5672,	. . . . . 20297, 20298, 20300
	16619, 20128,		5700, 5729, 5766	\pgf@trimright . . . . . 20302
	20148, 20343,	\pdfm@box	. . . . . 17954,	\pgf@trimright@final
	20508, 20510,		17962, 17971, 17979	. . . . . 20304, 20305, 20307
	21287, 21330,	\pdfsavepos	. . . . . 5628, 5630,	\pgf@x . . . . . 20296,
	21841, 21843,		5653, 5655, 5682,	20300, 20303, 20307
	21854, 21856,	\pdfstringdefDisableCommand	5684, 5707, 5709,	\pgf@y . . . . . 20293
	22580, 22582,		5739, 5741, 5773, 5775	\pgfdeclarehorizontalshading
	22594, 22596,		. . . . . 17878	. . . . . 3701
	23353, 23355,	\pgfdefobject		\pgfdefobject . . . . .
	23367, 23369,			. . . . . 2724, 2744, 2767
	26186, 26196,	\penalty	. . . . . 781, 1033,	\pgfmathsetmacro . . . 3402
	26332, 26367,		1283, 9042, 9364,	\pgfpathcircle . . . . . 1591
	26369, 26370,		9431, 9541, 9608,	\pgfpathclose . . . . . 2963, 2979
	26371, 26376,			



\pgfpathcurveto	1921, 2955, 2959, 2971, 2975	\pgftext	..... 1593, 1769, 1770, 1943, 2472, 2473, 2533, 2541, 2546, 2554, 3324, 3331, 3751	\PLS@Rotate	..... . 20208, 20210, 20212
\pgfpathlineto	1920, 1927, 1928, 2954, 2970	\pgftransformrotate	..... 3322, 3329	\pltopsep	..... 8610
\pgfpathqcurveto	..... 1919, 2952, 2953, 2968, 2969	\pgftransformscale	..... 2537, 2550	\poem@finish	..... . 9153, 9203, 9210
\pgfpathqlineto	2727, 2728, 2747, 2748, 2750, 2751, 2770, 2771	\pgftransformshift	..... 1943, 2540, 2553, 3323, 3330	\poem@line	9080, 9086, 9137
\pgfpathqmoveto	..... 1918, 2726, 2746, 2749, 2769, 2951, 2967	\pgfuseobject	..... 2735, 2739, 2758, 2762, 2778, 2782	\poem@linebegin	..... . 9037, 9095
\pgfpathrectangle	..... 1941, 2534, 2547, 3743, 3749, 3784, 3842, 3868, 3936	\pgfusepath	... 1592, 1929, 1942, 2535, 2548, 3745, 3750, 3786, 3844, 3870, 3938	\poem@lineend	..... . 9038, 9101
\pgfpic	..... 20323	\pgfusepathqfill	... 2729, 2752, 2772, 2964	\poem@lineparsebegin	..... 9049, 9106, 9133
\pgfpicture	..... 20264	\pgfusepathqstroke	2980	\poem@lineparseend	..... 9075, 9087, 9144
\pgfpictureid	20269, 20280	\pgfuseshading	.. 1943, 3708, 3710, 3774, 3817, 3862, 3913, 4020	\poem@lineversesep	..... 9039, 9098
\pgfpicturetrue	..... 1949, 20267	\pgfutil@gobble	.. 20270	\poem@needrun	.. 9031, 9150, 9205, 9207
\pgfpoint	..... 1591, 1920, 1922, 1923, 1924, 1927, 1928, 1941, 1943, 2534, 2540, 2547, 2553, 2724, 2744, 2767, 2954, 2956, 2957, 2958, 2960, 2961, 2962, 2970, 2972, 2973, 2974, 2976, 2977, 2978, 3323, 3330, 3743, 3749, 3784, 3842, 3868, 3936	\pgfutil@ifnextchar	..... 20277	\poem@obeylines	9132, 9201, 9241, 9265
\pgfpointorigin	... 3749	\phantom	... 18991, 19837	\poem@prop	... 9113, 9215
\pgfsetcolor	... 1949	\phantomsection	... 5131	\poem@startedfalse	... 9130, 9239, 9245
\pgfsetfading	... 3744, 3785, 3843, 3869, 3937	\phone	... 5091	\poem@startedtrue	..... 9088,
\pgfsetfillcolor	... 3742, 3780, 3782, 3841, 3867, 3935	\phonesymbol	... 5051, 10757, 10855		9089, 9129, 9231,
\pgfsetfillopacity	2471	\photo	... 5096		9233, 9238, 9246, 9248
\pgfsetlinewidth	.. 2950	\picbox	... 20448	\poem@verse	..... . 9026, 9096, 9099
\pgfsys@discardpath	..... 20316	\picinwindow	... 10217	\poem@width	..... 9029, 9030, 9034,
\pgfsys@endpicture	20319	\picwd	... 20336, 20339, 20447, 20449		9111, 9113, 9116, 9149
\pgfsys@endscope	. 20318	\place@tag	... 338, 339, 341	\poem@write@aux	... 9152, 9204, 9216
\pgfsys@markposition	..... 20280	\plainauthor	.....	\poemblocksep	..... 9023, 9127, 9227
\pgfsys@shadingoutsidepgf	..... 20328	.... 7677, 8720, 8722, 8761, 8762, 8765		\poemcolsepskip	..... 9014, 9043
\pgfsys@typesetpicturebox	..... 20323	\plainfootnotes	... 11982	\poemextrabaselineskip	... 9016, 9104, 9139
		\plainpublisher	... 8723, 8788, 8789	\poemmarginskip	... 9015, 9037, 9038
		\plaintitle	... 8720, 8721, 8744, 8745, 8748, 8916, 8918	\poemskip	9017, 9117, 9148
		\plitemsep	... 8609	\postbibhook	..... 19536
		\plparasep	... 8608	\postCutedStrip	.. 10609
		\plpartopsep	... 8611	\postdisplaypenalty	..... 15852, 15866
		\pLRE	4261, 4262, 4478, 4479	\postmath	..... 9930
				\PotEndMark	..... . 11227, 11232, 11235
				\preCutedStrip	..... 10585, 10597
				\predisplaydirection	..... 20556, 20557, 26935, 26936



\predisplaypenalty	2357, 8237, 8255,	14574, 14662,
..... 15851, 15865	8273, 11835,	14692, 14708,
\premath .....	11851, 11866,	14723, 14735,
\prepare@bidi@copyins	11882, 11897,	14750, 14790,
..... 16628,	11910, 11923,	14819, 14832,
16661, 16710, 16868	11935, 11947,	14846, 14859,
\preparefootins ...	11960, 12282,	14873, 15158,
..... 16660, 16709	12312, 12328,	15189, 15207,
\PrependToTokenList 6560	12343, 12355,	15223, 15237,
\prepnext@tok .....	12370, 12410,	15253, 15292,
1437, 1447, 1495,	12439, 12452,	15322, 15336,
1527, 10004, 10032	12466, 12479,	15351, 15365,
\presetkeys .....	12493, 12581,	15380, 16222,
\prevdepth 7539, 7547,	12610, 12625,	16239, 16255,
10504, 10953,	12639, 12650,	16284, 16299, 16314
11007, 19448, 19839	12664, 12703,	\protected@write ..
\pRLE 4263, 4264, 4480, 4481	12731, 12743,	..... 4125,
\process@cols . 19815,	12756, 12768,	4129, 7205, 7216
19848, 19862, 19868	12781, 12868,	\protected@xdef ..
\ProcessKeyOptions 4167	12898, 12914,	.... 2386, 2412,
\ProcessOptions ...	12929, 12941,	2438, 8300, 8329,
5003, 7335, 8426,	12956, 12996,	8358, 8741, 8758,
8685, 8717, 8858,	13025, 13038,	8774, 8785, 16187,
8882, 10680, 10778	13052, 13065,	16196, 16353,
\protect .....	13079, 13167,	16358, 16367,
4261, 4262, 4263,	13197, 13213,	16373, 17522,
4264, 4421, 4478,	13228, 13240,	17560, 17593,
4479, 4480, 4481,	13255, 13295,	17624, 17655, 17718
4783, 4789, 4795,	13324, 13337,	\providecommand ...
4801, 4810, 4816,	13351, 13364,	5048, 5049, 5050,
5881, 5882, 6518,	13378, 13466,	5051, 5052, 5053,
6524, 7225, 7638,	13496, 13512,	5064, 5065, 5066,
15941, 16354,	13527, 13539,	5067, 5068, 5069,
16368, 18232,	13554, 13594,	5070, 5071, 5072,
18237, 18598,	13623, 13636,	5073, 5074, 5075,
19522, 24177,	13650, 13663,	5076, 5077, 5078,
24178, 24182,	13677, 13765,	5079, 5288, 8198,
24190, 24459,	13795, 13811,	8205, 8206, 8615,
24804, 26129, 26839	13826, 13838,	10741, 10746,
\protected .....	13853, 13893,	16073, 25493,
4478, 4480, 5605,	13922, 13935,	25497, 25502,
5606, 5607, 5608,	13949, 13962,	25506, 25531,
5829, 5837, 5839,	13976, 14064,	25535, 25540, 25544
5845, 6031, 6047,	14094, 14110,	\ProvidesClass ....
6063, 6086, 6088,	14125, 14137,	... 4970, 8852, 8876
6141, 6196, 6211,	14152, 14192,	\ProvidesExplPackage
20472, 20482,	14221, 14234,	..... 18798
20492, 20500,	14248, 14261,	\ProvidesFile .... 1,
26037, 26146,	14275, 14363,	131, 165, 196,
26156, 26166, 26175	14393, 14409,	326, 344, 349,
\protected@edef . 43,	14424, 14436,	351, 437, 635, 884,
57, 73, 246, 260,	14451, 14491,	1136, 1396, 1531,
275, 2275, 2292,	14520, 14533,	1549, 1869, 1965,
2309, 2325, 2341,	14547, 14560,	2049, 2053, 2451,



2574, 2660, 2671, 2788, 2792, 2991, 2994, 3061, 3156, 3281, 3285, 3290, 3380, 3452, 3506, 3529, 3557, 3677, 3700, 3767, 3855, 3950, 4009, 4019, 9293, 9470, 9647, 9680, 9893, 9948, 9990, 9992, 9995, 10033, 10076, 10091, 10187, 10225, 10869, 11034, 11153, 11156, 11217, 11379, 11552, 11726, 11759, 15550, 15726, 15755, 15769, 15846, 15876, 15885, 15890, 16040, 16382, 16449, 16626, 16869, 16996, 17038, 17339, 17983, 18069, 18073, 18095, 18108, 18161, 18265, 18559, 18685, 18715, 18723, 19380, 19537, 19775, 19813, 19968, 20035, 20063, 20101, 20109, 20130, 20150, 20184, 20207, 20215, 20263, 20327, 20333, 20561, 20622, 20638, 20738, 20993, 21270, 21452, 21655, 21784, 22523, 23296, 24061, 24068, 24128, 24154, 24159, 24193, 24268, 24298, 24317, 24337, 24366, 24415, 24496, 24805, 25579, 25825, 25954,	26030, 26134, 27126 \ProvidesPackage . . . 4034, 4543, 4599, 4778, 5219, 5287, 7306, 7872, 8414, 8560, 8676, 8703, 8941, 10667, 10765 \prune . . . . . 20353, 20391, 20395, 20400, 20404, 20416, 20427, 20454 \prw@mkboth . . . . . 24465, 24470, 24482, 24487 \ps@scalebox . . . . . 20620 \ps@empty . . . . . 2197 \ps@navigation . . . . . 2093 \psgrid . . . . . 20565 \pspicture . . . . . 20562 \psset . . . . . 20600 \pst@dima . . . . . 20577 \pst@dimb 20575, 20580, 20582, 20587, 20590 \pst@dimc . . . . . 20593 \pst@dimd . . . . . 20574, 20580, 20581, 20582, 20583, 20587, 20588, 20589, 20590, 20591 \pst@hbox . . . . . 20570, 20574, 20575, 20576, 20592, 20594, 20595, 20597, 20605, 20613 \pst@ifstar . . . . . 20562 \pst@killglue . . . . . 20566 \pst@picture . . . . . 20562 \pst@shift . . . . . . 20567, 20589, 20597 \pst@tempa . 20579, 20581 \pst@tempc . . . . . . 20604, 20611, 20615 \pst@tempd . . . . . . 20604, 20611, 20615 \publisher . . . . . 8778, 8779 \publishers . . . . . . 22131, 22871, 23644 \put . . . . . 10096, 10097, 10098, 10099, 10100, 10101, 10106, 10107, 10108, 10109, 10110, 10111, 10119, 10120, 10121, 10122,	10123, 10124, 10129, 10130, 10131, 10132, 10133, 10134, 10142, 10143, 10144, 10145, 10146, 10147, 10152, 10153, 10154, 10155, 10156, 10157, 10165, 10166, 10167, 10168, 10169, 10170, 10175, 10176, 10177, 10178, 10179, 10180, 11158, 11182, 11212, 20163, 20165, 20178, 20181
<b>Q</b>		
\Q . . . . . 8055, 8077 \q 18886, 18889, 19118, 19172 \qauthor . . . . . 20623 \qqquad . . . . . 8491, 8498, 8505, 8512, 8519, 8554, 20625 \quad . . . . . 4306, 4512, 7677, 7678, 7679, 8916, 8917, 8918, 9023, 26269, 26278 \quote . . . . . 5097 \quotecolour . . . . . . 5059, 10685, 10783 \quotefont . . . . . 5068, 5076, 10725, 10818 \quotestyle . . . . . . 5076, 10738, 10867 \quotewidth . . . . . 5098, 5110, 10738, 10867		
<b>R</b>		
\R@@page . . . . . 21660, 21661, 21670, 21672, 21703, 21704, 21715, 21717 \raggedbottom . . . . . 5046 \raggedcaption . . . . . . 22318, 23079, 23844 \raggeddictum . . . . . . 22215, 22976, 23741 \raggeddictumauthor . . . . . . 22217, 22978, 23743 \raggeddictumtext . . . . . . 22216, 22977, 23742		



\raggedfootnote . . .	9670, 9845, 9859,	17293, 17297, 17299
. 21806, 22545, 23318	11414, 11427,	\rangleangle . . . . . 4692
\RaggedLeft . . . 20652,	11677, 11692,	\ratio . . . . . 3195, 3510
20701, 20717,	11729, 11732,	\rawtext . . . . . 20343,
20721, 20734,	11737, 11745,	20349, 20371,
20736, 24066,	15583, 15595,	20372, 20453, 20457
24067, 27053,	15759, 15764,	\rbrace . . . . . 26258, 26267
27057, 27061, 27069	18006, 18026,	\rcb . 4693, 4696, 4697, 4701
\raggedleft . . . . . 25,	18076, 18079,	\rcol@footinsskip .
104, 224, 584, 597,	18084, 19419,	. . . . . 16641, 16690
1534, 1542, 2850,	19420, 20625,	\realfootnote . . . . . 17715
3031, 3266, 9650,	20627, 20633,	\recomputelengths .
9845, 9859, 11414,	21616, 21628,	. . . . . 5109, 5126
11427, 11677,	22139, 22140,	\recomputethemelengths .
11692, 11729,	22215, 22216,	. . . . . 5108,
11732, 11737,	22217, 22219,	5124, 10830, 10835
11745, 15583,	22879, 22976,	\reflectbox . . . . . 16930
15595, 15761,	22977, 22978,	\refname . . . . . 600, 601,
15766, 18006,	22980, 23652,	735, 736, 998, 999,
18026, 18076,	23741, 23742,	1248, 1249, 5195,
18079, 18084,	23743, 23745,	8650, 11435, 11436
19419, 19420,	25139, 25142,	\refstepcounter . . . . . 579,
20625, 20627,	25146, 25257,	11409, 15867,
20633, 21616,	26400, 26405,	16387, 16393,
21628, 22139,	26407, 26408, 26409	17892, 18220,
22140, 22215,	\RaggedRightLeftskip	18226, 18561,
22216, 22217,	. . . . . 20670	19513, 20119,
22219, 22879,	\RaggedRightParfillskip	20140, 22226,
22976, 22977,	. . . . . 20673	22987, 23752, 24456
22978, 22980,	\RaggedRightParindent	\regex . . . . . 18826,
23652, 23741,	. . . . . 7365,	18831, 18834,
23742, 23743,	8036, 8595, 20674	18837, 18840,
23745, 26404,	\RaggedRightRightskip	18841, 18877,
26406, 26408, 26409	. . . . . 8592, 20671	18882, 18884,
\RaggedLeftLeftskip	\raggedsection . . .	18928, 18929, 18941
. . . . . 20657	. . . . . 22139, 22879, 23652	\reinsert@footnotes
\RaggedLeftParfillskip	\raise . . . . . 1745,	. . . . . 15544
. . . . . 20660	1750, 1784, 1904,	\relax . . . . . 2, 8, 10,
\RaggedLeftParindent	2208, 2690, 2834,	12, 14, 28, 85, 103,
. . . . . 20661	2835, 2836, 3346,	132, 166, 197, 203,
\RaggedLeftRightskip	3354, 3362, 3977,	205, 207, 209, 223,
. . . . . 20658	3996, 15749, 18021	232, 288, 301, 319,
\raggedpart . . . . . 22140	\raisebox . . . . .	413, 441, 442, 443,
\RaggedRight . . . 20665,	7590, 7595, 7606,	464, 465, 466, 467,
20703, 20718,	7607, 7610, 7611,	472, 473, 474, 475,
20723, 20735,	11225, 11230,	499, 500, 501, 502,
20737, 24066,	11246, 11249,	503, 508, 509, 510,
24067, 27053,	11365, 17161,	511, 535, 632, 647,
27057, 27063, 27067	17163, 17167,	654, 684, 690, 708,
\raggedright . . . . . 25, 104,	17169, 17196,	761, 768, 769, 770,
224, 584, 596, 597,	17197, 17200,	774, 783, 792, 809,
1536, 1544, 1805,	17201, 17258,	810, 815, 816, 817,
1814, 1823, 2857,	17259, 17262,	818, 821, 824, 828,
3029, 3272, 9650,	17263, 17291,	853, 854, 855, 860,



861, 862, 863, 896, 912, 934, 952, 961, 995, 1020, 1021, 1022, 1026, 1035, 1044, 1061, 1062, 1067, 1068, 1069, 1070, 1073, 1076, 1080, 1105, 1106, 1107, 1112, 1113, 1114, 1115, 1148, 1155, 1167, 1173, 1191, 1241, 1270, 1271, 1272, 1276, 1285, 1294, 1311, 1312, 1317, 1318, 1319, 1320, 1323, 1326, 1330, 1355, 1356, 1357, 1362, 1363, 1364, 1365, 1452, 1453, 1470, 1471, 1472, 1871, 2042, 2391, 2417, 2443, 2455, 2462, 2496, 2498, 2499, 2505, 2507, 2509, 2510, 2522, 2538, 2539, 2551, 2552, 2596, 2676, 2679, 2681, 2682, 2683, 2894, 2909, 2924, 3227, 3229, 3233, 3235, 3304, 3344, 3353, 3361, 4132, 4133, 4421, 4454, 4586, 4587, 4588, 4593, 4594, 4595, 4596, 4866, 4874, 4882, 4933, 5003, 5262, 5267, 5273, 5288, 5509, 5512, 5522, 5540, 5600, 5802, 5806, 5816, 5823, 5836, 6020, 6024, 6358, 6359, 6363, 6402, 6403, 6445, 6468, 6595, 6609, 6672, 6674, 6683, 6684, 6700, 6708, 6725, 6736, 6741, 6790, 6814, 6829, 6846, 6861, 6877, 6894, 6906, 6938, 6949, 7028, 7236, 7237, 7246,	7274, 7339, 7837, 8046, 8154, 8217, 8221, 8225, 8305, 8316, 8334, 8345, 8363, 8374, 8432, 8629, 8637, 8642, 8673, 8858, 8882, 8978, 8983, 8986, 8993, 9031, 9037, 9132, 9150, 9179, 9186, 9193, 9205, 9241, 9305, 9312, 9324, 9330, 9346, 9402, 9418, 9419, 9420, 9424, 9433, 9442, 9459, 9460, 9465, 9466, 9467, 9468, 9482, 9489, 9501, 9507, 9523, 9555, 9595, 9596, 9597, 9601, 9610, 9619, 9636, 9637, 9642, 9643, 9644, 9645, 9693, 9700, 9701, 9702, 9723, 9724, 9725, 9726, 9731, 9732, 9733, 9734, 9758, 9759, 9760, 9761, 9762, 9767, 9768, 9769, 9770, 9794, 9936, 9950, 9951, 9952, 9957, 9958, 9959, 9960, 9963, 9967, 9968, 9969, 9970, 9971, 9972, 10072, 10090, 10240, 10303, 10434, 10436, 10471, 10497, 10527, 10680, 10778, 10870, 10871, 10872, 10873, 10874, 10886, 10907, 10961, 10973, 10976, 11013, 11025, 11028, 11189, 11207, 11268, 11347, 11395, 11463, 11464, 11465, 11484, 11485, 11490, 11491, 11492,	11493, 11517, 11518, 11519, 11524, 11525, 11526, 11527, 11556, 11557, 11558, 11579, 11580, 11581, 11582, 11587, 11588, 11589, 11590, 11614, 11615, 11616, 11617, 11618, 11623, 11624, 11625, 11626, 11650, 11798, 11799, 11800, 11801, 11802, 11992, 12072, 12096, 12230, 12234, 12255, 12259, 12381, 12529, 12533, 12554, 12558, 12674, 12816, 12820, 12841, 12845, 12967, 13115, 13119, 13140, 13144, 13266, 13414, 13418, 13439, 13443, 13565, 13713, 13717, 13738, 13742, 13864, 14012, 14016, 14037, 14041, 14163, 14311, 14315, 14336, 14340, 14462, 14610, 14614, 14635, 14639, 14761, 14917, 14930, 14932, 14947, 14954, 14985, 15000, 15007, 15038, 15056, 15090, 15107, 15141, 15411, 15413, 15506, 15507, 15552, 15630, 15631, 15632, 15651, 15652, 15657, 15658, 15659,
---	---	--



15660,	15684,	20272,	20273,	21529,	21530,
15685,	15686,	20274,	20283,	21531,	21532,
15691,	15692,	20285,	20286,	21533,	21538,
15693,	15694,	20287,	20288,	21539,	21540,
15731,	15733,	20463,	20527,	21541,	21565,
15737,	15782,	20637,	20708,	21803,	21816,
15818,	15847,	20714,	20726,	21818,	21824,
15857,	15900,	20750,	20757,	21870,	21871,
15920,	15921,	20787,	20793,	21877,	21878,
15936,	16038,	20809,	20841,	21880,	21883,
16169,	16191,	20877,	20878,	21903,	21906,
16200,	16362,	20879,	20883,	21907,	21908,
16377,	16482,	20892,	20901,	21910,	21912,
16504,	16542,	20918,	20919,	21923,	21926,
16653,	16702,	20924,	20925,	21927,	21928,
17101,	17103,	20926,	20927,	21984,	22025,
17106,	17119,	20930,	20933,	22031,	22052,
17121,	17124,	20937,	20962,	22107,	22108,
17370,	17381,	20963,	20964,	22109,	22110,
17392,	17403,	20969,	20970,	22111,	22112,
17417,	17428,	20971,	20972,	22126,	22127,
17439,	17450,	21005,	21014,	22128,	22129,
17465,	17480,	21015,	21016,	22130,	22131,
17521,	17540,	21022,	21031,	22132,	22133,
17559,	17578,	21040,	21057,	22134,	22135,
17592,	17611,	21058,	21059,	22137,	22155,
17623,	17642,	21060,	21065,	22440,	22456,
17654,	17673,	21066,	21067,	22542,	22555,
17755,	17789,	21068,	21071,	22557,	22563,
17820,	17849,	21074,	21078,	22610,	22611,
17986,	18005,	21103,	21104,	22617,	22618,
18015,	18027,	21105,	21106,	22620,	22623,
18033,	18035,	21107,	21112,	22643,	22646,
18037,	18039,	21113,	21114,	22647,	22648,
18098,	18598,	21115,	21159,	22650,	22652,
18762,	18765,	21165,	21181,	22663,	22666,
18768,	18769,	21207,	21264,	22667,	22668,
18770,	18776,	21269,	21274,	22724,	22765,
19383,	19384,	21275,	21276,	22771,	22792,
19385,	19386,	21307,	21308,	22847,	22848,
19387,	19447,	21309,	21310,	22849,	22850,
19551,	19651,	21315,	21316,	22851,	22852,
19777,	19779,	21317,	21318,	22866,	22867,
19780,	19783,	21347,	21348,	22868,	22869,
19789,	19791,	21349,	21350,	22870,	22871,
19792,	19795,	21351,	21356,	22872,	22873,
19801,	19803,	21357,	21358,	22874,	22875,
19804,	19807,	21359,	21381,	22877,	22915,
19900,	19945,	21465,	21471,	23202,	23219,
20169,	20170,	21472,	21473,	23315,	23328,
20171,	20219,	21494,	21495,	23330,	23336,
20224,	20229,	21496,	21497,	23383,	23384,
20238,	20246,	21502,	21503,	23390,	23391,
20268,	20271,	21504,	21505,	23393,	23396,



23416,	23419,	25178,	25186,	439, 478, 480, 534,
23420,	23421,	25188,	25260,	551, 565, 569, 573,
23423,	23425,	25274,	25308,	574, 575, 576, 611,
23436,	23439,	25315,	25321,	651, 673, 689, 707,
23440,	23441,	25408,	25467,	715, 728, 730, 731,
23497,	23538,	25470,	25474,	732, 733, 746, 752,
23544,	23565,	25480,	25525,	758, 764, 765, 775,
23620,	23621,	25594,	25602,	832, 834, 900, 917,
23622,	23623,	25603,	25605,	930, 933, 951, 958,
23624,	23625,	25606,	25619,	984, 985, 986, 987,
23639,	23640,	25630,	25634,	988, 993, 1009,
23641,	23642,	25639,	25644,	1016, 1017, 1027,
23643,	23644,	25652,	25656,	1084, 1086, 1152,
23645,	23646,	25665,	25666,	1156, 1172, 1190,
23647,	23648,	25677,	25685,	1199, 1212, 1232,
23650,	23680,	25696,	25702,	1238, 1243, 1244,
23967,	23984,	25706,	25710,	1245, 1246, 1259,
24075,	24112,	25727,	25731,	1266, 1267, 1277,
24175,	24190,	25780,	25781,	1334, 1336, 1540,
24200,	24202,	25784,	25832,	1870, 2054, 2218,
24231,	24389,	25840,	25981,	2265, 2282, 2299,
24407,	24408,	26064,	26113,	2316, 2332, 2348,
24492,	24502,	26128,	26221,	2372, 2398, 2424,
24520,	24523,	26288,	26300,	2594, 2648, 2789,
24526,	24551,	26351,	26429,	3207, 4575, 4577,
24554,	24557,	26432,	26434,	4995, 4996, 4997,
24574,	24577,	26486,	26487,	5033, 5034, 5039,
24580,	24591,	26490,	26510,	5088, 5092, 5123,
24594,	24597,	26519,	26523,	5128, 5209, 6788,
24608,	24611,	26558,	26605,	6812, 7144, 7149,
24614,	24623,	26942,	26943, 26944	7169, 7182, 7204,
24625,	24628,	\remainx . . . . .	19971	7215, 7343, 7352,
24631,	24640,	\remainxox .	20006, 20013	7393, 7511, 7514,
24642,	24645,	\remainxox . . . . .	.	7515, 7519, 7520,
24648,	24659,	. 20016, 20025, 20034		7672, 7673, 8022,
24662,	24665,	\remainxx ..	19974, 19976	8023, 8024, 8025,
24677,	24680,	\remainxxx . . . . .	.	8026, 8027, 8028,
24683,	24696,	. . . 19979, 19981,		8029, 8030, 8084,
24699,	24702,	19983, 20008, 20011		8199, 8208, 8229,
24716,	24719,	\remainxxxx ..	19986,	8247, 8265, 8380,
24722,	24734,	19988,	19990,	8381, 8382, 8464,
24749,	24751,	19992,	20018,	8473, 8525, 8533,
24754,	24757,	20020,	20023,	8557, 8562, 8573,
24771,	24801,	20027,	20030, 20032	8574, 8575, 8576,
24802,	24803,	\remainxxxxx . . . . .	.	8577, 8578, 8579,
24932,	24956,	. . 19995, 19997,		8645, 8650, 8652,
25044,	25073,	19999, 20001, 20003		8653, 8670, 8671,
25085,	25097,	\remove@strip .	19559,	8672, 8673, 8730,
25102,	25105,	19589,	19659, 19689	8731, 8732, 8734,
25109,	25111,	\RemoveFromHook ..	18096	8738, 8739, 8740,
25125,	25127,	\renewcommand .. .	19,	8744, 8745, 8751,
25135,	25153,	20,	21, 22, 86,	8755, 8756, 8757,
25157,	25169,	168,	214, 215,	8761, 8762, 8767,
25170,	25172,	216, 217,	289, 329,	8771, 8772, 8773,



8782, 8783, 8784, 8788, 8789, 8811, 8835, 8897, 8910, 8915, 8923, 9309, 9313, 9329, 9345, 9353, 9367, 9387, 9393, 9399, 9404, 9405, 9406, 9407, 9408, 9409, 9411, 9413, 9415, 9425, 9486, 9490, 9506, 9522, 9530, 9544, 9546, 9552, 9575, 9581, 9582, 9583, 9584, 9585, 9586, 9588, 9590, 9592, 9602, 9698, 9737, 9739, 9793, 9808, 9823, 9827, 9831, 9833, 9835, 9837, 9838, 9839, 9840, 9841, 9842, 9865, 9884, 9949, 9954, 9976, 9983, 9993, 10077, 10082, 10092, 10115, 10138, 10161, 10188, 10204, 10681, 10721, 10722, 10723, 10724, 10725, 10726, 10727, 10728, 10742, 10747, 10779, 10813, 10814, 10815, 10816, 10817, 10818, 10819, 10820, 10830, 10842, 11030, 11031, 11032, 11154, 11157, 11161, 11187, 11352, 11353, 11380, 11394, 11446, 11452, 11456, 11461, 11496, 11498, 11548, 11549, 11550, 11551, 11554, 11593, 11595, 11649, 11663, 11665, 11667, 11669, 11670,	11671, 11672, 11673, 11674, 11698, 11717, 11727, 11740, 11751, 11755, 11827, 11858, 11889, 11903, 11928, 11940, 15551, 15566, 15601, 15605, 15621, 15628, 15663, 15665, 15715, 15716, 15717, 15718, 15719, 15720, 15722, 15724, 15877, 15886, 15991, 16010, 16012, 16014, 16016, 16017, 16018, 16019, 16020, 16021, 16023, 16025, 16027, 16029, 16030, 16031, 16032, 16033, 16034, 16035, 16045, 16113, 16386, 16392, 16411, 16423, 16435, 16450, 16997, 17007, 17987, 18044, 18045, 18046, 18047, 18070, 18074, 18087, 18091, 18624, 19381, 19392, 19415, 19416, 19417, 19418, 19419, 19420, 19421, 19422, 19424, 19426, 19428, 19430, 19431, 19433, 19434, 19441, 19442, 19444, 19450, 19451, 19969, 19972, 19977, 19984, 19993, 20004, 20009, 20014, 20021, 20028, 20045, 20047,	20064, 20114, 20135, 20216, 20225, 20623, 20626, 20635, 20639, 20652, 20665, 20678, 20690, 20754, 20776, 20792, 20808, 20816, 20830, 20832, 20838, 20855, 20861, 20862, 20863, 20864, 20865, 20866, 20868, 20870, 20873, 20874, 20884, 20941, 20943, 21010, 21011, 21023, 21082, 21084, 21148, 21164, 21180, 21188, 21202, 21204, 21226, 21227, 21228, 21229, 21230, 21231, 21233, 21235, 21249, 21255, 21261, 21266, 21272, 21280, 21321, 21323, 21380, 21394, 21409, 21412, 21416, 21420, 21422, 21424, 21426, 21427, 21428, 21429, 21430, 21443, 21469, 21508, 21510, 21564, 21579, 21594, 21598, 21602, 21604, 21606, 21608, 21609, 21610, 21611, 21612, 21613, 21646, 21790, 21794, 21798, 21802, 21868, 21875, 21882, 21932, 21934, 22053, 22055, 22141, 22142, 22143, 22146,
--	--	--



22147,	22161,	23972,	23974,	19532,	20036,
22186,	22215,	23977,	23983,	20151,	20739,
22216,	22217,	23985,	24062,	20759,	20766,
22218,	22221,	24065,	24338,	20843,	20994,
22262,	22279,	24367,	24373,	21209,	21216,
22293,	22299,	24405,	24418,	21237,	21431,
22378,	22401,	24432,	24443,	21453,	21634,
22403,	22424,	24497,	24500,	22150,	22911,
22426,	22428,	24547,	24566,	23676,	24419,
22431,	22437,	24588,	24605,	24422,	24448, 26270
22445,	22447,	24622,	24639,	\renewrobustcmd . . .	
22449,	22455,	24656,	24674,	. 18753, 18779, 18790	
22457,	22529,	24692,	24693,	\renewtagform . . . . 18721	
22533,	22537,	24712,	24713,	\repeat . . . 4350, 4351,	
22541,	22608,	24732,	24800,	4352, 6622, 6629,	
22615,	22622,	25081,	25146,	10203,	10479,
22672,	22674,	25459,	25461,	14926,	20361,
22793,	22795,	25463,	25479,	20408,	20419,
22880,	22881,	25486,	25488,	20430,	20458, 24214
22889,	22890,	25490,	25510,	\RequirePackage 4219,	
22893,	22894,	25524,	25529,	4221, 4222, 4223,	
22898,	22901,	25549,	25552,	4224, 4357, 4600,	
22903,	22922,	25553,	25568,	4601, 5005, 5006,	
22947,	22976,	25574,	25580,	5007, 5008, 5015,	
22977,	22978,	25700,	25807,	5016, 5031, 5084,	
22979,	22982,	25829,	25847,	6991, 6992, 7008,	
23023,	23040,	25869,	25881,	7052, 7053, 7056,	
23054,	23060,	25917,	26406,	7308, 7370, 7372,	
23140,	23163,	26407,	26636,	7379, 7400, 7404,	
23165,	23186,	26637,	26638,	7440, 7441, 7664,	
23188,	23190,	26948,	26991,	7874, 7875, 7876,	
23193,	23199,	26993,	26994,	7877, 8081, 8082,	
23207,	23209,	26995,	27050,	8197, 8416, 8591,	
23212,	23218,	27052,	27054,	8602, 8654, 8680,	
23220,	23302,	27056,	27060,	8688, 8705, 8860,	
23306,	23310,	27062,	27066, 27068	8861, 8862, 8863,	
23314,	23381,	\RenewDocumentCommand		8864, 8865, 8884,	
23388,	23395,	. . . . . 18984, 19317		8885, 8886, 8887,	
23445,	23447,	\renewenvironment 83,		8888, 8889, 26982,	
23566,	23568,	286, 599, 620, 636,		26985, 26986,	
23653,	23654,	656, 663, 734,		26987, 26988, 27042	
23658,	23659,	885, 963, 970,		\RequireXeTeX . 4220, 4462	
23662,	23663,	997, 1137, 1215,		\reserved@a 4912, 4916,	
23667,	23670,	1222, 1247, 1966,		4922, 4925, 4928,	
23672,	23687,	2226, 2635, 7614,		4931, 5352, 5356,	
23712,	23741,	7617, 7620, 7623,		5868, 5869, 5870,	
23742,	23743,	8621, 8631, 8639,		6993, 7001, 7011,	
23744,	23747,	8655, 8866, 9294,		7013, 7020, 7022,	
23788,	23805,	9369, 9375, 9471,		7027, 7029, 7030,	
23819,	23825,	9557, 9563, 9681,		7033, 7036, 7072,	
23905,	23928,	9872, 9934, 9955,		7073, 7074, 7076,	
23930,	23951,	10089, 11434,		7083, 7086, 7111,	
23953,	23955,	11705, 15609,		7112, 7132, 7134,	
23958,	23964,	15864, 16467,		7138, 7145, 7147,	



7226, 7227, 25090,	13226, 13238,	\restorecounters@ 11279
25091, 25092,	13253, 13293,	\restylefloat ..... 7864
25093, 25094,	13322, 13335,	\resumename ..... 5085
25096, 25097,	13349, 13362,	\rightskip ..... 24802
25098, 25100,	13376, 13464,	\right 26258, 26267, 26269
25102, 25105,	13494, 13510,	\right@cor ... 19561,
25109, 25142,	13525, 13537,	19562, 19661, 19662
25143, 25146,	13552, 13592,	\right@footnoterule
25147, 25696, 25697	13621, 13634,	... 26, 230, 441,
\reserved@b 4892, 4893,	13648, 13661,	569, 758, 768, 993,
5352, 5356, 5357,	13675, 13763,	1020, 1238, 1270,
6983, 6984, 7012,	13793, 13809,	2317, 2333, 9399,
7070, 7072, 7089,	13824, 13836,	9418, 9552, 9595,
7106, 7107, 7112,	13851, 13891,	9700, 9827, 11456,
7117, 7119, 7120,	13920, 13933,	11463, 11556,
7122, 7125, 7145, 7147	13947, 13960,	11755, 15605,
\reserved@c ... 7085,	13974, 14062,	15630, 16129,
7088, 7089, 7093,	14092, 14108,	16143, 16153,
7104, 7117, 7131, 7135	14123, 14135,	16276, 16306,
\reserved@d ... 5351,	14150, 14190,	18013, 18091,
5356, 7105, 7124, 7137	14219, 14232,	18699, 18707,
\reset@dir . 20527, 26221	14246, 14259,	19943, 20838,
\reset@font .... 37,	14273, 14361,	20877, 21014,
51, 67, 240, 254,	14391, 14407,	21261, 21274,
269, 2272, 2289,	14422, 14434,	21416, 21471,
2306, 2321, 2337,	14449, 14489,	21598, 21875,
2353, 7917, 7961,	14518, 14531,	21926, 22615,
8005, 8233, 8234,	14545, 14558,	22666, 23388, 23439
8251, 8252, 8269,	14572, 14660,	\rightfootnoterule
8270, 11831,	14690, 14706,	... 4102,
11847, 11862,	14721, 14733,	10871, 11799,
11878, 11893,	14748, 14788,	16141, 16858, 26944
11908, 11921,	14817, 14830,	\rightline . 20560, 26420
11933, 11945,	14844, 14857,	\rightlinenumbers .
11958, 12280,	14871, 15156,	... 18135, 18143
12310, 12326,	15187, 15205,	\rightmargin ... 978,
12341, 12353,	15221, 15235,	8607, 8626, 8634,
12368, 12408,	15251, 15290,	8640, 16604,
12437, 12450,	15320, 15334,	16608, 20633,
12464, 12477,	15349, 15363,	21816, 22555,
12491, 12579,	15378, 15952,	23328, 26293,
12608, 12623,	16216, 16217,	26304, 26310,
12637, 12648,	16233, 16234,	26316, 26324, 26328
12662, 12701,	16249, 16250,	\rightskip ... 12, 13,
12729, 12741,	16280, 16281,	207, 208, 305, 309,
12754, 12766,	16295, 16296,	540, 557, 560, 561,
12779, 12866,	16310, 16311,	654, 667, 678, 679,
12896, 12912,	26731, 26775, 26875	684, 695, 720, 723,
12927, 12939,	\ResetCounterPerPage	724, 905, 906, 912,
12954, 12994,	... 4358, 5222	922, 925, 926, 939,
13023, 13036,	\resizebox ..... 16951	961, 1155, 1161,
13050, 13063,	\restore@protect .. 5883	1162, 1167, 1178,
13077, 13165,	\restoreCaptionSkip	1204, 1207, 1208,
13195, 13211,	... 17132	1226, 1995, 1996,



1999,	2795,	2805,	24584,	24591,	\roman numeral . . . .
3291,	3293,	8545,	24592,	24593,	. . . . 6668, 6669,
8552,	8553,	9123,	24601,	24608,	9152, 9215, 11287,
9312,	9318,	9319,	24609,	24610,	11290, 11336,
9324,	9335,	9358,	24618,	24625,	15993, 15994,
9361,	9362,	9489,	24626,	24627,	15995, 15996,
9495,	9496,	9501,	24635,	24642,	15998, 15999,
9512,	9535,	9538,	24643,	24644,	16000, 16001,
9539,	9799,	9814,	24652,	24659,	16002, 16005,
9817,	9818,	9950,	24660,	24661,	16006, 16007, 26296
9951,	9952,	10078,	24669,	24677,	\rot@float@box 21663,
10079,	10085,		24678,	24679,	21664, 21665,
11386,	11389,		24687,	24696,	21679, 21688,
11390,	11400,		24697,	24698,	21706, 21707,
11654,	12189,		24706,	24716,	21708, 21709,
15435,	15557,		24717,	24718,	21710, 21726, 21737
15572,	15575,		24726,	24751,	\rot@label . 21659, 21702
15576,	18037,		24752,	24753,	\rot@LR . . . . 21670, 21715
18038,	18743,		24761,	24801,	\rot@mess@toks 21662,
19415,	19416,		24803,	25600,	21674, 21684,
19779,	19783,		25662,	25663,	21693, 21705,
19784,	19791,		25664,	25670,	21720, 21732, 21742
19796,	19803,		25673,	25720,	\rot@message 21693, 21742
19808,	20644,		25780,	25785,	\rot@pageref 21660, 21703
20646,	20657,		25808,	25815,	\rotate . . . . . 21756
20659,	20670,		26184,	26185,	\rotatebox . . . . 16036,
20672,	20681,		26401,	26426,	17064, 17113,
20683,	20757,		26427,	26486, 26491	17326, 18686,
20770,	20781,		\RL . . . . 17882, 20517, 26211		18688, 18690,
20782,	20787,		\rlap . . . . . 306, 481,		18810, 18818,
20798,	20821,		835,	1337, 1571,	19340, 21679,
20824,	20825,		4578,	9740, 11499,	21688, 21726, 21737
21153,	21154,		11596,	15666,	\rotateframe 15998, 16035
21159,	21170,		16456,	16889,	\rotFPbot . . . . 21680,
21193,	21196,		16935,	17001,	21687, 21727, 21736
21197,	21207,		17002,	17015,	\rotFPTop . . . . 21678,
21220,	21269,		17016,	18071,	21689, 21725, 21738
21385,	21400,		19837,	20546,	\rrb . . . . . 4695, 4705
21403,	21404,		20944,	21085,	\rsb . . . . . 4694, 4703
21409,	21410,		21282,	21325,	\RTL . . . . . 20510, 26196, 26198
21570,	21585,		21511,	21934,	\RTL@column@boxes .
21588,	21589,		22055,	22674,	. . . . . 19861, 19888, 19893
21808,	22547,		22795,	23447,	\RTL@outputdblcol .
23320,	24342,		23568,	24103, 26231	. . . . . 10227, 15770,
24347,	24358,		\RLE . . . . . 4263, 4480, 17881,		16685, 19538,
24371,	24375,		20517,	20518,	26545, 26636, 26637
24395,	24398,		20522,	25834,	\RTLbidituftesidenotemarginpar
24403,	24407,		26211,	26212, 26216	. . . . . 7966, 8266, 8407
24408,	24520,		\rmfamily . . . . . 764,		\RTLcases . . . . . 26268, 26271
24521,	24522,		1016,	1266, 8435,	\RTLcite . . . . .
24530,	24551,		8488,	8491, 8495,	8193, 8313, 8342,
24552,	24553,		8498,	8502, 8505,	8371, 8393, 8402, 8411
24561,	24574,		8509,	8512, 8516,	\RTLdblcol . . . . . 26637
24575,	24576,		8519,	20873, 21010	\RTLdfnmakecol . . . . . 11031



\RTLfootfootmark ..		
.. 11817, 12021,	14857, 14871,	19296, 19335,
12391, 12684,	15235, 15251,	19340, 19452,
12977, 13276,	15273, 15363, 15378	19467, 19499,
13575, 13874,	\RTLmarginnote .. 8404	20152, 24357,
14173, 14472,	\RTLmarginpar .. 26736	24374, 25167, 26925
14771, 15273, 16435	\RTLMulticolcolumns .....	\SC@FLOAT 24062, 27050,
\RTLfootmarkstyle ..	\RTLsidenote .. 8136, 8378	27054, 27060,
.... 11996, 12035	\RTLthanks . 446, 466,	27062, 27066, 27068
\RTLfootnote .. 446,	501, 520, 8732,	\SC@justify@caption .. 24065, 27052,
520, 2398, 4782,	8740, 8757, 8773,	27056, 27061,
4795, 8382, 8732,	8784, 9705, 9725,	27063, 27067, 27069
9705, 9779, 11561,	9760, 9779, 11561,	\sc@wm@text .... 11155
11635, 16186,	11581, 11616,	\scalebox .... 16949
16384, 16392,	11635, 16366,	\scantokens .. 6019, 6039
21019, 21125,	19385, 21019,	\scr@makesinglelinecaption .. 22250, 22270,
21279, 21367,	21059, 21105,	22293, 23011,
21476, 21550,	21125, 21279,	23031, 23054,
21931, 22671, 23444	21309, 21349,	23776, 23796, 23819
\RTLfootnotetext ..	21367, 21476,	\scr@caption .....
.... 4850, 4861,	21496, 21531,	.. 22404, 22406,
9165, 9175, 16368,	21550, 21931,	22408, 23166,
16371, 17551,	22110, 22671,	23168, 23170,
18653, 24263, 24267	22850, 23444, 23623	23931, 23933, 23935
\RTLfootscript ..	\rtside .... 20391,	\scr@compatibility ..
.. 11996, 12024,	20393, 20404,	.. 21883, 21984,
12028, 12030,	20406, 20427, 20429	22107, 22623,
16438, 16442, 16444	\rule .. 46, 60, 76, 249,	22724, 22847,
\RTLfoottextfont ..	263, 278, 2279,	23396, 23497, 23620
.... 11818,	2296, 2313, 2329,	\scr@dte@current ..
11863, 11879,	2345, 2361, 5133,	.... 25256, 25259
11946, 11959,	10735, 11368,	\scr@dte@def@l@targetocline .....
12052, 12353,	11372, 11375,	24967
12368, 12391,	11812, 11818,	\scr@dte@def@l@tocline .....
12477, 12491,	11824, 16227,	25217
12648, 12662,	16244, 16260,	\scr@dte@def@l@undottedtocline .....
12684, 12766,	16288, 16303,	24806
12779, 12939,	16318, 18991, 20597	\scr@dte@donumwidth .....
12954, 12977,	S	25486, 25487
13063, 13077,	\s .... 18840, 18841	\scr@dte@largetocline@init .....
13238, 13253,	\save@dir .. 20526, 26220	24968
13276, 13362,	\savebox .... 11293,	\scr@dte@nosub 25272,
13376, 13537,	17061, 17063, 17143	25274, 25304,
13552, 13575,	\saveCaptionSkip . 17093	25305, 25307,
13661, 13675,	\savecounters@ ... 11276	25312, 25314,
13836, 13851,	\saved@dir .. 20526,	25319, 25320,
13874, 13960,	20527, 26220, 26221	25332, 25337,
13974, 14135,	\saved@tempdimb ..	25345, 25350,
14150, 14173,	. 10401, 10484, 10493	25404, 25406, 25557
14259, 14273,	\sbox ... 11359, 17095,	\scr@dte@numberline@box .....
14434, 14449,	17112, 18202,	25165, 25192
14472, 14558,	18615, 18809,	\scr@dte@pagenumberwidth .....
14572, 14733,	18817, 19009,	25203
14748, 14771,		



\scr@dte@tocline ..	22530, 23299, 23303	10710, 10717,
..... 25081, 25564	\scr@saved@LTRfootnotetext .. 21785, 21788,	10787, 10793,
\scr@dte@tocline@init	21795, 22524,	10799, 10805, 10811
..... 25218	22527, 22534,	\selectfont ... 347,
\scr@dte@tocline@numberwidth	23297, 23300, 23307	5824, 8798, 8800,
..... 25168,	\scr@saved@RTLfootnotetext	8802, 20165, 20178
25171, 25173, 25176	\separatorcolumnwidth	..... 5100,
\scr@dte@tocline@numbox	.. 21786, 21789,	5101, 5112, 5118,
. 25167, 25169, 25183	21799, 22525,	5134, 5139, 5145,
\scr@dte@undottedtocline@init	22528, 22538,	5203, 10833, 10863
..... 24807	23298, 23301, 23311	\SepMark ... 26280, 26281
\scr@endstrut . 22332,	\scr@smashdp .....	\seq ..... 19072,
22342, 22353,	.. 22324, 22355,	19073, 20196, 20199
22364, 23093,	22358, 23085,	\set@color .....
23103, 23114,	23116, 23119,	.. 10036, 10041,
23125, 23858,	23850, 23881, 23884	10049, 10055,
23868, 23879, 23890	\scr@trim@spaces . 25092	\scr@tso@figure@pageformat 10063, 10070,
\scr@ifundefinedorrelax	..... 25568	10075, 16463,
.. 22305, 22318,	\scr@tso@table@pagenumberformat 26033, 26037, 26133	\set@split@topskip@to
23066, 23079,	..... 25574	..... 10399, 10657
23831, 23844,	\scr@v@is@ge .....	\set@typeset@protect
24841, 24889,	.. 21803, 22542, 23315	..... 15947,
24934, 25000,	\scr@v@is@gt 22882, 22904	15951, 24150,
25046, 25073,	\scr@v@is@le .. 22897,	26461, 26847, 26849
25094, 25099,	22900, 23666, 23669	\SetatBoolean .... 5434
25155, 25270,	\scriptsize ... 1671,	\setbaselineskip .. 5822
25272, 25301,	1780, 3309, 8573	\setbeamertemplate
25304, 25305,	\scshape .....	..... 2992,
25312, 25330,	9653	2995, 2996, 2998,
25332, 25343,	\secshape .. 21368, 21409	3150, 3151, 3152, 3157, 3165,
25345, 25361,	\SectFont 659, 668, 966,	3193, 3258, 3264,
25401, 25402,	974, 1218, 1227,	3270, 3276, 3278,
25404, 25420,	9372, 9560, 20762,	3282, 3283, 3286,
25473, 25500,	20771, 21212, 21221	3287, 3288, 3297,
25519, 25538, 25554	\sectfont .....	3503, 3507, 3525,
\scr@LT@array . 17891,	20627	3595, 3763, 3851,
22401, 22402,	\section ... 600, 628,	3946, 4012, 4014, 4025
22414, 23163,	644, 659, 665, 668,	\SetBoolean .... 5418
23164, 23176,	735, 893, 966, 972,	\setboolean 7314, 7315,
23928, 23929, 23941	974, 998, 1145,	7317, 7319, 7324,
\scr@makemultilinecaption	1218, 1224, 1227,	7325, 7329, 7330,
.. 22252, 22257,	1248, 5129, 5195,	7401, 7405, 7408,
22299, 23013,	8437, 8459, 8527,	7413, 7415, 7419,
23018, 23060,	8535, 8650, 8653,	7421, 7799, 8423,
23778, 23783, 23825	8657, 9372, 9560,	8424, 8425, 8682,
\scr@makesinglelinecaption	11435, 20762,	8683, 8684, 8709, 8710
..... 22254,	20768, 20771,	\setbox ... 393, 1443,
22262, 23015,	21212, 21218, 21221	1445, 1446, 1502,
23023, 23780, 23788	\sectionbib .....	
\scr@parindent .....	24443	
. 22516, 23289, 24054	\sectionfont ... 5069,	
\scr@saved@footnotetext	5077, 10726, 10819	
..... 21787,	\sectionstyle . 5077, 5135	
21791, 22526,	\sectiontitlecolour	
	... 5060, 10688,	
	10696, 10703,	



1889,	1895,	1904,	12075,	12077,	15330,	15338,
1949,	1950,	1981,	12099,	12101,	15345,	15353,
2026,	2031,	2042,	12210,	12213,	15359,	15367,
2096,	2098,	2100,	12220,	12295,	15374,	15382,
2102,	2107,	2118,	12337,	12364,	15392,	15403,
2133,	2138,	2147,	12393,	12422,	15419,	15428,
2162,	2200,	2202,	12446,	12460,	15447,	15455,
2204,	2206,	2212,	12473,	12487,	15470,	15486,
2266,	2283,	2300,	12593,	12633,	15496,	15745,
2318,	2334,	2350,	12658,	12686,	15773,	15776,
2461,	2481,	2485,	12714,	12737,	15789,	15809,
2524,	2529,	2559,	12750,	12762,	15812,	15826,
2568,	2936,	2939,	12775,	12881,	15877,	15917,
3341,	3350,	3358,	12923,	12950,	15922,	16277,
3727,	3975,	3994,	12979,	13008,	16292,	16307,
4289,	4498,	4944,	13032,	13046,	16327,	16518,
7845,	7901,	7904,	13059,	13073,	16527,	16531,
7945,	7948,	7989,	13180,	13222,	16555,	16569,
7992,	9051,	9062,	13249,	13278,	16639,	16646,
9268,	9282,	9908,	13307,	13331,	16647,	16663,
9935,	9940,	9972,	13345,	13358,	16688,	16695,
10007,	10036,		13372,	13479,	16696,	16712,
10191,	10192,		13521,	13548,	16763,	16775,
10196,	10199,		13577,	13606,	16809,	16811,
10209,	10213,		13630,	13644,	16822,	16847,
10216,	10220,		13657,	13671,	16872,	16881,
10230,	10233,		13778,	13820,	16888,	16889,
10234,	10248,		13847,	13876,	16934,	16935,
10265,	10281,		13905,	13929,	18594,	18603,
10293,	10296,		13943,	13956,	18662,	18667,
10297,	10311,		13970,	14077,	18670,	18679,
10324,	10340,		14119,	14146,	18729,	18761,
10365,	10366,		14175,	14204,	18767,	19541,
10370,	10402,		14228,	14242,	19544,	19545,
10403,	10405,		14255,	14269,	19567,	19572,
10406,	10409,		14376,	14418,	19582,	19600,
10410,	10438,		14445,	14474,	19605,	19641,
10444,	10447,		14503,	14527,	19644,	19645,
10455,	10493,		14541,	14554,	19667,	19672,
10494,	10524,		14568,	14675,	19682,	19700,
10544,	10581,		14717,	14744,	19705,	19736,
10592,	10605,		14773,	14802,	19817,	19833,
10655,	10879,		14826,	14840,	20335,	20349,
10887,	10888,		14853,	14867,	20352,	20371,
10892,	10900,		14902,	14903,	20372,	20378,
10908,	10909,		14910,	14920,	20379,	20390,
10913,	10928,		14923,	14925,	20392,	20394,
10931,	10936,		14927,	15160,	20396,	20399,
10940,	10948,		15172,	15191,	20401,	20403,
10985,	10988,		15209,	15217,	20405,	20415,
10993,	10997,		15225,	15239,	20417,	20426,
11002,	11904,		15247,	15255,	20428,	20443,
11917,	11929,		15275,	15294,	20445,	20453,
11941,	11954,		15305,	15324,	20455,	20464,



20545,	20546,	23619, 23705, 24744	10822, 10826,
20576,	20594,	\setdefaultbibitems .....	10828, 10831,
21748,	21758,	26285	11239, 11384,
21769,	21776,	\setdefaultmarginpar .....	11399, 12037,
24091,	24139,	26826	12040, 12054,
24180,	24230,	\setDefaults ....	15556, 15570,
24300,	25738,	\setfloatalignment	16325, 16866,
25741,	25746,	\setfootnoteLR ...	16974, 16975,
25750,	25754,	\setfootnoteRL ...	16981, 16982,
25758,	25762,	\setkeys .....	16984, 16985,
25766,	25770,	1873, 1874, 1968, 1973,	17054, 17055,
25774,	26025,	1975, 1977, 2056,	17067, 17071,
26033,	26138,	2222, 2246, 2247,	17073, 17075,
26190,	26200,	2381, 2407, 2433,	17079, 17081,
26230,	26231,	2458, 9899, 9916,	18646, 20157,
26423,	26449,	11257, 11263,	20797, 20819,
26548,	26551,	11265, 16880,	21169, 21191,
26552,	26566,	16924, 17052,	21398, 21568,
26595,	26598,	20158, 20222,	21583, 21835,
26599,	26613,	21667, 21712, 25918	22574, 23347,
26642,	26644,	\setlatin .....	24346, 24347,
26658,	26660,	\setlength .	24395, 24396,
26671,	26715,	538, 555, 694, 718, 920, 938,	24398, 24768,
26718,	26759,	975, 976, 977, 978,	24772, 24773,
26762,	26790,	979, 1177, 1202,	24775, 24776,
26804,	26822, 26888	3194, 3209, 3254,	24778, 24779,
		3509, 4769, 4770,	24781, 24782,
		4771, 4973, 4974,	24784, 24785,
		4976, 4977, 4979,	24945, 25057,
		4980, 4982, 4983,	25484, 26349, 26352
		4985, 4986, 4988,	\setLR .....
		4989, 4991, 4992,	20552, 20553,
		4993, 4998, 4999,	26207, 26208,
		5037, 5038, 5040,	26221, 26249, 26250
		5041, 5042, 5043,	\setLTRbibitems ..
		5101, 5110, 5111,	20513,
		5114, 5116, 5119,	20514, 20527,
		5120, 5122, 5125,	20552,
		5191, 5201, 5202,	26207,
		5203, 7338, 7365,	26221,
		7366, 7367, 7368,	\setLTRmarginpar ..
		7389, 7395, 7396,	26825
		7429, 7432, 7436,	\setLTRsidenotefont
		7482, 7534, 7535,	8023
		8036, 8037, 8038,	\setLTRtable .....
		8039, 8045, 8287,	4223
		8580, 8581, 8582,	\setmarginnotefont
		8583, 8584, 8585,	8025
		8586, 8587, 8589,	\setnonlatin .....
		8590, 8592, 8595,	4228
		8596, 8597, 8598,	\setparsizes .....
		8815, 8816, 9334,	. 21950, 22690, 23463
		9356, 9511, 9533,	\setRL .....
		9797, 9812, 10083,	20551, 26248
			\setRTL . 20512, 20515,
			20527, 20551,
			25860, 25900,
			25934, 26206,
			26209, 26221, 26248
			\setRTLbibitems .. 26283



\setRTLcitationfont 8030	\shipout . . . . . 15947, 16786, 16796, 26846	9576, 9885, 11447, 11718, 15622,
\setRTLmain . . . . . 4470	\shortauthors . . . . . . . . 115, 116, 121, 18053, 18054, 18059	16624, 17993, 18746, 20049, 20707, 20856,
\setRTLmarginnotefont . . . . . 8027	\shortcite . . . . . 20052	21250, 21444, 21647, 22188,
\setRTLmarginpar . 26824	\shorttitle . . . . . . . . 114, 115, 121, 18052, 18053, 18059	22949, 23714, 24433
\setRTLsidenotefont 8024	\showbox . . . . . 16592	\slshape . . . . . 685,
\setRTLtable . . . . . 4232	\showgridp@s . . . . . 20564	913, 1168, 5157, 9325, 9502, 10724,
\setsidenotefont .. 8022	\showoutput . . . . . 16592	10725, 10815, 10816, 10818,
\setSingleSpace . . . . . . . . . . 11983, 11988	\sidebarheight . . . . . . . . . . 2110, 2118, 2128, 2141, 2147, 2157	20788, 21160, 21374
\setspace@singleSpace . . . . . 8232, 8250, 8268	\sidecaptionsep 24063, 24064, 27051, 27055, 27060, 27062, 27066, 27068	\small 440, 668, 767, 974, 1019, 1227, 1269,
\setthesesection . . . . . 19430	\sidenote . . . . . 8098, 8152, 8190, 8285, 8376	4611, 5071, 5161, 5166, 5196, 8562, 8563, 8628, 8636,
\settodepth . . . . . 20153	\sidenotes . . . . . 8195	8641, 8660, 9417, 9594, 9699, 11462, 11555, 15629,
\settoheight 11236, 20154	\sideways . . . . . 21774	20771, 20876, 21013, 21221,
\settowidth . . . . . . . . . . 89, 292, 605, 740, 1003, 1253, 2640, 3387, 3391, 3394, 5105, 9381, 9569, 9878, 10824, 11281, 11440, 11711, 15615, 17990, 20156, 20849, 21243, 21437, 21640, 22172, 22250, 22933, 23011, 23698, 23776, 24426, 25703, 25705	\SixColumnFootnotes . . . . . 13431	21273, 21470, 21925, 22665, 23438
\Setversedim . . . . . . . . . . 8946, 8950, 8976	\sixcolumnfootnotes . . . . . 13406	\smallcaps 8916, 8917, 8918
\SetWatermarkText 11154	\sixt@n . . . . . 4911, 4933	\smallskip . . . . .
\SevenColumnFootnotes . . . . . 13730	\size@chapter . . . . . 20627	. . 19971, 19976, 19983, 19992,
\sevencolumnfootnotes . . . . . 13705	\skip . . . . . 4268, 4485, 9139, 9140, 10933, 10990, 12070, 12094, 12177, 12194, 12199, 12205, 12207, 14936, 15461, 15474, 15513, 15521, 16343, 16629, 16630, 16641, 16643, 16690, 16692, 16746, 16751, 16814, 16825, 16832, 16866, 19950, 20533, 20539, 26647, 26663, 26674, 26682	20003, 20008, 20013, 20020, 20027, 20034, 20624
\sf@size . . . . . 18021	\skip@ . . . . . 311, 312	\smallskipamount . . . . . . . . 3123, 3135, 3147
\sfcode 93, 296, 616, 748, 1011, 1261, 2654, 9389, 9577, 9889, 11448, 11722, 15623, 17994, 20050, 20857, 21251, 21448, 21651, 22189, 22950, 23715, 24437	\slideentry . . . . . 2672	\smash . . . . . 7590, 7595, 7606, 7607, 7610, 7611, 7818, 10882, 10903, 16456, 20549, 26235, 26242
\sh@wgridXunit . . . . . 20565	\sloppy . . . . . 42, 56, 72, 92, 245, 259, 274, 295, 612, 747, 1010, 1260, 2650, 5210, 9388,	\SOUL@apo . . . . . 24085 \SOUL@comma . . . . . 24084 \SOUL@do . . . . . 24087 \SOUL@eventuallyexhyphen . . . . . 24074
\sh@wgridYunit . . . . . 20565		\SOUL@grave . . . . . 24086 \SOUL@ignorespacesfalse . . . . . 24078
\shadowbox . . . . . 11353		\SOUL@lasttoken . . . . . 24081
\shadowsize .. 11363, 11367, 11368, 11371, 11372, 11375		\SOUL@lowerthan . . . . . 24071 \SOUL@minus . . . . . 24083 \SOUL@postamble . . . . . 24088 \SOUL@preamble . . . . . 24080



\SOUL@soeventuallyskip .....	24075	\special .. 4290, 4370, 4381, 4394, 4407, 4499, 4525, 4574, 20546, 20604, 20606, 20609, 20611, 20615, 20617, 24306, 24307, 24311, 24312, 24314, 26231	13694, 13698, 13699, 13703, 13704, 13986, 13987, 13992, 13993, 13997, 13998, 14002, 14003, 14285, 14286, 14291, 14292, 14296, 14297, 14301, 14302, 14584, 14585, 14590, 14591, 14595, 14596, 14600, 14601, 14883, 14884, 14889, 14890, 14894, 14895, 14899, 14900, 16219, 16236, 16252, 16523, 16524, 20345
\SOUL@spaceskip ..	24076		
\SOUL@start .....	24069		
\SOUL@ulcolor .	24100, 24106, 24112, 24120		
\SOUL@uldp .....	24112		
\SOUL@uleveryspace	24114		
\SOUL@ulht .....	24112		
\SOUL@ulleaders .. .	24100, 24106, 24122		
\SOUL@uloverlap ..	24093		
\SOUL@ulunderline	24090		
\SOUL@word .....	24082		
\soulomit .....	24073		
\space .....	4034, 4181, 4242, 4245, 4248, 4436, 4515, 4518, 4521, 6005, 6151, 6265, 6279, 6293, 6303, 6986, 7173, 7175, 7186, 7188, 7191, 7654, 7659, 7660, 7793, 7794, 9653, 9848, 10419, 10421, 10443, 10445, 11680, 15585, 16492, 16500, 16501, 16525, 16533, 18103, 19117, 19823, 19825, 19826, 19827, 19828, 20572, 21618, 21661, 21704, 21831, 22004, 22011, 22033, 22039, 22046, 22194, 22570, 22744, 22751, 22773, 22779, 22786, 22955, 23343, 23517, 23524, 23546, 23552, 23559, 23720, 24250, 24252, 24309, 25185, 25187, 25822, 26513, 26795	11167, 11169, 11173, 11177	
\spacefactor .. .	8211, 8216, 8222, 8225		
\spaceskip .	24118, 24123		
\special ..	4290, 4370, 4381, 4394, 4407, 4499, 4525, 4574, 20546, 20604, 20606, 20609, 20611, 20615, 20617, 24306, 24307, 24311, 24312, 24314, 26231	13694, 13698, 13699, 13703, 13704, 13986, 13987, 13992, 13993, 13997, 13998, 14002, 14003, 14285, 14286, 14291, 14292, 14296, 14297, 14301, 14302, 14584, 14585, 14590, 14591, 14595, 14596, 14600, 14601, 14883, 14884, 14889, 14890, 14894, 14895, 14899, 14900, 16219, 16236, 16252, 16523, 16524, 20345	
\split@prev .. .	16165, 16173, 16178		
\splitbotmark .. .	16529		
\splitfirstmark .. .	10237, 10300, 15779, 15815, 16528, 16650, 16699, 19548, 19648, 26555, 26602	11167, 11169, 11173, 11177	14297, 14301, 14302, 14584, 14585, 14590, 14591, 14595, 14596, 14600, 14601, 14883, 14884, 14889, 14890, 14894, 14895, 14899, 14900, 16219, 16236, 16252, 16523, 16524, 20345
\SplitFootnoteRule .. .	4103, 16164		
\splitfootnoterule .. .	16168, 16176		
\splitmaxdepth .. .	40, 54, 70, 243, 257, 272, 10231, 10294, 12059, 15774, 15810, 16220, 16237, 16253, 16644, 16693, 19542, 19642, 26549, 26596	11167, 11169, 11173, 11177	14297, 14301, 14302, 14584, 14585, 14590, 14591, 14595, 14596, 14600, 14601, 14883, 14884, 14889, 14890, 14894, 14895, 14899, 14900, 16219, 16236, 16252, 16523, 16524, 20345
\splittopskip .. .	40, 54, 70, 243, 257, 272, 12058, 12211, 12214, 12503, 12504, 12509, 12510, 12514, 12515, 12519, 12520, 12790, 12791, 12796, 12797, 12801, 12802, 12806, 12807, 13089, 13090, 13095, 13096, 13100, 13101, 13105, 13106, 13388, 13389, 13394, 13395, 13399, 13400, 13404, 13405, 13687, 13688, 13693	11167, 11169, 11173, 11177	14297, 14301, 14302, 14584, 14585, 14590, 14591, 14595, 14596, 14600, 14601, 14883, 14884, 14889, 14890, 14894, 14895, 14899, 14900, 16219, 16236, 16252, 16523, 16524, 20345
\stopbreaks .. .	11741		
\str .. .	18829, 18880, 18952, 18970, 19032, 19056, 19061, 19135, 19166, 19179, 19201, 19255, 19287		
\stretch .. .	1504, 1507, 10009, 10012		
\string ..	359, 598, 1414, 4126, 4130, 5253, 5289, 5295, 5367, 5369, 5387, 5388, 5391, 5392, 5402, 5403, 5406, 5407, 5410, 5411, 5414, 5415, 5598, 5618, 5646, 5672, 5700,		



5726, 5729, 5763,	23834, 23837,	2329, 2345, 2361,
5766, 5850, 5851,	23838, 24276,	10500, 11813,
5857, 6005, 6035,	25821, 26078,	11819, 11825,
6056, 6059, 6086,	26125, 26513, 26533	12059, 12503,
6088, 6151, 6224,	\strip@prefix . 6056, 6069	12509, 12514,
6271, 6272, 6285,	\strip@pt ..... 2515,	12519, 12790,
6286, 6297, 6298,	5509, 5823, 11103,	12796, 12801,
6309, 6310, 6341,	11106, 11111,	12806, 13089,
6355, 6356, 6357,	11114, 14974,	13095, 13100,
6358, 6362, 6986,	15027, 15079, 15130	13105, 13388,
6995, 6999, 7005,	\stripsep 10282, 10341,	13394, 13399,
7016, 7173, 7175,	10357, 10364,	13404, 13687,
7186, 7188, 7189,	10584, 10596,	13693, 13698,
7190, 7191, 7193,	10610, 19576,	13703, 13986,
7793, 7794, 10045,	19578, 19585,	13992, 13997,
10048, 10066,	19676, 19678,	14002, 14285,
10069, 12116,	19685, 19747,	14291, 14296,
15760, 15762,	19750, 19752, 19759	14301, 14584,
15765, 15767,	\strut . 46, 60, 76, 249,	14590, 14595,
16496, 16497,	263, 278, 3084,	14600, 14883,
16498, 16499,	3409, 3413, 3419,	14889, 14894,
16500, 16622,	3422, 3431, 3433,	14899, 14981,
16956, 16957,	3438, 3439, 3441,	15034, 15086,
20717, 20718,	3442, 3584, 3586,	15137, 16220,
21831, 22004,	3731, 3733, 3827,	16227, 16237,
22005, 22011,	3829, 3831, 3922,	16244, 16253,
22012, 22033,	3924, 3926, 4686,	16260, 16288,
22039, 22040,	11749, 12385,	16303, 16318,
22046, 22047,	12388, 12391,	18580, 18596,
22194, 22196,	12678, 12681,	18633, 18762,
22202, 22234,	12684, 12971,	22275, 22277,
22235, 22243,	12974, 12977,	22371, 22373,
22244, 22307,	13270, 13273,	23036, 23038,
22308, 22311,	13276, 13569,	23132, 23134,
22312, 22570,	13572, 13575,	23801, 23803,
22744, 22745,	13868, 13871,	23897, 23899,
22751, 22752,	13874, 14167,	24140, 24141,
22773, 22779,	14170, 14173,	24176, 26450, 26451
22780, 22786,	14466, 14469,	\subfig@oldlabel ..
22787, 22955,	14472, 14765,	..... 7524, 7526
22957, 22963,	14768, 14771,	\subfigure ... 7523, 7530
22995, 22996,	15265, 15269,	\subitem .....
23004, 23005,	15273, 18760,	108, 228, 8671, 18010
23068, 23069,	22294, 22323,	\subjclass .....
23072, 23073,	22335, 22346,	\subject .....
23343, 23517,	22355, 23055,	. 22130, 22870, 23643
23518, 23524,	23084, 23096,	\subparagraph .....
23525, 23546,	23107, 23116,	... 8473, 8474, 8477
23552, 23553,	23820, 23849,	\subsection .....
23559, 23560,	23861, 23872,	... 5136, 8444, 8460
23720, 23722,	23881, 24357, 24362	\subsectioncolour ..
23728, 23760,	\strutbox 40, 54, 70, 243,	... 5062, 10689,
23761, 23769,	257, 272, 391, 395,	10697, 10704,
23770, 23833,	2279, 2296, 2313,	10711, 10718,



\textbullet	3276, 5048, 10681, 10745, 10779	15789, 15795, 15827, 15917,
\textcolor	..... . 11352, 11367, 11371, 11374, 16459	15922, 16330, 16664, 16713, 16721, 17002,
\textdef@	..... . 345	17005, 17010, 17016, 18734,
\textdir	..... . 19295	19606, 19614, 19706, 19737, 19897, 19932,
\textendash	773, 1025, 1088, 1275, 9423, 9600, 20882, 21021	19933, 19936, 19937, 19940, 19941, 19945, 19948, 21909, 21919, 21952, 21992, 21996, 22649, 22659, 22692, 22732, 22736, 23422, 23432, 23465, 23505, 23509, 26567, 26575, 26614, 26892, 26908
\textheight	4559, 5012, 10265, 10324, 16632, 17054, 21666, 21711, 21911, 21916, 21917, 21918, 22651, 22656, 22657, 22658, 23424, 23429, 23430, 23431, 26917	\textwidth@footnoterule .. . 443, 770, 1022, 1272, 9420, 9597, 9702, 11465, 11558, 15632, 16135, 16146, 19947, 20879, 21016, 21276, 21473, 21928, 22668, 23441
\textit	..... . 24804	\textwidthfootnoterule .. . 4104, 10873, 11801, 16144, 16859, 26945
\textsf	..... . 4305	\TeXeTOff . 20461, 26136
\textstl	.. 7677, 7678, 7679	\TeXeTOn .... 20460, 20462, 26135, 26137
\textsuperscript	.. . 8224, 12033, 12034, 12035, 21867, 22607, 23380	\TeXeTstate .. 20460, 20461, 26135, 26136
\texttt	..... . 4709, 4773, 4775, 4776, 6344	\TF@conlab .. . 16452, 16454, 16461
\textwidth	1847, 1873, 1968, 2025, 2026, 2041, 2042, 2115, 2138, 2145, 2187, 2188, 2189, 2229, 2233, 2237, 2269, 2286, 2303, 3012, 3019, 3036, 3042, 3048, 3195, 3198, 3200, 3321, 3338, 3340, 3344, 3348, 3353, 3356, 3361, 3364, 3723, 4277, 4283, 4558, 5010, 5101, 5110, 5111, 5123, 5125, 7432, 7436, 7535, 7836, 7837, 8977, 10249, 10257, 10312, 10505, 10545, 10555, 10735, 10750, 10822, 10831, 10945, 11166, 11176, 11182, 11212,	\TF@savecolor 16458, 16463 \TF@Title .. . 16461 \thanklessauthor .. . 8725, 8758, 8761, 8798 \thanklesspublisher .. . 8726, 8785, 8788, 8802 \thanklessstyle 8724, 8741, 8744, 8800



\thanks . . . . .	323,	3441, 3442, 4195, 4301, 4450, 4510, 4550, 4552, 4555, 4557, 4842, 4844, 4847, 4850, 4855, 4858, 4861, 4966, 5302, 5304, 5305, 5326, 5328, 5329, 6020, 6357, 6452, 6507, 6535, 6537, 6544, 6546, 6548, 6550, 6551, 6552, 6563, 6570, 6572, 6577, 6581, 6582, 6587, 6592, 6600, 6603, 6607, 6613, 6697, 6698, 6699, 6724, 7239, 7246, 7275, 8066, 8076, 8211, 8222, 9028, 9035, 9159, 9162, 9165, 9169, 9172, 9175, 9280, 9895, 9900, 9944, 10005, 10236, 10238, 10299, 10301, 10381, 10401, 10407, 10411, 10418, 10419, 10420, 10421, 10422, 10423, 10443, 10445, 10454, 10458, 10481, 10482, 10483, 10485, 10486, 10487, 10488, 10521, 10585, 10597, 10609, 12072, 12096, 14985, 15038, 15090, 15141, 15411, 15778, 15780, 15814, 15816, 16045, 16059, 16060, 16063, 16064, 16067, 16120, 16124, 16178, 16354, 16368, 16485, 16492, 16496, 16497, 16498, 16499, 16500, 16501, 16509,	16515, 16522, 16523, 16525, 16530, 16532, 16533, 16547, 16573, 16603, 16604, 16605, 16610, 16611, 16612, 16622, 16649, 16651, 16698, 16700, 16926, 16971, 17504, 17512, 17513, 17519, 17521, 17550, 17551, 17557, 17559, 17590, 17592, 17621, 17623, 17652, 17654, 18062, 18063, 18650, 18653, 19245, 19547, 19549, 19560, 19577, 19584, 19590, 19647, 19649, 19660, 19677, 19684, 19690, 19760, 19823, 19825, 19826, 19827, 19828, 19829, 20043, 20221, 20237, 20241, 20244, 20269, 20293, 20300, 20307, 20467, 20468, 21674, 21684, 21693, 21720, 21732, 21742, 21899, 21900, 21901, 22179, 22639, 22640, 22641, 22940, 23412, 23413, 23414, 23705, 24169, 24170, 24200, 24219, 24221, 24245, 24250, 24252, 24253, 24256, 24257, 24260, 24263, 24264, 24267, 24375, 25113, 25183,
\thankses . . . . .	323		
\the . . .	124, 125, 1402, 1496, 1497, 1499, 1500, 2062, 2064, 2070, 2072, 2457, 2948, 2954, 2956, 2957, 2958, 2960, 2961, 2962, 2970, 2972, 2973, 2974, 2976, 2977, 2978, 3304, 3405, 3407, 3408, 3409, 3411, 3412, 3413, 3418, 3419, 3421, 3422, 3428, 3429, 3431, 3433, 3438, 3439,	12096, 14985, 15038, 15090, 15141, 15411, 15778, 15780, 15814, 15816, 16045, 16059, 16060, 16063, 16064, 16067, 16120, 16124, 16178, 16354, 16368, 16485, 16492, 16496, 16497, 16498, 16499, 16500, 16501, 16509,	



25186,	25188,	21609,	21618,	\theHchapter . . . . . 20084
25274,	25604,	22883,	22885,	\theHsection 20092, 20094
25607,	25608,	22898,	22901,	\theindex . 98, 218, 18000
25610,	25612,	22905,	22907,	\thelstlisting 18232,
25616,	25621,	23655,	23667,	18237, 18260, 18263
25625,	25636,	23670,	23673, 24459	\thempfn . . . . .
25637,	25640,	\thecontentspage . . . . .	2375, 2401, 2427,	
25646,	25650,	8491,	4867, 4875, 4883,	
25658,	25659,	8498, 8505, 8512, 8519	8300, 8306, 8329,	
25696,	25712,	\thedate . 8720, 8728, 8774	8335, 8358, 8364,	
25716,	25815,	\theenumiv . . . . . 86,	9180, 9187, 9194,	
25978,	25990,	89, 289, 292,	16187, 16192,	
25995,	26016,	611, 746, 1009,	16196, 16201,	
26017,	26019,	1259, 2648, 5209,	16332, 16358,	
26141,	26142,	9387, 9575, 9884,	16363, 16373,	
26296,	26353,	11446, 11717,	16378, 17371,	
26519,	26521,	15621, 17987,	17382, 17393,	
26533,	26554,	17990, 20855,	17523, 17561,	
26556,	26601, 26603	21249, 21443,	17594, 17625,	
\the@cornersize . . . . .	15737, 15738	21646, 22186,	17656, 17718, 18792	
\thealgocf . . . . .	168	22947, 23712, 24432	\thempfootnote . . . . .	
\theAlgoLine . . . . .	26991	\theequation . . . . .	16332, 18792	
\theBackrefHyperFootnoteCounter . . . . .	16388, 16394	9409, 9586, 9831,	\theorem@indent 20126,	
\thechapter . . . . .	308,	11663, 15720,	20127, 20146, 20147	
8433,	9404, 9410,	16010, 16023,	\theorem@prework . 20120	
9412,	9414, 9581,	18072, 19431,	\theorempostskipamount . . . . . 20121, 20141	
9587,	9589, 9591,	20866, 21235,	\theorempreskipamount . . . . . 20124, 20144	
9653,	9832, 9834,	21420, 21602,	\thepage . . . . .	
9836,	9837, 9838,	22903, 23672, 26938	4548, 4553, 5186,	
9848,	11664,	\thefigure . . . . . 9411,	7565, 7677, 7678,	
11666,	11668,	9588, 9833, 11665,	7679, 7688, 7689,	
11669,	11670,	15722, 16012,	8904, 8905, 8916,	
11680,	15585,	16025, 19433,	8917, 8918, 10622,	
15715,	15721,	20868, 21231,	10640, 26022, 26795	
15723,	15725,	21422, 21604,	\theparagraph . . . . . 21,	
16011,	16013,	22898, 23667, 24156	22, 216, 217, 575,	
16015,	16016,	\thefootdir@label . . . . .	576, 732, 733,	
16017,	16024,	16045, 16048,	986, 987, 1245,	
16026,	16028,	16076, 16081,	1246, 8454, 9407,	
16029,	16030,	16099, 16102, 16122	9408, 9584, 9585,	
18261,	19421,	\thefootnote 480, 775,	9841, 9842, 11550,	
19430,	19432,	834, 1027, 1086,	11551, 11673,	
19433,	19434,	1277, 1336, 4577,	11674, 15718,	
20084,	20630,	9425, 9602, 9739,	15719, 16020,	
20861,	20867,	11498, 11595,	16021, 16033,	
20869,	20871,	15665, 17404,	16034, 18046,	
21226,	21232,	20884, 20943,	18047, 19426,	
21234,	21236,	21023, 21084,	19429, 20864,	
21421,	21423,	21280, 21323,	20865, 21229,	
21425,	21426,	21510, 21932,	21230, 21429,	
21603,	21605,	22053, 22672,	21430, 21612,	
21607,	21608,	22793, 23445, 23566	21613, 22146,	
		\thefootnotemark . . . . .		
		. 21867, 22607, 23380		





22643,	22663,	19126,	19140,	\tocstyle@feature@pagenumberbox
22765,	22792,	19146,	19159,	..... 25685, 25688
23410,	23416,	19164,	19168,	\tocstyle@feature@pagenumberhook
23436,	23538, 23565	19189,	19197,	..... 25686, 25688
\titlepagestyle ...	. 22102, 22842, 23615	19198,	19223,	\tocstyle@feature@parfillskip
\titlespacing .....	... 8458, 8459, 8460	19227,	19228,	..... 25665, 25666
\titlestyle .	5074, 10846	19229,	19242,	\tocstyle@feature@raggedhook
\tl ....	18812, 18820,	19314,	19315,	..... 25601
	18825, 18827,	19323,	19324,	\tocstyle@feature@spaceafternumber
	18828, 18829,	19325,	19326,	..... 25702,
	18830, 18832,	19336,	19337,	25706, 25727, 25731
	18833, 18835,	19338,	19343,	\tocstyle@indentstyle
	18838, 18842,	19348,	19350,	..... 25652, 25722
	18851, 18855,	19353,	19354,	\tocstyle@l@define
	18858, 18863,	19359,	19360,	.. 25739, 25742,
	18868, 18876,	19365,	19377, 19378	25747, 25751,
	18878, 18879,	\tmpcount .....	6751, 6777	25755, 25759,
	18880, 18881,	\toaddress .	11737, 18084	25763, 25767,
	18883, 18885,	\toc@headstar	24481, 24486	25771, 25775, 25807
	18887, 18888,	\tocbasic@DependOnPenalty	..... 25084	\tocstyle@macrochangewarning
	18890, 18896,	\tocbasic@SetPenaltyByTOCLevel	..... 25212	..... 25795, 25802
	18900, 18903,	\TOCEEntryStyleStartInitCode	..... 25581, 25700	\tocstyle@numberline
	18904, 18907,	.. 22423, 22436,	..... 25797	\tocstyle@savetodottedtocline
	18914, 18919,	22454, 23185,	\tocstyle@savetounumberline	..... 25805
	18927, 18930,	23198, 23217,	..... 25805	\tocstyle@depth 25592,
	18931, 18932,	23950, 23963, 23982	25604, 25616,	
	18933, 18934,	\toclevel@subfigure	25636, 25637,	
	18937, 18943,	..... 24694	25640, 25658,	
	18944, 18945,	\toclevel@subtable	25659, 25708,	
	18950, 18952,	24714	25710, 25712, 25716	
	18959, 18963,	\TOCLineLeaderFill	\tocstyle@TOC .....	
	18968, 18970,	..... 22440,	.. 25604, 25607,	
	18972, 18974,	22456, 23202,	25608, 25610,	
	18993, 18999,	23219, 23967,	25612, 25616,	
	19000, 19001,	23984, 25234, 25525	25617, 25619,	
	19002, 19003,	\tocstyle@numberline	25620, 25624,	
	19015, 19018,	..... 25703,	25628, 25629,	
	19021, 19023,	25705, 25723,	25632, 25633,	
	19047, 19048,	25725, 25728, 25730	25636, 25637,	
	19050, 19059,	\tocstyle@activate@all@l	25640, 25642,	
	19062, 19063,	..... 25816	25644, 25645,	
	19064, 19065,	\tocstyle@activate@features	25649, 25654,	
	19066, 19067,	..... 25593	25655, 25658,	
	19069, 19075,	\tocstyle@dottedtocline	25659, 25708,	
	19080, 19083,	..... 25580	\today ..... 8728	
	19084, 19097,	\tocstyle@feature@dothook	25710, 25711, 25715	
	19099, 19100,	..... 25679	\tipos ..... 122,	
	19101, 19102,	\tocstyle@feature@entryhook	124, 1496, 1497,	
	19103, 19104,	..... 25675	1499, 1500, 8059,	
	19105, 19114,	\tocstyle@feature@entryvskip	8060, 8066, 10005,	
	19117, 19121,	\tocstyle@leaders		
	19122, 19123,	..... 25677, 25682		



16528, 16529,	15786, 15813,	\ttl@corr .....
16530, 18060, 18062	15822, 16648,	. 24402, 24403, 24406
\toks@ . 121, 125, 4288,	16657, 16697,	\ttl@endlongest .. 24365
4301, 4497, 4510,	16706, 19546,	\ttl@filleft 24339, 24368
7271, 7275, 10235,	19555, 19646,	\ttl@filright 24340, 24369
10236, 10237,	19655, 26553,	\ttl@glcmds .. 24352
10238, 10298,	26562, 26600, 26609	\ttl@hmode@error . 24351
10299, 10300,	\topsep 2645, 4751, 4760,	\ttl@leaders .. 24404
10301, 15777,	5201, 7358, 8568,	\ttl@lselect 24411, 24414
15778, 15779,	8610, 19443, 19445	\ttl@makeline 24345, 24400
15780, 15813,	\topskip .. 301,	\ttl@margin 24399, 24405
15814, 15815,	4571, 10399,	\ttl@midlongest .. 24364
15816, 16648,	16534, 16536,	\ttl@outnblock .. 24378
16649, 16650,	16541, 19449,	\ttl@savel@chapter 24413
16651, 16697,	19740, 24457,	\ttl@savel@part .. 24410
16698, 16699,	24463, 24468,	\ttlhang .. 24344
16700, 16923,	24475, 24480, 24485	\turn .. 21746
16926, 16960,	\TOTALHEIGHT 24305, 24309	\turnbox .. 21767
16962, 16966,	\totalheight .. 16953	\tw@ 355, 363, 1410, 1418,
16968, 16971,	\tovalue .....	1452, 1456, 1461,
17501, 17504,	6635, 6722, 6730,	4923, 5851, 12504,
18059, 18063,	6761, 6774, 6780, 6781	12510, 12515,
19546, 19547,	\tracingmacros .. 6750	12520, 15742,
19548, 19549,	\traditionalconverses	15743, 16527,
19646, 19647,	... 8966, 8989, 9005	16531, 16532,
19648, 19649,	\traditionalhalfverses	16546, 16550,
24219, 24239,	..... 8955,	16555, 16558,
24245, 26553,	8959, 8966, 8999	16569, 16573,
26554, 26555,	\traditionalpoem .. 9201	16574, 16575,
26556, 26600,	\traditionalpoem@cr	16576, 16579,
26601, 26602, 26603	... 9079, 9128, 9129	16878, 16879,
\tolerance .....	\traditionalpoem@obeylines	16889, 16891,
.. 12381, 12674,	..... 9009, 9201	16892, 16894,
12967, 13266,	\traditionalpoem@par	16895, 16898,
13565, 13864,	... 9009, 9010, 9128	16900, 16901,
14163, 14462, 14761	\trimb .. 8061, 8068	16935, 16937,
\toname .... 11737, 18084	\trimc .. 8070	16938, 16940,
\topheight .....	\trivlist .....	16941, 16944,
.. 20354, 20356,	. 15868, 20123, 20143	16946, 16947,
20357, 20358,	\ttdefault . 10721, 10813	19833, 19840,
20360, 20366,	\ttfamily .....	19841, 19849,
20368, 20370,	4611, 4696, 4697,	19850, 19855,
20371, 20372,	4699, 4700, 4701,	19856, 19869,
20435, 20436,	4702, 4703, 4704, 4705	19870, 19877,
20437, 20438,	\ttl@a .. 24380, 24382	19878, 19901,
20442, 20443, 20447	\ttl@b .. 24375,	19906, 20546,
\topins .. 20530	24376, 24380, 24382	20547, 21854,
\topmargin .... 4563,	\ttl@beginlongest 24350	21856, 22594,
5011, 11208,	\ttl@calc .. 24345, 24357	22596, 23367,
15961, 21906,	\ttl@changecentercr	23369, 24076,
22646, 23419, 26884	..... 24349	24174, 24272,
\topmark .... 10235,	\ttl@contentsstretch	24280, 24606,
10244, 10298,	..... 24387	26231, 26232,
10307, 15777,		26469, 26473, 26475



\twocolumn . . . . .	489,	\TX@typeout@	24206, 24248	5896, 5909, 5910,
628, 644, 843,		\TX@verb . . . . .	24199	5917, 5918, 6019,
893, 1095, 1145,		\TX@vwarn . . . . .	24235	6143, 22233,
1345, 4547, 9302,		\TX@xftntext . . . .	24215	22239, 22242,
9479, 9689, 9748,		\TX@xLTrftntext . .		22248, 22994,
10621, 11507,		. . . . .	24216, 24259	23000, 23003,
11604, 15674,		\TX@xRTLftntext . .	24217, 24266	23009, 23759,
19402, 20747,		\typeout . . . . .	4197,	23765, 23768, 23774
20952, 21002,		4198, 7561, 7563,		\unhbox 1526, 9034, 9292,
21093, 21337,		7564, 7565, 7567,		10031, 14904,
21461, 21519,		7569, 7570, 7571,		14925, 14928,
22076, 22082,		16054, 20586,		15392, 15397,
22085, 22816,		25604, 25616,		15403, 15408,
22822, 22825,		25636, 25637,		15419, 15422,
23589, 23595,		25640, 25658, 25659		15428, 15431,
23598, 24457,				17926, 17931,
24463, 24468,				17959, 17964,
24475, 24480, 24485				17976, 17981,
\TwoColumnFootnotes				26360, 26479,
. . . . .	12247			26480, 26481, 26482
\twocolumnfootnotes		\unhcopy 17942, 17947,		
. . . . .	12222	24096, 24108, 24184		
\TX@ . . . . .	24196,	\unhskip . . . . .	6554	
24197, 24225, 24226		\unitindent . . . . .	667,	
\TX@align . . . . .	24249, 24251	678, 679, 681,		
\TX@arith . . . . .	24211	755, 761, 905,		
\TX@ckpt . . . . .	24201, 24247	906, 908, 974, 975,		
\TX@col@width . . .	24198,	977, 978, 990, 995,		
24204, 24209, 24252		1089, 1161, 1162,		
\TX@cols . . . . .		1164, 1226, 1235,		
. . . . .	24205, 24209, 24253	1241, 9318, 9319,		
\TX@endtabularx 17490,		9321, 9396, 9402,		
17501, 17507, 24194		9495, 9496, 9498,		
\TX@find@endtabularxa		9549, 9555, 20770,		
. . . . .	24196, 24197	20781, 20782,		
\TX@find@endtabularxb		20784, 20835,		
. . . . .	24226	20841, 21153,		
\TX@find@endtabularxbb		21154, 21156,		
. . . . .	24224	21220, 21258, 21264		
\TX@ftn . . . . .	24221, 24256,	\unitlength . . . . .		
24258, 24260,		. . . . .	10095, 10105,	
24263, 24265, 24267		10118, 10128,		
\TX@ftntext . . . . .	24215	10141, 10151,		
\TX@LTrftntext . . . .		10164, 10174, 20157		
. . . . .	24216, 24255	\unkern 8223, 10369, 10379		
\TX@newcol . . . . .	24198	\unpenalty . . . . .	9930,	
\TX@old@table . . . .	24203	10369, 10379,		
\TX@RTLftntext . . . .		14907, 14922, 16558		
. . . . .	24217, 24262	\unrestored@protected@xdef		
\TX@target . . . . .	24204, 24218	. . . . .	2392,	
\TX@trial . . . . .		2418, 2444, 4867,		
. . . . .	24208, 24213, 24229	4875, 4883, 8306,		
\TX@trial@ftn . . . .		8335, 8364, 9180,		
. . . . .	24232, 24233, 24234	9187, 9194, 16192,		



16201, 16363,	12185, 12221,	16521, 16531,
16378, 17371,	12302, 12338,	16558, 16646,
17382, 17393, 17404	12365, 12400,	16695, 16767,
\unsetfootnoterL . . . . . 16207, 16208	12429, 12447,	16769, 16813,
\unsetLTR . . . 20515, 26209	12461, 12474,	16818, 16824,
\unsetRL . . . 20553, 26250	12488, 12600,	16828, 16835,
\unsetRTL . . . 20514, 26208	12634, 12659,	16851, 18662,
\unskip . . . . . 46, 60, 76, 249, 263, 278, 336, 1478, 1479, 1480, 2230, 2636, 2657, 7615, 7618, 7621, 7624, 8314, 8343, 8372, 9061, 9072, 9927, 10233, 10296, 10369, 10379, 12173, 14905, 14906, 16341, 16646, 16695, 18719, 18761, 18764, 19544, 19644, 21751, 21761, 21779, 22296, 23057, 23822, 26551, 26598, 26827	12693, 12721, 12738, 12751, 12763, 12776, 12888, 12924, 12951, 12986, 13015, 13033, 13047, 13060, 13074, 13187, 13223, 13250, 13285, 13314, 13332, 13346, 13359, 13373, 13486, 13522, 13549, 13584, 13613, 13631, 13645, 13658, 13672, 13785, 13821, 13848, 13883, 13912, 13930, 13944, 13957, 13971, 14084, 14120, 14147, 14182, 14211, 14229, 14243, 14256, 14270, 14383, 14419, 14446, 14481, 14510, 14528, 14542, 14555, 14569, 14682, 14718, 14745, 14780, 14809, 14827, 14841, 14854, 14868, 14902, 15179, 15218, 15248, 15282, 15312, 15331, 15346, 15360, 15375, 15389, 15400, 15416, 15425, 15450, 15458, 15465, 15472, 15478, 15516, 16278, 16293, 16308, 16346, 16351,	16853, 19544, 19573, 19575, 19583, 19601, 19603, 19644, 19673, 19675, 19683, 19701, 19703, 19758, 20392, 20396, 20401, 20405, 20417, 20428, 20448, 20451, 20456, 20530, 20531, 20535, 20540, 26360, 26551, 26598, 26646, 26651, 26662, 26666, 26673, 26678, 26685
\untilcondition 6636, 6650, 6734, 6777	\unvcopy 10368, 10406, 10410, 10438, 10444, 10448, 10456, 10931, 10988	\uppercase . . . . . 308, 800, 820, 1052, 1072, 1302, 1322, 9450, 9627, 20909, 20929, 21048, 21070
\unvbox . . . . . 2271, 2288, 2305, 2319, 2335, 2351, 2485, 2541, 2554, 2561, 9941, 9942, 10196, 10199, 10216, 10220, 10233, 10283, 10296, 10342, 10367, 10382, 10405, 10409, 10499, 10528, 10582, 10593, 10606, 10656, 10887, 10890, 10891, 10908, 10911, 10912, 10937, 10944, 10949, 10954, 10994, 10999, 11003, 11008, 11905, 11918, 11930, 11942, 11955, 12047, 12078, 12102, 12180,	\uppercasenonmath . . . . . 114, 18052	\uppermargin . . . . . 11180
	\uppertitleback . . . . . 22004, 22039, 22132, 22744, 22779, 22872, 23517, 23552, 23645	\uppertitleback . . . . . 22004, 22039, 22132, 22744, 22779, 22872, 23517, 23552, 23645
	\upshape . . . 8491, 8498, 8505, 8512, 8519, 10722, 10726, 10727, 10814, 10819, 10820, 20625	\upshape . . . 8491, 8498, 8505, 8512, 8519, 10722, 10726, 10727, 10814, 10819, 10820, 20625
	\urlstyle . . . . . 5030	\urlstyle . . . . . 5030
	\use . . . . . 18943	\use . . . . . 18943
	\usebeamercolor 1588, 1624, 1640, 1647, 1654, 1677, 1698,	\usebeamercolor 1588, 1624, 1640, 1647, 1654, 1677, 1698,



<p>1719, 1772, 1835, 1851, 1862, 1876, 1881, 1891, 1952, 1984, 1987, 2032, 2119, 2148, 2579, 2588, 2601, 2610, 2624, 2701, 2708, 2713, 2868, 2966, 3005, 3015, 3021, 3084, 3089, 3090, 3096, 3102, 3108, 3117, 3119, 3129, 3131, 3141, 3143, 3178, 3184, 3261, 3267, 3273, 3310, 3324, 3331, 3471, 3572, 3584, 3586, 3607, 3654, 3661, 3670, 3694, 3731, 3733, 3748, 3831, 3926</p> <p>\usebeamertemplatefont . . . . . 1564, 1574, 1575, 1587, 1602, 1603, 1623, 1644, 1645, 1653, 1676, 1697, 1718, 1753, 1754, 1771, 1789, 1790, 1805, 1807, 1814, 1816, 1823, 1825, 1836, 1852, 1861, 2577, 2587, 2599, 2609, 2622, 2698, 2817, 2818, 2834, 2835, 2836, 2869, 2886, 2892, 2901, 2907, 2916, 2922, 2930, 3014, 3020, 3037, 3043, 3049, 3089, 3090, 3096, 3102, 3108, 3117, 3129, 3141, 3179, 3185, 3239, 3253, 3310, 3324, 3331, 3401, 3460, 3463, 3467, 3472, 3490, 3497, 3549, 3584, 3586, 3650, 3662, 3687, 3694, 3731, 3733, 3806, 3815, 3827, 3831, 3833, 3882, 3891, 3901, 3911, 3922, 3926, 3928, 3964, 3973, 3992</p> <p>\usebeamertemplate</p>	<p>. . . . . 1838, 2096, 2100, 2111, 2120, 2129, 2142, 2149, 2158, 2191, 2200, 2204, 2212, 2258, 2263, 2580, 2584, 2602, 2605, 2625, 2703, 2705, 2710, 2715, 2871, 3181, 3473, 3671, 3694</p> <p>\usebox 4736, 4746, 7456, 7588, 7590, 7595, 7597, 7606, 7607, 7610, 7611, 7818, 11298, 11301, 11309, 11316, 11324, 11331, 11374, 17061, 17065, 17148, 17150, 17154, 17156, 17161, 17163, 17167, 17169, 17173, 17175, 17179, 17181, 17187, 17188, 17191, 17192, 17196, 17197, 17200, 17201, 17204, 17205, 17208, 17209, 17223, 17224, 17226, 17227, 17239, 17240, 17242, 17243, 17249, 17250, 17253, 17254, 17258, 17259, 17262, 17263, 17266, 17267, 17270, 17271, 17278, 17280, 17284, 17286, 17291, 17293, 17297, 17299, 17303, 17305, 17309, 17311, 17324, 17326, 20153, 20154, 20156, 20163, 20181, 20463, 20464, 26138</p> <p>\usecounter . . . . . 91, 294, 609, 744, 1007, 1257, 2585,</p>	<p>2646, 5207, 8606, 9385, 9573, 9882, 11444, 11715, 15619, 17992, 20853, 21247, 21441, 21644, 22178, 22183, 22939, 22944, 23704, 23709, 24430</p> <p>\usefontofkomafont . . . . . 22264, 22301, 23025, 23062, 23790, 23827</p> <p>\usekomafont . . . . . . . 21872, 21879, 21953, 21959, 21962, 21964, 21967, 21975, 21977, 22020, 22294, 22295, 22326, 22327, 22332, 22337, 22338, 22341, 22348, 22349, 22353, 22359, 22360, 22364, 22427, 22430, 22440, 22446, 22448, 22612, 22619, 22693, 22699, 22702, 22704, 22707, 22715, 22717, 22760, 23055, 23056, 23087, 23088, 23093, 23098, 23099, 23102, 23109, 23110, 23114, 23120, 23121, 23125, 23189, 23192, 23202, 23208, 23211, 23385, 23392, 23466, 23472, 23475, 23477, 23480, 23488, 23490, 23533, 23820, 23821, 23852, 23853, 23858, 23863, 23864, 23867, 23874, 23875, 23879, 23885,</p>
--	--	---



23886, 23890,	10199, 10216,	13644, 13657,
23954, 23957,	10220, 10233,	13671, 13784,
23967, 23973, 23976	10248, 10265,	13820, 13847,
\usepackage . . . 6995,	10281, 10296,	13882, 13911,
6996, 7001, 7002,	10311, 10324,	13929, 13943,
7005, 7008, 7053, 7054	10340, 10365,	13956, 13970,
\UseTaggingSocket .	10366, 10405,	14083, 14119,
380, 385, 405, 419, 427	10406, 10409,	14146, 14181,
\usetocbasicnumberline	10410, 10438,	14210, 14228,
..... 25164	10444, 10447,	14242, 14255,
V	10455, 10494,	14269, 14382,
\vadjust . 9037, 9038, 9045	10524, 10544,	14418, 14445,
\valign . . . 12212, 12215	10552, 10557,	14480, 14509,
\value . . . . . 3399,	10564, 10571,	14527, 14541,
3400, 8104, 8123,	10581, 10592,	14554, 14568,
8142, 8174, 16045,	10605, 10655,	14681, 14717,
16059, 16060,	10661, 10879,	14744, 14779,
16063, 16064,	10887, 10888,	14808, 14826,
16067, 22225,	10896, 10900,	14840, 14853,
22986, 23751, 24200	10908, 10909,	14867, 14902,
\var@leftcolumn@badness	10917, 10931,	15160, 15178,
. 10407, 10419, 10425	10936, 10940,	15191, 15209,
\var@rightcolumn@badness	10943, 10947,	15217, 15225,
. 10411, 10421, 10426	10948, 10965,	15239, 15247,
\var@thecol@num . .	10972, 10988,	15255, 15281,
..... 10351,	10993, 10997,	15294, 15311,
10353, 10622, 10640	10998, 11001,	15324, 15330,
\vbadness . . . 10232,	11002, 11017,	15338, 15345,
10295, 12211,	11024, 11904,	15353, 15359,
12214, 15775,	11917, 11929,	15367, 15374,
15811, 15916,	11941, 11954,	15382, 15447,
16645, 16694,	12075, 12077,	15455, 15470,
19543, 19643,	12099, 12101,	15789, 15826,
20344, 26550, 26597	12301, 12337,	15917, 15922,
\vbox . . . 306, 411, 418,	12364, 12399,	15947, 15962,
1446, 1513, 1872,	12428, 12446,	15987, 16277,
1990, 2104, 2110,	12460, 12473,	16292, 16307,
2118, 2128, 2141,	12487, 12599,	16327, 16518,
2147, 2157, 2171,	12633, 12658,	16531, 16555,
2186, 2208, 2266,	12692, 12720,	16646, 16663,
2283, 2300, 2318,	12737, 12750,	16695, 16712,
2334, 2350, 2461,	12762, 12775,	16811, 16822,
2463, 2481, 2485,	12887, 12923,	16847, 18603,
2524, 2529, 2541,	12950, 12985,	18662, 18667,
2554, 2559, 2560,	13014, 13032,	18670, 18675,
2894, 2909, 2924,	13046, 13059,	18676, 18679,
2939, 3027, 3316,	13073, 13186,	18729, 18767,
3336, 3578, 3588,	13222, 13249,	19299, 19449,
3613, 3633, 3635,	13284, 13313,	19544, 19567,
3728, 3736, 4947,	13331, 13345,	19572, 19574,
7845, 7846, 7848,	13358, 13372,	19582, 19600,
9021, 9935, 9940,	13485, 13521,	19605, 19644,
10018, 10196,	13548, 13583,	19667, 19672,
	13612, 13630,	19674, 19682,



19700,	19705,	9562, 9604, 9633,	24112, 24140,
19736,	20202,	9706, 9720, 10887,	24181, 26450,
20378,	20379,	10908, 11467,	26570, 26619, 26819
20392,	20396,	11481, 11562,	\vsize . . . . . 10630,
20401,	20405,	11576, 15634,	15937, 16483,
20417,	20428,	15648, 20536,	16534, 18674,
20443,	20445,	20761, 20764,	18682, 21901,
20447,	20450,	20886, 20915,	21918, 22641,
20455,	20492,	21025, 21054,	22658, 23414, 23431
20499,	20500,	21211, 21214,	\vskip . . 309, 312, 448,
20507,	20636,	21290, 21304,	451, 457, 516, 522,
22304,	23065,	21477, 21491, 26889	528, 532, 594, 676,
23830,	24152,	\vfill . . . 3092, 3667,	778, 787, 797, 868,
24186,	24191,	4539, 8801, 12212,	872, 878, 882, 903,
25738,	25741,	12215, 15506,	1030, 1039, 1049,
25746,	25750,	20443, 20448,	1120, 1124, 1130,
25754,	25758,	20449, 21676,	1134, 1159, 1280,
25762,	25766,	21691, 21723,	1289, 1299, 1370,
25770,	25774,	21740, 21956,	1375, 1381, 1385,
26166,	26174,	21981, 21995,	1391, 1394, 1803,
26175,	26183,	22019, 22696,	1812, 1821, 1888,
26350,	26355,	22721, 22735,	1934, 1947, 1951,
26447,	26464,	22759, 23469,	2000, 2002, 2004,
26551,	26566,	23494, 23508, 23532	2006, 2008, 2009,
26598,	26613,	\vfuzz . . . . . 3027,	2884, 2891, 2894,
26644,	26660,	8072, 8075, 8076	2899, 2906, 2909,
26671,	26805,	\vleftskip . 19417, 19418	2914, 2921, 2924,
26846,	26885, 26888	\voffset . . . . . 4567	2939, 3115, 3123,
\vboxL . . . . .	20500,	\voidbx . 2568, 9908, 9972	3127, 3135, 3139,
	21666, 21711, 26175	\vphantom . . . . . 25901	3147, 3208, 3291,
\vboxR . . . . .	20492, 26166	\vpic . 20368, 20378, 20379	3293, 3313, 3318,
\vcenter . . . . .	411,	\vrightskip . 19417, 19418	3336, 3371, 3373,
	1510, 10015,	\vrule . . . . . 393, 1525,	3476, 3499, 3537,
	24186, 26268,	1627, 1633, 1641,	3577, 3589, 3636,
	26357, 26358, 26447	1648, 1657, 1666,	3651, 3656, 3664,
\veqno . . . . .	327, 328	1680, 1689, 1701,	3672, 3696, 3719,
\verb . . . . .	24199	1710, 1722, 1731,	3728, 3759, 3775,
\VerbBox . . .	11355, 11357	2050, 3346, 3347,	3791, 3793, 3814,
\verse@i . . . . .	9051,	3354, 3355, 3362,	3819, 3826, 3834,
	9082, 9088, 9096, 9137	3363, 3574, 3610,	3837, 3863, 3874,
\verse@ii . . . . .		3617, 3621, 3977,	3904, 3910, 3921,
	9062, 9083, 9089,	3996, 7847, 7848,	3931, 4020, 4962,
	9091, 9097, 9099, 9137	9020, 9022, 10030,	9077, 9104, 9140,
\versewidth . . . . .		10252, 10317,	9141, 9147, 9257,
	. . . 9014, 9024, 9116	10549, 10568,	9259, 9316, 9355,
\vfil	447, 461, 658, 661,	15791, 15832,	9428, 9437, 9447,
	777, 806, 965, 968,	16669, 16716,	9493, 9532, 9605,
	1029, 1058, 1217,	18594, 18648,	9614, 9624, 9655,
	1220, 1279, 1308,	19027, 19289,	9660, 9664, 9666,
	2112, 2130, 2143,	19370, 19577,	9672, 9676, 9678,
	2159, 2465, 2525,	19584, 19609,	9707, 9710, 9716,
	3366, 3579, 3590,	19677, 19684,	9775, 9781, 9787,
	9021, 9371, 9374,	19711, 19740,	9791, 9811, 9850,
	9427, 9456, 9559,	19853, 19864,	9855, 9863, 10282,



10341,	10502,	21143,	21146,	3169, 3190, 3251,
10506,	10584,	21151,	21190,	5130, 7449, 7539,
10587,	10596,	21291,	21294,	7547, 8165, 8169,
10599,	10610,	21300,	21364,	8231, 8236, 8249,
10612,	10952,	21370,	21375,	8254, 8267, 8272,
11006,	11424,	21378,	21397,	8389, 8398, 8407,
11432,	11468,	21478,	21481,	8488, 8495, 8502,
11471,	11477,	21487,	21546,	8509, 8516, 8799,
11532,	11536,	21552,	21558,	8843, 8847, 9649,
11542,	11546,	21562,	21582,	9669, 9844, 9858,
11563,	11566,	21620,	21624,	11676, 11691,
11572,	11631,	21632,	21871,	11736, 11738,
11637,	11643,	21878,	21960,	11740, 15582,
11647,	11682,	21963,	21965,	15594, 18083,
11687,	11696,	21974,	21976,	18085, 18749,
12072,	12096,	21978,	22021,	18762, 21615,
12177,	15411,	22281,	22283,	21627, 24457,
15451,	15459,	22287,	22289,	24463, 24468,
15461,	15474,	22381,	22383,	24475, 24480, 24485
15569,	15587,	22392,	22394,	\vsplit . . . . . 10191,
15591,	15599,	22611,	22618,	10192, 10209,
15635,	15638,	22700,	22703,	10213, 10234,
15644,	15699,	22705,	22714,	10297, 10403,
15703,	15709,	22716,	22718,	10493, 10658,
15713,	15961,	22761,	23042,	12220, 15776,
15965,	15966,	23044,	23048,	15812, 16527,
16343,	16519,	23050,	23143,	16647, 16696,
16557,	16562,	23145,	23154,	19545, 19645,
16814,	16825,	23156,	23384,	20349, 20352,
16832,	16852,	23391,	23473,	20371, 20372,
18200,	18213,	23476,	23478,	20390, 20394,
18621,	18633,	23487,	23489,	20399, 20403,
18782,	19443,	23491,	23534,	20415, 20426,
19445,	19448,	23807,	23809,	20453, 26552, 26599
19489,	19498,	23813,	23815,	\vss . . 306, 2121, 2150,
19506,	19575,	23908,	23910,	2565, 3614, 10268,
19576,	19578,	23919,	23921,	10327, 10510,
19585,	19602,	24550,	24569,	10516, 10532,
19675,	19676,	24590,	24607,	10538, 10552,
19678,	19685,	24624,	24641,	10557, 10564,
19702,	19747,	24658,	24676,	10571, 10659,
19759,	19778,	24695,	24715,	10944, 10954,
19790,	19802,	24750,	24939,	10999, 11008,
20343,	20360,	25595,	25779,	15988, 18667,
20381,	20447,	25958,	25962,	18679, 19300,
20533,	20539,	25981,	26372,	20378, 20379,
20779,	20818,	26381,	26390,	20450, 20636, 26360
20887,	20896,	26399,	26485,	\vtop . . 411, 418, 1445,
20906,	20977,	26647,	26663,	1512, 7906, 7950,
20981,	20987,	26674,	26682,	7994, 9941, 10017,
20991,	21026,	26805,	26884,	18585, 24152,
21035,	21045,	26897,	26924, 26932	24186, 24191,
21120,	21127,	\vspace 3011, 3013, 3041,		
21133,	21137,	3047, 3053, 3162,		



<b>W</b>	<b>W</b>	<b>X</b>
<p>\waslice 20378, 20396, 20401, 20417, 20436, 20437, 20446</p> <p>\wbslice .... 20379, 20392, 20405, 20428, 20435, 20437, 20438, 20442, 20443, 20450, 20455, 20456</p> <p>\wd .... 1894, 1899, 1913, 1935, 2012, 2025, 2041, 2099, 2103, 2123, 2134, 2152, 2163, 2203, 2207, 2479, 2483, 2527, 2940, 3346, 3354, 3362, 3976, 3995, 4296, 4505, 9027, 9028, 9088, 9089, 9091, 9097, 9137, 9231, 9233, 9246, 9248, 10039, 10371, 11368, 11372, 14912, 15753, 15878, 16456, 16574, 16575, 16898, 16900, 16944, 16946, 17067, 17148, 17150, 17154, 17156, 17187, 17188, 17191, 17192, 17216, 17217, 17219, 17232, 17233, 17235, 17249, 17250, 17253, 17254, 17278, 17280, 17284, 17286, 17954, 17962, 17971, 17979, 18207, 18616, 18768, 19455, 19459, 19461, 19469, 19500, 19819, 20336, 20547, 20570, 20597, 21663, 21708, 21764, 21771, 24092, 24250, 24301, 24358, 24375,</p>	<p>25169, 25183, 25992, 26036, 26232, 26424, 26926</p> <p>\WF@everypar .... 25955</p> <p>\WF@adjlw .. 25995, 26020</p> <p>\WF@adjtlm . 26017, 26020</p> <p>\WF@box 25992, 26025, 26026</p> <p>\WF@floatfalse 25958, 25966, 25976, 25979</p> <p>\WF@fittmes .... 25985</p> <p>\WF@info .... 25965, 25975, 25978, 25987, 26022, 26024</p> <p>\WF@ovh .... 25992</p> <p>\WF@place .. 25990, 25996</p> <p>\WF@putfigmaybe .. 25956</p> <p>\WF@size ... 25969, 26023</p> <p>\WF@startwrapping 26028</p> <p>\WF@wfname .... . 25987, 26022, 26024</p> <p>\WF@rapil . 26016, 26019</p> <p>\whilecondition 6636, 6650, 6739, 6771</p> <p>\whiledo .... 15921</p> <p>\widowpenalty .... . 92, 295, 615, 747, 1010, 1260, 2653, 5210, 9125, 9388, 9576, 9888, 11447, 11721, 15622, 17993, 20049, 20856, 21250, 21447, 21650, 22188, 22949, 23714, 24436</p> <p>\WIDTH .... 24301, 24309</p> <p>\width .. 16477, 16878, 16966, 16968, 19336, 19345, 19369</p> <p>\widthof ... 11223, 11228</p> <p>\windowbox . 20445, 20451</p> <p>\wlog . 10480, 10521, 10543</p> <p>\write .... 5252, 5617, 5645, 5671, 5699, 5725, 5728, 5762, 5765, 7226, 9010, 9013, 9217, 12115, 24238, 26532</p> <p>\WriteEndXPostoaux 5643</p> <p>\WriteEndXYPostoaux 5760</p> <p>\WriteEndYPostoaux 5697</p> <p>\WriteStartXPostoaux .... . 5614</p>	<p>\WriteStartXPostoaux ..... 5722</p> <p>\WriteStartYPostoaux ..... 5668</p> <p>\wstrutbox . 20355, 20357</p> <p><b>X</b></p> <p>\x .... 6771, 6772, 7238, 7241, 11119, 11120, 11123, 11124, 11129, 11133, 11137, 11138, 11141, 11142, 11147, 11151, 17892, 17901, 17903, 17915</p> <p>\XC@tmp 26063, 26064, 26078, 26112, 26113, 26121, 26125</p> <p>\XC@tstfalse 26063, 26112</p> <p>\XC@tsttrue .. 26064, 26065, 26066, 26113, 26114, 26115</p> <p>\XC@bidideclaredc@lor .... 26119, 26124</p> <p>\XC@bidideclaredcolor .... 26118, 26120</p> <p>\XC@bidiundeclaredcolor .... 26103, 26105</p> <p>\XC@coremodel 26047, 26090</p> <p>\XC@current@color . .... 26075, 26078, 26079, 26109, 26125, 26126</p> <p>\XC@declaredc@lor . .... 26070, 26077</p> <p>\XC@declaredcolor 26069</p> <p>\XC@display .. 26076, 26080, 26110, 26127</p> <p>\XC@edef ... 26063, 26112</p> <p>\XC@fbox .... 26131</p> <p>\XC@getmodclr 26043, 26086</p> <p>\XC@inflate 26057, 26100</p> <p>\XC@let@Nc . 26078, 26125</p> <p>\XC@mclr ... 26057, 26100</p> <p>\XC@mmod .... 26055, 26056, 26098, 26099</p> <p>\XC@mul .... 26058, 26101</p> <p>\XC@split .... 26121</p> <p>\XC@tgt@mod 26051, 26094</p> <p>\XC@type ... 26064, 26113</p> <p>\XC@undeclaredcolor .... 26060, 26071</p> <p>\xcolor@ ... 26075, 26109</p>



\xdef . . . . .	333, 401, 4689, 5457, 5595, 5598, 5895, 5896, 5899, 5900, 5917, 5918, 5921, 5922, 6315, 7117, 7272, 9028, 9030, 9111, 9113, 9115, 10236, 10238, 10299, 10301, 10401, 10407, 10411, 10897, 10918, 10963, 10969, 10970, 11015, 11021, 11022, 14974, 14985, 15027, 15038, 15079, 15090, 15130, 15141, 15440, 15778, 15780, 15814, 15816, 16178, 16649, 16651, 16698, 16700, 16841, 17502, 18601, 19547, 19549, 19647, 19649, 20293, 20300, 20307, 24375, 25620, 25624, 25645, 25649, 25711, 25715, 25990, 25995, 26016, 26017, 26019, 26020, 26554, 26556, 26601, 26603	\xxm . . . . .	11128, 11132, 11146, 11150	4507, 4907, 4962, 5222, 5232, 5237, 5795, 5812, 6616, 6626, 7346, 7355, 7654, 7887, 7891, 7931, 7935, 7975, 7979, 8565, 8592, 8623, 8635, 8813, 9041, 9044, 9047, 9088, 9089, 9091, 9097, 9111, 9115, 9119, 9120, 9121, 9122, 9123, 9124, 9137, 9211, 9223, 9224, 9231, 9233, 9246, 9248, 9256, 9300, 9304, 9305, 9316, 9317, 9320, 9322, 9335, 9358, 9410, 9412, 9414, 9422, 9439, 9477, 9481, 9482, 9493, 9494, 9497, 9499, 9512, 9535, 9587, 9589, 9591, 9599, 9616, 9650, 9670, 9687, 9692, 9693, 9752, 9799, 9814, 9832, 9834, 9836, 9845, 9859, 9910, 9911, 9922, 9924, 10007, 10009, 10014, 10028, 10030, 10031, 10036, 10037, 10038, 10039, 10040, 10074, 10085, 10203, 10371, 10394, 10427, 10430, 10433, 10441, 10452, 10462, 10465, 10470, 10473, 10477, 10504, 10507, 10513, 10529, 10535, 10589, 10601, 10614, 10633, 10636, 10657, 10885, 10906, 10923, 10924, 10926, 10927, 10935, 10957, 10959,
		\y . . . . .	8053	
		<b>Y</b>		
		\y . . . . .	11120, 11124, 11128, 11132, 11137, 11138, 11141, 11142, 11146, 11147, 11150, 11151, 17888, 17890, 17891, 17894, 17901	\y . . . . .
		\year . . . . .	3304	11120, 11124, 11128, 11132, 11137, 11138, 11141, 11142, 11146, 11147, 11150, 11151, 17888, 17890, 17891, 17894, 17901
		\ym . . . . .	11137,	11137,
			11141, 11147, 11151	11141, 11147, 11151
		\ym . . . . .	11119,	11119,
			11123, 11129, 11133	11123, 11129, 11133
		<b>Z</b>		
		\z@ . . . . .	12, 24, 46, 60, 76, 99, 103, 111, 128, 134, 136, 207, 219, 223, 249, 263, 278, 306, 314, 318, 336, 357, 361, 364, 375, 396, 408, 414, 415, 416, 493, 540, 552, 557, 584, 626, 631, 632, 642, 646, 647, 676, 677, 680, 682, 695, 720, 772, 789, 847, 891, 895, 896, 903, 904, 907, 910, 922, 939, 976, 979, 1024, 1041, 1087, 1099, 1143, 1147, 1148, 1159, 1160, 1163, 1165, 1178, 1204, 1274, 1291, 1349, 1386, 1412, 1416, 1419, 1432, 1454, 1462, 1480, 1490, 1492, 1502, 1504, 1509, 1523, 1525, 1526, 1994, 1996, 1997, 2002, 2004, 2006, 2008, 2009, 2034, 2279, 2296, 2313, 2329, 2345, 2361, 4289, 4294, 4295, 4296, 4298, 4498, 4503, 4504, 4505,	\z@ . . . . .
\XeLaTeX . . . . .	17884,		11120, 11124, 11128, 11132, 11137, 11138, 11141, 11142, 11146, 11147, 11150, 11151, 17888, 17890, 17891, 17894, 17901	\z@ . . . . .
\XeTeX . . . . .	17883, 20549,		11120, 11124, 11128, 11132, 11137, 11138, 11141, 11142, 11146, 11147, 11150, 11151, 17888, 17890, 17891, 17894, 17901	\z@ . . . . .
\XeTeXcharclass . . . . .	4348,		11120, 11124, 11128, 11132, 11137, 11138, 11141, 11142, 11146, 11147, 11150, 11151, 17888, 17890, 17891, 17894, 17901	\z@ . . . . .
\XeTeXinterchartokenstate . . . . .	4349, 4350, 4351, 4352		11120, 11124, 11128, 11132, 11137, 11138, 11141, 11142, 11146, 11147, 11150, 11151, 17888, 17890, 17891, 17894, 17901	\z@ . . . . .
\XKV@err . . . . .	2377, 2380,		11120, 11124, 11128, 11132, 11137, 11138, 11141, 11142, 11146, 11147, 11150, 11151, 17888, 17890, 17891, 17894, 17901	\z@ . . . . .
\XKV@errx . . . . .	2403, 2406, 2429, 2432		11120, 11124, 11128, 11132, 11137, 11138, 11141, 11142, 11146, 11147, 11150, 11151, 17888, 17890, 17891, 17894, 17901	\z@ . . . . .
\XKV@tkey . . . . .	2380, 2406, 2432		11120, 11124, 11128, 11132, 11137, 11138, 11141, 11142, 11146, 11147, 11150, 11151, 17888, 17890, 17891, 17894, 17901	\z@ . . . . .
\xm . . . . .	11120,		11120, 11124, 11128, 11132, 11137, 11138, 11141, 11142, 11146, 11147, 11150, 11151, 17888, 17890, 17891, 17894, 17901	\z@ . . . . .



10962,	10980,	16873,	16874,	20779,	20780,
10981,	10983,	16881,	16888,	20783,	20785,
10984,	10992,	16889,	16890,	20798,	20821,
11009,	11011,	16891,	16892,	20867,	20869,
11014,	11337,	16894,	16895,	20871,	20881,
11359,	11361,	16897,	16898,	20898,	20956,
11363,	11366,	16900,	16934,	21000,	21004,
11368,	11370,	16935,	16936,	21005,	21020,
11372,	11374,	16937,	16938,	21037,	21097,
11375,	11381,	16940,	16941,	21138,	21151,
11386,	11400,	16943,	16944,	21152,	21155,
11414,	11427,	16946,	17018,	21157,	21170,
11511,	11608,	17024,	18001,	21193,	21232,
11654,	11664,	18005,	18021,	21234,	21236,
11666,	11668,	18025,	18037,	21289,	21332,
11677,	11692,	18049,	18066,	21341,	21368,
11812,	11818,	18110,	18112,	21385,	21400,
11824,	11998,	18166,	18173,	21421,	21423,
12003,	12010,	18178,	18189,	21425,	21459,
12015,	12022,	18261,	18563,	21464,	21465,
12027,	12188,	18565,	18597,	21523,	21570,
12189,	12190,	18603,	18606,	21585,	21603,
12380,	12673,	18611,	18614,	21605,	21607,
12966,	13265,	18648,	18662,	21616,	21628,
13564,	13863,	18666,	18667,	21663,	21664,
14162,	14461,	18670,	18676,	21665,	21708,
14760,	14911,	18719,	18740,	21709,	21710,
14982,	15035,	18742,	18764,	21748,	21752,
15087,	15138,	18793,	19405,	21753,	21758,
15263,	15267,	19408,	19432,	21762,	21763,
15271,	15434,	19557,	19561,	21764,	21769,
15435,	15436,	19571,	19632,	21770,	21771,
15511,	15557,	19657,	19661,	21776,	21780,
15572,	15583,	19671,	19729,	21781,	21826,
15595,	15678,	19746,	19755,	21841,	21854,
15721,	15723,	19757,	19778,	21862,	21871,
15725,	15754,	19790,	19802,	21878,	21880,
15903,	15960,	19822,	19833,	21950,	21976,
15988,	16011,	19839,	20038,	22021,	22334,
16013,	16015,	20043,	20084,	22387,	22467,
16024,	16026,	20094,	20152,	22476,	22479,
16028,	16173,	20153,	20154,	22485,	22495,
16227,	16244,	20156,	20158,	22505,	22565,
16260,	16288,	20163,	20181,	22580,	22594,
16303,	16318,	20464,	20508,	22602,	22611,
16332,	16336,	20510,	20545,	22618,	22620,
16412,	16417,	20546,	20547,	22690,	22716,
16424,	16429,	20556,	20557,	22761,	23095,
16436,	16441,	20570,	20594,	23149,	23229,
16524,	16574,	20595,	20605,	23232,	23238,
16581,	16607,	20613,	20636,	23252,	23258,
16608,	16609,	20681,	20682,	23268,	23278,
16630,	16631,	20699,	20745,	23338,	23353,
16797,	16872,	20749,	20750,	23367,	23375,



23384,	23391,	25123,	25130,	26749,	26790,
23393,	23463,	25133,	25480,	26794,	26797,
23489,	23534,	25484,	25595,	26807,	26808,
23860,	23914,	25600,	25605,	26812,	26819,
23994,	23997,	25653,	25779,	26856,	26882,
24003,	24017,	25965,	25972,	26895,	26935, 26936
24023,	24033,	25973,	25991,	\z@skip . . . 4962,	15958,
24043,	24083,	26007,	26010,	15959,	18740,
24084,	24085,	26019,	26020,	18743,	20696,
24086,	24091,	26022,	26026,	24146,	24151,
24092,	24096,	26033,	26034,	24184,	24190,
24108,	24142,	26035,	26036,	26402,	26403,
24165,	24177,	26131,	26136,	26456,	26462, 26882
24181,	24274,	26138,	26186,	\zap@space 6983,	7070, 7106
24278,	24285,	26190,	26191,	\zifrefundefined . . . . .	16076, 16099
24296,	24342,	26196,	26200,	\zref@extractdefault . . . . .	16081, 16102
24343,	24353,	26201,	26230,	\zref@labelbyprops . . . . .	16048, 16122
24357,	24358,	26231,	26232,	\zref@labelbyprops . . . . .	4351
24359,	24362,	26293,	26294,	\zref@labelbyprops . . . . .	4352
24371,	24372,	26295,	26372,	\zref@labelbyprops . . . . .	
24374,	24375,	26381,	26390,	\zref@labelbyprops . . . . .	
24377,	24385,	26399,	26403,	\zref@labelbyprops . . . . .	
24390,	24405,	26421,	26422,	\zref@labelbyprops . . . . .	
24491,	24492,	26452,	26463,	\zref@labelbyprops . . . . .	
24567,	24657,	26471,	26476,	\zref@labelbyprops . . . . .	
24675,	24768,	26485,	26701,	\zref@labelbyprops . . . . .	
24947,	25059,	26705,	26745,	\zref@labelbyprops . . . . .	

